

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| CABLE TTP216-90 | CPI 12" cable assembly that plugs into the DB25 connector on -90 series Kenwoodradio to connect it to TTP216 termination | EACH | 1 | \$ 37.75 | 31.0% | \$ 26.06 | N/A | N/A |
| CABLE TTP216-MOTO | CPI 12" cable assembly that plugs into 16 or 20 pin connector on Mot. CDM, GM300 or M1225 radio to connect it to TTP216 termination panel. | EACH | 1 | \$ 37.75 | 29.5% | \$ 26.61 | N/A | N/A |
| CABLE MOTO SERIES | CPI 12" cable assembly that plugs into the 16 or 20 pin accessory connector on Motorola mobiles to connect to DTP or TTP series termination panel. | EACH | 1 | \$ 37.75 | 31.0% | \$ 26.06 | N/A | N/A |
| CABLE -90 SERIES | CPI 12" cable assembly that plugs into the DB25 connector on -90 series Kenwoodradio to connect it to DTP or TTP seriestermination panel. | EACH | 1 | \$ 37.75 | 31.0% | \$ 26.06 | N/A | N/A |
| 600-TK80-002 | CPI 12" cable assembly that connects KCT19 equipped -80 series Kenwood radio to DTP or TTP termination panel. | EACH | 1 | \$ 37.75 | 31.0% | \$ 26.06 | N/A | N/A |
| 600-TKXX-000 | CPI 12" cable assembly that connects a DB25 equipped -7180 series Kenwood radioto DTP or TTP termination panel. | EACH | 1 | \$ 37.75 | 39.7% | \$ 22.76 | N/A | N/A |
| 3190-1553 | TIMES SMA male connector for LMR-195, RG142, RG58. Solder center conductor, crimp on braid. | EACH | 1 | \$ 13.25 | 38.0% | \$ 8.22 | N/A | N/A |
| 3190-424-BULK | TIMES N female bulkhead connector for LMR400 coaxl cable. Captivated center pin, crimp on ferrule. Nickle plated body, gold center pin. DOES NOT WORK ON | EACH | 1 | \$ 14.50 | 36.7% | \$ 9.18 | N/A | N/A |
| 3190-477 | TIMES N male connector for 1/4" superflexible LMR-240 75 Ohm foam dielectric cable. Solder center conductor. Crimp on braid. | EACH | 1 | \$ 16.10 | 36.0% | \$ 10.31 | N/A | N/A |
| 3190-500 | TIMES TNC male connector for 40297 5/16"flexible foam dielectric LMR-300 cable. Solder center pin, crimp braid. | EACH | 1 | \$ 15.00 | 39.0% | \$ 9.16 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| 670-00053 | TIMES MICROWAVE TCOM-195 coaxial cable. Low Loss Low Passive Intermod. Uses RG58Connectors Bonded tape & braid. Installed SMA & N connectors. | EACH | 1 | \$ 42.45 | 35.5% | \$ 27.40 | N/A | N/A |
| A/CBLUTP25 | RAD AIRMUX Cable from IDU to ODU 25 Meters UTP Cable for permanent connection between indor & outdoor units. (AIRMUX-CBL-UTP/25) | EACH | 1 | \$ 80.00 | 19.2% | \$ 64.64 | N/A | N/A |
| BHA-KIT | TIMES Bulkhead Kit for use with TC-500-NFC connector. | EACH | 1 | \$ 7.50 | 40.8% | \$ 4.44 | N/A | N/A |
| CBL-G703-8/RJ45X | RAD Fan out Cable to 8 RJ-45 Cross (CBL-G703-8/RJ45-X) | EACH | 1 | \$ 342.00 | 23.8% | \$ 260.61 | N/A | N/A |
| CBL-HSS/50 | RAD AIRMUX cable (HSS) hub site synchronization cable. 50m/164' length. Assembled w/RJ45 connectors | EACH | 1 | \$ 181.00 | 7.1% | \$ 168.07 | N/A | N/A |
| CBL-KVF8/E&M | RAD Octopus Cable Assembly for the VC8/E&M card. 50-pin telco connector toRJ-45's | EACH | 1 | \$ 160.00 | 25.4% | \$ 119.29 | N/A | N/A |
| CBLLS12F | RAD - Female Cable for MP-2100/ModularIntegrated Access Multiplexers. | EACH | 1 | \$ 361.00 | 25.5% | \$ 269.13 | N/A | N/A |
| CBL-RINGER-1 | RAD Splitter cable for connecting a Ringer DC-output connector to one module. | EACH | 1 | \$ 51.00 | 25.5% | \$ 38.02 | N/A | N/A |
| CBL-V35M/V35M | RAD V.35 male to V.35 male cable. | EACH | 1 | \$ 95.00 | 25.5% | \$ 70.82 | N/A | N/A |
| CBL-VC16 | RAD Octopus Cable, six RJ-45 male connectors, for connecting VC-6/E&M's single 50-pin female TELCO connector to user equipment. Cable length 2m (6 ft). | EACH | 1 | \$ 127.00 | 25.5% | \$ 94.68 | N/A | N/A |
| CBL-VC16/FXS/O | RAD Cable with 16 x RJ-12 connectors for splitting the VC-16/FXS or VC-16/FXO to a single 50-pin Telco connector | EACH | 1 | \$ 171.00 | 25.5% | \$ 127.48 | N/A | N/A |
| CBL-VC8/FXSO | RAD Octopus Cable, six RJ-45 male connectors, for connecting VC-8/FXSO&FXS's single 50-pin female TELCO connector to user equipment. Cabl | EACH | 1 | \$ 127.00 | 25.5% | \$ 94.68 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| CP-600T | TIMES MICROWAVE cushion plugs to fill unused LMR600 hole plugs for multiple run boots. 5 Pack. | PACK | 1 | \$ 7.50 | 22.7% | \$ 5.80 | N/A | N/A |
| CS-4060T | TIMES MICROWAVE Cold shrink for LMR-400 and LMR-600 . Use to weatherproof the connection at the base of an antenna, or base station. 4" piece with mastic tape. | EACH | 1 | \$ 35.00 | 46.7% | \$ 18.66 | N/A | N/A |
| EZ-200-NM | TIMES N male crimp connector for LMR-200 coaxial cable. Silver plated bodies, gold center pin. Non-solder pin and knurl coupling nut. | EACH | 1 | \$ 12.00 | 39.9% | \$ 7.21 | N/A | N/A |
| EZ-200-NMH-D | TIMES N male Advantage crimp connector for LMR-200 coaxial cable. Silver plated bodies, captivated gold center pin. Hex/knurl combo coupling nut. | EACH | 1 | \$ 14.00 | 41.3% | \$ 8.22 | N/A | N/A |
| EZ-200-TF-RP | TIMES reverse polarity TNC female for LMR200 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. | EACH | 1 | \$ 14.75 | 40.3% | \$ 8.81 | N/A | N/A |
| EZ-200-TM | TIMES TNC male crimp connector for LMR-200 cable. Silver plated bodies, gold center pin. Spring fit center pin, crimp on braid. | EACH | 1 | \$ 15.00 | 47.4% | \$ 7.89 | N/A | N/A |
| EZ-200-TM-RP | TIMES reverse polarity TNC male for LMR200 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. | EACH | 1 | \$ 13.00 | 47.4% | \$ 6.84 | N/A | N/A |
| EZ-240-FMH-75 | TIMES MICROWAVE F-Male (plug) crimp connector for LMR240-75. Includes 1/2" crimp ring which is separate from connector body. EZ Series. | EACH | 1 | \$ 22.50 | 38.6% | \$ 13.81 | N/A | N/A |
| EZ-240-NMD | TIMES N male connector for 1/4" LMR-240 foam dielectric cable. No soldering, captivated center pin. Crimp on ferrule with knurled coupling nuts. | EACH | 1 | \$ 7.80 | 40.8% | \$ 4.62 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| EZ-240-QMM | TIMES QMA Male connector for 1/4" LMR-240 foam dielectric cable . No soldering, captivated center pin. Crimp on ferrule with knurled coupling nuts. | EACH | 1 | \$ 21.00 | 36.0% | \$ 13.44 | N/A | N/A |
| EZ-240-QM-RA | TIMES QMA Male right angle connector for 1/4" LMR-240 foam dielectric cable . No soldering, captivated center pin. Crimp on ferrule with knurled coupling nuts. | EACH | 1 | \$ 14.50 | 38.9% | \$ 8.87 | N/A | N/A |
| EZ-240-SM | TIMES SMA male connector for 1/4" LMR-240 foam dielectric cable. No soldering, captivated center pin. Crimp on ferrule wuth knurled coupling nuts. | EACH | 1 | \$ 8.40 | 38.9% | \$ 5.13 | N/A | N/A |
| EZ-240-SM-RA | TIMES Right Angle SMA male connector for 1/4" LMR-240 foam dielectric cable. No soldering, captivated center pin. Crimp on ferrule wuth knurled coupling nuts. | EACH | 1 | \$ 11.00 | 38.9% | \$ 6.72 | N/A | N/A |
| EZ-240-TM | TIMES TNC male connector for 1/4" LMR-240 foam dielectric cable . No soldering, captivated center pin. Crimp on ferrule with knurled coupling nuts. | EACH | 1 | \$ 11.75 | 40.3% | \$ 7.02 | N/A | N/A |
| EZ-240-TM-RP | TIMES TNC male reverse gender connector 1/4" superflexible LMR-240 foam dielectric cable. Non-solder female pin, crimp | EACH | 1 | \$ 22.00 | 40.3% | \$ 13.14 | N/A | N/A |
| EZ-300-FMH-75 | TIMES MICROWAVE F connector for LMR300-75 cable. "EZ" non-solder style. Hex head with longer crimp area for improved adhesion. | EACH | 1 | \$ 16.00 | 37.7% | \$ 9.97 | N/A | N/A |
| EZ400-FM-75 | TIMES MICROWAVE F connector for LMR400-75 cable. "EZ" non-solder style. Knurled coupling nut for easy attachment to female. | EACH | 1 | \$ 24.00 | 38.0% | \$ 14.88 | N/A | N/A |
| EZ400-FMH-75 | TIMES MICROWAVE F connector for LMR400-75 cable. "EZ" non-solder style. Hex head with longer crimp area for improved adhesion. | EACH | 1 | \$ 23.00 | 48.5% | \$ 11.85 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| EZ-400-NF | TIMES N Female connector for LMR400 coaxial cable. Spring finger center pin, crimp on ferrule. Silver plated body, gold center pin. DOES NOT WORK ON 400UF | EACH | 1 | \$ 15.00 | 45.1% | \$ 8.24 | N/A | N/A |
| EZ-400-NF-BH | TIMES N female bulkhead connector for LMR400 coaxl cable. Captivated center pin, crimp on ferrule. Nickle plated body, gold center pin. DOES NOT WORK ON | EACH | 1 | \$ 20.00 | 45.1% | \$ 10.99 | N/A | N/A |
| EZ400-NM-75 | TIMES MICROWAVE N connector for LMR400-75 cable. "EZ" non-solder style. | EACH | 1 | \$ 32.00 | 63.4% | \$ 11.72 | N/A | N/A |
| EZ-400-NMH-D | TIMES N male Advantage connector for LMR-400. Gold pin. Silver plate body, gold center pin. DOES NOT WORK WITH ULTRAFLEX CABLE | EACH | 1 | \$ 9.00 | 38.9% | \$ 5.50 | N/A | N/A |
| EZ-400-NMH-PL-D | TIMES N male connector for LMR-400-PL cable. Captivated pin. No soldering needed. Hex coupling nut. Crimp on braid. | EACH | 1 | \$ 9.00 | 38.9% | \$ 5.50 | N/A | N/A |
| EZ-400-NMH-RA | TIMES right angle male connector for LMR-400 cable. Captivated pin. No soldering needed. Hex coupling nut. Crimp on braid. DOES NOT WORK on 400-UF. | EACH | 1 | \$ 26.00 | 40.0% | \$ 15.61 | N/A | N/A |
| EZ-400-NMK | TIMES N male connector for LMR400. Spring finger center pin, crimp on ferrule. Silver plated body, gold center pin. knurled nut. (2) O-rings | EACH | 1 | \$ 14.00 | 38.9% | \$ 8.55 | N/A | N/A |
| EZ-400-TF-BH | Times TNC female bulkhead crimp connector for LMR-400 coaxial cable. Nickel body, Silver center pin. DOES NOTWORK ON 400-UF. | EACH | 1 | \$ 47.00 | 48.3% | \$ 24.31 | N/A | N/A |
| EZ-400-TF-RP | TIMES reverse polarity TNC female (JACK)for LMR400 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. | EACH | 1 | \$ 18.00 | 38.9% | \$ 10.99 | N/A | N/A |
| EZ-400-TM | Times TNC male crimp connector for LMR-400 coaxial cable. Nickel body, Silver center pin. DOES NOT WORK ON 400-UF. | EACH | 1 | \$ 11.00 | 39.0% | \$ 6.72 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| EZ-400-TM-RA | TIMES TNC Male Right Angle Crimp connector for LMR-400 coaxial cable. Nickel body, Silver center pin. Teflon dielectric. DOES NOT WORK ON 400-UF. | EACH | 1 | \$ 28.50 | 47.3% | \$ 15.02 | N/A | N/A |
| EZ-400-TM-RP | TIMES reverse polarity TNC male (PLUG) for LMR400 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. DOES NOT WORK | EACH | 1 | \$ 15.90 | 38.9% | \$ 9.71 | N/A | N/A |
| EZ-400-UM | TIMES UHF male connector for LMR400 coaxial cable. Spring finger center pin, crimp on ferrule. Nickel plated body, gold center pin. DOES NOT WORK ON 400-UF | EACH | 1 | \$ 17.00 | 38.9% | \$ 10.39 | N/A | N/A |
| EZ-600-FMH-75 | TIMES F male connector for LMR-600-75 cable. Gold captivated pin. Not for 50 ohm cable. Hex/knurl coupling nut. Tri-metal plating. Crimp on braid. | EACH | 1 | \$ 23.90 | 44.4% | \$ 13.30 | N/A | N/A |
| EZ-600-NF | TIMES N Female for LMR600 coaxial cable. Crimp type. | EACH | 1 | \$ 25.00 | 38.9% | \$ 15.27 | N/A | N/A |
| EZ-600-NF-BH | TIMES N female bulkhead connector for 1/2" LMR-600 foam dielectric cable. Captivated pin. No soldering needed. Crimp on braid. | EACH | 1 | \$ 33.00 | 38.9% | \$ 20.16 | N/A | N/A |
| EZ-600-NMH-75 | TIMES N male connector for LMR-600-75 cable. Gold captivated pin. NOT for 50 ohm cable. Hex/knurl coupling nut. Tri-metal plating. Crimp on braid. | EACH | 1 | \$ 24.00 | 45.3% | \$ 13.14 | N/A | N/A |
| EZ-600-NMH-D | TIMES N male Advantage connector for LMR-600 cable. Gold captivated pin. Tri-metal plating. Hex/Knurl combo, Excellent VSWR. | EACH | 1 | \$ 16.00 | 40.7% | \$ 9.49 | N/A | N/A |
| EZ-600-NMH-PL | TIMES N male connector for LMR600-LLPL cable. Captivated pin. No soldering needed. Hex coupling nut. Crimp on braid. | EACH | 1 | \$ 20.30 | 38.9% | \$ 12.41 | N/A | N/A |
| EZ-600-NMH-RA | TIMES right angle male connector for 86672 1/2" LMR-600 foam dielectric cable. Captivated pin. No soldering needed. Hex coupling nut. Crimp on braid | EACH | 1 | \$ 33.00 | 38.9% | \$ 20.15 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| EZ-600-NMK | TIMES N male connector for 86672 1/2" LMR-600 foam dielectric cable. Captivated pin. No soldering needed. Knurled coupling nut. Crimp on braid. | EACH | 1 | \$ 20.00 | 39.2% | \$ 12.16 | N/A | N/A |
| EZ-600-TF-RP | TIMES reverse polarity TNC female (jack)for LMR600 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. | EACH | 1 | \$ 30.00 | 39.4% | \$ 18.18 | N/A | N/A |
| EZ-600-TM | TIMES TNC male connector for 88672 1/2" LMR-600 foam dielectric cable. No soldering, captivated center pin. Crimp on ferrule. | EACH | 1 | \$ 25.70 | 38.9% | \$ 15.70 | N/A | N/A |
| EZ-600-TM-RP | TIMES reverse polarity TNC male (plug) for LMR600 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Crimp type. | EACH | 1 | \$ 29.00 | 39.0% | \$ 17.70 | N/A | N/A |
| EZ-600-UM | TIMES UHF male connector for 88672 1/2" LMR-600 foam dielectric cable. No soldering, captivated center pin. Crimp on ferrule. | EACH | 1 | \$ 40.00 | 49.1% | \$ 20.36 | N/A | N/A |
| FBT-195 | TIMES MICROWAVE FBT195 cable. flexible Low Loss High Power coax. 50 ohms. Stranded outer conductor, bare copper center conductor.Priced per foot. | FOOT | 1 | \$ 3.20 | 39.1% | \$ 1.95 | N/A | N/A |
| FBT-240 | TIMES MICROWAVE FBT-240 cable. Flexible Low Loss High Power coax. 50 ohms. MAY SHIP IN RUNS AS SHORT AS 50'. Priced per foot. | FOOT | 1 | \$ 5.00 | 37.4% | \$ 3.13 | N/A | N/A |
| FBT-400 | TIMES MICROWAVE FBT-400 cable. Flexible Low Loss High Power coax. 50 ohms. Priced per foot. | FOOT | 1 | \$ 8.50 | 37.5% | \$ 5.31 | N/A | N/A |
| FBT-600 | TIMES MICROWAVE FBT600 cable. 1/2" O.D.flexible Low Loss High Power coax. 50 ohms. Must order 500' minimum. Priced per foot. | FOOT | 1 | \$ 16.75 | 35.5% | \$ 10.81 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| GK-BC400-9 | TIMES Grounding Kit for LMR-BC-400-9 9 stranded LMR-400. Manufacturer suggests using 1 kit every 30 meters. | EACH | 1 | \$ 85.00 | 22.1% | \$ 66.24 | N/A | N/A |
| GK-S1200TT | TIMES Standard Grounding kit for LMR-1200. Includes 3 ft. of 6 ga. cable,a field attachable 1/4" two hole lug anda tinned copper strap. ROHS Compliant. | EACH | 1 | \$ 36.00 | 19.5% | \$ 28.98 | N/A | N/A |
| GK-S1700TT | TIMES Standard Grounding kit for LMR-1700. INcludes 5 ft. 6 ga. cable anda field attachable 1/4" two hole lug. | EACH | 1 | \$ 36.00 | 17.2% | \$ 29.81 | N/A | N/A |
| GK-S240TT | TIMES Standard Grounding kit for LMR-240RG8X & Proflex cables. Incl. 60" 6 ga. lead with 1/4" & 3/8" field attach lugs.Tinned copper strap. ROHS Compliant. | EACH | 1 | \$ 28.00 | 17.6% | \$ 23.06 | N/A | N/A |
| GK-S400TT | TIMES Standard Grounding kit for LMR-400w/ 36" lead, both 1/4" & 3/8" field attach universal lugs and weatherproofinTinned copper strap. ROHS | EACH | 1 | \$ 28.00 | 17.6% | \$ 23.06 | N/A | N/A |
| GK-S500TT | TIMES Standard Grounding kit for LMR-500with 60" lead, field attach 1/4" & 3/8" universal lugs and weatherproofing. Tinned copper strap. ROHS Compliant. | EACH | 1 | \$ 28.00 | 14.2% | \$ 24.02 | N/A | N/A |
| GK-S600TT | TIMES Standard Grounding kit for LMR-600. Includes 3 ft. of 6 ga. cable, a field attachable 1/4" two hole lug anda tinned copper strap. ROHS Compliant. | EACH | 1 | \$ 28.00 | 17.6% | \$ 23.06 | N/A | N/A |
| GK-S900TT | TIMES Standard Grounding kit for LMR-900with 60" lead, field attach 1/4" & 3/8" universal lugs and weatherproofing. Tinned copper strap. ROHS Compliant. | EACH | 1 | \$ 33.00 | 22.9% | \$ 25.44 | N/A | N/A |
| HG-900T | TIMES MICROWAVE hoisting grip LMR-900. Split-type design with metal lacing. Useone grip for every 200' of cable. | EACH | 1 | \$ 35.00 | 10.1% | \$ 31.47 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| LMR-100A-PVC | TIMES MICROWAVE LMR100 Flex Cable. .105"O.D. 50 ohms. Stranded outer conductor, copper-clad steel center conductor. PVC jacket. Uses standard RG174 connectors. | FOOT | 1 | \$ 0.60 | 50.0% | \$ 0.30 | N/A | N/A |
| LMR-100A-PVC-W | TIMES MICROWAVE LMR100 Flex Cable with white jacket. .105" O.D. 50 ohms. Stranded outer cond, copper-clad steel center cond. PVC jacket. Uses RG174 conn | FOOT | 1 | \$ 0.60 | 50.0% | \$ 0.30 | N/A | N/A |
| LMR-1200-DB | TIMES MICROWAVE LMR1200-DB cable. Water-tight 7/8" cable with an inert polymericflooding compound in the braiding. MeetsASTM D4565 & ANSI S-84-608 requir. | FOOT | 1 | \$ 8.00 | 42.0% | \$ 4.64 | N/A | N/A |
| LMR-1200-FR | TIMES MICROWAVE LMR1200FR fire retardant7/8" standard cable. 50 ohms. Stranded outer cond. Bare copper center conductorPriced per foot. MSHA Approved | FOOT | 1 | \$ 13.50 | 46.1% | \$ 7.27 | N/A | N/A |
| LMR-1200LL-PL | TIMES MICROWAVE LMR1200 cable. 7/8" O.D.50 ohms. Tubular bare copper ctr., PTFE tape wrap dielectric. 90% copper braid. 12" bend radius. PLENUM RATED. Orange. | FOOT | 1 | \$ 46.00 | 35.3% | \$ 29.76 | N/A | N/A |
| LMR-195 | TIMES MICROWAVE LMR-195 coaxial cable. Comparable performance specs to RG-142. Uses RG142/RG58 connectors. Bonded tape& braid. Polyethylene jacket. | FOOT | 1 | \$ 0.60 | 39.9% | \$ 0.36 | N/A | N/A |
| LMR195-1000 | TIMES MICROWAVE LMR-195 coaxial cable. Comparable performance specs to RG-142. Uses RG142/RG58 connectors. Bonded aluminum tape & tinned copper braid. | FOOT | 1 | \$ 490.00 | 39.9% | \$ 294.29 | N/A | N/A |
| LMR-195-DB | TIMES MICROWAVE LMR-195 coaxial cable. Comparable performance specs to RG-142. Uses RG142/RG58 connectors. Bonded tape& braid. Water Tight Flooded Braid | FOOT | 1 | \$ 0.70 | 45.0% | \$ 0.39 | N/A | N/A |
| LMR-195-FR | TIMES MICROWAVE fire-retardant LMR-195 coaxial cable. Comparable performance toRG142. Uses RG58 connectors. Black jacket. MSHA Approved. | FOOT | 1 | \$ 0.90 | 41.3% | \$ 0.53 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| LMR195FR-1000 | TIMES MICROWAVE fire-retardant LMR-195 coaxial cable. Comparable performance toRG142. Uses RG58 connectors. Black jacket. 1000' spool. MSHA approved. | ROLL | 1 | \$ 890.00 | 36.2% | \$ 567.55 | N/A | N/A |
| LMR-195-PVC-W | TIMES MICROWAVE indoor rated coaxial cable. Comparable to RG142. Uses RG142/RG58 conn. Bonded alum. tape & tinned cu braid. PVC jacket White | FOOT | 1 | \$ 0.65 | 40.0% | \$ 0.39 | N/A | N/A |
| LMR-200 | TIMES MICROWAVE LMR200 cable. 3/16" O.D. 50 ohms. Stranded outer conductor, copper-clad aluminum center conductor. tor. 1" bending radius. Priced per ft. | FOOT | 1 | \$ 0.65 | 45.5% | \$ 0.35 | N/A | N/A |
| LMR-200-75 | TIMES MICROWAVE LMR200 Cable. 3/16" O. D. 75 ohms. Stranded outer conductor,copper-clad aluminum center conductor. 2" bending radius. Priced per foot. | FOOT | 1 | \$ 0.65 | 40.0% | \$ 0.39 | N/A | N/A |
| LMR-200-DB | TIMES MICROWAVE LMR200 Watertight Cable.3/16" O.D. 50 ohms. Stranded outer conductor, copper-clad aluminum center conductor. Priced per ft. 1/2" bend rad. | FOOT | 1 | \$ 0.75 | 40.0% | \$ 0.45 | N/A | N/A |
| LMR-200-LL-PL | TIMES MICROWAVE LMR200 Plenum cable. 3/16" O.D. 50 ohms. Stranded outer conductor, copper-clad aluminum center conductor. 1" bending radius. Orange Ja | FOOT | 1 | \$ 2.75 | 40.7% | \$ 1.63 | N/A | N/A |
| LMR-200MA | TIMES MICROWAVE LMR200MA cable. 3/16" O.D. 50 ohms. Stranded outer conductor, foam polyethelyne vs solid gives lower loss. 0.5" bending radius. \$ per foot. | FOOT | 1 | \$ 0.65 | 40.0% | \$ 0.39 | N/A | N/A |
| LMR-200-UF | TIMES MICROWAVE LMR200 cable. 3/16" O.D. 50 ohms. Aluminum Tape Outer conductor. Standed BC center conductor. tor. 2" bending radius. Priced per ft. | FOOT | 1 | \$ 1.65 | 66.7% | \$ 0.55 | N/A | N/A |
| LMR-240 | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. Stranded outer conductor, solid bare copper center conductor. 0.75" bending radius. Priced per ft. | FOOT | 1 | \$ 0.80 | 41.5% | \$ 0.47 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| LMR240-1000 | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. Stranded outer conductor, solid bare copper center conductor. 0.75" bending radius. 1000 ft spool | FOOT | 1 | \$ 650.00 | 41.9% | \$ 377.46 | N/A | N/A |
| LMR240-150 | TIMES MICROWAVE cable. 1/4" O.D. 50 ohms. Stranded outer conductor, copper-clad aluminum center conductor. 0.75" bending radius. | FOOT | 1 | \$ 97.50 | 41.9% | \$ 56.62 | N/A | N/A |
| LMR240-500 | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. Stranded outer conductor, copper-clad aluminum center conductor. 0.75" bending radius. 500 ft spool. | FOOT | 1 | \$ 325.00 | 41.9% | \$ 188.73 | N/A | N/A |
| LMR-240-75 | TIMES MICROWAVE LMR240-75 cable. 1/4" O.D. 75 ohms. Uses LMR240-75 connectors..75" bending radius. Priced per ft. | FOOT | 1 | \$ 0.80 | 40.0% | \$ 0.48 | N/A | N/A |
| LMR-240DB | TIMES MICROWAVE LMR240DB cable. 1/4" O.D. 50 ohms. Stranded outer conductor, water blocking within the braid, 0.75" bending radius. \$ per foot. | FOOT | 1 | \$ 0.90 | 42.7% | \$ 0.52 | N/A | N/A |
| LMR-240FR | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. Stranded outer, copper- clad aluminum center conductor. Fire retardant jkt. UL/MSHA/CATVR/CL2 listed. | FOOT | 1 | \$ 1.20 | 42.0% | \$ 0.70 | N/A | N/A |
| LMR-240LL-PL | TIMES MICROWAVE LMR240 cable. .155" O.D.Low Loss Plenum. Aluminum Tape outer, bare copper center conductor. .75" bending radius. Orange. | FOOT | 1 | \$ 4.10 | 41.7% | \$ 2.39 | N/A | N/A |
| LMR-240MA | TIMES MICROWAVE LMR240MA cable. 1/4" O.D. 50 ohms. Stranded outer conductor, foam polyethylene vs solid gives lower loss. 0.75" bending radius. \$ per foot. | FOOT | 1 | \$ 0.80 | 41.5% | \$ 0.47 | N/A | N/A |
| LMR-240-PVC-W | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. White Jacket, stranded outer conductor, copper-clad aluminum center conductor. 500 ft spool. | FOOT | 1 | \$ 325.00 | 41.9% | \$ 188.73 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| LMR-240UF | TIMES MICROWAVE LMR240 cable. 1/4" O.D.50 ohms. Stranded bare copper center conductor. Very flexible. Uses Times TC connectors. Priced per ft. | FOOT | 1 | \$ 0.95 | 41.3% | \$ 0.56 | N/A | N/A |
| LMR-300 | TIMES MICROWAVE LMR300 cable. 5/16" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. 1" bending radius. Priced per foot. | FOOT | 1 | \$ 1.10 | 45.0% | \$ 0.61 | N/A | N/A |
| LMR-300-75 | TIMES MICROWAVE DC - 2.5 GHz 5/16" LMR300-75 coax cable. 75 ohm. Lower lossthan RG6. Uses LMR300-75 connectors only. | FOOT | 1 | \$ 1.00 | 40.0% | \$ 0.60 | N/A | N/A |
| LMR-300DB | TIMES MICROWAVE LMR300DB watertight cable. 5/16" O.D. 50 ohms. Stranded outer conductor, bare copper center conductor. 1" bending radius. Priced | FOOT | 1 | \$ 1.20 | 41.1% | \$ 0.73 | N/A | N/A |
| LMR-300LL-PL | TIMES MICROWAVE LMR300 cable. .300" O.D. 50 ohms. 7/8" bending radius. Usesstandard LMR-300 connectors. CATV-P PLENUM RATED. Orange. | FOOT | 1 | \$ 5.25 | 35.8% | \$ 3.37 | N/A | N/A |
| LMR-300-UF | TIMES MICROWAVE LMR300 cable. 5/16" O.D.50 ohms. Stranded bare copper center conductor. Very flexible. Uses Times TC connectors. Priced per ft. | FOOT | 1 | \$ 1.35 | 39.3% | \$ 0.82 | N/A | N/A |
| LMR-400 | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohm. Stranded outer conductor, bare copper center conductor. 1" bending radius. Priced per foot. | FOOT | 1 | \$ 1.10 | 41.1% | \$ 0.65 | N/A | N/A |
| LMR-400-75 | TIMES MICROWAVE DC - 2.5 GHz 3/8" LMR400-75 coax cable. 75 ohm. Lower lossthan RG11. Uses LMR400-75 connectors only. | FOOT | 1 | \$ 1.15 | 40.0% | \$ 0.69 | N/A | N/A |
| LMR400-75-1000 | TIMES MICROWAVE LMR400-75 cable. 3/8" O.D. 75 ohms. Stranded outer conductor, bare copper center conductor. 1" bendingradius. 1000' Roll. | FOOT | 1 | \$ 960.00 | 44.7% | \$ 531.00 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| LMR-400-75-DB | TIMES MICROWAVE DC - 2.5 GHz 3/8" LMR400-75 coax cable. 75 ohm. Lower loss than RG11. Uses LMR400-75 connectors only. Direct Burial. | FOOT | 1 | \$ 1.15 | 34.8% | \$ 0.75 | N/A | N/A |
| LMR-400DB | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. Flooded for direct burial. | FOOT | 1 | \$ 1.20 | 41.0% | \$ 0.75 | N/A | N/A |
| LMR-400FR | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. Fire retardant jacket. UL. CATVR listed. MSHA Approved. | FOOT | 1 | \$ 1.75 | 40.7% | \$ 1.04 | N/A | N/A |
| LMR400FR-1000 | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. Fire retardant jacket. MSHA, UL. CATVR listed. 1000ft spool. | FOOT | 1 | \$ 1,400.00 | 58.0% | \$ 588.70 | N/A | N/A |
| LMR-400FR-W | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. White fire retardant jacket. UL/MSHA/CATVR listed. | FOOT | 1 | \$ 1.40 | 42.1% | \$ 0.81 | N/A | N/A |
| LMR-400LL-PL | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. 1.25" bending radius. CATV-P PLENUM RATED. Orange. | FOOT | 1 | \$ 6.25 | 38.2% | \$ 3.86 | N/A | N/A |
| LMR-400LL-PL-BK | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. 1.25" bending radius. PLENUM RATED. Black UV jacket. | FOOT | 1 | \$ 6.25 | 38.2% | \$ 3.86 | N/A | N/A |
| LMR-400-PVC-W | TIMES MICROWAVE LMR400 cable. 3/8" O.D.50 ohms. White jacket, stranded outer conductor, bare copper center conductor. 500 foot spool. | FOOT | 1 | \$ 525.00 | 52.5% | \$ 249.54 | N/A | N/A |
| LMR-400UF | TIMES MICROWAVE LMR400 Ultraflex 3/8"OD,50 ohms. Stranded bare copper center conductor. Priced per ft. Uses TC-400 connectors Only. | FOOT | 1 | \$ 1.60 | 43.7% | \$ 0.90 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| LMR400UF-500 | TIMES MICROWAVE LMR400UF cable. 3/8" OD 50 ohms. Stranded bare copper center conductor. Uses Times TC connectors. 500foot spool. | FOOT | 1 | \$ 665.00 | 43.2% | \$ 377.46 | N/A | N/A |
| LMR-500 | TIMES MICROWAVE LMR500 cable. 1/2" O.D.Superflexible. 50 ohms. Stranded outer conductor, bare copper center conductor.Priced per foot. | FOOT | 1 | \$ 1.75 | 40.0% | \$ 1.05 | N/A | N/A |
| LMR-500 (500') | TIMES MICROWAVE LMR500 cable. 1/2" O.D.Superflexible. 50 ohms. Stranded outer conductor, bare copper center conductor.500 ft. reel. | FOOT | 1 | \$ 725.00 | 37.3% | \$ 454.28 | N/A | N/A |
| LMR-500FR | TIMES MICROWAVE LMR500FR fire retardant superflexible cable 50 ohms. Stranded outer cond. Bare copper center conductorPriced per foot. MSHA Approved | FOOT | 1 | \$ 2.85 | 40.4% | \$ 1.70 | N/A | N/A |
| LMR-500LL-PL | TIMES MICROWAVE LMR500 cable. .500" O.D.superflexible cable. Stranded outer, bare copper center conductor. 1" bendingradius. CATV-P PLENUM RATED. Orange. | FOOT | 1 | \$ 9.50 | 36.8% | \$ 6.00 | N/A | N/A |
| LMR-500UF | TIMES MICROWAVE LMR500 Ultraflex 1/2"OD,50 ohms. Stranded bare copper center conductor. Priced per ft. Uses Same Connas LMR-500 cable | FOOT | 1 | \$ 2.70 | 44.4% | \$ 1.50 | N/A | N/A |
| LMR-600 | TIMES MICROWAVE LMR600 cable. 1/2" O.D.foam dielectric cable. Stranded outer conductor, copper-clad aluminum center conductor. Priced per foot. | FOOT | 1 | \$ 2.00 | 40.6% | \$ 1.19 | N/A | N/A |
| LMR-600-75 | TIMES MICROWAVE DC - 2.5 GHz 1/2" LMR600-75 coax cable. 75 ohm. Lower loss than RG11. Uses LMR600-75 connectors only. | FOOT | 1 | \$ 2.00 | 33.5% | \$ 1.33 | N/A | N/A |
| LMR-600DB | TIMES MICROWAVE LMR600 cable. 1/2" O.D.Superflexible. 50 ohms. Stranded outer conductor, copper-clad aluminum center cond. Priced per foot. Flooded braid. | FOOT | 1 | \$ 2.40 | 43.0% | \$ 1.37 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| LMR-600FR | TIMES MICROWAVE LMR600FR fire retardant 1/2" standard cable. 50 ohms. Stranded outer cond. Bare copper center conductorPriced per foot. MSHA Approved | FOOT | 1 | \$ 3.25 | 44.7% | \$ 2.12 | N/A | N/A |
| LMR-600LL-PL | TIMES MICROWAVE LMR600 cable. .590" O.D.50 ohms. Stranded outer cond., copper clad alum center conductor. 1.5" bend radius. CATV-P PLENUM RATED. Orange. | FOOT | 1 | \$ 12.50 | 35.2% | \$ 8.10 | N/A | N/A |
| LMR-600-LLPL-BK | TIMES MICROWAVE LMR600 cable. .590" O.D.50 ohms. Stranded outer conductor, bare copper center conductor. 1.5" bending radius. PLENUM RATED. Black UV jacket. | FOOT | 1 | \$ 12.50 | 35.2% | \$ 8.10 | N/A | N/A |
| LMR-600-UF | TIMES MICROWAVE LMR600UF 1/2" Ultraflex cable. Tinned copper outer conductor w/tape & stranded ctr. conductor. Uses Times TC connectors only. Sold per ft. | FOOT | 1 | \$ 3.00 | 38.1% | \$ 1.86 | N/A | N/A |
| LMR-900DB | TIMES MICROWAVE LMR900DB cable. Water- tight 5/8" cable with an inert polymericflooding compound in the braiding. MeetsASTM D4565 & ANSI S-84-608 requir. | FOOT | 1 | \$ 5.75 | 41.0% | \$ 3.39 | N/A | N/A |
| LMR-900FR | TIMES MICROWAVE LMR900 cable. 5/8" O.D.w/ fire retardant jkt. Stranded outer conductor, bare copper center conductor.UL approved. CATVR & MSHA listed. | FOOT | 1 | \$ 8.00 | 36.2% | \$ 5.11 | N/A | N/A |
| LMR-900-LLPL | TIMES MICROWAVE LMR900 cable. 5/8" O.D.w/ plenum jkt. Stranded outer conductor, bare copper center conductor.Plenum rated Orange. | FOOT | 1 | \$ 34.00 | 33.8% | \$ 22.51 | N/A | N/A |
| LMR-BC400-9 | TIMES MICROWAVE LMR400 Coaxial Bundled Cable. 9 - 3/8" O.D. cable runs in 1 - 1.575" O.D. cable run. 50 ohms. 16" bending radius. Priced per foot. | FOOT | 1 | \$ 13.00 | 38.8% | \$ 7.95 | N/A | N/A |
| LMR-LW400 | TIMES MICROWAVE LMR-Lite cable. 3/8" OD 50 ohm, Aluminum braided outer conductorCopper Clad Aluminun center conductor. 1" bending radius. Priced per foot. | FOOT | 1 | \$ 0.85 | 37.6% | \$ 0.53 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| M17/127-RG393 | TIMES RG393/U Coaxial Cable. Mil Spec M17/127-RG393. Dual silver braid. For high power applications. Uses connectors for Belden 9913 or LMR400. | FOOT | 1 | \$ 13.20 | 51.9% | \$ 6.35 | N/A | N/A |
| RFN-1006-8X | RFI Knurl N male for LMR240 Captivated center pin, crimp ferule. Brass Nick plated body, gold center pin. | EACH | 1 | \$ 14.85 | 50.0% | \$ 7.43 | N/A | N/A |
| RFN-1006-9X | RFI Hex/Knurl Combo N male for RG8X/240 Captivated center pin, crimp ferule. Silver plated body, gold center pin. | EACH | 1 | \$ 14.95 | 51.1% | \$ 7.32 | N/A | N/A |
| SC-400-NM | TIMES "Silver Band" N Male connector for LMR-400 coaxial cable. Solder (crimp optional) center pin, knurled coupling nut. Low cost w/ outstanding performance | EACH | 1 | \$ 7.00 | 41.8% | \$ 4.07 | N/A | N/A |
| SLA06-NM76F01.50M | TIMES, 6 GHz Testmate Phase Stable Cable, 1.5 meter, N/M to 7/16DIN/F. | EACH | 1 | \$ 444.00 | 22.9% | \$ 342.21 | N/A | N/A |
| SLA06-NM76F03.00M | TIMES, 6 GHz Testmate Phase Stable Cable, 3.0 meter, N/M to 7/16DIN/F. | EACH | 1 | \$ 495.00 | 22.9% | \$ 381.52 | N/A | N/A |
| SLA06-NM76M01.50M | TIMES 6 GHz TUFFGRIP Testmate Phase Stable Cable, 1.5 meter, N/M to 7/16DIN/M. | EACH | 1 | \$ 444.00 | 22.9% | \$ 342.21 | N/A | N/A |
| SLA06-NM76M03.00M | TIMES, 6 GHz Testmate Phase Stable Cable, 3 meter, N/M to 7/16DIN/M | EACH | 1 | \$ 495.00 | 22.9% | \$ 381.52 | N/A | N/A |
| SLA06-NMNF-01.50M | TIMES, 6 GHz Testmate Phase Stable Cable, 1.5 meter, N/M to N/F. | EACH | 1 | \$ 231.10 | 22.9% | \$ 178.11 | N/A | N/A |
| SLA06-NMNF-03.00M | TIMES, 6 GHz Testmate Phase Stable Cable, 3 meter, N/M to N/F. | EACH | 1 | \$ 270.35 | 22.9% | \$ 208.39 | N/A | N/A |
| SLA06-NMNM-01.50M | TIMES, 6 GHz Testmate Phase Stable Cable, 1.5 meter, N/M to N/M. | EACH | 1 | \$ 208.70 | 22.9% | \$ 160.87 | N/A | N/A |
| SLA06-NMNM-03.00M | TIMES, 6 GHz Testmate Phase Stable Cable, 3 meter, N/M to N/M | EACH | 1 | \$ 240.00 | 22.9% | \$ 184.98 | N/A | N/A |
| SLS06-NM7FG01.50M | TIMES, 6 GHz TUFFGRIP Testmate Phase Stable Cable, 1.5 meter, N/M to TuffGrip7/16DIN/F. | EACH | 1 | \$ 517.40 | 22.9% | \$ 398.76 | N/A | N/A |
| SLS06-NMNF01.50M | TIMES, 6 GHz TUFFGRIP Testmate Phase Stable Cable, 1.5 meter, N/M to TuffGripN/F. | EACH | 1 | \$ 424.25 | 22.9% | \$ 326.97 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| SLS06-NMNFG03.00M | TIMES 6GHz TUFFGRIP Testmate Phase Stable Cable,3.0 meters, N/M to TuffGripN/F | EACH | 1 | \$ 500.70 | 22.9% | \$ 385.89 | N/A | N/A |
| SLS18-NMNFG01.50M | TIMES, 18 GHz TUFFGRIP Testmate Phase Stable Cable, 1.5 meter, N/M to TuffGripN/F. | EACH | 1 | \$ 446.60 | 22.9% | \$ 344.19 | N/A | N/A |
| TC-195-NM | TIMES N male connector for LMR-195, RG142, RG58. Solder center conductor, crimp on braid. | EACH | 1 | \$ 11.50 | 40.0% | \$ 6.90 | N/A | N/A |
| TC-195-TM | TIMES TNC male connector for LMR-195, RG142, RG58. Solder center conductor, crimp on braid. | EACH | 1 | \$ 13.25 | 38.0% | \$ 8.22 | N/A | N/A |
| TC-200-BM | TIMES BNC male crimp connector for LMR-200 cable. Silver plated bodies, gold center pin. Solder center pin, crimp on braid. | EACH | 1 | \$ 8.40 | 39.3% | \$ 5.10 | N/A | N/A |
| TC-200-MUHF | TIMES Mini-UHF male crimp connector for LMR- 200 cable. Silver plated bodies, gold center pin. Solder center pin, Crimp on braid. | EACH | 1 | \$ 3.75 | 40.0% | \$ 2.25 | N/A | N/A |
| TC-200-NM | TIMES N male crimp connector for LMR-200and LMR200-LLPL coaxial cable. Silver plated bodies, gold center pin. | EACH | 1 | \$ 13.00 | 35.9% | \$ 8.33 | N/A | N/A |
| TC-200-NM-RP | TIMES reverse polarity N male for LMR200coaxial cable. Meets FCC specs for use with Spread Spectrum technology. | EACH | 1 | \$ 10.00 | 35.9% | \$ 6.41 | N/A | N/A |
| TC-200-SMG | TIMES SMA HEX male crimp connector for LMR- 200 cable. Gold bodies, gold centerpin. | EACH | 1 | \$ 11.00 | 39.5% | \$ 6.65 | N/A | N/A |
| TC-200-SM-RP | TIMES MICROWAVE SMA male connector with female pin/reverse polarity for LMR-200 foam dielectric cable. Solder center conductor, crimp on braid. | EACH | 1 | \$ 21.00 | 50.6% | \$ 10.38 | N/A | N/A |
| TC-200-SMS | TIMES SMA HEX male crimp connector for LMR- 200 cable. Stainless Steel, gold center pin. | EACH | 1 | \$ 12.25 | 37.7% | \$ 7.63 | N/A | N/A |
| TC-200-TF | TIMES TNC female crimp connector for LMR-200 coaxial cable. Silver body, goldcenter pin. Solder center pin, crimp | EACH | 1 | \$ 12.00 | 35.9% | \$ 7.69 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| TC-200-TMC | TIMES TNC male clamp connector for LMR-200 coaxial cable. Silver body, goldcenter pin. Solder center pin. | EACH | 1 | \$ 12.75 | 50.8% | \$ 6.27 | N/A | N/A |
| TC-240-BM(A) | TIMES BNC Male connector for 35065 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor. Crimp on braid. | EACH | 1 | \$ 8.50 | 38.9% | \$ 5.19 | N/A | N/A |
| TC-240-BMC | TIMES BNC male connector for 35065 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor, clamp on braid. | EACH | 1 | \$ 12.00 | 38.9% | \$ 7.33 | N/A | N/A |
| TC-240-FM | TIMES F male connector for 35065 1/4" superflexible LMR-240 foam dielectric 50 Ohm cable. Solder center conductor, crimp on braid. Knurl head. | EACH | 1 | \$ 22.00 | 38.7% | \$ 13.48 | N/A | N/A |
| TC-240-MUHF | TIMES Mini-UHF male connector for 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor, crimp on braid. | EACH | 1 | \$ 3.75 | 39.1% | \$ 2.28 | N/A | N/A |
| TC-240-NF-BH | TIMES N Female bulkhead connector for LMR-240 foam dielectric cable. Solder center conductor. Crimp on braid. | EACH | 1 | \$ 17.00 | 45.0% | \$ 9.35 | N/A | N/A |
| TC-240-NF-BHF(A) | TIMES N Female connector for LMR-240 foam dielectric cable. Panel mount, 4 hole flange type. Solder center conductor. Crimp on braid. | EACH | 1 | \$ 16.00 | 40.8% | \$ 9.48 | N/A | N/A |
| TC-240-NMC | TIMES N male connector for 35065 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor. Clamp on braid. | EACH | 1 | \$ 12.50 | 41.9% | \$ 7.26 | N/A | N/A |
| TC-240-NMH | TIMES N male connector for 35065 1/4" | EACH | 1 | \$ 7.50 | 38.9% | \$ 4.58 | N/A | N/A |
| TC-240-NMH-D | TIMES N male connector for 35065 1/4" | EACH | 1 | \$ 8.60 | 41.9% | \$ 5.00 | N/A | N/A |
| TC-240-NMH-RA(A) | TIMES N male Right Angle connector for | EACH | 1 | \$ 16.50 | 38.6% | \$ 10.13 | N/A | N/A |
| TC-240-NM-RA | TIMES N male Right Angle connector for | EACH | 1 | \$ 15.00 | 38.9% | \$ 9.17 | N/A | N/A |
| TC-240-SF-BH | TIMES SMA female bulkhead connector for | EACH | 1 | \$ 27.00 | 37.9% | \$ 16.76 | N/A | N/A |
| TC-240-SM | TIMES SMA male connector for 35065 1/4" | EACH | 1 | \$ 8.25 | 39.0% | \$ 5.04 | N/A | N/A |
| TC-240-SM-RA | TIMES right angle SMA male connector | EACH | 1 | \$ 15.00 | 39.0% | \$ 9.16 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| TC-240-SM-RP | TIMES SMA male reverse gender connector 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor, clamp on braid. | EACH | 1 | \$ 15.00 | 38.9% | \$ 9.16 | N/A | N/A |
| TC-240-TM | TIMES TNC male connector for 35065 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor, crimp on braid. | EACH | 1 | \$ 8.00 | 38.9% | \$ 4.89 | N/A | N/A |
| TC-240-TM-RA | TIMES TNC male right angle connector for 1/4" superflexible LMR-240 foam dielectric cable. Solder center conductor, crimp on braid. | EACH | 1 | \$ 20.00 | 38.9% | \$ 12.21 | N/A | N/A |
| TC-300-NM | TIMES N-male crimp connector for LMR300. For 5/16" flexible Foam Dielectric cable. Solder center pin, crimp braid. | EACH | 1 | \$ 21.00 | 70.2% | \$ 6.25 | N/A | N/A |
| TC-300-NM-RA | TIMES N-male right angle crimp connector for LMR-300. For 5/16" flexible cable. Solder center pin, crimp braid. | EACH | 1 | \$ 23.00 | 70.2% | \$ 6.85 | N/A | N/A |
| TC-300-SF-BH | TIMES SMA female bulkhead connector for 35065 5/16" flexible foam dielectric LMR-300 cable. Solder center pin, crimp braid. | EACH | 1 | \$ 25.00 | 36.0% | \$ 16.00 | N/A | N/A |
| TC-300-SM | TIMES SMA male connector for 35065 5/16" flexible foam dielectric LMR-300 cable. Solder center pin, crimp braid. | EACH | 1 | \$ 16.00 | 37.9% | \$ 9.94 | N/A | N/A |
| TC-400-716FC | TIMES 7/16 DIN female connector for LMR400 coaxial cable. Solder center pin, clamp on braid. | EACH | 1 | \$ 59.00 | 47.4% | \$ 31.06 | N/A | N/A |
| TC-400-716MC | TIMES 7/16 DIN male connector for LMR400 coaxial cable. Solder center pin, clamp on braid. | EACH | 1 | \$ 44.00 | 36.0% | \$ 28.16 | N/A | N/A |
| TC-400-716MC-RA | TIMES 7/16 DIN male right angle connector for LMR400 coaxial cable. Solder center pin, clamp on braid. Includes heat-shrink sleeve. | EACH | 1 | \$ 90.00 | 36.0% | \$ 57.59 | N/A | N/A |
| TC-400-BM | TIMES BNC male connector for LMR-400 coaxial cable. Solder center pin, crimp ferrule. | EACH | 1 | \$ 12.00 | 38.9% | \$ 7.34 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| TC-400-HNM | TIMES HN male Advantage connector for LMR-400 foam dielectric cable. Solder center pin & clamp on braid. Knurl body. Gold center pin and silver body. | EACH | 1 | \$ 85.00 | 42.0% | \$ 49.30 | N/A | N/A |
| TC-400-MUHF | LMR400 coaxial cable. Solder center pin, crimp on ferrule. Nickle plated body, gold plated pin. | EACH | 1 | \$ 4.25 | 38.9% | \$ 2.60 | N/A | N/A |
| TC-400-NFC | coaxial cable. Solder center pin, clamp on braid. | EACH | 1 | \$ 15.00 | 38.9% | \$ 9.16 | N/A | N/A |
| TC-400-NFC-BH(A) | TIMES N female bulkhead connector for LMR-400 coaxial cable. Solder center pin, clamp on braid. | EACH | 1 | \$ 23.50 | 38.9% | \$ 14.35 | N/A | N/A |
| TC-400-NM | TIMES N male connector for LMR-400 coaxial cable. Solder center pin, crimp on braid. | EACH | 1 | \$ 10.00 | 37.9% | \$ 6.21 | N/A | N/A |
| TC-400-NM-75 | TIMES MICROWAVE N male connector for LMR400-75 cable. 75 ohm impedance at connector interface. Hex/Knurl head combo. | EACH | 1 | \$ 21.00 | 51.0% | \$ 10.29 | N/A | N/A |
| TC-400-NM-75/50 | TIMES MICROWAVE N male connector for LMR400-75 cable. 50 ohm impedance at connector interface. Hex/Knurl head combo. | EACH | 1 | \$ 20.00 | 39.1% | \$ 12.19 | N/A | N/A |
| TC-400-NMC | coaxial cable. Solder center pin, clamp on braid. | EACH | 1 | \$ 11.00 | 38.9% | \$ 6.72 | N/A | N/A |
| TC-400-NMC-RA (A) | TIMES N male right angle connector for LMR400 coaxial cable. Alballoy plated body, gold center pin. | EACH | 1 | \$ 28.00 | 39.0% | \$ 17.09 | N/A | N/A |
| TC-400-NMH-D | TIMES N male Advantage connector for LMR-400 with Hex/Knurl Combo nut. Silver plated for low IM. Crimp ferrule, solder-center pin. | EACH | 1 | \$ 8.60 | 40.7% | \$ 5.10 | N/A | N/A |
| TC-400-NMH-PL | Times N male connector for LMR400-LL-PL plenum rated cable. Solder center pin, crimp ferrule. | EACH | 1 | \$ 8.60 | 38.8% | \$ 5.26 | N/A | N/A |
| TC-400-NMH-PL-D | Times N male connector for LMR400-LL-PL plenum rated cable. Solder center pin, crimp ferrule. | EACH | 1 | \$ 9.80 | 39.6% | \$ 5.92 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| TC400NMHRA | TIMES N male right angle connector for LMR400 coaxial cable. Solder center pin,.429 Hex crimp on ferrule. Silver plated body, gold center pin. Hex head. | EACH | 1 | \$ 17.50 | 42.7% | \$ 10.03 | N/A | N/A |
| TC-400-NMH-RA-SS | TIMES N Male Rt. Angle Stainless Steel for LMR-400 cable Hex coupling nut. Silver plated for low IM. Crimp ferrule,solder-captivated center pin. | EACH | 1 | \$ 34.00 | 37.9% | \$ 21.11 | N/A | N/A |
| TC-400-NM-RP | TIMES reverse polarity N male for LMR400coaxial cable. Meets FCC specs for use with Spread Spectrum technology. | EACH | 1 | \$ 9.50 | 37.9% | \$ 5.90 | N/A | N/A |
| TC-400-SM | TIMES SMA male connector for LMR-400 coaxial cable. Solder center pin, crimp on braid. | EACH | 1 | \$ 21.00 | 38.9% | \$ 12.83 | N/A | N/A |
| TC-400-TF-RP | TIMES Reverse Polarity TNC Female (JACK)for LMR400 & Plenum coaxial cable. MeetsFCC specs for use with Spread Spectrum technology. Solder Center type. | EACH | 1 | \$ 21.50 | 36.0% | \$ 13.77 | N/A | N/A |
| TC-400-TM | TIMES TNC male connector for LMR-400 coaxial cable. Solder center pin, crimp on braid. | EACH | 1 | \$ 8.50 | 38.8% | \$ 5.20 | N/A | N/A |
| TC-400-TM-RA | TIMES TNC right angle male connector for LMR-400 cable. Crimp on ferrule. Solder center pin. | EACH | 1 | \$ 24.00 | 38.9% | \$ 14.66 | N/A | N/A |
| TC-400-TM-RP | TIMES Reverse polarity TNC male connector for LMR-400 coaxial cable. Solder center pin, crimp on braid. | EACH | 1 | \$ 15.50 | 38.9% | \$ 9.47 | N/A | N/A |
| TC-500-NFC | TIMES N female connector for 48279 1/2" LMR-500 superflexible cable. Solder center pin, clamp on-braid. | EACH | 1 | \$ 34.00 | 38.9% | \$ 20.76 | N/A | N/A |
| TC-500-NMC | TIMES N male connector for 48279 1/2" LMR-500 superflexible cable. Solder center pin, clamp on-braid. | EACH | 1 | \$ 32.00 | 43.9% | \$ 17.94 | N/A | N/A |
| TC-500-NMC-PL | TIMES N Male for LMR500-LLPL coaxial cable. Clamp/Solder type. | EACH | 1 | \$ 32.70 | 38.9% | \$ 19.98 | N/A | N/A |
| TC-500-NMC-RA | TIMES N male right angle connector for 1/2" LMR-500 superflexible cable. Soldercenter pin, clamp on-braid. | EACH | 1 | \$ 65.00 | 43.9% | \$ 36.45 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| TC-500-TM | TIMES TNC male connector for 48279 1/2" LMR-500 superflexible cable. Solder center pin, crimp on-braid. | EACH | 1 | \$ 34.00 | 54.4% | \$ 15.51 | N/A | N/A |
| TC-500-UMC | TIMES UHF male connector for 48279 1/2" LMR-500 superflexible cable. Solder center pin, clamp on-braid. | EACH | 1 | \$ 93.00 | 70.4% | \$ 27.53 | N/A | N/A |
| TC-600-HNM | TIMES HN male Advantage connector for LMR-600 foam dielectric cable. Solder center pin & clamp on braid. Knurl body. Gold center pin and silver body. | EACH | 1 | \$ 94.00 | 39.4% | \$ 56.97 | N/A | N/A |
| TC-600-LCM | TIMES LC male Advantage connector for LMR-600 foam dielectric cable. Solder center pin & clamp on braid. Hex body. Silver center pin and nickel body. | EACH | 1 | \$ 325.00 | 39.7% | \$ 195.87 | N/A | N/A |
| TC-600-NFBH | TIMES N female bulkhead connector for 1/2" LMR-600 foam dielectric cable 86672 Solder center pin, crimp on-braid. | EACH | 1 | \$ 36.00 | 39.0% | \$ 21.97 | N/A | N/A |
| TC-600-NFC-BH | TIMES N female connector for 86672 1/2" LMR-600 foam dielectric cable. Solder center pin, clamp on-braid. Bulkhead mount connector. | EACH | 1 | \$ 36.00 | 38.9% | \$ 21.99 | N/A | N/A |
| TC-600-NMC | TIMES N male connector for 86672 1/2" LMR-600 & 600-UF foam dielectric cable. Solder center pin, clamp on-braid. Hex head coupling nut. | EACH | 1 | \$ 24.00 | 38.9% | \$ 14.66 | N/A | N/A |
| TC-600-NMH-75/50 | TIMES N male connector for LMR-600-75 cable. Gold solder pin. NOT for 50 ohm cable. Hex coupling nut. Crimp on braid.*Mates with 50 ohm N Female connectors* | EACH | 1 | \$ 22.00 | 40.2% | \$ 13.15 | N/A | N/A |
| TC-600-NMH-D | TIMES N male Advantage connector for LMR-600 & 600-UF cable. Excellent VSWR. Solder center pin & crimp on braid. Combination hex and knurl body. | EACH | 1 | \$ 16.50 | 38.9% | \$ 10.09 | N/A | N/A |
| TC-600-NMH-PL | Times N male connector for LMR600-LL-PL plenum rated cable. Solder center pin, crimp ferrule. | EACH | 1 | \$ 29.30 | 42.7% | \$ 16.79 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|----------|---------------------|---------------|--|--|
| TC-600-QDSM | TIMES QDS male connector for LMR-600 foam dielectric cable. Solder center pin, clamp on-braid. | EACH | 1 | \$ 38.60 | 36.0% | \$ 24.70 | N/A | N/A |
| TC-600-TF-RP | TIMES Reverse Polarity TNC Female (JACK)for LMR600 coaxial cable. Meets FCC specs for use with Spread Spectrum technology. Solder Center type. | EACH | 1 | \$ 29.00 | 36.0% | \$ 18.56 | N/A | N/A |
| TC-600-TM-RP | TIMES Reverse polarity TNC male connector for LMR-600 coaxial cable. Solder center pin, crimp on braid. | EACH | 1 | \$ 26.80 | 36.0% | \$ 17.15 | N/A | N/A |
| TC-600-UMC | TIMES UHF male connector for 86672 1/2" LMR-600 foam dielectric cable. Solder center pin, clamp on-braid. | EACH | 1 | \$ 88.00 | 76.1% | \$ 21.03 | N/A | N/A |
| TCOM-240 | TIMES TCOM-240 Outdoor. 1/4" cable. Low Loss & Low PIM. Used for multiple bending/flexing cycles in rugged tactical applications. Black. MOQ=2500ft | FOOT | 1 | \$ 3.60 | 60.6% | \$ 1.42 | N/A | N/A |
| TCOM-400-FR | TIMES TCOM-400 Indoor-Riser CMR. 3/8" cable. Low Loss & PIM. Used for multiplebending/flexing cycles in rugged tactical applications. Fire Retardant Ja | FOOT | 1 | \$ 6.50 | 38.3% | \$ 4.01 | N/A | N/A |
| TCOM-600-PUR | TIMES TCOM-600 Indoor/Outdoor. 1/2" Low Loss & Low PIM. Used for multiple bending/flexing cycles in rugged tactical applications. | FOOT | 1 | \$ 13.00 | 36.8% | \$ 8.22 | N/A | N/A |
| T-RAD600 | TIMES MICROWAVE DC-2.5 GHz 1/2"radiatingcable with PVC jacket. 50 ohm. Utilizes foil for ground, no-braided shield. Usesstandard EZ-600-NMH-D Connectors. | FOOT | 1 | \$ 2.10 | 33.1% | \$ 1.40 | N/A | N/A |
| T-RAD600-FR | TIMES MICROWAVE DC-2.5 GHz 1/2"radiatingcable with fire retardant jacket. Uses standard EZ-600-NMH-D Connectors. | FOOT | 1 | \$ 2.65 | 38.5% | \$ 1.63 | N/A | N/A |
| T-RAD600-FR-MSHA | TIMES MICROWAVE DC-2.5 GHz 1/2"radiatingcable with fire retardant jacket. Uses standard EZ-600-NMH-D Connectors. MSHA Approved. | FOOT | 1 | \$ 3.30 | 43.0% | \$ 1.88 | N/A | N/A |

NW Cable

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Cable & Fiber Optics
 Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| WK-S-2 | TIMES MICROWAVE Self bonding silicone tape. Reduces mess and creates an air & water-tight seal. Two 1.5" x 15' rolls. | ROLL | 1 | \$ 28.00 | 26.2% | \$ 20.67 | N/A | N/A |
| Y1720 | TIMES .610" Hex Die Set for Piston- style Crimp Frames #10813 or #448167 for TIMES TC/EZ-600 Connectors. | EACH | 1 | \$ 210.00 | 45.9% | \$ 113.55 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 1151290000 | RAD IPmux-4 chassis, AC 100-240VAC power, IP main input, supports 4 E&M (64 KBPS) circuits ONLY. | EACH | 2 | \$ 1,740.00 | 25.4% | 1297.257 | N/A | N/A |
| 097-1216-P-A | POLYPHASER cable grounding kit for use in PEEP entry panels. | EACH | 2 | \$ 136.40 | 22.1% | 106.23 | N/A | N/A |
| 098-1013G-A | POLYPHASER custom bulk head mount arrester. DC to 1.2GHz upto +48VDC Max power 100W. Throughput 120mJ. N female connections on both sides | EACH | 2 | \$ 61.85 | 22.1% | 48.16 | N/A | N/A |
| 100780-1 | RADIOWAVES Replacement Mount for SP4. Fits 3.5 - 4.5" OD pipe. | EACH | 2 | \$ 500.00 | 28.7% | 356.5 | N/A | N/A |
| 101166-1-KIT | RADIOWAVES Elevation Shaft Kit for HP6 Series Antennas. | EACH | 2 | \$ 161.85 | 28.7% | 115.38 | N/A | N/A |
| 101216-2 | RADIOWAVES replacement feed for SP2-2.4 antenna model. | EACH | 2 | \$ 325.00 | 34.7% | 212.23 | N/A | N/A |
| 101216-3 | RADIOWAVES Replacement feed assembly forthe SP3-2.4 or G3-2.4NF Antenna. | EACH | 2 | \$ 375.00 | 34.7% | 244.88 | N/A | N/A |
| 101216-4 | RADIOWAVES Replacement feed assembly forSP4-2.4NS parabolic antenna. | EACH | 2 | \$ 475.00 | 34.7% | 310.18 | N/A | N/A |
| 101216-6 | RADIOWAVES Replacement feed assembly forthe SP6-2.4 Antenna. | EACH | 2 | \$ 925.00 | 34.7% | 604.03 | N/A | N/A |
| 101557-2 | RADIOWAVES 2' Replacement feed assembly for SP2-5.2 Antenna (sku 60471). | EACH | 2 | \$ 325.00 | 34.7% | 212.23 | N/A | N/A |
| 101557-3 | RADIOWAVES Replacement feed assembly P/N101557-3 for SP3-5.2 dish. | EACH | 2 | \$ 375.00 | 34.7% | 244.88 | N/A | N/A |
| 101557-4 | RADIOWAVES Replacement feed assembly for SP4-5.2. | EACH | 2 | \$ 475.00 | 34.7% | 310.18 | N/A | N/A |
| 101557-6 | RADIOWAVES Replacement feed assembly for SP6-5.2 dish. | EACH | 2 | \$ 925.00 | 34.7% | 604.03 | N/A | N/A |
| 101571-2 | RADIOWAVES Feed Assembly for SP2-2/5 Dual Band | EACH | 2 | \$ 475.00 | 34.7% | 310.18 | N/A | N/A |
| 101571-4 | RADIOWAVES Feed Assembly for SP4-2/5 Dual Band | EACH | 2 | \$ 700.00 | 34.7% | 457.1 | N/A | N/A |
| 101571-6 | RADIOWAVES Feed Assembly for SP6-2/5 Dual Band | EACH | 2 | \$ 975.00 | 34.7% | 636.68 | N/A | N/A |
| 101849-3 | RADIOWAVES 2.4 GHz Feed Horn for SPD3-2.4NS. | EACH | 2 | \$ 575.00 | 34.7% | 375.48 | N/A | N/A |
| 101876-2 | RADIOWAVES Dual Pol Feed Assembly for SPD2-5.2 Dual Polarized Parabolic Antenna. | EACH | 2 | \$ 475.00 | 34.7% | 310.18 | N/A | N/A |
| 101876-3 | RADIOWAVES 5.25-5.85 GHz replacement feedhorn for SPD3-5.2 antenna. | EACH | 2 | \$ 575.00 | 34.7% | 375.48 | N/A | N/A |
| 101876-4 | RADIOWAVES 5.725-5.85 GHz 4' dia. parabolic antenna. 31.0 dBi gain @ 5.725GHz. Dual polarization. ****REPLACEMENT FEED HORN ASSEMBLY 101320-4 **** | EACH | 2 | \$ 700.00 | 35.7% | 450.15 | N/A | N/A |
| 101876-6 | RADIOWAVES 5.8 GHz Feed Horn for SPD6-5.2 and HPD6-5.2. | EACH | 2 | \$ 1,115.00 | 34.7% | 728.1 | N/A | N/A |
| 101901-85.9CPR | RADIOWAVES Replacement feed assembly for SPD8-5.9 dish. CPR137G flange. | EACH | 2 | \$ 1,525.00 | 34.7% | 995.83 | N/A | N/A |
| 101950-15A | RADIOWAVES Radome for HP6 parabolic dish. | EACH | 2 | \$ 727.30 | 28.7% | 518.56 | N/A | N/A |
| 102346-6 | RADIOWAVES Replacement feed assembly forG6-2.4NF parabolic antenna. | EACH | 2 | \$ 1,215.00 | 34.7% | 793.4 | N/A | N/A |
| 103-0324A-A | POLYPHASER DC to 3.0 GHz Surge Suppressor. N-Female Connectors bulkheadweatherproof. | EACH | 2 | \$ 70.00 | 22.1% | 54.53 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 103230-1 | RADIOWAVES SP1/SP2 NS Series Dish Antenna Mount. Mounts to a 1"- 4-1/2" diameter pipe. Provides adjustment for both azimuth and elevation. | EACH | 2 | \$ 272.75 | 28.7% | 194.46 | N/A | N/A |
| 103966-24.7 | RADIOWAVES Feed Assembly for SP2-4.7 Parabolic | EACH | 2 | \$ 425.00 | 34.7% | 277.53 | N/A | N/A |
| 103966-44.7 | RADIOWAVES Feed Assembly for SP4-4.7NS Parabolic | EACH | 2 | \$ 625.00 | 34.7% | 408.13 | N/A | N/A |
| 104110-65.9CPR | RADIOWAVES Replacement feed assembly for SP6-5.9 dish. CPR137G flange | EACH | 2 | \$ 975.00 | 34.7% | 636.68 | N/A | N/A |
| 104781-34.7 | RADIOWAVES 4.4-5.0 GHz replacement feed horn for SPD3-4.7 antenna with N female connectors. | EACH | 2 | \$ 675.00 | 34.7% | 440.78 | N/A | N/A |
| 106-0001-010 | CPI 19" rack mount kit for up to (3) cased TTP1(N), MR100, MR200 termination panels. | EACH | 2 | \$ 98.15 | 27.3% | 71.33 | N/A | N/A |
| 109-0501W-A | POLYPHASER custom bulk head mount arrestor. 700MHz to 1000 MHz upto 750W Max power. Throughput 120mJ. N female on equip side N/M on surge side | EACH | 2 | \$ 180.00 | 32.1% | 122.22 | N/A | N/A |
| 10C-112S | POLYPHASER ground wire to copper strap transition clamp. Bonds wire from 1/0 -6/0 AWG to a 1.5", 3" & 6" wide copper strap. Order joint compound (79899) sep | EACH | 2 | \$ 39.00 | 32.3% | 26.4108 | N/A | N/A |
| 1E/AC/4E&M-EC/UTP | RAD IPMUX-1E, 100-240VAC, 4E&M. (IPMUX-1E/AC/4E&M-EC/UTP) | EACH | 2 | \$ 2,222.00 | 23.8% | 1693.17 | N/A | N/A |
| 1E/AC4E&MUTPUTP | RAD IPmux-4 chassis, AC 100-240VAC power, supports 4 port E&M UTP UTP interface. (IPMUX-1E/AC/4E&M/UTP/UTP) | EACH | 2 | \$ 2,370.00 | 25.4% | 1766.9535 | N/A | N/A |
| 234-0003-005 | CPI Comm. Split-bar Dynamic Desk Microphone with modular plug. For CPI remote controls in newer housings (DR20,TR20, | EACH | 2 | \$ 150.95 | 31.0% | 104.18569 | N/A | N/A |
| 234-0003-005/MOD | CPI Comm. Split-bar Dynamic Desk Microphone for DR20, TR20, LE20. Modular plug. *With dual microphone | EACH | 2 | \$ 184.95 | 27.3% | 134.43 | N/A | N/A |
| 234-0005-013 | CPI handset w/o cord for TR10, DR10, LE10, MCR210 and new models that are 1) colored 2) have a modular connector and 3) square non-removable mouthpiece. | EACH | 2 | \$ 45.30 | 27.3% | 32.92 | N/A | N/A |
| 244-0070-001 | CPI Footswitch. Features dual-pole, dual-throw (DPDT) momentary switch. Six contacts: two sets of common, normally open, and normally closed. | EACH | 2 | \$ 58.50 | 31.0% | 40.38 | N/A | N/A |
| 244-0100-006 | CPI Push-To-Talk Button. Color - Ash. For most newer CPI handsets. | EACH | 2 | \$ 11.35 | 27.5% | 8.23 | N/A | N/A |
| 246-0001-007 | CPI wall transformer pack. 110VAC Input.12VAC Output, 1.6 Amp. | EACH | 2 | \$ 28.30 | 32.7% | 19.04 | N/A | N/A |
| 246-0100-003 | CPI Audio Transformer | EACH | 2 | \$ 17.00 | 27.4% | 12.35 | N/A | N/A |
| 25P10GB | POLYPHASER ground bus for IS-MPT series twisted pair protectors. Order one for each R66, 25-pair, 10 inch long punch down block. | EACH | 2 | \$ 31.00 | 36.4% | 19.73 | N/A | N/A |
| 3"CU STR/100 | POLYPHASER 3.0" wide copper strap for grounding 26 gauge or .0159" thick. 100 foot put-up. | FOOT | 2 | \$ 500.00 | 39.9% | 300.72 | N/A | N/A |
| 3PEEP | POLYPHASER 3 port panel assembly. Includes all boots, copper plates for grounding. Protectors grounded by strap tied to copper | EACH | 2 | \$ 1,405.00 | 22.1% | 1094.5 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 5220-0014 | POLYPHASER Lightning Arrestor Bracket. | EACH | 2 | \$ 3.60 | 22.5% | 2.79 | N/A | N/A |
| 5410-0083 | POLYPHASER Sandwich Bar for entrance panels. Copper. | EACH | 2 | \$ 9.10 | 22.3% | 7.07 | N/A | N/A |
| 5410-0134 | POLYPHASER Replacement sandwich plate for copper strap on the Polyphaser 10PEEP | EACH | 2 | \$ 1.20 | 23.3% | 0.92 | N/A | N/A |
| 5410-0219 | POLYPHASER Bar Coupler. (5PEEP-M) | EACH | 2 | \$ 45.40 | 22.1% | 35.35 | N/A | N/A |
| 5PB-M | POLYPHASER 5 port panel assembly. Includes all boots, U-panel for mountingprotectors and copper strap. Panels fit together side by | EACH | 2 | \$ 1,908.00 | 22.1% | 1486.34 | N/A | N/A |
| 5PEEP-M | POLYPHASER 5 port panel assembly. Incl'sall boots, copper plates for grounding. Panels fit together side by side. *Replaced 39368, but needs 2 to equal. | EACH | 2 | \$ 1,431.00 | 32.1% | 971.7921 | N/A | N/A |
| 600-0013-007 | CPI handset cord for TR10, DR10, LE10 MCR210 and models with a 1) ash colored handset and 2) modular connectors. | EACH | 2 | \$ 15.10 | 34.6% | 9.88 | N/A | N/A |
| 8PB-M | POLYPHASER 8 port panel assembly. Includes all boots, U-panel for mountingprotectors and copper strap. Panels fit together side by | EACH | 2 | \$ 2,067.00 | 24.8% | 1554.88 | N/A | N/A |
| 8PEEP-M | POLYPHASER 8 port panel assembly. Includes all boots, copper plates for grounding. Panels fit together side by side. | EACH | 2 | \$ 1,643.00 | 30.8% | 1136.7917 | N/A | N/A |
| 900-TRBB-100-1950 | CPI replacement board for tone remotes. 900-TRBB-100-1950 | EACH | 2 | \$ 313.25 | 27.3% | 227.71 | N/A | N/A |
| 9100-0134 | Polyphaser Hardware Kit. Includes M29 Nut, O-Rings, and | EACH | 2 | \$ 7.15 | 21.0% | 5.65 | N/A | N/A |
| 9700-0133 | POLYPHASER Lightning Arrestor Bracket. 4 level Aluminum | EACH | 2 | \$ 298.50 | 27.8% | 215.52 | N/A | N/A |
| A200VSF24FINT | RAD AIRMUX-200VS ODU for Video Surveillance. 2.4GHz Integrated Antenna HSS& PoE support. 2/5 max Eth throughputfull-duplex. Airmux-200VS/F24F/INT | EACH | 2 | \$ 896.00 | 19.2% | 723.97 | N/A | N/A |
| A2E-49SR2T1C | Airmux Point-to-Point 4.9GHz 2T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,403.00 | 21.4% | 1888.39755 | N/A | N/A |
| A2E-49SR4T1C | Airmux Point-to-Point 4.9GHz 4T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,355.00 | 21.4% | 2636.52675 | N/A | N/A |
| A2E-49SRETHC | Airmux Point-to-Point 4.9GHz Ethernet Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,899.00 | 21.4% | 1492.32915 | N/A | N/A |
| A2E-49SRT1C | Airmux Point-to-Point 4.9GHz T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,235.00 | 21.4% | 1756.37475 | N/A | N/A |
| A2E-58MR2T1C | Airmux Point-to-Point 5.8GHz 2T1 + Eth Spare End. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,627.00 | 21.4% | 2064.42795 | N/A | N/A |
| A2E-58MR2T1I | Airmux Point-to-Point 5.8GHz 2T1 + Eth Spare End. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,709.00 | 21.4% | 2128.86765 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| A2E-58MR4T1C | Airmux Point-to-Point 5.8GHz 4T1 + Eth Spare End. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,579.00 | 21.4% | 2812.55715 | N/A | N/A |
| A2E-58MRETHI | Airmux Point-to-Point 5.8GHz Ethernet Spare End. Mid Range. PoE Injector Included. Integrated Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,852.00 | 21.6% | 1451.7672 | N/A | N/A |
| A2E-58MRT1C | Airmux Point-to-Point 5.8GHz T1 + Eth Spare End. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,459.00 | 21.4% | 1932.40515 | N/A | N/A |
| A2E-58MRTII | Airmux Point-to-Point 5.8GHz T1 Spare End. Mid Range. Integrated Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,541.00 | 21.4% | 1996.84485 | N/A | N/A |
| A2E-58SR2T1C | Airmux Point-to-Point 5.8GHz 2T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,765.00 | 21.4% | 1387.02525 | N/A | N/A |
| A2E-58SR2TII | Airmux Point-to-Point 5.8GHz 2T1 + Eth Spare End. Short Range. Integrated Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,843.00 | 21.4% | 1448.32155 | N/A | N/A |
| A2E-58SR4T1C | Airmux Point-to-Point 5.8GHz 4T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,717.00 | 21.4% | 2135.15445 | N/A | N/A |
| A2E-58SRT1C | Airmux Point-to-Point 5.8GHz T1 + Eth Spare End. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,597.00 | 21.4% | 1255.00245 | N/A | N/A |
| A2E-58SRTII | Airmux Point-to-Point 5.8GHz T1 + Eth Spare End. Short Range. Integrated Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,675.00 | 21.4% | 1316.29875 | N/A | N/A |
| A2L-49SR2T1C | Airmux Point-to-Point 4.9GHz 2T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 4,806.00 | 21.4% | 3776.7951 | N/A | N/A |
| A2L-49SR4T1C | Airmux Point-to-Point 4.9GHz 4T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 6,710.00 | 21.4% | 5273.0535 | N/A | N/A |
| A2L-49SRETHC | Airmux Point-to-Point 4.9GHz Ethernet Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,798.00 | 21.4% | 2984.6583 | N/A | N/A |
| A2L-49SRT1C | Airmux Point-to-Point 4.9GHz T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 4,470.00 | 21.4% | 3512.7495 | N/A | N/A |
| A2L-58MR2T1C | Airmux Point-to-Point 5.8GHz 2T1 + Eth Complete Link. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 5,254.00 | 21.4% | 4128.8559 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| A2L-58MR2T1I | Airmux Point-to-Point 5.8GHz 2T1 + Eth Complete Link. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 4,918.00 | 21.4% | 3864.8103 | N/A | N/A |
| A2L-58MR4T1C | Airmux Point-to-Point 5.8GHz 4T1 + Eth Complete Link. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 7,158.00 | 21.4% | 5625.1143 | N/A | N/A |
| A2L-58MRETHC | Airmux Point-to-Point 5.8GHz Ethernet Complete Link. Mid Range. Includes PoE Injector. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,540.00 | 21.6% | 2774.655 | N/A | N/A |
| A2L-58MRETHC | Airmux Point-to-Point 5.8GHz Ethernet Spare End. Mid Range. Includes PoE Injector. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 1,770.00 | 21.6% | 1387.3275 | N/A | N/A |
| A2L-58MRETHI | Airmux Point-to-Point 5.8GHz Ethernet Complete Link. Mid Range. PoE InjectorsIncluded. Integrated Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,704.00 | 21.6% | 2903.5344 | N/A | N/A |
| A2L-58MRT1C | Airmux Point-to-Point 5.8GHz T1 + Eth Complete Link. Mid Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 4,918.00 | 21.4% | 3864.8103 | N/A | N/A |
| A2L-58MRT1I | Airmux Point-to-Point 5.8GHz T1 Complete Link. Mid Range. Integrated Antenna. 24x7 support and next day | EACH | 2 | \$ 5,082.00 | 21.4% | 3993.6897 | N/A | N/A |
| A2L-58SR2T1C | Airmux Point-to-Point 5.8GHz 2T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,530.00 | 21.4% | 2774.0505 | N/A | N/A |
| A2L-58SR2T1I | Airmux Point-to-Point 5.8GHz 2T1 + Eth Complete Link. Short Range. Integrated Antenna. 24x7 support and next | EACH | 2 | \$ 3,686.00 | 21.4% | 2896.6431 | N/A | N/A |
| A2L-58SR4T1C | Airmux Point-to-Point 5.8GHz 4T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 5,434.00 | 21.4% | 4270.3089 | N/A | N/A |
| A2L-58SRETHC | Airmux Point-to-Point 5.8GHz Ethernet Complete Link. Short Range. Includes PoE Injector. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 2,488.00 | 26.9% | 1818.4569 | N/A | N/A |
| A2L-58SRT1C | Airmux Point-to-Point 5.8GHz T1 + Eth Complete Link. Short Range. Connectorized Antenna. 24x7 support and next day replacement. | EACH | 2 | \$ 3,194.00 | 21.4% | 2510.0049 | N/A | N/A |
| A2L-58SRT1I | Airmux Point-to-Point 5.8GHz T1 + Eth Complete Link. Short Range. Integrated Antenna. 24x7 support and next | EACH | 2 | \$ 3,350.00 | 21.4% | 2632.5975 | N/A | N/A |
| A4/ODUF2458F100EX | RAD AIRMUX-400 Outdoor Unit, 5.8Ghz. Connectorized for external antenna. Powered by IDU. 2.x, 5.x GHz 100M max asymmetric throughput | EACH | 2 | \$ 3,080.00 | 19.2% | 2488.64 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| A400ODUF49F/100M | RAD Point-to-Point Wireless Outdoor Unit(ODU) . 10/100 BaseT port. Airmux 400 For 4.9, 5.8, 5.4, 5.3 GHz band. 100M full duplex w/integrated FP antenna | EACH | 2 | \$ 3,360.00 | 19.2% | 2714.88 | N/A | N/A |
| AL-LSXM-MA | POLYPHASER 2.0 to 6.0 GHz water type flange mount coaxial protector. 10 watt transmitt. N/F equipment side and N/M connector side. | EACH | 2 | \$ 51.00 | 27.8% | 36.83 | N/A | N/A |
| AL-LSXM-RT-ME | POLYPHASER 2.0-6.0 GHz LSXM micro filterarrestor. Max. surge 20kA. 10 watt. DC blocked.Bulkhead Rev. Pol. TNC/M . Rev Pol TNC/F equip. side | EACH | 2 | \$ 101.00 | 31.0% | 69.6799 | N/A | N/A |
| BF/IGA-ADAPTER | POLYPHASER BF Adapter to IGA-90 adapter.These adapters provide optional mounting configurations and custom grounding techniques for most coaxial pr | EACH | 2 | \$ 10.00 | 22.1% | 7.79 | N/A | N/A |
| BF-ADAPTER | POLYPHASER BF Adapter. Converts any bulkhead mounted PolyPhaser with female connectors into a flange mounted unit. | EACH | 2 | \$ 10.00 | 27.8% | 7.22 | N/A | N/A |
| BFD | POLYPHASER BFD Flange Bulkhead Adapter for 7/16 DIN arrestors. | EACH | 2 | \$ 9.00 | 39.6% | 5.4396 | N/A | N/A |
| BFN | POLYPHASER BFN Flange to Bulkhead Adapter for SX with N connectors. | EACH | 2 | \$ 9.00 | 27.8% | 6.5 | N/A | N/A |
| BGXZ-60NFNF-ALT | POLYPHASER 40-400 MHz coax protector to be used when DC is required to pass in route to powering shelter-based equip. - 60VDC. N/F - N/F. | EACH | 2 | \$ 130.00 | 27.8% | 93.86 | N/A | N/A |
| BGXZ-60NFNM-AS | POLYPHASER 5-400 MHz coax protector to be used when DC is required to pass in route to powering shelter-based equip. -60 VDC. N/F - N/M. | EACH | 2 | \$ 125.00 | 22.1% | 97.38 | N/A | N/A |
| C/DTP | CPI black vinyl clad steel and aluminum enclosure for DTP1, DTP2, and DTP3 termination panels. | EACH | 2 | \$ 45.30 | 31.0% | 31.27059 | N/A | N/A |
| C/TTP | CPI black clad steel and aluminum enclosure for TTP1 and TTP2 termination panels. NOT for the TTP(N) series panels | EACH | 2 | \$ 45.30 | 31.0% | 31.257 | N/A | N/A |
| CASE-TTP(N) | CPI Black clad steel and aluminum enclosure for TTP(N) series termination panels. | EACH | 2 | \$ 52.85 | 28.9% | 37.58692 | N/A | N/A |
| CGXZ+15NMNF-TR | POLYPHASER coax protector to be used in installations when DC is required to pass in route to tower top amplifiers and active antennas. +15 VDC. N/M - N/F. | EACH | 2 | \$ 180.00 | 56.4% | 78.48 | N/A | N/A |
| CGXZ+24NMNF-A | POLYPHASER coax protector to be used in installations when DC is required to pass in route to tower top amplifiers and active antennas. +24 VDC. N/M - N/F. | EACH | 2 | \$ 180.00 | 59.6% | 72.77 | N/A | N/A |
| CS6-100 | POLYPHASER 6.0" wide copper strap for grounding. 100' roll. | FOOT | 2 | \$ 950.00 | 22.1% | 740.05 | N/A | N/A |
| CS6-50 | POLYPHASER 6.0" wide copper strap for grounding. 50 foot put-up. | FOOT | 2 | \$ 500.00 | 22.1% | 389.5 | N/A | N/A |
| CU-SPGP | POLYPHASER single point ground panel. Copper with plywood backing. Will affix to concrete, cinder blocks or 16" centerstuds. Incl. 2 sandwich bars & 10'strap. | EACH | 2 | \$ 207.00 | 35.9% | 132.6249 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| DC50LNZ+15 | POLYPHASER coax protector for use with tower top preamps in receive only systems. Picks off DC and re-injects for optimal protection. N female conn. | EACH | 2 | \$ 106.00 | 30.8% | 73.35 | N/A | N/A |
| DGXJ+24NFNF-A | POLYPHASER coax protector to be used as a bias tee to inject or extract DC voltage at the equipment level. +24VDC. N/F - N/F. | EACH | 2 | \$ 133.00 | 41.0% | 78.48 | N/A | N/A |
| DGXZ-60NFNF-A | POLYPHASER 800-2500 MHz protector. Used in installations when DC is required to pass in route to powering shelter-based equip. -60 VDC. Equip. N/F - Ant. N/F. | EACH | 2 | \$ 114.00 | 22.1% | 88.81 | N/A | N/A |
| DR10 | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. | EACH | 2 | \$ 294.35 | 31.0% | 203.16037 | N/A | N/A |
| DR10-2F | CPI Telephone-Style DC Remote Control. 2Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. | EACH | 2 | \$ 317.00 | 31.0% | 218.7617 | N/A | N/A |
| DR10-2LINE | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. Two wire, Two line option with individual volume controls. | EACH | 2 | \$ 445.30 | 27.3% | 323.72 | N/A | N/A |
| DR10-BLK | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. Black color. | EACH | 2 | \$ 317.00 | 27.3% | 230.45 | N/A | N/A |
| DR10-DE | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. Panel mounted DTMF pad. | EACH | 2 | \$ 377.00 | 31.0% | 260.19 | N/A | N/A |
| DR10-FD | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. Full duplex. | EACH | 2 | \$ 307.50 | 31.0% | 212.22 | N/A | N/A |
| DR10-I | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. Push-button intercom. | EACH | 2 | \$ 307.50 | 31.0% | 212.22 | N/A | N/A |
| DR10-I-BLK-2LINE | CPI telephone style DC remote control. 1Tx frequency. Includes intercom and 2 line control. Black color. | EACH | 2 | \$ 490.60 | 27.3% | 356.65 | N/A | N/A |
| DR10-M | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Modern housing. Push-button monitor. | EACH | 2 | \$ 317.00 | 31.0% | 218.7617 | N/A | N/A |
| DR10-M-2F-BLK | CPI Telephone-Style DC Remote Control. 2Tx frequency. Off-hook monitor. Front panel push-to-talk. 2 watt audio. Push button monitor. Black color. | EACH | 2 | \$ 362.30 | 27.3% | 263.37 | N/A | N/A |
| DR10-M-DE-I | CPI Telephone-Style DC Remote Control. 1Tx frequency and off-hook/push-button monitor and intercom. Front panel PTT. 2 watt audio. Panel mounted DTMF pad. | EACH | 2 | \$ 452.85 | 27.3% | 329.21 | N/A | N/A |
| DR10-M-I | CPI Telephone-Style DC Remote Control. 1Tx frequency. Push-button/off hook monitor. Front panel PTT. 2 watt audio. Modern housing. Intercom. | EACH | 2 | \$ 330.50 | 31.0% | 228.1 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| DR10-UE1 | CPI Telephone-Style DC Remote Control. 1Tx frequency. Off-hook monitor. Front panel PTT. 2 watt audio. Modern housing. W/ 12 Key multi-format encoder | EACH | 2 | \$ 475.50 | 27.3% | 345.67 | N/A | N/A |
| DR20 | CPI Console Style DC Remote Control. Desktop split-bar microphone. Monitor, intercom. Single channel. | EACH | 2 | \$ 475.50 | 31.0% | 328.14255 | N/A | N/A |
| DR20-2F | CPI Console Style DC Remote Control. Desktop split-bar microphone. Monitor, intercom. Two channel. | EACH | 2 | \$ 498.15 | 31.0% | 343.773315 | N/A | N/A |
| DR20-2LINE | CPI Console Style DC Remote Control. Desktop split-bar microphone. Single channel, intercom, 2 line control/ monitor. | EACH | 2 | \$ 626.45 | 27.3% | 455.41 | N/A | N/A |
| DR20-FD | CPI Console Style DC Remote Control. Desktop split-bar microphone. Monitor, intercom. Single channel. Full duplex on four | EACH | 2 | \$ 498.15 | 27.3% | 362.13 | N/A | N/A |
| DR20-FS | CPI Console Style DC Remote Control with desktop split-bar microphone. Includes a monitor, intercom, single channel and footswitch for push-to-talk. | EACH | 2 | \$ 550.95 | 27.3% | 400.54 | N/A | N/A |
| DR30 | CPI Console Style DC Remote Control. Internal panel microphone. Monitor, intercom. Single channel. | EACH | 2 | \$ 279.25 | 31.0% | 192.73835 | N/A | N/A |
| DR30-2F-L1/L2/L3 | CPI Console Style DC Remote Control. Internal panel microphone. Monitor, intercom. Two channel. Rotary switch to select between 1 of 3 base radios. | EACH | 2 | \$ 347.20 | 27.3% | 252.4 | N/A | N/A |
| DR30-BLK | CPI Console Style DC Remote Control. Internal panel microphone. Monitor, intercom. Single channel. Black color. | EACH | 2 | \$ 291.25 | 31.0% | 201 | N/A | N/A |
| DR30-FD | CPI Console Style DC Remote Control with internal panel microphone, monitor, intercom, single channel and full duplex | EACH | 2 | \$ 301.90 | 27.3% | 219.48 | N/A | N/A |
| DR30-UE1 | CPI Console Style DC Remote Control. Internal panel microphone. Monitor, intercom. Single channel. 12 Key Multi-Format Encoder. | EACH | 2 | \$ 460.40 | 27.3% | 334.7 | N/A | N/A |
| DR40 | CPI Console Style DC Remote Control. Panel mounted gooseneck mic. Monitor, intercom. Single channel. | EACH | 2 | \$ 460.00 | 31.0% | 317.46 | N/A | N/A |
| DR40-2F-FDFS | CPI Console Style DC Remote Control with panel-mounted gooseneck microphone, monitor, intercom, two channels, full duplex on four wires, and foot switch. | EACH | 2 | \$ 596.25 | 27.3% | 433.46 | N/A | N/A |
| DR40-FD | CPI Console Style DC Remote Control with panel-mounted gooseneck microphone, monitor, intercom, single channel and full duplex on four wires. | EACH | 2 | \$ 498.15 | 27.3% | 362.13 | N/A | N/A |
| DSXL-D-MA-BF | POLYPHASER .800- 2.0 GHz microfilter arrester for bulkhead mounting. With BF adapter Max. surge 20kA. 300W. DC blocked. D/M antenna port, D/F equipment | EACH | 2 | \$ 137.00 | 22.1% | 106.73 | N/A | N/A |
| DSXL-D-ME | POLYPHASER .800 - 2.0 GHz microfilter arrester for bulkhead mounting. Max. surge 20kA. 300 W. DC blocked. D/F on antenna port, D/M on equipment port. | EACH | 2 | \$ 125.00 | 26.7% | 91.68 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| DSXL-ME | POLYPHASER .700 - 2.7 GHz microfilter arrester for bulkhead mounting. Max. surge 20kA. 300 W. DC blocked. N/F on antenna port, N/M on equipment port. | EACH | 2 | \$ 95.00 | 27.8% | 68.59 | N/A | N/A |
| DSXL-T-MA | POLYPHASER .700 - 2.7 GHz DSXL micro filter arrester for bulkhead mounting. Max. surge 20kA. 300 W. DC blocked. TNC/M on antenna port, TNC/F on equipmen | EACH | 2 | \$ 110.00 | 36.7% | 69.685 | N/A | N/A |
| DTC-1 | CPI DC to tone converter. DTC-1. Converts three current levels to guard, F1,F2, monitor, and PTT tones. Includes wall transformer. | EACH | 2 | \$ 415.10 | 31.0% | 286.50202 | N/A | N/A |
| DTP1 | CPI COMM DC termination panel. +5.5 mA transmit, Rx and Tx audio amplification. No monitor. | EACH | 2 | \$ 125.50 | 31.0% | 86.61 | N/A | N/A |
| DTP1-C | CPI COMM DC termination panel. .5 mA transmit, Rx and Tx audio amplification. Plastic housing. | EACH | 2 | \$ 183.40 | 31.0% | 126.56434 | N/A | N/A |
| DTP1-FD | CPI COMM DC termination panel. +5.5 mA transmit, Rx and Tx audio amplification. No monitor. Full duplex. | EACH | 2 | \$ 148.50 | 31.0% | 102.49 | N/A | N/A |
| DTP2 | CPI COMM DC termination panel. Selectable monitor and Tx currents. RX &TX audio amplification. | EACH | 2 | \$ 162.30 | 31.0% | 112.01946 | N/A | N/A |
| DTP2-C | CPI COMM DC termination panel. Selectable monitor and Tx currents. RX &TX audio amplification. Housing. | EACH | 2 | \$ 207.55 | 31.0% | 143.25101 | N/A | N/A |
| DTP2-FD | CPI COMM DC termination panel. Selectable monitor and Tx currents. Tx/Rx audio amp. Full duplex on 4 wires. | EACH | 2 | \$ 173.50 | 31.0% | 119.74 | N/A | N/A |
| DTP3 | CPI COMM DC termination panel. Monitor and two channel, with selectable control currents. | EACH | 2 | \$ 192.50 | 31.0% | 132.86 | N/A | N/A |
| DTP3-4W/FD-C | CPI COMM. DC termination panel. Selectable control currents. Four wire simplex operation. Includes enclosure. | EACH | 2 | \$ 271.70 | 27.3% | 197.53 | N/A | N/A |
| DTP3-C | CPI COMM DC termination panel Selectablecontrol currents. Includes plastic case. | EACH | 2 | \$ 231.00 | 31.0% | 159.43 | N/A | N/A |
| DXC-30-3/UTP/AC | RAD modular digital access and cross connect system. 30 CHANNEL DACS W/ CL.3/UTP | EACH | 2 | \$ 3,795.00 | 23.8% | 2891.79 | N/A | N/A |
| DXC-M-8E1 | RAD eight port E1 link module. Features bit error rate test and loopback diagnostics per timeslot. Fits DXC family of DACS. | EACH | 2 | \$ 2,561.00 | 23.8% | 1951.49 | N/A | N/A |
| ETX102-UTPUTP4UTP | RAD ETX-102 Fast Ethernet Network Termination Unit | EACH | 2 | \$ 578.00 | 23.8% | 440.44 | N/A | N/A |
| FCD-155E/AC2U28T1 | RAD STM-1/OC-3 NG ADM, AC power supply, 2 10/100 BaseT Ethernet user ports, 28T1 ports | EACH | 2 | \$ 4,681.00 | 23.8% | 3566.93 | N/A | N/A |
| FCD-IP/SL/U/E&M | RAD E1 or fractional E1 integrated access unit with Intergrated Router. E1 over SHDSL, 10/100BaseT (UTP) with 4 E&M voice channels | EACH | 2 | \$ 2,150.00 | 25.4% | 1602.9325 | N/A | N/A |
| FP.5-4.7-17 | RADIOWAVES 4.4-5.0 GHz Xcelerator .5 Foot Flat Panel Antenna. 17 dBi midband gain. Lightweight, low profile. 30dB front-back ratio. N/F conn | EACH | 2 | \$ 350.00 | 35.0% | 227.57 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| FP1-5-24 | RADIOWAVES 5.15-5.850 GHz Xcelerator 1 Foot Flat Panel. 23.8 dBi midband gain. Lightweight, low profile. 40dB front-back ratio. N/F conn. | EACH | 2 | \$ 415.00 | 36.5% | 263.42 | N/A | N/A |
| FP2-5-28 | RADIOWAVES 5.15-5.850 GHz Xcelerator 2 Foot Flat Panel. 28.0 dBi midband gain. Lightweight, low profile. 40dB front-back ratio. N/F conn. | EACH | 2 | \$ 795.00 | 41.7% | 463.48 | N/A | N/A |
| FP.5-5-18 | RADIOWAVES 5.25-5.850 GHz Xcelerator .5 Foot Flat Panel. 17.9 dBi midband gain. Lightweight, low profile. 30dB front-back ratio. N/F conn. | EACH | 2 | \$ 290.00 | 34.2% | 190.791 | N/A | N/A |
| FPD.5-5-18 | RADIOWAVES 5.75-5.850 GHz Xcelerator Dual Polarized .5 Foot Flat Panel. 17.9 dBi midband gain. Lightweight, low profile. 30dB front-back ratio. N/F conn | EACH | 2 | \$ 500.00 | 36.6% | 316.77 | N/A | N/A |
| FS | CPI Footswitch. Pre-wired for use with CPI remote controls. | EACH | 2 | \$ 69.25 | 31.0% | 47.8 | N/A | N/A |
| G3-2.4NF | RADIOWAVES 2.4-2.5 GHz 3' diameter grid antenna. 25.7 dBi gain @ 2.4 GHz. Plane polarization. N female connector. | EACH | 2 | \$ 1,690.00 | 41.2% | 993.64 | N/A | N/A |
| G4-2.4NF | RADIOWAVES 2.4-2.5 GHz 4' diameter grid antenna. 27 dBi gain @ 2.4 GHz. Plane polarization. N female connector. | EACH | 2 | \$ 1,895.00 | 40.4% | 1130.36 | N/A | N/A |
| G6-2.4NS | RADIOWAVES 2.4-2.5 GHz 6' diameter grid antenna. 30.8 dBi gain @ 2.4 GHz. Plane polarization. N female connector. | EACH | 2 | \$ 2,890.00 | 37.9% | 1793.89 | N/A | N/A |
| GMUX-2000-SYS/A | RAD GMUX-2000 System, ANSI Rack Mount, Carrier Voice Trunking Gateway | EACH | 2 | \$ 2,710.00 | 23.8% | 2065.02 | N/A | N/A |
| GMUX-BP-IO | GMUX empty slot cover | EACH | 2 | \$ 48.00 | 23.8% | 36.58 | N/A | N/A |
| GMUX-M/CL | RAD Common Logic module for GMUX-2000 | EACH | 2 | \$ 1,951.00 | 23.8% | 1486.67 | N/A | N/A |
| GMUX-M/FANS | RAD GMUX Fan | EACH | 2 | \$ 542.00 | 23.8% | 413.01 | N/A | N/A |
| GMUX-M/PI/AC | RAD GMUX AC PI | EACH | 2 | \$ 407.00 | 23.8% | 310.14 | N/A | N/A |
| GMUX-M/PI/DC | GMUX DC Power Inlet GMUX-M/PI/DC | EACH | 2 | \$ 407.00 | 23.8% | 310.14 | N/A | N/A |
| GMUX-M/PS/AC | RAD GMUX AC PS | EACH | 2 | \$ 1,152.00 | 23.8% | 877.83 | N/A | N/A |
| GMUX-M/PS/DC | GMUX DC Power Supply GMUX-M/PS/DC | EACH | 2 | \$ 1,152.00 | 23.8% | 877.83 | N/A | N/A |
| GMUX-M-T1-PW-28 | RAD GMUX 28 T1 Multi-Pseudowire Processing Module | EACH | 2 | \$ 8,809.00 | 23.8% | 6712.46 | N/A | N/A |
| GMUXPPANEL28PWBAL | RAD GMUX-2000 patch panel for E1/T1 external PW module, 1 E1 port balanced | EACH | 2 | \$ 653.00 | 23.8% | 497.59 | N/A | N/A |
| GSA-KIT-D | POLYPHASER. Adapter for custom grounding SX series protectors with DIN connector. | EACH | 2 | \$ 23.00 | 60.1% | 9.1701 | N/A | N/A |
| GSA-KIT-N | POLYPHASER Adapter for custom grounding SX series protectors with N connectors. | EACH | 2 | \$ 23.00 | 43.3% | 13.0341 | N/A | N/A |
| GT-DFM-AL | POLYPHASER Straight Gastube w/alum body,DC to 3 GHz, DIN-F/surge,DIN-M/protectorconn, Bulkhead mount w/bracket for grding or mtg. Non-replaceable elements. | EACH | 2 | \$ 45.00 | 26.6% | 33.01 | N/A | N/A |
| GT-NFF-AL | POLYPHASER Straight Gastube w/alum body,DC to 7 GHz, N-F/surge, N-F/protector conn, Bulkhead mount w/bracket for grding or mtg. Non-replaceable elements. | EACH | 2 | \$ 45.00 | 32.0% | 30.609 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| GT-NFM-AL | POLYPHASER Straight Gastube w/alum body,DC to 7 GHz, N-F/surge, N-M/protector conn, Bulkhead mount w/bracket for grding or mtg. Non-replaceable elements. | EACH | 2 | \$ 45.00 | 32.0% | 30.609 | N/A | N/A |
| GT-TFM-AL | POLYPHASER Gas tube w/alum body, DC to 7 GHz, TNC-F/surge,TNC-M/protectorconn, Bulkhead mount w/bracket for grding or mtg. | EACH | 2 | \$ 50.75 | 22.1% | 39.52 | N/A | N/A |
| HP2-11DW2 | RADIOWAVES 10.7-11.7 GHz 2' High Performance Microwave Antenna. Single Pol. 34.5 dBi mid gain. Dragonwave interface. This is a Category B Antenna | EACH | 2 | \$ 850.00 | 18.3% | 694.45 | N/A | N/A |
| HP2-11RR | RADIOWAVES 10.7-11.7 GHz 2' High Performance Microwave Antenna. Single Pol. 34.5dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 850.00 | 28.7% | 606.05 | N/A | N/A |
| HP2-18DW2 | RADIOWAVES 17.7-19.7 GHz 2' High Performance Microwave Antenna. Single Pol. 38.6 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 850.00 | 18.3% | 694.45 | N/A | N/A |
| HP2-18R | RADIO WAVES 17.7-19.7 GHz. High Performance Plane Polarized, Shrouded parabolic antenna. Remec Radio interface (Circular waveguide) | EACH | 2 | \$ 850.00 | 28.7% | 606.05 | N/A | N/A |
| HP2-18RR | RADIOWAVES 17.7 - 19.7 GHz 2' High Performance Microwave Antenna. Single Pol. 38.6dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 850.00 | 28.7% | 606.05 | N/A | N/A |
| HP2-23RR | RADIOWAVES 21.2-23.6 GHz 2' High Performance Microwave Antenna. Single Pol. 40.2dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 850.00 | 28.7% | 606.05 | N/A | N/A |
| HP2-24DW2 | RADIOWAVES 24.0-24.5 GHz 2' High Performance Microwave Antenna. Single Pol. 40.2 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 1,000.00 | 20.0% | 800.25 | N/A | N/A |
| HP2-26RR | RADIOWAVES 24.25-26.50 GHz 2' High Performance Microwave Antenna. Single Pol. 40.2dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 850.00 | 28.7% | 606.05 | N/A | N/A |
| HP3-11DW2 | RADIOWAVES 10.7-11.7 GHz 3' High Performance Microwave Antenna. Single Pol. 37.6 dBi mid gain. Dragonwave interface. Incl. pipe mnt and Radome. | EACH | 2 | \$ 1,500.00 | 18.3% | 1225.5 | N/A | N/A |
| HP3-11RR | RADIOWAVES 10.7-11.7 GHz 3' High Performance Microwave Antenna. Single Pol.i 42dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 1,530.00 | 34.7% | 999.09 | N/A | N/A |
| HP3-11RS | RADIOWAVES 10.7-11.7 GHz 3' High Performance Microwave Antenna. Single Pol. 37.6 dBi mid gain. CPR90G flange. Includes pipe mount. Radome Included. | EACH | 2 | \$ 1,530.00 | 28.7% | 1090.89 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions

TESSCO, INC

PT64539

LOT 3

Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| HP3-15RS | RADIOWAVE 14.25-15.3 GHz 3' High performance Parabolic. 40.0 dBi gain. 1.6 deg BW. Single Polarized. WR62 Flange. Included mounting hardware. | EACH | 2 | \$ 1,530.00 | 28.7% | 1090.89 | N/A | N/A |
| HP3-18 | Radio Waves 17.7-19.7 GHz. High Performance-Plane Polarized Shrouded Antenna. WR42 Termination | EACH | 2 | \$ 1,770.00 | 34.8% | 1153.89 | N/A | N/A |
| HP3-18DW2 | RADIOWAVES 17.7-19.7 GHz 3' High Performance Microwave Antenna. Single Pol. 42.0 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 1,500.00 | 18.3% | 1225.5 | N/A | N/A |
| HP3-18RR | RADIOWAVES 17.7 - 19.7 GHz 3' High Performance Microwave Antenna. Single Pol. 42dBi mid gain. Rectangular Remec Radio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 1,530.00 | 28.7% | 1090.89 | N/A | N/A |
| HP3-23DW2 | RADIOWAVES 21.2-23.6 GHz 3' High Performance Microwave Antenna. Single Pol. 43.7 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 1,500.00 | 18.3% | 1225.5 | N/A | N/A |
| HP3-23RR | RADIOWAVES 21.2-23.6 GHz 3' High Performance Microwave Antenna. Single Pol. 43.7dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 1,530.00 | 28.7% | 1090.89 | N/A | N/A |
| HP3-24DW2 | RADIOWAVES 24.0-24.5 GHz 3' High Performance Microwave Antenna. Single Pol. 43.7 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 1,750.00 | 20.0% | 1400.44 | N/A | N/A |
| HP4-11DW2 | RADIOWAVES 10.7-11.7 GHz 4' High Performance Microwave Antenna. Single Pol. 40.4 dBi mid gain. Dragonwave interface. Incl. pipe mnt and Radome. | EACH | 2 | \$ 2,250.00 | 18.3% | 1838.25 | N/A | N/A |
| HP4-11RR | RADIOWAVES 10.7-11.7 GHz 4' High Performance Microwave Antenna. Single Pol. 40.4dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 2,100.00 | 28.7% | 1497.3 | N/A | N/A |
| HP4-11RS | RADIOWAVES 10.7-11.7 GHz 4' High Performance Microwave Antenna. Single Pol. 40.4 dBi mid gain. CPR90G flange. Includes pipe mount. Radome Included. | EACH | 2 | \$ 2,300.00 | 28.7% | 1639.9 | N/A | N/A |
| HP4-15DW2 | RADIOWAVES 14.25-15.35 GHz 4' High Performance Microwave Antenna. Single Pol. 44.5 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 2,750.00 | 20.0% | 2200.69 | N/A | N/A |
| HP4-18DW2 | RADIOWAVES 17.7-19.7 GHz 4' High Performance Microwave Antenna. Single Pol. 44.5 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 2,250.00 | 18.3% | 1838.25 | N/A | N/A |
| HP4-23RR | RADIOWAVES 21.2-23.6 GHz 4' High Performance Microwave Antenna. Single Pol. 46.2dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 2,100.00 | 28.7% | 1497.3 | N/A | N/A |
| HP4-26RR | RADIOWAVES 24.25-26.50 GHz 4' High Performance Microwave Antenna. Single Pol. 46.2dBi mid gain. Rectangular RemecRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 2,100.00 | 28.7% | 1497.3 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| HP6-11DW2 | RADIOWAVES 10.7-11.7 GHz 6' High Performance Microwave Antenna. Single Pol. 43.4 dBi mid gain. Dragonwave interface. Incl. pipe mnt and Radome. | EACH | 2 | \$ 4,000.00 | 18.3% | 3268 | N/A | N/A |
| HP6-11RR | RADIOWAVES 10.7-11.7 GHz 6' High Performance Microwave Antenna. Single Pol. 43.4dBi mid gain. Rectangular RemeRadio Interface. Incl pipe mnt & Radome | EACH | 2 | \$ 3,960.00 | 34.7% | 2585.88 | N/A | N/A |
| HP6-11RS | RADIOWAVES 10.7-11.7 GHz. 6' Dish Antenna. 42.5 Gain @ mid-band High performance - plane polarized. CPR90G | EACH | 2 | \$ 3,960.00 | 28.7% | 2823.48 | N/A | N/A |
| HP6-64 | Radio Waves 6.425-7.125 GHz. 6 foot HighPerformance - Plane Polarized Shrouded Antenna. CPR137G Termination. | EACH | 2 | \$ 4,900.00 | 19.5% | 3946.56 | N/A | N/A |
| HP8-1011RS | RADIOWAVES 10.5-11.7 GHz 8' High Performance Microwave Antenna. Single Pol. 46.2 dBi mid gain. CPR90G flange. Includes pipe mount. Radome Included. | EACH | 2 | \$ 8,990.00 | 28.7% | 6409.87 | N/A | N/A |
| HP8-59RS | Radio Waves 5.925-6.425 GHz. 8 foot, High Performance - Plane Polarized Shrouded Antenna. CPR137G Termination. | EACH | 2 | \$ 8,990.00 | 28.7% | 6409.87 | N/A | N/A |
| HPCPE-24DW2 | RADIOWAVES 24.0-24.5 GHz 1' High Performance Microwave Antenna. Single Pol. 34.4 dBi mid gain. Dragonwave interface. Includes pipe mount & Radome | EACH | 2 | \$ 500.00 | 18.3% | 408.5 | N/A | N/A |
| HPD2-18RS | Radio Waves 17.7-19.7 GHz. High Performance Dual Polarized, Shrouded parabolic antenna.2' Dia. 38.4 dB mid gain. UG-596A/U input flange. | EACH | 2 | \$ 1,170.00 | 28.7% | 834.21 | N/A | N/A |
| HPD2-4.7NS | Radio Waves 4.4-5.0 GHz 2' parabolic. High Performance, dual pole antenna. N Female Termination. Heavy Duty radome included. | EACH | 2 | \$ 1,322.00 | 42.0% | 766.91 | N/A | N/A |
| HPD3-13RS | RADIOWAVE 12.7-13.25 GHz 3' High performance Parabolic. 38.5 dBi gain. 2.1 deg BW. Dual Polarized. WR75 Flange. Included mounting hardware. | EACH | 2 | \$ 1,770.00 | 28.7% | 1262.01 | N/A | N/A |
| HPD3-4.7NS | Radio Waves 4.4-5.0 GHz 3' parabolic. High Performance, dual pole | EACH | 2 | \$ 2,168.00 | 42.0% | 1257.06 | N/A | N/A |
| HPD3-5.2NS | RADIOWAVES 5.25-5.85 GHz 3' diameter High Performance | EACH | 2 | \$ 2,052.00 | 42.0% | 1190.38 | N/A | N/A |
| HPD4-18RS | Radio Waves 17.7-19.7 GHz. High Performance Dual Polarized, | EACH | 2 | \$ 2,990.00 | 28.7% | 2131.87 | N/A | N/A |
| HPD4-4.7NS | Radio Waves 4.4-5.0 GHz 4' parabolic. High Performance, dual pole | EACH | 2 | \$ 3,680.00 | 42.0% | 2134 | N/A | N/A |
| HPLP1-15RS | RADIOWAVE 14.25-15.3 GHz 1' High performance LP | EACH | 2 | \$ 600.00 | 28.7% | 427.8 | N/A | N/A |
| HPLP1-23RR | RADIOWAVES 21.2-23.6 GHz 1' High Performance Microwave | EACH | 2 | \$ 600.00 | 28.7% | 427.8 | N/A | N/A |
| ICM100 | CPI COMM DC termination panel for Icom F621, F521, F121. | EACH | 2 | \$ 230.75 | 31.0% | 159.26 | N/A | N/A |
| ICM200 | CPI enclosed tone termination panel for Icom F621, F521, F121 | EACH | 2 | \$ 461.50 | 31.0% | 318.5 | N/A | N/A |
| IPMUX11T1UTPUTP | RAD IPmux-11 Transmits one T1 interface over 10/100 Ethernet | EACH | 2 | \$ 900.00 | 25.4% | 670.995 | N/A | N/A |
| IPMUX-144T1UTPUTP | RAD IPmux-14 TDMoIP Gateway. Supports four standard E1/T1 | EACH | 2 | \$ 2,400.00 | 25.4% | 1789.32 | N/A | N/A |
| IPMUX241T1NNUTP | RAD TDM Pseudowire Access Gateway, 1 T1 Port, Empty SFP Slot, | EACH | 2 | \$ 1,533.00 | 23.8% | 1168.15 | N/A | N/A |
| IPMUX241T1UTPUTPN | TDM pseudowire access gateway, Single T1port,UTP Ethernet port, | EACH | 2 | \$ 1,635.00 | 23.8% | 1245.87 | N/A | N/A |
| IPMUX242T1UTPUTPN | TDM pseudowire access gateway, 2 T1 port,UTP Ethernet port, | EACH | 2 | \$ 2,622.00 | 23.8% | 1997.97 | N/A | N/A |
| IPMUX24FE4E1NNUTP | RAD TDM pseudowire access gateway 100M SFP port interface 4 | EACH | 2 | \$ 3,432.00 | 23.8% | 2615.19 | N/A | N/A |
| IPMUX-M/ETH/UTP | RAD Single-Port Ethernet Module for IPmux-8 or 16 TDMoIP | EACH | 2 | \$ 1,000.00 | 25.4% | 745.55 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| IPMX-1E/AC4E&MUTP | RAD IPmux-1E, 100-240VAC Power, supports 4 port E&M UTP | EACH | 2 | \$ 1,740.00 | 25.4% | 1297.257 | N/A | N/A |
| IPMX1EDC4E&MUTP | RAD IPmux-4 chassis, DC 48VDC power, supports 4 port E&M | EACH | 2 | \$ 1,820.00 | 25.4% | 1356.901 | N/A | N/A |
| IPMX21648R8T1NNU | RAD IPMUX-216 TDM pseudowire gateway 8 T1 ports, 2 FE/GE | EACH | 2 | \$ 5,666.00 | 26.3% | 4173.48 | N/A | N/A |
| IPMX24FE/1T1/3UTP | TDM pseudowire access gateway, 100M SFP port interface, Single T1 | EACH | 2 | \$ 1,225.00 | 23.8% | 933.45 | N/A | N/A |
| IPMX24FE/2T1/3UTP | TDM pseudowire access gateway, 100M SFP port interface, 2 T1 | EACH | 2 | \$ 2,149.00 | 23.8% | 1637.54 | N/A | N/A |
| IS-12VDC-30A-FG | POLYPHASER DC battery power protector. Protects series pass | EACH | 2 | \$ 200.00 | 22.1% | 155.8 | N/A | N/A |
| IS-12VDC-30A-NG | POLYPHASER DC battery power protector. Protects series pass | EACH | 2 | \$ 200.00 | 22.1% | 155.8 | N/A | N/A |
| IS-12VDC-50A-NG | POLYPHASER DC battery power protector. Protects series pass | EACH | 2 | \$ 290.00 | 22.1% | 225.91 | N/A | N/A |
| IS-50NX-C0-MA | POLYPHASER 1.5-400 MHz general coverage flange mnt. lightning | EACH | 2 | \$ 62.00 | 27.8% | 44.77 | N/A | N/A |
| IS-50UX-C0-MA | POLYPHASER 1.5-400 MHz flange mount protector. 50,000 amps | EACH | 2 | \$ 66.00 | 36.1% | 42.16 | N/A | N/A |
| IS-50UX-C1-MA | POLYPHASER 50-700 MHz general coverage flange mount. UHF | EACH | 2 | \$ 66.00 | 27.8% | 47.66 | N/A | N/A |
| IS-50UX-C1-ME | POLYPHASER 50-700 MHz general coverage flange mnt. protector. | EACH | 2 | \$ 66.00 | 31.1% | 45.4806 | N/A | N/A |
| IS-60VDC-30A-FG | POLYPHASER impulse suppressor to protect equipment on a 60Vdc | EACH | 2 | \$ 195.00 | 22.1% | 151.91 | N/A | N/A |
| IS-75BB/1.5 | POLYPHASER data/video coax protector. Flange mount. 75 ohms. | EACH | 2 | \$ 120.00 | 27.8% | 86.64 | N/A | N/A |
| IS-75BB/6 | POLYPHASER data/video coax protector. Flange mount. 75 ohms. | EACH | 2 | \$ 120.00 | 51.7% | 57.95 | N/A | N/A |
| IS-75BB+/-1.5 | POLYPHASER data/video coax protector. Flange mount. 75 ohms. | EACH | 2 | \$ 120.00 | 51.7% | 57.948 | N/A | N/A |
| IS-B50HN-C1-MA | POLYPHASER 50-700 MHz general coverage arrestor for bulkhead | EACH | 2 | \$ 75.00 | 36.5% | 47.6 | N/A | N/A |
| IS-B50HN-C2-ME | POLYPHASER 125-1000 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 75.00 | 27.8% | 54.15 | N/A | N/A |
| IS-B50HU-C0 | POLYPHASER 1.5-400 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 75.00 | 36.5% | 47.6025 | N/A | N/A |
| IS-B50HU-C1 | POLYPHASER 50-700 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 80.00 | 40.5% | 47.6 | N/A | N/A |
| IS-B50LN-C0-ME | POLYPHASER 1.5-400 MHz general coverage bulkhead mount | EACH | 2 | \$ 69.00 | 27.8% | 49.82 | N/A | N/A |
| IS-B50LN-C1-ME | POLYPHASER 50-700 MHz general coverage bulkhead mt. | EACH | 2 | \$ 69.00 | 35.9% | 44.21 | N/A | N/A |
| IS-B50LN-C2-ME | POLYPHASER 125-1000 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 69.00 | 22.1% | 53.76 | N/A | N/A |
| IS-B50LU-C0-MA | POLYPHASER 1.5-400 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 69.00 | 22.1% | 53.76 | N/A | N/A |
| IS-B50LU-C1-MA | POLYPHASER 50-700 Mhz general coverage arrestor for bulkhead | EACH | 2 | \$ 69.00 | 22.1% | 53.76 | N/A | N/A |
| IS-B50LU-C1-ME | POLYPHASER 50-700 MHz general coverage bulkhead mnt. | EACH | 2 | \$ 69.00 | 35.9% | 44.21 | N/A | N/A |
| IS-CS50HN-MA | POLYPHASER 800-900 MHz cellular/trunking combiner flange | EACH | 2 | \$ 119.00 | 31.0% | 82.15 | N/A | N/A |
| IS-DB75F | POLYPHASER dc injector/dc path 400 - 1450 MHz. 75 ohm coaxial | EACH | 2 | \$ 200.00 | 49.4% | 101.22 | N/A | N/A |
| IS-DC50LN+15 | POLYPHASER coax protector for use with tower top preamps in | EACH | 2 | \$ 120.00 | 38.9% | 73.35 | N/A | N/A |
| IS-GC50LN+15 | POLYPHASER coax protector to be used with tower top preamps in | EACH | 2 | \$ 106.00 | 30.8% | 73.35 | N/A | N/A |
| IS-GF50LN-MA | POLYPHASER GaAs Fet front end protector. 80 to 900 Mhz receive | EACH | 2 | \$ 106.00 | 30.8% | 73.35 | N/A | N/A |
| IS-IE50LN-C2 | POLYPHASER isolated equipment coax protector. N/F antenna; N/F | EACH | 2 | \$ 170.00 | 31.0% | 117.35 | N/A | N/A |
| IS-MPT-17 | POLYPHASER twisted pair phone line protector. 13,000 amps | EACH | 2 | \$ 12.00 | 37.6% | 7.49 | N/A | N/A |
| IS-MPT-200 | POLYPHASER twisted pair phone line protector. 13,000 amps | EACH | 2 | \$ 12.00 | 37.6% | 7.49 | N/A | N/A |
| IS-MPT-24 | POLYPHASER twisted pair phone line protector. 13,000 amps | EACH | 2 | \$ 12.00 | 32.8% | 8.07 | N/A | N/A |
| IS-MPT-75 | POLYPHASER twisted pair phone line protector. 13,000 amps | EACH | 2 | \$ 12.00 | 32.8% | 8.07 | N/A | N/A |
| IS-MR50LNZ+15 | POLYPHASER 1.2-2.0 GHz Pickor Lightning Protector for GPS | EACH | 2 | \$ 102.00 | 29.0% | 72.45 | N/A | N/A |
| IS-MR50LNZ+6 | POLYPHASER 1.2-2.0 GHz Pickor Lightning Protector for GPS | EACH | 2 | \$ 102.00 | 32.0% | 69.37 | N/A | N/A |
| ISMR50LNZ15MA | POLYPHASER 1.2-2.0 GHz Pickor Lightning Protector for GPS | EACH | 2 | \$ 102.00 | 26.6% | 74.82 | N/A | N/A |
| IS-MT50LN | POLYPHASER 2.1 to 2.6 GHz microwave TV for MMDS coaxial | EACH | 2 | \$ 102.00 | 32.0% | 69.37 | N/A | N/A |
| IS-MT50LN-MA | POLYPHASER 2.1 to 2.6 GHz microwave TV for MMDS coaxial | EACH | 2 | \$ 102.00 | 32.0% | 69.37 | N/A | N/A |
| IS-NEMP-C2-MA | POLYPHASER 125-1000 MHz bulkhead NEMP protector. Extra | EACH | 2 | \$ 103.00 | 27.8% | 74.37 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| IS-NEMP-C2-ME | POLYPHASER 125-1000 MHz bulkhead NEMP protector. N male | EACH | 2 | \$ 103.00 | 30.9% | 71.1524 | N/A | N/A |
| IS-PM240-SP | POLYPHASER 240 VAC power mains series protector. Single | EACH | 2 | \$ 460.00 | 43.7% | 259.11 | N/A | N/A |
| IS-PSP-24 | POLYPHASER 24vAC power line protector. 35,000 amps surge. | EACH | 2 | \$ 60.00 | 51.3% | 29.25 | N/A | N/A |
| IS-SB75F | POLYPHASER DC path 75 ohm coax protectorfor satellite dish | EACH | 2 | \$ 118.00 | 49.3% | 59.85 | N/A | N/A |
| IS-VU50HN | POLYPHASER VHF/UHF cross-band combiner bulkhead mnt. | EACH | 2 | \$ 119.00 | 36.0% | 76.17 | N/A | N/A |
| IX-10DC24 | POLYPHASER DC 10 Pair Data Protector. 24VDC turn on | EACH | 2 | \$ 209.10 | 22.1% | 162.89 | N/A | N/A |
| IX-10L | POLYPHASER T1/E1 RS422, RS485 protector. | EACH | 2 | \$ 354.55 | 22.1% | 276.19 | N/A | N/A |
| IX-10P | POLYPHASER Phone Line Protector Module, P boards for IX-_P | PACK | 2 | \$ 281.00 | 22.1% | 218.9 | N/A | N/A |
| IX-10T | POLYPHASER Telco Trunk Protector Module, T boards for IX-_T | PACK | 2 | \$ 254.55 | 22.1% | 198.3 | N/A | N/A |
| IX-1DC24 | POLYPHASER IX series data and/or DC power protector. Protects | EACH | 2 | \$ 70.00 | 22.1% | 54.53 | N/A | N/A |
| IX-1H | POLYPHASER RS 422 and RS 485 Single PairData Protector. Surge | EACH | 2 | \$ 86.00 | 31.1% | 59.297 | N/A | N/A |
| IX-1H1DC48 | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 100.00 | 22.1% | 77.9 | N/A | N/A |
| IX-1P | POLYPHASER Single Pair Extension line protector. | EACH | 2 | \$ 70.00 | 23.5% | 53.529 | N/A | N/A |
| IX-1T | POLYPHASER Weatherized, modular, UL 497B, Telco Trunk, | EACH | 2 | \$ 60.00 | 29.0% | 42.618 | N/A | N/A |
| IX-1T1DC12 | POLYPHASER Single Pair Audio-Phone Trunk Line Protector. | EACH | 2 | \$ 90.00 | 22.1% | 70.11 | N/A | N/A |
| IX-2H | POLYPHASER RS 422 & RS 485 Singal Pair Data Protector. | EACH | 2 | \$ 90.00 | 30.6% | 62.469 | N/A | N/A |
| IX-2H1DC48 | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 110.00 | 22.1% | 85.69 | N/A | N/A |
| IX-2H1DC56-IG | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 130.00 | 27.8% | 93.86 | N/A | N/A |
| IX-2H1L1DC48-IG | POLYPHASER 48 Vdc PoE with T1/E1 or RS- 422/RS-485 isolated | EACH | 2 | \$ 145.00 | 22.1% | 112.96 | N/A | N/A |
| IX-2H2DC24 | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 130.00 | 38.7% | 79.677 | N/A | N/A |
| IX-2H2DC48 | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 130.00 | 38.7% | 79.677 | N/A | N/A |
| IX-2L | POLYPHASER 1 Tx Pair/1 Rx Pair T1/LAN Protector. | EACH | 2 | \$ 70.00 | 23.5% | 53.529 | N/A | N/A |
| IX-2M | POLYPHASER RS232 Dual Pair Data Protector. | EACH | 2 | \$ 70.00 | 23.5% | 53.529 | N/A | N/A |
| IX-2P | POLYPHASER Dual Pair Extension line protector. | EACH | 2 | \$ 102.00 | 32.3% | 69.0744 | N/A | N/A |
| IX-2T | POLYPHASER Dual Pair Audio-Phone Trunk Line Protector. | EACH | 2 | \$ 80.00 | 29.0% | 56.816 | N/A | N/A |
| IX-3L | POLYPHASER 3 Tx 3 Rx T1/LAN Protector. | EACH | 2 | \$ 100.00 | 22.1% | 77.9 | N/A | N/A |
| IX-4DC48 | POLYPHASER IX series data and/or DC power protector. Protects | EACH | 2 | \$ 140.00 | 22.1% | 109.06 | N/A | N/A |
| IX-4H | POLYPHASER Data Protector. CAT5 compatible UTP, STP. | EACH | 2 | \$ 140.00 | 22.1% | 109.06 | N/A | N/A |
| IX-4L | POLYPHASER 2 Tx Pair/2 Rx Pair T1/LAN Protector. | EACH | 2 | \$ 100.00 | 22.1% | 77.9 | N/A | N/A |
| IX-5DC24 | POLYPHASER DC 5 Pair Data Protector. 24VDC turn on | EACH | 2 | \$ 165.00 | 22.1% | 128.54 | N/A | N/A |
| IX-5H | POLYPHASER five line, audio-phone protector. Up to 25 Mbps | EACH | 2 | \$ 165.00 | 22.1% | 128.54 | N/A | N/A |
| IX-5T | POLYPHASER five line, audio-phone protector. Up to 25 Mbps | EACH | 2 | \$ 165.00 | 22.1% | 128.54 | N/A | N/A |
| IX-6DC24 | POLYPHASER DC 6 Pair Data Protector. 24VDC turn on | EACH | 2 | \$ 190.00 | 22.1% | 148.01 | N/A | N/A |
| IX-6L | POLYPHASER 3 Tx Pair/3 Rx Pair T1/LAN Protector. | EACH | 2 | \$ 130.00 | 23.5% | 99.411 | N/A | N/A |
| IX-6P | POLYPHASER Six Pair Extension line protector. | EACH | 2 | \$ 220.00 | 23.5% | 168.234 | N/A | N/A |
| IX-6T | POLYPHASER Six Pair Audio-Phone Trunk Line Protector. | EACH | 2 | \$ 190.00 | 29.0% | 134.957 | N/A | N/A |
| IX-ALVR-IG | POLYPHASER DC line protector designed for Alvarion POE radios. | EACH | 2 | \$ 138.00 | 22.1% | 107.51 | N/A | N/A |
| IX-POLE-KIT | POLYPHASER IX Data Protector Series mounting kit. Includes | EACH | 2 | \$ 20.00 | 49.9% | 10.02 | N/A | N/A |
| J-1 | POLYPHASER bronze transition clamp. Designed to ground | EACH | 2 | \$ 15.00 | 50.1% | 7.4895 | N/A | N/A |
| J-2 | POLYPHASER bronze transition clamp. Designed to ground PolyPhaser to zinc galvanized towers with 1-1/2" to 2-1/4" diameter legs. | EACH | 2 | \$ 20.00 | 27.8% | 14.44 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| KM-2000M-KVC.1M/E | RAD 2 Line Analog Voice module with 2/4-wire E&M option. PCM/ADPCM encoding with echo cancellation. | EACH | 2 | \$ 834.00 | 18.0% | 683.9634 | N/A | N/A |
| LE10 | CPI COMM telephone style extended local control up to 1000'. Easily configured to most radios and allows up to 25 units to be paralleled off one radio. | EACH | 2 | \$ 226.45 | 31.0% | 156.29579 | N/A | N/A |
| LE10-220V | CPI COMM telephone style extended local control up to 1000'. Easily configured to most radios and allows up to 25 units to be paralleled off one radio. 220 volt. | EACH | 2 | \$ 256.60 | 27.3% | 186.55 | N/A | N/A |
| LE10-I | CPI COMM telephone style extended local control up to 1000'. Easily configured to most radios and allows 25 units to parallel. Intercom function. | EACH | 2 | \$ 238.50 | 31.0% | 164.61 | N/A | N/A |
| LE20 | CPI COMM console extended local control with desk mic for use up to 1000' from radio. Includes monitor. Easily connected to any radio and paralleled. | EACH | 2 | \$ 361.50 | 31.0% | 249.49 | N/A | N/A |
| LE20BK-2F | CPI COMM console extended local control with desk mic for use up to 1000' from radio. Includes monitor, two frequency. Black. | EACH | 2 | \$ 422.65 | 27.3% | 307.26 | N/A | N/A |
| LE30 | CPI COMM console extended local control with internal electret microphone. For control up to 1000'. Includes monitor. Easy radio connection and paralleling. | EACH | 2 | \$ 215.50 | 31.0% | 148.73 | N/A | N/A |
| LE30-220V | CPI COMM console extended local control with internal electret microphone. For control up to 1000'. Includes monitor. 220V AC wall pack transformer. | EACH | 2 | \$ 256.60 | 27.3% | 186.55 | N/A | N/A |
| LE30-BLK | CPI COMM console extended local control with internal electret microphone. For control up to 1000'. Includes monitor. Black color. | EACH | 2 | \$ 249.10 | 27.3% | 181.07 | N/A | N/A |
| LE40 | CPI COMM console extended local control with panel-mounted gooseneck microphone. Control to 1000'. Includes monitor. Easy radio connection and paralleling. | EACH | 2 | \$ 361.50 | 31.0% | 249.49 | N/A | N/A |
| LE40BK-FS | CPI COMM console extended local control with panel-mounted gooseneck microphone. Control to 1000'. Includes monitor and footswitch. Black | EACH | 2 | \$ 475.50 | 27.3% | 345.67 | N/A | N/A |
| LSC12 | POLYPHASER Lightning Strike Counter. For use on towers, pipelines or down conductors such as cable or wire. Outdoor, rainproofed version. | EACH | 2 | \$ 200.00 | 39.5% | 121.1 | N/A | N/A |
| MCP200 | CPI COMM termination panel to be used with the NEW version of MCR210/ 220/ 250/ 210A remotes. For Motorola Maxtrac LS, 300 and Radius M200. | EACH | 2 | \$ 461.50 | 31.0% | 318.5 | N/A | N/A |
| MCP200C (LS) | CPI termination panel for Motorola CDM1550 and CDM1550LS radios. | EACH | 2 | \$ 460.40 | 27.3% | 334.7 | N/A | N/A |
| MCP200CM | CPI termination panel for Motorola CM300 radio and MCR212A series remote controls | EACH | 2 | \$ 461.50 | 31.0% | 318.5 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| MCP200G | CPI COMM adapter panel to be used with the NEW version of MCR210/ 220/ 250/ 210A remotes. For Motorola Radius GM300. | EACH | 2 | \$ 461.50 | 31.0% | 318.5 | N/A | N/A |
| MCP200M | MCR210/ 220/ 250/ 210A remotes. For Motorola Radius M1225 radios. | EACH | 2 | \$ 460.40 | 31.0% | 317.72204 | N/A | N/A |
| MCP400 | CPI COMM. Termination Panel for Kenwood TK630/730/830 radios. Use with MCR410/ MCR420 remote controls. | EACH | 2 | \$ 498.15 | 27.3% | 362.13 | N/A | N/A |
| MCP401 | CPI COMM. Termination Panel for Kenwood TK790, 890, 690 series radios. Use with MCR411A remote control. | EACH | 2 | \$ 460.40 | 31.0% | 317.72204 | N/A | N/A |
| MCP401-4WFD | CPI COMM. Termination Panel for Kenwood TK690, 790, 890 series radios with 4 wire full duplex. Use with MCR411 Alpha remote control through DB25 connector. | EACH | 2 | \$ 483.05 | 27.3% | 351.16 | N/A | N/A |
| MCR210 | CPI telephone style remote control for the Motorola Radius and Maxtrac radios. Use only with MCP200 series termination panels. | EACH | 2 | \$ 573.60 | 31.0% | 395.84136 | N/A | N/A |
| MCR210A | CPI telephone style remote control for the Motorola Radius and Maxtrac radios. Use only with MCP200 series termination panels. | EACH | 2 | \$ 692.25 | 31.0% | 477.76 | N/A | N/A |
| MCR210A-BLK | Maxtrac radios. Use only with MCP200 series termination panels. Black. | EACH | 2 | \$ 717.00 | 27.3% | 521.25 | N/A | N/A |
| MCR210A-DM | CPI Remote control with desk mic for the Motorola Radius and Maxtrac. Use only with MCP200 series termination panels. | EACH | 2 | \$ 720.00 | 31.0% | 496.9 | N/A | N/A |
| MCR211A | CPI phone style remote for CDM1550/1550 LS radios. When connected, the radio is dedicated to remote operation. Use only with MCP200C termination panel. | EACH | 2 | \$ 694.35 | 31.0% | 479.170935 | N/A | N/A |
| MCR211A-BK | CPI phone style remote for CDM1550/1550 LS radios. When connected, the radio is dedicated to remote operation. Use only with MCP200C termination panel. Black. | EACH | 2 | \$ 717.00 | 27.3% | 521.25 | N/A | N/A |
| MCR211A-DM | CPI console style remote with desk mic for CDM1550/1550 LS radios. Use only with MCP200C termination panel. | EACH | 2 | \$ 777.40 | 27.3% | 565.15 | N/A | N/A |
| MCR211A-UE1 | CPI phone style remote with panel-mounted 12-key multi-format encoder for CDM1550/1550 LS radios. Use with MCP200C termination panel. | EACH | 2 | \$ 861.50 | 31.0% | 594.56 | N/A | N/A |
| MCR212A | CPI Telephone style remote control for Motorola CM300 radios. Use with MCP200CM termination panels. | EACH | 2 | \$ 692.25 | 31.0% | 477.76 | N/A | N/A |
| MCR212A-DM | CPI desk microphone style remote control for Motorola CM300 radios. Use with MCP200CM termination panels. | EACH | 2 | \$ 720.00 | 31.0% | 496.9 | N/A | N/A |
| MCR220 | CPI desk mike style remote control for the Motorola Radius and Maxtrac radios. Use only with MCP200/G termination panel | EACH | 2 | \$ 692.25 | 31.0% | 477.76 | N/A | N/A |
| MCR411A | CPI COMM. Telephone Style Remote Control for Kenwood TK690, 790, 890 series radios. Use with MCP401 termination panel. | EACH | 2 | \$ 694.35 | 31.0% | 479.24037 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| MCR411A-BLK | CPI COMM. Telephone Style Remote Controlfor Kenwood TK690, 790, 890 series radios. Use with MCP401 termination panel. Black color. | EACH | 2 | \$ 715.25 | 31.0% | 493.62 | N/A | N/A |
| MCR411A-DM | CPI COMM. Remote Control with a desk microphone for Kenwood TK690, 790, 890 series radios. Use with MCP401 termination panel. | EACH | 2 | \$ 777.40 | 31.0% | 536.48374 | N/A | N/A |
| MCR411A-DM-BLK | CPI COMM. remote control with a desk microphone for Kenwood TK690, 790, 890 series radios. Use with MCP401 termination panel. Black color. | EACH | 2 | \$ 811.50 | 31.0% | 560.05 | N/A | N/A |
| MCR411A-DM-DE | CPI COMM. Remote Control with a desk microphone and 12 key DTMF encoder for Kenwood TK690, 790, 890 series radios. Use with MCP401 termination panel. | EACH | 2 | \$ 890.60 | 27.3% | 647.45 | N/A | N/A |
| MCR411A-UE1-BLK | CPI COMM. Telephone Style Remote Controlfor Kenwood TK690/790/890 series radios with panel 12-key multi encoder in blackUse with MCP401 termination panel. | EACH | 2 | \$ 898.15 | 27.3% | 652.93 | N/A | N/A |
| MDS+24-F-F | POLYPHASER 100 kHz-3 GHz +24VDC pass coax protector. 75 ohm. 50 watt max. F female connectors. 3 amp DC continuous. | EACH | 2 | \$ 105.00 | 48.2% | 54.411 | N/A | N/A |
| MDSF-F POLY | PHASER 100 kHz-2.5 GHz □ pass coax protector. 75 ohm. 50 watt max. F female connectors. 3 amp DC continuous. 75 Ohm 2 | EACH | 2 | \$ 105.00 | 27.8% | 75.81 | N/A | N/A |
| MP2100/115HP/2UTP | RAD Megaplex Modular Multiplexer. Includes UTP management, CL2 common logic, high-power 115 VAC supply. Requires main link and I/O cards. | EACH | 2 | \$ 3,000.00 | 25.4% | 2236.65 | N/A | N/A |
| MP-2100/24/2V24 | RAD Megaplex Modular Access Multiplexer.Supports TDM technology. W/CL2, V.24/RSS-232 management. Requires main link, I/O modules. 24VDC power requirem | EACH | 2 | \$ 4,534.00 | 25.5% | 3380.097 | N/A | N/A |
| MP2100/48/2UTP | RAD Megaplex Modular Access Multiplexer.Supports TDM. W/CL2, UTP management. Requires main link, I/O modules. -48VDC | EACH | 2 | \$ 4,336.00 | 25.5% | 3232.488 | N/A | N/A |
| MP-2100115HPR2UTP | RAD Megaplex Modular Multiplexer. Redundant new common logic and high-power power supplies. UTP Management. No main link. 115 VAC. | EACH | 2 | \$ 5,200.00 | 25.4% | 3876.86 | N/A | N/A |
| MP2100115HPRP2UTP | RAD Megaplex Modular Multiplexer. Redundant high-power power supplies. UTPManagement. Version 2 Common Logic. No main link. 115 VAC. | EACH | 2 | \$ 3,800.00 | 25.4% | 2833.09 | N/A | N/A |
| MP210048HPR2UTP | RAD Megaplex Modular Access Multiplexer.Supports TDM. W/CL2, UTP management, full redundancy, high power. Requires main link, I/O modules. -48VDC | EACH | 2 | \$ 5,600.00 | 25.4% | 4175.08 | N/A | N/A |
| MP-2100M-ACM | RAD Megaplex Alarm and Diagnostics Module. External alarm sensing, internalalarm reporting, and bit-error-rate testing. | EACH | 2 | \$ 948.00 | 25.5% | 706.734 | N/A | N/A |
| MP-2100M-BP-CL | MP2100 | EACH | 2 | \$ 15.00 | 25.5% | 11.1825 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| MP-2100M-BP-IO/1 | RAD Megaplex Single Slot IO Blank Panel | EACH | 2 | \$ 17.00 | 25.5% | 12.6735 | N/A | N/A |
| MP-2100M-BP-IO/2 | RAD Megaplex 2 Slot IO Blank Panel | EACH | 2 | \$ 20.00 | 25.5% | 14.91 | N/A | N/A |
| MP-2100M-BP-PS | RAD Megaplex Blank Panel for Power Supply Slot for the MP2100 | EACH | 2 | \$ 20.00 | 25.5% | 14.91 | N/A | N/A |
| MP-2100M-CL.2 | management port for MP-2100.Stores configuration and event information. | EACH | 2 | \$ 1,500.00 | 25.4% | 1118.325 | N/A | N/A |
| MP-2100M-CL.2/UTP | RAD Megaplex common logic module v.2 with Ethernet UTP management port. Stores configuration and event information. | EACH | 2 | \$ 2,033.00 | 25.5% | 1515.6015 | N/A | N/A |
| MP-2100M-HS-2 | RAD 2 channel high speed synchronous data module for MP-2100. Data rates from 56-1536Kbps. Field-selectable interface:V.35, V.36/V.11, X.21, RS-530/RS-422. | EACH | 2 | \$ 1,355.00 | 25.5% | 1010.1525 | N/A | N/A |
| MP-2100M-HS-DP/3 | RAD TDM OCU-DP DATA MODULE MP-200M-HS-DP/3 | EACH | 2 | \$ 2,575.00 | 23.8% | 1962.15 | N/A | N/A |
| MP2100MHSDP6 | RAD 6 Channel OCU-DP Data Module for the Megaplex 2100.* | EACH | 2 | \$ 2,950.00 | 25.4% | 2199.3725 | N/A | N/A |
| MP2100MHSETHFUTP4 | RAD Four channel 10/100Base-T Ethernet Bridge module for MP-2100. VLAN support. | EACH | 2 | \$ 2,550.00 | 25.5% | 1901.025 | N/A | N/A |
| MP2100MHSETHVUTP2 | RAD Two channel 10Base-T Ethernet Bridgemodule for MP-2100. VLAN support. | EACH | 2 | \$ 1,983.00 | 25.5% | 1478.3265 | N/A | N/A |
| MP-2100M-HS-Q/N | RAD High Speed Data Module w/built-in BERT. 4 sync data channels, data rates 56 to 1984 Kbps. Field-selectable interface: V.35, V.36/V.11, X.21, RS-53 | EACH | 2 | \$ 2,168.00 | 25.5% | 1616.244 | N/A | N/A |
| MP-2100M-HS-RN | RAD 4 channel data module for MP-2100. Four V.24/RS-232 full-duplex sync/async low speed data channels, 0.6 to 64 Kbps sync, 0.6 to 38.4 Kbps async. V.110. | EACH | 2 | \$ 1,355.00 | 25.5% | 1010.1525 | N/A | N/A |
| MP2100MLS12 | RAD 12-Channel Data I/O Card for MP-2100/ Modular Integrated Access Multiplexers. | EACH | 2 | \$ 1,400.00 | 25.4% | 1043.77 | N/A | N/A |
| MP2100M-LS-2A/SDM | RAD Low Speed Data module for Megaplex MP-2100/MP-2104 multiplexer. 10 synchronous/asynchronous V.24/RS-232 channel interfaces for x.50 and SDM. | EACH | 2 | \$ 1,300.00 | 25.4% | 969.215 | N/A | N/A |
| MP-2100M-MBE/UTP | RAD Ethernet Bridge Module for MP-2100, 10Base-T (RJ-45). Multiplex LAN traffic with voice/fax/data onto TDM main link. | EACH | 2 | \$ 1,200.00 | 25.4% | 894.66 | N/A | N/A |
| MP-2100M-ML-1T1 | RAD T1 Main link module for Megaplex MP-21xx Multiplexer with CL.2 Common Logic module. | EACH | 2 | \$ 1,626.00 | 25.5% | 1212.183 | N/A | N/A |
| MP-2100M-ML-2T1 | 2100/MP-2104 Multiplexer. Integrated CSU. REQUIRES CL.2) | EACH | 2 | \$ 2,168.00 | 25.5% | 1616.244 | N/A | N/A |
| MP-2100M-ML-8T1 | RAD Megaplex 4U 8T1 main link module. | EACH | 2 | \$ 3,253.00 | 23.8% | 2478.79 | N/A | N/A |
| MP-2100-MN | without power supply, common logic, or main link. 12 slots in 3U chassis. | EACH | 2 | \$ 1,626.00 | 25.5% | 1212.183 | N/A | N/A |
| MP2100M-PS200/115 | RAD Megaplex Power Supply, 200 Watts, 115 VAC input. | EACH | 2 | \$ 1,220.00 | 25.5% | 909.51 | N/A | N/A |
| MP2100M-PS-200/24 | RAD Megaplex 24 VDC Power Supply, 200 Watts. | EACH | 2 | \$ 1,701.00 | 25.5% | 1268.0955 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| MP-2100M-VC16/E&M | RAD 16 channel analog PCM voice module for Megaplex. 2/4 wire E&M interface type I, II, III, V & SSDC5. 50 pin TELCO connector. (cable not included 424584). | EACH | 2 | \$ 2,168.00 | 25.5% | 1616.244 | N/A | N/A |
| MP-2100M-VC16/FX0 | RAD 16 channel analog PCM voice module for Megaplex. FXS with 50 pin TELCO connector. Use CBL-VC16FXSO cable (478783). | EACH | 2 | \$ 2,303.00 | 25.5% | 1716.8865 | N/A | N/A |
| MP-2100M-VC16/FXS | RAD 16 channel analog PCM voice module for Megaplex. FXS with 50 pin TELCO connector. Use CBL-VC16FXSO cable | EACH | 2 | \$ 2,440.00 | 25.5% | 1819.02 | N/A | N/A |
| MP-2100M-VC16A | RAD 16 channel ADPCM compression card. No signaling, ADPCM 32 kbps compression. Will communicate with another VC16A card only. Uses cable CBL-VC16A/RJ45. | EACH | 2 | \$ 3,138.00 | 25.5% | 2339.379 | N/A | N/A |
| MP-2100M-VC-2/E&M | RAD 4 channel analog PCM voice module for Megaplex. E&M interface, type I & SSDC5 (Types II, III, V with optional 12VDC supply). RJ45 connectors. | EACH | 2 | \$ 600.00 | 25.4% | 447.33 | N/A | N/A |
| MP-2100M-VC2/FX01 | RAD 4 channel analog PCM voice module for Megaplex. FXO interface for point-to-point applications. RJ-45 connections. | EACH | 2 | \$ 600.00 | 25.4% | 447.33 | N/A | N/A |
| MP-2100M-VC2/FXS1 | RAD 4 port analog PCM voice module for Megaplex. FXS interface for multiplexer-to-multiplexer applications. RJ-45 connectors. Requires -48VDC ring | EACH | 2 | \$ 800.00 | 25.4% | 596.44 | N/A | N/A |
| MP-2100M-VC-4/FX0 | RAD 4 channel analog PCM voice module for Megaplex. FXO. | EACH | 2 | \$ 948.00 | 23.8% | 722.38 | N/A | N/A |
| MP-2100M-VC-4/FXS | RAD 4 channel analog PCM voice module for Megaplex. | EACH | 2 | \$ 1,085.00 | 23.8% | 826.77 | N/A | N/A |
| MP2100MVC-4E&MOMN | RAD Megaplex 2100 Module VC-4 E&M and Omnibus. | EACH | 2 | \$ 2,440.00 | 23.8% | 1859.28 | N/A | N/A |
| MP-2100M-VC-6/E&M | RAD 6 channel analog PCM voice module for Megaplex. E&M interface type I and SSDC5 (types II, III, V with optional 12VDC supply). 50 pin TELCO connector. | EACH | 2 | \$ 800.00 | 25.4% | 596.44 | N/A | N/A |
| MP-2100M-VC-6/FX0 | RAD 6 channel analog PCM voice module for Megaplex. FXO interface, RJ-45 connectors. | EACH | 2 | \$ 800.00 | 25.4% | 596.44 | N/A | N/A |
| MP-2100M-VC-6/FXS | interface. Requires -48VDC for ring and feed voltages. RJ-45 connectors. | EACH | 2 | \$ 1,828.00 | 25.5% | 1362.774 | N/A | N/A |
| MP-2100MVC-6A/E&M | RAD 6 channel analog PCM/ADPCM voice module for Megaplex. E&M interface type I, SSDC5 (types II, III, V w/12VDC supply). 50-pin TELCO connector. | EACH | 2 | \$ 1,300.00 | 25.4% | 969.215 | N/A | N/A |
| MP2100M-VC-6A/FX0 | RAD 6 channel analog PCM/ADPCM voice module for Megaplex. FXO interface, RJ-45 connectors. | EACH | 2 | \$ 1,458.00 | 25.4% | 1087.0119 | N/A | N/A |
| MP-2100M-VC-8/E&M | RAD 8 channel analog PCM voice module for Megaplex. E&M interface type I and SSDC5 (and types II, III, V w/optional 12VDC supply). 50 pin TELCO connector. | EACH | 2 | \$ 1,220.00 | 32.9% | 818.62 | N/A | N/A |
| MP2100MVC8/E&MPOS | RAD Voice Module, 8 Channel E&M Type 2 positive voltage | EACH | 2 | \$ 1,275.00 | 23.8% | 971.55 | N/A | N/A |
| MP-2100M-VC-8/FX0 | RAD 8 channel analog PCM voice module for Megaplex. FXO with 50 pin TELCO connector. Use CBL-VC8FXSO cable | EACH | 2 | \$ 1,355.00 | 25.5% | 1010.1525 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|--------------|---------------------|---------------|--|--|
| MP-2100M-VC-8/FXS | RAD 8 channel analog PCM voice module for Megaplex. FXS with 50 pin TELCO connector. Use CBL-VC8FXSO cable | EACH | 2 | \$ 1,491.00 | 25.5% | 1111.5405 | N/A | N/A |
| MP-2104/115/2UTP | RAD Modular Access Multiplexer. 4-slot chassis with UTP Ethernet management port and CL.2 common logic. No main link. | EACH | 2 | \$ 2,710.00 | 25.5% | 2020.305 | N/A | N/A |
| MP-2104/48/2UTP | RAD Modular E1/T1 Access Multiplexer. 4-slot chassis with UTP Ethernet management port and CL.2 common logic. No main link. | EACH | 2 | \$ 2,981.00 | 25.5% | 2222.3355 | N/A | N/A |
| MP-2104/MN/115 | RAD MP-2104 CHASSIS NO CL OR ML Multiplexer 10/100-Mbps IP access combined TDM capacity of up to 8 Mbps | EACH | 2 | \$ 1,701.00 | 23.8% | 1296.17 | N/A | N/A |
| MP2104115RI2UTP | RAD Modular E1/T1 Access Multiplexer. 4-slot chassis with UTP Ethernet management port, integral ringer, and CL.2 common logic. No main link. | EACH | 2 | \$ 2,400.00 | 25.4% | 1789.32 | N/A | N/A |
| MP-2104-MN/48/R1 | RAD Modular Access Multiplexer. 4-slot chassis with UTP Ethernet management port. No main link, No common link. 48VDC, Includes Ringer. | EACH | 2 | \$ 1,983.00 | 23.8% | 1511.05 | N/A | N/A |
| MP4100148RGBEUTPR | VDC power supply, 2 CL.1 modules, ea with 4 GbE ports (UTP conn). | EACH | 2 | \$ 12,874.00 | 23.8% | 9809.99 | N/A | N/A |
| MP4100M8T1/3XUTP | RAD Megaplex-4100 8-PORT T1 Module, 3 UTP Ports. (MP-4100M-8T1/3XUTP) | EACH | 2 | \$ 2,710.00 | 23.8% | 2065.02 | N/A | N/A |
| MP4100MPW1/3XUTP | RAD Megaplex-4100 Pseudowire Module, 8 E1/T1 Ports. (3) UTP Ports (MP-4100M-PW-1/3XUTP) | EACH | 2 | \$ 2,981.00 | 23.8% | 2271.53 | N/A | N/A |
| MR100 | CPI COMM DC termination panel for Radius and Maxtrac radios. - 2.5mA mon, .5mA PTT & Rx/Tx audio amp | EACH | 2 | \$ 241.45 | 31.0% | 166.64879 | N/A | N/A |
| MR100-TR | panel for for radius and Maxtrac radios. Passes trunking status tones. | EACH | 2 | \$ 264.10 | 27.3% | 191.99 | N/A | N/A |
| MR200(N) | CPI enclosed tone termination panel for Motorola Radius, Maxtrac, M, CDM and SM Series radios. 1 frequency, auto gain control, selectable 4 wire/ full duplex. | EACH | 2 | \$ 467.85 | 31.0% | 322.863285 | N/A | N/A |
| MR202(N) | CPI enclosed tone termination panel for Motorola Radius, Maxtrac, M, CDM and SM series radios. 2 frequency, auto gain control, selectable 4 wire/ full duplex. | EACH | 2 | \$ 538.50 | 31.0% | 371.65 | N/A | N/A |
| MSRP12015A | POLYPHASER multi-suppressor rack mounted panel. Designed to mount 3 bulkhead coax style arrestors. 120VAC, UL certified w/master on/off switch. 15 amp circuit | EACH | 2 | \$ 296.00 | 27.8% | 213.72 | N/A | N/A |
| NX1-60 | POLYPHASER Net Guard lighting protector for use with unshielded twisted pair. Has RJ45 jacks on both sides Protects upto 60V. | EACH | 2 | \$ 55.00 | 32.0% | 37.41 | N/A | N/A |
| NX2-05 | POLYPHASER Net Guard lighting protector for use with shielded twisted pair. Protection for Differential and Common mode. RJ45 both sides Protects up to 5V. | EACH | 2 | \$ 77.00 | 36.3% | 49.04 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| NX2-60 | POLYPHASER Net Guard lighting protector for use with shielded twisted pair. Protection for Differential and Common mode. RJ45 both sides Protects up to 60V | EACH | 2 | \$ 77.00 | 31.3% | 52.8836 | N/A | N/A |
| NX3-05 | POLYPHASER Net Guard lighting protector for use with T1/E1 ISDN PRI lines. Has RJ45 jacks on both sides. Requires external grounding. Protects up to 5V. | EACH | 2 | \$ 82.00 | 26.6% | 60.15 | N/A | N/A |
| NX4-05 | POLYPHASER NetGuard lighting protector for shielded twisted pair. RJ45 jacks.differential & Common modes. Requires external grounding. Protects up to 5V. | EACH | 2 | \$ 109.00 | 29.0% | 77.43 | N/A | N/A |
| NX4-05-IG | POLYPHASER NetGuard lighting protector for shielded twisted pair. RJ45 jacks.differential & Common, Isolated Shield modes. . Protects up to 5V. | EACH | 2 | \$ 109.00 | 26.6% | 79.96 | N/A | N/A |
| NX4-60 | POLYPHASER NetGuard lighting protector for shielded twisted pair. RJ45 jacks.differential & Common modes. Requires external grounding. Protects up to 60V. | EACH | 2 | \$ 116.00 | 36.1% | 74.13 | N/A | N/A |
| NX4-60-IG | POLYPHASER NetGuard lighting protector for shielded twisted pair. RJ45 jacks.differential & Common, Isolated Shield modes. . Protects up to 60V. | EACH | 2 | \$ 116.00 | 31.1% | 79.96 | N/A | N/A |
| OMN-5H-8 | RADIOWAVES 5.725-5.850 GHz 8 dBi omni-directional antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 795.00 | 30.0% | 556.5 | N/A | N/A |
| OMNH-5-8 | RADIOWAVES 5.725-5.850 GHz 8 dBi omni-directional antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 795.00 | 34.7% | 519.14 | N/A | N/A |
| OP-106/ETH/SC/SF1 | RAD Optimux-106 4xT1 Ethernet over single mode fiber. SC Connector. Tx: 1310nm Rx: 1550nm | EACH | 2 | \$ 1,246.00 | 23.8% | 949.96 | N/A | N/A |
| OP-106/ETH/SC/SF2 | RAD Optimux-106 4xT1 Ethernet over single mode fiber. SC Connector. Tx: 1550nm Rx: 1310nm | EACH | 2 | \$ 1,246.00 | 23.8% | 949.46 | N/A | N/A |
| OP106/ETH/ST/13L | Optimux-106 4-channel T1 multiplexer, Ethernet port, ST connector, 1310nm single mode laser (75 Mbps). | EACH | 2 | \$ 1,085.00 | 23.8% | 826.77 | N/A | N/A |
| OP106/R/ETHSC13LD | Optimux-106 4-channel T1 and Ethernet multiplexer, redundant pwr supply, Eth port, SC connector, 1310nm, singlemode shorthaul, dual uplink | EACH | 2 | \$ 1,388.00 | 23.8% | 1057.66 | N/A | N/A |
| OP-106/R/SC/13L | nm, single mode, laser diode link interfce. Redundant Power Supply | EACH | 2 | \$ 1,219.00 | 23.8% | 928.88 | N/A | N/A |
| OP-106/SC/SF1 | RAD Four channel T1 multiplexer, SC connector, fiber interface module, 1550 Tx, 1310 Rx, single fiber. | EACH | 2 | \$ 964.00 | 23.8% | 734.57 | N/A | N/A |
| OP-106/SC/SF2 | RAD Four channel T1 multiplexer, SC connector, fiber interface module, 1210 Tx, 1550 Rx, single fiber. | EACH | 2 | \$ 964.00 | 23.8% | 734.57 | N/A | N/A |
| OP-106RETHSCSF1D | RAD four channel T1 and Ethernet multiplexer, redundant power supply, Ethernet port, SC connector, fiber interface module, 1550Tx 1210Rx | EACH | 2 | \$ 1,615.00 | 23.8% | 1230.63 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| OP45B28X48RCX | RAD 45 Mbps add/drop multiplexer, G.747 ring option, 28 T1, 21 E1 balanced user interfaces, redundant 48VDC power supply, electrical interface with BNC. | EACH | 2 | \$ 4,782.00 | 42.5% | 2750 | N/A | N/A |
| OP45B28X48RSC13L | RAD Optimux 45, Balanced E1/T1 interface 28T1/21E1. -48 VDC redundant power supplies. Single Mode SC 1310 nm laser diode. (order Patch Panel Adapter sep.) | EACH | 2 | \$ 4,767.00 | 23.8% | 3632.46 | N/A | N/A |
| OP45B28XACRST13LH | RAD Optimux-45 Fiber E1/T1 to T3 multiplexer. Balanced RJ-45, redundant 100-240 VAC power supplies, ST connector with ADM functionality | EACH | 2 | \$ 4,795.00 | 23.8% | 3653.79 | N/A | N/A |
| P0990508 | POLYPHASER lightning bracket. 22.5" wide with positions for six bulkhead arresters with 7/17 DIN connectors. | EACH | 2 | \$ 318.20 | 22.1% | 247.88 | N/A | N/A |
| PLDO-120US15A | POLYPHASER power line duplex outlet 120 VAC 15Amp. Master on/off, 15A circuit breaker. UL certified. 15' cord. 6" ground lead. EMI/RFI filtering included. | EACH | 2 | \$ 220.00 | 41.7% | 128.36 | N/A | N/A |
| PLDO-120US20A | POLYPHASER power line duplex outlet 120 VAC 20Amp. Master on/off, 20A circuit breaker. UL certified. 15' cord. 6" ground lead. EMI/RFI filtering included. | EACH | 2 | \$ 241.00 | 25.1% | 180.51 | N/A | N/A |
| PRO-24H-60-14 | RADIO WAVES Pro-vider 2.4-2.5 GHz 60 degree sector flat panel antenna. 14.5 dBi gain. Horizontal polarizarion. N female connector. | EACH | 2 | \$ 518.00 | 35.3% | 335.15 | N/A | N/A |
| PRO-24H-60-17 | RADIO WAVES Pro-vider 2.4-2.5 GHz 60 degree sector flat panel antenna. 17 dBi gain. Horizontal polarizarion. N female connector. | EACH | 2 | \$ 798.00 | 35.3% | 516.31 | N/A | N/A |
| PRO-24V-60-17 | RADIO WAVES Pro-vider 2.4-2.5 GHz 60 degree sector flat panel antenna. 17 dBi gain. Vertical polarizarion. N female connector. | EACH | 2 | \$ 678.00 | 30.7% | 469.9218 | N/A | N/A |
| PRO-24V-90-13 | RADIO WAVES Pro-vider 2.4-2.5 GHz 90 degree sector flat panel antenna. 13 dBi gain. Vertical polarizarion. N female connector. | EACH | 2 | \$ 398.00 | 34.2% | 261.8442 | N/A | N/A |
| PSP-240 | POLYPHASER 240VAC two way power line protector. 35,000 amps surge. MOV and gas tube combination. Ground referenced to your equipment. Must be locally fused | EACH | 2 | \$ 70.00 | 44.5% | 38.88 | N/A | N/A |
| PSXL-D | POLYPHASER 1.5-3.0 GHz PCS micro filter arrestor for bulkhead mounting. Max. surge 20kA. 300 watt. DC blocked. DIN Female Ant side & DIN Female Equip side | EACH | 2 | \$ 155.00 | 22.1% | 120.75 | N/A | N/A |
| PSXL-D-MA | POLYPHASER 1.2-2.8 GHz PCS micro filter arrestor for bulkhead mounting. Max. surge 20kA. 300 watt. DC blocked. DIN Male Ant side and DIN Female Equip. side | EACH | 2 | \$ 155.00 | 40.9% | 91.68 | N/A | N/A |
| PSXL-D-ME | POLYPHASER 1.2-2.8 GHz PCS micro filter arrestor for bulkhead mounting. Max. surge 20kA. 300 watt. DC blocked. Small weatherized housing. Din Male Equip. side | EACH | 2 | \$ 125.00 | 22.1% | 97.38 | N/A | N/A |
| PSXL-MA | POLYPHASER 1.2-2.8 GHz PCS micro filter arrestor for bulkhead mounting. Max. surge 20kA. 300 watt. DC blocked. Small weatherized housing. N-MALE ON ANT SIDE | EACH | 2 | \$ 95.00 | 26.7% | 69.6825 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| RACK-ISO-KIT-19 | POLYPHASER rack isolation kit for 19" racks. Prevents multiple ground paths for rack mounted equipment. Polypropylenpads rated at 6KV, includes 4 bushings. | EACH | 2 | \$ 50.00 | 22.1% | 38.95 | N/A | N/A |
| RD2 | to protect the antenna from severe environmental conditions, paintable. | EACH | 2 | \$ 250.00 | 36.5% | 158.675 | N/A | N/A |
| RD3 | 3' Radome for Radio Waves 3' Antenna. Molded ABS plastic. U.V. protected. Paintable. | EACH | 2 | \$ 460.00 | 36.5% | 291.962 | N/A | N/A |
| RD4 | RADIOWAVES 4' Radome for SP4-5.8 Antenna. | EACH | 2 | \$ 600.00 | 42.2% | 346.78 | N/A | N/A |
| RD6 | RADIO WAVES 6' Radome. | EACH | 2 | \$ 940.00 | 34.2% | 618.426 | N/A | N/A |
| RD8 | RADIO WAVES 8' Radome for 2.4 & 5.8 Antennas. | EACH | 2 | \$ 2,500.00 | 34.2% | 1644.75 | N/A | N/A |
| RGT | POLYPHASER DC to 2.4 GHZ repl. gas tube lightning arrestor. Passes up to 60 VDC, 10A max. Bi-directional. Bulkhead mount. N/F on both sides. DC | EACH | 2 | \$ 75.00 | 36.5% | 47.6025 | N/A | N/A |
| RGT-KIT-GASTUBE | POLYPHASER replacement gas tube for theRGT series lightning protectors. | EACH | 2 | \$ 9.00 | 34.8% | 5.8698 | N/A | N/A |
| RGT-ME | POLYPHASER DC to 2.4 GHz repl. gas tube lightning arrestor. 47W @ 150, 40W @ 450, 33W @ Cellular, 12W @ PCS. Bulkheadmount. N/F Ant.-N/M Equip. | EACH | 2 | \$ 75.00 | 36.5% | 47.6025 | N/A | N/A |
| RICI-8T1 | Fast Ethernet over 8 x T1 network termination unit | EACH | 2 | \$ 1,952.00 | 23.8% | 1487.43 | N/A | N/A |
| RING2100R/24 | RAD DC Power Supply Module for MP-2000/MP2100 voice/fax and ISDN modules. 24 Volt DC. | EACH | 2 | \$ 1,012.00 | 25.5% | 754.446 | N/A | N/A |
| RM-29 | RAD Rack mount kit for RIC-E1/T1. Hardware kit for mounting one or two RIC-E1 or RIC-T1 units in a 19" rack. | EACH | 2 | \$ 48.00 | 23.8% | 36.58 | N/A | N/A |
| RM-35/P1 | RAD Rack mount kit for 1/2 19" 1 device per shelf | EACH | 2 | \$ 24.00 | 23.8% | 18.29 | N/A | N/A |
| SEC-25D-60-14 | RADIOWAVES 2.40 - 2.70 GHz 60 degree sector flat panel antenna. 14 dBi gain. Dual polarizarion. N female connectors. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25D-90-13 | RADIOWAVES 2.40 - 2.70 GHz 90 degree sector flat panel antenna. 13 dBi gain. Dual polarizarion. N female connectors. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25H-60-14 | RADIOWAVES 2.4-2.7 GHz 60 degree sector flat panel antenna. 14 dBi gain. Horizontal polarizarion. N female connector. | EACH | 2 | \$ 595.00 | 28.7% | 424.24 | N/A | N/A |
| SEC-25H-60-17 | RADIOWAVES 2.4-2.7 GHz 60 degree sector flat panel antenna. 17 dBi gain. Horizontal polarizarion. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25H-90-13 | RADIOWAVES 2.4-2.7 GHz 90 degree sector flat panel antenna. 13 dBi gain. Horizontal polarizarion. N female connector. | EACH | 2 | \$ 595.00 | 28.7% | 424.24 | N/A | N/A |
| SEC-25H-90-16 | RADIO WAVES 2.40 - 2.70 GHz 90 Degree sector flat panel antenna. 16 dBi gain. Horizontal polarizarion. N Female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25V-120-11 | RADIO WAVES 2.40 - 2.70 GHz 120 Degree sector flat panel antenna. 11 dBi gain. Vertical polarizarion. N Female connector. | EACH | 2 | \$ 595.00 | 29.5% | 419.594 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| SEC-25V-120-14 | RADIO WAVES 2.40 - 2.70 GHz 120 Degree sector flat panel antenna. 14 dBi gain. Vertical polarizarion. N Female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25V-180-10 | RADIO WAVES 2.40 - 2.70 GHz 180 Degree vertical sector antenna. 9.5 dBi gain. Vertical polarizarion. N/f connector. Standard pipe mount, low wind-load. | EACH | 2 | \$ 595.00 | 29.5% | 419.594 | N/A | N/A |
| SEC-25V-180-13 | RADIO WAVES 2.40 - 2.70 GHz 180 Degree vertical sector antenna, 12.5 dBi gain. Vertical polarizarion. N/f connector. Standard pipe mount, low wind-load. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-25V-90-13 | RADIOWAVES 2.40 - 2.70 GHz 90 degree sector flat panel antenna. 13 dBi gain. Vertical polarizarion. N female connector. | EACH | 2 | \$ 595.00 | 28.7% | 424.24 | N/A | N/A |
| SEC-25V-90-16HP | RADIO WAVES 2.40 - 2.70 GHz High Performance 90 Degree sector flat panel antenna. 16 dBi gain. Vertical polarizarion. N Female connector. | EACH | 2 | \$ 1,250.00 | 28.7% | 891.25 | N/A | N/A |
| SEC-2H-5V-90 | RADIOWAVES 2400-2500 & 5725-5850 GHz 90 degree sector 13/16 dBi gain flat panel antenna. Horizontal (2.4) and Vertical (5.8) polarization. N female connector. | EACH | 2 | \$ 1,335.00 | 28.7% | 951.86 | N/A | N/A |
| SEC-2V-5H-90 | RADIOWAVES 2400-2500 & 5725-5850 GHz 90 degree sector 13/16 dBi gain antenna. Vertical (2.4) and Horizontal (5.8) polarization. N female connector. | EACH | 2 | \$ 1,335.00 | 28.7% | 951.86 | N/A | N/A |
| SEC-35D-90-16 | RADIO WAVES 3.4-3.6 GHz High Performance 90 Degree sector flat panel antenna. 16 dBi gain. Dual polarizarion. N/F conn. Incl. Mounting Hardware. Tuned 3.6-3.7* | EACH | 2 | \$ 1,335.00 | 28.7% | 951.86 | N/A | N/A |
| SEC-35H-90-16 | RADIO WAVES 3.4-3.6 GHz High Performance 90 Degree sector flat panel antenna. 16 dBi gain. Horizontal polarizarion. N Female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-47H-60-17 | RADIOWAVES 4.4-5.0 GHz 60 degree sector 17 dBi gain flat panel antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-47H-90-16 | RADIOWAVES 4.4-5.0 GHz 90 degree sector 16 dBi gain flat panel antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-47V-60-17 | RADIOWAVES 4.4-5.0 GHz 60 degree sector 17 dBi gain flat panel antenna. Vertical polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-47V-90-16 | RADIOWAVES 4.4-5.0 GHz 90 degree sector 16 dBi gain flat panel antenna. Vertical polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-5.5D-60-17 | RADIOWAVES 5.25-5.850 GHz 60 degree sector 17 dBi gain flat panel antenna. Dual polarization. N female connector. | EACH | 2 | \$ 1,335.00 | 28.7% | 951.86 | N/A | N/A |
| SEC-55D-90-16 | RADIOWAVES 5.725-5.850 GHz 90 degree sector 16 dBi gain flat panel antenna. Dual polarization. N female connector. | EACH | 2 | \$ 1,335.00 | 28.7% | 951.86 | N/A | N/A |
| SEC-55H-60-17 | RADIOWAVES 5.25-5.850 GHz 60 degree sector 17 dBi gain flat panel antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| SEC-55H-90-16 | RADIOWAVES 5.25-5.850 GHz 90 degree sector 16 dBi gain flat panel antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-55V-60-17 | RADIOWAVES 5.25-5.850 GHz 60 degree sector 17 dBi gain flat panel antenna. Vertical polarization. N female connector. | EACH | 2 | \$ 890.00 | 29.5% | 627.628 | N/A | N/A |
| SEC-55V-90-16 | RADIOWAVES 5.25-5.850 GHz 90 degree sector 16 dBi gain flat panel antenna. Vertical polarization. N female connector. | EACH | 2 | \$ 890.00 | 29.5% | 627.67 | N/A | N/A |
| SEC-5H-90-17 | RADIOWAVES 5.725-5.850 GHz 90 degree sector 17.5 dBi gain flat panel antenna. Horizontal polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SEC-5V-120-14 | RADIO WAVES 5.725-5.850 GHz 120 degree sector 14 dBi gain antenna. Vertical polarization. N/f connector. Pipe mount w/ optional downtilt. | EACH | 2 | \$ 595.00 | 28.7% | 424.24 | N/A | N/A |
| SEC-5V-120-16 | RADIO WAVES 5.725-5.850 GHz 120 degree sector 16 dBi gain antenna. Vertical polarization. N/f connector. Pipe mount w/ optional downtilt. | EACH | 2 | \$ 890.00 | 34.8% | 580.21 | N/A | N/A |
| SEC-5V-60-18 | RADIO WAVES 5.725-5.850 GHz 60 degree sector 18 dBi gain antenna. Vertical polarization. N/f connector. Pipe mount. Order optional downtilt seperately. | EACH | 2 | \$ 1,090.00 | 28.7% | 777.17 | N/A | N/A |
| SEC-5V-90-17 | RADIOWAVES 5.725-5.850 GHz 90 degree sector 17.5 dBi gain flat panel antenna. Vertical polarization. N female connector. | EACH | 2 | \$ 890.00 | 28.7% | 634.57 | N/A | N/A |
| SFP-1 | SFP, MM, 1310nm, up to 2km, LC, 100BaseFx or STM1 | EACH | 2 | \$ 84.00 | 23.8% | 64.01 | N/A | N/A |
| SFP-18A | RAD Pluggable transceiver, fast Ethernet/STM-1, LC connector, single fiber, Tx 1310, Rx 1550, laser (WDM), 40 km. | EACH | 2 | \$ 298.00 | 24.1% | 226.32 | N/A | N/A |
| SFP-18B | RAD Pluggable transceiver, Fast EthernetSTM-1, LC connector, single fiber, Tx 1550, Rx 1310, laser (WDM), 40 km. | EACH | 2 | \$ 320.00 | 25.9% | 236.99 | N/A | N/A |
| SFP-3 | SFP, SM, 310nm, up to 40km, LC 100BaseFx or STM1 | EACH | 2 | \$ 56.00 | 26.5% | 41.15 | N/A | N/A |
| SFP-5 | SFP MM 850nm, up to 550m LC, 1000 BASE-SX | EACH | 2 | \$ 52.00 | 23.8% | 39.63 | N/A | N/A |
| SFP-6 | single-mode 1310 nm LC connector | EACH | 2 | \$ 56.00 | 26.5% | 41.15 | N/A | N/A |
| SFP-6D | SM/13L FOR 1GBETH 10KM, DDM | EACH | 2 | \$ 60.00 | 26.3% | 44.2 | N/A | N/A |
| SFP-8 | RAD SFP, SM, 1310nm, up to 40km, LC, GbE, DDM. | EACH | 2 | \$ 170.00 | 26.0% | 125.73 | N/A | N/A |
| SFP-9F | 100BASE-T COPPER SFP | EACH | 2 | \$ 124.00 | 26.3% | 91.44 | N/A | N/A |
| SFP-9G | SFP, COPPER, UP TO 100M, RJ-45 CONNECTOR, FOR GBE | EACH | 2 | \$ 120.00 | 25.1% | 89.92 | N/A | N/A |
| SP1-2.4NS | @ 2.4 GHz. Plane polarization. Radome is included. N female connector. | EACH | 2 | \$ 540.00 | 39.4% | 327.51 | N/A | N/A |
| SP1-2/5NS | RADIOWAVES 2.4-2.5 & 5.725-5.850 GHz 1' diameter parabolic antenna. 14/23.3 dBi gain @ 2.4/5.725 GHz. Dual polarization. Radome is included. N female connector. | EACH | 2 | \$ 702.00 | 39.4% | 425.763 | N/A | N/A |
| SP1-4.7NS | RADIOWAVES 4.4-5.0 Ghz. 1' diameter parabolic antenna. N Female Termination. Radome not included. | EACH | 2 | \$ 655.00 | 44.1% | 366.13 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| SP1-5.2NS | RADIOWAVES 5.25-5.85 GHz 1' dia. parabolic antenna. 22 dBi gain @ 5.725 GHz. Single polarization. Radome is included. N/female connector. | EACH | 2 | \$ 540.00 | 41.6% | 315.576 | N/A | N/A |
| SP2-2.4NS | RADIOWAVES 2.4-2.7 GHz 2' dia. parabolic antenna. 21.0 dBi gain @ 2.4 GHz. Single polarization. N female connector. Radome not included. | EACH | 2 | \$ 770.00 | 39.4% | 467.005 | N/A | N/A |
| SP2-2/5NS | RADIOWAVES 2.4-2.5 & 5.725-5.850 GHz 2' diameter parabolic antenna. 21/28 dBi gain @ 2.4/5.725 GHz. Single Polarized N female connector. | EACH | 2 | \$ 1,265.00 | 44.1% | 706.57 | N/A | N/A |
| SP2-3.5NS | RADIOWAVES 3.3-3.6 GHz 2' Parabolic Antenna. Single Pol. 24.2 dBi gain. 10 Deg BW. N Female Termination. *Use *T message to tune to 3.65 GHz** | EACH | 2 | \$ 770.00 | 44.1% | 430.36 | N/A | N/A |
| SP2-4.7NS | RADIOWAVES 4.4-5.0 GHz. 2' diameter parabolic antenna. N Female Termination. Radome not included. | EACH | 2 | \$ 816.00 | 39.4% | 494.904 | N/A | N/A |
| SP2-5.2NS | RADIOWAVES 5.25-5.85 GHz 2' dia. parabolic antenna. 29 dBi gain @ mid-band. Plane polarization. N/female connector. Includes fine adjust mount. | EACH | 2 | \$ 770.00 | 41.6% | 449.988 | N/A | N/A |
| SP2-5.2NS/RD2 | RADIOWAVES 5.25-5.85 GHz 2' dia. parabolic antenna. 28.3 dBi gain @ mid-band. Planepolarization. N/f connector. Includes fine adjust mount & Radome. | EACH | 2 | \$ 1,110.25 | 39.4% | 673.366625 | N/A | N/A |
| SP2-77RS | RADIOWAVE 7.125-8.5 GHz 2' Standard Parabolic antenna. 30.9 dBi gain. 4.2 deg BW. Single Polarized. CPR112G Flange. Included mounting hardware. | EACH | 2 | \$ 886.00 | 36.2% | 565.25 | N/A | N/A |
| SP3-2.4NS | RADIOWAVES 2.4-2.5 GHz 3' dia parabolic antenna. 24.3 dBi gain @ 2.40 GHz. Single polarization. N female connector. Radome not included. | EACH | 2 | \$ 1,390.00 | 41.9% | 806.92 | N/A | N/A |
| SP3-2/5 | RADIOWAVES 2.4-2.5 & 5.725-5.850 GHz 3' diameter parabolic antenna. 24.1/31.4 dBi gain @ 2.4/5.725 GHz. Dual polarization. N female connector. Radome not incl. | EACH | 2 | \$ 1,840.00 | 42.0% | 1067 | N/A | N/A |
| SP3-3.5NS | RADIOWAVES 3.3-3.6 GHz 3' Parabolic Antenna. Single Pol. 27.7 dBi gain. 8 Deg BW. N Female Termination. **Use *T message to tune to 3.65 GHz** | EACH | 2 | \$ 1,438.00 | 42.0% | 833.59 | N/A | N/A |
| SP3-4.7NS | RADIOWAVES 4.4-5.0 GHz 3' diameter parabolic antenna. N Female Termination. Radome not included. | EACH | 2 | \$ 1,438.00 | 34.2% | 946.0602 | N/A | N/A |
| SP3-5.2 | RADIOWAVES 5.25-5.85 GHz 3' diameter parabolic antenna. 31.4 dBi gain nominal. Single polarization. N/Female connector. Radome not included. | EACH | 2 | \$ 1,160.00 | 36.5% | 736.28 | N/A | N/A |
| SP3-5.2/RD3 | RADIOWAVES 5.25-5.85 GHz 3' diameter parabolic antenna. 31.4 dBi gain nominal. Single polarization. N/Female connector. White. Radome installed. | EACH | 2 | \$ 1,850.00 | 42.0% | 1073.67 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| SP3-77RS | RADIOWAVE 7.125-8.5 GHz 3' Standard Parabolic antenna. 34.5 dBi gain. 3.3 deg BW. Single Polarized. CPR112G Flange. Included mounting hardware. | EACH | 2 | \$ 1,552.00 | 36.1% | 991.03 | N/A | N/A |
| SP4-11RS | RADIOWAVES 10.7-11.7 GHz 4' diameter parabolic antenna. 39.6 dBi midband gain. Single polarization. CPR90G connector. Radome not included. | EACH | 2 | \$ 1,850.00 | 36.1% | 1181.89 | N/A | N/A |
| SP4-2.4 | RADIOWAVES 2.4-2.7 GHz 4' dia. parabolic antenna. 27.5 dBi gain @ 2.40 GHz. Single polarization. N female connector. Radome not included. | EACH | 2 | \$ 1,886.00 | 34.2% | 1240.7994 | N/A | N/A |
| SP4-2/5NS | RADIOWAVES 2.4-2.5 & 5.725-5.850 GHz 4' diameter parabolic antenna. 27/34.6 dBi gain @ 2.4/5.725 GHz. Dual polarization. N female connector. | EACH | 2 | \$ 2,200.00 | 28.5% | 1573.66 | N/A | N/A |
| SP4-4.7NS | RADIOWAVES 4.4-5.0 GHz. 4' diameter parabolic antenna. N Female termination. Radome not included. | EACH | 2 | \$ 1,978.00 | 34.2% | 1301.3262 | N/A | N/A |
| SP4-5.2 | RADIOWAVES 5.25-5.85 GHz 4' dia. parabolic antenna. 34.8 dBi gain @ mid-band. Planepolarization. N/female connector. Radome not included. | EACH | 2 | \$ 1,575.00 | 36.5% | 999.69 | N/A | N/A |
| SP4-5.2NS | RADIOWAVES 5.25-5.85 GHz 4' dia. parabolic antenna. 34.8 dBi gain @ mid-band. Planepolarization. N/female connector. Radome not included. | EACH | 2 | \$ 1,886.00 | 42.0% | 1093.68 | N/A | N/A |
| SP4-5.2NS/RD4 | RADIOWAVES 5.25-5.85 GHz 4' dia. parabolic antenna. 34.8 dBi gain @ mid-band. Planepolarization. N/female connector. Radome included. | EACH | 2 | \$ 2,486.00 | 42.1% | 1440.45 | N/A | N/A |
| SP4-57RS/RD4 | RADIO WAVES 5.725-6.425 GHz. 4', Standard - Plane Polarized Antenna. 35.8 dBi mid gain, 3.0 deg. BW. CPR137G Termination. Includes Radome. | EACH | 2 | \$ 2,728.00 | 36.2% | 1739.81 | N/A | N/A |
| SP6-2.4NS | RADIOWAVES 2.4-2.5 GHz 6' dia. parabolic antenna. 30.5 dBi gain @ 2.4 GHz. Single polarization. N female connector. | EACH | 2 | \$ 2,508.00 | 42.0% | 1453.79 | N/A | N/A |
| SP6-2/5 | RADIOWAVES 2.4-2.5 & 5.725-5.850 GHz 6' diameter parabolic antenna. 30.1/37.6 dBi gain @ 2.4/5.725 GHz. Dual polarization. N female connector. No radome. | EACH | 2 | \$ 3,105.00 | 42.0% | 1800.56 | N/A | N/A |
| SP6-4.7NS | RADIOWAVES 4.4-5.0 GHz. 6' diameter parabolic antenna. N Female termination. Radome not included. | EACH | 2 | \$ 2,622.00 | 34.7% | 1712.166 | N/A | N/A |
| SP6-5.2 | RADIOWAVES 5.25-5.85 GHz 6' dia. parabolic antenna. 37.9 dBi gain @ mid-band. Plane polarization. N Female connector. No radome included. | EACH | 2 | \$ 2,508.00 | 37.3% | 1572.0144 | N/A | N/A |
| SP8-5.2 | RADIOWAVES 5.25-5.85 GHz 8' dia. parabolic antenna. 40.0 dBi gain @ mid-band. Plane polarization. N Female connector. Radome not included. | EACH | 2 | \$ 3,350.00 | 32.8% | 2252.55 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| SPD2-2.4NS | RADIOWAVES 2.4-2.7 GHz 2' dia. parabolic antenna. 21.0 dBi gain @ mid-band. Dual polarization. N female connector. Includes fine adjust mount. No radome. | EACH | 2 | \$ 1,046.00 | 44.1% | 584.52 | N/A | N/A |
| SPD2-4.7NS | RADIOWAVES 4.4-5.0 GHz. 2' parabolic DUAL POL antenna. N Female Termination. Radome not included. | EACH | 2 | \$ 1,162.00 | 44.2% | 648.76 | N/A | N/A |
| SPD2-5.2NS | RADIOWAVES 5.25 GHz 2' dia. parabolic antenna. 28.1 dBi gain @ 5.25 GHz. Dual polarization. N female connector. Radome not included. | EACH | 2 | \$ 1,046.00 | 41.6% | 611.1778 | N/A | N/A |
| SPD2-5.2NS/RD2 | RADIOWAVES 5.25-5.85 GHz 2' dia. parabolic antenna. 28.3 dBi gain @ mid-band. DUAL polarization. N/f connector. Incl adjust mount & Radome. | EACH | 2 | \$ 1,296.00 | 44.0% | 725.84 | N/A | N/A |
| SPD3-2.4 | RADIOWAVES 2.4-2.7 GHz 3' dia. parabolic antenna. 24.3 dBi gain @ 2.40 GHz. Dual polarization. N female connector. | EACH | 2 | \$ 1,714.00 | 42.0% | 993.64 | N/A | N/A |
| SPD3-4.7NS | RADIOWAVES 4.4-5.0 GHz 3' Parabolic Antenna. Dual Polarized. 28.1 mid gain. 4.9 Deg. BW. N female Termination. Order Radome separately | EACH | 2 | \$ 1,828.00 | 49.2% | 928.46 | N/A | N/A |
| SPD3-5.2NS | RADIOWAVES 5.25-5.85 GHz 3' diameter Parabolic antenna. 31.1 dBi gain @ Mid. Dual polarization. N Female connector. Radome not included. | EACH | 2 | \$ 1,714.00 | 40.7% | 1016.7448 | N/A | N/A |
| SPD4-2.4 | RADIOWAVES 2.4-2.7 GHz 4' dia. parabolic antenna. 27.5 dBi gain @ 2.40 GHz. Dual polarization. N female connector. Radome not included. | EACH | 2 | \$ 1,810.00 | 34.2% | 1190.79 | N/A | N/A |
| SPD4-4.7NS | RADIOWAVES 4.4-5.0 GHz. 4' parabolic DUAL POL antenna. N Female Termination. Radome not included. | EACH | 2 | \$ 2,288.00 | 42.0% | 1327.08 | N/A | N/A |
| SPD4-5.2NS | RADIOWAVES 5.25-5.85 GHz 4' diameter Parabolic antenna. 34.4 dBi gain @ mid-band. Dual polarization. N Female connector. Radome not included. | EACH | 2 | \$ 2,162.00 | 36.5% | 1372.2214 | N/A | N/A |
| SPD4-5.2NS/RD4 | RADIOWAVES 5.25-5.85 GHz 4' diameter Parabolic antenna. 34.4 dBi gain @ mid-band. Dual polarization. N Female connector. Radome included. | EACH | 2 | \$ 2,762.00 | 42.1% | 1600.5 | N/A | N/A |
| SPD6-5.2 | RADIOWAVES 5.25-5.85 GHz 6' diameter Parabolic antenna. 37.5 dBi gain @ 5.200GHz. Dual polarization. N Female connector. Radome not included. | EACH | 2 | \$ 2,600.00 | 38.2% | 1605.86 | N/A | N/A |
| SPD8-52NS | RADIOWAVES 5.25-5.85 GHz 8' diameter Parabolic antenna. 39.7 dBi gain @ 5.200GHz. Dual polarization. N/F term. Radome not included. *Drop Ship Only | EACH | 2 | \$ 4,300.00 | 42.0% | 2494.11 | N/A | N/A |
| STD-15-1 | RADIOWAVES 15 degree downtilt kit. For 27" in length, SEC Series Radiowaves Panel Antennas | EACH | 2 | \$ 59.00 | 35.3% | 38.18 | N/A | N/A |
| STD-15-2 | RADIOWAVES 15 degree downtilt kit. For Radiowaves SEC Series Panel Antenna 40" in length. | EACH | 2 | \$ 69.00 | 34.2% | 45.4 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| SV100 | from an existing AMSC/mits satellite radio and mobile two-way radio. | EACH | 2 | \$ 540.40 | 27.3% | 392.86 | N/A | N/A |
| SV300 | CPI SV300 controller used to form an in vehicle cross band repeater from an existing MSV MSAT-G2 radio and a mobile two-way radio. | EACH | 2 | \$ 603.80 | 27.3% | 438.95 | N/A | N/A |
| T-1 | POLYPHASER tower mounting kit for ISB50 series. Consists of "L" bracket and stainless steel #10 x 1/2 screw, lock- washers, and nut. | EACH | 2 | \$ 9.00 | 22.0% | 7.02 | N/A | N/A |
| TINYRT/U/V35F/AC | RAD Miniature IP router with V.35 WAN interface, 10Base-T LAN interface, and AC power supply. | EACH | 2 | \$ 580.00 | 25.4% | 432.419 | N/A | N/A |
| TK1 | POLYPHASER tower grounding clamp. Marinequality stainless steel. Used to attach ground strap or wire to ground rod. Adjustable from 1 1/16" to 1 1/4". | EACH | 2 | \$ 9.00 | 34.8% | 5.8698 | N/A | N/A |
| TK2 | POLYPHASER tower grounding clamp. Marinequality stainless steel. Use to attach grounding strap or wire to Rohn 25,45 or65 tower leg. Adj from 1 1/4" - 2 1/4". | EACH | 2 | \$ 9.00 | 34.8% | 5.8698 | N/A | N/A |
| TK3 | POLYPHASER tower grounding clamp. Marinequality stainless steel. Use to attach grounding strap or wire to water mains. Adjusts from 2 1/4" to 3 1/4" | EACH | 2 | \$ 12.00 | 32.8% | 8.07 | N/A | N/A |
| TK4 | POLYPHASER tower grounding clamp. Marinequality stainless steel. Use to attach grounding strap or wire to large tower legs. Adjustable from 3 1/2" - 5". | EACH | 2 | \$ 13.00 | 37.9% | 8.0704 | N/A | N/A |
| TR10 | CPI COMM phone style tone remote. Uses 1950 Hz for FI Tx. Includes monitor and intercom. Modern white/tan housing. | EACH | 2 | \$ 394.00 | 31.0% | 271.8994 | N/A | N/A |
| TR10-10F-DM | CPI 10 frequency telephone style remote with desk microphone. Uses sequential tone format. Front panel PTT and status updating. Includes monitor and intercom. | EACH | 2 | \$ 701.90 | 28.4% | 502.68 | N/A | N/A |
| TR10-16F | CPI 16 frequency telephone style remote.Uses sequential tone format. Front panelPTT and status updating.Includes monitorand intercom. | EACH | 2 | \$ 581.15 | 31.0% | 401.051615 | N/A | N/A |
| TR10-16F-4W | CPI 16 frequency telephone style remote.Uses sequential tone format. Front panelPTT and status updating. Includes 4 wiresimplex option. | EACH | 2 | \$ 603.80 | 27.3% | 438.95 | N/A | N/A |
| TR10-16F-4W_FS-BK | CPI 16 frequency telephone style remote.Sequential tone format. Front panel PTT.Includes 4 wire simplex option and footswitch. Black. | EACH | 2 | \$ 701.90 | 27.3% | 510.28 | N/A | N/A |
| TR10-16F-DM | CPI 16 frequency telephone style remote with desk microphone. Uses sequential tone format. Front panel PTT and status updating. Includes monitor and intercom. | EACH | 2 | \$ 694.35 | 27.3% | 504.79 | N/A | N/A |
| TR10-16F-FD | CPI 16 frequency telephone style remote.Uses sequential tone format. Front panelPTT and status updating. Includes full duplex option. | EACH | 2 | \$ 641.55 | 31.0% | 442.733655 | N/A | N/A |
| TR10-16F-FD-BK | Front panelPTT and status updating. Includes full duplex option. Black | EACH | 2 | \$ 664.15 | 27.3% | 482.84 | N/A | N/A |
| TR10-2F | CPI telephone style remote. 2 frequency,uses sequential tone format. Monitor andintercom standard. New modern housing. | EACH | 2 | \$ 416.60 | 31.0% | 287.49566 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| TR10-2F-4W | CPI telephone style remote. 2 frequency,uses sequential tone format. Monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 439.25 | 31.0% | 303.17035 | N/A | N/A |
| TR10-2F-4W-UED1A | CPI telephone style remote. 2 frequency,uses sequential tone format. 12 key DTMFencoder / decoder, monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 680.75 | 27.3% | 494.91 | N/A | N/A |
| TR10-2F-BLK | CPI telephone style remote. 2 frequency,uses sequential tone format. Monitor andintercom standard. New modern housing. Black. | EACH | 2 | \$ 439.25 | 27.3% | 319.34 | N/A | N/A |
| TR10-2F-FD | option. 4 wire line with 1 Rx, 1 Tx audio pair. Modern white/tan housing. | EACH | 2 | \$ 477.00 | 27.3% | 346.77 | N/A | N/A |
| TR10-4F | Front panelPTT and status updating. Includes monitor and intercom. | EACH | 2 | \$ 513.25 | 31.0% | 354.193825 | N/A | N/A |
| TR10-4F-220V | CPI 4 frequency telephone style remote. Uses sequential tone format. Front panelPTT and status updating. Includes monitor and intercom. 220V. | EACH | 2 | \$ 543.40 | 27.3% | 395.06 | N/A | N/A |
| TR10-4F-BLK | CPI 4 frequency telephone style remote. Uses sequential tone format. Front panelPTT and status updating. Includes monitor and intercom. Black color. | EACH | 2 | \$ 535.85 | 27.3% | 389.57 | N/A | N/A |
| TR10-4F-DM | CPI 4 frequency telephone style remote. Uses sequential tone format. Front panelPTT and status updating. Includes monitor, intercom and desk microphone. | EACH | 2 | \$ 626.45 | 32.6% | 422 | N/A | N/A |
| TR10-4F-DM-BLK-FD | CPI 4 frequency telephone style remote. Uses sequential tone format. Front panelPTT and status updating. Full Duplex option is included. | EACH | 2 | \$ 709.45 | 31.0% | 489.61 | N/A | N/A |
| TR10-4FDMFD-MOTO | CPI 4 frequency telephone style remote. Four wire simplex, desk microphone. *Tones: F1 1950, F2 1850, F3 1350, F4 1250 Hz. | EACH | 2 | \$ 724.55 | 27.6% | 524.61 | N/A | N/A |
| TR10-4F-FD | CPI 4 frequency telephone style remote. Includes monitor, intercom and full duplex on 4 wires. | EACH | 2 | \$ 510.00 | 31.0% | 351.97 | N/A | N/A |
| TR10-4W | CPI COMM phone style tone remote for single Telco line. Uses 1950 Hz for F1 Tx, includes a monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 416.60 | 31.0% | 287.49566 | N/A | N/A |
| TR10-4W-2F-DE | CPI telephone style remote. 2 frequency,uses sequential tone format. 12 key DTMFencoder, monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 552.45 | 27.3% | 401.64 | N/A | N/A |
| TR10-4W-AA12 | CPI COMM phone style tone remote for single Telco line. Tuned to 2175Hz. Includes a monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 520.75 | 35.0% | 338.65 | N/A | N/A |
| TR10-4W-AA24 | CPI COMM phone style tone remote for single Telco line. Tuned to 2300hz. Includes a monitor, 4 wire operation. Modern white/tan housing. | EACH | 2 | \$ 416.60 | 27.3% | 302.87 | N/A | N/A |
| TR10-4W-BLK | 1950 Hz for F1 Tx, includes a monitor, 4 wire operation. BLACK. | EACH | 2 | \$ 432.25 | 31.0% | 298.32 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| TR10BK-4F-DM-DE | CPI 4 frequency telephone style remote. Uses sequential tone format. Front panelPTT & status updating. Includes monitor,intercom, DTMF & desk mic. Black | EACH | 2 | \$ 762.30 | 27.3% | 554.17 | N/A | N/A |
| TR10BK-4W-UED1A | CPI COMM phone style tone remote. Uses 1950 Hz for F1 Tx. Includes monitor, 4-wire operation, and multi-function encoder/decoder. Black. | EACH | 2 | \$ 680.75 | 27.3% | 494.91 | N/A | N/A |
| TR10-BLK | CPI COMM phone style tone remote for single Telco line. Uses 1950 Hz for F1 Tx, includes monitor and intercom. Black. | EACH | 2 | \$ 416.60 | 27.3% | 302.87 | N/A | N/A |
| TR10BLK-UE1 | CPI COMM phone style tone remote for single Telco line. Uses 1950 Hz for F1 Tx, includes monitor and intercom. 12 key multi-format encoder. Black. | EACH | 2 | \$ 597.75 | 27.3% | 434.56 | N/A | N/A |
| TR10-FD | CPI COMM phone style tone remote for 4 wire full duplex operation. Uses 1950 1950 Hz for F1 Tx. Includes monitor. Modern white/tan housing. | EACH | 2 | \$ 454.35 | 31.0% | 313.546935 | N/A | N/A |
| TR20 | CPI COMM console style tone remote with split bar microphone. F1-1950 Hz, monitor- 2050 Hz. Incl. notch filter, intercom, compression. | EACH | 2 | \$ 552.85 | 31.0% | 381.57707 | N/A | N/A |
| TR20-2F | CPI COMM Console Style Tone Remote. Inclsplit bar microphone. Two frequency. F1at 1950. F2 at 1850 Hz. Intercom and compression amp. Modern housing. | EACH | 2 | \$ 563.50 | 31.0% | 388.9 | N/A | N/A |
| TR20-2F-4W-220V | CPI COMM Console Style Tone Remote. Inclsplit bar microphone. Two frequency, F1@1950/F2@1850, four wire simplex. 220VACfor RAYCOM. | EACH | 2 | \$ 628.30 | 27.3% | 456.78 | N/A | N/A |
| TR20-2F-MOD-2MIC | CPI COMM Console Style Tone Remote. Inclsplit bar microphone. Two frequency. Intercom and compression amp. Modern housing. **2 Microphone Input Mod** | EACH | 2 | \$ 613.25 | 27.3% | 445.81 | N/A | N/A |
| TR20-4W | CPI COMM console style tone remote with split bar microphone. F1-1950 Hz, Monitor- 2050 Hz. Incl. notch filter, intercom, 4 wire/ simplex. | EACH | 2 | \$ 575.50 | 27.3% | 418.37 | N/A | N/A |
| TR20-BK-L1/L2 | CPI COMM console style tone remote with desk mic. F1-1950Hz, Monitor- 2050Hz Includes toggle switch for 2 lines. Black color. | EACH | 2 | \$ 605.70 | 27.3% | 440.32 | N/A | N/A |
| TR20-FD | CPI COMM console style tone remote with split bar microphone. F1-1950 Hz, monitor- 2050 Hz. Incl. notch filter, intercom, compression, 4W full duplex. | EACH | 2 | \$ 613.25 | 27.3% | 445.81 | N/A | N/A |
| TR30 | CPI COMM console style tone remote with internal electret mic. F1-1950 Hz, monitor- 2050 Hz. Incl. 2175 Hz notch filter, intercom & 2-way compression. | EACH | 2 | \$ 394.00 | 31.0% | 271.8994 | N/A | N/A |
| TR40 | CPI COMM console style tone remote with flexible gooseneck electret microphone. F1-1950 Hz, monitor- 2050 Hz. Notch filter, intercom. Modern housing. | EACH | 2 | \$ 552.85 | 31.0% | 381.57707 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| TR40-2F-4W | CPI COMM console style tone remote with flexible gooseneck electret microphone. F1-1950 Hz, monitor- 2050 Hz. Intercom. 2 channel. 4 wire. Modern housing. | EACH | 2 | \$ 598.15 | 27.3% | 434.83 | N/A | N/A |
| TR40-FS-FD-BLK | CPI COMM console style tone remote with flexible gooseneck mic. F1-1950 Hz. Monitor-2050 Hz. Notch filter. Intercom. Footswitch for PTT. Full duplex. Black. | EACH | 2 | \$ 711.35 | 27.3% | 517.13 | N/A | N/A |
| TRML | CPI 4 line tone phone style remote. Requires TTP1 or TTP1N termination panel at each radio. | EACH | 2 | \$ 1,026.45 | 31.0% | 708.353145 | N/A | N/A |
| TRML-2175HZ | CPI 4 line tone phone style remote. Requires TTP1 or TTP1N termination panel at each radio. Tuned to 2175 Hz. | EACH | 2 | \$ 1,026.45 | 27.3% | 746.21 | N/A | N/A |
| TRML-2300HZ | CPI 4 line tone phone style remote. Requires TTP1 or TTP1N termination panel at each radio. 2300 Hz hold tone. | EACH | 2 | \$ 1,026.45 | 27.3% | 746.21 | N/A | N/A |
| TRML-8F | CPI 4 line tone phone style remote with 8 frequency selection. Requires TTP1, TTP10 or TTP216 termination panel at each radio. | EACH | 2 | \$ 1,075.00 | 31.0% | 741.9 | N/A | N/A |
| TRML-8F-BK | Requires TTP1, TTP10 or TTP216 termination panel at each radio. Black. | EACH | 2 | \$ 1,117.00 | 27.3% | 812.05 | N/A | N/A |
| TRML-8F-DM | CPI 4 line tone phone style remote with 8 frequency selection. Requires TTP1, TTP10 or TTP216 termination panel at each radio. Includes desk microphone. | EACH | 2 | \$ 1,245.30 | 27.3% | 905.32 | N/A | N/A |
| TRML-BK-8F-DM | CPI 4 line tone phone style remote with 8 frequency selection. Requires TTP1, TTP10 or TTP216 termination panel at each radio. Includes desk mic. Black | EACH | 2 | \$ 1,267.95 | 27.3% | 921.78 | N/A | N/A |
| TRML-BK-8F-GM-FS | CPI 4 line tone phone style remote with 8 frequency selection. Unit is black and includes gooseneck mic and footswitch. | EACH | 2 | \$ 1,343.40 | 27.3% | 976.66 | N/A | N/A |
| TRML-BK-DM | CPI 4 line tone phone style remote with desk microphone. Requires TTP1 or TTP1N termination panel at each radio. Black. | EACH | 2 | \$ 1,200.00 | 27.3% | 872.4 | N/A | N/A |
| TRML-DE-BLK | termination panel at each radio. Includes 12 Key DTMF encoder. Black. | EACH | 2 | \$ 1,162.30 | 27.3% | 844.97 | N/A | N/A |
| TRML-GN-BLK | termination panel at each radio. Includes Gooseneck Mic. Black in color. | EACH | 2 | \$ 1,200.00 | 27.3% | 872.4 | N/A | N/A |
| TSP150K | CPI COMM. Termination panel for Kenwood TK7150/ 8150 (only) radios. Use with TSRK100A series remote controls. | EACH | 2 | \$ 461.50 | 31.0% | 318.5 | N/A | N/A |
| TSP180K | CPI COMM. Termination panel for Kenwood TK7180/ 8180 (only) radios. Use with TSRK100A series remote controls. | EACH | 2 | \$ 460.40 | 31.0% | 317.72204 | N/A | N/A |
| TSP180K-4W/FD | CPI COMM. Termination panel for Kenwood TK7180/ 8180 (only) radios. Use with TSRK100A series remote controls. 4 wire/full duplex option. | EACH | 2 | \$ 484.50 | 31.0% | 334.38 | N/A | N/A |
| TSP402 | CPI COMM. Termination Panel for Kenwood TK780, 880, 980 radios. Use with TSR412A remote control. | EACH | 2 | \$ 460.40 | 31.0% | 317.72204 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| TSP402-4WFD | CPI COMM. Termination Panel for Kenwood TK780/880/980 . Use with TSR412A remote control. Full duplex on four wire version. | EACH | 2 | \$ 483.05 | 27.3% | 351.16 | N/A | N/A |
| TSP710K | CPI COMM. Termination panel for Kenwood TK5710 (only) radio. Use with TSRK100A series remote controls. | EACH | 2 | \$ 460.40 | 31.0% | 317.72204 | N/A | N/A |
| TSP-9005 | TRANSTECTOR Surge Suppression for RS-422 4-20 Ma Single Wire Pair Configurations. 160 Vpeak. | EACH | 2 | \$ 69.45 | 20.9% | 54.93 | N/A | N/A |
| TSR412A | CPI COMM. Telephone Style Remote ControlKenwood TK780, 880, 980 series of radios. Use with TSP402 termination panel. Off white color. | EACH | 2 | \$ 694.35 | 31.0% | 479.24037 | N/A | N/A |
| TSR412A-BLK | CPI COMM. Telephone Style Remote ControlKenwood TK780, 880, 980 series of radios. Use with TSP402 termination panel. Black Color | EACH | 2 | \$ 717.00 | 27.3% | 521.25 | N/A | N/A |
| TSR412A-DM-BLK | CPI COMM. Remote Control with a desk micfor Kenwood TK780, 880, 980 series of radios. Use with TSP402 termination panel. Black color. | EACH | 2 | \$ 800.00 | 27.3% | 581.6 | N/A | N/A |
| TSRK100A | CPI Telephone style remote control for Kenwood 5710/7150/7180/8150/8180 radios.Use with TSP150K (7150/8150), TSP180K (7180/8180) TSP710A (5710) panels. | EACH | 2 | \$ 694.35 | 31.0% | 479.24037 | N/A | N/A |
| TSRK100A-BK | CPI Telephone style remote control for Kenwood 5710/7150/7180/8150/8180 radios.Use with TSP150K (7150/8150), TSP180K (7180/8180) TSP710A (5710) panels. Black | EACH | 2 | \$ 717.00 | 27.3% | 521.25 | N/A | N/A |
| TSRK100A-DM | CPI desk microphone remote control for Kenwood 5710/7150/7180/8150/8180 radios.Use with TSP150K (7150/8150), TSP180K (7180/8180). TSP710K (5710) panels. | EACH | 2 | \$ 777.40 | 31.0% | 536.48374 | N/A | N/A |
| TSRK100A-DM-BK | CPI desk microphone remote control for Kenwood 5710/7150/7180/8150/8180 radios.Use with TSP150K (7150/8150), TSP180K (7180/8180). TSP710K(5710) panels. BLK | EACH | 2 | \$ 800.00 | 27.3% | 581.6 | N/A | N/A |
| TTP1 | monitor function. Industry standard format. Small size 2.9x .75 x 5.25 inches. | EACH | 2 | \$ 339.65 | 31.0% | 234.42643 | N/A | N/A |
| TTP1(N) | monitor function. 4wire/ full duplex, auto gain control. Industry standard format. | EACH | 2 | \$ 369.85 | 31.0% | 255.233485 | N/A | N/A |
| TTP10 | CPI COMM Tone termination panel for 10 frequency plus monitor function industrystandard format. Housed in sturdy metalenclosure. LED indicators. | EACH | 2 | \$ 709.75 | 31.0% | 489.83 | N/A | N/A |
| TTP1-4W/FD | CPI COMM Tone termination panels for single frequency and monitor function. Industry standard format. Four wire, full duplex. | EACH | 2 | \$ 362.30 | 31.0% | 250.02323 | N/A | N/A |
| TTP1-4W/FD-C | CPI COMM Tone termination panel installed in case. For single frequency and monitor function. Industry standard format. Four wire, full duplex. | EACH | 2 | \$ 407.55 | 31.0% | 281.250255 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| TTP1-C | CPI tone termination panel w/single frequency and monitor functions. Includes metal case. | EACH | 2 | \$ 384.95 | 31.0% | 265.653995 | N/A | N/A |
| TTP2 | CPI COMM Tone termination panel for two frequency plus monitor function industrystandard format. Small size 2.9 x .75 x5.25 inches. | EACH | 2 | \$ 378.50 | 31.0% | 261.22 | N/A | N/A |
| TTP2(N) | function. 4 wire/full duplex, auto gain control. Industrystandard format. | EACH | 2 | \$ 407.55 | 31.0% | 281.29101 | N/A | N/A |
| TTP216 | CPI COMM 16 frequency tone termination panel in metal case. Jumper selectable 4W/FD. 15 preset tone groups. Programmable function tone detection. | EACH | 2 | \$ 573.60 | 31.0% | 395.84136 | N/A | N/A |
| TTP2-4W/FD | CPI COMM Tone termination panel for two frequency plus monitor function industrystandard format. Small size 2.9 x .75 x5.25 inches. | EACH | 2 | \$ 401.50 | 31.0% | 277.09 | N/A | N/A |
| TTP8 | CPI COMM Tone termination panel for 8 frequency plus monitor function industrystandard format. Housed in sturdy metalenclosure. LED indicators. | EACH | 2 | \$ 603.80 | 27.3% | 438.95 | N/A | N/A |
| TTP-BCD-4W/FD | CPI COMM Tone termination panel providesrelay outputs for channel selection in BCD format. Four wire, full duplex. | EACH | 2 | \$ 588.70 | 27.3% | 427.97 | N/A | N/A |
| UHF50HD | POLYPHASER 300-700 MHz UHF combiner flange mnt. protector. 20,000 amps surge<10uJ throughput energy. Power based on number of channels. DIN Female connecto | EACH | 2 | \$ 125.00 | 22.1% | 97.38 | N/A | N/A |
| UHF50HN | POLYPHASER 300-700 MHz UHF combiner flange mnt. protector. 20,000 amps surge<10uJ throughput energy. Power based on number of channels. N Female connectors. | EACH | 2 | \$ 95.00 | 22.1% | 74.01 | N/A | N/A |
| UHF50HN-MA | POLYPHASER 300-700 MHz UHF combiner flange mnt. protector. 20,000 amps surge<10uJ throughput energy. Power based on number of channels. N/M Ant, N/F Equipme | EACH | 2 | \$ 95.00 | 22.1% | 74.01 | N/A | N/A |
| UNI-KIT-2CT | POLYPHASER Universal Grounding Kit. Fitscoaxial/elliptical lines from 1/4" to 2.0". Includes weatherproofing. Joins copper cable to tower. | EACH | 2 | \$ 50.00 | 34.0% | 33.01 | N/A | N/A |
| USXL-D | POLYPHASER 350-1200 MHz bulkhead mountedlightning arrestor. 300 watt. 0.1dB insert. loss, 0.5uJ throughput. 7/16 DINfemale terminations. Weatherized. | EACH | 2 | \$ 133.00 | 31.1% | 91.6769 | N/A | N/A |
| USXL-D-MA | POLYPHASER 350-1200 MHz bulkhead mountedlightning arrestor. 300 watt. 0.1dB insert. loss. DIN/M on ant port, DIN/F on equipment port. Weatherized. | EACH | 2 | \$ 133.00 | 22.1% | 103.61 | N/A | N/A |
| USXL-MA | POLYPHASER 350-1200 MHz bulkhead mountedlightning arrestor. 300 watt. 0.1dB insert. loss. N/M on antenna port, N/F on equipment port. Weatherized. | EACH | 2 | \$ 109.00 | 22.1% | 84.92 | N/A | N/A |
| VHF50HD | POLYPHASER 100-512 MHz VHF combiner bulkhead protector. 3KA surge <0.5uJ throughput energy. 750 W max. DIN Female connectors. | EACH | 2 | \$ 133.00 | 22.1% | 103.61 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|--------------|---------------------|---------------|--|--|
| VHF50HD-MA | POLYPHASER 100-512 MHz VHF combiner bulkhead protector. 3KA surge <0.5uJ throughput energy. 750 W max. DIN male Ant port, DIN female Equip port. | EACH | 2 | \$ 133.00 | 27.8% | 96.03 | N/A | N/A |
| VHF50HN | POLYPHASER 100-512 MHz VHF combiner bulkhead protector. 3KA surge <0.5uJ throughput energy. 750 W max. N/F antenna port, N/F equipment port. | EACH | 2 | \$ 101.00 | 27.8% | 72.93 | N/A | N/A |
| VHF50HN-MA | POLYPHASER 100-512 MHz VHF combiner bulkhead protector. 3KA surge <0.5uJ throughput energy. 750 W max. N/M antenna port, N/F equipment port. | EACH | 2 | \$ 101.00 | 27.8% | 72.93 | N/A | N/A |
| VHF50HN-ME | POLYPHASER 100-512 MHz VHF combiner bulkhead protector. 3KA surge <0.5uJ throughput energy. 750 W max. N/F antenna port, N/M equipment port. | EACH | 2 | \$ 101.00 | 22.1% | 78.68 | N/A | N/A |
| VMUX110AC4EMETHUT | RAD Vmux 100 voice trunking gateway for remote sites provides LAN and compressedvoices services. Supports up to 4 E&M (VMUX-110/AC/4E&M/ETH-UTP) | EACH | 2 | \$ 1,900.00 | 25.4% | 1416.545 | N/A | N/A |
| VMUX110AC8EMETHUT | RAD Vmux 100 voice trunking gateway for remote sites provides LAN and compressedvoices services. Supports up to 8 E&M (VMUX-110/AC/8E&M/ETH-UTP) | EACH | 2 | \$ 2,200.00 | 25.4% | 1640.21 | N/A | N/A |
| VMUX-2100/AC | RAD Vmux 2100 central trunking gateway that compacts compressed voice over TDMoIP. | EACH | 2 | \$ 1,898.00 | 25.5% | 1414.959 | N/A | N/A |
| VMUX-2100/AC/R | voice transmission over various networks, including TDM, IPand Ethernet | EACH | 2 | \$ 2,404.00 | 25.5% | 1792.182 | N/A | N/A |
| VMUX-M/M-ETH | VMUX-2100 Ethernet Main Link Module includes a single ethernet port (standard), with additional redundant E1, T1 or serial ports (optional) | EACH | 2 | \$ 2,530.00 | 25.5% | 1886.115 | N/A | N/A |
| VMUX-M/VCA-T1/4 | VMUX-2100 T1 Voice Port Module | EACH | 2 | \$ 12,650.00 | 25.5% | 9430.575 | N/A | N/A |
| WM/LE | CPI COMM wall mount for LE series. Includes snap on bracket for remote, wall mount and hardware. | EACH | 2 | \$ 23.00 | 31.0% | 15.88 | N/A | N/A |
| WM/REMOTES | CPI COMM plastic wall mount for MCR, TSR, TR, and DR series remotes. Includessnap-on bracket for remote, wall mount and hardware. Brownish/grey color. | EACH | 2 | \$ 22.65 | 31.0% | 15.63756 | N/A | N/A |
| WP | CPI COMM Wall Plug/ Power supply for LEseries local extensions (LE10,LE20,LE30,LE40). | EACH | 2 | \$ 23.00 | 31.0% | 15.88 | N/A | N/A |
| WSXM | POLYPHASER 6.0-10.0 GHz Arrester for bulkhead mounting. Max. surge 20kA. 10 watt. DC blocked. Small weatherized housing. N/F both side. | EACH | 2 | \$ 160.00 | 22.1% | 124.64 | N/A | N/A |
| YSU100 | CPI COMM DC termination panel. Enclosed plug-in termination panel for Yaesu Vertex series radios. .5 mA mon, mA PTT, with Rx/Tx amp. *Yae | EACH | 2 | \$ 241.45 | 27.3% | 175.52 | N/A | N/A |
| FP18-1560C3 P | *FlexPort18 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---------------------------|-----------------|--|--------------|---------------------|---------------|--|--|
| FP23-1200C5 P | *FlexPort23 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |
| FP23-1200R5 P | *FlexPort23 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |
| FP23-1200C7 P | *FlexPort23 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |
| FP23-1200R7 P | *FlexPort23 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |
| FP23-1200C6 P | *FlexPort23 Ethernet Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400 | N/A | N/A |
| AR60-REWNR-1 | *AR60 1 YR NDR Renewal | EA | 2 | \$ 3,140.00 | 17.4% | 2593.58 | N/A | N/A |
| FP-UPG-ARM | *FP80 UPG Key AdaptRate | EA | 2 | \$ 5,500.00 | 20.0% | 4400 | N/A | N/A |
| GE60-REWNR-2 | *GE60 2 YR NDR Renewal | EA | 2 | \$ 4,117.00 | 17.4% | 3400.56 | N/A | N/A |
| GE60-REWNR-1 | *GE60 1 YR NDR Renewal | EA | 2 | \$ 2,932.00 | 17.4% | 2421.77 | N/A | N/A |
| PS-12 | *Premier Supp Plan 12 Mon | EA | 2 | \$ 999.00 | 17.4% | 825.16 | N/A | N/A |
| BW80 UPG-125-1000 | *BW80 Upgrade 125-1000 | EA | 2 | \$ 9,250.00 | 21.9% | 7220.675 | N/A | N/A |
| PS-36 | *Premier Supp Plan 36 Mon | EA | 2 | \$ 2,697.00 | 17.4% | 2227.67 | N/A | N/A |
| FP80-12-2T-HB | *FlexPort 80 w/2 TDM HI | EA | 2 | \$ 12,850.00 | 20.0% | 10280 | N/A | N/A |
| FP80-12-2T-LB | *FlexPort 80 w/2 TDM LO | EA | 2 | \$ 12,850.00 | 20.0% | 10280 | N/A | N/A |
| AR80X-AES | *AR80X 80Ghz Link w /AES | EA | 2 | \$ 39,250.00 | 20.0% | 31400 | N/A | N/A |
| AR80X | *AR80X 80Ghz Gigabit Link | EA | 2 | \$ 33,000.00 | 20.0% | 26400 | N/A | N/A |
| FP80-12-4T | *FlexPort 80 Base w/4 TDM | EA | 2 | \$ 27,700.00 | 20.0% | 22160 | N/A | N/A |
| 171-00505 | *FP80 SFP GigE MM Fiber | EA | 2 | \$ 150.00 | 17.4% | 123.89 | N/A | N/A |
| GE60-AES-EWNR-3 | GE60-AES 3y Ext Warranty | EA | 2 | \$ 6,038.00 | 17.4% | 4987.28 | N/A | N/A |
| FP801202T24STMM | *FP 80GHz 120MB 2T 2' SX | EA | 2 | \$ 29,850.00 | 17.4% | 24655.55 | N/A | N/A |
| AR80X-AES-EWNR-3 | AR80X-AES 3y Extended War | EA | 2 | \$ 9,813.00 | 23.6% | 7493.56 | N/A | N/A |
| BW80 UPG-250-500 | *BW80 Upgrade 250-500 | EA | 2 | \$ 3,200.00 | 17.4% | 2643.14 | N/A | N/A |
| 515-00931 | *60 Ghz Mounting Kit | EA | 2 | \$ 399.00 | 17.4% | 329.56 | N/A | N/A |
| AR80X-AES LOW | AR80X AES Low COMP | EA | 2 | \$ 23,400.00 | 17.4% | 19327.98 | N/A | N/A |
| 420-00544 | *Bridgewave Power Supply | EA | 2 | \$ 129.00 | 17.4% | 106.55 | N/A | N/A |
| 80GHZ-2-ANT | *FP80 80GHz 2' Antenna | EA | 2 | \$ 2,000.00 | 17.4% | 1651.96 | N/A | N/A |
| BW80 | *80GHz Upgradeable Link | EA | 2 | \$ 18,250.00 | 20.0% | 14600 | N/A | N/A |
| LX OPTION | *LX Option Bridgewave | EA | 2 | \$ 1,700.00 | 20.0% | 1360 | N/A | N/A |
| AR80X LOW | *AR80X 80Ghz LOW | EA | 2 | \$ 19,950.00 | 17.4% | 16478.34 | N/A | N/A |
| AR60-EWNR-5 | AR60 5 yr Ext Warranty | EA | 2 | \$ 9,225.00 | 17.4% | 7619.68 | N/A | N/A |
| GE60-AES | 60G Gigabit Full Link AES | EA | 2 | \$ 24,150.00 | 20.0% | 19320 | N/A | N/A |
| FPCU240-1200 | *FP80 UPG Key 240-1200MB | EA | 2 | \$ 6,000.00 | 20.0% | 4800 | N/A | N/A |
| 515-00529 | *Ice Shield 24" antenna | EA | 2 | \$ 460.00 | 17.4% | 379.94 | N/A | N/A |
| 515-00913 | *Ice Shield FE/GE/AR60 | EA | 2 | \$ 485.00 | 17.4% | 400.6 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---------------------------|-----------------|--|--------------|---------------------|---------------|--|--|
| AR80X HIGH | *AR80X 80Ghz HIGH | EA | 2 | \$ 19,950.00 | 17.4% | 16478.34 | N/A | N/A |
| AR80X-AES HIGH | AR80X AES High COMP | EA | 2 | \$ 23,400.00 | 17.4% | 19327.98 | N/A | N/A |
| BW80 UPG-500-1000 | *BW80 Upgrade 500-1000 | EA | 2 | \$ 3,250.00 | 17.4% | 2684.44 | N/A | N/A |
| BW80 UPG-125-250 | *BW80 Upgrade 125-250 | EA | 2 | \$ 2,800.00 | 17.4% | 2312.75 | N/A | N/A |
| BW80 UPG-250-1000 | *BW80 Upgrade 250-1000 | EA | 2 | \$ 6,450.00 | 17.4% | 5327.58 | N/A | N/A |
| AR80X-AES-EWNR-5 | AR80X-AES 5y Extended War | EA | 2 | \$ 17,663.00 | 17.4% | 14589.32 | N/A | N/A |
| BW80-EWNR-2 | *BW80 2y Extended Warr | EA | 2 | \$ 2,738.00 | 17.4% | 2261.54 | N/A | N/A |
| BW80-EWNR-3 | *BW80 3y Extended Warr | EA | 2 | \$ 4,563.00 | 17.4% | 3768.95 | N/A | N/A |
| FP801202T12STMM | *FP 80GHz 120MB 2T 1' SX | EA | 2 | \$ 27,850.00 | 17.4% | 23003.58 | N/A | N/A |
| BW80 UPG-125-500 | *BW80 Upgrade 125-500 | EA | 2 | \$ 6,000.00 | 17.4% | 4955.89 | N/A | N/A |
| 515-00932 | *Ice Shield 80 GHz 12"ant | EA | 2 | \$ 475.00 | 17.4% | 392.34 | N/A | N/A |
| AES-ADD-ICB-AR-MO | *BW80 AES Upgrade | EA | 2 | \$ 6,250.00 | 17.4% | 5162.38 | N/A | N/A |
| AR80XHIGH | *AR80X LOW COMPONENT | EA | 2 | \$ 19,950.00 | 17.4% | 16478.34 | N/A | N/A |
| GE80X | *GE80X 80Ghz Gigabit Link | EA | 2 | \$ 30,000.00 | 20.0% | 24000 | N/A | N/A |
| FP80-12-2T | *FlexPort 80 Base w/2 TDM | EA | 2 | \$ 25,700.00 | 17.4% | 21227.73 | N/A | N/A |
| GE60-EW1 | GE60 12 mo Extended Warr | EA | 2 | \$ 1,432.00 | 17.4% | 1182.8 | N/A | N/A |
| AR60 | 60GHz Gigabit AR Link | EA | 2 | \$ 20,500.00 | 20.0% | 16400.01 | N/A | N/A |
| GE60 | 60GHz Gigabit Full Link | EA | 2 | \$ 17,900.00 | 20.0% | 14320 | N/A | N/A |
| GE80 | *80GHz Gigabit GE Link | EA | 2 | \$ 27,500.00 | 20.0% | 22000 | N/A | N/A |
| FE60U | FE60U100 Mbps Upgradeable | EA | 2 | \$ 9,995.00 | 10.0% | 8995.5 | N/A | N/A |
| 171-00513 | *Flex SFP GigE Copper TX | EA | 2 | \$ 250.00 | 17.4% | 206.49 | N/A | N/A |
| 171-00512 | *Flex SFP GigE SM LC | EA | 2 | \$ 300.00 | 17.4% | 247.79 | N/A | N/A |
| AR80XAESREWNR1 | *AR80X-AES 1Y Renew War | EA | 2 | \$ 4,640.00 | 17.4% | 3832.55 | N/A | N/A |
| AR60X-AES | *60GHz Gigabit AR Link AE | EA | 2 | \$ 29,250.00 | 20.0% | 23400 | N/A | N/A |
| AR80-AES | *80GHz Gigabit AR Link | EA | 2 | \$ 36,750.00 | 20.0% | 29400 | N/A | N/A |
| AR60-AES | *60GHz Gigabit AR LinkAES | EA | 2 | \$ 26,750.00 | 20.0% | 21400 | N/A | N/A |
| AR80 | *80GHz Gigabit AR Link | EA | 2 | \$ 30,500.00 | 20.0% | 24400.01 | N/A | N/A |
| GE60-AES-EWNR-5 | GE60-AES 5y Ext Warranty | EA | 2 | \$ 10,868.00 | 17.4% | 8976.77 | N/A | N/A |
| BW80X | *BW80X Upgradeable Link | EA | 2 | \$ 20,750.00 | 20.0% | 16600 | N/A | N/A |
| FE80-U | *FE80.U 80GHz 100MbpsLink | EA | 2 | \$ 19,995.00 | 17.4% | 16515.5 | N/A | N/A |
| FE80X.U | FE80X.U 80GHz 100Mbps Lnk | EA | 2 | \$ 22,495.00 | 20.0% | 17996 | N/A | N/A |
| FP80-3000 | *FP 80GHz 3000 Mbps Link | EA | 2 | \$ 57,370.00 | 20.0% | 45896.01 | N/A | N/A |
| FP80-12-E | *FlexPort 80 Base | EA | 2 | \$ 25,700.00 | 17.4% | 21227.73 | N/A | N/A |
| FE60U-EWNR-2 | *FE60U Year2 Ext Warranty | EA | 2 | \$ 1,499.00 | 17.4% | 1238.14 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---------------------------|-----------------|--|--------------|---------------------|---------------|--|--|
| FPUWAVE-EWNRD-2 | *2yr Extended Warranty | EA | 2 | \$ 3,450.00 | 17.4% | 2849.63 | N/A | N/A |
| AR60X-EWNRD-2 | AR60X 2nd yr Ext Warranty | EA | 2 | \$ 3,450.00 | 17.4% | 2849.63 | N/A | N/A |
| SECURE-MGT | *Secure Managemnt Upgrade | EA | 2 | \$ 2,465.00 | 17.4% | 2036.04 | N/A | N/A |
| AR80X-EWNRD2 | *AR80X 2y Extended Warr | EA | 2 | \$ 4,950.00 | 17.4% | 4088.61 | N/A | N/A |
| GE60-EWNRD-2 | GE60 2y Extended Warranty | EA | 2 | \$ 2,685.00 | 17.4% | 2217.75 | N/A | N/A |
| FPUWAVE-EWNRD-3 | *3yr Extended Warranty | EA | 2 | \$ 5,750.00 | 23.6% | 4390.91 | N/A | N/A |
| AR60X-EWNRD-3 | AR60X 3yr Ext Warranty | EA | 2 | \$ 5,750.00 | 23.6% | 4390.91 | N/A | N/A |
| AR80X-EWNRD3 | *AR80X 3y Extended Warr | EA | 2 | \$ 8,250.00 | 17.4% | 6814.35 | N/A | N/A |
| AR60-EWNRD-3 | AR60 3yr Ext Warranty | EA | 2 | \$ 5,125.00 | 17.4% | 4233.15 | N/A | N/A |
| FPUWAVE-EWNRD-5 | *5yr Extended Warranty | EA | 2 | \$ 10,350.00 | 17.4% | 8548.91 | N/A | N/A |
| AR80-EWNRD-3 | *AR80 Extended Warranty | EA | 2 | \$ 7,625.00 | 17.4% | 6298.11 | N/A | N/A |
| AR60-AES-EWNRD-5 | *AR60-AES 5yr Ext Warr | EA | 2 | \$ 12,038.00 | 23.6% | 9192.66 | N/A | N/A |
| -48VDC OPTION | *Bridgewave -48 VDC Power | EA | 2 | \$ 1,700.00 | 17.4% | 1404.16 | N/A | N/A |
| FPCU330-1000 | *330-1000 Mbps Upgrade | EA | 2 | \$ 4,000.00 | 20.0% | 3200 | N/A | N/A |
| 80GHZ-LIC | *70-80Ghz License Fee | EA | 2 | \$ 500.00 | 17.4% | 412.98 | N/A | N/A |
| FE60U-AR60-UPG | *FE60U-AR60 Upgrade | EA | 2 | \$ 11,500.00 | 20.0% | 9200 | N/A | N/A |
| FPCU330-660 | *330-660 Mbps Upgrade | EA | 2 | \$ 2,000.00 | 17.4% | 1651.96 | N/A | N/A |
| NDR-1 | Next Day Replacement 1yr | EA | 2 | \$ 1,500.00 | 23.6% | 1145.46 | N/A | N/A |
| FP80-3000-EWNRD-5 | FP 3000 5th Yr Warranty | EA | 2 | \$ 25,817.00 | 17.4% | 21324.38 | N/A | N/A |
| GE60-EWNRD-5 | GE60 5y Extended Warranty | EA | 2 | \$ 8,055.00 | 23.6% | 6151.09 | N/A | N/A |
| FP80-3000-EWNRD-2 | FP 3000 2nd Yr Warranty | EA | 2 | \$ 8,606.00 | 17.4% | 7108.4 | N/A | N/A |
| AR60-AES-EWNRD-2 | *AR60-AES 2nd Yr Ext Warr | EA | 2 | \$ 4,013.00 | 17.4% | 3314.66 | N/A | N/A |
| FP80-3000-EWNRD-3 | FP 3000 3rd Yr Warranty | EA | 2 | \$ 14,343.00 | 17.4% | 11847.06 | N/A | N/A |
| AR60-AES-EWNRD-3 | *AR60-AES 3yr Ext Warr | EA | 2 | \$ 6,688.00 | 23.6% | 5107.2 | N/A | N/A |
| AR80X-AES-EWNRD2 | *AR80X-AES2y Extended War | EA | 2 | \$ 5,888.00 | 17.4% | 4863.38 | N/A | N/A |
| AR60-EWNRD-2 | AR60 2nd yr Ext Warranty | EA | 2 | \$ 3,075.00 | 17.4% | 2539.89 | N/A | N/A |
| FE60U-EWNRD-3 | *FE60U 3 yr Ext Warranty | EA | 2 | \$ 2,499.00 | 17.4% | 2064.12 | N/A | N/A |
| BW-NDR-1 | *Standard Next Day 1 Year | EA | 2 | \$ 1,500.00 | 17.4% | 1238.97 | N/A | N/A |
| FP24-800R1 P | *FlexPort24 Ethernet Link | EA | 2 | \$ 27,000.00 | 17.4% | 22301.52 | N/A | N/A |
| FP24-800C1 P | *FlexPort24 Ethernet Link | EA | 2 | \$ 27,000.00 | 17.4% | 22301.52 | N/A | N/A |
| AR60X | 60GHz Gigabit AR Link | EA | 2 | \$ 23,000.00 | 20.0% | 18400.01 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| 4901480000 | RAD TDM pseudowire access gateway, 8T1s , 3 FE/GE SFP Sockets, No SFPs provided.Dual AC 100-240 power supply. (4901480000) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 5,090.00 | 22.3% | 3954.93 | N/A | N/A |
| 7646690000 | RAD 6 channel low speed data module for MP-2100. Uses CBLLS6 cable for six RS232 connections ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,355.00 | 22.3% | 1052.84 | N/A | N/A |
| 7651800000 | RAD Megaplex Modular T1 Access Multiplexer. Four I/O slot unit, 2U high. 24 VDC. CL.2 common logic. 10BaseTMgmt. FLG (Floating Ground) support. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,117.00 | 27.1% | 2271.522 | N/A | N/A |
| 4881220000 | RAD TDM pseudowire access gateway 100M SFP port interface 4 T1 ports, UTP Ethernet port, UTP for 10/100BaseT interface, RJ-45 connector,10/100 UTP ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,765.00 | 22.3% | 2148.41 | N/A | N/A |
| 5200030000 | 1310nm single mode laser 75 Mbps). ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,085.00 | 22.3% | 843.05 | N/A | N/A |
| 2710000000 | Ohms unbalanced to balanced loads. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 55.00 | 22.3% | 42.74 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|--------------|---------------------|---------------|--|--|
| 2960100000 | RAD - 4 wire SDSL Modem (this unit can also be configured to operate over 2 wire circuits). Has ethernet 10/100 baseT port. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,145.00 | 22.3% | 889.67 | N/A | N/A |
| 3880070000 | RAD Managed Ethernet to T3 converter. 100-240 VAC power interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,305.00 | 22.3% | 1013.99 | N/A | N/A |
| 1150900000 | RAD IPMUX-1E. 100-240 VAC Power Supply included, 4 FXS ports, Ethernet interface and built in ringer. (IPMUX-1E/AC/4FXS/UTP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,225.00 | 22.3% | 1728.83 | N/A | N/A |
| 4900250000 | Power. 16 T1 ports3 FE/GE SFP Sockets-no SFP provided. IPMUX-216/48R/A/16T1/NULL/NULL/NULL ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 11,915.00 | 22.3% | 9257.96 | N/A | N/A |
| 4201040000 | RAD Power Supply 24 VDC 25W. For Kilomux 2100 Series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 485.00 | 22.3% | 376.85 | N/A | N/A |
| 5180180000 | RAD Miniature E3T3 TDM pseudowire gateway, 10/100/1000 BASET Ethernet user port. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,940.00 | 22.3% | 1507.38 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 5130020000 | RAD Configuration adapter module for connecting SFP modules to a PC. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 550.00 | 22.3% | 427.35 | N/A | N/A |
| 6760730000 | RAD T1 or Fractional T1 Integrated Access Unit with Intergrated Router. Interfaces: T1 WAN and E&M port, 2x10Base-T LAN. 110/220 VAC. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,200.00 | 22.3% | 1709.4 | N/A | N/A |
| 1278020000 | 1310nm 9/125 single mode, 100BaseLX, laser, 15km. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 55.00 | 22.3% | 42.74 | N/A | N/A |
| 1790170000 | E3 or 3 T3 links,100-240VAC, redundant power, SC conn, SM 1310 lsr. (OP-1553/3E3T3/AC/R/SC/13L) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,314.00 | 22.3% | 3351.98 | N/A | N/A |
| 4883960000 | RAD TDM pseudowire access gateway WRDC 24 to 48VDC.Temp Hardened -30 to 65 C. 2 T1 ports-10/100 Uplink 2 SFP Ports, 10/100 UTP Port ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,979.00 | 22.3% | 3091.69 | N/A | N/A |
| 7646220000 | RAD Megaplex Modular T1/E1 Access Multiplexer. Supports TDM. 115 VAC power supply. (2)CL.2 common logic. 12module slots. RDNT. 4U Chassis ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 7,047.00 | 22.3% | 5475.52 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 7651150000 | RAD Multiplexer with new Ethernet UTP CLand built-in ringer. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,253.00 | 22.3% | 2527.59 | N/A | N/A |
| 4880800000 | RAD TDM Pseudowire Access Gateway, 4 T1 Port, Empty SFP Slot, (1) FE UTP Port 10/100/1000BT. (IPMUX-24/4T1/NULL/NULL/UTP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,073.00 | 22.3% | 2387.73 | N/A | N/A |
| 3320930000 | RAD Multiplexer for 28T1's over Fiber orT3. Power (100-240VAC), Redundant PowerSupply, ST Connector, 1310 NM Multimode LED (OP-45/B/28X/AC/R/ST/13) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,681.00 | 22.3% | 3637.14 | N/A | N/A |
| 1151840000 | UTP interface. (IPMUX-1E/DC/4E&M/UTP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,203.00 | 22.3% | 1711.74 | N/A | N/A |
| 7649220000 | RAD TDMOIP main link with echo cancel option. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,117.00 | 22.3% | 2421.91 | N/A | N/A |
| 7646140000 | RAD Megaplex Modular Multiplexer. Includes UTP management, CL2 common logic, high-power 115 VAC supply. Requires main link and I/O cards. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,066.00 | 22.3% | 3159.29 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| 7647540000 | for Megaplex MP-2100/MP-2104 Multiplexer. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,983.00 | 22.3% | 1540.8 | N/A | N/A |
| 4201340000 | RAD V.36/RS-422/RS530 main link module for Kilomux 2100 series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 834.00 | 22.3% | 648.02 | N/A | N/A |
| 5180060000 | RAD Miniature E3T3 TDM pseudowire gateway, Fast Ethernet SFP port interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,663.00 | 22.3% | 1292.16 | N/A | N/A |
| 3770420000 | RAD ETX-102 Fast Ethernet Network Termination Unit. Network port: SFP-1 transceiver. (ETX-102/SFP-1/NULL/4UTP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 784.00 | 22.3% | 609.17 | N/A | N/A |
| 4881360000 | RAD TDM pseudowire access gateway, Single T1 port, FE/GE SFP socket, no SFP provided network and network/user interfaces, 10/100 UTP user interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,533.00 | 22.3% | 1191.15 | N/A | N/A |
| 1151280000 | RAD IPMUX-1E. 100-240 VAC Power Supply included, 4 FXO ports, Ethernet interface and built in ringer. (IPMUX-1E/AC/4FXO/UTP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,047.00 | 22.3% | 1590.52 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 4560230000 | Fast Ethernet over 8 x T1 network termination unit ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,952.00 | 22.3% | 1516.71 | N/A | N/A |
| 4251020000 | RAD Common Logic Module for the Kilomux -2100/2104, built-in SNMP agent, software download, with integrated ethernet port for management. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 975.00 | 23.8% | 742.95 | N/A | N/A |
| 5030050000 | RAD G.SHDSL.BIS Modem. Four ports of 10/100Base-T, 8 Wires ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,417.00 | 22.3% | 1101.01 | N/A | N/A |
| 4670120000 | RAD Fast ethernet over 4 x t1 network termination unit ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,317.00 | 22.3% | 1023.31 | N/A | N/A |
| 7651860000 | RAD 4 channel analog PCM voice module for Megaplex. E&M interface, type I & SSDC5 (Types II, III, V with optional 12VDC supply). RJ45 connectors. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 813.00 | 22.3% | 631.71 | N/A | N/A |
| MP-2100M-ML-1T1 | RAD T1 Main link module for Megaplex MP-21xx Multiplexer with CL.2 Common Logic module. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,626.00 | 22.3% | 1263.41 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| 2840440000 | total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 798.00 | 22.3% | 620.05 | N/A | N/A |
| 2960090000 | RAD- Advanced SNMP SHDSL Modem, T1, 4W (ASMI-52/T1/4W) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 772.00 | 22.3% | 599.85 | N/A | N/A |
| 2690380000 | RAD T1 to UTP for IR-ETH module. 100 to 240 VAC power ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 866.00 | 22.3% | 672.89 | N/A | N/A |
| 2750050000 | hardened enclosure. Wide-range power supply. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 816.00 | 23.8% | 621.8 | N/A | N/A |
| 2750020000 | NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 676.00 | 22.3% | 525.26 | N/A | N/A |
| 5010860000 | RAD - Male Cable for MP-2100/ Modular Integrated Access Multiplexers. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 361.00 | 22.3% | 280.5 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| 5260010000 | RAD External PoE lightning protection unit. 10/100/1000BaseT interface support.High power gas discharge tube, transistor protection. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 134.00 | 22.3% | 104.12 | N/A | N/A |
| 000AEC0001 | RAD Octopus Cable Assembly for the VC8/E&M card. 50-pin telco connector toRJ-45's ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 176.00 | 22.3% | 136.76 | N/A | N/A |
| 2501760000 | or VC-16/FXO to a single 50-pin Telco connector ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 171.00 | 22.3% | 132.87 | N/A | N/A |
| 1900530000 | mounted into a standard 19inch rack. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 48.00 | 22.3% | 37.3 | N/A | N/A |
| 1900550000 | RAD Rack mount kit for 1/2 19" devices. For 2 devices to be mounted into a standard 19inch rack. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 48.00 | 22.3% | 37.3 | N/A | N/A |
| 1900370000 | RAD 19" Rack Mount Kit for the MP-2100/2104 units. (RM-MP-MX-23/19 * 1900370000) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 61.00 | 22.3% | 47.4 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 2500730000 | RAD Cable, Mini BNC-BNC, MP2200/DXC-30. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 23.00 | 22.3% | 17.88 | N/A | N/A |
| 5810480000 | Connectorized. 100M Ethernet Throughput. 5.x/2.x multi freq (AIRMUX-400/ODU/F2449F/100M/EXT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,080.00 | 17.6% | 2537.92 | N/A | N/A |
| 6490080000 | RAD Airmux-5000 5.xGHz Subscriber Unit. Integrated antenna. Factory default 5.8 GHz. Capacity: 20Mbps (Airmux-5000/SU/F58F/20M/INT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,120.00 | 17.6% | 922.88 | N/A | N/A |
| 1930270000 | RAD AIRMUX Cable from IDU to ODU 25 Meters UTP Cable for permanent connection between indor & outdoor units. (AIRMUX-CBL-UTP/25) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 80.00 | 17.6% | 65.92 | N/A | N/A |
| 6490090000 | RAD Airmux-5000 Integrated 4.9GHz - 5.8GHz MIMO Subscriber Unit. Capacity: 50Mbps (Airmux-5000/SU/F58F/50M/INT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,400.00 | 17.6% | 1153.6 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| 5260290000 | RAD Base station flat panel antenna. Dual polarization, gain 14dBi, 4.90- 5.950 GHz bands, 90 deg. (AIRMUX-5000/BS-ANT/14/4959/FP) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 885.00 | 17.6% | 729.24 | N/A | N/A |
| 5810840000 | RAD Point-to-Point Wireless Outdoor Unit(ODU) . 10/100 BaseT port. Airmux 400 For 5.8, 5.4, 5.3 GHz. 5.8GHz default. 50M full duplex w/embedded antenna. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,456.00 | 17.6% | 1199.75 | N/A | N/A |
| 5260180000 | GHZ. (AIRMUX-400-ANT/28/5260/DISH) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 885.00 | 17.6% | 729.24 | N/A | N/A |
| 1994290000 | RAD AIRMUX-200VS ODU for Video Surveillance. 2.4GHz connectorized HSS& PoE support. 2/5 max Eth throughputfull-duplex. Airmux-200VS/F24F/EXT ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 818.00 | 17.6% | 674.04 | N/A | N/A |
| 1990060000 | RAD Airmux-200 Standard Power (16dBm) ODU with Integrated Antenna Frequency: 5.8GHz MFG Part No: Airmux-200/ODU/F58F ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 899.00 | 17.6% | 740.78 | N/A | N/A |
| 1993490000 | length.Assembled w/RJ45 connectors ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 232.00 | 17.6% | 191.17 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| 1990720000 | RAD AIRMUX Cable from IDU to ODU 100m/328' length, for permanent connection between indor & outdoor units. (AIRMUX-CBL-UTP/100) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 232.00 | 17.6% | 191.17 | N/A | N/A |
| 1990640000 | RAD AIRMUX Cable from IDU to ODU 75 Meters UTP Cable for permanent connection between indor & outdoor units. (AIRMUX-CBL-UTP/75) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 182.00 | 17.6% | 149.97 | N/A | N/A |
| 6260130000 | RAD GiGABIT DC PoE Device that Supports All Airmux Radios (Includes: Airmux-400,Airmux-400L, Airmux-5000). AIRMUX-POE/GBE/DC ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 134.00 | 17.6% | 110.42 | N/A | N/A |
| 1993430000 | RAD AIRMUX Hub site synchronization unit to connect up to 8 collocated ODUs and 2 addnl HSS units for AIRMUX 200/400. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 279.00 | 17.6% | 229.9 | N/A | N/A |
| 1993480000 | length. Assembled w/RJ45 connectors ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 181.00 | 19.2% | 146.25 | N/A | N/A |
| 1993470000 | RAD AIRMUX cable hub site synchronization cable. 15 meter Assembled w/RJ45 connectors ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 71.00 | 17.6% | 58.51 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 1900640000 | RAD Rack mount kit. Allows desktop units to be mounted into a standard 19inch rack. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 36.00 | 17.6% | 29.67 | N/A | N/A |
| 5810200000 | RAD AC power adapter for Airmux IDU-E indoor units. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 62.00 | 17.6% | 51.09 | N/A | N/A |
| 1900490000 | total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 31.00 | 17.6% | 25.55 | N/A | N/A |
| 6260210000 | RAD Gigabit PoE Device (10/100/1000BT). Works with Airmux-400, Airmux-400L & Airmux-5000 Series Radios. Includes AC Plug. (AIRMUX-POE/GBE/ACUS) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 90.00 | 17.6% | 74.16 | N/A | N/A |
| 4203410000 | RAD 2 channel low bit rate voice/fax module for Kilomux 2100 multiplexer. Supports ISDN analog or digital voice, group III fax protocol. E&M inteface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,675.00 | 23.8% | 1276.35 | N/A | N/A |
| 4203450000 | RAD 2 channel low bit rate voice/fax module for Kilomux 2100. Supports ISDN analog or digital voice and group III fax protocol. Includes FXO Interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,675.00 | 23.8% | 1276.35 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 4203420000 | RAD 2 channel low bit rate voice/fax module for Kilomux 2100 multiplexer. Supports ISDN analog or digital voice & group III fax protocol. Incl. FXS Interf ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,800.00 | 23.8% | 1371.6 | N/A | N/A |
| 4251050000 | RAD Kilomux 12-slot Sub-Rate Access Multiplexer for data, voice, fax, LAN. Bare Chassis. Requires Common Logic,pwr,main link, I/O modules. Up to 1536Kbps ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 825.00 | 23.8% | 628.65 | N/A | N/A |
| 7648290000 | 2100/MP-2104 Multiplexer. Bypass support. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,175.00 | 23.8% | 2419.35 | N/A | N/A |
| 4201330000 | RAD V.24/RS-232 main link module for Kilomux 2100 series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 825.00 | 23.8% | 628.65 | N/A | N/A |
| 3580340000 | RAD GMUX-2000 System, ANSI Rack Mount, Carrier Voice Trunking Gateway ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,710.00 | 23.8% | 2065.02 | N/A | N/A |
| 7653140000 | RAD 4 channel data module for MP-2100. Four V.24/RS-232 full-duplex sync/async low speed data channels, 0.6 to 64 Kbps sync, 0.6 to 38.4 Kbps async. V.110. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,355.00 | 23.8% | 1032.51 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 4202200000 | RAD Kilomux 2channel high speed data module. Synchronous with V.35, RS-449/RS-422, or X.21 interface. 32, 48, 56, 64, 128, 192, 256, or 384 Kbps. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 700.00 | 23.8% | 533.4 | N/A | N/A |
| 5200650000 | connector, 1550 NM single mode short haul. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,275.00 | 23.8% | 971.55 | N/A | N/A |
| 2710010000 | Ohms unbalanced to balanced loads. Male BNC ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 55.00 | 23.8% | 41.91 | N/A | N/A |
| 7645540000 | total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 20.00 | 23.8% | 15.24 | N/A | N/A |
| 4204140000 | RAD PCM/ADPCM Voice module with echo cancellation. Includes 2/4 wire E&M option. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,150.00 | 23.8% | 876.3 | N/A | N/A |
| 6763460000 | RAD E1 or fractional E1 integrated access unit with Intergrated Router. Interfaces: E1, 1x10Base-T LAN, VAC and E&M Circuits. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,800.00 | 23.8% | 3657.6 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|--------------|---------------------|---------------|--|--|
| 4260060000 | RAD Kilomux compact 4 slot modular time division multiplexer UTP. A/C power and Digital Data Service (DDS) main link interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,500.00 | 23.8% | 1905 | N/A | N/A |
| 4250530000 | RAD Kilomux compact 12 slot modular timedivision multiplexer. Includes AC supply, ethernet 10 base T (UTP) management interface and T1 interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,275.00 | 23.8% | 2495.55 | N/A | N/A |
| CBL-V35M/V35M | order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 95.00 | 23.8% | 72.39 | N/A | N/A |
| 6761460000 | RAD E1 or fractional E1 integrated access unit with Intergrated Router. Interfaces: E1 & V.35 (DTE) WAN, 2x10Base-T LAN, Sub-E1 backup. 110/220 V ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,850.00 | 23.8% | 2933.7 | N/A | N/A |
| 6762220000 | RAD E1 or fractional E1 integrated access unit with Intergrated Router. Interfaces: E1 & V.35 (DCE) WAN, 2x10Base-T LAN, Sub-E1 backup. 110/220 V ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,850.00 | 23.8% | 2933.7 | N/A | N/A |
| 4630300000 | RAD Megaplex-4100 chassis with redundant 48VDC, redundant STM-1/OC-3 dual SFP,SM,1310NM, LC, STM1 or 100 BaseFX. (MP-4100-1/48R/155R/2XSFP2) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 17,740.00 | 23.8% | 13517.88 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|--------------|---------------------|---------------|--|--|
| 7648500000 | RAD Megaplex common logic module v.2 with RS-232 management port for MP-2100.Stores configuration and event information. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,125.00 | 23.8% | 1619.25 | N/A | N/A |
| 4901700000 | RAD TDM pseudowire access gateway, 16 T1ports. Built-in 10/100BaseT network, network/user, user interface. Dual -48 VDC power supply. Adv clock recovery. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 11,915.00 | 23.8% | 9079.23 | N/A | N/A |
| 7651700000 | RAD Megaplex Modular T1/E1 Access Multiplexer. Supports TDM. 115 VAC power supply. CL.2 common logic. 12 mod slots. V.24/RS-232 management port ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,250.00 | 23.8% | 3238.5 | N/A | N/A |
| 7651360000 | RAD 4 E&M voice module for Megaplex. Omnibus included for four toll-quality voice channels ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,440.00 | 23.8% | 1859.28 | N/A | N/A |
| 4202880000 | RAD Drop and Insert Multidrop Module. For Kilomux 2100 Series. Supports one Multidrop channel. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,050.00 | 23.8% | 800.1 | N/A | N/A |
| 4251000000 | RAD Common Logic Module for the Kilomux -2100/2104, built-in SNMP agent, software download. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 975.00 | 23.8% | 742.95 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|--------------|---------------------|---------------|--|--|
| 4202010000 | RAD 2 channel low speed data module for Kilomux 2100. Synchronous or asynchronous RS-232/V.24, 300 bps to 64 Kbps. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 420.00 | 23.8% | 320.04 | N/A | N/A |
| 4900020000 | RAD TDM pseudowire access gateway, redundant AC, 16 T1 ports, empty SFP slot, network port with 10/100/1000BT UTP. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 11,339.00 | 23.8% | 8640.32 | N/A | N/A |
| 7647550000 | for Megaplex MP-2100/MP-2104 Multiplexer. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,834.00 | 23.8% | 2159.51 | N/A | N/A |
| 4260260000 | RAD Kilomux compact 4 slot modular time division multiplexer. With Ethernet 10Base-T (UTP) management, V.35 main link. Requires -48 VDC power supply ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,214.00 | 23.8% | 1687.07 | N/A | N/A |
| 4260110000 | RAD Kilomux compact 4 slot modular time division multiplexer. With 90-260 VAC supply, Ethernet 10Base-T (UTP) management, V.35 main link. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,099.00 | 23.8% | 1599.44 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 4260180000 | RAD Kilomux compact 4 slot modular time division multiplexer. With 90-260 VAC supply, Ethernet 10Base-T (UTP) management, V.36 main link. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,099.00 | 23.8% | 1599.44 | N/A | N/A |
| 7649690000 | RAD TDOIP main link with 2x E1 capacity,ST connector, 1310 nm laser. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,573.00 | 23.8% | 2722.63 | N/A | N/A |
| 4640610000 | RAD Megaplex-4100 16-PORT T1 Module, (MP-4100M-16T1) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,388.00 | 23.8% | 2581.66 | N/A | N/A |
| 3323500000 | RAD 45 Mbps optical mux, ring, 28T1, 21 E1, RJ45. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,927.00 | 23.8% | 3754.38 | N/A | N/A |
| 7651770000 | RAD Megaplex Modular T1/E1 Access Multiplexer. Supports TDM. Redundant 24VDC power supply. CL.2 common logic. 12 module slots. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 5,951.00 | 23.8% | 4534.67 | N/A | N/A |
| 3323850000 | RAD 45 Mbps Optimux multiplex ring, 28T1 48 VDC/STC/redundant. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 5,731.00 | 23.8% | 4367.03 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| MITOP-E1T1/GE | RAD SFP-format TDM pseudowire gateway, Gigabit. TDM circuit emulation over PSN w/CESopSN/SAToP payload encapsulation. SFP enclosure. Comprehensive OAM. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,109.00 | 23.8% | 845.06 | N/A | N/A |
| 7650700000 | RAD Megaplex 2104, 230V power supply, new UTP common logic, integral ringer. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,391.00 | 23.8% | 3345.95 | N/A | N/A |
| 7650680000 | RAD Megaplex 2104 -24VDC power, CL.2/UTP. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,117.00 | 23.8% | 2375.16 | N/A | N/A |
| 7642670000 | RAD Megaplex common logic module v.2 with RS-232 management port for MP-2100.Stores configuration and event information. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,033.00 | 23.8% | 1549.15 | N/A | N/A |
| 7651640000 | for Megaplex MP-2100/MP-2104 Multiplexer. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,983.00 | 23.8% | 1511.05 | N/A | N/A |
| 7642190000 | RAD Megaplex Dual E1 Main Link module for Megaplex MP-2100/MP-2104 Multiplexer. Integrated CSU. REQUIRES CL.2) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,927.00 | 23.8% | 2230.38 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| DXC-2/115 | RAD T1/E1 converter and timeslot cross- connect. Enables conversion between one T1 signal & one E1 signal (24 timeslots)Desktop unit. Includes 115 VAC supply. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,898.00 | 23.8% | 1446.28 | N/A | N/A |
| 7645690000 | RAD 12-Channel Data I/O Card for MP-2100/ Modular Integrated Access Multiplexers. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,898.00 | 23.8% | 1446.28 | N/A | N/A |
| 4204110000 | RAD 2 Line Analog Voice module with 2-wire FXO option. PCM/ADPCM encoding. For direct connection to a PBX extensionline. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 834.00 | 23.8% | 635.51 | N/A | N/A |
| 4202870000 | RAD Bypass and Multidrop (Drop & Insert)module for Kilomux-series modular multiplexers. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 834.00 | 23.8% | 635.51 | N/A | N/A |
| 7651850000 | RAD 16 channel analog voice module for Megaplex. Positive voltage. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,267.00 | 23.8% | 1727.46 | N/A | N/A |
| 4250920000 | RAD Power Supply, high power, 90-240 VAC, 50-60 Hz. For Kilomux 2100 Series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 719.00 | 23.8% | 547.88 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 4250010000 | RAD Kilomux compact 12 slot modular timedivision multiplexer. Includes AC supply, ethernet 10 base T (UTP) management interface and V.36 interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,501.00 | 23.8% | 1905.77 | N/A | N/A |
| 4250140000 | RAD Kilomux compact 12 slot modular timedivision multiplexer. Includes AC supply, ethernet 10 base T (UTP) management interface and V.35 interface. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,501.00 | 23.8% | 1905.77 | N/A | N/A |
| 2960260000 | RAD - 4 wire SHDSL Modem, Master for balanced E1 operations. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,043.00 | 23.8% | 794.77 | N/A | N/A |
| 7721380000 | RAD two port T1 link module. Features bit error rate test and loopback diagnostics per timeslot. Fits DXC family of DACS. Includes CSU option. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 948.00 | 23.8% | 722.38 | N/A | N/A |
| 4883890000 | RAD TDM pseudowire access gateway. FE SFP port interface, hardened enclosure, 1 T1 port, UTP, UTP. (IPMUX-24/FE/H/1T1/UTP/UTP/N) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,801.00 | 23.8% | 1372.37 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| 7721350000 | RAD two port E1 link module. Features bit error rate test and loopback diagnostics per timeslot. Fits DXC family of DACS. Includes CSU option. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,282.00 | 23.8% | 976.89 | N/A | N/A |
| 7720430000 | DXC-30. Management via Ethernet 10/100BaseT port. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,626.00 | 23.8% | 1239.02 | N/A | N/A |
| 2840600000 | RAD E1/T1 Fiber Optic Modem, converts E1/T1 signals to fiber optic. Extends range up to 89.4 miles. 48VDC, laser diode ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 798.00 | 23.8% | 608.08 | N/A | N/A |
| 4201070000 | RAD Power Supply -48 VDC 56W, high power. For Kilomux 2100 Series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,121.00 | 23.8% | 854.21 | N/A | N/A |
| 4201350000 | RAD X.21 main link module for Kilomux 2100 series. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,121.00 | 23.8% | 854.21 | N/A | N/A |
| MITOP-E1T1/FE | emulation over PSN with CESopSN and SAToP payload encapsulation.SFP enclosure. Comprehensive OAM. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 901.00 | 23.8% | 686.57 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| 7723130000 | RAD DXC-30 48VDC power supply module. High-power chassis only. Requires fan tray. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 881.00 | 23.8% | 671.33 | N/A | N/A |
| 2960080000 | duplex.T1 Interface, AC. Power Supply Included ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 696.00 | 23.8% | 530.36 | N/A | N/A |
| 5010600000 | RAD 6-Channel Octopus data cable for lowspeed data module ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 164.00 | 23.8% | 124.97 | N/A | N/A |
| 2504030000 | RAD Fan out Cable to 8 RJ-45 Cross (CBL-G703-8/RJ45-X) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 342.00 | 23.8% | 260.61 | N/A | N/A |
| 5010850000 | RAD - Female Cable for MP-2100/ ModularIntegrated Access Multiplexers. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 361.00 | 23.8% | 275.09 | N/A | N/A |
| 2502030000 | RAD Cable, SCSI-26 to 34-Pin Male. 2 Meter in Length ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 89.00 | 23.8% | 67.82 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-----------|---------------------|---------------|--|--|
| 2502020000 | RAD Cable, SCSI-26 to V.36 37-Pin Male. 2 Meter in Length ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 89.00 | 23.8% | 67.82 | N/A | N/A |
| 2502650000 | RAD Octopus Cable, 16 RJ-45 male connectors, for connecting VC-16A/E&M's single 64-pin female TELCO connector to user equipment. Cable length 2m (6 ft). ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 202.00 | 23.8% | 153.93 | N/A | N/A |
| CBL-VC16/FXS/O | RAD Octopus Cable, 16 RJ-12 male connectors, for connecting VC-16/FXS/O'ssingle 50-pin female TELCO connector to user equipment. Cable length 2m (6 ft). ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 171.00 | 23.8% | 130.31 | N/A | N/A |
| 2501080000 | D-25 connector to 8X RJ-12 connectors. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 127.00 | 23.8% | 96.78 | N/A | N/A |
| 5010180000 | RAD Octopus Cable, six RJ-45 male connectors, for connecting VC-6/E&M's single 50-pin female TELCO connector to user equipment. Cable length 2m (6 ft). ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 127.00 | 23.8% | 96.78 | N/A | N/A |
| 2501770000 | VC-8/FXO to a single 50-pin Telco connector ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 127.00 | 23.8% | 96.78 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| RM-25 | RAD 8.5 in rack mount kit for 1 or 2 newlook style metal boxes. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 34.00 | 23.8% | 25.91 | N/A | N/A |
| CBL-VC6A | RAD TC25M/4 DB25M Octopus Cable Assembly. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 97.00 | 23.8% | 73.92 | N/A | N/A |
| 5010150000 | total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 58.00 | 23.8% | 44.2 | N/A | N/A |
| 2210010000 | RAD Cable Y 25 PIN Female for MP-HS-R Module ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 29.00 | 23.8% | 22.1 | N/A | N/A |
| 5240010000 | GMUX empty slot cover ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 48.00 | 23.8% | 36.58 | N/A | N/A |
| 5010720000 | RAD DB25-F to 6 RJ-11 Octopus Cable Assembly. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 66.00 | 23.8% | 50.3 | N/A | N/A |
| 5010430000 | RAD Splitter cable for connecting a Ringer DC-output connector to one module. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 51.00 | 23.8% | 38.87 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|---|-----------------|--|-------------|---------------------|---------------|--|--|
| 5010580000 | RAD 25 pin to X.21 cable adapter. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 51.00 | 23.8% | 38.87 | N/A | N/A |
| 5810710000 | RAD Point-to-Point Wireless Outdoor Unit(ODU) . Connectorized. 100M Maximum Ethernet Throughput. 5.x/2.x multi freq (AIRMUX-400/ODU/F2458F/200M/EXT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,080.00 | 19.2% | 2488.64 | N/A | N/A |
| 6490060000 | Base Station. Supports up to 16 Subscriber Units. 10/20/40MHz Channel. (Airmux-5000/BS/F58F/200M/EXT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,480.00 | 19.2% | 3619.84 | N/A | N/A |
| RW55200230 | RAD Airmux-5000 3.xGHz Subscriber Unit. external antenna connectorized. Factory default 5.8GHz. Capacity: 20Mbps (AIRMUX-5000/SU/F3XF/20M/EXT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,120.00 | 19.2% | 904.96 | N/A | N/A |
| RW51000230 | RAD Airmux-5000 HBS 5100-Series, Base station radio connectorized for external antenna (2x N type), supporting multi freq bands at 3.xGHz, 3.65 default. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 4,480.00 | 19.2% | 3619.84 | N/A | N/A |
| 5810800000 | RAD AIRMUX400 Outdoor Unit, w/integrated23dBi gain antennas. 5.8, 5.3, 5.4 GHz. 100M full duplex throughput. (AIRMUX-400/ODU/F58F/200M) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 3,360.00 | 19.2% | 2714.88 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 5810210000 | Eth ports, redundant DC. ver 2.2 *5810210000 ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 2,016.00 | 19.2% | 1628.93 | N/A | N/A |
| 5810880000 | RAD Airmux-400L PTP 50Mbps ODU w/embedded antenna (4.9GHz default). Includes connectorized external antenna supporting 5.3, 5.46, 5.87 GHz. ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,456.00 | 19.2% | 1176.45 | N/A | N/A |
| 1993370000 ODU-HE | (AIRMUX-200/ODU-HE/F49F/EXT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,344.00 | 19.2% | 1085.96 | N/A | N/A |
| RW55200130 | RAD Airmux-5000 3.xGHz Subscriber Unit. Integrated antenna. Factory default 5.8 GHz. Capacity: 20Mbps (AIRMUX-5000/SU/F3XF/20M/INT) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,344.00 | 19.2% | 1085.96 | N/A | N/A |
| 5810230000 | RAD Point-to-Point Wireless Indoor Unit (IDU) . 8xT1/E1, 2xFast Eth ports, redundant DC. ver 2.2 -20 to -60 VDC AIRMUX-400/IDUE/4TDM ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,344.00 | 19.2% | 1085.96 | N/A | N/A |
| 1993370000 | RAD PtP Wireless Outdoor Unit. Designed for 4.9 GHz licensed band. 20 dBm of TXpower, can be used with PoE injector and is HSS compatible. External antenna ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,344.00 | 19.2% | 1085.96 | N/A | N/A |

NW Infrastructure

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Infrastructure & Accessories

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-------------|---------------------|---------------|--|--|
| 5810220000 | RAD Point-to-Point Wireless Indoor Unit (IDU) . 4xT1/E1, 2xFast Eth ports, redundant DC. ver 2.2 -20 to -60 VDC AIRMUX-400/IDUE/4TDM ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 1,008.00 | 19.2% | 814.47 | N/A | N/A |
| 5260110000 | RAD AIRMUX Indoor Unit with 2xE1, 2 Ethernet interfaces and external alarm interfaces. 20-60 VDC input, PS not included. Interoperable w/A200/400 ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 728.00 | 19.2% | 588.23 | N/A | N/A |
| 5260100000 | RAD Airmux 2 UTP Ethernet Only Indoor Unit. Does not include Power Adapter. Need to order (Airmux-PS-E-AC/ACUS) (AIRMUX-IDU/2ETH*5260100000) ***FREIGHT NOTE: If total order is too large and/or heavy to be shipped by express or common carrier, freight terms for the order are FOB Origin. TESSCO will notify the ordering agency of any freight charges upon receipt of order. The agency may choose to cancel or amend its order at that time.*** | EACH | 2 | \$ 504.00 | 19.2% | 407.24 | N/A | N/A |
| IPMUX216/8T1/3UTP | RAD IPMUX-216 Chassis, (Modular power supplies) AC Power. 8 T1 (IPMUX-216/AC/8T1/UTP/UTP/UTP) | EACH | 2 | \$ 4,459.00 | 20.9% | 3527.96 | N/A | N/A |
| A-5000/BSANT15495 | RAD Base station flat panel antenna. Dual polarization, gain 15dBi, 4.90- 5.950 GHz bands, 60 deg. (AIRMUX-5000/BS-ANT/15/4959/FP) | EACH | 2 | \$ 885.00 | 22.9% | 682.02 | N/A | N/A |
| OP-106/ETH/SC/13 | Optimux-106 combines 4xT1 plus Ethernet into a single fiber optic uplink of up to 81 Mbps. (Ethernet throuput is 75 Mbps). Multi Mode fiber interface | EACH | 2 | \$ 1,192.00 | 23.0% | 918.18 | N/A | N/A |
| A-5000/SU/F58F/10 | RAD Airmux-5000 5.xGHz Subscriber Unit. Embedded integrated antenna and conn for external ant. Capacity: 10Mbps (Airmux-5000/SU/F58F/10M/EMB) | EACH | 2 | \$ 672.00 | 22.9% | 517.87 | N/A | N/A |
| MIRICI-E1T1/FE | RAD Intelligent miniature Ethernet to E1/T1 remote bridge. Full duplex, E1/T1 wire-speed packet forwarding. GPF, RAD HDLC and cHDLC encapsulation. | EACH | 2 | \$ 693.00 | 20.9% | 548.3 | N/A | N/A |
| A4/ANT/23/4958/FP | RAD AIRMUX 2ft Dual polarization dish antenna. gain 25.5dBi, 3.30-3.80 GHz bands. (Airmux-400-ANT/25/3338/Dish) | EACH | 2 | \$ 997.00 | 20.0% | 797.88 | N/A | N/A |
| A5000BSANT154959M | 4.90- 6.060GHz bands, 60 deg. (AIRMUX-5000-BS-ANT/15/4959/M/FP) | EACH | 2 | \$ 885.00 | 20.0% | 708.25 | N/A | N/A |
| AIRMUX-IDUH/2ETH | RAD Airmux IDU-H wiht (2) Ethernet 10/100/1000BT & (2) SFP Ports. ProvidesPoE to 6 ODU(s). 48VDC (Airmux-IDUH/2ETH) | EACH | 2 | \$ 924.00 | 20.0% | 739.47 | N/A | N/A |

NW Install Tools

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Installation Tools

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|-----------|---------------------|---------------|--|--|
| ST-600EZ | TIMES LMR 600 Cable Preparation Tool for LMR-600 attachment of CRIMP-style EZ-600-NMH Connectors only. 2-5/8"OAL SILVER | EACH | 4 | \$ 95.00 | 41.5% | 55.56 | N/A | N/A |
| Y151 | TIMES Crimp Die Set for CT-500 series connectors. Works for LMR500 cable. Hex .532" for use in Piston-style Crimp tool frames. | EACH | 4 | \$ 170.00 | 38.1% | 105.247 | N/A | N/A |
| ST-400EZ | TIMES LMR Cable Preparation Tool for LMR-400 attachment of CRIMP-style connectors. | EACH | 4 | \$ 95.00 | 41.5% | 55.56 | N/A | N/A |
| ST-600C | TIMES LMR Cable Preparation Tool for LMR-600 clamp- & solder-style connectors. | EACH | 4 | \$ 110.00 | 49.5% | 55.56 | N/A | N/A |
| ST-400C | TIMES LMR Cable Preparation Tool for LMR-400 clamp- & solder-style connectors. | EACH | 4 | \$ 95.00 | 41.5% | 55.56 | N/A | N/A |
| CT-400/300 | TIMES crimp tool for crimping connectors on LMR300 and LMR400 cable w/ Hex Die .324" & .429" cavities. Fixed Die is not replaceable. | EACH | 4 | \$ 150.00 | 39.0% | 91.56 | N/A | N/A |
| CT-240/200/100 | TIMES Ratcheting Crimp Tool for LMR100, 195, 200 and 240 cables. FIXED Die set: .128"/.213"/.255" Hex cavities. YELLOW handles. | EACH | 4 | \$ 150.00 | 39.0% | 91.56 | N/A | N/A |
| Y1719 | TIMES .429" Hex Die Set for Piston-style crimp frames #10813 or #448167 for TC/EZ-400 Connectors. | EACH | 4 | \$ 210.00 | 45.9% | 113.547 | N/A | N/A |
| ST-900/1200C | TIMES LMR Cable Preparation Tool for LMR-900 & LMR-1200 clamp- & solder-style connectors. | EACH | 4 | \$ 180.00 | 49.1% | 91.584 | N/A | N/A |
| RB456 (CB26/CB60) | TIMES LMR Cable Preparation Tool Blades for LMR-400 or LMR-600 tools. Two blades per pack. | EACH | 4 | \$ 68.00 | 41.4% | 39.8616 | N/A | N/A |
| ST-500C | TIMES LMR Cable Preparation Tool for LMR-500 clamp- & solder-style connectors. | EACH | 4 | \$ 95.00 | 41.5% | 55.56 | N/A | N/A |
| 3190-1880 | TIMES LMR-240 Low Loss Cable Preparation & Stripping Tool makes a clean, sharp cut. Exposed braid .519"; Exposed center .156" BLUE. | EACH | 4 | \$ 95.00 | 39.0% | 57.9975 | N/A | N/A |
| 3190-1722 | TIMES LMR-240 Low Loss Cable Preparation & Stripping Tool w/case-hardened carbon steel blades. Use to attach #43066, 65920 & 62052 ONLY. Green | EACH | 4 | \$ 75.00 | 39.0% | 45.78 | N/A | N/A |
| GST-600A | TIMES MICROWAVE Midspan strip tool for LMR-600 cable. Prepares cable for ground kit | EACH | 4 | \$ 300.00 | 32.7% | 201.78 | N/A | N/A |

NW Install Tools

New York State Office of General Services
 Group 77018 Award 21350 - Comprehensive Telecommunications Equipment & Solutions
 TESSCO, INC
 PT64539
 LOT 3
 Network Installation Tools

Oct-13

| Part/Model Number (if applicable) | Description | Unit of Measure | Category / Group (identifier if applicable) | MSRP | Percentage Discount | NYS Net Price | NYS One-Time Installation per U/M (Hr, Unit, etc) | NYS Maintenance Cost per Month per U/M (Hr, Unit, etc.) |
|--------------------------------------|--|-----------------|--|----------|---------------------|---------------|--|--|
| 3190-1609 | TIMES MICROWAVE Square Cut Cable Cutter Replacement Blades Only 1/PK fits 3190-1544 only. Fits handle using SINGLE-sided blades | EACH | 4 | \$ 25.00 | 45.1% | 13.7375 | N/A | N/A |
| DBT-02 | TIMES Deburring Tool for LMR-195, -200,-240 cables. Use by hand or secure in the chuck of a battery-powered drill or screwdriver on low setting. | EACH | 4 | \$ 30.00 | 45.0% | 16.49 | N/A | N/A |