ITEM #1:
HOLOPHANE BALLASTS
PRISMGLOW LUMINAIRE
QTY: 10
MANF P/N:
BL2C175MH12
WATTS: 175
VOLTS: 120V
HERTZ: 60
LAMP: M57H39





ITEM #2:

HOLOPHANE BALLAST HOUSING
STANDARD DOME
QTY: 5
MANF P/N: PTA625

ITEM #3:

HOLOPHANE STEM/SOCKET ASSEMBLY
QTY: 10
18”
MANF P/N: Cir70CFLW1B
COMPATIBLE WITH HOLOPHANE TRI-CREST OPTIC*

ITEM #4:

HOLOPHANE STEM/STOCK ASSEMBLY
QTY: 4
18”
MANF P/N: STM140CFL018CBW
COMPATIBLE WITH HOLOPHANE QUAD OPTIC*



ITEM #4

ITEM #3

ITEM #5:

HOLOPHANE RECESSED REMOTE BALLAST
QTY: 14
MANF P/N: BLR270CFL12
VOLTS: 120
AMPS: .67
WATTS: 70
HERTZ: 60



ITEM #6:

DECORATIVE VICTORIAN CLAW
WHITE
QTY: 8
MANF P/N: CIVICTORIANW

ITEM #7:

HOLOPHANE OPTIC
TYPE: COMPACT TRI-CREST
QTY: 10
FROSTED GLASS
MANF P/N: CIS-G-21

ITEM #8:

HOLOPHANE OPTIC
TYPE: QUAD OPTIC
QTY: 4
MANF P/N: ILS140CFL12J14W1A

The Quad

ITEM #9:
HOLOPHANE OPTIC
PRISMGLOW LUMINAIRE
Optical Assembly
QTY:10
MANF P/N: BL2X175MHJ



Item #10:

APPLETON ELECTRIC
FLEXIBLE FIXTURE HANGERS
BALL TYPE
QTY: 50
SIZE: 3/4 In.
MANF P/N: JBK-75-BS

ITEM #11:

HOLOPHANE BALLAST REPLACEMENT
QTY: 10
WATTS: 400
VOLTS: 480
HERTZ: 60
AMPS: 1.0A
MANF P/N: RBK400HP48A

ITEM #11 CONTINUED:

Lamp	Catalog number*	Input Voltage	Ballast A x B x C	Oval Capacitor A x B x C	Ballast Type	Net wt kg (lbs)
400W HPS	RBK400HP48A	480	4.87 x 4.25 x 4.31	2.91 x 1.91 x 4.50	Lead	7 (16)

Replacement ballast kits for Oval Capacitor — Ballast Kit A

Crestwood Series
High Mast Enclosed Cutoff
High Mast System
Low Profile Series
Module 600
Paradome
Petrolux Series
Predator - Medium/Large
Prismbeam II
Somerset
Substation
Utility Series
Visualite
Wall pack Series



Oval capacitor

ITEM #12:

LITHONIA LIGHTING
DIMMABLE
QTY: 10
TYPE: 2-LAMP, T8
VOLTS AC: 120, 277
WATTAGE: 32
COLOR: WHITE



ITEM #13:

CHATSWORTH
ADJUSTABLE RACK BRACING KIT
QTY: 10
COLOR: CLEAR
19" RACK
MANF P/N: 12407-519

Product Information Sheet

ADJUSTABLE RACK BRACING KIT

This adjustable, strong, easy to install rack bracing kit provides a cost effective, attractive solution to bracing an equipment rack or auxiliary frame. It attaches directly to the wall and rack top with bolts to provide positive bracing.



Simply:

1) Mount the kit onto the wall using two bolts.
2) Mount the other side onto the top rack using two bolts.
3) Bolt the center section to fit required depth.

ITEM #14:

DOUBLE SIDE SLIDE
QTY: 22
24 IN.
MANF P/N: CTDS24ZP