

**Contract:** Security Systems and Solutions  
**Group:** 77201  
**Award:** 20191  
**Contract #:** PT6  
**Contract Holder:** GM Data Communications, Inc.  
**Offerings:** Vicon, Labor  
**Lots:** 3 (Product, Installation, Systems Integration, Maintenance)  
**Regions:** 1-3  
**Effective Date:** January 31, 2012

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<b>Vicon Net Software</b>						
<a href="#">VN-WS-SW</a>	VICONNET WORKSTATION SOFTWARE; for use with ViconNet			\$ 831	40%	\$ 499
<a href="#">VN-WS-PC</a>	PC WITH PRELOADED VN-WS-SW SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single license.			\$ 4,394	40%	\$ 2,636
<a href="#">VN-WSV5-10</a>	VICONNET MULTI-PACK: 10 user license pack of VN-WS-SW software.			\$ 4,986	40%	\$ 2,991
<a href="#">VN-NVR-SW</a>	VICONNET NVR AND WORKSTATION SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality including recording. Single PC license.			\$ 3,359	40%	\$ 2,016
<a href="#">VN-NVRV5-10</a>	VICONNET MULTI-PACK: 10 user license pack of VN-NVR-SW software.			\$ 20,156	40%	\$ 12,093
<a href="#">VN-VIEWER-16</a>	VICONNET 16-CHANNEL VIEWER SOFTWARE; Ver. 5. Single PC license. Included free as standard viewer within all ViconNet DVR and IP products.			\$ 193	40%	\$ 116
VN-HIRSCH-INTV5	VICONNET-HIRSCH INTEGRATION SOFTWARE; to use ViconNet version 5.6 on a Hirsch Velocity access control workstation			\$ 6,167	40%	\$ 3,700
VN-DSX-INTV4	VICONNET-DSX INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a WinDSX access control workstation			\$ 6,167	40%	\$ 3,700
VN-LENEL-INTV4	VICONNET-LENEL INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a Lenel Onguard access control workstation			\$ 6,167	40%	\$ 3,700
VN-CAM-LIC	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet version 5 system. One camera license.			\$ 364	40%	\$ 218
VN-EVM-LIC	EVENTS MANAGEMENT LICENSE; for ViconNet devices using the Event Management system. One license.			\$ 6,167	40%	\$ 3,700
						\$ -
						\$ -
						\$ -
<b>Virtual Matrix Display Controllers and Decoders</b>						
<a href="#">VMDC-SW</a>	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server			\$ 4,163	40%	\$ 2,498
<a href="#">VMDC-2</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; tower case			\$ 5,858	40%	\$ 3,515
<a href="#">VMDC-4</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; tower case			\$ 6,321	40%	\$ 3,793
<a href="#">VMDC-6</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; tower case			\$ 6,783	40%	\$ 4,070
<a href="#">VMDC-2R</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; 4U rack mount			\$ 6,167	40%	\$ 3,700
<a href="#">VMDC-4R</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; 4U rack mount			\$ 6,629	40%	\$ 3,978
<a href="#">VMDC-6R</a>	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; 4U rack mount			\$ 7,092	40%	\$ 4,255
<a href="#">KRX-3V5</a>	VICONNET 3-CHANNEL DIGITAL VIDEO DECODER; 90 fps (total). ViconNet Ver. 5.0; for use with Virtual Matrix Controller; power over Ethernet capable			\$ 3,076	40%	\$ 1,845
						\$ -
						\$ -
						\$ -
<b>ViconNet VI Video Analytics</b>						
<a href="#">VI-ZONE</a>	VICONNET VIDEO ANALYTICS; motion in a zone of interest (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-LINE</a>	VICONNET VIDEO ANALYTICS; person or vehicle crossing a defined line (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-TLGT</a>	VICONNET VIDEO ANALYTICS; one or more people/vehicles follow an authorized one through a secured entry point (software). Single license.			\$ 812	40%	\$ 487

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">VI-LOIT</a>	VICONNET VIDEO ANALYTICS; person(s) lingering or standing idly (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-GRPG</a>	VICONNET VIDEO ANALYTICS; grouping of up to 12 people (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-STICK</a>	VICONNET VIDEO ANALYTICS; measure stickiness, time spent by a person within an area of a store (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-VSSL</a>	VICONNET VIDEO ANALYTICS; movement of a vessel on water surface (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-STOP</a>	VICONNET VIDEO ANALYTICS; stopped vehicle parked for a specified amount of time (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-TOBS</a>	VICONNET VIDEO ANALYTICS; traffic obstacle detection, object or vehicle obstructing traffic or tracks (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-ASST</a>	VICONNET VIDEO ANALYTICS; up to 20 objects removed from a scene (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-CNTG</a>	VICONNET VIDEO ANALYTICS; object counting only (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-SOBJ</a>	VICONNET VIDEO ANALYTICS; suspicious object detection, object left behind or unattended for specific amount of time (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-TOUR</a>	VICONNET VIDEO ANALYTICS; Virtual tour option, for VI-ZONE and VI-LINE on PTZ presets (software). Single license.			\$ 1,209	40%	\$ 725
<a href="#">VI-CRWD</a>	VICONNET VIDEO ANALYTICS; crowd detection, crowd detector (software). Single license.			\$ 812	40%	\$ 487
<a href="#">VI-TWO</a>	VICONNET VIDEO ANALYTICS; 2 behaviors per channel (excluding PTZ options) (software). Single license.			\$ 984	40%	\$ 590
<a href="#">VI-ENT</a>	VICONNET VIDEO ANALYTICS; all behaviors per channel (excluding PTZ options) (software). Single license.			\$ 1,478	40%	\$ 887
VI-ASP-PRO	VICONNET VIDEO ANALYTICS ON-SITE ENGINEER; for site survey/training, one-day; does not include travel or accommodations			\$ 2,000	40%	\$ 1,200
<a href="#">VN-VI-SERVER</a>	VICONNET VIDEO ANALYTICS SERVER; for ViconNet VI, includes software for server, up to 100 channels			\$ 6,160	40%	\$ 3,696
<a href="#">VN-VI-PROXY</a>	VICONNET VIDEO ANALYTICS PROXY SERVER; for ViconNet VI, includes software configured for proxy, up to 18 cameras			\$ 6,160	40%	\$ 3,696
<a href="#">VN-VI-SW</a>	VICONNET VI SOFTWARE; for Video Analytics system capabilities (server and proxy)			\$ 924	40%	\$ 554
						\$ -
<b>ViconNet Software Enhancement - Initial Price</b>						\$ -
VE-K-1	VICONNET SOFTWARE ENHANCEMENTS; for Kollector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-NVR-1	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-WS-1	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-500-1	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VNS500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-VMDC-1	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
						\$ -
<b>ViconNet Software Enhancement - Standard Price</b>						\$ -
						\$ -

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VE-K-S	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
VE-NVR-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
VE-WS-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 151	40%	\$ 91
VE-500-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VNS500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 151	40%	\$ 91
VE-VMDC-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
<b>ViconNet Software Enhancement - Renewal Price</b>						\$ -
						\$ -
						\$ -
VE-K-R	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-WS-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-WS-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VE-WS-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-500-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-VMDC-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-VMDC-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-VMDC-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
<b>ViconNet Software Upgrades + Enhancement Packages</b>						\$ -
VUE-K-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-NVR-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-WS-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-500-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-VMDC-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMC/VMDC; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-K-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-NVR-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-WS-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VUE-500-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VUE-VMDC-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMC/VMDC; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
<b>Kollector® Strike Hybrid Digital Video Recorders with Internal Hard Drive - <i>Version 5</i></b>						\$ -
<b>Digital and Network Video Recorders</b>						\$ -
KS1B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 5,510	40%	\$ 3,306

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KS1B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,344	40%	\$ 3,806
KS1B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,176	40%	\$ 4,306
KS1B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,905	40%	\$ 4,743
KS1B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,530	40%	\$ 5,118
KS1B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,051	40%	\$ 5,430
KS2B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,552	40%	\$ 3,931
KS2B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,386	40%	\$ 4,431
KS2B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,218	40%	\$ 4,931
KS2B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
KS2B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,572	40%	\$ 5,743
KS2B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,093	40%	\$ 6,056
KS3B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,635	40%	\$ 5,181
KS3B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,469	40%	\$ 5,681
KS3B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS3B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
KS3B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,656	40%	\$ 6,994
KS3B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,177	40%	\$ 7,306
						\$ -
						\$ -
						\$ -

**Kollector® Strike Hybrid Digital Video Recorders with Removable Hard Drive - *Version 5***

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KS2-500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 7,281	40%	\$ 4,369
<a href="#">KS2-1000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 8,115	40%	\$ 4,869
<a href="#">KS2-1500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
<a href="#">KS2-2000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 9,677	40%	\$ 5,806
<a href="#">KS2-3000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
<a href="#">KS2-4000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493
<a href="#">KS2-5000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,343	40%	\$ 6,806
<a href="#">KS2-6000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,864	40%	\$ 7,118
<a href="#">KS3-500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
<a href="#">KS3-1000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
<a href="#">KS3-1500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
<a href="#">KS3-2000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
<a href="#">KS3-3000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 12,385	40%	\$ 7,431
<a href="#">KS3-4000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 12,906	40%	\$ 7,744
<a href="#">KS3-5000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
<a href="#">KS3-6000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
<a href="#">KS2-500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 7,281	40%	\$ 4,369
<a href="#">KS2-1000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 8,115	40%	\$ 4,869

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KS2-1500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
<a href="#">KS2-2000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 9,677	40%	\$ 5,806
<a href="#">KS2-3000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
<a href="#">KS2-4000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493
<a href="#">KS2-5000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,343	40%	\$ 6,806
<a href="#">KS2-6000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,864	40%	\$ 7,118
<a href="#">KS3-500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
<a href="#">KS3-1000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
<a href="#">KS3-1500V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
<a href="#">KS3-2000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
<a href="#">KS3-3000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 12,385	40%	\$ 7,431
<a href="#">KS3-4000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 12,906	40%	\$ 7,744
<a href="#">KS3-5000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
<a href="#">KS3-6000V5</a>	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels. NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
						\$ -
<b>Collector® Force Hybrid Digital Video Recorders - <i>Version 5</i></b>						\$ -
<a href="#">KF2-500V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
<a href="#">KF2-1000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
<a href="#">KF2-2000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KF2-3000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,384	40%	\$ 7,430
<a href="#">KF2-4000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,905	40%	\$ 7,743
<a href="#">KF2-5000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
<a href="#">KF2-6000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
<a href="#">KF2-7000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,571	40%	\$ 8,743
<a href="#">KF2-8000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,197	40%	\$ 9,118
<a href="#">KF3-500V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,406	40%	\$ 6,243
<a href="#">KF3-1000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,240	40%	\$ 6,744
<a href="#">KF3-2000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,801	40%	\$ 7,681
<a href="#">KF3-3000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
<a href="#">KF3-4000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
<a href="#">KF3-5000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,468	40%	\$ 8,681
<a href="#">KF3-6000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,989	40%	\$ 8,993
<a href="#">KF3-7000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,613	40%	\$ 9,368
<a href="#">KF3-8000V5</a>	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 16,239	40%	\$ 9,744
						\$ -
						\$ -
						\$ -
<b>Kollector® Force Hybrid Digital Network Video Recorders with Internal RAID</b>						\$ -
<a href="#">KF2-1000V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive. NTSC/EIA and PAL/CCIR			\$ 12,489	40%	\$ 7,493

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KF2-1500V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 13,323	40%	\$ 7,994
<a href="#">KF2-2000V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 14,052	40%	\$ 8,431
<a href="#">KF2-3000V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 14,676	40%	\$ 8,806
<a href="#">KF2-5500V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5.5 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 16,134	40%	\$ 9,681
<a href="#">KF3-1500V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 16,134	40%	\$ 9,681
<a href="#">KF3-3000V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 17,489	40%	\$ 10,494
<a href="#">KF3-5500V5-R5</a>	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5 TB usable RAID 5.5 data, hot-swappable removable HDD, no DVD drive, NTSC/EIA and PAL/CCIR			\$ 18,946	40%	\$ 11,368
						\$ -
						\$ -
<b>Collector® Bridge Hybrid Digital Video Recorders with SMS - Version 5</b>						
<a href="#">KB2-3000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 29,768	40%	\$ 17,861
<a href="#">KB2-4000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 19,793	40%	\$ 11,876
<a href="#">KB2-4000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 21,353	40%	\$ 12,812
<a href="#">KB2-4000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 27,052	40%	\$ 16,231
<a href="#">KB2-4000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 31,851	40%	\$ 19,111

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KB2-5000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 21,875	40%	\$ 13,125
<a href="#">KB2-5000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 23,435	40%	\$ 14,061
<a href="#">KB2-5000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 29,135	40%	\$ 17,481
<a href="#">KB2-5000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 33,934	40%	\$ 20,360
<a href="#">KB3-500V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 13,543	40%	\$ 8,126
<a href="#">KB3-500V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 15,103	40%	\$ 9,062
<a href="#">KB3-500V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 20,802	40%	\$ 12,481
<a href="#">KB3-500V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 25,601	40%	\$ 15,361
<a href="#">KB3-1000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 14,585	40%	\$ 8,751
<a href="#">KB3-1000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 16,145	40%	\$ 9,687
<a href="#">KB3-1000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 21,844	40%	\$ 13,107
<a href="#">KB3-1000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 26,643	40%	\$ 15,986

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">KB3-2000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 16,668	40%	\$ 10,001
<a href="#">KB3-2000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 18,228	40%	\$ 10,937
<a href="#">KB3-2000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 23,927	40%	\$ 14,356
<a href="#">KB3-2000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 28,726	40%	\$ 17,236
<a href="#">KB3-3000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 18,750	40%	\$ 11,250
<a href="#">KB3-3000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 20,311	40%	\$ 12,186
<a href="#">KB3-3000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 26,010	40%	\$ 15,606
<a href="#">KB3-3000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 30,809	40%	\$ 18,485
<a href="#">KB3-4000V5-16</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 20,835	40%	\$ 12,501
<a href="#">KB3-4000V5-32</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 22,395	40%	\$ 13,437
<a href="#">KB3-4000V5-64</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 28,094	40%	\$ 16,856
<a href="#">KB3-4000V5-128</a>	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 32,893	40%	\$ 19,736

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
						\$ -
<b>Network Video Recorders <i>Version 5.0</i></b>						\$ -
Turnkey Network Video Recorder preloaded with ViconNet Ver 5.0 software. View, record and configure ViconNet IP devices and recorders. Various internal HDD storage options. External RAID ready when optional iSCSI or NIC card installed.						\$ -
<a href="#">VN-NVR-SANV5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; tower case			\$ 5,833	40%	\$ 3,500
<a href="#">VN-NVR-500V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; tower case			\$ 6,354	40%	\$ 3,812
<a href="#">VN-NVR-1000V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; tower case			\$ 7,083	40%	\$ 4,250
<a href="#">VN-NVR-1500V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; tower case			\$ 7,812	40%	\$ 4,687
<a href="#">VN-NVR-2000V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; tower case			\$ 8,646	40%	\$ 5,188
<a href="#">VN-NVR-3000V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; tower case			\$ 9,479	40%	\$ 5,687
<a href="#">VN-NVR-5000V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; tower case			\$ 10,312	40%	\$ 6,187
<a href="#">VN-NVR-6000V5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; tower case			\$ 11,146	40%	\$ 6,688
<a href="#">VN-NVR-SANV5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; rack mount			\$ 5,833	40%	\$ 3,500
<a href="#">VN-NVR-500V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; rack-mount			\$ 6,354	40%	\$ 3,812
<a href="#">VN-NVR-1000V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; rack-mount			\$ 7,083	40%	\$ 4,250
<a href="#">VN-NVR-1500V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; rack-mount			\$ 7,812	40%	\$ 4,687
<a href="#">VN-NVR-2000V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; rack-mount			\$ 8,646	40%	\$ 5,188
<a href="#">VN-NVR-3000V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; rack-mount			\$ 9,479	40%	\$ 5,687
<a href="#">VN-NVR-5000V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; rack-mount			\$ 10,312	40%	\$ 6,187
<a href="#">VN-NVR-6000V5-R</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; rack-mount			\$ 11,146	40%	\$ 6,688
<b>Shadow Network Video Recorders with Internal RAID</b>						\$ -
<a href="#">VN-NVR-3300-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Pentium-based hardware; rack-mount			\$ 12,500	40%	\$ 7,500
<a href="#">VN-NVR-6500-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Pentium-based hardware; rack-mount			\$ 14,375	40%	\$ 8,625
<a href="#">VN-NVR-13TB-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Pentium-based hardware; rack-mount			\$ 16,667	40%	\$ 10,000

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">VN-NVR-3300P-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Xeon-based hardware; rack-mount			\$ 13,333	40%	\$ 8,000
<a href="#">VN-NVR-6500P-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Xeon-based hardware; rack-mount			\$ 15,208	40%	\$ 9,125
<a href="#">VN-NVR-13TBP-R5</a>	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Xeon-based hardware; rack-mount			\$ 17,500	40%	\$ 10,500
<b>Storage and UPS Options</b>						
<a href="#">VN-SAN-8-500</a>	VICONNET SAN STORAGE; includes eight 500 GB hot swappable drives, 3.3 TB usable storage, configured to RAID 5			\$ 13,978	40%	\$ 8,387
<a href="#">VN-SAN-8-1000</a>	VICONNET SAN STORAGE; includes eight 1000 GB hot swappable drives, 6.5 TB usable storage, configured to RAID 5			\$ 16,232	40%	\$ 9,739
<a href="#">VN-SAN-14-1000</a>	VICONNET SAN STORAGE; includes fourteen 1000 GB hot swappable drives, 12.3 TB usable storage, configured to RAID 5			\$ 22,393	40%	\$ 13,436
<a href="#">VN-SAN-42-1000</a>	VICONNET SAN STORAGE; includes forty-two 1000 GB hot swappable drives, 36 TB usable storage, configured to RAID 5			\$ 69,863	40%	\$ 41,918
VN-SAN-42-2000	VICONNET SAN STORAGE; includes forty-two 2000 GB hot swappable drives, 68 TB usable storage, configured to RAID 5			\$ 115,548	40%	\$ 69,329
VGEZ-1000	PC-TO-TV CONVERTER; self-powered USB interface, VGA in and VGA out connections, composite and S-video (NTSC) output			\$ 157	40%	\$ 94
<a href="#">V725-UPS</a>	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 725VA/450W, USB control port, 120 VAC input/output			\$ 237	40%	\$ 142
<a href="#">V1000-UPS</a>	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,292	40%	\$ 775
<a href="#">V1000R-UPS</a>	UNINTERRUPTIBLE POWER SUPPLY; rack-mount, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,354	40%	\$ 812
<b>Spare Hard Drive Options*</b>						
KOLL-S250	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 250 GB			\$ 208	40%	\$ 125
KOLL-S500	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 500 GB			\$ 523	40%	\$ 314
KOLL-S1000	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 1000 GB			\$ 1,042	40%	\$ 625
<b>Non-PC-Based Digital Video Recorders</b>						
<a href="#">VDR-408-500</a>	8-CHANNEL DIGITAL VIDEO RECORDER; 500 GB hard drive, 200 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 2,767	40%	\$ 1,660
<a href="#">VDR-416-1000</a>	16-CHANNEL DIGITAL VIDEO RECORDER; 1000 GB hard drive, 400 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 3,353	40%	\$ 2,012
<b>IP Cameras and Edge Devices</b>						
<b>Surveyor-Mini IP Impact-Resistant Camera Dome with PTZ</b>						
<a href="#">SVR-C-V5</a>	INDOOR/IN-CEILING IP CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,976	40%	\$ 1,186
<a href="#">SVR-C-O</a>	INDOOR/IN-CEILING IP CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,081	40%	\$ 1,249
<a href="#">SVR-P-V5</a>	INDOOR/PENDANT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,022	40%	\$ 1,213

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVR-P-O</a>	INDOOR/PENDANT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome. NTSC			\$ 2,127	40%	\$ 1,276
<a href="#">SVR-S-V5</a>	INDOOR/SURFACE MOUNT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome. NTSC			\$ 1,976	40%	\$ 1,186
<a href="#">SVR-S-O</a>	INDOOR/SURFACE MOUNT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome. NTSC			\$ 2,081	40%	\$ 1,249
<a href="#">SVR-W-V5</a>	OUTDOOR/PENDANT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome. NTSC			\$ 2,050	40%	\$ 1,230
<a href="#">SVR-W-O</a>	OUTDOOR/PENDANT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome. NTSC			\$ 2,153	40%	\$ 1,292
<a href="#">SVR-SW-V5</a>	OUTDOOR/SURFACE MOUNT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome. NTSC			\$ 2,022	40%	\$ 1,213
<a href="#">SVR-SW-O</a>	OUTDOOR/SURFACE MOUNT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome. NTSC			\$ 2,127	40%	\$ 1,276
<b>SurveyorVFT IP Camera Domes</b>						\$ -
<a href="#">SVFT-C22-V5</a>	INDOOR IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,580	40%	\$ 2,148
<a href="#">SVFT-P22-V5</a>	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,747	40%	\$ 2,248
<a href="#">SVFT-W22-V5</a>	OUTDOOR PENDANT COLOR IP CAMERA DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,830	40%	\$ 2,298
<a href="#">SVFT-C23-V5</a>	INDOOR IN-CEILING DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission			\$ 3,830	40%	\$ 2,298
<a href="#">SVFT-P23-V5</a>	INDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,996	40%	\$ 2,398
<a href="#">SVFT-W23-V5</a>	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission			\$ 4,080	40%	\$ 2,448
<a href="#">SVFT-W35-V5</a>	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,547	40%	\$ 2,728
<a href="#">SVFT-C22CA-V5</a>	IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,760	40%	\$ 1,656

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVFT-P22CA-V5</a>	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,822	40%	\$ 1,693
<a href="#">SVFT-W22CA-V5</a>	OUTDOOR PENDANT VARIABLE-SPEED COLOR IP CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,926	40%	\$ 1,756
<b>SurveyorVFT IP Impact-Resistant PTZ Camera Domes</b>						
<a href="#">SVFT-M22-V5</a>	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,321	40%	\$ 1,993
<a href="#">SVFT-M22E-V5</a>	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,842	40%	\$ 2,305
<a href="#">SVFT-M23-V5</a>	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR). For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,092	40%	\$ 2,455
<a href="#">SVFT-M35-V5</a>	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,561	40%	\$ 2,737
<b>SurveyorVFT IP Pressurized PTZ Camera Domes</b>						
<a href="#">SVFT-PRS22E-V5</a>	PRESSURIZED IP CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,076	40%	\$ 3,046
<a href="#">SVFT-PRS23-V5</a>	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,326	40%	\$ 3,196
<a href="#">SVFT-PRS35-V5</a>	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,795	40%	\$ 3,477
<b>SurveyorVFT IP Fixed Camera Domes</b>						
<a href="#">SVFT-C3312V5</a>	IN-CEILING FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,456	40%	\$ 874
<a href="#">SVFT-P3312V5</a>	PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,517	40%	\$ 910
<a href="#">SVFT-W3312V5</a>	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,705	40%	\$ 1,023
<a href="#">SVFT-W3312DN-V5</a>	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,830	40%	\$ 1,098
<a href="#">SVFT-W550DN-V5</a>	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVFT-M550DN-V5</a>	IMPACT-RESISTANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173
<b>SurveyorVFT IP Conversion</b>						\$ -
SVFT-IP-UPGV5	UPGRADE KIT; converts non-IP SurveyorVFT domes to IP version			\$ 1,156	40%	\$ 694
<b>I-ONYX® Megapixel Cameras</b>						\$ -
<a href="#">MP-980DN</a>	H.264/M-JPEG/MPEG-4 MEGAPIXEL DAY/NIGHT IP CAMERA; CS-mount (lens not included); supports up to 2 megapixel resolution, PoE, 1600x1200			\$ 988	40%	\$ 593
<a href="#">MPD-980DN</a>	H.264/M-JPEG/MPEG-4 MEGAPIXEL DAY/NIGHT IP INDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoiris lens, PoE, 1600x1200, surface-mount			\$ 1,041	40%	\$ 624
<a href="#">MPD-980DN-O</a>	H.264/M-JPEG/MPEG-4 MEGAPIXEL DAY/NIGHT IP OUTDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoiris lens, IR illuminators, PoE, 1600x1200, surface-in-ceiling mount			\$ 1,457	40%	\$ 874
MPD-980-DOME	DOME COVER; housing for MPD-980DN-O			\$ 278	40%	\$ 167
MPD-980-WALL	WALL MOUNT; pendant arm mount for MPD-980-DOME			\$ 77	40%	\$ 46
VND-970IP-CM	IN-CEILING MOUNT; designed to mount the VND-970IP and MPD-980DN into a ceiling			\$143	40%	\$ 86
<b>1.3 Megapixel Cameras</b>						\$ -
<a href="#">MP-955</a>	M-JPEG/MPEG-4 MEGAPIXEL IP CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 906	40%	\$ 544
<a href="#">MP-955DN</a>	M-JPEG/MPEG-4 MEGAPIXEL IP DAY/NIGHT CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled f4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 1,079	40%	\$ 647
<a href="#">MP-955IR</a>	M-JPEG/MPEG-4 MEGAPIXEL IR DAY/NIGHT IP BULLET CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter. MPD-955-WM wall mount must be purchased separately.			\$ 1,327	40%	\$ 796
<a href="#">MPD-955</a>	M-JPEG/MPEG-4 MEGAPIXEL IP INDOOR 3-IN. DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 931	40%	\$ 559
<a href="#">MPD-955DN-O</a>	M-JPEG/MPEG-4 MEGAPIXEL IP OUTDOOR 3-IN. DAY/NIGHT DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter, vandal-proof, IP66			\$ 1,385	40%	\$ 831
<a href="#">MPD-955-DN-O-WM</a>	WALL MOUNT; designed to allow pendant mounting of MPD-955DN-O			\$ 65	40%	\$ 39
<a href="#">MPD-955-DN-O-CM</a>	IN-CEILING MOUNT; designed to allow recessed (flush) in-ceiling mounting of MPD-955DN-O			\$ 125	40%	\$ 75
<a href="#">MPD-955-WM</a>	WALL MOUNT; designed to allow pendant mounting of MPD-955			\$ 65	40%	\$ 39
<b>Roughneck® V910 Fixed Impact-Resistant IP Camera Dome</b>						\$ -
<a href="#">V910A-IP5</a>	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,272	40%	\$ 763
<a href="#">V910-N312V</a>	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. day/night color camera with DNR; 3.3-12 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission			\$1,206	40%	\$ 723

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">V910A-WDR-IP5</a>	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,483	40%	\$ 890
<a href="#">V910A-NR-IP5</a>	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,164	40%	\$ 698
<a href="#">V910D-IP5</a>	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 9.22 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,272	40%	\$ 763
<a href="#">V910-N922V</a>	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. day/night color camera with DNR; 9.22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$1,206	40%	\$ 723
<a href="#">V910-D922V</a>	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 9.22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$1,247	40%	\$ 748
						\$ -
						\$ -
						\$ -
						\$ -
<b>Indoor Fixed IP Camera Dome</b>						
<a href="#">VND-970IP</a>	IP SURFACE MOUNT INDOOR DOME CAMERA; includes 1/4-in. CMOS progressive scan color camera with 3.3-12 mm varifocal lens; PoE or 12 VDC capability, isolated power input; smoked dome. For use with ViconNet Ver. 5.2 (LAN) for video/data transmission.			\$677	40%	\$ 406
<a href="#">VND-970IP-CM</a>	IN-CEILING MOUNT; designed to mount the VND-970IP and MPD-980DN into a ceiling			\$143	40%	\$ 86
						\$ -
						\$ -
						\$ -
						\$ -
<b>IP Cameras and Video Encoders</b>						
<a href="#">VN-856V5</a>	LONYX® IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 970	40%	\$ 582
<a href="#">VN-856DNV5</a>	LONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,039	40%	\$ 623
<a href="#">VN-856WDRV5</a>	LONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; wide dynamic range; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,195	40%	\$ 717
<a href="#">VN-957DN</a>	LONYX IP CAMERA; MPEG-4 open platform, 1/3-inch day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 12 VDC or PoE.			\$ 1,039	40%	\$ 623
<a href="#">V12VDC-PS</a>	12 VDC POWER SUPPLY; for VN-957 series cameras, 100-240 VAC input, 12 VDC output, 1.5 A load			\$ 28	40%	\$ 17
						\$ -
						\$ -
						\$ -
						\$ -
<b>Arecont Cameras and Accessories</b>						
<a href="#">VN-AV1355</a>	1.3 MEGAPIXEL H.264/MJPEG IP COLOR ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 1,771	40%	\$ 1,063

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VN-AV1355DN-1HK	1.3 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with heater			\$ 2,009	40%	\$ 1,205
VN-AV2105DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT BOX CAMERA; 1600x1200, motorized IR cut filter			\$ 1,620	40%	\$ 972
VN-AV2155DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,286	40%	\$ 1,372
VN-AV3105DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT BOX CAMERA; 2048x1536, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV3155DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,366	40%	\$ 1,420
VN-AV3155DN-16	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,425	40%	\$ 1,455
VN-AV5100DN	5.0 MEGAPIXEL IP DAY/NIGHT BOX CAMERA; 2592x1944, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV5105DN	5.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT BOX CAMERA; 2592x1944, motorized IR cut filter			\$ 1,919	40%	\$ 1,151
VN-AV5155DN	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,514	40%	\$ 1,509
VN-AV5155DN-1HK	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with 10V-50 V DC heater			\$ 2,604	40%	\$ 1,562
VN-AV5155DN-16	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,573	40%	\$ 1,544
VN-AV8185	8 MEGAPIXEL IP DAY/NIGHT DOME CAMERA ; 180 degree panoramic camera with four 2 megapixel imagers with lenses			\$ 4,449	40%	\$ 2,669
VN-AV8365	MEGAPIXEL IP DAY/NIGHT DOME CAMERA; 360 degree panoramic camera with four 2 megapixel imagers with 4mm lenses			\$ 4,151	40%	\$ 2,491
VN-RD-KIT	RECESSED DOME KIT; for mounting the VN-AV8185 and VN-AV8365 cameras			\$ 114	40%	\$ 68
VN-AVDOME6-O-W	OUTDOOR VANDAL-RESISTANT 6-IN. DOME; for VN-AV8xx cameras; includes heater, blower, sunshade and wall mount; IP66			\$ 877	40%	\$ 526
VN-AVHSG1-O-W	OUTDOOR HOUSING; IP67, vandalproof, for single and dual sensor cameras, includes heater and blower			\$ 337	40%	\$ 202
VN-AVHSG1-SS	SUNSHIELD; for VN-HSG1-O-W			\$ 161	40%	\$ 97
VN-MPL4-10	VARIFOCAL MEGAPIXEL LENS; 4.5-10 mm, 1/2-in., f1.6, CS-mount, 37.0° - 80.5° FOV			\$ 114	40%	\$ 68
VN-AVWMT	WALL MOUNT; for VN-AV dome series			\$ 193	40%	\$ 116
VN-AVCMT	PENDANT MOUNT; for VN-AV dome series			\$ 298	40%	\$ 179
VN-AVPMP	POLE ADAPTER; for VN-AV dome series			\$ 134	40%	\$ 80
VN-AVHS-HC	ENVIRONMENTAL HOUSING; for VN-AV dome series; includes heater and ceiling mount			\$ 877	40%	\$ 526
						\$ -
						\$ -
						\$ -
<b>Video Encoders</b>						
<a href="#">VN-301TV5-1</a>	VICONNET 1-CHANNEL VIDEO ENCODER; accepts 1 analog video input for transmission over TCP/IP network (30 fps total). Includes ViconNet version 5 viewing software.			\$ 1,240	40%	\$ 744
<a href="#">KTX-4V5</a>	VICONNET 4-CHANNEL DIGITAL VIDEO ENCODER; 120 fps (total), ViconNet Ver. 5.0; audio input/output; power over Ethernet capable			\$ 2,305	40%	\$ 1,383
<a href="#">KX-4-CC</a>	RACK KIT; for use with KTX-4 IP encoder. Mounts eight (8) KTX-4 encoders in standard 19-in rack. Requires 5U space.			\$ 573	40%	\$ 344
<a href="#">KX-4-RK2</a>	DOUBLE WIDTH RACK KIT; for use with KTX-4 IP encoder. Mounts two (2) KTX-4 encoders in standard 19-in rack.			\$ 145	40%	\$ 87
<a href="#">KX-4-WM</a>	WALL MOUNT BRACKET; for mounting single KTX-4 encoder to wall			\$ 59	40%	\$ 35
						\$ -
						\$ -
						\$ -
<b>Network Switches</b>						
<a href="#">NETSWITCH-10</a>	NETWORK SWITCH; 10-channel LAN connections, 10/100 autosensing ports, provides Power over Ethernet			\$ 724	40%	\$ 434
<a href="#">NETSWITCH-16</a>	NETWORK SWITCH; 16-channel LAN connections, 10/100, autosensing ports			\$ 205	40%	\$ 123
<a href="#">NETSWITCH-24</a>	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports			\$ 886	40%	\$ 532

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">NETSWITCH-24POE</a>	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports, provides Power over Ethernet			\$ 1,049	40%	\$ 629
	<b>Analog Camera Domes and Cameras</b>					\$ -
						\$ -
						\$ -
						\$ -
<b>Survevor-Mini Camera Dome with PTZ</b>						\$ -
<a href="#">SVR-C</a>	INDOOR/IN-CEILING CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936
<a href="#">SVR-P</a>	INDOOR/PENDANT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,606	40%	\$ 964
<a href="#">SVR-S</a>	INDOOR/SURFACE MOUNT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936
<a href="#">SVR-W</a>	OUTDOOR/PENDANT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,632	40%	\$ 979
<a href="#">SVR-SW</a>	OUTDOOR/SURFACE MOUNT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,606	40%	\$ 964
						\$ -
						\$ -
						\$ -
<b>SurveyorVFT® 22X High-Sensitivity Camera Dome Systems</b>						\$ -
<a href="#">SVFT-C22</a>	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; coaxial video transmission			\$ 2,852	40%	\$ 1,711
<a href="#">SVFT-C22-F</a>	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,842	40%	\$ 2,305
<a href="#">SVFT-C22-T</a>	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; twisted pair video transmission			\$ 2,894	40%	\$ 1,736
<a href="#">SVFT-P22</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; coaxial video transmission			\$ 3,019	40%	\$ 1,811
<a href="#">SVFT-P22-F</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,009	40%	\$ 2,405
<a href="#">SVFT-P22-T</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; twisted pair video transmission			\$ 3,061	40%	\$ 1,837
<a href="#">SVFT-W22</a>	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861
<a href="#">SVFT-W22-F</a>	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
<a href="#">SVFT-W22-T</a>	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
						\$ -
						\$ -
						\$ -
<b>SurveyorVFT 23X Day/Night Wide Dynamic Range Camera Dome Systems</b>						\$ -
<a href="#">SVFT-C23</a>	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVFT-C23-F</a>	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
<a href="#">SVFT-C23-T</a>	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
<a href="#">SVFT-P23</a>	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; coaxial video transmission			\$ 3,268	40%	\$ 1,961
<a href="#">SVFT-P23-F</a>	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,258	40%	\$ 2,555
<a href="#">SVFT-P23-T</a>	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; twisted pair video transmission			\$ 3,310	40%	\$ 1,986
<a href="#">SVFT-W23</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; coaxial video transmission			\$ 3,352	40%	\$ 2,011
<a href="#">SVFT-W23-F</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,342	40%	\$ 2,605
<a href="#">SVFT-W23-T</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; twisted pair video transmission			\$ 3,394	40%	\$ 2,036
<b>SurveyorVFT 35X Day/Night Wide Dynamic Range and Image Stabilization Camera Dome Systems</b>						\$ -
<a href="#">SVFT-W35</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; coaxial video transmission			\$ 3,819	40%	\$ 2,291
<a href="#">SVFT-W35-F</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,809	40%	\$ 2,885
<a href="#">SVFT-W35-T</a>	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; twisted pair video transmission			\$ 3,861	40%	\$ 2,317
<b>SurveyorVFT 22X Cost Effective Camera Dome Systems</b>						\$ -
<a href="#">SVFT-C22CA</a>	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; coaxial video transmission			\$ 2,032	40%	\$ 1,219
<a href="#">SVFT-C22CA-F</a>	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,022	40%	\$ 1,813
<a href="#">SVFT-C22CA-T</a>	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
<a href="#">SVFT-P22CA</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; coaxial video transmission			\$ 2,094	40%	\$ 1,256

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVFT-P22CA-F</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,084	40%	\$ 1,850
<a href="#">SVFT-P22CA-T</a>	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
<a href="#">SVFT-W22CA</a>	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; coaxial video transmission			\$ 2,198	40%	\$ 1,319
<a href="#">SVFT-W22CA-F</a>	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,188	40%	\$ 1,913
<a href="#">SVFT-W22CA-T</a>	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; twisted pair video transmission			\$ 2,240	40%	\$ 1,344
<b>SurveyorVFT Impact-Resistant Camera Domes</b>						\$ -
<a href="#">SVFT-M22</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; coaxial video transmission			\$ 2,593	40%	\$ 1,556
<a href="#">SVFT-M22-F</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,583	40%	\$ 2,150
<a href="#">SVFT-M22-T</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; twisted pair video transmission			\$ 2,635	40%	\$ 1,581
<a href="#">SVFT-M22E</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; coaxial video transmission			\$ 3,114	40%	\$ 1,869
<a href="#">SVFT-M22E-F</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,104	40%	\$ 2,462
<a href="#">SVFT-M22E-T</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; twisted pair video transmission			\$ 3,156	40%	\$ 1,894
<a href="#">SVFT-M23</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); coaxial video transmission			\$ 3,364	40%	\$ 2,018
<a href="#">SVFT-M23-F</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,354	40%	\$ 2,612
<a href="#">SVFT-M23-T</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); twisted pair video transmission			\$ 3,406	40%	\$ 2,044
<a href="#">SVFT-M35</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; coaxial video transmission			\$ 3,833	40%	\$ 2,300
<a href="#">SVFT-M35-F</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,823	40%	\$ 2,894
<a href="#">SVFT-M35-T</a>	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; twisted pair video transmission			\$ 3,875	40%	\$ 2,325

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
						\$ -
<b>SurveyorVFT Pressurized Camera Dome Systems and Accessories</b>						\$ -
<a href="#">SVFT-PRS22E</a>	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; coaxial video transmission			\$ 3,937	40%	\$ 2,362
<a href="#">SVFT-PRS22E-F</a>	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 5,802	40%	\$ 3,481
<a href="#">SVFT-PRS22E-T</a>	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; twisted pair video transmission			\$ 3,979	40%	\$ 2,387
<a href="#">SVFT-PRS23</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,187	40%	\$ 2,512
<a href="#">SVFT-PRS23-F</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,052	40%	\$ 3,631
<a href="#">SVFT-PRS23-T</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,229	40%	\$ 2,537
<a href="#">SVFT-PRS35</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,656	40%	\$ 2,794
<a href="#">SVFT-PRS35-F</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,521	40%	\$ 3,913
<a href="#">SVFT-PRS35-T</a>	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,698	40%	\$ 2,819
<a href="#">SVFT-PRC12</a>	PRE-WIRED COAXIAL CABLE; for use with SurveyorVFT Pressurized Dome			\$ 365	40%	\$ 219
<a href="#">SVFT-PRC12T</a>	PRE-WIRED TWISTED PAIR CABLE; for use with SurveyorVFT Pressurized Dome			\$ 533	40%	\$ 320
<a href="#">SVFT-PR-WMA</a>	WALL MOUNT; for SurveyorVFT Pressurized Domes			\$ 238	40%	\$ 143
<a href="#">SVFT-PR-P</a>	PIPE ADAPTER; for mounting SurveyorVFT Pressurized Domes to 1-1/2-in. diameter pipe			\$ 162	40%	\$ 97
						\$ -
<b>SurveyorVFT Fixed Camera Domes</b>						\$ -
<a href="#">SVFT-G3312</a>	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; coaxial video transmission			\$ 728	40%	\$ 437
<a href="#">SVFT-G3312F1</a>	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,185	40%	\$ 711
<a href="#">SVFT-G3312T</a>	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; twisted pair video transmission			\$ 770	40%	\$ 462
<a href="#">SVFT-P3312</a>	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; coaxial video transmission			\$ 789	40%	\$ 474

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SVFT-P3312F1</a>	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,247	40%	\$ 748
<a href="#">SVFT-P3312T</a>	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; twisted pair video transmission			\$ 831	40%	\$ 499
<a href="#">SVFT-W3312</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 977	40%	\$ 586
<a href="#">SVFT-W3312F1</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,435	40%	\$ 861
<a href="#">SVFT-W3312T</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,019	40%	\$ 611
<a href="#">SVFT-W3312DN</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 1,102	40%	\$ 661
<a href="#">SVFT-W3312F1DN</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,560	40%	\$ 936
<a href="#">SVFT-W3312TDN</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,144	40%	\$ 686
<a href="#">SVFT-W550DN</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; coaxial video transmission			\$ 1,227	40%	\$ 736
<a href="#">SVFT-W550DN-F1</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,685	40%	\$ 1,011
<a href="#">SVFT-W550DN-T</a>	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; twisted pair video transmission			\$ 1,269	40%	\$ 761
<b>SurveyorVFT Indoor Lower Dome Options</b>						\$ -
<a href="#">SVFT-SMK</a>	SMOKED LOWER DOME; for SurveyorVFT indoor domes			\$ 72	40%	\$ 43
<a href="#">SVFT-CHR</a>	CHROME LOWER DOME; for SurveyorVFT indoor domes			\$ 156	40%	\$ 93
<a href="#">SVFT-GLD</a>	GOLD LOWER DOME; for SurveyorVFT indoor domes			\$ 267	40%	\$ 160
<b>SurveyorVFT Dome Mounting Options</b>						\$ -
<a href="#">SVFT-UCP</a>	CEILING PANEL SUPPORT; for SurveyorVFT Camera Dome Systems			\$ 97	40%	\$ 58
<a href="#">SVFT-UWM</a>	WALL MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems			\$ 150	40%	\$ 90
<a href="#">SVFT-WM</a>	WALL MOUNT; indoor/outdoor, short, for use SurveyorVFT Camera Dome Systems			\$ 100	40%	\$ 60
<a href="#">SVFT-UCM</a>	CEILING MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems			\$ 52	40%	\$ 31
<b>SurveyorVFT Power Supplies for Camera Domes Systems</b>						\$ -
<a href="#">S24WPS-1</a>	POWER SUPPLY; 24 VAC output, 2.0 amps			\$ 35	40%	\$ 21
<a href="#">S28WPS-1</a>	POWER SUPPLY; 28 VAC output, 4 amps; for outdoor SurveyorVFT Camera Domes			\$ 52	40%	\$ 31
<a href="#">V2448-175PS</a>	POWER SUPPLY; four-channel, 120 VAC input, 24/28 VAC output, 7/6.25 amps (total)			\$ 207	40%	\$ 124
<a href="#">V248-300PS</a>	POWER SUPPLY; eight-channel, 120 VAC input, 24/28 VAC output, 12.5/10 amps (total)			\$ 268	40%	\$ 161

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">V248-600PS</a>	POWER SUPPLY; eight-channel, 120 VAC input, 24 VAC output, 25 amps (total)			\$ 347	40%	\$ 208
<a href="#">V2416-600PS</a>	POWER SUPPLY; sixteen-channel, 120 VAC input, 24/28 VAC output, 25/20 amps (total)			\$ 456	40%	\$ 274
						\$ -
						\$ -
						\$ -
<b>Fixed-Position Domes</b>						
<a href="#">VC-600S</a>	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 407	40%	\$ 244
<a href="#">VC-610S</a>	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 614	40%	\$ 368
<a href="#">VC-600-PLATE</a>	ADAPTER PLATE; to mount the VC-600S/VC-610S into a 4 x 4 in. electrical box			\$ 19	40%	\$ 11
<a href="#">V700-C312</a>	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC, clear lower dome; 90° tilt			\$ 331	40%	\$ 199
<a href="#">VC-710S</a>	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome; 90° tilt			\$ 614	40%	\$ 368
						\$ -
						\$ -
						\$ -
<b>Roughneck® V926 Impact-Resistant Camera Domes</b>						
<a href="#">V926-W3312</a>	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
<a href="#">V926-W3312T</a>	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
<a href="#">V926-W3312DN</a>	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/4-in. high-resolution color/monochrome camera, 3.3-12 mm varifocal day/night autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
<a href="#">V926A-CA</a>	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
						\$ -
						\$ -
						\$ -
<b>Roughneck V910 Impact-Resistant Camera Domes</b>						
<a href="#">V910-W3312</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
<a href="#">V910-W3312T</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
<a href="#">V910-W3312DN</a>	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
<a href="#">V910-W3312F1</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,330	40%	\$ 798
<a href="#">V910-W3312DN-F1</a>	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,478	40%	\$ 887
<a href="#">V910A-CA</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
<a href="#">V910AT-CA</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">V910A-DN</a>	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 2.6-6 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
<a href="#">V910-D312</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA WITH WDR; includes 1/3-in. Pixim high-resolution color camera with Wide Dynamic Range and 3.3 - 12 mm varifocal autoiris lens; 24 VAC; isolated power input			\$ 831	40%	\$ 499
<a href="#">V910A-NR</a>	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; 24 VAC capability, isolated power input; smoked dome; coaxial video transmission			\$ 594	40%	\$ 356
						\$ -
<b>Roughneck V910 Mounting Options</b>						\$ -
<a href="#">V910-PH</a>	PENDANT ADAPTER; for use with V910 dome series, adapts V910 to work with SVFT-UWM, SVFT-WM, and SVFT-UCM pendant mounts; indoor/outdoor			\$ 55	40%	\$ 33
<a href="#">V910-ICD</a>	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for drop ceiling installations			\$ 193	40%	\$ 116
<a href="#">V910-ICH</a>	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for hard ceiling installations			\$ 177	40%	\$ 106
						\$ -
<b>Cost-Effective Impact-Resistant Camera Dome</b>						\$ -
<a href="#">VC-600WS</a>	INDOOR/OUTDOOR 3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 504	40%	\$ 302
<a href="#">VC-600WIR</a>	INDOOR/OUTDOOR 3-INCH CAMERA DOME; IR illuminated, color, 3.7 mm fixed lens, 550 HTVL, day/night, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 551	40%	\$ 331
<a href="#">VC-610WS</a>	INDOOR/OUTDOOR 3-INCH CAMERA DOME; wide dynamic range, color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 657	40%	\$ 394
<a href="#">VC-600W-PLATE</a>	ADAPTER PLATE; used to mount VC-600WS/610WS series to V910-PH pendant mount			\$ 28	40%	\$ 17
<a href="#">V700W-N312</a>	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 540	40%	\$ 324
<a href="#">V700W-I312</a>	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; IR illuminated, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, day/night, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 552	40%	\$ 331
<a href="#">V700W-D312</a>	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; Pixim color camera with Wide Dynamic Range (WDR), 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
<a href="#">VC-700D-WDR</a>	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; Pixim color camera with Wide Dynamic Range (WDR), 9-22 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
<a href="#">VC-700DW-DN</a>	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 9-22 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
<a href="#">VC-700-PLATE</a>	ADAPTER PLATE; used to mount VC-700/700W series to V910-PH pendant mount			\$ 28	40%	\$ 17
						\$ -
<b>Roughneck Corner-Mount High-Security Camera</b>						\$ -
<a href="#">V894CSH-3312</a>	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
<a href="#">V894CSH-2.6-6</a>	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 2.6-6 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
<a href="#">V15CCM-IR-2</a>	HIGH-SECURITY INDOOR; 1/3-in. day/night color camera and 2.5 mm lens; 520 TVL resolution; IR illumination; brushed stainless steel housing			\$ 1,506	40%	\$ 904
						\$ -

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<b>Environmental Housing Cameras</b>						\$ -
<a href="#">VC-620</a>	OUTDOOR; 1/3-in. day/night color camera and 3.3-12 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum. Mount included.			\$ 594	40%	\$ 356
<a href="#">VC-621</a>	OUTDOOR; 1/3-in. day/night color camera and 5-50 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum. Mount included.			\$ 1,072	40%	\$ 643
<b>Color Cameras</b>						\$ -
<a href="#">VC367-DSP</a>	1/3-INCH FORMAT; high-resolution color, 540 TVL (0.5 lux), 24 VAC			\$ 290	40%	\$ 174
<a href="#">VC466-DSP</a>	1/3-INCH FORMAT; high-resolution color; 540 TVL (0.3 lux) ExView CCD			\$ 385	40%	\$ 231
<a href="#">VC-630*</a>	1/3-INCH FORMAT; DSP, 3.3-12 mm autoiris varifocal lens, 480 TVL (0.2 lux), 12 VDC/24 VAC			\$ 407	40%	\$ 244
<b>Day/Night Cameras</b>						\$ -
<a href="#">VC566DN</a>	DAY/NIGHT CAMERA; 1/3-in. format, 24 VAC high-resolution color/monochrome operation; 540 TVL (day) and 580 TVL (night) horizontal resolution			\$ 19	40%	\$ 11
<a href="#">VC-632</a>	WIDE DYNAMIC RANGE DAY/NIGHT CAMERA, color/monochrome operation, C/Cs mount, 480 HTVL, INT/LL, 12 VDC/24 VAC isolated power supply			\$ 407	40%	\$ 244
<b>SMS Access Control and Video Intergration</b>						\$ -
<b>Extreme Network Controllers</b>						\$ -
<a href="#">SMSCTL-ENT-64</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 64 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 11,576	40%	\$ 6,946
<a href="#">SMSCTL-ENT-128</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 128 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 18,835	40%	\$ 11,301
<a href="#">SMSCTL-ENT-192</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 192 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 23,633	40%	\$ 14,180
<a href="#">SMSCTL-ENT-256</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 256 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 28,431	40%	\$ 17,059
<a href="#">SMSCTL-ENT-320</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 320 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 33,229	40%	\$ 19,938
<a href="#">SMSCTL-ENT-384</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 384 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 38,028	40%	\$ 22,817
<a href="#">SMSCTL-ENT-448</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 448 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 42,826	40%	\$ 25,695
<a href="#">SMSCTL-ENT-512</a>	1 RU high Enterprise controller. Supports up to 64 nodes; 512 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 47,624	40%	\$ 28,574
<a href="#">SMSL-ENT-64</a>	Enterprise system license expansion for 64 additional readers			\$ 4,798		\$ -
<a href="#">SMSCTL-ULT-128</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 128 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 28,792	40%	\$ 17,275
<a href="#">SMSCTL-ULT-192</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 192 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 33,591	40%	\$ 20,155
<a href="#">SMSCTL-ULT-256</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 256 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 38,389	40%	\$ 23,033
<a href="#">SMSCTL-ULT-320</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 320 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 43,188	40%	\$ 25,913
<a href="#">SMSCTL-ULT-384</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 384 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 47,987	40%	\$ 28,792
<a href="#">SMSCTL-ULT-448</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 448 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 52,785	40%	\$ 31,671
<a href="#">SMSCTL-ULT-512</a>	2 RU high Enterprise controller. Supports up to 256 nodes; 512 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 57,584	40%	\$ 34,551
<a href="#">SMSL-ULT-64</a>	Enterprise Ultra system expansion for 64 additional readers			\$ 4,798	40%	\$ 2,879

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
						\$ -
<b>Partitioning</b>						\$ -
<a href="#">SMS-ENT-DBP</a>	SMS database partitioning for Enterprise Systems, system partitioning license			\$ 9,408	40%	\$ 5,645
						\$ -
<b>Nodes and Application Cards</b>						\$ -
<a href="#">SMSN-WM</a>	SMS network node with 7 slots for application cards. Lightweight wall mount aluminum enclosure with key lock, status LED, tamper switch, 12 VDC power supply and battery backup capable, 12V			\$ 1,912	40%	\$ 1,147
<a href="#">SMSN-RM</a>	SMS network node with 7 slots for application cards. Lightweight rack mount enclosure with status LED and 12 VDC power supply, 12V			\$ 2,296	40%	\$ 1,377
<a href="#">SMSC-CM</a>	Replacement node communication card without enclosure; no license, 12V			\$ 1,511	40%	\$ 907
<a href="#">SMSC-AC</a>	Access Control Reader Application Card: 2 readers, 4 inputs, 4 outputs			\$ 900	40%	\$ 540
<a href="#">SMSC-IN</a>	Supervised Input Application Card: 8 inputs			\$ 526	40%	\$ 315
<a href="#">SMSC-RL</a>	Relay Controlled Output Application Card: 8 outputs			\$ 694	40%	\$ 416
<a href="#">SMSC-TP</a>	Temperature Input Application Card: 8 inputs			\$ 643	40%	\$ 386
<a href="#">SMSC-TPSP</a>	Temperature sensor probe (for use with above SMSC-TP Application Card)			\$ 180	40%	\$ 108
<a href="#">SMSN-MN</a>	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, locking enclosure with network status light			\$ 1,668	40%	\$ 1,001
<a href="#">SMSN-MN-NE</a>	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, no enclosure			\$ 1,620	40%	\$ 972
<a href="#">SMSP-STD</a>	Replacement/spare standard power supply 85-260 VAC/47-440 Hz			\$ 100	40%	\$ 60
<a href="#">SMSP-LOWU</a>	Upgrade from standard AC power supply to low voltage power supply (must accompany order for node with which it will be used)			\$ 62	40%	\$ 37
<a href="#">SMSP-LOW</a>	Replacement/spare low voltage power supply			\$ 126	40%	\$ 76
<a href="#">SMSN-INST</a>	Installation kit for SMS nodes when not using a standard enclosures. Includes ribbon cable, card mounting plate, bi-color LED status indicator			\$ 139	40%	\$ 83
						\$ -
						\$ -
						\$ -
						\$ -
						\$ -
						\$ -
<b>ViconNet Video Integration</b>						\$ -
<a href="#">SMS-VN-4CAM</a>	ViconNet Video Management System Integration Option; includes integration module for up to 4 cameras (when purchased at time of system sale)			\$ 543	40%	\$ 326
<a href="#">SMS-VN-1CAM</a>	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased at time of system sale)			\$ 108	40%	\$ 65
<a href="#">SMS-VN-4CAM-S</a>	ViconNet Video Management System Integration Option; includes module for up to 4 cameras (when purchased separately from complete system)			\$ 1,534	40%	\$ 920
<a href="#">SMS-VN-1CAM-S</a>	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased separately from complete system)			\$ 385	40%	\$ 231
						\$ -
<b>System Options</b>						\$ -
<a href="#">SMS-ID-16</a>	Identity Management for use with Network Controller, up to 16 readers. One user ID badge designer and print station License; supports up to 10,000 badges; includes camera facial recognition driver support.			\$ 2,388	40%	\$ 1,433
<a href="#">SMS-ID-32</a>	Identity Management for use with Network Controller, up to 32 readers. One user ID badge designer and print station License; supports up to 20,000 badges; includes camera facial recognition driver support.			\$ 3,587	40%	\$ 2,152
<a href="#">SMS-ID2-32</a>	Additional badge designer and print station license for use with SMS-ID-32			\$ 2,388	40%	\$ 1,433
<a href="#">SMS-ID2-64</a>	Additional badge designer and print station license for use with SMS-ID-64			\$ 4,200	40%	\$ 2,520
<a href="#">SMS-ID-ENT</a>	Identity Management for use with Enterprise or Enterprise Ultra Controller systems. One user ID badge designer and print station License; supports up to 80,000 badges; includes camera facial recognition driver support.			\$ 8,385	40%	\$ 5,031

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">SMS-ID2-ENT</a>	Additional badge designer and print station license for use with SMS-ID-64			\$ 5,399	40%	\$ 3,239
SMSC-ASSA-LIC	License fee for integration with ASSA-ABLOY Wi-Fi based locksets. Price is per lock.			\$ 362	40%	\$ 217
<b>"Not for Resale" Packages for Dealer Demonstrations</b>						
<a href="#">SMSN-WM</a>	SMS network node with 7 slots for application cards. Lightweight wall mount aluminum enclosure with key lock, status LED, tamper switch, 12 VDC power supply and battery backup canable, 12V			\$ 4,061	40%	\$ 2,436
<a href="#">SMSN-RM</a>	SMS network node with 7 slots for application cards. Lightweight rack mount enclosure with status LED and 12 VDC power supply, 12V			\$ 9,228	40%	\$ 5,537
<a href="#">SMSC-CM</a>	Replacement node communication card without enclosure; no license, 12V			\$ 4,237	40%	\$ 2,542
<b>System Expansion, Upgrades and Support Plans</b>						
SMSL-32-EXP	Expand from SMSCTL-WM-16 or SMSCTL-RM-16 to SMSCTL-WM-32 or SMSCTL-RM-32. Expands reader capacity from 16 to 32 readers.			\$ 2,903	40%	\$ 1,742
SMSL-64-EXP	Expand from SMSCTL-WM-32 or SMSCTL-RM-32 to SMSCTL-WM-64 or SMSCTL-RM-64			\$ 6,850	40%	\$ 4,110
SMSL-ENT-EXP	Expand from SMSCTL-WM-64 or SMCTL-RM-64 to SMSCTL-ENT-128. Expands capacity up to 64 nodes and 128 readers; expandable up to 896 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 9,380	40%	\$ 5,628
SMSL-ULT-EXP	Expand from SMSL-64 to SMSCTL-ULT-256. Expands capacity up to 256 nodes and 256 readers; expandable up to 3584 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 18,238	40%	\$ 10,943
SMSL-16-USP	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems			\$ 600	40%	\$ 360
SMSL-32-USP	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32			\$ 1,079	40%	\$ 648
SMSL-64-USP	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64			\$ 2,999	40%	\$ 1,799
SMSL-128-USP	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers			\$ 5,999	40%	\$ 3,599
SMSL-64E-USP	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers; additional blocks priced per 64 readers			\$ 1,199	40%	\$ 720
SMSL-16-UPG	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems not covered by a current support plan			\$ 840	40%	\$ 504
SMSL-32-UPG	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32 not covered by a current support plan			\$ 1,440	40%	\$ 864
SMSL-64-UPG	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64 not covered by a current support plan			\$ 3,839	40%	\$ 2,303
SMSL-128-UPG	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers not covered by a current support plan			\$ 7,678	40%	\$ 4,607
SMSL-EU64-UPG	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers not covered by a current support plan; additional blocks priced per 64 readers			\$ 1,679	40%	\$ 1,007
SMSL-EXTUP-64	64 Reader Expansion for an expanding an existing Extreme system			\$ 5,998	40%	\$ 3,599
SMSL-ENTUP-64	64 Reader Expansion for an expanding an existing Enterprise or Enterprise Ultra system			\$ 5,998	40%	\$ 3,599
SMS-EXT-WAR	3-year extended warranty for Extreme			\$ 1,801	40%	\$ 1,081
<a href="#">SMSNLRM</a>	SMS network node with 7 slots for application cards. Lightweight rack mount enclosure with status LED and 12 VDC power supply, 12V			\$ 9,228	40%	\$ 5,537
<a href="#">SMSC-CM</a>	Replacement node communication card without enclosure; no license, 12V			\$ 4,237	40%	\$ 2,542

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSL-ENT-EXP	Expand from SMSCTL-WM-64 or SMCTL-RM-64 to SMSCTL-ENT-128. Expands capacity up to 64 nodes and 128 readers; expandable up to 896 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 9,380	40%	\$ 5,628
SMSL-ULT-EXP	Expand from SMSL-64 to SMSCTL-ULT-256. Expands capacity up to 256 nodes and 256 readers; expandable up to 3584 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 18,238	40%	\$ 10,943
SMSL-16-USP	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems			\$ 600	40%	\$ 360
SMSL-32-USP	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32			\$ 1,079	40%	\$ 648
SMSL-64-USP	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64			\$ 2,999	40%	\$ 1,799
SMSL-128-USP	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers			\$ 5,999	40%	\$ 3,599
SMSL-64E-USP	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers; additional blocks priced per 64 readers			\$ 1,199	40%	\$ 720
SMSL-16-UPG	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems not covered by a current support plan			\$ 840	40%	\$ 504
SMSL-32-UPG	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32 not covered by a current support plan			\$ 1,440	40%	\$ 864
SMSL-64-UPG	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64 not covered by a current support plan			\$ 3,839	40%	\$ 2,303
SMSL-128-UPG	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers not covered by a current support plan			\$ 7,678	40%	\$ 4,607
SMSL-EU64-UPG	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers not covered by a current support plan; additional blocks priced per 64 readers			\$ 1,679	40%	\$ 1,007
SMSL-EXTUP-64	64 Reader Expansion for an expanding an existing Extreme system			\$ 5,998	40%	\$ 3,599
SMSL-ENTUP-64	64 Reader Expansion for an expanding an existing Enterprise or Enterprise Ultra system			\$ 5,998	40%	\$ 3,599
SMSL-EXT-WAR	3-year extended warranty for Extreme			\$ 1,801	40%	\$ 1,081
	<b>Programmable Controls and Matrix Switching Systems</b>					\$ -
<i>Pilot Lite™ V1522 - UTP or Coaxial 32 X 8 Matrix System</i>						\$ -
<a href="#">V1522</a>	ADVANCED DIGITAL CONTROL AND MATRIX SWITCHER; 32 camera inputs, 8 monitor outputs. Full camera station control and matrix switching. Vicoax compatible.			\$ 4,062	40%	\$ 2,437
<i>Pilot Plus™ V1544 Matrix Prepac - Programmable Systems with Internal CPU</i>						\$ -
<a href="#">PPL-64x8</a>	CONTROLS 64 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 64 cameras; programming keyboard			\$ 7,281	40%	\$ 4,369
<a href="#">PPL-96x8</a>	CONTROLS 96 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 96 cameras and 2 additional switcher cards; programming keyboard			\$ 9,062	40%	\$ 5,437
<a href="#">PPL-128x8</a>	CONTROLS 128 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 128 cameras and 3 additional switcher cards; programming keyboard			\$ 10,770	40%	\$ 6,462
<i>Pilot Select™ V1566 Matrix Prepac - Programmable Systems with Internal CPU</i>						\$ -
<a href="#">PS-32X16</a>	CONTROLS 32 CAMERAS AND 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 7,489	40%	\$ 4,493
<a href="#">PS-32X32</a>	CONTROLS 32 CAMERAS AND 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 9,509	40%	\$ 5,705

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">PS-32X48</a>	CONTROLS 32 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 15,792	40%	\$ 9,475
<a href="#">PS-32X64</a>	CONTROLS 32 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 17,696	40%	\$ 10,618
<a href="#">PS-64X16</a>	CONTROLS 64 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 8,853	40%	\$ 5,312
<a href="#">PS-64X32</a>	CONTROLS 64 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,301	40%	\$ 6,781
<a href="#">PS-64X48</a>	CONTROLS 64 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 18,404	40%	\$ 11,042
<a href="#">PS-64X64</a>	CONTROLS 64 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 20,196	40%	\$ 12,118
<a href="#">PS-96X16</a>	CONTROLS 96 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 10,405	40%	\$ 6,243
<a href="#">PS-96X32</a>	CONTROLS 96 CAMERAS and 32 MONITORS; includes 1 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 12,905	40%	\$ 7,743
<a href="#">PS-96X48</a>	CONTROLS 96 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 21,352	40%	\$ 12,811
<a href="#">PS-96X64</a>	CONTROLS 96 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,435	40%	\$ 14,061
<a href="#">PS-128X16</a>	CONTROLS 128 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,717	40%	\$ 7,030
<a href="#">PS-128X32</a>	CONTROLS 128 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,155	40%	\$ 8,493
<a href="#">PS-128X48</a>	CONTROLS 128 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 24,091	40%	\$ 14,455
<a href="#">PS-128X64</a>	CONTROLS 128 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,653	40%	\$ 15,992
<a href="#">PS-160X16</a>	CONTROLS 160 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 12,926	40%	\$ 7,756
<a href="#">PS-160X32</a>	CONTROLS 160 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,092	40%	\$ 9,055
<a href="#">PS-160X48</a>	CONTROLS 160 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,945	40%	\$ 16,167
<a href="#">PS-160X64</a>	CONTROLS 160 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,882	40%	\$ 17,929
<a href="#">PS-192X16</a>	CONTROLS 192 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,196	40%	\$ 8,518
<a href="#">PS-192X32</a>	CONTROLS 192 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,350	40%	\$ 9,810
<a href="#">PS-192X48</a>	CONTROLS 192 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,674	40%	\$ 17,804
<a href="#">PS-192X64</a>	CONTROLS 192 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
<a href="#">PS-224X16</a>	CONTROLS 224 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,717	40%	\$ 9,430
<a href="#">PS-224X32</a>	CONTROLS 224 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 18,644	40%	\$ 11,186

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">PS-224X48</a>	CONTROLS 224 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,549	40%	\$ 19,529
<a href="#">PS-224X64</a>	CONTROLS 224 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 36,111	40%	\$ 21,667
<a href="#">PS-256X16</a>	CONTROLS 256 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,654	40%	\$ 9,992
<a href="#">PS-256X32</a>	CONTROLS 256 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 20,404	40%	\$ 12,242
<a href="#">PS-256X48</a>	CONTROLS 256 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,882	40%	\$ 21,529
<a href="#">PS-256X64</a>	CONTROLS 256 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,569	40%	\$ 23,741
<a href="#">PS-288X16</a>	CONTROLS 288 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 22,133	40%	\$ 13,280
<a href="#">PS-288X32</a>	CONTROLS 288 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,674	40%	\$ 15,404
<a href="#">PS-288X48</a>	CONTROLS 288 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 47,130	40%	\$ 28,278
<a href="#">PS-288X64</a>	CONTROLS 288 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 51,353	40%	\$ 30,812
<a href="#">PS-320X16</a>	CONTROLS 320 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,945	40%	\$ 14,367
<a href="#">PS-320X32</a>	CONTROLS 320 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,216	40%	\$ 16,930
<a href="#">PS-320X48</a>	CONTROLS 320 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 49,672	40%	\$ 29,803
<a href="#">PS-320X64</a>	CONTROLS 320 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 54,473	40%	\$ 32,684
<a href="#">PS-352X16</a>	CONTROLS 352 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,258	40%	\$ 15,155
<a href="#">PS-352X32</a>	CONTROLS 352 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,693	40%	\$ 17,816
<a href="#">PS-352X48</a>	CONTROLS 352 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 52,630	40%	\$ 31,578
<a href="#">PS-352X64</a>	CONTROLS 352 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 57,421	40%	\$ 34,453
<a href="#">PS-384X16</a>	CONTROLS 384 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,862	40%	\$ 16,117
<a href="#">PS-384X32</a>	CONTROLS 384 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,715	40%	\$ 19,029
<a href="#">PS-384X48</a>	CONTROLS 384 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 55,463	40%	\$ 33,278
<a href="#">PS-384X64</a>	CONTROLS 384 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 60,671	40%	\$ 36,403
<a href="#">PS-416X16</a>	CONTROLS 416 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,424	40%	\$ 17,054
<a href="#">PS-416X32</a>	CONTROLS 416 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 34,215	40%	\$ 20,529

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">PS-416X48</a>	CONTROLS 416 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 58,317	40%	\$ 34,990
<a href="#">PS-416X64</a>	CONTROLS 416 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 63,795	40%	\$ 38,277
<a href="#">PS-448X16</a>	CONTROLS 448 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,841	40%	\$ 17,905
<a href="#">PS-448X32</a>	CONTROLS 448 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,673	40%	\$ 21,404
<a href="#">PS-448X48</a>	CONTROLS 448 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 61,139	40%	\$ 36,683
<a href="#">PS-448X64</a>	CONTROLS 448 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 67,055	40%	\$ 40,233
<a href="#">PS-480X16</a>	CONTROLS 480 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,245	40%	\$ 18,747
<a href="#">PS-480X32</a>	CONTROLS 480 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 37,402	40%	\$ 22,441
<a href="#">PS-480X48</a>	CONTROLS 480 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 64,056	40%	\$ 38,434
<a href="#">PS-480X64</a>	CONTROLS 480 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 70,097	40%	\$ 42,058
<a href="#">PS-512X16</a>	CONTROLS 512 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
<a href="#">PS-512X32</a>	CONTROLS 512 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,839	40%	\$ 23,903
<a href="#">PS-512X48</a>	CONTROLS 512 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 66,920	40%	\$ 40,152
<a href="#">PS-512X64</a>	CONTROLS 512 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 73,377	40%	\$ 44,026
						\$ -
<b>Pilot Select™ V1566 Digital Control and Matrix Switcher Components</b>						\$ -
<a href="#">V1580SCC</a>	CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards. Includes motherboard, line sync board and universal power supply.			\$ 2,811	40%	\$ 1,687
<a href="#">V1566SCPU</a>	Internal CPU; controls matrix switching for up to 512 cameras and 64 monitors			\$ 1,484	40%	\$ 890
<a href="#">V1510S-16</a>	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 16 monitors.			\$ 679	40%	\$ 407
<a href="#">V1510S-32</a>	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665
<a href="#">V1566TDT-16</a>	TIME/DATE/TITLER AMP CARD; for monitors 1-16. For use with V1566SCPU only.			\$ 2,036	40%	\$ 1,222
<a href="#">V1566ATD-32</a>	TIME/DATE/TITLER AMP CARD; for monitors 17-32. For use with V1566SCPU only. Plugs in to V1566TDT-16 circuit card.			\$ 1,518	40%	\$ 911
<a href="#">V1599-PKA</a>	PROGRAMMING KEYBOARD; for V1544SCPU, V1566SCPU, and V1599CPU			\$ 78	40%	\$ 47
<a href="#">V1566DB</a>	INTERFACE BOARD; required in Secondary cages for V1566 systems			\$ 747	40%	\$ 448
<a href="#">V1566CONV-32</a>	RS422 to CMOS CONVERTER; required for expanding cameras from 257 to 512 on a Master/Slave cage configuration; supports 16 or 32 monitors			\$ 1,007	40%	\$ 604
<a href="#">V1566MS</a>	PRIMARY/SECONDARY CABLE; control interface cable between primary cage (cameras 1-256) and secondary cage(s) (cameras 257-512)			\$ 32	40%	\$ 19
<a href="#">V15662L</a>	2ND LAYER CABLE; control interface cable between 1st layer cages (monitors 1-16 or 1-32) and 2nd layer cages (monitors 17-32 or 33-64)			\$ 28	40%	\$ 17

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">V1510RP32I</a>	32-CHANNEL CAMERA INPUT PANEL; contains 32 BNC connectors			\$ 887	40%	\$ 532
<a href="#">V1510RP32-O</a>	32-CHANNEL CAMERA OUTPUT PANEL; contains 32 BNC connectors			\$ 938	40%	\$ 563
<a href="#">V1550RCP</a>	Blank REAR CLOSURE PANEL; for unused card positions			\$ 18	40%	\$ 11
<a href="#">V15RCB-24</a>	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices; D-shell connector on one end, 8 BNC connectors on the other end			\$ 69	40%	\$ 41
<a href="#">V1566RC-36</a>	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end			\$ 100	40%	\$ 60
<a href="#">V75TR-SHD</a>	75-OHM TERMINATOR; for D-shell outputs			\$ 57	40%	\$ 34
<a href="#">V75T</a>	75-OHM TERMINATOR; for BNC outputs			\$ 6	40%	\$ 4
<i>Pilot Ultra™ V1599 Prepac</i>						\$ -
						\$ -
<a href="#">PUL-32X16</a>	CONTROLS 32 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 11,649	40%	\$ 6,989
<a href="#">PUL-32X32</a>	CONTROLS 32 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 14,746	40%	\$ 8,848
<a href="#">PUL-32X48</a>	CONTROLS 32 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 25,359	40%	\$ 15,215
<a href="#">PUL-32X64</a>	CONTROLS 32 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 29,103	40%	\$ 17,462
<a href="#">PUL-64X16</a>	CONTROLS 64 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 12,466	40%	\$ 7,480
<a href="#">PUL-64X32</a>	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 16,533	40%	\$ 9,920
<a href="#">PUL-64X48</a>	CONTROLS 64 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 28,264	40%	\$ 16,958
<a href="#">PUL-64X64</a>	CONTROLS 64 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 32,332	40%	\$ 19,399
<a href="#">PUL-96X16</a>	CONTROLS 96 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 13,935	40%	\$ 8,361
<a href="#">PUL-96X32</a>	CONTROLS 96 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 18,326	40%	\$ 10,996
<a href="#">PUL-96X48</a>	CONTROLS 96 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 31,148	40%	\$ 18,689
<a href="#">PUL-96X64</a>	CONTROLS 96 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 35,539	40%	\$ 21,323
<a href="#">PUL-128X16</a>	CONTROLS 128 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 15,399	40%	\$ 9,239
<a href="#">PUL-128X32</a>	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 20,118	40%	\$ 12,071
<a href="#">PUL-128X48</a>	CONTROLS 128 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 34,071	40%	\$ 20,443
<a href="#">PUL-128X64</a>	CONTROLS 128 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 38,740	40%	\$ 23,244
<a href="#">PUL-160X16</a>	CONTROLS 160 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 16,868	40%	\$ 10,121
<a href="#">PUL-160X32</a>	CONTROLS 160 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 21,906	40%	\$ 13,144
<a href="#">PUL-160X48</a>	CONTROLS 160 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 36,909	40%	\$ 22,145
<a href="#">PUL-160X64</a>	CONTROLS 160 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 41,947	40%	\$ 25,168
<a href="#">PUL-192X16</a>	CONTROLS 192 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 18,337	40%	\$ 11,002
<a href="#">PUL-192X32</a>	CONTROLS 192 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 23,698	40%	\$ 14,219
<a href="#">PUL-192X48</a>	CONTROLS 192 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 39,787	40%	\$ 23,872
<a href="#">PUL-192X64</a>	CONTROLS 192 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 45,154	40%	\$ 27,092
<a href="#">PUL-224X16</a>	CONTROLS 224 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 19,800	40%	\$ 11,880
<a href="#">PUL-224X32</a>	CONTROLS 224 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 25,485	40%	\$ 15,291
<a href="#">PUL-224X48</a>	CONTROLS 224 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 42,671	40%	\$ 25,603
<a href="#">PUL-224X64</a>	CONTROLS 224 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 48,356	40%	\$ 29,014

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">PUL-256X16</a>	CONTROLS 256 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 21,270	40%	\$ 12,762
<a href="#">PUL-256X32</a>	CONTROLS 256 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 27,278	40%	\$ 16,367
<a href="#">PUL-256X48</a>	CONTROLS 256 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 46,780	40%	\$ 28,068
<a href="#">PUL-256X64</a>	CONTROLS 256 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 55,982	40%	\$ 33,589
<a href="#">PUL-288X16</a>	CONTROLS 288 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 27,026	40%	\$ 16,216
<a href="#">PUL-288X32</a>	CONTROLS 288 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 33,533	40%	\$ 20,120
<a href="#">PUL-288X48</a>	CONTROLS 288 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 62,089	40%	\$ 37,253
<a href="#">PUL-288X64</a>	CONTROLS 288 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 67,517	40%	\$ 40,510
<a href="#">PUL-320X16</a>	CONTROLS 320 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 28,495	40%	\$ 17,097
<a href="#">PUL-320X32</a>	CONTROLS 320 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 35,325	40%	\$ 21,195
<a href="#">PUL-320X48</a>	CONTROLS 320 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 65,219	40%	\$ 39,131
<a href="#">PUL-320X64</a>	CONTROLS 320 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 72,635	40%	\$ 43,581
<a href="#">PUL-352X16</a>	CONTROLS 352 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 29,958	40%	\$ 17,975
<a href="#">PUL-352X32</a>	CONTROLS 352 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 37,118	40%	\$ 22,271
<a href="#">PUL-352X48</a>	CONTROLS 352 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 68,344	40%	\$ 41,006
<a href="#">PUL-352X64</a>	CONTROLS 352 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 76,117	40%	\$ 45,670
<a href="#">PUL-384X16</a>	CONTROLS 384 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 31,428	40%	\$ 18,857
<a href="#">PUL-384X32</a>	CONTROLS 384 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 38,905	40%	\$ 23,343
<a href="#">PUL-384X48</a>	CONTROLS 384 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 71,474	40%	\$ 42,884
<a href="#">PUL-384X64</a>	CONTROLS 384 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 79,593	40%	\$ 47,756
<a href="#">PUL-416X16</a>	CONTROLS 416 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 32,891	40%	\$ 19,735
<a href="#">PUL-416X32</a>	CONTROLS 416 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 40,697	40%	\$ 24,418
<a href="#">PUL-416X48</a>	CONTROLS 416 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 74,599	40%	\$ 44,759
<a href="#">PUL-416X64</a>	CONTROLS 416 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 83,074	40%	\$ 49,844
<a href="#">PUL-448X16</a>	CONTROLS 448 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 34,360	40%	\$ 20,616
<a href="#">PUL-448X32</a>	CONTROLS 448 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 42,490	40%	\$ 25,494
<a href="#">PUL-448X48</a>	CONTROLS 448 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 77,730	40%	\$ 46,638
<a href="#">PUL-448X64</a>	CONTROLS 448 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 86,556	40%	\$ 51,934
<a href="#">PUL-480X16</a>	CONTROLS 480 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 35,829	40%	\$ 21,497
<a href="#">PUL-480X32</a>	CONTROLS 480 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 44,277	40%	\$ 26,566
<a href="#">PUL-480X48</a>	CONTROLS 480 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 80,825	40%	\$ 48,495
<a href="#">PUL-480X64</a>	CONTROLS 480 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 90,032	40%	\$ 54,019
<a href="#">PUL-512X16</a>	CONTROLS 512 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 37,293	40%	\$ 22,376
<a href="#">PUL-512X32</a>	CONTROLS 512 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 46,070	40%	\$ 27,642
<a href="#">PUL-512X48</a>	CONTROLS 512 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 83,985	40%	\$ 50,391
<a href="#">PUL-512X64</a>	CONTROLS 512 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 93,514	40%	\$ 56,108

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<i>Pilot Ultra™ 1599 Network Switching Control System</i>						\$ -
<a href="#">V1599CPU</a>	PILOT V1599 CENTRAL PROCESSING UNIT; includes internal graphic Configurator. Capable of addressing over 8000 cameras and 500 monitor and keypad stations. Use with companion Pilot-CDU Communication Distribution Unit and Matrix Switching System.			\$ 7,687	40%	\$ 4,612
<a href="#">V1599CDU-1</a>	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes one network interface card and one power supply module.			\$ 7,616	40%	\$ 4,570
<a href="#">V1599CDU-H-1</a>	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; internal redundant configuration for automatic switchover. Configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes redundant personality modules, power supplies and network cards.			\$ 10,301	40%	\$ 6,181
<a href="#">V1599CDU-CC</a>	PILOT V1599 CDU CHASSIS; includes one network interface card and power supply module. Must be populated with CDU personality modules.			\$ 2,757	40%	\$ 1,654
<a href="#">V1599CDU-ALRM</a>	PILOT V1599 CDU ALARM MODULE; provides communication from Pilot V1599CDU to Vicon alarm devices			\$ 1,633	40%	\$ 980
<a href="#">V1599CDU-TDT</a>	PILOT V1599 CDU TIME/DATE/TITLER MODULE; provides control communication between V1599CDU and matrix time/date/titling devices			\$ 913	40%	\$ 548
<a href="#">V1599CDU-VID</a>	PILOT V1599 VIDEO MODULE; provides control communication between V1599CDU and matrix video switcher			\$ 916	40%	\$ 549
<a href="#">V1599CDU-SER</a>	PILOT V1599CDU SERIAL MODULE; provides control communication between V1599CDU and Vicon system keypads/PTZ receivers or host RS-232 devices			\$ 664	40%	\$ 399
<a href="#">V1599CDU-RCP</a>	PILOT V1599CDU REAR CLOSURE PANEL; blank rear closure panel for unused card slots in V1599 chassis			\$ 17	40%	\$ 10
<a href="#">V1599CDU-HSB-POW</a>	PILOT V1599CDU REDUNDANT POWER SUPPLY MODULE; provides internal power redundancy for the V1599CDU			\$ 319	40%	\$ 191
<a href="#">V1599CDU-HSB-NET</a>	PILOT V1599CDU REDUNDANT NETWORK INTERFACE MODULE; provides internal network communication redundancy for the V1599CDU			\$ 1,132	40%	\$ 679
<a href="#">V1599CDU-HSB-ALRM</a>	PILOT V1599CDU REDUNDANT ALARM MODULE; provides internal redundant communication from V1599 CDU to alarm devices			\$ 2,120	40%	\$ 1,272
<a href="#">V1599CDU-HSB-TDT</a>	PILOT V1599CDU REDUNDANT TIME/DATE/TITLER MODULE; provides internal redundant communication from V1599CDU to time/date/titler device			\$ 1,371	40%	\$ 822
<a href="#">V1599CDU-HSB-VID</a>	PILOT V1599CDU REDUNDANT VIDEO MODULE; provides internal redundant communication from V1599CDU to video matrix switcher			\$ 1,386	40%	\$ 832
<a href="#">V1599CDU-HSB-SER</a>	PILOT V1599CDU REDUNDANT SERIAL MODULE; provides internal redundant communication from V1599CDU to system keypads, receivers and host RS-232 devices			\$ 1,219	40%	\$ 732
<a href="#">V1599-KVM-R</a>	MULTI-INPUT VGA MONITOR/KEYBOARD; used with V1599CPU, accepts 8 VGA inputs from multiple PCs, includes 2 PC cables. Rack-mount only.			\$ 6,458	40%	\$ 3,875
<a href="#">V1599-KVM-CAB3</a>	CABLE; used with V1599-KVM-R; connects additional PCs to V1599-KVM-Rs			\$ 60	40%	\$ 36
<a href="#">V1580SCC</a>	PILOT66/99 CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards; includes motherboard, line sync board and universal power supply			\$ 2,812	40%	\$ 1,687
<a href="#">V1516-AMP</a>	VIDEO AMPLIFIER BOARD; outputs for monitors 1-16			\$ 338	40%	\$ 203
<a href="#">V1532-AMP</a>	VIDEO OUTPUT AMPLIFIER BOARD; outputs for monitors 1-32			\$ 405	40%	\$ 243
<a href="#">V1510S-16</a>	VIDEO SWITCHER BOARD; Provides video switching for up to 32 cameras and 16 monitors			\$ 680	40%	\$ 408
<a href="#">V1510S-32</a>	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665
<a href="#">V1599-PKA</a>	PROGRAMMING KEYBOARD; for V1522CPU, V1544SCPU, V1566BSCPU, and V1599CPU			\$ 79	40%	\$ 47
<a href="#">V1566DB</a>	V1599 INTERFACE BOARD; required in master cages for use with an external CPU controller configuration			\$ 748	40%	\$ 449
<a href="#">V1510RP32-1</a>	32-CHANNEL CAMERA INPUT PANEL; contains 32 BNC connectors			\$ 888	40%	\$ 533
<a href="#">V1510RP32-O</a>	32-CHANNEL CAMERA OUTPUT PANEL; contains 32 BNC connectors			\$ 939	40%	\$ 563

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">V1510RP32-L</a>	32-CHANNEL CAMERA LOOPING PANEL; contains 8 D-shell cable connectors			\$ 327	40%	\$ 196
<a href="#">V1550RCP</a>	BLANK REAR CLOSURE PANEL; for unused card positions			\$ 19	40%	\$ 11
<a href="#">V15RCB-24</a>	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell connector on one end, 8 BNC connectors on the other end.			\$ 69	40%	\$ 42
<a href="#">V1566RC-36</a>	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end.			\$ 100	40%	\$ 60
<a href="#">V75TR-SHD</a>	75-OHM TERMINATOR; for D-shell outputs			\$ 57	40%	\$ 34
<a href="#">V75T</a>	75-OHM TERMINATOR; for BNC outputs			\$ 6	40%	\$ 4
<i>Time/Date/Titlers for Pilot Ultra 1599</i>						
<a href="#">V1599X-TCC</a>	CARD CAGE; holds up to 16 V1599X-TDT circuit cards, each of which titles 2 monitors (32 monitors total per card cage)			\$ 688	40%	\$ 413
<a href="#">V1599X-TC-PS</a>	POWER SUPPLY; used in V1599X-TCC. 1 per card cage			\$ 383	40%	\$ 230
<a href="#">V1599X-TDT-MA</a>	MASTER MODULE; provides addressing for 32 monitors and loop-through signaling for additional V1599X-TCC card cage			\$ 229	40%	\$ 137
<a href="#">V1599X-TDT-SL-1</a>	SLAVE MODULE; provides addressing for 32 monitors in additional V1599X-TCC card cage			\$ 233	40%	\$ 140
<a href="#">V1599X-TDT</a>	TIME/DATE/TITLER ASSEMBLY; circuit card provides time/date/titlers for 2 monitors			\$ 321	40%	\$ 193
<a href="#">V1599X-RCT</a>	BLANK REAR CLOSURE PANEL; for V1599X-TCC			\$ 38	40%	\$ 23
<i>Control Keypads</i>						
<a href="#">V1410X-DVC</a>	CONTROL KEYPAD; small profile desk-top, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,175	40%	\$ 705
<a href="#">V1411X-DVC</a>	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,392	40%	\$ 835
<a href="#">V1411J-DVC</a>	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with three-function variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,634	40%	\$ 981
<a href="#">V1500X-SCCS</a>	SYSTEM CONTROLLER; used to control both Pilot/NOVA control systems and ViconNet digital video management systems, including Virtual Matrix Controller (VMC).			\$ 2,197	40%	\$ 1,318
<i>Additional System Capabilities</i>						
<a href="#">V422-VI</a>	VICOAX TRANSLATOR; converts Vicon RS-422 PTZ commands to Vicoax. 16 channels			\$ 933	40%	\$ 560
<a href="#">V1400X-IDL</a>	DISTRIBUTION LINE CONTROL; provides up to 10 communication lines from CPU when used in star configuration			\$ 1,113	40%	\$ 668
<a href="#">V1300X-IA</a>	ALARM INTERFACE; accepts up to 32 custom alarm inputs			\$ 1,240	40%	\$ 744
<a href="#">VSCM-200</a>	RS-422 DUAL INPUT CODE MERGER; merges control data from two separate control systems into one device			\$ 885	40%	\$ 531
<i>PTZ Receivers</i>						
<a href="#">V1311RB-2WA</a>	OUTDOOR UNIVERSAL RECEIVER; 120 VAC input, 24 or 120 VAC output to pan-and-tilt drives, requires V1311R-VI-1 interface card for Vicoax control and V1311R-VPS-1 interface card for Pilot control			\$ 517	40%	\$ 310
<i>Receiver Options</i>						
<a href="#">V1311R-VPS-1</a>	INTERFACE CARD; internal board adapts V1311RB receivers for use with Pilot CPUs			\$ 283	40%	\$ 170
<b>LCD and CRT Monitors</b>						
<i>Color LCD Monitors</i>						
<a href="#">VM-717LCD-1</a>	17-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 925	40%	\$ 555
<a href="#">VM-719LCD-1</a>	19-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 1,048	40%	\$ 629
<a href="#">VM-620LCD</a>	20-INCH FLAT PANEL; resolution up to 1600 x 1200 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,326	40%	\$ 796

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price	
<a href="#">VM-622LCD</a>	22-INCH FLAT PANEL; resolution up to 1680 x 1050 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,156	40%	\$ 694	
<a href="#">VM-632LCD-1</a>	32-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 2,621	40%	\$ 1,573	
<a href="#">VM-642LCD-2</a>	42-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 3,700	40%	\$ 2,220	
<a href="#">VN-17FLT</a>	17-IN. S-VGA TFT LCD MONITOR; for use with Kollector Recorders and VN-NVR Workstation			\$ 563	40%	\$ 338	
<b>Monitor Racking Kits</b>						40%	\$ -
<a href="#">VM-7179LCD-RK</a>	RACK KIT; for use with VM-717/719/620 LCD monitor			\$ 113	40%	\$ 68	
<b>Color CRT Monitors*</b>						40%	\$ -
<a href="#">VM621-5</a>	21-INCH SCREEN; high resolution (450 TV lines); NTSC/PAL			\$ 657	40%	\$ 394	
<b>Camera Housing and Mounting Equipment</b>						40%	\$ -
<b>Indoor</b>						40%	\$ -
<a href="#">V8612H</a>	IN-CEILING; all-plastic construction, tamperproof			\$ 113	40%	\$ 68	
<b>Indoor / Outdoor</b>						40%	\$ -
<a href="#">V9312H</a>	SMALL; 2-piece hinged aluminum				40%	\$ -	
<a href="#">V9312H-HS-24</a>	SMALL; 2-piece hinged aluminum, sunshield and 24 VAC heater included			\$ 126	40%	\$ 76	
<b>Special Purpose Housings</b>						40%	\$ 133
<a href="#">V8540H-SP</a>	EXPLOSIONPROOF; tubular aluminum			\$ 1,551	40%	\$ 931	
<b>Wall Mounts with Adjustable Heads</b>						40%	\$ -
<a href="#">V1100AWM</a>	WALL MOUNT; 7.5 lb load, molded plastic, mounts to junction box, 9 in. long			\$ 43	40%	\$ 26	
<a href="#">V110AWM</a>	WALL MOUNT; 20 lb load, aluminum, 10 in. long			\$ 37	40%	\$ 22	
<a href="#">V814AWM</a>	WALL MOUNT; 20 lb load, cast aluminum, 11.6 in long			\$ 35	40%	\$ 21	
<b>Fixed Wall Mounts (Adjustable Heads Available)</b>						40%	\$ -
<a href="#">V1600WM</a>	WALL MOUNT; 40 lb load, aluminum, 16 in. long			\$ 114	40%	\$ 68	
<b>Accessories for Wall Mounts</b>						40%	\$ -
<a href="#">V24CMB</a>	OUTSIDE CORNER MOUNT BRACKET; for V24WM and SurveyorVFT series wall mounts			\$ 111	40%	\$ 67	
<b>Ceiling Mounts</b>						40%	\$ -
<a href="#">V800ACM</a>	CEILING MOUNT; 7.5 lb load, molded plastic, 6 in. long			\$ 37	40%	\$ 22	
<b>Pole Mounts</b>						40%	\$ -
<a href="#">V20B-A</a>	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps			\$ 197	40%	\$ 118	
<a href="#">V22PA</a>	POLE MOUNT FOR 3 - 4 IN. DIAMETER POLES; medium duty, use with V1600WM wall mount			\$ 173	40%	\$ 104	
<b>Fiber Optic Equipment</b>						40%	\$ -
<b>FIBER OPTIC TRANSMISSION SYSTEMS</b>						40%	\$ -
<b>Video Transmission, Single Channel</b>						40%	\$ -
<a href="#">VF-100T</a>	VIDEO TRANSMITTER; 12 dB			\$ 337	40%	\$ 202	
<a href="#">VF-100TR</a>	VIDEO TRANSMITTER; 12 dB, rack mount			\$ 405	40%	\$ 243	
<a href="#">VF-100R</a>	VIDEO RECEIVER; 12 dB			\$ 337	40%	\$ 202	

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
<a href="#">VF-100RR</a>	VIDEO RECEIVER; 12 dB, rack mount			\$ 443	40%	\$ 266
<a href="#">VF-30RR</a>	VIDEO RECEIVER; 3-channels, 13 dB, rack mount			\$ 997	40%	\$ 598
<b>Video Transmission, Multichannel</b>						
<a href="#">VF-404T</a>	VIDEO TRANSMITTER; 4-channels			\$ 1,594	40%	\$ 956
<a href="#">VF-404TR</a>	VIDEO TRANSMITTER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
<a href="#">VF-404R</a>	VIDEO RECEIVER; 4-channels			\$ 1,594	40%	\$ 956
<a href="#">VF-404RR</a>	VIDEO RECEIVER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
<a href="#">VF-220T</a>	VIDEO TRANSMITTER; 2-channels			\$ 1,245	40%	\$ 747
<a href="#">VF-220TR</a>	VIDEO TRANSMITTER; 2-channels, rack mount			\$ 1,245	40%	\$ 747
<a href="#">VF-220R</a>	VIDEO RECEIVER; 2-channels			\$ 1,245	40%	\$ 747
<a href="#">VF-220RR</a>	VIDEO RECEIVER; 2-channels, rack mount			\$ 1,245	40%	\$ 747
<b>Bidirectional Video for Vicoax</b>						
<a href="#">VF-1605T</a>	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax			\$ 958	40%	\$ 575
<a href="#">VF-1605TR</a>	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax, rack mount			\$ 958	40%	\$ 575
<a href="#">VF-1605R</a>	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax			\$ 958	40%	\$ 575
<a href="#">VF-1605RR</a>	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax, rack mount			\$ 958	40%	\$ 575
<b>Video and Data Transmission</b>						
<a href="#">VF-1400T</a>	VIDEO / DATA TRANSMITTER; single fiber; duplex RS-422; simplex video; for NOVA/Pilot			\$ 958	40%	\$ 575
<a href="#">VF-1400R</a>	VIDEO / DATA RECEIVER; single fiber; duplex RS-422; simplex video; for use with NOVA/Pilot/SurveyorVFT			\$ 958	40%	\$ 575
<a href="#">VF-1400RR</a>	VIDEO / DATA RECEIVER (RACK MODULE); single fiber; duplex RS-422; simplex video;for use with NOVA/Pilot/SurveyorVFT			\$ 958	40%	\$ 575
<b>Racking Equipment and Power Supplies</b>						
<a href="#">VF-PSR-2</a>	POWER SUPPLY; 120 W DC; included with VF-SR-20/2			\$ 846	40%	\$ 508
<a href="#">VF-SR20/2</a>	RACK; 14 slots, includes 100 W power supply; blank panels are VF-BPS-1			\$ 1,327	40%	\$ 796
<a href="#">VF-BPS-1</a>	BLANK PANEL; for use with VF-SR20/2 rack			\$ 27	40%	\$ 16
<b>Lenses</b>						
<b>1/3-Inch Varifocal Autoiris (DC-Type)</b>						
<a href="#">V2.9-8.2VF-CS-G</a>	VARIFOVAL; 2.9-8.2 mm, f/1.0, autoiris			\$ 86	40%	\$ 52
<a href="#">V5-50VF-CS-G</a>	VARIFOVAL; 5-50 mm, f/1.3, autoiris			\$ 281	40%	\$ 168
<b>1/3-Inch Varifocal IR Lenses (for use with Day/Night Cameras)</b>						
<a href="#">V2.8-12VF-IR</a>	VARIFOVAL; 2.8-12 mm, f/1.3, adjustable iris; IR illumination			\$ 113	40%	\$ 68
<a href="#">V2.9-8.2VF-IR</a>	VARIFOVAL; 2.9-8.2 mm, f/1.0, adjustable iris; IR illumination			\$ 85	40%	\$ 51
<a href="#">V8.5-40VF-IR</a>	VARIFOVAL; 8.5-40 mm, f/1.3, adjustable iris; IR illumination			\$ 210	40%	\$ 126
<b>1/3-Inch Megapixel Varifocal IR Lens (for use with Megapixel Day/Night Cameras)</b>						
<a href="#">V2.8-12VF-MP</a>	VARIFOVAL; 2.8-12 mm, f/1.6, adjustable iris; IR illumination, for use with megapixel cameras			\$ 142	40%	\$ 85
<a href="#">V3.8VF-MP-IR-CS-G</a>	VARIFOVAL; 3-8 mm, f/1.2, autoiris; IR illumination, for use with megapixel cameras			\$ 252	40%	\$ 151
<b>1/3-Inch Varifocal Autoiris (DC-Type) IR Lenses (for use with Day/Night Cameras)</b>						
<a href="#">V2.8-12VF-IR-CS-G</a>	VARIFOVAL; 2.8-12 mm, f/1.3, autoiris; IR illumination			\$ 135	40%	\$ 81
<a href="#">V2.9-8.2VF-IR-CS-G</a>	VARIFOVAL; 2.9-8.2 mm, f/1.0, autoiris; IR illumination			\$ 111	40%	\$ 67
<a href="#">V8.5-40VF-IR-CS-G</a>	VARIFOVAL; 8.5-40 mm, f/1.3, autoiris; IR illumination			\$ 224	40%	\$ 134
<b>Miscellaneous</b>						
<b>Color Video Multiplexer</b>						

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V5616MUX	16-CHANNEL COLOR TRIPLEX MULTIPLEXER; simultaneous live view, play and record; real time; 16 video inputs with loop through output capability; 720x480 resolution			\$ 1,448	40%	\$ 869
<b>Quad Splitter</b>						
<a href="#">V5400QS</a>	REAL-TIME COLOR QUAD SPLITTER; displays four cameras on one monitor; full-featured with alarms, titling, freeze, full-screen sequential switching and on-screen programming			\$ 823	40%	\$ 494
<b>Pan-and-Tilt Drives</b>						
<a href="#">V380PTX-S-VPP</a>	80 LB LOAD; explosionproof; meets IEC class IIC rating requirements (minimum order required)			\$ 6,240	40%	\$ 3,744
<b>Amplifiers</b>						
<a href="#">V-DA-8-16</a>	VIDEO DISTRIBUTION AMPLIFIER; 8 input x 2 output or 2 input x 8 output configurations; rack mount			\$ 231	40%	\$ 139
<b>Ground Loop Corrector</b>						
<a href="#">V235GLTA</a>	PASSIVE GROUND LOOP CORRECTION TRANSFORMER; single channel, for Vicoax			\$ 143	40%	\$ 86
<b>Twisted-Pair Video Transmission</b>						
<a href="#">V-VID-BAL</a>	VIDEO TRANSCIEVER; transmits or receives video and Vicoax data up to 1000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 40	40%	\$ 24
<a href="#">V652R-NVT</a>	VIDEO RECEIVER; receives video from VL-VID-BAL transmitter up to 3000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 415	40%	\$ 249
<b>Surge Protector</b>						
<a href="#">V15LPG</a>	SURGE PROTECTOR; protects video equipment from induced power surges in video lines			\$ 54	40%	\$ 32
<b>Terminators</b>						
<a href="#">V75T</a>	75-OHM TERMINATOR; for unused video looping BNCs			\$ 6	40%	\$ 4
<a href="#">V75TR-1</a>	75-OHM TERMINATOR; for looping video coaxial ribbon cable connectors; Matrix 44			\$ 31	40%	\$ 19
<a href="#">V75TR-SHD</a>	75-OHM TERMINATOR; for looping video D-shell connectors; for Pilot Select and Ultra			\$ 57	40%	\$ 34
<b>Product Code Listing</b>						
V8612H	IN-CEILING; all-plastic construction, tamperproof			\$ 113	40%	\$ 68
V1100AWM	WALL MOUNT; 7.5 lb load, molded plastic, mounts to junction box, 9 in. long			\$ 43	40%	\$ 26
V800ACM	CEILING MOUNT; 7.5 lb load, molded plastic, 6 in. long			\$ 37	40%	\$ 22
V1600WM	WALL MOUNT; 40 lb load, aluminum, 16 in. long			\$ 114	40%	\$ 68
V22PA	POLE MOUNT FOR 3 - 4 IN. DIAMETER POLES; medium duty, use with V1600WM wall mount			\$ 173	40%	\$ 104
V110AWM	WALL MOUNT; 20 lb load, aluminum, 10 in. long			\$ 37	40%	\$ 22
V24CMB	OUTSIDE CORNER MOUNT BRACKET; for V24WM and Surveyor/VFT series wall mounts			\$ 111	40%	\$ 67
V1600AH	ADJUSTABLE HEAD; medium-duty, 60 lb capacity			\$ 34	40%	\$ 20
V235GLTA	PASSIVE GROUND LOOP CORRECTION TRANSFORMER; single channel, for Vicoax			\$ 143	40%	\$ 86
V75T	75-OHM TERMINATOR; for unused video looping BNCs			\$ 6	40%	\$ 4
V20B-A	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps			\$ 197	40%	\$ 118
V1300X-1A	ALARM INTERFACE; accepts up to 32 custom alarm inputs			\$ 1,240	40%	\$ 744
VC24PS-1	POWER SUPPLY; converts 120 VAC to 24 VAC			\$ 19	40%	\$ 11
V1550RCP	Blank REAR CLOSURE PANEL; for unused card positions			\$ 18	40%	\$ 11
V1566RC-36	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end			\$ 100	40%	\$ 60
V1566RC-36	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end.			\$ 100	40%	\$ 60

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V75TR-SHD	75-OHM TERMINATOR; for looping video D-shell connectors; for Pilot Select and Ultra			\$ 57	40%	\$ 34
V15LPG	SURGE PROTECTOR; protects video equipment from induced power surges in video lines			\$ 54	40%	\$ 32
V1510RP32I	32-CHANNEL CAMERA INPUT PANEL; contains 32 BNC connectors			\$ 887	40%	\$ 532
V1510RP32-O	32-CHANNEL CAMERA OUTPUT PANEL; contains 32 BNC connectors			\$ 938	40%	\$ 563
V1510RP32-L	32-CHANNEL CAMERA LOOPING PANEL; contains 8 D-shell cable connectors			\$ 327	40%	\$ 196
V75TR-1	75-OHM TERMINATOR; for looping video coaxial ribbon cable connectors; Matrix 44			\$ 31	40%	\$ 19
V1311R-VPS-1	INTERFACE CARD; internal board adapts V1311RB receivers for use with Pilot CPUs			\$ 283	40%	\$ 170
V1566TDT-16	TIME/DATE/TITLER AMP CARD; for monitors 1-16. For use with V1566SCPU only.			\$ 2,036	40%	\$ 1,222
V1566ATDT-32	TIME/DATE/TITLER AMP CARD; for monitors 17-32. For use with V1566SCPU only. Plugs in to V1566TDT-16 circuit card.			\$ 1,518	40%	\$ 911
V1566MS	PRIMARY/SECONDARY CABLE; control interface cable between primary cage (cameras 1-256) and secondary cage(s) (cameras 257-512)			\$ 32	40%	\$ 19
V15662L	2ND LAYER CABLE; control interface cable between 1st layer cages (monitors 1-16 or 1-32) and 2nd layer cages (monitors 17-32 or 33-64)			\$ 28	40%	\$ 17
V1566CONV-32	RS422 to CMOS CONVERTER; required for expanding cameras from 257 to 512 on a Master/Slave cage configuration; supports 16 or 32 monitors			\$ 1,007	40%	\$ 604
V1566DB	INTERFACE BOARD; required in Secondary cages for V1566 systems			\$ 747	40%	\$ 448
V1580SCC	CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards. Includes motherboard, line sync board and universal power supply.			\$ 2,811	40%	\$ 1,687
V1580SCC	PILOT66/99 CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards; includes motherboard, line sync board and universal power supply			\$ 2,812	40%	\$ 1,687
V1510S-16	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 16 monitors.			\$ 679	40%	\$ 407
V1510S-32	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665
V1510S-32	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665
V1516-AMP	VIDEO AMPLIFIER BOARD; outputs for monitors 1-16			\$ 338	40%	\$ 203
V1532-AMP	VIDEO OUTPUT AMPLIFIER BOARD; outputs for monitors 1-32			\$ 405	40%	\$ 243
W814AWM	WALL MOUNT; 20 lb load, cast aluminum, 11.6 in long			\$ 35	40%	\$ 21
V1311RB-2WA	OUTDOOR UNIVERSAL RECEIVER; 120 VAC input, 24 or 120 VAC output to pan-and-tilt drives, requires V1311R-VI-1 interface card for Vicoax control and V1311R-VPS-1 interface card for Pilot control			\$ 517	40%	\$ 310
V1566SCPU	Internal CPU; controls matrix switching for up to 512 cameras and 64 monitors			\$ 1,484	40%	\$ 890
V8540H-SP	EXPLOSIONPROOF; tubular aluminum			\$ 1,551	40%	\$ 931
V2448-175PS	POWER SUPPLY; four-channel, 120 VAC input, 24/28 VAC output, 7/6.25 amps (total)			\$ 207	40%	\$ 124
V248-300PS	POWER SUPPLY; eight-channel, 120 VAC input, 24/28 VAC output, 12.5/10 amps (total)			\$ 268	40%	\$ 161
V-VID-BAL	VIDEO TRANSCIEVER; transmits or receives video and Vicoax data up to 1000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 40	40%	\$ 24
V9312H	SMALL; 2-piece hinged aluminum			\$ 126	40%	\$ 76
V9312H-HS-24	SMALL; 2-piece hinged aluminum, sunshield and 24 VAC heater included			\$ 222	40%	\$ 133
V1400X-IDL	DISTRIBUTION LINE CONTROL; provides up to 10 communication lines from CPU when used in star configuration			\$ 1,113	40%	\$ 668
S24WPS-1	POWER SUPPLY; 24 VAC output, 2.0 amps			\$ 35	40%	\$ 21
V5400QS	REAL-TIME COLOR QUAD SPLITTER; displays four cameras on one monitor; full-featured with alarms, tiling, freeze, full-screen sequential switching and on-screen programming			\$ 823	40%	\$ 494
V380PTX-S-VPP	80 LB LOAD; explosionproof; meets IEC class IIC rating requirements (minimum 25 pieces order required)			\$ 6,240	40%	\$ 3,744
V422-VI	VICOAX TRANSLATOR; converts Vicon RS-422 PTZ commands to Vicoax, 16 channels			\$ 933	40%	\$ 560
V652R-NVT	VIDEO RECEIVER; receives video from VI-VID-BAL transmitter up to 3000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 415	40%	\$ 249
V1411X-DVC	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,392	40%	\$ 835
V1500X-SCCS	SYSTEM CONTROLLER; used to control both Pilot/NOVA control systems and ViconNet digital video management systems, including Virtual Matrix Controller (VMC).			\$ 2,197	40%	\$ 1,318
V248-3.5PS	POWER SUPPLY; 8-channel, converts 120 VAC to 24 VAC; 0.4 amps/channel; used for fixed cameras with isolation			\$ 219	40%	\$ 131
V2416-8PS	POWER SUPPLY; sixteen channel, converts 120 VAC to 24 VAC; 0.5 amps/channel; used for fixed cameras with isolation			\$ 407	40%	\$ 244
V5-50VF-CS-G	VARIFOCAL; 5-50 mm, f/1.3, autoiris			\$ 281	40%	\$ 168
NETSWITCH-8	NETWORK SWITCH; 8-channel LAN connections, 10/100 autosensing ports			\$ 170	40%	\$ 102

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V1411J-DVC	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with three-function variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,634	40%	\$ 981
V1410X-DVC	CONTROL KEYPAD; small profile desk-top, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,175	40%	\$ 705
V15RCB-24	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices; D-shell connector on one end, 8 BNC connectors on the other end			\$ 69	40%	\$ 41
V15RCB-24	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell connector on one end, 8 BNC connectors on the other end.			\$ 69	40%	\$ 42
V1599-PKA	PROGRAMMING KEYBOARD; for V1544SCPU, V1566SCPU, and V1599CPU			\$ 78	40%	\$ 47
V1599-PKA	PROGRAMMING KEYBOARD; for V1522CPU, V1544SCPU, V1566BSCPU, and V1599CPU			\$ 79	40%	\$ 47
VN-17FLT	17-IN. S-VGA TFT LCD MONITOR; for use with Kollektor Recorders and VN-NVR Workstation			\$ 563	40%	\$ 338
VE-K-S	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
VE-K-I	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-K-R	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-WS-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$151	40%	\$ 91
VE-WS-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-WS-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-NVR-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company.			\$ 925	40%	\$ 555
VE-NVR-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-NVR-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-500-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 151	40%	\$ 91
VE-500-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-500-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
V725-UPS	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 725VA/450W, USB control port, 120 VAC input/output			\$ 237	40%	\$ 142
V1000-UPS	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,292	40%	\$ 775
V1000R-UPS	UNINTERRUPTIBLE POWER SUPPLY; rack-mount, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,354	40%	\$ 812
V2.8-12VF-IR	VARIFOCAL; 2.8-12 mm, f/1.3, adjustable iris; IR illumination			\$ 113	40%	\$ 68

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V2.8-12VF-IR-CS-G	VARIFOCCAL; 2.8-12 mm, f/1.3, autoris; IR illumination			\$ 135	40%	\$ 81
V2.8-12VF-MP	VARIFOCCAL; 2.8-12 mm, f/1.6, adjustable iris; IR illumination, for use with megapixel cameras			\$ 142	40%	\$ 85
VC367-DSP	1/3-INCH FORMAT; high-resolution color, 540 TVL (0.5 lux), 24 VAC			\$ 290	40%	\$ 174
VC466-DSP	1/3-INCH FORMAT; high-resolution color; 540 TVL (0.3 lux) ExView CCD			\$ 385	40%	\$ 231
VSCM-200	RS-422 DUAL INPUT CODE MERGER; merges control data from two separate control systems into one device			\$ 885	40%	\$ 531
SVFT-UPM-1	UNIVERSAL PARAPET MOUNT; indoor/outdoor; for SurveyorVFT Camera Domes			\$ 370	40%	\$ 222
SVFT-URM-1	UNIVERSAL ROOF MOUNT; indoor/outdoor; for SurveyorVFT Camera Domes			\$ 732	40%	\$ 439
SVFT-WM	WALL MOUNT; indoor/outdoor, short, for use SurveyorVFT Camera Dome Systems			\$ 100	40%	\$ 60
SVFT-UCM	CEILING MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems			\$ 52	40%	\$ 31
SVFT-UWM	WALL MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems			\$ 150	40%	\$ 90
SVFT-UCP	CEILING PANEL SUPPORT; for SurveyorVFT Camera Dome Systems			\$ 97	40%	\$ 58
SVFT-IC-KT	IN-CEILING MOUNT KIT; for SurveyorVFT Camera Dome Systems			\$ 552	40%	\$ 31
SVFT-SMK	SMOKED LOWER DOME; for SurveyorVFT indoor domes			\$ 72	40%	\$ 43
SVFT-CHR	CHROME LOWER DOME; for SurveyorVFT indoor domes			\$ 156	40%	\$ 93
SVFT-GLD	GOLD LOWER DOME; for SurveyorVFT indoor domes			\$ 267	40%	\$ 160
SVFT-PR-WMA	WALL MOUNT; for SurveyorVFT Pressurized Domes			\$ 238	40%	\$ 143
SVFT-PR-P	PIPE ADAPTER; for mounting SurveyorVFT Pressurized Domes to 1-1/2-in. diameter pipe			\$ 162	40%	\$ 97
VC566DN	DAY/NIGHT CAMERA; 1/3-in. format, 24 VAC high-resolution color/monochrome operation; 540 TVL (day) and 580 TVL (night) horizontal resolution			\$ 486	40%	\$ 291
V910A-CA	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V910AT-CA	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
V910A-DN	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 2.6-6 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
VM621-5	21-INCH SCREEN; high resolution (450 TV lines); NTSC/PAL			\$ 657	40%	\$ 394
V926A-CA	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
VF-100T	VIDEO TRANSMITTER; 12 dB			\$ 337	40%	\$ 202
VF-100TR	VIDEO TRANSMITTER; 12 dB, rack mount			\$ 405	40%	\$ 243
VF-100R	VIDEO RECEIVER; 12 dB			\$ 337	40%	\$ 202
VF-100RR	VIDEO RECEIVER; 12 dB, rack mount			\$ 443	40%	\$ 266
VF-30RR	VIDEO RECEIVER; 3-channels, 13 dB, rack mount			\$ 997	40%	\$ 598
VF-404T	VIDEO TRANSMITTER; 4-channels			\$ 1,594	40%	\$ 956
VF-404TR	VIDEO TRANSMITTER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
VF-404R	VIDEO RECEIVER; 4-channels			\$ 1,594	40%	\$ 956
VF-404RR	VIDEO RECEIVER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
VF-220T	VIDEO TRANSMITTER; 2-channels			\$ 1,245	40%	\$ 747
VF-220TR	VIDEO TRANSMITTER; 2-channels, rack mount			\$ 1,245	40%	\$ 747
VF-220R	VIDEO RECEIVER; 2-channels			\$ 1,245	40%	\$ 747
VF-1605T	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax			\$ 958	40%	\$ 575
VF-1605TR	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax, rack mount			\$ 958	40%	\$ 575
VF-1605R	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax			\$ 958	40%	\$ 575
VF-1605RR	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax, rack mount			\$ 958	40%	\$ 575
VF-1400T	VIDEO / DATA TRANSMITTER; single fiber; duplex RS-422; simplex video; for NOVA/Pilot			\$ 958	40%	\$ 575
VF-1400R	VIDEO / DATA RECEIVER; single fiber; duplex RS-422; simplex video; for use with NOVA/Pilot/SurveyorVFT			\$ 958	40%	\$ 575
VF-1400RR	VIDEO / DATA RECEIVER (RACK MODULE); single fiber; duplex RS-422; simplex video; for use with NOVA/Pilot/SurveyorVFT			\$ 958	40%	\$ 575
VF-PSR-2	POWER SUPPLY; 120 W DC; included with VF-SR-20/2			\$ 846	40%	\$ 508
VF-SR20/2	RACK; 14 slots, includes 100 W power supply; blank panels are VF-BPS-1			\$ 1,327	40%	\$ 796
VF-BPS-1	BLANK PANEL; for use with VF-SR20/2 rack			\$ 27	40%	\$ 16
V2416-600PS	POWER SUPPLY; sixteen-channel, 120 VAC input, 24/28 VAC output, 25/20 amps (total)			\$ 456	40%	\$ 274
V248-600PS	POWER SUPPLY; eight-channel, 120 VAC input, 24 VAC output, 25 amps (total)			\$ 347	40%	\$ 208
V910-PH	PENDANT ADAPTER; for use with V910 dome series, adapts V910 to work with SVFT-UWM, SVFT-WM, and SVFT-UCM pendant mounts; indoor/outdoor			\$ 55	40%	\$ 33
V910-ICD	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for drop ceiling installations			\$ 193	40%	\$ 116
V910-ICH	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for hard ceiling installations			\$ 177	40%	\$ 106

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VN-301TV5-1	VICONNET 1-CHANNEL VIDEO ENCODER; accepts 1 analog video input for transmission over TCP/IP network (30 fps total). Includes ViconNet version 5 viewing software.			\$ 1,240	40%	\$ 744
NETSWITCH-16	NETWORK SWITCH; 16-channel LAN connections, 10/100, autosensing ports			\$ 205	40%	\$ 123
NETSWITCH-24	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports			\$ 886	40%	\$ 532
NETSWITCH-24POE	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports, provides Power over Ethernet			\$ 1,049	40%	\$ 629
NETSWITCH-10	NETWORK SWITCH; 10-channel LAN connections, 10/100 autosensing ports, provides Power over Ethernet			\$ 724	40%	\$ 434
SVFT-C22	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; coaxial video transmission			\$ 2,852	40%	\$ 1,711
SVFT-C22-F	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,842	40%	\$ 2,305
SVFT-C22-T	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome; twisted pair video transmission			\$ 2,894	40%	\$ 1,736
SVFT-C22-V5	INDOOR/IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with ExView™ technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,580	40%	\$ 2,148
SVFT-C23	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861
SVFT-C23-F	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
SVFT-C23-T	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
SVFT-C23-V5	INDOOR IN-CEILING DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,830	40%	\$ 2,298
SVFT-P22	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; coaxial video transmission			\$ 3,019	40%	\$ 1,811
SVFT-P22-F	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,009	40%	\$ 2,405
SVFT-P22-T	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; twisted pair video transmission			\$ 3,061	40%	\$ 1,837
SVFT-P22-V5	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,747	40%	\$ 2,248
SVFT-P23	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome; coaxial video transmission			\$ 3,268	40%	\$ 1,961
SVFT-P23-F	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,258	40%	\$ 2,555
SVFT-P23-T	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome; twisted pair video transmission			\$ 3,310	40%	\$ 1,986
SVFT-P23-V5	INDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,996	40%	\$ 2,398
SVFT-W22	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-W22-F	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
SVFT-W22-T	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
SVFT-W22-V5	OUTDOOR PENDANT PENDANT COLOR IP CAMERA DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,830	40%	\$ 2,298
SVFT-W23	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; coaxial video transmission			\$ 3,352	40%	\$ 2,011
SVFT-W23-F	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,342	40%	\$ 2,605
SVFT-W23-T	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; twisted pair video transmission			\$ 3,394	40%	\$ 2,036
SVFT-W23-V5	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome. For use with ViconNet Ver. 4.0 (LAN) for video/data transmission.			\$ 4,080	40%	\$ 2,448
SVFT-SOF	SOFFIT MOUNT; for outdoor SurveyorVFT and SVFT-M camera domes			\$ 572	40%	\$ 343
SVFT-PRC12	PRE-WIRED COAXIAL CABLE; for use with SurveyorVFT Pressurized Dome			\$ 365	40%	\$ 219
SVFT-PRC12T	PRE-WIRED TWISTED PAIR CABLE; for use with SurveyorVFT Pressurized Dome			\$ 533	40%	\$ 320
SVFT-C22CA	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; coaxial video transmission			\$ 2,032	40%	\$ 1,219
SVFT-C22CA-F	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,022	40%	\$ 1,813
SVFT-C22CA-T	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
SVFT-C22CA-V5	IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,760	40%	\$ 1,656
SVFT-P22CA	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; coaxial video transmission			\$ 2,094	40%	\$ 1,256
SVFT-P22CA-F	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,084	40%	\$ 1,850
SVFT-P22CA-T	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
SVFT-P22CA-V5	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,822	40%	\$ 1,693
SVFT-W22CA	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; coaxial video transmission			\$ 2,198	40%	\$ 1,319
SVFT-W22CA-F	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,188	40%	\$ 1,913
SVFT-W22CA-T	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; twisted pair video transmission			\$ 2,240	40%	\$ 1,344
SVFT-W22CA-V5	OUTDOOR PENDANT VARIABLE-SPEED COLOR IP CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,926	40%	\$ 1,756
SVFT-M22	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; coaxial video transmission			\$ 2,593	40%	\$ 1,556
SVFT-M22-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,583	40%	\$ 2,150

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-M22-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; twisted pair video transmission			\$ 2,635	40%	\$ 1,581
SVFT-M22-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,321	40%	\$ 1,993
SVFT-M22E	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; coaxial video transmission			\$ 3,114	40%	\$ 1,869
SVFT-M22E-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,104	40%	\$ 2,462
SVFT-M22E-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; twisted pair video transmission			\$ 3,156	40%	\$ 1,894
SVFT-M22E-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,842	40%	\$ 2,305
SVFT-M23	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); coaxial video transmission			\$ 3,364	40%	\$ 2,018
SVFT-M23-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,354	40%	\$ 2,612
SVFT-M23-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); twisted pair video transmission			\$ 3,406	40%	\$ 2,044
SVFT-M23-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR). For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,092	40%	\$ 2,455
V894CSH-2.6-6	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 2.6-6 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
SVFT-IP-UPGV5	UPGRADE KIT; converts non-IP Surveyor/VFT domes to IP version			\$ 1,156	40%	\$ 694
SVFT-C3312	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; coaxial video transmission			\$ 728	40%	\$ 437
SVFT-C3312F1	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,185	40%	\$ 711
SVFT-C3312T	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; twisted pair video transmission			\$ 770	40%	\$ 462
SVFT-C3312V5	IN-CEILING FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,456	40%	\$ 874
SVFT-P3312	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; coaxial video transmission			\$ 789	40%	\$ 474
SVFT-P3312F1	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,247	40%	\$ 748
SVFT-P3312T	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC; twisted pair video transmission			\$ 831	40%	\$ 499
SVFT-P3312V5	PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,517	40%	\$ 910
SVFT-W3312	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 977	40%	\$ 586
SVFT-W3312F1	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,435	40%	\$ 861

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-W3312T	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,019	40%	\$ 611
SVFT-W3312V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,705	40%	\$ 1,023
SVFT-W3312DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 1,102	40%	\$ 661
SVFT-W3312F1DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,560	40%	\$ 936
SVFT-W3312TDN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,144	40%	\$ 686
SVFT-W3312DN-V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,830	40%	\$ 1,098
V926-W3312	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V926-W3312T	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission.			\$ 737	40%	\$ 442
V926-W3312DN	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/4-in. high-resolution color/monochrome camera, 3.3-12 mm varifocal day/night autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
V910-W3312	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V910-W3312F1	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,330	40%	\$ 798
V910-W3312T	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
V910-W3312DN-F1	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,478	40%	\$ 887
V910-W3312DN	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
V894CSH-3312	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
SVFT-PRS22E	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; coaxial video transmission			\$ 3,937	40%	\$ 2,362
SVFT-PRS22E-F	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 5,802	40%	\$ 3,481
SVFT-PRS22E-T	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; twisted pair video transmission			\$ 3,979	40%	\$ 2,387
SVFT-PRS22E-V5	PRESSURIZED IP CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,076	40%	\$ 3,046
SVFT-PRS23	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,187	40%	\$ 2,512
SVFT-PRS23-F	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,052	40%	\$ 3,631
SVFT-PRS23-T	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,229	40%	\$ 2,537

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-PRS23-V5	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,326	40%	\$ 3,196
SVFT-W550DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; coaxial video transmission			\$ 1,227	40%	\$ 736
SVFT-W550DN-F1	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,685	40%	\$ 1,011
SVFT-W550DN-T	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; twisted pair video transmission			\$ 1,269	40%	\$ 761
SVFT-W550DN-V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173
VM-717LCD-1	17-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 925	40%	\$ 555
VM-719LCD-1	19-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 1,048	40%	\$ 629
VM-7179LCD-RK	RACK KIT; for use with VM-717/719 LCD monitor			\$ 113	40%	\$ 68
VC-600-PLATE	ADAPTER PLATE; to mount the VC-600S/VC-610S into a 4 x 4 in. electrical box			\$ 19	40%	\$ 11
VC-620	OUTDOOR; 1/3-in. day/night color camera and 3.3-12 mm autoiris varifocal lens; 550 HTVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum			\$ 594	40%	\$ 356
VC-621	OUTDOOR; 1/3-in. day/night color camera and 5-50 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum			\$ 1,072	40%	\$ 643
VC-630	1/3-INCH FORMAT; DSP, 3.3-12 mm autoiris varifocal lens, 480 TVL (0.2 lux), 12 VDC/24 VAC			\$ 407	40%	\$ 244
VC-632	WIDE DYNAMIC RANGE DAY/NIGHT CAMERA, color/monochrome operation, C/CS mount, 480 HTVL, INT.LLL, 12 VDC/24 VAC isolated power supply			\$ 583	40%	\$ 350
V-DA-8-16	VIDEO DISTRIBUTION AMPLIFIER; 8 input x 2 output or 2 input x 8 output configurations; rack mount			\$ 231	40%	\$ 139
VGEZ-1000	PC-TO-TV CONVERTER; self-powered USB interface, VGA in and VGA output connections, composite and S-video (NTSC) output			\$ 157	40%	\$ 94
KX-4-RK2	DOUBLE WIDTH RACK KIT; for use with KTX-4 IP encoder. Mounts two (2) KTX-4 encoders in standard 19-in rack.			\$ 145	40%	\$ 87
KX-4-WM	WALL MOUNT BRACKET; for mounting single KTX-4 encoder to wall			\$ 59	40%	\$ 35
KX-4-CC	RACK KIT; for use with KTX-4 IP encoder. Mounts eight (8) KTX-4 encoders in standard 19-in rack. Requires 5U space.			\$ 573	40%	\$ 344
KTX-4V5	VICONNET 4-CHANNEL DIGITAL VIDEO ENCODER; 120 fps (total), ViconNet Ver. 5.0; audio input/output; power over Ethernet capable			\$ 2,305	40%	\$ 1,383
VC-600WIR	OUTDOOR 3-INCH CAMERA DOME; IR illuminated, color, 3.7 mm fixed lens, 550 HTVL, day/night, INT.LLL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 551	40%	\$ 331
VN-HIRSCH-INTV5	VICONNET-HIRSCH INTEGRATION SOFTWARE; to use ViconNet version 5.6 on a Hirsch Velocity access control workstation			\$ 6,167	40%	\$ 3,700
VN-LENELE-INTV4	VICONNET-LENELE INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a Lenel OnGuard access control workstation			\$ 6,167	40%	\$ 3,700
VN-DSX-INTV4	VICONNET-DSX INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a WinDSX access control workstation			\$ 6,167	40%	\$ 3,700
SVFT-W35	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; coaxial video transmission			\$ 3,819	40%	\$ 2,291
SVFT-W35-F	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,809	40%	\$ 2,885
SVFT-W35-T	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; twisted pair video transmission			\$ 3,861	40%	\$ 2,317
SVFT-W35-V5	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,547	40%	\$ 2,728
SVFT-PRS35	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,656	40%	\$ 2,794

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-PRS35-F	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,521	40%	\$ 3,913
SVFT-PRS35-T	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,698	40%	\$ 2,819
SVFT-PRS35-V5	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,795	40%	\$ 3,477
SVFT-M35	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; coaxial video transmission			\$ 3,833	40%	\$ 2,300
SVFT-M35-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,823	40%	\$ 2,894
SVFT-M35-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; twisted pair video transmission			\$ 3,875	40%	\$ 2,325
SVFT-M35-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,561	40%	\$ 2,737
VC-600W-PLATE	ADAPTER PLATE; used to mount VC-600W/S610WS series to V910-PH pendant mount			\$ 28	40%	\$ 17
VC-700-PLATE	ADAPTER PLATE; used to mount VC-700/700W series to V910-PH pendant mount			\$ 28	40%	\$ 17
SVFT-M550DN-V5	IMPACT-RESISTANT FIXED IP CAMERA DOME; includes 1/3-in. Ex/View high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173
KRX-3V5	VICONNET 3-CHANNEL DIGITAL VIDEO DECODER; 90 fps (total), ViconNet Ver. 5.0; for use with Virtual Matrix Controller; power over Ethernet capable			\$ 3,075	40%	\$ 1,845
VC-600S	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 407	40%	\$ 244
VC-610S	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 614	40%	\$ 368
VC-600WS	OUTDOOR 3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 504	40%	\$ 302
VC-610WS	OUTDOOR 3-INCH CAMERA DOME; wide dynamic range, color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 657	40%	\$ 394
VNCTRL-1	Remote control panel for ViconNet Collectors & NVRs; Controls recording / burning of archives			\$ 2,797	40%	\$ 1,678
KOLL-S250	HARD DRIVE REPLACEMENT KIT, for Collectors, SATA, 250 GB			\$ 208	40%	\$ 125
KOLL-S500	HARD DRIVE REPLACEMENT KIT, for Collectors, SATA, 500 GB			\$ 523	40%	\$ 314
KOLL-S1000	HARD DRIVE REPLACEMENT KIT, for Collectors, SATA, 1000 GB			\$ 1,042	40%	\$ 625
VI-ZONE	VICONNET VIDEO ANALYTICS; motion in a zone of interest (software). Single license.			\$ 812	40%	\$ 487
VI-LINE	VICONNET VIDEO ANALYTICS; person or vehicle crossing a defined line (software). Single license.			\$ 812	40%	\$ 487
VI-TLGT	VICONNET VIDEO ANALYTICS; one or more people/vehicles follow an authorized one through a secured entry point (software). Single license.			\$ 812	40%	\$ 487
VI-LOIT	VICONNET VIDEO ANALYTICS; person(s) lingering or standing idly (software). Single license.			\$ 812	40%	\$ 487
VI-GRPG	VICONNET VIDEO ANALYTICS; grouping of up to 12 people (software). Single license.			\$ 812	40%	\$ 487
VI-STICK	VICONNET VIDEO ANALYTICS; measure stickiness, time spent by a person within an area of a store (software). Single license.			\$ 812	40%	\$ 487
VI-VSSL	VICONNET VIDEO ANALYTICS; movement of a vessel on water surface (software). Single license.			\$ 812	40%	\$ 487
VI-ASP-PRO	VICONNET VIDEO ANALYTICS ON-SITE ENGINEER; for site survey/training, one-day			\$ 2,000	40%	\$ 1,200
VI-STOP	VICONNET VIDEO ANALYTICS; stopped vehicle parked for a specified amount of time (software). Single license.			\$ 812	40%	\$ 487
VI-TOBS	VICONNET VIDEO ANALYTICS; traffic obstacle detection, object or vehicle obstructing traffic or tracks (software). Single license.			\$ 812	40%	\$ 487
VI-SOBJ	VICONNET VIDEO ANALYTICS; suspicious object detection, object left behind or unattended for specific amount of time (software). Single license.			\$ 812	40%	\$ 487

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VI-ASST	VICONNET VIDEO ANALYTICS; up to 20 objects removed from a scene (software). Single license.			\$ 812	40%	\$ 487
VI-TOUR	VICONNET VIDEO ANALYTICS, Virtual tour option, for VI-ZONE and VI-LINE on PTZ, presets (software). Single license.			\$ 1,209	40%	\$ 725
VI-CNTG	VICONNET VIDEO ANALYTICS; object counting only (software). Single license.			\$ 812	40%	\$ 487
VI-CRWD	VICONNET VIDEO ANALYTICS; crowd detection, crowd detector (software). Single license.			\$ 812	40%	\$ 487
VN-VI-SERVER	VICONNET VIDEO ANALYTICS SERVER; for ViconNet VI, includes software for server, up to 100 channels			\$ 6,160	40%	\$ 3,696
VN-VI-PROXY	VICONNET VIDEO ANALYTICS PROXY SERVER; for ViconNet VI, includes software configured for proxy, up to 18 cameras			\$ 6,160	40%	\$ 3,696
VI-TWO	VICONNET VIDEO ANALYTICS; 2 behaviors per channel (excluding PTZ options) (software). Single license.			\$ 984	40%	\$ 590
VI-ENT	VICONNET VIDEO ANALYTICS; all behaviors per channel (excluding PTZ options) (software). Single license.			\$ 1,478	40%	\$ 887
V700-C312	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC, clear lower dome; 90° tilt			\$ 393	40%	\$ 236
VC-710S	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome; 90° tilt			\$ 614	40%	\$ 368
V700W-I312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME, IR illuminated, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, day/night, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 552	40%	\$ 331
V1522	ADVANCED DIGITAL CONTROL AND MATRIX SWITCHER; 32 camera inputs, 8 monitor outputs. Full camera station control and matrix switching. Vicoax compatible.			\$ 4,062	40%	\$ 2,437
V5616MUX	16-CHANNEL COLOR TRIPLEX MULTIPLEXER; simultaneous live view, play and record; real time; 16 video inputs with loop through output capability; 720x480 resolution			\$ 1,448	40%	\$ 869
VN-957DN	I-ONYX IP CAMERA; MPEG-4 open platform, 1/3-inch day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 12 VDC or PoE.			\$ 1,039	40%	\$ 623
VN-856V5	I-ONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 970	40%	\$ 582
VN-856DNV5	I-ONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,039	40%	\$ 623
VN-856WDRV5	I-ONYX IP CAMERA, with Digital Noise Reduction (DNR); 1/3-inch CCD; wide dynamic range; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,195	40%	\$ 717
VN-VI-SW	VICONNET VI SOFTWARE; for Video Analytics system capabilities (server and proxy)			\$ 924	40%	\$ 554
V700W-N312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 540	40%	\$ 324
V700W-D312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; Pixim color camera with Wide Dynamic Range (WDR), 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
V910A-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in, high-resolution color camera with 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,272	40%	\$ 763
V910-N312V	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in, day/night color camera with DNR; 3.3-12 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$ 1,206	40%	\$ 724
V910-D312	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA WITH WDR; includes 1/3-in, Pixim high-resolution color camera with Wide Dynamic Range and 3.3 - 12 mm varifocal autoiris lens; 24 VAC; isolated power input			\$ 831	40%	\$ 499
V910A-WDR-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in, Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,483	40%	\$ 890
VE-VMDC-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VE-VMDC-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-VMDC-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VM-632LCD-1	32-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 2,621	40%	\$ 1,573
VM-642LCD-2	42-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 3,700	40%	\$ 2,220
VU-KE-1V	UPGRADE FOR KOLLECTOR ELITE; upgrade one (1) ViconNet version; license certificate			\$ 1,864	40%	\$ 1,118
VU-KP-1V	UPGRADE FOR KOLLECTOR PRO; upgrade one (1) ViconNet version; license certificate			\$ 1,656	40%	\$ 993
VU-KL-1V	UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; upgrade one (1) ViconNet version; license certificate			\$ 1,448	40%	\$ 869
VU-500-1V	UPGRADE FOR VN500 VICONNET SOFTWARE; upgrade one (1) ViconNet version; license certificate			\$ 151	40%	\$ 91
VU-NVR-1V	UPGRADE FOR VN-NVR; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-VMC-1V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-WS-1V	UPGRADE FOR VN-WS VICONNET SOFTWARE; upgrade one (1) ViconNet version; license certificate			\$ 151	40%	\$ 91
VU-K-1V	UPGRADE FOR KOLLECTOR RECORDERS; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-VMDC-1V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER VMDC/VMDC; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-KE-2V	UPGRADE FOR KOLLECTOR ELITE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,797	40%	\$ 1,678
VU-KP-2V	UPGRADE FOR KOLLECTOR PRO; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,484	40%	\$ 1,490
VU-KL-2V	UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,172	40%	\$ 1,303
VU-500-2V	UPGRADE FOR VN500 VICONNET SOFTWARE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 227	40%	\$ 136
VU-NVR-2V	UPGRADE FOR VN-NVR; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-VMC-2V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-WS-2V	UPGRADE FOR VN-WS VICONNET SOFTWARE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 227	40%	\$ 136
VU-K-2V	UPGRADE FOR KOLLECTOR RECORDERS; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-VMDC-2V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER VMDC/VMDC; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VUE-KE-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR ELITE; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,610	40%	\$ 1,566
VUE-KP-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR PRO; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,319	40%	\$ 1,391
VUE-KL-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,027	40%	\$ 1,216
VUE-500-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-NVR-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-WS-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-K-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-VMDC-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMDC/VMDC; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-KE-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR ELITE; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 3,541	40%	\$ 2,125
VUE-KP-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR PRO; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 3,147	40%	\$ 1,888

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VUE-KL-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,750	40%	\$ 1,650
VUE-500-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VUE-NVR-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-WS-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VUE-K-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-VMDC-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMCI/VMDC; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
V2.9-8.2VF-CS-G	VARIFOCAL; 2.9-8.2 mm, f/1.0, autoiris			\$ 86	40%	\$ 52
V2.9-8.2VF-IR-CS-G	VARIFOCAL; 2.9-8.2 mm, f/1.0, autoiris; IR illumination			\$ 111	40%	\$ 67
V2.9-8.2VF-IR	VARIFOCAL; 2.9-8.2 mm, f/1.0, adjustable iris; IR illumination			\$ 85	40%	\$ 51
V3-8VF-MP-IR-CS-G	VARIFOCAL; 3-8 mm, f/1.2, adjustable iris; IR illumination, for use with megapixel cameras			\$ 252	40%	\$ 151
VN-V1500X-SCCS	PrePac for for use with ViconNet/Virtual Matrix Controller; includes V1500X-SCCS system controller and V422-CONV RS-422 to RS-232 converter			\$ 2,447	40%	\$ 1,468
V8.5-40VF-IR	VARIFOCAL; 8.5-40 mm, f/1.3, adjustable iris; IR illumination			\$ 210	40%	\$ 126
V8.5-40VF-IR-CS-G	VARIFOCAL; 8.5-40 mm, f/1.3, autoiris; IR illumination			\$ 224	40%	\$ 134
V910A-NR	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; 24 VAC capability, isolated power input, smoked dome, coaxial video transmission			\$ 594	40%	\$ 356
V910A-NR	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,164	40%	\$ 698
V910A-NR-IP5	CONTROLS 32 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 11,649	40%	\$ 6,989
PUL-32X16	CONTROLS 32 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 25,359	40%	\$ 15,215
PUL-64X16	CONTROLS 64 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 12,466	40%	\$ 7,480
PUL-64X32	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 16,533	40%	\$ 9,920
PUL-64X48	CONTROLS 64 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 28,264	40%	\$ 16,958
PUL-64X64	CONTROLS 64 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 32,332	40%	\$ 19,399
PUL-96X16	CONTROLS 96 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 13,935	40%	\$ 8,361
PUL-96X32	CONTROLS 96 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 18,326	40%	\$ 10,996
PUL-96X48	CONTROLS 96 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 31,148	40%	\$ 18,689
PUL-96X64	CONTROLS 96 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 35,539	40%	\$ 21,323
PUL-128X16	CONTROLS 128 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 15,399	40%	\$ 9,239
PUL-128X32	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 20,118	40%	\$ 12,071
PUL-128X48	CONTROLS 128 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 34,071	40%	\$ 20,443
PUL-160X16	CONTROLS 160 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 16,868	40%	\$ 10,121
PUL-192X16	CONTROLS 192 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 18,337	40%	\$ 11,002
PUL-192X32	CONTROLS 192 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 23,698	40%	\$ 14,219
PUL-192X48	CONTROLS 192 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 39,787	40%	\$ 23,872
PUL-192X64	CONTROLS 192 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 45,154	40%	\$ 27,092
PUL-224X16	CONTROLS 224 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 19,800	40%	\$ 11,880
PUL-224X48	CONTROLS 224 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 42,671	40%	\$ 25,603
PUL-224X64	CONTROLS 224 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 48,356	40%	\$ 29,014

ViconNet Digital Video Management System **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PUL-256X32	CONTROLS 256 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 27,278	40%	\$ 16,367
PUL-256X48	CONTROLS 256 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 46,780	40%	\$ 28,068
PUL-256X64	CONTROLS 256 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 55,982	40%	\$ 33,589
PUL-288X32	CONTROLS 288 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 33,533	40%	\$ 20,120
PUL-288X48	CONTROLS 288 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 62,089	40%	\$ 37,253
PUL-288X64	CONTROLS 288 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 67,517	40%	\$ 40,510
PUL-320X16	CONTROLS 320 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 28,495	40%	\$ 17,097
PUL-320X32	CONTROLS 320 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 35,325	40%	\$ 21,195
PUL-320X48	CONTROLS 320 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 65,219	40%	\$ 39,131
PUL-320X64	CONTROLS 320 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 72,635	40%	\$ 43,581
PUL-352X16	CONTROLS 352 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 29,958	40%	\$ 17,975
PUL-352X32	CONTROLS 352 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 37,118	40%	\$ 22,271
PUL-352X48	CONTROLS 352 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 68,344	40%	\$ 41,006
PUL-352X64	CONTROLS 352 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 76,117	40%	\$ 45,670
PUL-384X32	CONTROLS 384 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 38,905	40%	\$ 23,343
PUL-384X48	CONTROLS 384 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 71,474	40%	\$ 42,884
PUL-384X64	CONTROLS 384 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 79,593	40%	\$ 47,756
PUL-416X16	CONTROLS 416 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 32,891	40%	\$ 19,735
PUL-416X32	CONTROLS 416 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 40,697	40%	\$ 24,418
PUL-416X48	CONTROLS 416 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 74,599	40%	\$ 44,759
PUL-416X64	CONTROLS 416 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 83,074	40%	\$ 49,844
PUL-448X16	CONTROLS 448 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 34,360	40%	\$ 20,616
PUL-448X32	CONTROLS 448 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 42,490	40%	\$ 25,494
PUL-448X48	CONTROLS 448 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 77,730	40%	\$ 46,638
PUL-448X64	CONTROLS 448 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 86,556	40%	\$ 51,934
PUL-480X16	CONTROLS 480 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 35,829	40%	\$ 21,497
PUL-480X32	CONTROLS 480 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 44,277	40%	\$ 26,566
PUL-480X48	CONTROLS 480 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 80,825	40%	\$ 48,495
PUL-480X64	CONTROLS 480 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 90,032	40%	\$ 54,019
PUL-512X16	CONTROLS 512 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 37,293	40%	\$ 22,376
PUL-512X32	CONTROLS 512 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 46,070	40%	\$ 27,642
PUL-512X48	CONTROLS 512 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 83,985	40%	\$ 50,391
PUL-512X64	CONTROLS 512 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 93,514	40%	\$ 56,108
V1599X-TCC	CARD CAGE; holds up to 16 V1599X-TDT circuit cards, each of which titles 2 monitors (32 monitors total per card cage)			\$ 688	40%	\$ 413
V1599X-TC-PS	POWER SUPPLY; used in V1599X-TCC, 1 per card cage			\$ 383	40%	\$ 230
V1599X-TDT-MA	MASTER MODULE; provides addressing for 32 monitors and loop-through signaling for additional V1599X-TCC card cage			\$ 229	40%	\$ 137
V1599X-TDT-SL-1	SLAVE MODULE; provides addressing for 32 monitors in additional V1599X-TCC card cage			\$ 233	40%	\$ 140
V1599X-TDT	TIME/DATE/TITLER ASSEMBLY; circuit card provides time/date/titles for 2 monitors			\$ 321	40%	\$ 193
V1599X-RCT	BLANK REAR CLOSURE PANEL; for V1599X-TCC			\$ 38	40%	\$ 23
V1599X-CPU	PILOT V1599 CENTRAL PROCESSING UNIT; includes internal graphic Configurator. Capable of addressing over 8000 cameras and 500 monitor and keypad stations. Use with companion Pilot-CDU Communication Distribution Unit and Matrix Switching System.			\$ 7,687	40%	\$ 4,612

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V1599CDU-1	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes one network interface card and one power supply module.			\$ 7,616	40%	\$ 4,570
V1599CDU-H-1	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; internal redundant configuration for automatic switchover. Configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes redundant personality modules, power supplies and network cards.			\$ 10,301	40%	\$ 6,181
V1599CDU-CC	PILOT V1599 CDU CHASSIS; includes one network interface card and power supply module. Must be populated with CDU personality modules.			\$ 2,757	40%	\$ 1,654
V1599CDU-ALRM	PILOT V1599 CDU ALARM MODULE; provides communication from Pilot V1599CDU to Vicon alarm devices			\$ 1,633	40%	\$ 980
V1599CDU-TDT	PILOT V1599 CDU TIME/DATE/TITLER MODULE; provides control communication between V1599CDU and matrix time/date/ titling devices			\$ 913	40%	\$ 548
V1599CDU-VID	PILOT V1599 VIDEO MODULE; provides control communication between V1599CDU and matrix video switcher			\$ 916	40%	\$ 549
V1599CDU-SER	PILOT V1599CDU SERIAL MODULE; provides control communication between V1599CDU and Vicon system keypads/PTZ receivers or host RS-232 devices			\$ 664	40%	\$ 399
V1599CDU-RCP	PILOT V1599CDU REAR CLOSURE PANEL; blank rear closure panel for unused card slots in V1599 chassis			\$ 17	40%	\$ 10
V1599CDU-HSB-POW	PILOT V1599CDU REDUNDANT POWER SUPPLY MODULE; provides internal power redundancy for the V1599CDU			\$ 319	40%	\$ 191
V1599CDU-HSB-NET	PILOT V1599CDU REDUNDANT NETWORK INTERFACE MODULE; provides internal network communication redundancy for the V1599CDU			\$ 1,132	40%	\$ 679
V1599CDU-HSB-ALRM	PILOT V1599CDU REDUNDANT ALARM MODULE; provides internal redundant communication from V1599 CDU to alarm devices			\$ 2,120	40%	\$ 1,272
V1599CDU-HSB-TDT	PILOT V1599CDU REDUNDANT TIME/DATE/TITLER MODULE; provides internal redundant communication from V1599CDU to time/date/titler device			\$ 1,371	40%	\$ 822
V1599CDU-HSB-VID	PILOT V1599CDU REDUNDANT VIDEO MODULE; provides internal redundant communication from V1599CDU to video matrix switcher			\$ 1,386	40%	\$ 832
V1599CDU-HSB-SER	PILOT V1599CDU REDUNDANT SERIAL MODULE; provides internal redundant communication from V1599CDU to system keypads, receivers and host RS-232 devices			\$ 1,219	40%	\$ 732
V1599-KVM-R	MULTI-INPUT VGA MONITOR/KEYBOARD; used with V1599CPU, accepts 8 VGA inputs from multiple PCs, includes 2 PC cables. Rack-mount only.			\$ 6,458	40%	\$ 3,875
V1599-KVM-CAB3	CABLE; used with V1599-KVM-R; connects additional PCs to V1599-KVM-Rs			\$ 60	40%	\$ 36
PS-32X16	CONTROLS 32 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 7,489	40%	\$ 4,493
PS-32X32	CONTROLS 32 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 9,509	40%	\$ 5,705
PS-32X48	CONTROLS 32 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 15,792	40%	\$ 9,475
PS-32X64	CONTROLS 32 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 17,696	40%	\$ 10,618
PS-64X16	CONTROLS 64 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 8,853	40%	\$ 5,312
PS-64X32	CONTROLS 64 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,301	40%	\$ 6,781
PS-64X48	CONTROLS 64 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 18,404	40%	\$ 11,042
PS-64X64	CONTROLS 64 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 20,196	40%	\$ 12,118
PS-96X16	CONTROLS 96 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 10,405	40%	\$ 6,243
PS-96X32	CONTROLS 96 CAMERAS and 32 MONITORS; includes 1 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 12,905	40%	\$ 7,743
PS-96X48	CONTROLS 96 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 21,352	40%	\$ 12,811
PS-96X64	CONTROLS 96 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,435	40%	\$ 14,061
PS-128X16	CONTROLS 128 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,717	40%	\$ 7,030
PS-128X32	CONTROLS 128 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,155	40%	\$ 8,493
PS-128X48	CONTROLS 128 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 24,091	40%	\$ 14,455
PS-128X64	CONTROLS 128 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,653	40%	\$ 15,992
PS-160X16	CONTROLS 160 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 12,926	40%	\$ 7,756
PS-160X32	CONTROLS 160 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,092	40%	\$ 9,055
PS-160X48	CONTROLS 160 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,945	40%	\$ 16,167
PS-160X64	CONTROLS 160 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,882	40%	\$ 17,929

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PS-192X16	CONTROLS 192 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,196	40%	\$ 8,518
PS-192X32	CONTROLS 192 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,350	40%	\$ 9,810
PS-192X48	CONTROLS 192 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,674	40%	\$ 17,804
PS-192X64	CONTROLS 192 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
PS-224X16	CONTROLS 224 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,717	40%	\$ 9,430
PS-224X32	CONTROLS 224 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 18,644	40%	\$ 11,186
PS-224X48	CONTROLS 224 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,549	40%	\$ 19,529
PS-224X64	CONTROLS 224 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 36,111	40%	\$ 21,667
PS-256X16	CONTROLS 256 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,654	40%	\$ 9,992
PS-256X32	CONTROLS 256 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 20,404	40%	\$ 12,242
PS-256X48	CONTROLS 256 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,882	40%	\$ 21,529
PS-256X64	CONTROLS 256 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,569	40%	\$ 23,741
PS-288X16	CONTROLS 288 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 22,133	40%	\$ 13,280
PS-288X32	CONTROLS 288 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,674	40%	\$ 15,404
PS-288X48	CONTROLS 288 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 47,130	40%	\$ 28,278
PS-288X64	CONTROLS 288 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 51,353	40%	\$ 30,812
PS-320X16	CONTROLS 320 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,945	40%	\$ 14,367
PS-320X32	CONTROLS 320 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,216	40%	\$ 16,930
PS-320X48	CONTROLS 320 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 49,672	40%	\$ 29,803
PS-320X64	CONTROLS 320 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 54,473	40%	\$ 32,684
PS-352X16	CONTROLS 352 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,258	40%	\$ 15,155
PS-352X32	CONTROLS 352 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,693	40%	\$ 17,816
PS-352X48	CONTROLS 352 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 52,630	40%	\$ 31,578
PS-352X64	CONTROLS 352 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 57,421	40%	\$ 34,453
PS-384X16	CONTROLS 384 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,862	40%	\$ 16,117
PS-384X32	CONTROLS 384 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,715	40%	\$ 19,029
PS-384X48	CONTROLS 384 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 55,463	40%	\$ 33,278
PS-384X64	CONTROLS 384 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 60,671	40%	\$ 36,403
PPL-64x8	CONTROLS 64 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 64 cameras; programming keyboard			\$ 7,281	40%	\$ 4,369
PPL-96x8	CONTROLS 96 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 96 cameras and 2 additional switcher cards; programming keyboard			\$ 9,062	40%	\$ 5,437
PS-416X16	CONTROLS 416 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,424	40%	\$ 17,054
PS-416X32	CONTROLS 416 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 34,215	40%	\$ 20,529
PS-416X48	CONTROLS 416 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 58,317	40%	\$ 34,990
PS-416X64	CONTROLS 416 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 63,795	40%	\$ 38,277
PS-448X16	CONTROLS 448 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,841	40%	\$ 17,905
PS-448X32	CONTROLS 448 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,673	40%	\$ 21,404
PS-448X48	CONTROLS 448 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 61,139	40%	\$ 36,683
PS-448X64	CONTROLS 448 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 67,055	40%	\$ 40,233
PS-480X16	CONTROLS 480 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,245	40%	\$ 18,747
PS-480X32	CONTROLS 480 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 37,402	40%	\$ 22,441

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PS-480X48	CONTROLS 480 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 64,056	40%	\$ 38,434
PS-480X64	CONTROLS 480 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 70,097	40%	\$ 42,058
PS-512X16	CONTROLS 512 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
PS-512X32	CONTROLS 512 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,839	40%	\$ 23,903
PS-512X48	CONTROLS 512 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 66,920	40%	\$ 40,152
PS-512X64	CONTROLS 512 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 73,377	40%	\$ 44,026
VDR-408-500	8-CHANNEL DIGITAL VIDEO RECORDER; 500 GB hard drive, 200 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 2,767	40%	\$ 1,660
VDR-416-1000	16-CHANNEL DIGITAL VIDEO RECORDER; 1000 GB hard drive, 400 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 3,353	40%	\$ 2,012
VN-AV1355	1.3 MEGAPIXEL H.264/MJPEG IP COLOR ALL-IN-ONE CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 1,771	40%	\$ 1,063
VN-AV1355DN-1HK	1.3 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with heater			\$ 2,009	40%	\$ 1,205
VN-AV2105DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 1600x1200, motorized IR cut filter			\$ 1,620	40%	\$ 972
VN-AV2155DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,286	40%	\$ 1,372
VN-AV3105DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 2048x1536, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV5100DN	5.0 MEGAPIXEL IP DAY/NIGHT CAMERA; 2592x1944, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV5155DN-1HK	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with 10V-50 V DC heater			\$ 2,604	40%	\$ 1,562
VN-AV5105DN	5.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 2592x1944, motorized IR cut filter			\$ 1,919	40%	\$ 1,151
VN-AV5155DN	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,514	40%	\$ 1,509
VN-AV3155DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,366	40%	\$ 1,420
VN-AV3155DN-16	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,425	40%	\$ 1,455
VN-AV5155DN-16	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,573	40%	\$ 1,544
VN-AV8185	8 MEGAPIXEL IP DAY/NIGHT CAMERA; 180 degree panoramic camera with four 2 megapixel imagers with lenses			\$ 4,449	40%	\$ 2,669
VN-AV8365	MEGAPIXEL IP DAY/NIGHT CAMERA; 360 degree panoramic camera with four 2 megapixel imagers with 4mm lenses			\$ 4,151	40%	\$ 2,491
VN-RD-KIT	RECESSED DOME KIT; for mounting the VN-AV8185 and VN-AV8365 cameras			\$ 114	40%	\$ 68
VN-AVHSG1-O-W	OUTDOOR HOUSING; IP67, vandalproof, for single and dual sensor cameras, includes heater and blower			\$ 337	40%	\$ 202
VN-AVHSG1-SS	SUNSHIELD; for VN-HSG1-O-W			\$ 161	40%	\$ 97
VN-MPL4-10	VARIFOCAL MEGAPIXEL LENS; 4.5-10 mm, 1/2-in., f1.6, CS-mount, 37.0° - 80.5° FOV			\$ 114	40%	\$ 68
VN-AVWMT	WALL MOUNT; for VN-AV dome series			\$ 193	40%	\$ 116
VN-AVCMT	PENDANT MOUNT; for VN-AV dome series			\$ 298	40%	\$ 179
VN-AVDOME6-O-W	OUTDOOR VANDAL-RESISTANT 6-IN. DOME; for VN-AV8xx cameras; includes heater, blower, sunshade and wall mount; IP66			\$ 877	40%	\$ 526
VN-AVPMF	POLE ADAPTER; for VN-AV dome series			\$ 134	40%	\$ 80
VN-AVHS-HC	ENVIRONMENTAL HOUSING; for VN-AV dome series; includes heater and ceiling mount			\$ 877	40%	\$ 526
VN-VIEWER-16	VICONNET 16-CHANNEL VIEWER SOFTWARE; Ver. 4. Single PC license.			\$ 193	40%	\$ 116
VN-WSV5-10	VICONNET MULTI-PACK: 10 user license pack of VN-WS-SW software.			\$ 4,986	40%	\$ 2,991
VN-NVRV5-10	VICONNET MULTI-PACK: 10 user license pack of VN-NVR-SW software.			\$ 20,156	40%	\$ 12,093
VN-NVR-SW	VICONNET NVR AND WORKSTATION SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality including recording. Single PC license.			\$ 3,359	40%	\$ 2,016
VN-WS-PC	PC WITH PRELOADED VN-WS-SW SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single license.			\$ 4,394	40%	\$ 2,636
VN-WS-SW	VICONNET WORKSTATION SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single PC license.			\$ 831	40%	\$ 499

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VN-NVR-500V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; tower case			\$ 6,354	40%	\$ 3,812
VN-NVR-SANV5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; tower case			\$ 5,833	40%	\$ 3,500
VN-NVR-1000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; tower case			\$ 7,083	40%	\$ 4,250
VN-NVR-1500V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; tower case			\$ 7,812	40%	\$ 4,687
VN-NVR-2000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; tower case			\$ 8,646	40%	\$ 5,188
VN-NVR-3000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; tower case			\$ 9,479	40%	\$ 5,687
VN-NVR-5000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; tower case			\$ 10,312	40%	\$ 6,187
VN-NVR-6000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; tower case			\$ 11,146	40%	\$ 6,688
VN-NVR-500V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; rack-mount			\$ 6,354	40%	\$ 3,812
VN-NVR-SANV5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; rack mount			\$ 5,833	40%	\$ 3,500
VN-NVR-1000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; rack-mount			\$ 7,083	40%	\$ 4,250
VN-NVR-1500V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; rack-mount			\$ 7,812	40%	\$ 4,687
VN-NVR-2000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; rack-mount			\$ 8,646	40%	\$ 5,188
VN-NVR-3000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; rack-mount			\$ 9,479	40%	\$ 5,687
VN-NVR-5000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; rack-mount			\$ 10,312	40%	\$ 6,187
VN-NVR-6000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; rack-mount			\$ 11,146	40%	\$ 6,688
MP-955	M-JPEG/MPEG-4 MEGAPIXEL IP CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 906	40%	\$ 544
MP-955DN	M-JPEG/MPEG-4 MEGAPIXEL IP DAY/NIGHT CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled f4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 1,079	40%	\$ 647
MP-955IR	M-JPEG/MPEG-4 MEGAPIXEL IR DAY/NIGHT IP BULLET CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter			\$ 1,327	40%	\$ 796
MPD-955	M-JPEG/MPEG-4 MEGAPIXEL IP INDOOR 3-IN. DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter, vandal-proof, IP66			\$ 931	40%	\$ 559
MPD-955DN-O	M-JPEG/MPEG-4 MEGAPIXEL IP OUTDOOR 3-IN. DAY/NIGHT DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter, vandal-proof, IP66			\$ 1,385	40%	\$ 831
MPD-955-WM	WALL MOUNT; designed to allow pendant mounting of MPD-955			\$ 65	40%	\$ 39
MPD-955-DN-O-WM	WALL MOUNT; designed to allow pendant mounting of MPD-955DN-O			\$ 65	40%	\$ 39
MPD-955-DN-O-CM	IN_CEILING MOUNT; designed to allow recessed (flush) in-ceiling mounting of MPD-955DN-O			\$ 125	40%	\$ 75
PPL-128x8	CONTROLS 128 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 128 cameras and 8 additional switcher cards; programming keyboard			\$ 10,770	40%	\$ 6,462
VN-CAM-LIC	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet version 5 system. One camera license.			\$ 364	40%	\$ 218
VN-EVM-LIC	EVENTS MANAGEMENT LICENSE; for ViconNet devices using the Event Management system. One license.			\$ 6,167	40%	\$ 3,700
V12VDC-PS	12 VDC POWER SUPPLY; for VN-857 series cameras, 100-240 VAC input, 12 VDC output, 1.5 A load			\$ 28	40%	\$ 17
SMSN-WM	SMS network node with 7 slots for application cards. Lightweight wall mount aluminum enclosure with key lock, status LED, tamper switch, 12 VDC power supply and battery backup capable, 12V			\$ 1,912	40%	\$ 1,147
SMSN-RM	SMS network node with 7 slots for application cards. Lightweight rack mount enclosure with status LED and 12 VDC power supply, 12V			\$ 2,296	40%	\$ 1,377
SMSC-CM	Replacement node communication card without enclosure; no license, 12V			\$ 1,511	40%	\$ 907

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSC-IN	Supervised Input Application Card: 8 inputs			\$ 526	40%	\$ 315
SMSC-RL	Relay Controlled Output Application Card: 8 outputs			\$ 694	40%	\$ 416
SMSC-TP	Temperature Input Application Card: 8 inputs			\$ 643	40%	\$ 386
SMSC-TPSP	Temperature sensor probe (for use with above SMSC-TP Application Card)			\$ 180	40%	\$ 108
SMSN-INST	Installation kit for SMS nodes when not using a standard enclosure. Includes ribbon cable, card mounting plate, bi-color LED status indicator			\$ 139	40%	\$ 83
SMSN-MN	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, locking enclosure with network status light			\$ 1,668	40%	\$ 1,001
SMSN-MN-NE	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, no enclosure			\$ 1,620	40%	\$ 972
S MSP-STD	Replacement/spare standard power supply 85-260 VAC/47-440 Hz			\$ 100	40%	\$ 60
S MSP-LOWU	Upgrade from standard AC power supply to low voltage power supply (must accompany order for node with which it will be used)			\$ 62	40%	\$ 37
S MSP-LOW	Replacement/spare low voltage power supply			\$ 126	40%	\$ 76
SMSCTL-EXT-16-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 16 readers.			\$ 3,599	40%	\$ 2,159
SMSCTL-EXT-16-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 16 readers.			\$ 3,599	40%	\$ 2,159
SMSCTL-EXT-32-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 32 readers.			\$ 5,160	40%	\$ 3,096
SMSCTL-EXT-32-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 32 readers.			\$ 5,160	40%	\$ 3,096
SMSCTL-EXT-64-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 64 readers.			\$ 10,859	40%	\$ 6,515
SMSCTL-EXT-64-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 64 readers.			\$ 10,859	40%	\$ 6,515
SMSCTL-EXT-128-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 128 readers.			\$ 15,657	40%	\$ 9,394
SMSCTL-EXT-128-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 128 readers.			\$ 15,657	40%	\$ 9,394
SMSCTL-EXT-192-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 192 readers.			\$ 20,455	40%	\$ 12,273
SMSCTL-EXT-192-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 192 readers.			\$ 20,455	40%	\$ 12,273
SMSCTL-EXT-256-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 256 readers.			\$ 25,253	40%	\$ 15,152
SMSCTL-EXT-256-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 256 readers.			\$ 25,253	40%	\$ 15,152
SMSCTL-ENT-64	1 RU high Enterprise controller. Supports up to 64 nodes; 64 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 11,576	40%	\$ 6,946
SMSCTL-ENT-128	1 RU high Enterprise controller. Supports up to 64 nodes; 128 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 16,374	40%	\$ 9,824
SMSCTL-ENT-192	1 RU high Enterprise controller. Supports up to 64 nodes; 192 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 21,172	40%	\$ 12,703
SMSCTL-ENT-256	1 RU high Enterprise controller. Supports up to 64 nodes; 256 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 25,970	40%	\$ 15,582
SMSCTL-ENT-320	1 RU high Enterprise controller. Supports up to 64 nodes; 320 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 30,768	40%	\$ 18,461
SMSCTL-ENT-384	1 RU high Enterprise controller. Supports up to 64 nodes; 384 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 35,567	40%	\$ 21,340
SMSCTL-ENT-448	1 RU high Enterprise controller. Supports up to 64 nodes; 448 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 40,365	40%	\$ 24,219
SMSCTL-ENT-512	1 RU high Enterprise controller. Supports up to 64 nodes; 512 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 45,163	40%	\$ 27,098
SMSL-ENT-64	Enterprise system license expansion for 64 additional readers			\$ 5,999	40%	\$ 3,599

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSCTL-ULT-192	2 RU high Enterprise controller. Supports up to 256 nodes; 192 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 33,591	40%	\$ 20,155
SMSCTL-ULT-256	2 RU high Enterprise controller. Supports up to 256 nodes; 256 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 38,389	40%	\$ 23,033
SMSCTL-ULT-320	2 RU high Enterprise controller. Supports up to 256 nodes; 320 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 43,188	40%	\$ 25,913
SMSCTL-ULT-384	2 RU high Enterprise controller. Supports up to 256 nodes; 384 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 47,987	40%	\$ 28,792
SMSCTL-ULT-448	2 RU high Enterprise controller. Supports up to 256 nodes; 448 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 52,785	40%	\$ 31,671
SMSCTL-ULT-512	2 RU high Enterprise controller. Supports up to 256 nodes; 512 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 57,584	40%	\$ 34,551
SMSL-ULT-64	Enterprise Ultra system expansion for 64 additional readers			\$ 5,999	40%	\$ 3,599
SMSBD-TRV	NOT FOR RESALE. One network controller card and a micronode packaged in a rugged case for traveling demo purposes.			\$ 9,228	40%	\$ 5,537
SMSBD-EXT-D-WMRM	SMS EXTREME CONTROLLER DEMO UNIT; NOT FOR RESALE. Wall or rack mount aluminum enclosure; includes status LED, tamper switch and 12 VDC power supply. Licensed for 16 readers; application blades may not be added.			\$ 4,237	40%	\$ 2,542
SMSL-32-EXP	Expand from SMSCTL-WM-16 or SMSCTL-RM-16 to SMSCTL-WM-32 or SMSCTL-RM-32. Expands reader capacity from 16 to 32 readers.			\$ 2,903	40%	\$ 1,742
SMSL-64-EXP	Expand from SMSCTL-WM-32 or SMSCTL-RM-32 to SMSCTL-WM-64 or SMSCTL-RM-64			\$ 6,850	40%	\$ 4,110
SMSL-ENT-EXP	Expand from SMSCTL-WM-64 or SMCTL-RM-64 to SMSCTL-ENT-128. Expands capacity up to 64 nodes and 128 readers; expandable up to 896 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 9,380	40%	\$ 5,628
SMSL-ULT-EXP	Expand from SMSL-64 to SMSCTL-ULT-256. Expands capacity up to 256 nodes and 256 readers; expandable up to 3584 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 18,238	40%	\$ 10,943
SMSL-EXTUP-64	64 Reader Expansion for an expanding an existing Extreme system			\$ 5,998	40%	\$ 3,599
SMSL-ENTUP-64	64 Reader Expansion for an expanding an existing Enterprise or Enterprise Ultra system			\$ 5,998	40%	\$ 3,599
SMSL-16-USP	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems			\$ 600	40%	\$ 360
SMSL-32-USP	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32			\$ 1,079	40%	\$ 648
SMSL-64-USP	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64			\$ 2,999	40%	\$ 1,799
SMSL-128-USP	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers			\$ 5,999	40%	\$ 3,599
SMSL-64E-USP	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers; additional blocks priced per 64 readers			\$ 1,199	40%	\$ 720
SMS-EXT-WAR	3-year extended warranty for Extreme			\$ 1,801	40%	\$ 1,081
SMSL-16-UPG	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems not covered by a current support plan			\$ 840	40%	\$ 504
SMSL-32-UPG	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32 not covered by a current support plan			\$ 1,440	40%	\$ 864
SMSL-64-UPG	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64 not covered by a current support plan			\$ 3,839	40%	\$ 2,303
SMSL-128-UPG	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers not covered by a current support plan			\$ 7,678	40%	\$ 4,607
SMSL-EU64-UPG	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers not covered by a current support plan; additional blocks priced per 64 readers			\$ 1,679	40%	\$ 1,007
SMS-ID-16	Identity Management for use with Network Controller, up to 16 readers. One user ID badge designer and print station License; supports up to 10,000 badges; includes camera facial recognition driver support.			\$ 2,388	40%	\$ 1,433
SMS-ID-32	Identity Management for use with Network Controller, up to 32 readers. One user ID badge designer and print station License; supports up to 20,000 badges; includes camera facial recognition driver support.			\$ 3,587	40%	\$ 2,152
SMS-ID2-32	Additional badge designer and print station license for use with SMS-ID-32			\$ 2,388	40%	\$ 1,433
SMS-ID2-64	Additional badge designer and print station license for use with SMS-ID-64			\$ 4,200	40%	\$ 2,520

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMS-ID-ENT	Identity Management for use with Enterprise or Enterprise Ultra Controller systems. One user ID badge designer and print station License; supports up to 80,000 badges; includes camera facial recognition driver support.			\$8,385	40%	\$ 5,031
SMS-ID2-ENT	Additional badge designer and print station license for use with SMS-ID-64			\$ 5,399	40%	\$ 3,239
SMS-VN-4CAM	ViconNet Video Management System Integration Option; includes integration module for up to 4 cameras (when purchased at time of system sale)			\$ 543	40%	\$ 326
SMS-VN-1CAM	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased at time of system sale)			\$ 108	40%	\$ 65
SMS-VN-4CAM-S	ViconNet Video Management System Integration Option; includes module for up to 4 cameras (when purchased separately from complete system)			\$ 1,534	40%	\$ 920
SMS-VN-1CAM-S	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased separately from complete system)			\$ 385	40%	\$ 231
V910D-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 9-22 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,272	40%	\$ 763
V910-N922V	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. day/night color camera with DNR; 9-22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$ 1,206	40%	\$ 724
V910-D922V	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 9-22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$ 1,247	40%	\$ 748
VN-NVR-3300-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Pentium-based hardware; rack-mount			\$ 17,814	40%	\$ 10,688
VN-NVR-3300P-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Xeon-based hardware; rack-mount			\$ 18,710	40%	\$ 11,226
VN-NVR-6500-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Pentium-based hardware; rack-mount			\$ 20,905	40%	\$ 12,543
VN-NVR-6500P-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Xeon-based hardware; rack-mount			\$ 21,801	40%	\$ 13,080
VN-NVR-13TB-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Pentium-based hardware; rack-mount			\$ 25,052	40%	\$ 15,031
VN-NVR-13TBP-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Xeon-based hardware; rack-mount			\$ 26,131	40%	\$ 15,679
VND-970IP	IP SURFACE MOUNT INDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 3.3-12 mm varifocal autoiris lens; PoE or 12 VDC capability, isolated power input; smoked dome. For use with ViconNet Ver 5.2 (LAN) for video/data transmission.			\$ 677	40%	\$ 406
VND-970IP-CM	IN-CEILING MOUNT; designed to mount the VND-970IP and MPD-980DN into a ceiling			\$ 143	40%	\$ 86
VC-700DW-DN	OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 9-22 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
VC-700D-WDR	OUTDOOR 4-1/2-INCH CAMERA DOME; Pixim color camera with Wide Dynamic Range (WDR) ; 3.3-12 mm varifocal autoiris lens, 540 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
KF2-500V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
KF2-1000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
KF2-1000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 12,489	40%	\$ 7,493
KF2-1500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 13,323	40%	\$ 7,994

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KF2-2000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
KF2-2000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 14,052	40%	\$ 8,431
KF2-3000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,384	40%	\$ 7,430
KF2-3000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 14,676	40%	\$ 8,806
KF3-500V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,406	40%	\$ 6,243
KF3-1500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 16,134	40%	\$ 9,681
KF3-2000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,801	40%	\$ 7,681
KF3-3000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KF3-3000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 17,489	40%	\$ 10,494
KS1-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,239	40%	\$ 3,743
KS1-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,073	40%	\$ 4,244
KS1-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,905	40%	\$ 4,743
KS1-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,635	40%	\$ 5,181
KS2-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,281	40%	\$ 4,369
KS2-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,115	40%	\$ 4,869
KS2-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
KS2-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,677	40%	\$ 5,806
KS2-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS2-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KS3-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
KS3-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
KS3-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
KS3-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
KS3-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,385	40%	\$ 7,431
KS3-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,906	40%	\$ 7,744
VN-SAN-42-1000	VICONNET SAN STORAGE; includes forty-two 1000 GB hot swappable drives, 36 TB usable storage, configured to RAID 5			\$ 69,863	40%	\$ 41,918
VN-SAN-14-1000	VICONNET SAN STORAGE; includes fourteen 1000 GB hot swappable drives, 12.3 TB usable storage, configured to RAID 5			\$ 22,393	40%	\$ 13,436
VN-SAN-8-500	VICONNET SAN STORAGE; includes eight 500 GB hot swappable drives, 3.3 TB usable storage, configured to RAID 5			\$ 13,980	40%	\$ 8,388
VN-SAN-8-1000	VICONNET SAN STORAGE; includes eight 1000 GB hot swappable drives, 6.5 TB usable storage, configured to RAID 5			\$ 16,232	40%	\$ 9,739
VN-SAN-42-2000	VICONNET SAN STORAGE; includes forty-two 2000 GB hot swappable drives, 68 TB usable storage, configured to RAID 5			\$ 115,548	40%	\$ 69,329
VE-K-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for Kollector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for Kollector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-WS-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-WS-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-VMDC-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-VMDC-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VM-622LCD	22-INCH FLAT PANEL; resolution up to 1680 x 1050 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,156	40%	\$ 694
VM-620LCD	20-INCH FLAT PANEL; resolution up to 1600 x 1200 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,326	40%	\$ 796
SMS-ENT-DBP	SMS database partitioning for Enterprise Systems, system partitioning license			\$ 9,408	40%	\$ 5,645
SMS-ENT-DBP	SMS database partitioning for Enterprise Systems, system partitioning license			\$ 9,408	40%	\$ 5,645

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KF2-4000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,905	40%	\$ 7,743
KF2-5000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KF3-1000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,240	40%	\$ 6,744
KF3-4000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KF3-5000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,468	40%	\$ 8,681
KS1-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,259	40%	\$ 5,555
KS1-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,780	40%	\$ 5,868
V15CCM-IR-2	HIGH-SECURITY INDOOR: 1/3-in. day/night color camera and 2.5 mm lens; 520 TVL resolution; IR illumination; brushed stainless steel housing			\$ 1,506	40%	\$ 904
SVR-C	INDOOR/IN-CEILING CAMERA DOME: 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936
SVR-C-V5	INDOOR/IN-CEILING IP CAMERA DOME: ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,976	40%	\$ 1,186
SVR-C-O	INDOOR/IN-CEILING IP CAMERA DOME: open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,081	40%	\$ 1,249
SVR-P	INDOOR/PENDANT CAMERA DOME: 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,606	40%	\$ 964
SVR-P-V5	INDOOR/PENDANT CAMERA DOME: ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,022	40%	\$ 1,213
SVR-P-O	INDOOR/PENDANT CAMERA DOME: open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,127	40%	\$ 1,276
SVR-W	OUTDOOR/PENDANT CAMERA DOME: 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,632	40%	\$ 979
SVR-W-V5	OUTDOOR/PENDANT CAMERA DOME: ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,050	40%	\$ 1,230
SVR-W-O	OUTDOOR/PENDANT CAMERA DOME: open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,153	40%	\$ 1,292
SVR-S	INDOOR/SURFACE MOUNT CAMERA DOME: 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936
SVR-S-V5	INDOOR/SURFACE MOUNT CAMERA DOME: ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,976	40%	\$ 1,186
SVR-S-O	INDOOR/SURFACE MOUNT CAMERA DOME: open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,081	40%	\$ 1,249
SVR-SW	OUTDOOR/SURFACE MOUNT CAMERA DOME: 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,606	40%	\$ 964
SVR-SW-V5	OUTDOOR/SURFACE MOUNT CAMERA DOME: ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,022	40%	\$ 1,213
SVR-SW-O	OUTDOOR/SURFACE MOUNT CAMERA DOME: open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,127	40%	\$ 1,276
MP-980DN	H.264/M-JPEG/MPEG-4/MEGAPIXEL DAY/NIGHT IP CAMERA; CS-mount (lens not included); supports up to 2 megapixel resolution, PoE, 1600x1200			\$ 988	40%	\$ 593

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
MPD-980DN	H.264/M-JPEG/MPEG-4MEGAPIXEL DAY/NIGHT IP INDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoris lens, PoE, 1600x1200, surface-mount			\$ 1,041	40%	\$ 624
MPD-980DN-O	H.264/M-JPEG/MPEG-4 MEGAPIXEL DAY/NIGHT IP OUTDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoris lens, IR illuminators, PoE, 1600x1200, surface/in-ceiling mount			\$ 1,457	40%	\$ 874
MPD-980-DOME	DOME COVER; housing for MPD-980DN-O			\$ 278	40%	\$ 167
MPD-980-WALL	WALL MOUNT; pendant arm mount for MPD-980-DOME			\$ 77	40%	\$ 46
VMDC-SW	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server			\$ 4,163	40%	\$ 2,498
VMDC-2	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; lower case			\$ 5,858	40%	\$ 3,515
VMDC-4	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; lower case			\$ 6,321	40%	\$ 3,793
VMDC-6	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; lower case			\$ 6,783	40%	\$ 4,070
VMDC-2R	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; 4U rack mount			\$ 6,167	40%	\$ 3,700
VMDC-4R	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; 4U rack mount			\$ 6,629	40%	\$ 3,978
VMDC-6R	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; 4U rack mount			\$ 7,092	40%	\$ 4,255
KF2-6000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KF2-7000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,571	40%	\$ 8,743
KF2-8000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,197	40%	\$ 9,118
KF3-6000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,989	40%	\$ 8,993
KF3-7000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,613	40%	\$ 9,368
KF3-8000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 16,239	40%	\$ 9,744
KS1-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS1-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493
KS2-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,343	40%	\$ 6,806
KS2-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,864	40%	\$ 7,118
KS3-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KS3-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KF2-5500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 16,134	40%	\$ 9,681
KF3-5500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5 TB usable RAID 5.5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 18,946	40%	\$ 11,368

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB2-500V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 12,501	40%	\$ 7,501
KB2-500V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 14,061	40%	\$ 8,437
KB2-500V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 19,760	40%	\$ 11,856
KB2-500V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 24,559	40%	\$ 14,736
KB2-1000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 13,543	40%	\$ 8,126
KB2-1000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 15,103	40%	\$ 9,062
KB2-1000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 20,802	40%	\$ 12,481
KB2-1000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 25,601	40%	\$ 15,361
KB2-2000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 15,626	40%	\$ 9,375
KB2-2000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 17,186	40%	\$ 10,311
KB2-2000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 22,885	40%	\$ 13,731
KB2-2000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 27,684	40%	\$ 16,610
KB2-3000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 17,710	40%	\$ 10,626
KB2-3000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 19,270	40%	\$ 11,562
KB2-3000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 24,969	40%	\$ 14,982
KB2-3000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 29,768	40%	\$ 17,861

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB2-4000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 19,793	40%	\$ 11,876
KB2-4000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 21,353	40%	\$ 12,812
KB2-4000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 27,052	40%	\$ 16,231
KB2-4000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 31,851	40%	\$ 19,111
KB2-5000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 21,875	40%	\$ 13,125
KB2-5000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 23,435	40%	\$ 14,061
KB2-5000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 29,135	40%	\$ 17,481
KB2-5000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 33,934	40%	\$ 20,360
KB3-500V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 13,543	40%	\$ 8,126
KB3-500V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 15,103	40%	\$ 9,062
KB3-500V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 20,802	40%	\$ 12,481
KB3-500V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 25,601	40%	\$ 15,361
KB3-1000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 14,585	40%	\$ 8,751
KB3-1000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 16,145	40%	\$ 9,687
KB3-1000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 21,844	40%	\$ 13,107
KB3-1000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 26,643	40%	\$ 15,986

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB3-2000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 16,668	40%	\$ 10,001
KB3-2000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 18,228	40%	\$ 10,937
KB3-2000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 23,927	40%	\$ 14,356
KB3-2000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 28,726	40%	\$ 17,236
KB3-3000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 18,750	40%	\$ 11,250
KB3-3000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 20,311	40%	\$ 12,186
KB3-3000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 26,010	40%	\$ 15,606
KB3-3000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 30,809	40%	\$ 18,485
KB3-4000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 20,835	40%	\$ 12,501
KB3-4000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 22,395	40%	\$ 13,437
KB3-4000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 28,094	40%	\$ 16,856
KB3-4000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 32,893	40%	\$ 19,736
KS1B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 5,510	40%	\$ 3,306
KS1B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,344	40%	\$ 3,806
KS1B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,176	40%	\$ 4,306
KS1B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,905	40%	\$ 4,743
KS1B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,530	40%	\$ 5,118

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KS1B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,051	40%	\$ 5,430
KS2B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,552	40%	\$ 3,931
KS2B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,386	40%	\$ 4,431
KS2B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,218	40%	\$ 4,931
KS2B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
KS2B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,572	40%	\$ 5,743
KS2B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,134	40%	\$ 6,081
KS3B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,635	40%	\$ 5,181
KS3B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,469	40%	\$ 5,681
KS3B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS3B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
KS3B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,656	40%	\$ 6,994
KS3B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,177	40%	\$ 7,306
					40%	\$ -
					40%	\$ -
					40%	\$ -
					40%	\$ -
KB2-1000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 25,601	40%	\$ 15,361
KB2-1000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 13,543	40%	\$ 8,126
KB2-1000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 15,103	40%	\$ 9,062
KB2-1000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 20,802	40%	\$ 12,481
KB2-2000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 27,684	40%	\$ 16,610

**Alpha Numeric Listing**

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB2-2000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 15,626	40%	\$ 9,375
KB2-2000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 17,186	40%	\$ 10,311
KB2-2000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 22,885	40%	\$ 13,731
KB2-3000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 29,768	40%	\$ 17,861
KB2-3000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 17,710	40%	\$ 10,626
KB2-3000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 19,270	40%	\$ 11,562
KB2-3000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 24,969	40%	\$ 14,982
KB2-4000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 31,851	40%	\$ 19,111
KB2-4000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 19,793	40%	\$ 11,876
KB2-4000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 21,353	40%	\$ 12,812
KB2-4000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 27,052	40%	\$ 16,231
KB2-5000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 33,934	40%	\$ 20,360
KB2-5000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 21,875	40%	\$ 13,125
KB2-5000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 23,435	40%	\$ 14,061
KB2-5000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 29,135	40%	\$ 17,481
KB2-500V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 24,559	40%	\$ 14,736

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB2-500V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 12,501	40%	\$ 7,501
KB2-500V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 14,061	40%	\$ 8,437
KB2-500V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 19,760	40%	\$ 11,856
KB3-1000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 26,643	40%	\$ 15,986
KB3-1000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 14,585	40%	\$ 8,751
KB3-1000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 16,145	40%	\$ 9,687
KB3-1000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 21,844	40%	\$ 13,107
KB3-2000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 28,726	40%	\$ 17,236
KB3-2000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 16,668	40%	\$ 10,001
KB3-2000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 18,228	40%	\$ 10,937
KB3-2000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 23,927	40%	\$ 14,356
KB3-3000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 30,809	40%	\$ 18,485
KB3-3000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 18,750	40%	\$ 11,250
KB3-3000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 20,311	40%	\$ 12,186
KB3-3000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 26,010	40%	\$ 15,606
KB3-4000V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 32,893	40%	\$ 19,736

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KB3-4000V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 20,835	40%	\$ 12,501
KB3-4000V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 22,395	40%	\$ 13,437
KB3-4000V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 4000 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 28,094	40%	\$ 16,856
KB3-500V5-128	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 128 card readers, NTSC/EIA and PAL/CCIR			\$ 25,601	40%	\$ 15,361
KB3-500V5-16	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 16 card readers, NTSC/EIA and PAL/CCIR			\$ 13,543	40%	\$ 8,126
KB3-500V5-32	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 32 card readers, NTSC/EIA and PAL/CCIR			\$ 15,103	40%	\$ 9,062
KB3-500V5-64	KOLLECTOR BRIDGE HYBRID DVR with SMS EXTREME CONTROLLER; preloaded ViconNet Ver 5.6 and SMS Access Control software, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 500 GB HD, a license for 64 card readers, NTSC/EIA and PAL/CCIR			\$ 20,802	40%	\$ 12,481
KF2-1000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
KF2-1000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 12,489	40%	\$ 7,493
KF2-1500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 13,323	40%	\$ 7,994
KF2-2000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
KF2-2000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 2 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 14,052	40%	\$ 8,431
KF2-3000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,384	40%	\$ 7,430
KF2-3000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 14,676	40%	\$ 8,806
KF2-4000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,905	40%	\$ 7,743
KF2-5000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KF2-500V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver. 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KF2-5500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 16,134	40%	\$ 9,681
KF2-6000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KF2-7000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,571	40%	\$ 8,743
KF2-8000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,197	40%	\$ 9,118
KF3-1000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 1000 GB HD, NTSC/EIA and PAL/CCIR			\$ 11,240	40%	\$ 6,744
KF3-1500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 1.5 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 16,134	40%	\$ 9,681
KF3-2000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 2000 GB HD, NTSC/EIA and PAL/CCIR			\$ 12,801	40%	\$ 7,681
KF3-3000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 3000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KF3-3000V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 3 TB usable RAID 5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 17,489	40%	\$ 10,494
KF3-4000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 4000 GB HD, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KF3-5000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 5000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,468	40%	\$ 8,681
KF3-500V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 500 GB HD, NTSC/EIA and PAL/CCIR			\$ 10,406	40%	\$ 6,243
KF3-5500V5-R5	KOLLECTOR FORCE HYBRID DVR WITH INTERNAL RAID; preloaded ViconNet Ver 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 5 TB usable RAID 5.5 data, hot-swappable HDD, no DVD drive, NTSC/EIA and PAL/CCIR.			\$ 18,946	40%	\$ 11,368
KF3-6000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 6000 GB HD, NTSC/EIA and PAL/CCIR			\$ 14,989	40%	\$ 8,993
KF3-7000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 7000 GB HD, NTSC/EIA and PAL/CCIR			\$ 15,613	40%	\$ 9,368
KF3-8000V5	KOLLECTOR FORCE HYBRID DVR; preloaded ViconNet Ver 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 8000 GB HD, NTSC/EIA and PAL/CCIR			\$ 16,239	40%	\$ 9,744
KOLL-S1000	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 1000 GB			\$ 1,042	40%	\$ 625
KOLL-S250	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 250 GB			\$ 208	40%	\$ 125
KOLL-S500	HARD DRIVE REPLACEMENT KIT; for Collectors, SATA, 500 GB			\$ 523	40%	\$ 314
KRX-3V5	VICONNET 3-CHANNEL DIGITAL VIDEO DECODER; 90 fps (total), ViconNet Ver. 5.0, for use with Virtual Matrix Controller; power over Ethernet capable			\$ 3,075	40%	\$ 1,845
KS1-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,073	40%	\$ 4,244

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KS1-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,905	40%	\$ 4,743
KS1-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,635	40%	\$ 5,181
KS1-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,259	40%	\$ 5,555
KS1-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,780	40%	\$ 5,868
KS1-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS1-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,239	40%	\$ 3,743
KS1-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493
KS1B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,344	40%	\$ 3,806
KS1B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,176	40%	\$ 4,306
KS1B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,905	40%	\$ 4,743
KS1B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,530	40%	\$ 5,118
KS1B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,051	40%	\$ 5,430
KS1B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 120 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 5,510	40%	\$ 3,306
KS2-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,115	40%	\$ 4,869
KS2-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
KS2-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,677	40%	\$ 5,806
KS2-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS2-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,822	40%	\$ 6,493
KS2-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,343	40%	\$ 6,806
KS2-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,281	40%	\$ 4,369

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
KS2-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,864	40%	\$ 7,118
KS2B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 7,386	40%	\$ 4,431
KS2B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,218	40%	\$ 4,931
KS2B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,947	40%	\$ 5,368
KS2B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,572	40%	\$ 5,743
KS2B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,134	40%	\$ 6,081
KS2B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 240 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 6,552	40%	\$ 3,931
KS3-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,198	40%	\$ 6,119
KS3-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
KS3-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,759	40%	\$ 7,056
KS3-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,385	40%	\$ 7,431
KS3-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,906	40%	\$ 7,744
KS3-5000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 5000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 13,426	40%	\$ 8,055
KS3-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,364	40%	\$ 5,618
KS3-6000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 6000 GB removable HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 13,947	40%	\$ 8,368
KS3B-1000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 9,469	40%	\$ 5,681
KS3B-1500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 1500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 10,301	40%	\$ 6,181
KS3B-2000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 2000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,030	40%	\$ 6,618
KS3B-3000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 3000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 11,656	40%	\$ 6,994
KS3B-4000V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 4000 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 12,177	40%	\$ 7,306

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
K53B-500V5	KOLLECTOR STRIKE HYBRID DVR; preloaded ViconNet Version 5, 16 analog channels at 480 fps and up to 8 additional IP channels at 30 fps each, 4-channel audio, 500 GB internal HD, 4 sensor channels, NTSC/EIA and PAL/CCIR			\$ 8,635	40%	\$ 5,181
KTX-4V5	VICONNET 4-CHANNEL DIGITAL VIDEO ENCODER; 120 fps (total), ViconNet Ver. 5.0; audio input/output; power over Ethernet capable			\$ 2,305	40%	\$ 1,383
KX-4-CC	RACK KIT; for use with KTX-4 IP encoder. Mounts eight (8) KTX-4 encoders in standard 19-in rack. Requires 5U space.			\$ 573	40%	\$ 344
KX-4-RK2	DOUBLE WIDTH RACK KIT; for use with KTX-4 IP encoder. Mounts two (2) KTX-4 encoders in standard 19-in rack.			\$ 145	40%	\$ 87
KX-4-WM	WALL MOUNT BRACKET; for mounting single KTX-4 encoder to wall			\$ 59	40%	\$ 35
MP-955	M-JPEG/MPEG-4 MEGAPIXEL IP CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 906	40%	\$ 544
MP-955DN	M-JPEG/MPEG-4 MEGAPIXEL IP DAY/NIGHT CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 1,079	40%	\$ 647
MP-955IR	M-JPEG/MPEG-4 MEGAPIXEL IR DAY/NIGHT IP BULLET CAMERA; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter			\$ 1,327	40%	\$ 796
MP-980DN	H.264/M-JPEG/MPEG-4MEGAPIXEL DAY/NIGHT IP CAMERA; CS-mount (lens not included); supports up to 2 megapixel resolution, PoE, 1600x1200			\$ 988	40%	\$ 593
MPD-955	M-JPEG/MPEG-4 MEGAPIXEL IP INDOOR 3-IN. DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 4.2mm/f1.8 lens, PoE, 12 VDC power adapter			\$ 931	40%	\$ 559
MPD-955DN-O	M-JPEG/MPEG-4 MEGAPIXEL IP OUTDOOR 3-IN. DAY/NIGHT DOME CAMERA ; supports up to 1.3 megapixel resolution, micron megapixel CMOS module, CS mount, bundled 3.3 - 12 mm/f1.6 lens, PoE, 12 VDC power adapter, vandal-proof, IP66			\$ 1,385	40%	\$ 831
MPD-955-DN-O-CM	IN_CEILING MOUNT; designed to allow recessed (flush) in-ceiling mounting of MPD-955DN-O			\$ 125	40%	\$ 75
MPD-955-DN-O-WM	WALL MOUNT; designed to allow pendant mounting of MPD-955DN-O			\$ 65	40%	\$ 39
MPD-955-WM	WALL MOUNT; designed to allow pendant mounting of MPD-955			\$ 65	40%	\$ 39
MPD-980DN	H.264/M-JPEG/MPEG-4MEGAPIXEL DAY/NIGHT IP INDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoiris lens, PoE, 1600x1200, surface-mount			\$ 1,041	40%	\$ 624
MPD-980DN-O	H.264/M-JPEG/MPEG-4 MEGAPIXEL DAY/NIGHT IP OUTDOOR CAMERA DOME; supports up to 2 megapixel resolution, 3-9 mm varifocal autoiris lens, IR illuminators, PoE, 1600x1200, surface/in-ceiling mount			\$ 1,457	40%	\$ 874
MPD-980-DOME	DOME COVER; housing for MPD-980DN-O			\$ 278	40%	\$ 167
MPD-980-WALL	WALL MOUNT; pendant arm mount for MPD-980-DOME			\$ 77	40%	\$ 46
NETSWITCH-10	NETWORK SWITCH; 10-channel LAN connections, 10/100 autosensing ports, provides Power over Ethernet			\$ 724	40%	\$ 434
NETSWITCH-16	NETWORK SWITCH; 16-channel LAN connections, 10/100, autosensing ports			\$ 205	40%	\$ 123
NETSWITCH-24	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports			\$ 886	40%	\$ 532
NETSWITCH-24POE	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports, provides Power over Ethernet			\$ 1,049	40%	\$ 629
NETSWITCH-8	NETWORK SWITCH; 8-channel LAN connections, 10/100 autosensing ports			\$ 170	40%	\$ 102
PPL-128x8	CONTROLS 128 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 128 cameras and 3 additional switcher cards; programming keyboard			\$ 10,770	40%	\$ 6,462
PPL-64x8	CONTROLS 64 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 64 cameras; programming keyboard			\$ 7,281	40%	\$ 4,369
PPL-96x8	CONTROLS 96 CAMERAS AND 8 MONITORS; includes 1 card for CPU, titler and switching for 96 cameras and 2 additional switcher cards; programming keyboard			\$ 9,062	40%	\$ 5,437
PS-128X16	CONTROLS 128 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,717	40%	\$ 7,030
PS-128X32	CONTROLS 128 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,155	40%	\$ 8,493
PS-128X48	CONTROLS 128 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 24,091	40%	\$ 14,455
PS-128X64	CONTROLS 128 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,653	40%	\$ 15,992
PS-160X16	CONTROLS 160 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 12,926	40%	\$ 7,756
PS-160X32	CONTROLS 160 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,092	40%	\$ 9,055
PS-160X48	CONTROLS 160 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,945	40%	\$ 16,167
PS-160X64	CONTROLS 160 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,882	40%	\$ 17,929
PS-192X16	CONTROLS 192 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 14,196	40%	\$ 8,518
PS-192X32	CONTROLS 192 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,350	40%	\$ 9,810

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PS-192X48	CONTROLS 192 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,674	40%	\$ 17,804
PS-192X64	CONTROLS 192 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
PS-224X16	CONTROLS 224 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 15,717	40%	\$ 9,430
PS-224X32	CONTROLS 224 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 18,644	40%	\$ 11,186
PS-224X48	CONTROLS 224 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,549	40%	\$ 19,529
PS-224X64	CONTROLS 224 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 36,111	40%	\$ 21,667
PS-256X16	CONTROLS 256 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 16,654	40%	\$ 9,992
PS-256X32	CONTROLS 256 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 20,404	40%	\$ 12,242
PS-256X48	CONTROLS 256 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,882	40%	\$ 21,529
PS-256X64	CONTROLS 256 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,569	40%	\$ 23,741
PS-288X16	CONTROLS 288 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 22,133	40%	\$ 13,280
PS-288X32	CONTROLS 288 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,674	40%	\$ 15,404
PS-288X48	CONTROLS 288 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 47,130	40%	\$ 28,278
PS-288X64	CONTROLS 288 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 51,353	40%	\$ 30,812
PS-320X16	CONTROLS 320 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,945	40%	\$ 14,367
PS-320X32	CONTROLS 320 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,216	40%	\$ 16,930
PS-320X48	CONTROLS 320 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 49,672	40%	\$ 29,803
PS-320X64	CONTROLS 320 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 54,473	40%	\$ 32,684
PS-32X16	CONTROLS 32 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 7,489	40%	\$ 4,493
PS-32X32	CONTROLS 32 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 9,509	40%	\$ 5,705
PS-32X48	CONTROLS 32 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 15,792	40%	\$ 9,475
PS-32X64	CONTROLS 32 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 17,696	40%	\$ 10,618
PS-352X16	CONTROLS 352 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 25,258	40%	\$ 15,155
PS-352X32	CONTROLS 352 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,693	40%	\$ 17,816
PS-352X48	CONTROLS 352 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 52,630	40%	\$ 31,578
PS-352X64	CONTROLS 352 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 57,421	40%	\$ 34,453
PS-384X16	CONTROLS 384 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 26,862	40%	\$ 16,117
PS-384X32	CONTROLS 384 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,715	40%	\$ 19,029
PS-384X48	CONTROLS 384 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 55,463	40%	\$ 33,278
PS-384X64	CONTROLS 384 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 60,671	40%	\$ 36,403
PS-416X16	CONTROLS 416 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 28,424	40%	\$ 17,054
PS-416X32	CONTROLS 416 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 34,215	40%	\$ 20,529
PS-416X48	CONTROLS 416 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 58,317	40%	\$ 34,990
PS-416X64	CONTROLS 416 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 63,795	40%	\$ 38,277
PS-448X16	CONTROLS 448 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 29,841	40%	\$ 17,905
PS-448X32	CONTROLS 448 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 35,673	40%	\$ 21,404
PS-448X48	CONTROLS 448 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 61,139	40%	\$ 36,683
PS-448X64	CONTROLS 448 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 67,055	40%	\$ 40,233
PS-480X16	CONTROLS 480 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 31,245	40%	\$ 18,747
PS-480X32	CONTROLS 480 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 37,402	40%	\$ 22,441
PS-480X48	CONTROLS 480 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 64,056	40%	\$ 38,434

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PS-480X64	CONTROLS 480 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 70,097	40%	\$ 42,058
PS-512X16	CONTROLS 512 CAMERAS and 16 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 32,882	40%	\$ 19,729
PS-512X32	CONTROLS 512 CAMERAS and 32 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 39,839	40%	\$ 23,903
PS-512X48	CONTROLS 512 CAMERAS and 48 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 66,920	40%	\$ 40,152
PS-512X64	CONTROLS 512 CAMERAS and 64 MONITORS; includes 4 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 73,377	40%	\$ 44,026
PS-64X16	CONTROLS 64 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 8,853	40%	\$ 5,312
PS-64X32	CONTROLS 64 CAMERAS and 32 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 11,301	40%	\$ 6,781
PS-64X48	CONTROLS 64 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 18,404	40%	\$ 11,042
PS-64X64	CONTROLS 64 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 20,196	40%	\$ 12,118
PS-96X16	CONTROLS 96 CAMERAS and 16 MONITORS; includes 1 switcher card cage, internal V1566 CPU and titler, and programming keyboard			\$ 10,405	40%	\$ 6,243
PS-96X32	CONTROLS 96 CAMERAS and 32 MONITORS; includes 1 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 12,905	40%	\$ 7,743
PS-96X48	CONTROLS 96 CAMERAS and 48 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 21,352	40%	\$ 12,811
PS-96X64	CONTROLS 96 CAMERAS and 64 MONITORS; includes 2 switcher card cages, internal V1566 CPU and titler, and programming keyboard			\$ 23,435	40%	\$ 14,061
PUL-128X16	CONTROLS 128 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 15,399	40%	\$ 9,239
PUL-128X32	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 20,118	40%	\$ 12,071
PUL-128X48	CONTROLS 128 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 34,071	40%	\$ 20,443
PUL-128X64	CONTROLS 128 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 38,740	40%	\$ 23,244
PUL-160X16	CONTROLS 160 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 16,868	40%	\$ 10,121
PUL-160X32	CONTROLS 160 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 21,906	40%	\$ 13,144
PUL-160X48	CONTROLS 160 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 36,909	40%	\$ 22,145
PUL-160X64	CONTROLS 160 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 41,947	40%	\$ 25,168
PUL-192X16	CONTROLS 192 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 18,337	40%	\$ 11,002
PUL-192X32	CONTROLS 192 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 23,698	40%	\$ 14,219
PUL-192X48	CONTROLS 192 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 39,787	40%	\$ 23,872
PUL-192X64	CONTROLS 192 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 45,154	40%	\$ 27,092
PUL-224X16	CONTROLS 224 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 19,800	40%	\$ 11,880
PUL-224X32	CONTROLS 224 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 25,485	40%	\$ 15,291
PUL-224X48	CONTROLS 224 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 42,671	40%	\$ 25,603
PUL-224X64	CONTROLS 224 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 48,356	40%	\$ 29,014
PUL-256X16	CONTROLS 256 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage			\$ 21,270	40%	\$ 12,762
PUL-256X32	CONTROLS 256 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and titling card cage			\$ 27,278	40%	\$ 16,367
PUL-256X48	CONTROLS 256 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and titling card cage			\$ 46,780	40%	\$ 28,068
PUL-256X64	CONTROLS 256 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and titling card cage			\$ 55,982	40%	\$ 33,589
PUL-288X16	CONTROLS 288 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 27,026	40%	\$ 16,216
PUL-288X32	CONTROLS 288 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 33,533	40%	\$ 20,120
PUL-288X48	CONTROLS 288 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 62,089	40%	\$ 37,253
PUL-288X64	CONTROLS 288 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 67,517	40%	\$ 40,510
PUL-320X16	CONTROLS 320 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and titling card cage			\$ 28,495	40%	\$ 17,097
PUL-320X32	CONTROLS 320 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and titling card cage			\$ 35,325	40%	\$ 21,195
PUL-320X48	CONTROLS 320 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and titling card cage			\$ 65,219	40%	\$ 39,131
PUL-320X64	CONTROLS 320 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and titling card cage			\$ 72,635	40%	\$ 43,581

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
PUL-32X16	CONTROLS 32 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 11,649	40%	\$ 6,989
PUL-32X32	CONTROLS 32 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 14,746	40%	\$ 8,848
PUL-32X48	CONTROLS 32 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 25,359	40%	\$ 15,215
PUL-32X64	CONTROLS 32 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 29,103	40%	\$ 17,462
PUL-352X16	CONTROLS 352 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 29,958	40%	\$ 17,975
PUL-352X32	CONTROLS 352 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 37,118	40%	\$ 22,271
PUL-352X48	CONTROLS 352 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 68,344	40%	\$ 41,006
PUL-352X64	CONTROLS 352 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 76,117	40%	\$ 45,670
PUL-384X16	CONTROLS 384 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 31,428	40%	\$ 18,857
PUL-384X32	CONTROLS 384 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 38,905	40%	\$ 23,343
PUL-384X48	CONTROLS 384 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 71,474	40%	\$ 42,884
PUL-384X64	CONTROLS 384 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 79,593	40%	\$ 47,756
PUL-416X16	CONTROLS 416 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 32,891	40%	\$ 19,735
PUL-416X32	CONTROLS 416 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 40,697	40%	\$ 24,418
PUL-416X48	CONTROLS 416 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 74,599	40%	\$ 44,759
PUL-416X64	CONTROLS 416 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 83,074	40%	\$ 49,844
PUL-448X16	CONTROLS 448 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 34,360	40%	\$ 20,616
PUL-448X32	CONTROLS 448 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 42,490	40%	\$ 25,494
PUL-448X48	CONTROLS 448 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 77,730	40%	\$ 46,638
PUL-448X64	CONTROLS 448 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 86,556	40%	\$ 51,934
PUL-480X16	CONTROLS 480 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 35,829	40%	\$ 21,497
PUL-480X32	CONTROLS 480 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 44,277	40%	\$ 26,566
PUL-480X48	CONTROLS 480 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 80,825	40%	\$ 48,495
PUL-480X64	CONTROLS 480 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 90,032	40%	\$ 54,019
PUL-512X16	CONTROLS 512 CAMERAS AND 16 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 37,293	40%	\$ 22,376
PUL-512X32	CONTROLS 512 CAMERAS AND 32 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 46,070	40%	\$ 27,642
PUL-512X48	CONTROLS 512 CAMERAS AND 48 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 83,985	40%	\$ 50,391
PUL-512X64	CONTROLS 512 CAMERAS AND 64 MONITORS; includes 4 switcher card cage and tiling card cage			\$ 93,514	40%	\$ 56,108
PUL-64X16	CONTROLS 64 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 12,466	40%	\$ 7,480
PUL-64X32	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 16,533	40%	\$ 9,920
PUL-64X48	CONTROLS 64 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 28,264	40%	\$ 16,958
PUL-64X64	CONTROLS 64 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 32,332	40%	\$ 19,399
PUL-96X16	CONTROLS 96 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 13,935	40%	\$ 8,361
PUL-96X32	CONTROLS 96 CAMERAS AND 32 MONITORS; includes 1 switcher card cage and tiling card cage			\$ 18,326	40%	\$ 10,996
PUL-96X48	CONTROLS 96 CAMERAS AND 48 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 31,148	40%	\$ 18,689
PUL-96X64	CONTROLS 96 CAMERAS AND 64 MONITORS; includes 2 switcher card cage and tiling card cage			\$ 35,539	40%	\$ 21,323
S24WPS-1	POWER SUPPLY; 24 VAC output, 2.0 amps			\$ 35	40%	\$ 21
S28WPS-1	POWER SUPPLY; 28 VAC output, 4 amps; for outdoor SurveyorVFT Camera Domes			\$ 52	40%	\$ 31
SMSBD-1AC-WM	NOT FOR RESALE. Bundle includes combination network controller/node in wallmount enclosure with 1 AC application card (supports 2 readers), 12 VDC power supply and batter backup capable, supports up to 4 readers and 2 cameras.			\$ 4,061	40%	\$ 2,436

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSBD-EXT-D-WMRM	SMS EXTREME CONTROLLER DEMO UNIT; NOT FOR RESALE. Wall or rack mount aluminum enclosure; includes status LED, tamper switch and 12 VDC power supply. Licensed for 16 readers; application blades may not be added.			\$ 4,237	40%	\$ 2,542
SMSBD-TRV	NOT FOR RESALE. One network controller card and a micronode packaged in a rugged case for traveling demo purposes.			\$ 9,228	40%	\$ 5,537
SMSC-AC	Access Control Reader Application Card: 2 readers, 4 inputs, 4 outputs			\$ 900	40%	\$ 540
SMSC-ASSA-LIC	License fee for integration with ASSA-ABLOY Wi-Fi based locksets. Price is per lock.			\$ 362	40%	\$ 217
SMSC-CM	Replacement node communication card without enclosure; no license, 12V			\$ 1,511	40%	\$ 907
SMSC-IN	Supervised Input Application Card: 8 inputs			\$ 526	40%	\$ 315
SMSC-RL	Relay Controlled Output Application Card: 8 outputs			\$ 694	40%	\$ 416
SMSCTL-ENT-128	1 RU high Enterprise controller. Supports up to 64 nodes; 128 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 16,374	40%	\$ 9,824
SMSCTL-ENT-192	1 RU high Enterprise controller. Supports up to 64 nodes; 192 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 21,172	40%	\$ 12,703
SMSCTL-ENT-256	1 RU high Enterprise controller. Supports up to 64 nodes; 256 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 25,970	40%	\$ 15,582
SMSCTL-ENT-320	1 RU high Enterprise controller. Supports up to 64 nodes; 320 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 30,768	40%	\$ 18,461
SMSCTL-ENT-384	1 RU high Enterprise controller. Supports up to 64 nodes; 384 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 35,567	40%	\$ 21,340
SMSCTL-ENT-448	1 RU high Enterprise controller. Supports up to 64 nodes; 448 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 40,365	40%	\$ 24,219
SMSCTL-ENT-512	1 RU high Enterprise controller. Supports up to 64 nodes; 512 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 45,163	40%	\$ 27,098
SMSCTL-ENT-64	1 RU high Enterprise controller. Supports up to 64 nodes; 64 total readers. Expandable up to 64 nodes; 896 total readers.			\$ 11,576	40%	\$ 6,946
SMSCTL-EXT-128-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 128 readers.			\$ 15,657	40%	\$ 9,394
SMSCTL-EXT-128-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 128 readers.			\$ 15,657	40%	\$ 9,394
SMSCTL-EXT-16-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 16 readers.			\$ 3,599	40%	\$ 2,159
SMSCTL-EXT-16-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 16 readers.			\$ 3,599	40%	\$ 2,159
SMSCTL-EXT-192-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 192 readers.			\$ 20,455	40%	\$ 12,273
SMSCTL-EXT-192-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 192 readers.			\$ 20,455	40%	\$ 12,273
SMSCTL-EXT-256-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 256 readers.			\$ 25,253	40%	\$ 15,152
SMSCTL-EXT-256-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 256 readers.			\$ 25,253	40%	\$ 15,152
SMSCTL-EXT-32-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 32 readers.			\$ 5,160	40%	\$ 3,096
SMSCTL-EXT-32-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 32 readers.			\$ 5,160	40%	\$ 3,096
SMSCTL-EXT-64-RM	SMS Extreme Network Controller. Includes network controller hardware in rack-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 64 readers.			\$ 10,859	40%	\$ 6,515
SMSCTL-EXT-64-WM	SMS Extreme Network Controller. Includes network controller hardware in wall-mount, lightweight aluminum enclosure, status LED, tamper switch, and 12VDC power supply. Includes system license for up to 64 readers.			\$ 10,859	40%	\$ 6,515
SMSCTL-ULT-192	2 RU high Enterprise controller. Supports up to 256 nodes; 192 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 33,591	40%	\$ 20,155

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSCTL-ULT-256	2 RU high Enterprise controller. Supports up to 256 nodes; 256 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 38,389	40%	\$ 23,033
SMSCTL-ULT-320	2 RU high Enterprise controller. Supports up to 256 nodes; 320 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 43,188	40%	\$ 25,913
SMSCTL-ULT-384	2 RU high Enterprise controller. Supports up to 256 nodes; 384 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 47,987	40%	\$ 28,792
SMSCTL-ULT-448	2 RU high Enterprise controller. Supports up to 256 nodes; 448 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 52,785	40%	\$ 31,671
SMSCTL-ULT-512	2 RU high Enterprise controller. Supports up to 256 nodes; 512 total readers. Expandable up to 256 nodes; 3584 total readers. Dual drives in 1 raid configuration.			\$ 57,584	40%	\$ 34,551
SMSC-TP	Temperature Input Application Card: 8 inputs			\$ 643	40%	\$ 386
SMSC-TPSP	Temperature sensor probe (for use with above SMSC-TP Application Card)			\$ 180	40%	\$ 108
SMS-ENT-DBP	SMS database partitioning for Enterprise Systems, system partitioning license			\$ 9,408	40%	\$ 5,645
SMS-ENT-DBP	SMS database partitioning for Enterprise Systems, system partitioning license			\$ 9,408	40%	\$ 5,645
SMS-EXT-WAR	3-year extended warranty for Extreme			\$ 1,801	40%	\$ 1,081
SMS-ID-16	Identity Management for use with Network Controller, up to 16 readers. One user ID badge designer and print station License; supports up to 10,000 badges; includes camera facial recognition driver support.			\$ 2,388	40%	\$ 1,433
SMS-ID2-32	Additional badge designer and print station license for use with SMS-ID-32			\$ 2,388	40%	\$ 1,433
SMS-ID2-64	Additional badge designer and print station license for use with SMS-ID-64			\$ 4,200	40%	\$ 2,520
SMS-ID2-ENT	Additional badge designer and print station license for use with SMS-ID-64			\$ 5,399	40%	\$ 3,239
SMS-ID-32	Identity Management for use with Network Controller, up to 32 readers. One user ID badge designer and print station License; supports up to 20,000 badges; includes camera facial recognition driver support.			\$ 3,587	40%	\$ 2,152
SMS-ID-ENT	Identity Management for use with Enterprise or Enterprise Ultra Controller systems. One user ID badge designer and print station License; supports up to 80,000 badges; includes camera facial recognition driver support.			\$ 8,385	40%	\$ 5,031
SMSL-128-UPG	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers not covered by a current support plan			\$ 7,678	40%	\$ 4,607
SMSL-128-USP	One year software upgrade and support plan for SMS Enterprise and Enterprise Ultra systems with up to 128 readers			\$ 5,999	40%	\$ 3,599
SMSL-16-UPG	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems not covered by a current support plan			\$ 840	40%	\$ 504
SMSL-16-USP	One year software upgrade and support plan for SMSCTL-WM-16, SMSCTL-RM-16 or 2/4 reader bundled systems			\$ 600	40%	\$ 360
SMSL-32-EXP	Expand from SMSCTL-WM-16 or SMSCTL-RM-16 to SMSCTL-WM-32 or SMSCTL-RM-32. Expands reader capacity from 16 to 32 readers.			\$ 2,903	40%	\$ 1,742
SMSL-32-UPG	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32 not covered by a current support plan			\$ 1,440	40%	\$ 864
SMSL-32-USP	One year software upgrade and support plan for SMSCTL-WM-32 or SMSCTL-RM-32			\$ 1,079	40%	\$ 648
SMSL-64E-USP	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers; additional blocks priced per 64 readers			\$ 1,199	40%	\$ 720
SMSL-64-EXP	Expand from SMSCTL-WM-32 or SMSCTL-RM-32 to SMSCTL-WM-64 or SMSCTL-RM-64			\$ 6,850	40%	\$ 4,110
SMSL-64-UPG	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64 not covered by a current support plan			\$ 3,839	40%	\$ 2,303
SMSL-64-USP	One year software upgrade and support plan for SMSCTL-WM-64 or SMSCTL-RM-64			\$ 2,999	40%	\$ 1,799
SMSL-ENT-64	Enterprise system license expansion for 64 additional readers			\$ 5,999	40%	\$ 3,599
SMSL-ENT-EXP	Expand from SMSCTL-WM-64 or SMSCTL-RM-64 to SMSCTL-ENT-128. Expands capacity up to 64 nodes and 128 readers, expandable up to 896 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 9,380	40%	\$ 5,628
SMSL-ENTUP-64	64 Reader Expansion for an expanding an existing Enterprise or Enterprise Ultra system			\$ 5,998	40%	\$ 3,599
SMSL-EU64-UPG	One year software upgrade and support plan add-on for SMS Enterprise and Enterprise Ultra systems with more than 128 readers not covered by a current support plan; additional blocks priced per 64 readers			\$ 1,679	40%	\$ 1,007
SMSL-EXTUP-64	64 Reader Expansion for an expanding an existing Extreme system			\$ 5,998	40%	\$ 3,599
SMSL-ULT-64	Enterprise Ultra system expansion for 64 additional readers			\$ 5,999	40%	\$ 3,599

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SMSL-ULT-EXP	Expand from SMSL-64 to SMSCTL-ULT-256. Expands capacity up to 256 nodes and 256 readers; expandable up to 3584 readers. (Note: this upgrade requires the return of a controller or controller card. In cases where a controller exists within an active node, a network node card will be sent to replace the combination controller/node card.)			\$ 18,238	40%	\$ 10,943
SMSN-INST	Installation kit for SMS nodes when not using a standard enclosure. Includes ribbon cable, card mounting plate, bi-color LED status indicator			\$ 139	40%	\$ 83
SMSN-MN	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, locking enclosure with network status light			\$ 1,668	40%	\$ 1,001
SMSN-MN-NE	Micronode with 1 Access Control card, 1 temp input, 2 switchable outputs, no enclosure			\$ 1,620	40%	\$ 972
SMSN-RM	SMS network node with 7 slots for application cards. Lightweight rack mount enclosure with status LED and 12 VDC power supply, 12V			\$ 2,296	40%	\$ 1,377
SMSN-WM	SMS network node with 7 slots for application cards. Lightweight wall mount aluminum enclosure with key lock, status LED, tamper switch, 12 VDC power supply and battery backup capable, 12V			\$ 1,912	40%	\$ 1,147
S MSP-LOW	Replacement/spare low voltage power supply			\$ 126	40%	\$ 76
S MSP-LOWU	Upgrade from standard AC power supply to low voltage power supply (must accompany order for node with which it will be used)			\$ 62	40%	\$ 37
S MSP-STD	Replacement/spare standard power supply 85-260 VAC/47-440 Hz			\$ 100	40%	\$ 60
SMS-VN-1CAM	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased at time of system sale)			\$ 108	40%	\$ 65
SMS-VN-1CAM-S	Per-camera ViconNet Video Management System Integration Option for cameras beyond initial four (when purchased separately from complete system)			\$ 385	40%	\$ 231
SMS-VN-4CAM	ViconNet Video Management System Integration Option; includes integration module for up to 4 cameras (when purchased at time of system sale)			\$ 543	40%	\$ 326
SMS-VN-4CAM-S	ViconNet Video Management System Integration Option; includes module for up to 4 cameras (when purchased separately from complete system)			\$ 1,534	40%	\$ 920
SVFT-C22	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with EXView™ technology and smoked lower dome; coaxial video transmission			\$ 2,852	40%	\$ 1,711
SVFT-C22CA	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; coaxial video transmission			\$ 2,032	40%	\$ 1,219
SVFT-C22CA-F	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,022	40%	\$ 1,813
SVFT-C22CA-T	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
SVFT-C22CA-V5	IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,760	40%	\$ 1,656
SVFT-C22-F	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with EXView™ technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,842	40%	\$ 2,305
SVFT-C22-T	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with EXView™ technology and smoked lower dome; twisted pair video transmission			\$ 2,894	40%	\$ 1,736
SVFT-C22-V5	INDOOR/IN-CEILING, COLOR IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity color camera/lens with EXView™ technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,580	40%	\$ 2,148
SVFT-C23	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861
SVFT-C23-F	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
SVFT-C23-T	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
SVFT-C23-V5	INDOOR IN-CEILING DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,830	40%	\$ 2,298
SVFT-C3312	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. EXView high-resolution color camera, 3.3-12 mm. autoiris varifocal lens and smoked lower dome, 24 VAC, coaxial video transmission			\$ 728	40%	\$ 437

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-C3312F1	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,185	40%	\$ 711
SVFT-C3312T	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; twisted pair video transmission			\$ 770	40%	\$ 462
SVFT-C3312V5	IN-CEILING FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,456	40%	\$ 874
SVFT-CHR	CHROME LOWER DOME; for Surveyor/VFT indoor domes			\$ 156	40%	\$ 93
SVFT-GLD	GOLD LOWER DOME; for Surveyor/VFT indoor domes			\$ 267	40%	\$ 160
SVFT-IC-KT	IN-CEILING MOUNT KIT; for Surveyor/VFT Camera Dome Systems			\$ 52	40%	\$ 31
SVFT-IP-UPGV5	UPGRADE KIT; converts non-IP Surveyor/VFT domes to IP version			\$ 1,156	40%	\$ 694
SVFT-M22	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; coaxial video transmission			\$ 2,593	40%	\$ 1,556
SVFT-M22E	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; coaxial video transmission			\$ 3,114	40%	\$ 1,869
SVFT-M22E-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,104	40%	\$ 2,462
SVFT-M22E-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology; twisted pair video transmission			\$ 3,156	40%	\$ 1,894
SVFT-M22E-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X high-sensitivity color camera/lens with ExView™ technology. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,842	40%	\$ 2,305
SVFT-M22-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,583	40%	\$ 2,150
SVFT-M22-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens; twisted pair video transmission			\$ 2,635	40%	\$ 1,581
SVFT-M22-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 22X color camera/lens. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,321	40%	\$ 1,993
SVFT-M23	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); coaxial video transmission			\$ 3,364	40%	\$ 2,018
SVFT-M23-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,354	40%	\$ 2,612
SVFT-M23-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR); twisted pair video transmission			\$ 3,406	40%	\$ 2,044
SVFT-M23-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 23X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR). For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,092	40%	\$ 2,455
SVFT-M35	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; coaxial video transmission			\$ 3,833	40%	\$ 2,300
SVFT-M35-F	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,823	40%	\$ 2,894
SVFT-M35-T	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization; twisted pair video transmission			\$ 3,875	40%	\$ 2,325
SVFT-M35-V5	IMPACT-RESISTANT IP CAMERA DOME; includes variable-speed drive, aluminum upper housing, lower polycarbonate dome and 35X high-resolution (540 TVL) day/night color camera with wide dynamic range (WDR) and image stabilization. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,561	40%	\$ 2,737

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-M560DN-V5	IMPACT-RESISTANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173
SVFT-P22	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome, coaxial video transmission			\$ 3,019	40%	\$ 1,811
SVFT-P22CA	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome, coaxial video transmission			\$ 2,094	40%	\$ 1,256
SVFT-P22CA-F	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,084	40%	\$ 1,850
SVFT-P22CA-T	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome; twisted pair video transmission			\$ 2,136	40%	\$ 1,282
SVFT-P22CA-V5	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive, housing, 22X color camera/lens and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,822	40%	\$ 1,693
SVFT-P22-F	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,009	40%	\$ 2,405
SVFT-P22-T	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome; twisted pair video transmission			\$ 3,061	40%	\$ 1,837
SVFT-P22-V5	INDOOR/PENDANT, COLOR IP CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity color camera/lens with ExView technology and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,747	40%	\$ 2,248
SVFT-P23	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome, coaxial video transmission			\$ 3,268	40%	\$ 1,961
SVFT-P23-F	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome, fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,258	40%	\$ 2,555
SVFT-P23-T	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range and smoked lower dome; twisted pair video transmission			\$ 3,310	40%	\$ 1,986
SVFT-P23-V5	INDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and smoked lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,996	40%	\$ 2,398
SVFT-P3312	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; coaxial video transmission			\$ 789	40%	\$ 474
SVFT-P3312F1	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,247	40%	\$ 748
SVFT-P3312T	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC; twisted pair video transmission			\$ 831	40%	\$ 499
SVFT-P3312V5	PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,517	40%	\$ 910
SVFT-PRC12	PRE-WIRED COAXIAL CABLE; for use with Surveyor/VFT Pressurized Dome			\$ 365	40%	\$ 219
SVFT-PRC12T	PRE-WIRED TWISTED PAIR CABLE; for use with Surveyor/VFT Pressurized Dome			\$ 533	40%	\$ 320
SVFT-PR-P	PIPE ADAPTER; for mounting Surveyor/VFT Pressurized Domes to 1-1/2-in. diameter pipe			\$ 162	40%	\$ 97
SVFT-PRS22E	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; coaxial video transmission			\$ 3,937	40%	\$ 2,362
SVFT-PRS22E-F	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 5,802	40%	\$ 3,481
SVFT-PRS22E-T	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome; twisted pair video transmission			\$ 3,979	40%	\$ 2,387

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-PRS22E-V5	PRESSURIZED IP CAMERA DOME; includes variable-speed camera drive, 22X high-sensitivity color camera with ExView technology and cast aluminum upper housing with clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,076	40%	\$ 3,046
SVFT-PRS23	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,187	40%	\$ 2,512
SVFT-PRS23-F	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,052	40%	\$ 3,631
SVFT-PRS23-T	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,229	40%	\$ 2,537
SVFT-PRS23-V5	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR), cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,326	40%	\$ 3,196
SVFT-PRS35	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; coaxial video transmission			\$ 4,656	40%	\$ 2,794
SVFT-PRS35-F	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 6,521	40%	\$ 3,913
SVFT-PRS35-T	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome; twisted pair video transmission			\$ 4,698	40%	\$ 2,819
SVFT-PRS35-V5	PRESSURIZED IP CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization, cast aluminum upper housing and clear lower dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 5,795	40%	\$ 3,477
SVFT-PR-WMA	WALL MOUNT; for Surveyor/VFT Pressurized Domes			\$ 238	40%	\$ 143
SVFT-SMK	SMOKED LOWER DOME; for Surveyor/VFT indoor domes			\$ 72	40%	\$ 43
SVFT-SOF	SOFFIT MOUNT; for outdoor Surveyor/VFT and SVFT-M camera domes			\$ 572	40%	\$ 343
SVFT-UCM	CEILING MOUNT; indoor/outdoor, for Surveyor/VFT Camera Dome Systems			\$ 52	40%	\$ 31
SVFT-UCP	CEILING PANEL SUPPORT; for Surveyor/VFT Camera Dome Systems			\$ 97	40%	\$ 58
SVFT-UPM-1	UNIVERSAL PARAPET MOUNT; indoor/outdoor; for Surveyor/VFT Camera Domes			\$ 370	40%	\$ 222
SVFT-URM-1	UNIVERSAL ROOF MOUNT; indoor/outdoor; for Surveyor/VFT Camera Domes			\$ 732	40%	\$ 439
SVFT-UWM	WALL MOUNT; indoor/outdoor, for Surveyor/VFT Camera Dome Systems			\$ 150	40%	\$ 90
SVFT-W22	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; coaxial video transmission			\$ 3,102	40%	\$ 1,861
SVFT-W22CA	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; coaxial video transmission			\$ 2,198	40%	\$ 1,319
SVFT-W22CA-F	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 3,188	40%	\$ 1,913
SVFT-W22CA-T	OUTDOOR PENDANT VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome; twisted pair video transmission			\$ 2,240	40%	\$ 1,344
SVFT-W22CA-V5	OUTDOOR PENDANT VARIABLE-SPEED COLOR IP CAMERA DOME; includes camera drive, environmental housing, 22X color camera/lens and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 2,926	40%	\$ 1,756
SVFT-W22-F	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,092	40%	\$ 2,455
SVFT-W22-T	OUTDOOR PENDANT COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome; twisted pair video transmission			\$ 3,144	40%	\$ 1,886
SVFT-W22-V5	OUTDOOR PENDANT PENDANT COLOR IP CAMERA DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity color camera/lens with ExView technology and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 3,830	40%	\$ 2,298

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVFT-W23	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; coaxial video transmission			\$ 3,352	40%	\$ 2,011
SVFT-W23-F	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,342	40%	\$ 2,605
SVFT-W23-T	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome; twisted pair video transmission			\$ 3,394	40%	\$ 2,036
SVFT-W23-V5	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and clear outer dome. For use with ViconNet Ver. 4.0 (LAN) for video/data transmission.			\$ 4,080	40%	\$ 2,448
SVFT-W3312	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 977	40%	\$ 586
SVFT-W3312DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; coaxial video transmission			\$ 1,102	40%	\$ 661
SVFT-W3312DN-V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,830	40%	\$ 1,098
SVFT-W3312F1	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,435	40%	\$ 861
SVFT-W3312F1DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,560	40%	\$ 936
SVFT-W3312T	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,019	40%	\$ 611
SVFT-W3312TDN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC; twisted pair video transmission			\$ 1,144	40%	\$ 686
SVFT-W3312V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,705	40%	\$ 1,023
SVFT-W35	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; coaxial video transmission			\$ 3,819	40%	\$ 2,291
SVFT-W35-F	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; fiber-optic video transmission (use with VF-1400 fiber receiver)			\$ 4,809	40%	\$ 2,885
SVFT-W35-T	OUTDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome; twisted pair video transmission			\$ 3,861	40%	\$ 2,317
SVFT-W35-V5	OUTDOOR PENDANT DAY/NIGHT IP CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution (540 TVL) day/night camera/lens with wide dynamic range (WDR) and image stabilization and clear outer dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 4,547	40%	\$ 2,728
SVFT-W550DN	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; coaxial video transmission			\$ 1,227	40%	\$ 736
SVFT-W550DN-F1	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; fiber-optic video transmission (use with VF-100R fiber receiver)			\$ 1,685	40%	\$ 1,011
SVFT-W550DN-T	OUTDOOR PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC; twisted pair video transmission			\$ 1,269	40%	\$ 761
SVFT-W550DN-V5	OUTDOOR PENDANT FIXED IP CAMERA DOME; includes 1/3-in. ExView high-resolution day/night camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$ 1,955	40%	\$ 1,173
SVFT-WM	WALL MOUNT; indoor/outdoor, short, for use SurveyorVFT Camera Dome Systems			\$ 100	40%	\$ 60
SVR-C	INDOOR/IN-CEILING CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
SVR-C-O	INDOOR/IN-CEILING IP CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,081	40%	\$ 1,249
SVR-C-V5	INDOOR/IN-CEILING IP CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,976	40%	\$ 1,186
SVR-P	INDOOR/PENDANT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,606	40%	\$ 964
SVR-P-O	INDOOR/PENDANT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,127	40%	\$ 1,276
SVR-P-V5	INDOOR/PENDANT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,022	40%	\$ 1,213
SVR-S	INDOOR/SURFACE MOUNT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,560	40%	\$ 936
SVR-S-O	INDOOR/SURFACE MOUNT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 2,081	40%	\$ 1,249
SVR-S-V5	INDOOR/SURFACE MOUNT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, smoked lower dome, NTSC			\$ 1,976	40%	\$ 1,186
SVR-SW	OUTDOOR/SURFACE MOUNT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,606	40%	\$ 964
SVR-SW-O	OUTDOOR/SURFACE MOUNT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,127	40%	\$ 1,276
SVR-SW-V5	OUTDOOR/SURFACE MOUNT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,022	40%	\$ 1,213
SVR-W	OUTDOOR/PENDANT CAMERA DOME; 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 1,632	40%	\$ 979
SVR-W-O	OUTDOOR/PENDANT CAMERA DOME; open platform IP H.264 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,153	40%	\$ 1,292
SVR-W-V5	OUTDOOR/PENDANT CAMERA DOME; ViconNet IP optimized MPEG-4 compression, 10X optical zoom and 10X digital zoom, day/night camera, integral 3.8-38 mm varifocal autoiris lens, clear lower dome, NTSC			\$ 2,050	40%	\$ 1,230
V1000R-UPS	UNINTERRUPTIBLE POWER SUPPLY; rack-mount, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,354	40%	\$ 812
V1000-UPS	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 1000VA/450W, USB control port, 120 VAC input/output			\$ 1,292	40%	\$ 775
V1100AWM	WALL MOUNT; 7.5 lb load, molded plastic, mounts to junction box, 9 in. long			\$ 43	40%	\$ 26
V110AWM	WALL MOUNT; 20 lb load, aluminum, 10 in. long			\$ 37	40%	\$ 22
V12VDC-PS	12 VDC POWER SUPPLY; for VN-857 series cameras, 100-240 VAC input, 12 VDC output, 1.5 A load			\$ 28	40%	\$ 17
V1300X-IA	ALARM INTERFACE; accepts up to 32 custom alarm inputs			\$ 1,240	40%	\$ 744
V1311RB-2WA	OUTDOOR UNIVERSAL RECEIVER; 120 VAC input, 24 or 120 VAC output to pan-and-tilt drives, requires V1311R-VI-1 interface card for Vicoax control and V1311R-VPS-1 interface card for Pilot control			\$ 517	40%	\$ 310
V1311R-VPS-1	INTERFACE CARD; internal board adapts V1311RB receivers for use with Pilot CPUs			\$ 283	40%	\$ 170
V1400X-IDL	DISTRIBUTION LINE CONTROL; provides up to 10 communication lines from CPU when used in star configuration			\$ 1,113	40%	\$ 668
V1410X-DVC	CONTROL KEYPAD; small profile desk-top, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,175	40%	\$ 705
V1411J-DVC	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with three-function variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,634	40%	\$ 981
V1411X-DVC	CONTROL KEYPAD; desk-top version, provides multi-function control for camera stations with variable-speed joystick for pan-and-tilt control and push buttons for lens function			\$ 1,392	40%	\$ 835
V1500X-SCCS	SYSTEM CONTROLLER; used to control both Pilot/NOVA control systems and ViconNet digital video management systems, including Virtual Matrix Controller (VMC).			\$ 2,197	40%	\$ 1,318
V1510RP32I	32-CHANNEL CAMERA INPUT PANEL; contains 32 BNC connectors			\$ 887	40%	\$ 532
V1510RP32-L	32-CHANNEL CAMERA LOOPING PANEL; contains 8 D-shell cable connectors			\$ 327	40%	\$ 196
V1510RP32-O	32-CHANNEL CAMERA OUTPUT PANEL; contains 32 BNC connectors			\$ 938	40%	\$ 563
V1510S-16	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 16 monitors.			\$ 679	40%	\$ 407
V1510S-32	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V1510S-32	VIDEO SWITCHER BOARD; provides video switching for up to 32 cameras and 32 monitors			\$ 1,108	40%	\$ 665
V1516-AMP	VIDEO AMPLIFIER BOARD; outputs for monitors 1-16			\$ 338	40%	\$ 203
V1522	ADVANCED DIGITAL CONTROL AND MATRIX SWITCHER; 32 camera inputs, 8 monitor outputs. Full camera station control and matrix switching. Vicoax compatible.			\$ 4,062	40%	\$ 2,437
V1532-AMP	VIDEO OUTPUT AMPLIFIER BOARD; outputs for monitors 1-32			\$ 405	40%	\$ 243
V1550RCP	Blank REAR CLOSURE PANEL; for unused card positions			\$ 18	40%	\$ 11
V15662L	2ND LAYER CABLE; control interface cable between 1st layer cages (monitors 1-16 or 1-32) and 2nd layer cages (monitors 17-32 or 33-64)			\$ 28	40%	\$ 17
V1566ATDT-32	TIME/DATE/TITLER AMP CARD; for monitors 17-32. For use with V1566SCPU only. Plugs in to V1566TDT-16 circuit card.			\$ 1,518	40%	\$ 911
V1566CONV-32	RS422 to CMOS CONVERTER; required for expanding cameras from 257 to 512 on a Master/Slave cage configuration; supports 16 or 32 monitors			\$ 1,007	40%	\$ 604
V1566DB	INTERFACE BOARD; required in Secondary cages for V1566 systems			\$ 747	40%	\$ 448
V1566MS	PRIMARY/SECONDARY CABLE; control interface cable between primary cage (cameras 1-256) and secondary cage(s) (cameras 257-512)			\$ 32	40%	\$ 19
V1566RC-36	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end			\$ 100	40%	\$ 60
V1566RC-36	36-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell on each end.			\$ 100	40%	\$ 60
V1566SCPU	Internal CPU; controls matrix switching for up to 512 cameras and 64 monitors			\$ 1,484	40%	\$ 890
V1566TDT-16	TIME/DATE/TITLER AMP CARD; for monitors 1-16. For use with V1566SCPU only.			\$ 2,036	40%	\$ 1,222
V1580SCC	CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards. Includes motherboard, line sync board and universal power supply.			\$ 2,811	40%	\$ 1,687
V1580SCC	PILOT66/99 CARD CAGE (256x16 or 256x32); accepts up to 8 switcher boards; includes motherboard, line sync board and universal power supply			\$ 2,812	40%	\$ 1,687
V1599CDU-1	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes one network interface card and one power supply module.			\$ 7,616	40%	\$ 4,570
V1599CDU-ALRM	PILOT V1599 CDU ALARM MODULE; provides communication from Pilot V1599CDU to Vicon alarm devices			\$ 1,633	40%	\$ 980
V1599CDU-CC	PILOT V1599 CDU CHASSIS; includes one network interface card and power supply module. Must be populated with CDU personality modules.			\$ 2,757	40%	\$ 1,654
V1599CDU-H-1	PILOT V1599 COMMUNICATION DISTRIBUTION UNIT; internal redundant configuration for automatic switchover. Configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes redundant personality modules, power supplies and network cards.			\$ 10,301	40%	\$ 6,181
V1599CDU-HSB-ALRM	PILOT V1599CDU REDUNDANT ALARM MODULE; provides internal redundant communication from V1599 CDU to alarm devices			\$ 2,120	40%	\$ 1,272
V1599CDU-HSB-NET	PILOT V1599CDU REDUNDANT NETWORK INTERFACE MODULE; provides internal network communication redundancy for the V1599CDU			\$ 1,132	40%	\$ 679
V1599CDU-HSB-POW	PILOT V1599CDU REDUNDANT POWER SUPPLY MODULE; provides internal power redundancy for the V1599CDU			\$ 319	40%	\$ 191
V1599CDU-HSB-SER	PILOT V1599CDU REDUNDANT SERIAL MODULE; provides internal redundant communication from V1599CDU to system keypads, receivers and host RS-232 devices			\$ 1,219	40%	\$ 732
V1599CDU-HSB-TDT	PILOT V1599CDU REDUNDANT TIME/DATE/TITLER MODULE; provides internal redundant communication from V1599CDU to time/date/titler device			\$ 1,371	40%	\$ 822
V1599CDU-HSB-VID	PILOT V1599CDU REDUNDANT VIDEO MODULE; provides internal redundant communication from V1599CDU to video matrix switcher			\$ 1,386	40%	\$ 832
V1599CDU-RCP	PILOT V1599CDU REAR CLOSURE PANEL; blank rear closure panel for unused card slots in V1599 chassis			\$ 17	40%	\$ 10
V1599CDU-SER	PILOT V1599CDU SERIAL MODULE; provides control communication between V1599CDU and Vicon system keypads/PTZ receivers or host RS-232 devices			\$ 664	40%	\$ 399
V1599CDU-TDT	PILOT V1599 CDU TIME/DATE/TITLER MODULE; provides control communication between V1599CDU and matrix time/date/titling devices			\$ 913	40%	\$ 548
V1599CDU-VID	PILOT V1599 VIDEO MODULE; provides control communication between V1599CDU and matrix video switcher			\$ 916	40%	\$ 549
V1599CPU	PILOT V1599 CENTRAL PROCESSING UNIT; includes internal graphic Configurator. Capable of addressing over 8000 cameras and 500 monitor and keypad stations. Use with companion Pilot-CDU Communication Distribution Unit and Matrix Switching System.			\$ 7,687	40%	\$ 4,612
V1599-KVM-CAB3	CABLE; used with V1599-KVM-R; connects additional PCs to V1599-KVM-Rs			\$ 60	40%	\$ 36
V1599-KVM-R	MULTI-INPUT VGA MONITOR/KEYBOARD; used with V1599CPU, accepts 8 VGA inputs from multiple PCs, includes 2 PC cables. Rack-mount only.			\$ 6,458	40%	\$ 3,875
V1599-PKA	PROGRAMMING KEYBOARD; for V1544SCPU, V1566SCPU, and V1599CPU			\$ 78	40%	\$ 47
V1599-PKA	PROGRAMMING KEYBOARD; for V1522CPU, V1544SCPU, V1566BSCPU, and V1599CPU			\$ 79	40%	\$ 47
V1599X-RCT	BLANK REAR CLOSURE PANEL; for V1599X-TCC			\$ 38	40%	\$ 23

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V1599X-TCC	CARD CAGE; holds up to 16 V1599X-TDT circuit cards, each of which titles 2 monitors (32 monitors total per card cage)			\$ 688	40%	\$ 413
V1599X-TC-PS	POWER SUPPLY; used in V1599X-TCC, 1 per card cage			\$ 383	40%	\$ 230
V1599X-TDT	TIME/DATE/TITLER ASSEMBLY; circuit card provides time/date/titles for 2 monitors			\$ 321	40%	\$ 193
V1599X-TDT-MA	MASTER MODULE; provides addressing for 32 monitors and loop-through signaling for additional V1599X-TCC card cage			\$ 229	40%	\$ 137
V1599X-TDT-SL-1	SLAVE MODULE; provides addressing for 32 monitors in additional V1599X-TCC card cage			\$ 233	40%	\$ 140
V15CCM-IR-2	HIGH-SECURITY INDOOR; 1/3-in. day/night color camera and 2.5 mm lens; 520 TVL resolution; IR illumination; brushed stainless steel housing			\$ 1,506	40%	\$ 904
V15LPG	SURGE PROTECTOR; protects video equipment from induced power surges in video lines			\$ 54	40%	\$ 32
V15RCB-24	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices; D-shell connector on one end, 8 BNC connectors on the other end			\$ 69	40%	\$ 41
V15RCB-24	24-INCH COAXIAL CABLE; for looping video inputs from a switcher card to external devices. D-shell connector on one end, 8 BNC connectors on the other end.			\$ 69	40%	\$ 42
V1600AH	ADJUSTABLE HEAD; medium-duty, 60 lb capacity			\$ 34	40%	\$ 20
V1600WM	WALL MOUNT; 40 lb load, aluminum, 16 in. long			\$ 114	40%	\$ 68
V2.8-12VF-IR	VARIFOCCAL; 2.8-12 mm, f/1.3, adjustable iris; IR illumination			\$ 113	40%	\$ 68
V2.8-12VF-IR-CS-G	VARIFOCCAL; 2.8-12 mm, f/1.3, autoiris; IR illumination			\$ 135	40%	\$ 81
V2.8-12VF-MP	VARIFOCCAL; 2.8-12 mm, f/1.6, adjustable iris; IR illumination, for use with megapixel cameras			\$ 142	40%	\$ 85
V2.9-8.2VF-CS-G	VARIFOCCAL; 2.9-8.2 mm, f/1.0, autoiris			\$ 86	40%	\$ 52
V2.9-8.2VF-IR	VARIFOCCAL; 2.9-8.2 mm, f/1.0, adjustable iris; IR illumination			\$ 85	40%	\$ 51
V2.9-8.2VF-IR-CS-G	VARIFOCCAL; 2.9-8.2 mm, f/1.0, autoiris; IR illumination			\$ 111	40%	\$ 67
V20B-A	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction, includes mounting straps			\$ 197	40%	\$ 118
V22PA	POLE MOUNT FOR 3 - 4 IN. DIAMETER POLES; medium duty, use with V1600WM wall mount			\$ 173	40%	\$ 104
V235GLTA	PASSIVE GROUND LOOP CORRECTION TRANSFORMER; single channel, for Vicoax			\$ 143	40%	\$ 86
V2416-600PS	POWER SUPPLY; sixteen-channel, 120 VAC input, 24/28 VAC output, 25/20 amps (total)			\$ 456	40%	\$ 274
V2416-8PS	POWER SUPPLY; sixteen channel, converts 120 VAC to 24 VAC; 0.5 amps/ channel; used for fixed cameras with isolation			\$ 407	40%	\$ 244
V2448-175PS	POWER SUPPLY; four-channel, 120 VAC input, 24/28 VAC output, 7/6.25 amps (total)			\$ 207	40%	\$ 124
V248-3.5PS	POWER SUPPLY; 8-channel, converts 120 VAC to 24 VAC; 0.4 amps/channel; used for fixed cameras with isolation			\$ 219	40%	\$ 131
V248-300PS	POWER SUPPLY; eight-channel, 120 VAC input, 24/28 VAC output, 12.5/10 amps (total)			\$ 288	40%	\$ 161
V248-600PS	POWER SUPPLY; eight-channel, 120 VAC input, 24 VAC output, 25 amps (total)			\$ 347	40%	\$ 208
V24CMB	OUTSIDE CORNER MOUNT BRACKET; for V24WM and SurveyorVFT series wall mounts			\$ 111	40%	\$ 67
V380PTX-S-VPP	80 LB LOAD; explosionproof; meets IEC class IIC rating requirements (minimum 25 pieces order required)			\$ 6,240	40%	\$ 3,744
V3-8VF-MP-IR-CS-G	VARIFOCCAL; 3-8 mm, f/1.2, adjustable iris; IR illumination, for use with megapixel cameras			\$ 252	40%	\$ 151
V422-VI	VICOAX TRANSLATOR; converts Vicon RS-422 PTZ commands to Vicoax, 16 channels			\$ 933	40%	\$ 560
V5400QS	REAL-TIME COLOR QUAD SPLITTER; displays four cameras on one monitor; full-featured with alarms, tiling, freezes, full-screen sequential switching and on-screen programming			\$ 823	40%	\$ 494
V5-50VF-CS-G	VARIFOCCAL; 5-50 mm, f/1.3, autoiris			\$ 281	40%	\$ 168
V5616MUX	16-CHANNEL COLOR TRIPLEX MULTIPLEXER; simultaneous live view, play and record; real time; 16 video inputs with loop through output capability; 720x480 resolution			\$ 1,448	40%	\$ 869
V652R-NVT	VIDEO RECEIVER; receives video from V1-VID-BAL transmitter up to 3000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 415	40%	\$ 249
V700-C312	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC, clear lower dome; 90° tilt			\$ 393	40%	\$ 236
V700W-D312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; Pixim color camera with Wide Dynamic Range (WDR), 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
V700W-1312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; IR illuminated, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 552	40%	\$ 331
V700W-N312	INDOOR/OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 3.3-12 mm varifocal autoiris lens, 560 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 540	40%	\$ 324
V725-UPS	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 725VA/450W, USB control port, 120 VAC input/output			\$ 237	40%	\$ 142
V75T	75-OHM TERMINATOR; for unused video looping BNCs			\$ 6	40%	\$ 4
V75TR-1	75-OHM TERMINATOR; for looping video coaxial ribbon cable connectors; Matrix 44			\$ 31	40%	\$ 19

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V75TR-SHD	75-QHM TERMINATOR; for looping video D-shell connectors; for Pilot Select and Ultra			\$ 57	40%	\$ 34
V8.5-40VF-IR	VARIFOCCAL: 8.5-40 mm, f/1.3, adjustable iris; IR illumination			\$ 210	40%	\$ 126
V8.5-40VF-IR-CS-G	VARIFOCCAL: 8.5-40 mm, f/1.3, autoiris; IR illumination			\$ 224	40%	\$ 134
V800ACM	CEILING MOUNT; 7.5 lb load, molded plastic, 6 in. long			\$ 37	40%	\$ 22
V814AWM	WALL MOUNT; 20 lb load, cast aluminum, 11.6 in long			\$ 35	40%	\$ 21
V854QH-SP	EXPLOSIONPROOF; tubular aluminum			\$ 1,551	40%	\$ 931
V8612H	IN-CEILING; all-plastic construction, tamperproof			\$ 113	40%	\$ 68
V894CSH-2.6-6	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 2.6-6 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
V894CSH-3312	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish			\$ 717	40%	\$ 430
V910A-CA	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V910A-DN	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 2.6-6 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
V910A-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,272	40%	\$ 763
V910A-NR	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; 24 VAC capability, isolated power input; smoked dome; coaxial video transmission			\$ 594	40%	\$ 356
V910A-NR-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with digital noise control (DNR) and 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,164	40%	\$ 698
V910AT-CA	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 2.6-6 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
V910A-WDR-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 3.3-12 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,483	40%	\$ 890
V910-D312	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA WITH WDR; includes 1/3-in. Pixim high-resolution color camera with Wide Dynamic Range and 3.3 - 12 mm varifocal autoiris lens; 24 VAC; isolated power input			\$ 831	40%	\$ 499
V910-D922V	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. Pixim® high-resolution day/night color camera with wide dynamic range (WDR); 9-22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$1,247	40%	\$ 748
V910D-IP5	IP SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 9-22 mm varifocal autoiris lens; PoE or 24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet Ver. 5.0 (LAN) for video/data transmission.			\$1,272	40%	\$ 763
V910-ICD	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for drop ceiling installations			\$ 193	40%	\$ 116
V910-ICH	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for hard ceiling installations			\$ 177	40%	\$ 106
V910-N312V	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. day/night color camera with DNR; 3.3-12 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$1,206	40%	\$ 724
V910-N922V	IP SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. day/night color camera with DNR; 9-22 mm varifocal autoiris lens; PoE or 12 VDC/24 VAC capability, isolated power input; heater and smoked dome. For use with ViconNet (LAN) for video/data transmission.			\$1,206	40%	\$ 724
V910-PH	PENDANT ADAPTER; for use with V910 dome series, adapts V910 to work with SVFT-UWM, SVFT-WM, and SVFT-UCM pendant mounts; indoor/outdoor			\$ 55	40%	\$ 33
V910-W3312	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V910-W3312DN	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
V910-W3312DN-F1	SURFACE MOUNT DAY/NIGHT INDOOR/OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,478	40%	\$ 887
V910-W3312F1	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; fiber optic video transmission			\$ 1,330	40%	\$ 798
V910-W3312T	SURFACE MOUNT INDOOR/OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission			\$ 737	40%	\$ 442
V926A-CA	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 2.6-6 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V926-W3312	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome			\$ 706	40%	\$ 424
V926-W3312DN	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor, includes 1/4-in. high-resolution color/monochrome camera, 3.3-12 mm varifocal day/night autoiris lens, heater and smoked dome			\$ 831	40%	\$ 499
V926-W3312T	IN-CEILING INDOOR/OUTDOOR DOME CAMERA; indoor/outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoked dome; UTP video transmission.			\$ 737	40%	\$ 442
V9312H	SMALL; 2-piece hinged aluminum			\$ 126	40%	\$ 76
V9312H-HS-24	SMALL; 2-piece hinged aluminum, sunshield and 24 VAC heater included			\$ 222	40%	\$ 133
VC24PS-1	POWER SUPPLY; converts 120 VAC to 24 VAC			\$ 19	40%	\$ 11
VC367-DSP	1/3-INCH FORMAT; high-resolution color, 540 TVL (0.5 lux), 24 VAC			\$ 290	40%	\$ 174
VC466-DSP	1/3-INCH FORMAT; high-resolution color, 540 TVL (0.3 lux) ExView CCD			\$ 385	40%	\$ 231
VC566DN	DAY/NIGHT CAMERA; 1/3-in. format, 24 VAC high-resolution color/monochrome operation; 540 TVL (day) and 580 TVL (night) horizontal resolution			\$ 486	40%	\$ 291
VC-600-PLATE	ADAPTER PLATE; to mount the VC-600S/VC-610S into a 4 x 4 in. electrical box			\$ 19	40%	\$ 11
VC-600S	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 407	40%	\$ 244
VC-600WIR	OUTDOOR 3-INCH CAMERA DOME; IR illuminated, color, 3.7 mm fixed lens, 550 HTVL, day/night, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 551	40%	\$ 331
VC-600W-PLATE	ADAPTER PLATE; used to mount VC-600WS/610WS series to V910-PH pendant mount			\$ 28	40%	\$ 17
VC-600WS	OUTDOOR 3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 504	40%	\$ 302
VC-610S	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome			\$ 614	40%	\$ 368
VC-610WS	OUTDOOR 3-INCH CAMERA DOME; wide dynamic range, color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply and smoked lower dome			\$ 657	40%	\$ 394
VC-620	OUTDOOR; 1/3-in. day/night color camera and 3.3-12 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum			\$ 594	40%	\$ 356
VC-621	OUTDOOR; 1/3-in. day/night color camera and 5-50 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; heater; metallic gray aluminum			\$ 1,072	40%	\$ 643
VC-630	1/3-INCH FORMAT; DSP, 3.3-12 mm autoiris varifocal lens, 480 TVL (0.2 lux), 12 VDC/24 VAC			\$ 407	40%	\$ 244
VC-632	WIDE DYNAMIC RANGE DAY/NIGHT CAMERA, color/monochrome operation, C/CS mount, 480 HTVL, INT/LL, 12 VDC/24 VAC isolated power supply			\$ 583	40%	\$ 350
VC-700DW-DN	OUTDOOR 4-1/2-INCH CAMERA DOME; day/night, color, 9-22 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
VC-700D-IWDR	OUTDOOR 4-1/2-INCH CAMERA DOME; Prism color camera with Wide Dynamic Range (WDR), 3.3-12 mm varifocal autoiris lens, 540 HTVL, INT/LL, 12VDC/24VAC isolated power supply and clear lower dome			\$ 594	40%	\$ 356
VC-700-PLATE	ADAPTER PLATE; used to mount VC-700/700W series to V910-PH pendant mount			\$ 28	40%	\$ 17
VC-710S	4-1/2-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC, smoked lower dome; 90° tilt			\$ 614	40%	\$ 368
V-DA-8-16	VIDEO DISTRIBUTION AMPLIFIER; 8 input x 2 output or 2 input x 8 output configurations; rack mount			\$ 231	40%	\$ 139
VDR-408-500	8-CHANNEL DIGITAL VIDEO RECORDER; 500 GB hard drive, 200 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 2,767	40%	\$ 1,660

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VDR-416-1000	16-CHANNEL DIGITAL VIDEO RECORDER; 1000 GB hard drive, 400 fps (real time, total), CD RW, PTZ control, audio; network control and viewing software included			\$ 3,353	40%	\$ 2,012
VE-500-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-500-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-500-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 151	40%	\$ 91
VE-K-I	VICONNET SOFTWARE ENHANCEMENTS; for Collector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-K-R	VICONNET SOFTWARE ENHANCEMENTS; for Collector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for Collector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for Collector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-K-S	VICONNET SOFTWARE ENHANCEMENTS; for Collector Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
VE-NVR-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-NVR-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-NVR-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-NVR Network Video Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company.			\$ 925	40%	\$ 555
VE-VMDC-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 462	40%	\$ 277
VE-VMDC-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-VMDC-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VE-VMDC-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 694	40%	\$ 416
VE-VMDC-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VMDC/VMC Virtual Matrix Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 925	40%	\$ 555
VE-WS-I	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 76	40%	\$ 46
VE-WS-R	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-WS-R2	VICONNET SOFTWARE ENHANCEMENTS; 2nd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-WS-R3	VICONNET SOFTWARE ENHANCEMENTS; 3rd Year Renewal; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 114	40%	\$ 68
VE-WS-S	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN-WS Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)			\$ 151	40%	\$ 91
VF-100R	VIDEO RECEIVER; 12 dB			\$ 337	40%	\$ 202
VF-100RR	VIDEO RECEIVER; 12 dB, rack mount			\$ 443	40%	\$ 266
VF-100T	VIDEO TRANSMITTER; 12 dB			\$ 337	40%	\$ 202
VF-100TR	VIDEO TRANSMITTER; 12 dB, rack mount			\$ 405	40%	\$ 243
VF-1400R	VIDEO / DATA RECEIVER; single fiber, duplex RS-422; simplex video; for use with NOVA/Pilot/Surveyor/VFT			\$ 958	40%	\$ 575
VF-1400RR	VIDEO / DATA RECEIVER (RACK MODULE); single fiber; duplex RS-422; simplex video; for use with NOVA/Pilot/Surveyor/VFT			\$ 958	40%	\$ 575
VF-1400T	VIDEO / DATA TRANSMITTER; single fiber; duplex RS-422; simplex video; for NOVA/Pilot			\$ 958	40%	\$ 575
VF-1605R	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax			\$ 958	40%	\$ 575
VF-1605RR	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax, rack mount			\$ 958	40%	\$ 575
VF-1605T	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax			\$ 958	40%	\$ 575
VF-1605TR	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax, rack mount			\$ 958	40%	\$ 575
VF-220R	VIDEO RECEIVER; 2-channels			\$ 1,245	40%	\$ 747
VF-220T	VIDEO TRANSMITTER; 2-channels			\$ 1,245	40%	\$ 747
VF-220TR	VIDEO TRANSMITTER; 2-channels, rack mount			\$ 1,245	40%	\$ 747
VF-30RR	VIDEO RECEIVER; 3-channels, 13 dB, rack mount			\$ 997	40%	\$ 598
VF-404R	VIDEO RECEIVER; 4-channels			\$ 1,594	40%	\$ 956
VF-404RR	VIDEO RECEIVER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
VF-404T	VIDEO TRANSMITTER; 4-channels			\$ 1,594	40%	\$ 956
VF-404TR	VIDEO TRANSMITTER; 4-channels, rack mount			\$ 1,594	40%	\$ 956
VF-BPS-1	BLANK PANEL; for use with VF-SR20/2 rack			\$ 27	40%	\$ 16
VF-PSR-2	POWER SUPPLY; 120 W DC; included with VF-SR-20/2			\$ 846	40%	\$ 508
VF-SR20/2	RACK; 14 slots, includes 100 W power supply; blank panels are VF-BPS-1			\$ 1,327	40%	\$ 796
VGEZ-1000	PC-TO-TV CONVERTER; self-powered USB interface, VGA in and VGA out connections, composite and S-video (NTSC) output			\$ 157	40%	\$ 94
VI-ASP-PRO	VICONNET VIDEO ANALYTICS ON-SITE ENGINEER; for site survey/training, one-day			\$ 2,000	40%	\$ 1,200
VI-ASST	VICONNET VIDEO ANALYTICS; up to 20 objects removed from a scene (software). Single license.			\$ 812	40%	\$ 487
VI-CNTG	VICONNET VIDEO ANALYTICS; object counting only (software). Single license.			\$ 812	40%	\$ 487
VI-CRWD	VICONNET VIDEO ANALYTICS; crowd detection, crowd detector (software). Single license.			\$ 812	40%	\$ 487
VI-ENT	VICONNET VIDEO ANALYTICS; all behaviors per channel (excluding PTZ options) (software). Single license.			\$ 1,478	40%	\$ 887
VI-GRPG	VICONNET VIDEO ANALYTICS; grouping of up to 12 people (software). Single license.			\$ 812	40%	\$ 487
VI-LINE	VICONNET VIDEO ANALYTICS; person or vehicle crossing a defined line (software). Single license.			\$ 812	40%	\$ 487
VI-LOIT	VICONNET VIDEO ANALYTICS; person(s) lingering or standing idly (software). Single license.			\$ 812	40%	\$ 487

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VI-SOBJ	VICONNET VIDEO ANALYTICS; suspicious object detection, object left behind or unattended for specific amount of time (software). Single license.			\$ 812	40%	\$ 487
VI-STICK	VICONNET VIDEO ANALYTICS; measure stickiness, time spent by a person within an area of a store (software). Single license.			\$ 812	40%	\$ 487
VI-STOP	VICONNET VIDEO ANALYTICS; stopped vehicle parked for a specified amount of time (software). Single license.			\$ 812	40%	\$ 487
VI-TLGT	VICONNET VIDEO ANALYTICS; one or more people/vehicles follow an authorized one through a secured entry point (software). Single license.			\$ 812	40%	\$ 487
VI-TOBS	VICONNET VIDEO ANALYTICS; traffic obstacle detection, object or vehicle obstructing traffic or tracks (software). Single license.			\$ 812	40%	\$ 487
VI-TOUR	VICONNET VIDEO ANALYTICS; Virtual tour option, for VI-ZONE and VI-LINE on PTZ presets (software). Single license.			\$ 1,209	40%	\$ 725
VI-TWO	VICONNET VIDEO ANALYTICS; 2 behaviors per channel (excluding PTZ options) (software). Single license.			\$ 984	40%	\$ 590
VI-VSSL	VICONNET VIDEO ANALYTICS; movement of a vessel on water surface (software). Single license.			\$ 812	40%	\$ 487
VI-ZONE	VICONNET VIDEO ANALYTICS; motion in a zone of interest (software). Single license.			\$ 812	40%	\$ 487
VM-620LCD	20-INCH FLAT PANEL; resolution up to 1600 x 1200 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,326	40%	\$ 796
VM621-5	21-INCH SCREEN; high resolution (450 TV lines); NTSC/PAL			\$ 657	40%	\$ 394
VM-622LCD	22-INCH FLAT PANEL; resolution up to 1680 x 1050 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 1,156	40%	\$ 694
VM-632LCD-1	32-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 2,621	40%	\$ 1,573
VM-642LCD-2	42-INCH FLAT PANEL; resolution up to 1920 x 1080 (depending on scan rate); HDTV; stereo; accepts NTSC/PAL			\$ 3,700	40%	\$ 2,220
VM-7179LCD-RK	RACK KIT; for use with VM-717/719 LCD monitor			\$ 113	40%	\$ 68
VM-717LCD-1	17-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 925	40%	\$ 555
VM-719LCD-1	19-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); HDMI input; PIP; stereo; accepts NTSC/PAL			\$ 1,048	40%	\$ 629
VMDC-2	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; tower case			\$ 5,858	40%	\$ 3,515
VMDC-2R	VIRTUAL MATRIX DISPLAY CONTROLLER; 2 display outputs; 4U rack mount			\$ 6,167	40%	\$ 3,700
VMDC-4	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; tower case			\$ 6,321	40%	\$ 3,793
VMDC-4R	VIRTUAL MATRIX DISPLAY CONTROLLER; 4 display outputs; 4U rack mount			\$ 6,629	40%	\$ 3,978
VMDC-6	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; tower case			\$ 6,783	40%	\$ 4,070
VMDC-6R	VIRTUAL MATRIX DISPLAY CONTROLLER; 6 display outputs; 4U rack mount			\$ 7,092	40%	\$ 4,255
VMDC-SW	VIRTUAL MATRIX DISPLAY CONTROLLER SOFTWARE; installation on 3rd party server			\$ 4,163	40%	\$ 2,498
VN-17FLT	17-IN. S-VGA TFT LCD MONITOR; for use with Kollector Recorders and VN-NVR Workstation			\$ 563	40%	\$ 338
VN-301TV5-1	VICONNET 1-CHANNEL VIDEO ENCODER; accepts 1 analog video input for transmission over TCP/IP network (30 fps total). Includes ViconNet version 5 viewing software.			\$ 1,240	40%	\$ 744
VN-856DNV5	I-ONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,039	40%	\$ 623
VN-856V5	I-ONYX® IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 970	40%	\$ 582
VN-856WDRV5	I-ONYX IP CAMERA; with Digital Noise Reduction (DNR); 1/3-inch CCD; wide dynamic range; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 24 VAC or PoE compatible.			\$ 1,195	40%	\$ 717
VN-957DN	I-ONYX IP CAMERA; MPEG-4 open platform, 1/3-inch day/night; 540 TVL horizontal resolution. Fully compatible with ViconNet systems. Video transmission over TCP/IP network (30 fps). Includes ViconNet version 5 viewer software. 12 VDC or PoE.			\$ 1,039	40%	\$ 623
VN-AV1355	1.3 MEGAPIXEL H.264/MJPEG IP COLOR ALL-IN-ONE CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 1,771	40%	\$ 1,063
VN-AV1355DN-1HK	1.3 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with heater			\$ 2,009	40%	\$ 1,205
VN-AV2105DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 1600x1200, motorized IR cut filter			\$ 1,620	40%	\$ 972
VN-AV2155DN	2.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,286	40%	\$ 1,372
VN-AV3105DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 2048x1536, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV3155DN	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,366	40%	\$ 1,420

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VN-AV3155DN-16	3.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,425	40%	\$ 1,455
VN-AV5100DN	5.0 MEGAPIXEL IP DAY/NIGHT CAMERA; 2592x1944, motorized IR cut filter			\$ 1,771	40%	\$ 1,063
VN-AV5105DN	5.0 MEGAPIXEL H.264/MJPEG DAY/NIGHT CAMERA; 2592x1944, motorized IR cut filter			\$ 1,919	40%	\$ 1,151
VN-AV5155DN	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,514	40%	\$ 1,509
VN-AV5155DN-16	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 8-16 mm megapixel varifocal lens, IP66 vandal-resistant dome housing			\$ 2,573	40%	\$ 1,544
VN-AV5155DN-1HK	5.0 MEGAPIXEL H.264/MJPEG IP DAY/NIGHT ALL-IN-ONE DOME CAMERA; 4.5-10 mm megapixel varifocal lens, IP66 vandal-resistant dome housing with 10V-50 V DC heater			\$ 2,604	40%	\$ 1,562
VN-AV8185	8 MEGAPIXEL IP DAY/NIGHT CAMERA; 180 degree panoramic camera with four 2 megapixel imagers with lenses			\$ 4,449	40%	\$ 2,669
VN-AV8365	MEGAPIXEL IP DAY/NIGHT CAMERA; 360 degree panoramic camera with four 2 megapixel imagers with 4mm lenses			\$ 4,151	40%	\$ 2,491
VN-AVCMT	PENDANT MOUNT; for VN-AV dome series			\$ 298	40%	\$ 179
VN-AVDOMEG-O-W	OUTDOOR VANDAL-RESISTANT 6-IN. DOME; for VN-AV8xx cameras; includes heater, blower, sunshade and wall mount; IP66			\$ 877	40%	\$ 526
VN-AVHSG1-O-W	OUTDOOR HOUSING; IP67, vandalproof, for single and dual sensor cameras, includes heater and blower			\$ 337	40%	\$ 202
VN-AVHSG1-SS	SUNSHIELD; for VN-HSG1-O-W			\$ 161	40%	\$ 97
VN-AVHS-HC	ENVIRONMENTAL HOUSING; for VN-AV dome series; includes heater and ceiling mount			\$ 877	40%	\$ 526
VN-AVPMP	POLE ADAPTER; for VN-AV dome series			\$ 134	40%	\$ 80
VN-AVWMT	WALL MOUNT; for VN-AV dome series			\$ 193	40%	\$ 116
VN-CAM-LIC	CONNECTION LICENSE; for non-ViconNet cameras to ViconNet version 5 system. One camera license.			\$ 364	40%	\$ 218
VNCTRL-1	Remote control panel for ViconNet Collectors & NVRs; Controls recording / burning of archives			\$ 2,797	40%	\$ 1,678
VND-970IP-CM	IN-CEILING MOUNT; designed to mount the VND-970IP and MPD-980DN into a ceiling			\$ 143	40%	\$ 86
VND-970IP	IP SURFACE MOUNT INDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with 3.3-12 mm varifocal autoiris lens; PoE or 12 VDC capability, isolated power input; smoked dome. For use with ViconNet Ver 5.2 (LAN) for video/data transmission.			\$ 677	40%	\$ 406
VN-DSX-INTV4	VICONNET-DSX INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a WinDSX access control workstation			\$ 6,167	40%	\$ 3,700
VN-EVM-LIC	EVENTS MANAGEMENT LICENSE; for ViconNet devices using the Event Management system. One license.			\$ 6,167	40%	\$ 3,700
VN-HIRSCH-INTV5	VICONNET-HIRSCH INTEGRATION SOFTWARE; to use ViconNet version 5.6 on a Hirsch Velocity access control workstation			\$ 6,167	40%	\$ 3,700
VN-LENEL-INTV4	VICONNET-LENEL INTEGRATION SOFTWARE; to use ViconNet version 4 or 5 on a Lenel OnGuard access control workstation			\$ 6,167	40%	\$ 3,700
VN-MPLA-10	VARIFOCAL MEGAPIXEL LENS; 4.5-10 mm, 1/2-in., f1.6, CS-mount, 37.0° - 80.5° FOV			\$ 114	40%	\$ 68
VN-NVR-1000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; tower case			\$ 7,083	40%	\$ 4,250
VN-NVR-1000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1000 GB internal HDD storage; rack-mount			\$ 7,083	40%	\$ 4,250
VN-NVR-13TBP-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Xeon-based hardware; rack-mount			\$ 17,500	40%	\$ 10,500
VN-NVR-13TB-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 13 TB usable storage and Pentium-based hardware; rack-mount			\$ 16,667	40%	\$ 10,000
VN-NVR-1500V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; tower case			\$ 7,812	40%	\$ 4,687
VN-NVR-1500V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 1500 GB internal HDD storage; rack-mount			\$ 7,812	40%	\$ 4,687
VN-NVR-2000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; tower case			\$ 8,646	40%	\$ 5,188
VN-NVR-2000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 2000 GB internal HDD storage; rack-mount			\$ 8,646	40%	\$ 5,188
VN-NVR-3000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; tower case			\$ 9,479	40%	\$ 5,687
VN-NVR-3000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver. 5, view, record and configure ViconNet IP devices and recorders; 3000 GB internal HDD storage; rack-mount			\$ 9,479	40%	\$ 5,687

**ViconNet Digital Video Management System *Version 5.0***

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VN-NVR-3300P-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Xeon-based hardware; rack-mount			\$ 13,333	40%	\$ 8,000
VN-NVR-3300-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 3.3 TB usable storage and Pentium-based hardware; rack-mount			\$ 12,500	40%	\$ 7,500
VN-NVR-5000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; tower case			\$ 10,312	40%	\$ 6,187
VN-NVR-5000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 5000 GB internal HDD storage; rack-mount			\$ 10,312	40%	\$ 6,187
VN-NVR-500V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; tower case			\$ 6,354	40%	\$ 3,812
VN-NVR-500V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 500 GB internal HDD storage; rack-mount			\$ 6,354	40%	\$ 3,812
VN-NVR-6000V5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; tower case			\$ 11,146	40%	\$ 6,688
VN-NVR-6000V5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; 6000 GB internal HDD storage; rack-mount			\$ 11,146	40%	\$ 6,688
VN-NVR-6500P-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Xeon-based hardware; rack-mount			\$ 15,208	40%	\$ 9,125
VN-NVR-6500-R5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, view, record and configure ViconNet IP devices and recorders; internal RAID with 6.5 TB usable storage and Pentium-based hardware; rack-mount			\$ 14,375	40%	\$ 8,625
VN-NVR-SANV5	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; tower case			\$ 5,833	40%	\$ 3,500
VN-NVR-SANV5-R	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 5, for use with external VN-SAN RAID only; no internal HDD storage; rack mount			\$ 5,833	40%	\$ 3,500
VN-NVR-SW	VICONNET NVR AND WORKSTATION SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality including recording. Single PC license.			\$ 3,359	40%	\$ 2,016
VN-NVRV5-10	VICONNET MULTI-PACK: 10 user license pack of VN-NVR-SW software.			\$ 20,156	40%	\$ 12,093
VN-RD-KIT	RECESSED DOME KIT; for mounting the VN-AV8185 and VN-AV8365 cameras			\$ 114	40%	\$ 68
VN-SAN-14-1000	VICONNET SAN STORAGE; includes fourteen 1000 GB hot swappable drives, 12.3 TB usable storage, configured to RAID 5			\$ 22,393	40%	\$ 13,436
VN-SAN-42-1000	VICONNET SAN STORAGE; includes forty-two 1000 GB hot swappable drives, 36 TB usable storage, configured to RAID 5			\$ 69,863	40%	\$ 41,918
VN-SAN-42-2000	VICONNET SAN STORAGE; includes forty-two 2000 GB hot swappable drives, 68 TB usable storage, configured to RAID 5			\$ 115,548	40%	\$ 69,329
VN-SAN-8-1000	VICONNET SAN STORAGE; includes eight 1000 GB hot swappable drives, 6.5 TB usable storage, configured to RAID 5			\$ 16,232	40%	\$ 9,739
VN-SAN-8-500	VICONNET SAN STORAGE; includes eight 500 GB hot swappable drives, 3.3 TB usable storage, configured to RAID 5			\$ 13,980	40%	\$ 8,388
VN-V1500X-SCCS	PrePac for use with ViconNet/Virtual Matrix Controller; includes V1500X-SCCS system controller and V422-CONV RS-422 to RS-232 converter			\$ 2,447	40%	\$ 1,468
VN-VIEWER-16	VICONNET 16-CHANNEL VIEWER SOFTWARE; Ver. 4. Single PC license.			\$ 193	40%	\$ 116
VN-VI-PROXY	VICONNET VIDEO ANALYTICS PROXY SERVER; for ViconNet VI, includes software configured for proxy, up to 18 cameras			\$ 6,160	40%	\$ 3,696
VN-VI-SERVER	VICONNET VIDEO ANALYTICS SERVER; for ViconNet VI, includes software for server, up to 100 channels			\$ 6,160	40%	\$ 3,696
VN-VI-SW	VICONNET VI SOFTWARE; for Video Analytics system capabilities (server and proxy)			\$ 385	40%	\$ 231
VN-WS-PC	PC WITH PRELOADED VN-WS-SW SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single license.			\$ 4,394	40%	\$ 2,636
VN-WS-SW	VICONNET WORKSTATION SOFTWARE; for use with ViconNet 5.0 Digital Recorders, Video Encoders and ViconNet IP Cameras. Full ViconNet functionality except recording. Single PC license.			\$ 831	40%	\$ 499
VN-WSV5-10	VICONNET MULTI-PACK: 10 user license pack of VN-WS-SW software.			\$ 4,986	40%	\$ 2,991
VSCM-200	RS-422 DUAL INPUT CODE MERGER; merges control data from two separate control systems into one device			\$ 885	40%	\$ 531
VU-VMDC-1V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER VMC/VMDC; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-VMDC-2V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER VMC/VMDC; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-500-1V	UPGRADE FOR VN500 VICONNET SOFTWARE; upgrade one (1) ViconNet version; license certificate			\$ 151	40%	\$ 91
VU-500-2V	UPGRADE FOR VN500 VICONNET SOFTWARE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 227	40%	\$ 136

**ViconNet Digital Video Management System Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
VUE-500-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-500-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN500; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VUE-K-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-K-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR RECORDERS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-KE-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR ELITE; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,610	40%	\$ 1,566
VUE-KE-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR ELITE; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 3,541	40%	\$ 2,125
VUE-KL-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,027	40%	\$ 1,216
VUE-KL-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,750	40%	\$ 1,650
VUE-KP-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR PRO; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 2,319	40%	\$ 1,391
VUE-KP-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR KOLLECTOR PRO; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 3,147	40%	\$ 1,888
VUE-NVR-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-NVR-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-NVR; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-VMDC-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMC/VMDC; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 1,388	40%	\$ 833
VUE-VMDC-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VIRTUAL MATRIX CONTROLLER VMC/VMDC; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,848	40%	\$ 1,109
VUE-WS-1V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade one (1) ViconNet version; license certificate			\$ 165	40%	\$ 99
VUE-WS-2V	VICONNET SOFTWARE ENHANCEMENT AND UPGRADE FOR VN-WS; software enhancement and upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 209	40%	\$ 125
VU-K-1V	UPGRADE FOR KOLLECTOR RECORDERS; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-K-2V	UPGRADE FOR KOLLECTOR RECORDERS; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-KE-1V	UPGRADE FOR KOLLECTOR ELITE; upgrade one (1) ViconNet version; license certificate			\$ 1,864	40%	\$ 1,118
VU-KE-2V	UPGRADE FOR KOLLECTOR ELITE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,797	40%	\$ 1,678
VU-KL-1V	UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; upgrade one (1) ViconNet version; license certificate			\$ 1,448	40%	\$ 869
VU-KL-2V	UPGRADE FOR KOLLECTOR NETWORK SERVER/KOLLECTOR LITE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,172	40%	\$ 1,303
VU-KP-1V	UPGRADE FOR KOLLECTOR PRO; upgrade one (1) ViconNet version; license certificate			\$ 1,656	40%	\$ 993
VU-KP-2V	UPGRADE FOR KOLLECTOR PRO; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 2,484	40%	\$ 1,490
VU-NVR-1V	UPGRADE FOR VN-NVR; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-NVR-2V	UPGRADE FOR VN-NVR; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-VMC-1V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER; upgrade one (1) ViconNet version; license certificate			\$ 925	40%	\$ 555
VU-VMC-2V	UPGRADE FOR VICONNET VIRTUAL MATRIX CONTROLLER; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 1,388	40%	\$ 833
VU-WS-1V	UPGRADE FOR VN-WS VICONNET SOFTWARE; upgrade one (1) ViconNet version; license certificate			\$ 151	40%	\$ 91
VU-WS-2V	UPGRADE FOR VN-WS VICONNET SOFTWARE; upgrade two (2) ViconNet versions (from 3.X and up); license certificate			\$ 227	40%	\$ 136
V-VID-BAL	VIDEO TRANSCIEVER; transmits or receives video and Vicoax data up to 1000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)			\$ 40	40%	\$ 24

*ViconNet Digital Video Management System* **Version 5.0**

Product/Model Number	Product Description	Unit of Measurement	Category / Group (identifier if applicable)	List Price / MSRP	Percentage Discount	NYS Net Price
----------------------	---------------------	---------------------	---	-------------------	---------------------	---------------

MAINTENANCE LABOR RATES

Job Title	Description	Total Hourly Rate
<b>Region 1</b>		
CCTV Tech	Maintenance, repair and /or replace defective equipment	\$ 72.00
<b>Region 2</b>		
CCTV Tech	Maintenance, repair and /or replace defective equipment	\$ 67.21
<b>Region 3</b>		
CCTV Tech	Maintenance, repair and /or replace defective equipment	\$ 67.21

	Priority Emergency Service (8am-5pm)	Priority Emergency Service After Business Hours (5pm-8am)	Emergency Service (8am-5pm)	Emergency Service After Business Hours (5pm-8am)	Non-Emergency Service (8am-5pm)	Non-Emergency Service After Business Hours (5pm-8am)
Per Hour	Regular Rate	Reg Rate Plus 15%	Regular Rate	Reg Rate Plus 15%	Reg Rate	Reg Rate Plus 15%
Per Month						
Per 1 Year						
Per 2 Years						
Per 3 Years						

PREVENTATIVE MAINTENANCE COST (If Applicable)

	Preventative Maintenance	Description (Indicate "See Attached" if on a Separate Page)
Per Hour	Regular Rate	Basic visual inspection, cleaning and testing
Per Month		of equipment. Schedules determined on the
Per 1 Year		locations and environments of installed equipment.
Per 2 Years		and manufacturers recommended schedules.
Per 3 Years		

MAINTENANCE FOR PRODUCTS PURCHASED OUTSIDE OF AWARD 20191

	Rate of Maintenance for Products Purchased outside of Award RFP 20191	Inspection Cost
Per Hour		
Per Month		
Per 1 Year		
Per 2 Years		
Per 3 Years		

PREPAID ANNUAL MAINTENANCE DISCOUNT\* \_\_\_\_\_ %

COST OF MAINTENANCE REINSTATEMENT INSPECTION (IF APPLICABLE)\*\* \$ \_\_\_\_\_ / \_\_\_\_\_

TRAINING PER HOUR

Class Size (Number of People)	\$ 100.00
Length of Class (Number of Hours)	1 to 10

ADVANCED TRAINING PER HOUR\*

Class Size (Number of People)	\$ 8.00
Length of Class (Number of Hours)	\$ _____

TRAINING COSTS FOR ADDITIONAL EMPLOYEES PER HOUR \$ \_\_\_\_\_

ADDITIONAL DOCUMENTATION (If Applicable) \$ \_\_\_\_\_ (COST PER COPY)

**INSTALLATION LABOR RATES**

<b>Job Title</b>	<b>Description</b>	<b>Total Hourly Rate</b>
<b>Region 1</b>		
CCTV Tech	New Installations	\$ 72.00
<b>Region 2</b>		
CCTV Tech	New Installations	\$ 117.11
<b>Region 3</b>		
CCTV Tech	New Installations	\$ 108.19

**TRAINING PER HOUR**

Class Size (Number of People) 1 to 10 \$ 100.00  
 Length of Class (Number of Hours) \$ 8.00

**ADVANCED TRAINING PER HOUR\***

Class Size (Number of People) \_\_\_\_\_  
 Length of Class (Number of Hours) \_\_\_\_\_

**TRAINING COSTS FOR ADDITIONAL EMPLOYEES PER HOUR**

\$ \_\_\_\_\_

**ADDITIONAL DOCUMENTATION (If Applicable)**

\$ \_\_\_\_\_ (COST PER COPY)

**SYSTEMS INTEGRATION LABOR RATES**

<b>Job Title</b>	<b>Description</b>	<b>Total Hourly Rate</b>
<b>Region 1</b>		
CCTV Tech	Systems Integration	\$ 72.00
<b>Region 2</b>		
CCTV Tech	Systems Intergration	\$ 117.11
<b>Region 3</b>		
CCTV Tech	Systems Intergration	\$ 108.19

<b>TRAINING PER HOUR</b>		\$	100.00
	Class Size (Number of People)		1 to 10
	Length of Class (Number of Hours)	\$	8.00
<b>ADVANCED TRAINING PER HOUR*</b>		\$	_____
	Class Size (Number of People)		_____
	Length of Class (Number of Hours)		_____
<b>TRAINING COSTS FOR ADDITIONAL EMPLOYEES PER HOUR</b>		\$	_____
<b>ADDITIONAL DOCUMENTATION (If Applicable)</b>		\$	_____ (COST PER COPY)