



Dedicated to Design.
Committed to Quality.

2016 Seating Catalog

Foundation and bimos Lines
Specifications and Pricing



2016 Seating Catalog

Thank you for considering BioFit Engineered Products as your ergonomic seating solutions source. We encourage you to refer to the following company background and product information to help you learn more about us and why BioFit seating is a smart choice for today's work and learning environments.

Why Buy BioFit?

Globally recognized corporate brand leaders, major hospitals, universities and small businesses alike turn to BioFit for innovative, high performance ergonomic seating, tables and accessories. We offer:

- Over 70 years' background improving the workplace experience
- Award-winning solutions for healthcare, technology, education, lab, industrial, office and custom applications
- Designs with user comfort, health and wellbeing in mind
- Modular construction, enabling numerous configurations of a single product series to meet specific needs
- Standard components that many manufacturers offer only as options with costly upcharges
- Durable products that meet or exceed rigorous industry standards, built for 24/7 use
- A 13-year warranty on nearly all products and seating pneumatics warranted for the lifetime of the chair
- Value-added services including onsite sample and Ship Now! rush seating programs
- A personable, highly experienced customer support team – ensuring you get what you need



Build Your Own Chair (BYOC)

BioFit revolutionized the seating industry with the launch of the BYOC nearly a decade ago. Due to the modular construction of our products, users can create, get a quote and order seating for their unique requirements. Scan this QR code and try it yourself.



13-Year Warranty

Most all BioFit products are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 13 years of normal, multi-shift use. Pneumatic cylinders are covered for the functional lifetime of the chair or stool. Scan this QR code for full details.



Ship Now! Quick Ship Program

Need chairs or footrests fast? With our Ship Now! program, you can order limited quantities of models from our most popular series and your order will ship within 2 business days, pending credit approval. Look for the Ship Now! logo and green quick reference dot as you browse this book for applicable models.



ANSI/BIFMA Rated, LEED® Compliant

BioFit seating complies with ANSI/BIFMA X5.1-2002 product safety and performance standards guidelines as established by the Business and Institutional Furniture Manufacturers Association. BioFit seating is also LEED compliant.



How to Order

1. Provide the quantity, manufacturing code and any accessories for each item. Refer to the manufacturing code protocol on the following page for user-friendly instructions on identifying to code of the product(s) you select. Manufacturing codes for standard and optional components can be located on each product page.
2. Provide upholstery and metal part finish selections.
3. Provide complete bill-to and ship-to addresses.

Order Changes and Cancellations

Once entered in our system orders may not be changed, cancelled or delayed without BioFit's consent. This will be determined depending on the stage of production and BioFit must be indemnified from loss. Thus the buyer will be responsible for material, labor or storage costs of changed, cancelled or delayed shipments. Once the merchandise has been shipped, the buyer is obligated to accept delivery from the carrier. Special care should be taken when ordering Ship Now models to assure accuracy because they may ship the same day they are placed thus cancellations or changes may not be possible under any circumstances.

Returns

BioFit reserves the right to refuse return of any merchandise unless it is determined to be BioFit's responsibility. Any merchandise accepted for return must have prior written authorization and may be subject to a 25% restocking charge.

Shipment Information

The delivered prices shown in this price list include surface transportation by BioFit's choice of carrier to anywhere in the lower 48 states. Shipments to Alaska, Hawaii, Puerto Rico or for export will be shipped to the lower 48 port of departure specified by you, the BioFit distributor, who will be responsible for the shipment from that point.

Please note for orders that are less than \$3,500.00 list, there will be a \$10.00 per carton handling fee implemented.

Blanket wrapped, air-freight, other special delivery methods, or other special services (such as inside delivery, metro charge, lift gate, limited access, notify before delivery, etc.) will still be available at extra cost and will be quoted on a case-by-case basis.

Please contact our Logistics department for further information at **800.597.0246**.

Terms

Prices are F.O.B. Payment - .5% 10, net 30, with interest applicable at the rate of 1.5% per month after 30 days.

Upholsteries and Sizes


For standard upholstery options, see our printed color selector or scan the QR code in the margin to access the online version. Contact BioFit for client's own material (COM) pricing. Please note that orders calling for COM may be cancelled by BioFit, if, in its sole opinion, material is not sufficiently workable.

Sales Policy

Possession of this price list does not necessarily suggest an offer to sell.

Minimum Order

BioFit does not have a minimum order.



Manufacturing Code Protocol for bimos and Foundation Seating Lines

When placing an order, you will be requested to provide the manufacturing code(s) for the models you choose. The instructions below outline how to easily determine the codes for bimos and Foundation line seating products using combinations of alphabetic and alpha-numeric designators for key components used to construct each product.

Please contact BioFit customer service at biofit@biofit.com or 800.597.0246 if you have questions or encounter any difficulty determining a product code.

Foundation Line Manufacturing Code Example: Avenue Series AER-L-RC-EXE-PSAS

The first letter denotes the seat style: Seat style “**A**” is used in our example.

The second letter denotes the backrest: Backrest style “**E**” is used in our example.

The third letter denotes the base style. Base style “**R**” is used in our example.

Note: With a few exceptions for specialty products, BioFit offers four base styles as noted here:

- A** = Cast Aluminum
- W** = Wide Aluminum
- R** = Reinforced Composite
- S** = Tubular Steel

The letter after the base styles designation, in this case, **L**, denotes the seat height adjustment range:

- L** = Low
- M** = Medium
- H** = High

Following the seat height adjustment range is a 2- or 4-letter code denoting the caster or glide style. In this case, **RC** denotes dual-wheel resistance casters. Note that RC casters offer added safety as they will not roll easily if the chair or stool is unoccupied. Casters such as these are normally offered as added-cost options on competitive seating products.

Subsequent letters or combinations of letters denote optional components. Those used in our example include executive-style seat control (**EXE**) and height-adjustable self-skinned urethane arms (**PSAS**).

Refer to the Options and Performance Package Configurations Legends on the following page for a complete list of option and performance package codes, and individual product series spreads for unique options and performance packages available on specific models.



bimos Line Manufacturing Code Example for Trend Series Seating: TRENDW-M-2000

The name of the series appears at the beginning of the code; in this case, **TREND**.

The letter following the series name denotes the base style; in this case, **W** (Wide Aluminum).

The letter after the base style designation denotes the seat height adjustment range; in this case, **M** (Medium).

The combination of 4 digits following the base style denotes the seat and backrest upholstery option; in this case, **2000** (Urethane). Refer to bimos product spreads for all available base and upholstery options for specific models.



Optional Components & Performance Package Legends

Optional Components Legend

Seats

Option code replaces 1st letter of manufacture code.



A – Saddle-shaped, contoured seat with waterfall front, 21” wide x 19” deep x 3” thick



S – Ergonomic seat with waterfall front, 21” wide x 17” deep x 3” thick; intended for use by individuals of shorter stature



SLD – Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place



ASC – Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever; only available on ISO 3 and ISO 4 performance packages models without arms

Backrests

Option code replaces 2nd letter of manufacture code.



M – Larger ergonomic backrest, 18” wide x 19” high, for both lower and upper back support; available on chairs with a seat height no higher than 32”



A – Narrow, 8” wide x 12” high, spinal support with lumbar curve

Footrings



AFP – Adjustable height, 22” diameter, oval tube construction on solid polished cast aluminum spoke; adjusts easily without knobs or levers



ATF – Adjustable height, 20” diameter, cast aluminum; recommended for models with seat heights greater than 22”; not available on low seat height models or models with S base

Armrests



ARS – Height and width adjustable with self-skinned urethane pads; not available with ISO 3 or ISO 4 performance packages



ARU – Height and width adjustable with upholstered pads; not available with ISO 3 or ISO 4 performance packages



PSAS – Height adjustable with self-skinned urethane pads



PSAU – Height adjustable with upholstered pads

Casters and Glides



HG – 2” high Polyamide glides



GFR – Wide, dual-wheel casters for grated floors; not available with ESD performance packages



LKRO – Conductive dual-wheel casters that lock when seat is occupied



LRO – Dual-wheel casters that lock when seat is occupied



MLR – Dual-wheel, soft manual locking



RC – Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models



RK – Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied

Upholstery

COM – Customer's own material

Grade 2

Grade 3

Grade 4

Grade 5

Fire Retardant

C133 – Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered. Contact BioFit for details.

Miscellaneous

FM – Memory foam

SW – Skid wrapping

TKB – Tamper-proof non-removable backrest bar

URS – Round seat, self-skinned urethane, 14” diameter, 1.5” thick; not for clean room use

VU – Upholstered underwrap to match seat upholstery

WS – Round, maple wood seat, 14” diameter, 1.5” thick; not for clean room use

Z – Pullover seat cushion, 1.5” thick; available in Grade 2, 3 & 4 upholstery

Seat Controls



FFAC – Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place



EXE – Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position; only available on models with maximum seat height of 26” or less

Performance Package Legend

Category	ISO Class	Clean Room Class	MFG Code
ESD	N/A	N/A	K
Clean Room	ISO 6	1000	1000
	ISO 5	100	VUV
	ISO 4	10	C10
	ISO 4	10	N10 (breathable nylon)
	ISO 4	10	CR10*
	ISO 3	1	C1

Category	ISO Class	Clean Room Class	MFG Code
Combination Clean Room/ESD	ISO 6/ESD	1000	1000-K
	ISO 6/ESD	100	VUV-K
	ISO 4/ESD	10	C10-K
	ISO 4/ESD	10	CR10-K*
	ISO 3/ESD	1	C1-K

* Codes apply to performance packages for non-upholstered seating.

Product Locator

bimos Line	Trend Series / 8-9		Fin / 9 		Eton (ET) Series / 24-25		
	Unitec Series / 10-11				Sewn Seams FC Series / 26-27		
	Sintec Series / 12-13				Sewn Seams FL Series / 28-29		
Foundation Line	Avenue (AE) Series / 14-15				Sewn Seams HC Series / 30-31		
	Amherst (AM) Series / 16-17				Sewn Seams HL Series / 32-33		
	Belize (BE) Series / 18-19				Vacuum Formed FC Series / 34-35		
	Bridgeport (BT) Series / 20-21				Vacuum Formed FL Series / 36-37		
	Elite (EE) Series / 22-23				Vacuum Formed HC Series / 38-39		

Performance Package and Ship Now! Quick Reference Legend

We've made it easy to locate products available with clean room and static control/ESD performance packages as well as those available under the BioFit Ship Now! quick ship program. Just look for the color coded dots in each series box in the product locator and at the top of pertinent product series pages per the adjacent legend:

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Vacuum Formed HL Series / 40-41		●
Zephyr AP & FP Series / 42-43		
ExecErgo Series / 44-45		
ArmorSeat (GG) Series / 46-47		● ● ●
UniqueU Series / 48-49		● ● ●
Skoop (KX) Series / 50-51		●
Willow (WW) Series / 52-53		
Intensive Plus / 54		
Aramis 2A and 2A Vacuum Formed Stools / 55		

Rexford (RX) Series / 56-57		●
Rexford Vacuum Formed (RX-VF) Series / 58-59		
Regent (RT) Series / 60-61		●
Regent Vacuum Formed Series (RT-VF) / 62-63		●
Traxx (RX) Series / 64-65		● ●
Cerex (CX) Series / 66-67		●
Pogo (TXY) Series / 68-71		
GX Series Sit/Stands / 72		
Footrest (FS-1 & FS-2) / 72		● ●
Ajax (AJ) Series Stool / 73		●
TXG Series Stool / 73		●

bimos by BioFit™ Collection: Trend

Profile: This series combines full ergonomic functionality, versatility and a stance that make it a practical seating solution for a variety of tasks and workspaces. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office



Trend seating is available in 3 seat height ranges and 5 upholstery options. Representative examples are shown on this page.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, cloth upholstered seat and backrest. Baseline manufacturing code TRENDW-L-6062



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, urethane seat and backrest. Baseline manufacturing code TRENDW-L-2000



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, vinyl seat and backrest. Baseline manufacturing code TRENDW-L-0551



W Base
Medium Seat Range
Black Cloth Upholstery
Standard Adjustable Footring
TRENDW-M-5800

High Seat Range
Black Cloth Upholstery
Standard Adjustable Footring
TRENDW-H-5800



W Base
Medium Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
TRENDW-M-6062

High Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
TRENDW-H-6062



W Base
Medium Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
TRENDW-H-2000

High Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
TRENDW-M-2000



W Base
Medium Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
TRENDW-M-0551

High Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
TRENDW-H-0551

bimos by BioFit™ Collection: Trend Options & List Pricing

Optional Components & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$77		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery		Blue and black vinyl and cloth and black self-skinned urethane options available		Refer to the Seat Height Adjustment Range and Price chart below for pricing per upholstery type	

Seat Height Ranges, Manufacturing Codes, Upholstery Options & Baseline List Prices

bimos by BioFit™ Collection: Trend					
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type: Color/Code	List Price
Low	TRENDW-L-(5800 or 6062)	19"– 24"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$748
Low	TRENDW-L-(0551 or 0562)	19"– 24"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$808
Low	TRENDW-L-2000	18"– 23"	Wide Aluminum	Urethane: 2000	\$866
Medium	TRENDW-M-(5800 or 6062)	22"– 29"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$861
Medium	TRENDW-M-(5800 or 6062)	22"– 29"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$921
Medium	TRENDW-M-2000	21"– 28"	Wide Aluminum	Urethane: 2000	\$979
High	TRENDW-H-(5800 or 6062)	24"– 34"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$876
High	TRENDW-H-(0551 or 0562)	24"– 34"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$936
High	TRENDW-M-2000	23"– 33"	Wide Aluminum	Urethane: 2000	\$994

All specifications are nominal. This series is unavailable in Ship Now! program.

bimos by BioFit™ Collection: Fin

Profile: A revolutionary ergonomic solution to age-old issues associated with prolonged standing in the workplace or anywhere where sitting down is not an option. Standard features are shown below.

Quick Reference Legend

● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Hospitality
- Retail

Passes both Criteria A and B of CAL-133 Burn Test.

Pneumatic seat height with adjustment range of 24.5" – 33.5".

Column inclined 4° to promote positive working posture.

Standard with interchangeable glides to suit any type of floor.

Brushed aluminum base.

Fingertip-controlled seat height adjustment.

19.25" wide X 5.75" deep, swiveling polyurethane seat with handles.

Seat swivels up to 20° to help keep work close at hand.

Integrated handles facilitate easy relocation.

bimos by BioFit™ Collection: Fin			
Seat Height	Manufacture Code	Seat-Height Adjustment Range	List Price
Medium to High	FIN	24.5"– 33.5"	\$609

All specifications are nominal. Model available in Ship Now! program.

bimos by BioFit™ Collection: Unitec

Profile: With the same proven engineering as other bimos by BioFit Collection models, the Unitec offers a solution for smaller organizations or those just starting out. Standard features are shown below.

Quick Reference Legend

● = ShipNow*

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office

Unitec seating is available in 3 base styles, 3 seat height ranges and 5 upholstery options. Representative examples are shown on this page.

Baseline manufacturing code for model shown is UNITECW-M-6062 ▼

Upholstery options include black or blue cloth (shown), black or blue vinyl or black self-skinned urethane.

Spacious 17.75" high x 16.5" height-adjustable backrest (urethane backrest is 14.5" high X 17.25" wide).

Seamless protective backrest panel.

18" wide x 18" deep, ergonomic seat (urethane seat is 17.25" wide x 16.5" deep).

Soft-touch pneumatic seat height control.

Adjustable footring standard on medium and high seat-height models (unavailable on low seat height configurations).

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with medium seat height version.

High-profile, Euro-look 28.7" diameter wide aluminum (W style) base; T-shape construction for added strength and easy cleanability.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range with black cloth upholstery. Baseline manufacturing code UNITECW-L-5800



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range, urethane seat and backrest. Baseline manufacturing code UNITECR-L-2000



Model shown with 25.6" diameter high-profile cast aluminum base (A style) base, low seat height range with blue vinyl upholstery. Baseline manufacturing code UNITECA-L-0562



A Base
Medium Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
UNITECA-M-6062

High Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
UNITECA-H-6062



A Base
Medium Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
UNITECA-M-2000

High Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
UNITECA-H-2000



R Base
Medium Seat Range
Blue Vinyl Upholstery
Standard Adjustable Footring
UNITECR-M-0562

High Seat Range
Blue Vinyl Upholstery
Standard Adjustable Footring
UNITECR-H-0562



W Base
Medium Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
UNITECW-M-0551

High Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
UNITECW-H-0551

bimos by BioFit™ Collection: Unitec Options & List Pricing

Optional Components, & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$77		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery		Blue and black vinyl and cloth and black self-skinned urethane options available		Refer to the Seat Height Adjustment Range and Price chart below for pricing per upholstery type	

Seat Height Ranges, Manufacturing Codes, Upholstery Options & Baseline List Prices

bimos by BioFit™ Collection: Unitec						
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type: Color/Code		List Price
Low	UNITECA-L-(5800 or 6062)	16"– 21.25"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$485
Low	UNITECA-L-(0551 or 0562)	16"– 21.25"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$485
Low	UNITECA-L-2000	15.5"– 20.75"	Cast Aluminum	Urethane: 2000		\$530
Medium	UNITECA-M-(5800 or 6062)	18.5"– 26"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$598
Medium	UNITECA-M-(0551 or 0562)	18.5"– 26"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$598
Medium	UNITECA-M-2000	18"– 25.5"	Cast Aluminum	Urethane: 2000		\$643
High	UNITECA-H-(5800 or 6062)	21.5"– 31.5"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$613
High	UNITECA-H-(0551 or 0562)	21.5"– 31.5"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$613
High	UNITECA-H-2000	21"– 31"	Cast Aluminum	Urethane: 2000		\$658
Low	UNITECR-L-(5800 or 6062)	16"– 21.25"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$467
Low	UNITECR-L-(0551 or 0562)	16"– 21.25"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$467
Low	UNITECR-L-2000	15.5"– 20.75"	Reinforced Composite	Urethane: 2000		\$512
Medium	UNITECR-M-(5800 or 6062)	18.5"– 26"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$580
Medium	UNITECR-M-(0551 or 0562)	18.5"– 26"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$580
Medium	UNITECR-M-2000	18"– 25.5"	Reinforced Composite	Urethane: 2000		\$625
High	UNITECR-H-(5800 or 6062)	21.5"– 31.5"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$595
High	UNITECR-H-(0551 or 0562)	21.5"– 31.5"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$595
High	UNITECR-H-2000	21"– 31"	Reinforced Composite	Urethane: 2000		\$640
Low	UNITECW-L-(5800 or 6062)	16"– 21.25"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$543
Low	UNITECW-L-(0551 or 0562)	16"– 21.25"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$543
Low	UNITECW-L-2000	15.5"– 20.75"	Wide Aluminum	Urethane: 2000		\$588
Medium	UNITECW-M-(5800 or 6062)	18.5"– 26"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$656
Medium	UNITECW-M-(0551 or 0562)	18.5"– 26"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$656
Medium	UNITECW-M-2000	18"– 25.5"	Wide Aluminum	Urethane: 2000		\$701
High	UNITECW-H-(5800 or 6062)	21.5"– 31.5"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$671
High	UNITECW-H-(0551 or 0562)	21.5"– 31.5"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$671
High	UNITECW-H-2000	21"– 31"	Wide Aluminum	Urethane: 2000		\$716

All specifications are nominal. *Only models with 0551 black vinyl upholstery available in Ship Now! program.

bimos by BioFit™ Collection: Sintec

Profile: A top seller globally, this model is extremely adaptable – highlighted by removable seat and backrest pads for multipurpose use and proven BioFit durability. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office



Sintec seating is available in 36 configurations. Representative examples are shown on this page.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range, vinyl upholstered seat and backrest pads. Baseline manufacturing code SINTECW-L-UPH



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range, urethane seat and backrest pads. Baseline manufacturing code SINTECR-L-PU



Model shown with 25.6" diameter high-profile cast aluminum base (**A style**) base, low seat height range, without seat and backrest pads. Baseline manufacturing code SINTECA-L



W Base
Medium Seat Range
Vinyl Seat and Backrest Pads
Standard Adjustable Footring
SINTECW-M-UPH [VINYL]

High Seat Range
Vinyl Seat and Backrest Pads
Standard Adjustable Footring
SINTECW-H-UPH [VINYL]



R Base
Medium Seat Range
Urethane Seat and Backrest Pads
Standard Adjustable Footring
SINTECR-M-PU [URETHANE]

High Seat Range
Urethane Seat and Backrest Pads
Standard Adjustable Footring
SINTECR-H-PU [URETHANE]



A Base
Medium Seat Range
Cloth Seat and Backrest Pads
Standard Adjustable Footring
SINTECA-M-UPH [CLOTH]

High Seat Range
Cloth Seat and Backrest Pads
Standard Adjustable Footring
SINTECA-H-UPH [CLOTH]



W Base
Medium Seat Range
No Seat or Backrest Pads
Standard Adjustable Footring
SINTECW-M

High Seat Range
No Seat or Backrest Pads
Standard Adjustable Footring
SINTECW-H

bimos by BioFit™ Collection: Sintec Options & List Pricing

Optional Components, Upholstery & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$77		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery		Refer to the BioFit Upholstery Selector Brochure on biofit.com		Contact BioFit for details	
Fire Retardant		Passes both Criteria A and B of CAL-133 Burn Test when special upholstery, foam or barriers (as needed) are used		Upholstery choices may be limited. Minimums of Grade 2/ Grade 3 fabric and Grade 3 vinyl are offered. Contact BioFit for details	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices					
bimos by BioFit™ Collection: Sintec					
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type	List Price
Low	SINTECA-L-UPH	17"– 22"	Cast Aluminum	Cloth	\$790
Low	SINTECA-L-UPH	17"– 22"	Cast Aluminum	Vinyl	\$790
Low	SINTECA-L-PU	17"– 22"	Cast Aluminum	Urethane	\$895
Low	SINTECA-L	16"– 21"	Cast Aluminum	No pads	\$618
Medium	SINTECA-M-UPH	19"– 26"	Cast Aluminum	Cloth	\$903
Medium	SINTECA-M-UPH	19"– 26"	Cast Aluminum	Vinyl	\$903
Medium	SINTECA-M-PU	19"– 26"	Cast Aluminum	Urethane	\$1,008
Medium	SINTECA-M	18"– 25"	Cast Aluminum	No pads	\$731
High	SINTECA-H-UPH	22"– 32"	Cast Aluminum	Cloth	\$918
High	SINTECA-H-UPH	22"– 32"	Cast Aluminum	Vinyl	\$918
High	SINTECA-H-PU	22"– 32"	Cast Aluminum	Urethane	\$1,023
High	SINTECA-H	21"– 31"	Cast Aluminum	No pads	\$746
Low	SINTECR-L-UPH	17"– 22"	Reinforced Composite	Cloth	\$772
Low	SINTECR-L-UPH	17"– 22"	Reinforced Composite	Vinyl	\$772
Low	SINTECR-L-PU	17"– 22"	Reinforced Composite	Urethane	\$877
Low	SINTECR-L	16"– 21"	Reinforced Composite	No pads	\$600
Medium	SINTECR-M-UPH	19"– 26"	Reinforced Composite	Cloth	\$885
Medium	SINTECR-M-UPH	19"– 26"	Reinforced Composite	Vinyl	\$885
Medium	SINTECR-M-PU	19"– 26"	Reinforced Composite	Urethane	\$990
Medium	SINTECR-M	18"– 25"	Reinforced Composite	No pads	\$713
High	SINTECR-H-UPH	22"– 32"	Reinforced Composite	Cloth	\$900
High	SINTECR-H-UPH	22"– 32"	Reinforced Composite	Vinyl	\$900
High	SINTECR-H-PU	22"– 32"	Reinforced Composite	Urethane	\$1,005
High	SINTECR-H	21"– 31"	Reinforced Composite	No pads	\$728
Low	SINTECW-L-UPH	17"– 22"	Wide Aluminum	Cloth	\$848
Low	SINTECW-L-UPH	17"– 22"	Wide Aluminum	Vinyl	\$848
Low	SINTECW-L-PU	17"– 22"	Wide Aluminum	Urethane	\$953
Low	SINTECW-L	16"– 21"	Wide Aluminum	No pads	\$676
Medium	SINTECW-M-UPH	19"– 26"	Wide Aluminum	Cloth	\$961
Medium	SINTECW-M-UPH	19"– 26"	Wide Aluminum	Vinyl	\$961
Medium	SINTECW-M-PU	19"– 26"	Wide Aluminum	Urethane	\$1,066
Medium	SINTECW-M	18"– 25"	Wide Aluminum	No pads	\$789
High	SINTECW-H-UPH	22"– 32"	Wide Aluminum	Cloth	\$976
High	SINTECW-H-UPH	22"– 32"	Wide Aluminum	Vinyl	\$976
High	SINTECW-H-PU	22"– 32"	Wide Aluminum	Urethane	\$1,081
High	SINTECW-H	21"– 31"	Wide Aluminum	No pads	\$804

All specifications are nominal. Contact BioFit regarding additional upholstery options. This series is unavailable in Ship Now! program.

Avenue (AE) Series

Profile: This series features saddle-shaped seats and ergonomic backrests for comfort and productivity, and a range of options to meet your needs and budget. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Clean Room
- Laboratory
- Industrial
- Static Control/ESD
- Education
- Office



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code AEW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code AER-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code AES-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: AEA-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: AES-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AEW-H-RC-ATF

Avenue (AE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
	ARU	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package models without arms
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Upholstery	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
Fire Retardant	Grade 5		\$161	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$35	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
ESD		K	\$220*
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4	C10	\$408*
	ISO 4	N10 (breathable nylon)	\$408*
	ISO 3	C1	\$408*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$220*
	ISO 5/ESD	VUV-K	\$300*
	ISO 4/ESD	C10-K	\$470*
	ISO 3/ESD	C1-K	\$470*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Avenue (AES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AES-L-RC	18"– 22"	\$582
Medium	AES-M-RC	21"– 28"	\$598
High	AES-H-RC	25"– 32"	\$607
Avenue (AEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AEA-L-RC	17"– 22"	\$590
Medium	AEA-M-RC	19"– 26"	\$621
High	AEA-H-RC	22"– 32"	\$636

Avenue (AER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AER-L-RC	17"– 22"	\$572
Medium	AER-M-RC	19"– 26"	\$603
High	AER-H-RC	22"– 32"	\$618
Avenue (AEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AEW-L-RC	17"– 22"	\$648
Medium	AEW-M-RC	19"– 26"	\$679
High	AEW-H-RC	22"– 32"	\$694

Amherst (AM) Series

Profile: A larger saddle-shaped seat and backrest add up to enhanced user performance, plus a variety of options available to suit your environment and budget needs. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Clean Room
- Laboratory
- Industrial
- Static Control/ESD
- Education
-
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is AMA-L-RC ▶

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seatboard bumperguard.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code AMW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code AMR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code AMS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: AMS-M-RC

High Seat Range
Manufacturing Code: AMS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMA-M-RC-ATF

High Seat Range
Manufacturing Code: AMA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMR-M-RC-ATF

High Seat Range
Manufacturing Code: AMR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMW-M-RC-ATF

High Seat Range
Manufacturing Code: AMW-H-RC-ATF

Amherst (AM) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
	ARU	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package models without arms
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Upholstery	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
	Grade 5		\$161	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$35	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$220*
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4	C10	\$408*
	ISO 4	N10 (breathable nylon)	\$408*
	ISO 3	C1	\$408*
Optional Chrome-plated metal parts			
		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Amherst (AMS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMS-L-RC	18"– 22"	\$637
Medium	AMS-M-RC	21"– 28"	\$653
High	AMS-H-RC	25"– 32"	\$662
Amherst (AMA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMA-L-RC	17"– 22"	\$645
Medium	AMA-M-RC	19"– 26"	\$676
High	AMA-H-RC	22"– 32"	\$691
Amherst (AMR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMR-L-RC	17"– 22"	\$627
Medium	AMR-M-RC	19"– 26"	\$658
High	AMR-H-RC	22"– 32"	\$673
Amherst (AMW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMW-L-RC	17"– 22"	\$703
Medium	AMW-M-RC	19"– 26"	\$734
High	AMW-H-RC	22"– 32"	\$749

Belize (BE) Series

Profile: The right chair for just about any environment—ergonomic for long days and durable for long-term performance. Available under Ship Now! quick-ship program. Standard features are shown below.



Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is BEA-L-RC ▶

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Concave 18.5" wide x 16.5" deep x 3" thick seat with internal seatboard bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code BEW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code BER-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code BES-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: BEA-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: BEA-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BEW-H-RC-ATF

Belize (BE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ¹	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$102	
	S ¹	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$74	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$55	Available on models with a seat height no higher than 32"
	A ⁵	Narrow, 8" wide x 12" high; spinal support with lumbar curve	(-\$7)	
	ARS ¹	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
Armrests	ARU ¹	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU ¹	Height adjustable with upholstered pads	\$128	
	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
Seat Controls	EXE ¹	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC ¹	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package units without arms
	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
Footring	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
	HG	2" high Polyamide glides	NC	
Casters & Glides	GFR ¹	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO ¹	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO ¹	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR ¹	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	Upholstery	COM ¹	Customer's own material	NC
Grade 2			NC	Comes standard on upholstered models unless otherwise noted
Grade 3 ¹			\$54	
Grade 4 ¹			\$88	
Grade 5 ¹			\$161	
Fire Retardant	C133 ¹	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB ¹	Tamper-proof non-removable backrest bar	\$11	
	VU ¹	Upholstered underwrap to match seat upholstery	\$31	

¹Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$220*
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4	C10	\$408*
	ISO 4	N10 (breathable nylon)	\$408*
	ISO 3	C1	\$408*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$220*
	ISO 5/ESD	VUV-K	\$300*
	ISO 4/ESD	C10-K	\$470*
	ISO 3/ESD	C1-K	\$470*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Belize (BES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BES-L-RC	18"– 22"	\$480
Medium	BES-M-RC	21"– 28"	\$496
High	BES-H-RC	25"– 32"	\$505

Belize (BEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BEA-L-RC	17"– 22"	\$488
Medium	BEA-M-RC	19"– 26"	\$519
High	BEA-H-RC	22"– 32"	\$534

Belize (BER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BER-L-RC	17"– 22"	\$470
Medium	BER-M-RC	19"– 26"	\$501
High	BER-H-RC	22"– 32"	\$516

Belize (BEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BEW-L-RC	17"– 22"	\$568
Medium	BEW-M-RC	19"– 26"	\$599
High	BEW-H-RC	22"– 32"	\$614

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

**With Grade 2 upholstery

Bridgeport (BT) Series

Ergonomic functionality, a streamlined backrest and Ship Now! quick-ship availability make Bridgeport Series chairs a popular solution for multiple workspaces. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Baseline manufacturing code for model shown is **BTA-L-RC**

Many cloth and vinyl upholstery styles available.

14.5" wide x 9.5" backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Concave 18.5" wide x 16.5" deep x 3" thick seat with internal seatboard bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code **BTW-L-RC**



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code **BTR-L-RC**



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code **BTS-L-RC**



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
BTS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
BTS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTW-H-RC-ATF

Bridgeport (BT) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A [§]	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$102	
	S [§]	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$74	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$84	Available on models with a seat height no higher than 32"
	A [§]	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$22	
Armrests	ARS [§]	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
	ARU [§]	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU [§]	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
	EXE [§]	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC [§]	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [§]	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO [§]	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO [§]	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR [§]	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM [§]	Customer's own material		Contact BioFit for pricing
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 [§]		\$54	
	Grade 4 [§]		\$88	
	Grade 5 [§]		\$161	
Fire Retardant	C133 [§]	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB [§]	Tamper-proof non-removable backrest bar	\$11	
	VU [§]	Upholstered underwrap to match seat upholstery	\$31	

[§]Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$220*
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4	C10	\$408*
	ISO 4	N10 (breathable nylon)	\$408*
	ISO 3	C1	\$408*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$220*
	ISO 5/ESD	VUV-K	\$300*
	ISO 4/ESD	C10-K	\$470*
	ISO 3/ESD	C1-K	\$470*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Bridgeport (BTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTS-L-RC	18" – 22"	\$451
Medium	BTS-M-RC	21" – 28"	\$467
High	BTS-H-RC	25" – 32"	\$476

Bridgeport (BTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTA-L-RC	17" – 22"	\$459
Medium	BTA-M-RC	19" – 26"	\$490
High	BTA-H-RC	22" – 32"	\$505

Bridgeport (BTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTR-L-RC	17" – 22"	\$441
Medium	BTR-M-RC	19" – 26"	\$472
High	BTR-H-RC	22" – 32"	\$487

Bridgeport (BTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTW-L-RC	17" – 22"	\$517
Medium	BTW-M-RC	19" – 26"	\$548
High	BTW-H-RC	22" – 32"	\$563

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Elite (EE) Series

Profile: Built to meet clean room demands, functional design and versatility make Elite ideal for nearly any workspace. Available under Ship Now! quick-ship program. Standard features are shown below.



Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is EEA-L-RC

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with four-way contouring and internal seat board bumperguard.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code EEW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code EER-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code EES-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: EES-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: EES-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: EEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: EEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: EER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: EER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: EEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: EEW-H-RC-ATF

Elite (EE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ¹	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$49	
	S ¹	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$21	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$55	Available on models with a seat height no higher than 32"
	A ²	Narrow, 8" wide x 12" high; spinal support with lumbar curve	(-\$7)	
Armrests	ARS ¹	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
	ARU ¹	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU ¹	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
	EXE ¹	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC ¹	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR ¹	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO ²	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO ²	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR ²	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM ³	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 ³		\$54	
	Grade 4 ⁴		\$88	
	Grade 5 ⁵		\$161	
Fire Retardant	C133 ⁶	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB ¹	Tamper-proof non-removable backrest bar	\$11	
	VU ¹	Upholstered underwrap to match seat upholstery	\$31	
	FM ¹	Memory Foam	\$35	

¹Options not available under Ship Now! program.

Performance Packages & List Pricing				Performance Packages & List Pricing			
Category	Class	MFG Code	List Price	Category	Class	MFG Code	List Price
ESD		K	\$220*	Clean Room/ESD	ISO 6/ESD	1000-K	\$220*
Clean Room	ISO 6	1000	\$153		ISO 5/ESD	VUV-K	\$300*
	ISO 5	VUV	\$235		ISO 4/ESD	C10-K	\$470*
	ISO 4	C10	\$408*		ISO 3/ESD	C1-K	\$470*
	ISO 4	N10 (breathable nylon)	\$408*	Optional Chrome-plated metal parts		C	\$43†
	ISO 3	C1	\$408*				

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Elite (EES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EES-L-RC	18" – 22"	\$533
Medium	EES-M-RC	21" – 28"	\$549
High	EES-H-RC	25" – 32"	\$558
Elite (EEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EEA-L-RC	17" – 22"	\$541
Medium	EEA-M-RC	19" – 26"	\$572
High	EEA-H-RC	22" – 32"	\$587

Elite (EER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EER-L-RC	17" – 22"	\$523
Medium	EER-M-RC	19" – 26"	\$554
High	EER-H-RC	22" – 32"	\$569
Elite (EEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EEW-L-RC	17" – 22"	\$599
Medium	EEW-M-RC	19" – 26"	\$630
High	EEW-H-RC	22" – 32"	\$645

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Eton (ET) Series

Profile: A wide array of options enable the Eton to be configured for a range of workspaces. Readily available under the BioFit Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Industrial
- Laboratory
- Education
- Clean Room
- Office
- Static Control/ESD



Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is ETA-L-RC ▶

14.5" wide x 9.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with four-way contouring and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code ETW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code ETR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code ETS-L-RC

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: ETS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: ETS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETW-H-RC-ATF

Eton (ET) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ³	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$49	
	S ³	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$21	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$84	Available on models with a seat height no higher than 32"
	A ³	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$22	
Armrests	ARS ³	Height and width adjustable with self-skinned urethane pads	\$102	Not available with ISO 3 or ISO 4 performance packages
	ARU ³	Height and width adjustable with upholstered pads	\$128	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU ³	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 5 performance package configurations
	EXE ³	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC ³	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR ³	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO ³	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO ³	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR ³	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Upholstery	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	COM ³	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 ³		\$54	
	Grade 4 ³		\$88	
Fire Retardant	Grade 5 ³		\$161	
	C133 ³	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB ³	Tamper-proof non-removable backrest bar	\$11	
	VU ³	Upholstered underwrap to match seat upholstery	\$31	
	FM ³	Memory Foam	\$35	

³Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$220*
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4	C10	\$408*
	ISO 4	N10 (breathable nylon)	\$408*
	ISO 3	C1	\$408*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$220*
	ISO 5/ESD	VUV-K	\$300*
	ISO 4/ESD	C10-K	\$470*
	ISO 3/ESD	C1-K	\$470*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Eton (ETS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETS-L-RC	18"– 22"	\$504
Medium	ETS-M-RC	21"– 28"	\$520
High	ETS-H-RC	25"– 32"	\$529

Eton (ETA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETA-L-RC	17"– 22"	\$512
Medium	ETA-M-RC	19"– 26"	\$543
High	ETA-H-RC	22"– 32"	\$558

Eton (ETR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETR-L-RC	17"– 22"	\$494
Medium	ETR-M-RC	19"– 26"	\$525
High	ETR-H-RC	22"– 32"	\$540

Eton(ETW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETW-L-RC	17"– 22"	\$570
Medium	ETW-M-RC	19"– 26"	\$601
High	ETW-H-RC	22"– 32"	\$616

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams FC Series

Profile: This series is highlighted by sewn seams upholstery to minimize foam compression and enhance long-term user comfort. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FCW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FCR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FCS-L-RC



S Base
S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
FCS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
FCS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCW-H-RC-ATF

Sewn Seams FC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
	Grade 5		\$161	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$220*
Optional Chrome plated metal parts	C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Sewn Seams FC (FCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCS-L-RC	18"– 22"	\$716
Medium	FCS-M-RC	21"– 28"	\$732
High	FCS-H-RC	25"– 32"	\$741

Sewn Seams FC (FCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCA-L-RC	17"– 22"	\$724
Medium	FCA-M-RC	19"– 26"	\$755
High	FCA-H-RC	22"– 32"	\$770

Sewn Seams FC (FCR) - Reinforced Composite			
Chair Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCR-L-RC	17"– 22"	\$706
Medium	FCR-M-RC	19"– 26"	\$737
High	FCR-H-RC	22"– 32"	\$752

Sewn Seams FC (FCW) - Wide Aluminum			
Chair Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCW-L-RC	17"– 22"	\$782
Medium	FCW-M-RC	19"– 26"	\$813
High	FCW-H-RC	22"– 32"	\$828

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams FL Series

Profile: This series is highlighted by a larger seat and upholstery with sewn seams to minimize cushion foam compression – enhancing comfort, performance and looks. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is FLA-L-RC

15.5" wide x 14.5" high backrest with lumbar support, sewn seams and plastic protective panel.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FLW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FLR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FLS-L-RC

S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: FLS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: FLS-H-RC

A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLA-H-RC-ATF

R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLR-H-RC-ATF

W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLW-H-RC-ATF

Sewn Seams FL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied - standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
	Grade 5		\$161	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$220*
Optional Chrome plated metal parts	C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Sewn Seams FL (FLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLS-L-RC	18" - 22"	\$659
Medium	FLS-M-RC	21" - 28"	\$675
High	FLS-H-RC	25" - 32"	\$684

Sewn Seams FL (FLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLA-L-RC	17" - 22"	\$667
Medium	FLA-M-RC	19" - 26"	\$698
High	FLA-H-RC	22" - 32"	\$713

Sewn Seams FL (FLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLR-L-RC	17" - 22"	\$649
Medium	FLR-M-RC	19" - 26"	\$680
High	FLR-H-RC	22" - 32"	\$695

Sewn Seams FL (FLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLW-L-RC	17" - 22"	\$725
Medium	FLW-M-RC	19" - 26"	\$756
High	FLW-H-RC	22" - 32"	\$771

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams HC Series

Profile: Upholstery with sewn seams, a larger backrest and a four-way contoured seat combine to deliver enhanced user comfort throughout the work day. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office

Baseline manufacturing code for model shown is HCA-L-RC

Many cloth and vinyl upholstery styles available.

18" wide x 19" high backrest with lumbar support, sewn seams and plastic protective panel.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code HCW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code HCR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HCS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
HCS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
HCS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCW-H-RC-ATF

Sewn Seams HC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
	Grade 5		\$161	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$220*
Optional Chrome plated metal parts	C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Sewn Seams HC (HCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCS-L-RC	18"– 22"	\$667
Medium	HCS-M-RC	21"– 28"	\$683
High	HCS-H-RC	25"– 32"	\$692
Sewn Seams HC (HCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCA-L-RC	17"– 22"	\$675
Medium	HCA-M-RC	19"– 26"	\$706
High	HCA-H-RC	22"– 32"	\$721
Sewn Seams HC (HCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCR-L-RC	17"– 22"	\$657
Medium	HCR-M-RC	19"– 26"	\$688
High	HCR-H-RC	22"– 32"	\$703
Sewn Seams HC (HCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCW-L-RC	17"– 22"	\$733
Medium	HCW-M-RC	19"– 26"	\$764
High	HCW-H-RC	22"– 32"	\$779

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams HL Series

Profile: This series is highlighted by upholstery with sewn seams that minimize foam compression of seat and backrest cushions to enhance comfort, performance and looks. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office

Baseline manufacturing code for model shown is HLA-L-RC

Many cloth and vinyl upholstery styles available.

15.5" wide x 14.5" high backrest with lumbar support, sewn seams and plastic protective panel.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code HLW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code HLR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HLS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
HLS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
HLS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLW-H-RC-ATF

Sewn Seams HL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$54	
	Grade 4		\$88	
	Grade 5		\$161	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	VU	Upholstered underwrap to match seat upholstery	\$31	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K*	\$220*
Optional Chrome plated metal parts	C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Sewn Seams HL (HLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLS-L-RC	18"– 22"	\$610
Medium	HLS-M-RC	21"– 28"	\$626
High	HLS-H-RC	25"– 32"	\$635
Sewn Seams HL (HLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLA-L-RC	17"– 22"	\$618
Medium	HLA-M-RC	19"– 26"	\$631
High	HLA-H-RC	22"– 32"	\$646
Sewn Seams HL (HLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLR-L-RC	17"– 22"	\$600
Medium	HLR-M-RC	19"– 26"	\$631
High	HLR-H-RC	22"– 32"	\$646
Sewn Seams HL (HLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLW-L-RC	17"– 22"	\$676
Medium	HLW-M-RC	19"– 26"	\$707
High	HLW-H-RC	22"– 32"	\$722

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed FC Series

Profile: This series is highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education

Baseline manufacturing code for model shown is FCA-L-RC-VF ▶

Slate blue and black vinyl upholsteries are standard.

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

Black powder-coated paint finish standard on metal parts.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FCW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FCR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FCS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: FCS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: FCS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FCA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FCA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FCR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FCR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FCW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FCW-H-RC-VF-ATF

Vacuum Formed FC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	Price is \$185 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance packages without armrests
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4*	C10	\$408
	ISO 3*	C1	\$408
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed FC (FCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCS-L-RC-VF	18"– 22"	\$716
Medium	FCS-M-RC-VF	21"– 28"	\$732
High	FCS-H-RC-VF	25"– 32"	\$741

Vacuum Formed FC (FCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCA-L-RC-VF	17"– 22"	\$724
Medium	FCA-M-RC-VF	19"– 26"	\$755
High	FCA-H-RC-VF	22"– 32"	\$770

Vacuum Formed FC (FCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCR-L-RC-VF	17"– 22"	\$706
Medium	FCR-M-RC-VF	19"– 26"	\$737
High	FCR-H-RC-VF	22"– 32"	\$752

Vacuum Formed FC (FCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCW-L-RC-VF	17"– 22"	\$782
Medium	FCW-M-RC-VF	19"– 26"	\$813
High	FCW-H-RC-VF	22"– 32"	\$828

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed FL Series

Profile: Highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration, this series also offers a smaller backrest to maximize elbow room. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FLW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FLR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FLS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
FLS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code:
FLS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FLA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FLA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FLR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FLR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FLW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FLW-H-RC-VF-ATF

Vacuum Formed FL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	Price is \$185 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance packages without armrests
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$99	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4*	C10	\$408
	ISO 3*	C1	\$408
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed FL (FLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLS-L-RC-VF	18"– 22"	\$659
Medium	FLS-M-RC-VF	21"– 28"	\$675
High	FLS-H-RC-VF	25"– 32"	\$684

Vacuum Formed FL (FLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLA-L-RC-VF	17"– 22"	\$667
Medium	FLA-M-RC-VF	19"– 26"	\$698
High	FLA-H-RC-VF	22"– 32"	\$713

Vacuum Formed FL (FLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLR-L-RC-VF	17"– 22"	\$649
Medium	FLR-M-RC-VF	19"– 26"	\$680
High	FLR-H-RC-VF	22"– 32"	\$695

Vacuum Formed FL (FLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLW-L-RC-VF	17"– 22"	\$725
Medium	FLW-M-RC-VF	19"– 26"	\$756
High	FLW-H-RC-VF	22"– 32"	\$771

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed HC Series

Profile: This series is highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education

Baseline manufacturing code for model shown is HCA-L-RC-VF ▶

Slate blue and black vinyl upholsteries are standard.

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code HCW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code HCR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HCS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
HCS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code:
HCS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCW-H-RC-VF-ATF

Vacuum Formed HC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	Price is \$185 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance packages without armrests
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4*	C10	\$408
	ISO 3*	C1	\$408
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed HC (HCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCS-L-RC-VF	18"– 22"	\$667
Medium	HCS-M-RC-VF	21"– 28"	\$683
High	HCS-H-RC-VF	25"– 32"	\$692

Vacuum Formed HC (HCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCA-L-RC-VF	17"– 22"	\$675
Medium	HCA-M-RC-VF	19"– 26"	\$706
High	HCA-H-RC-VF	22"– 32"	\$721

Vacuum Formed HC (HCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCR-L-RC-VF	17"– 22"	\$657
Medium	HCR-M-RC-VF	19"– 26"	\$688
High	HCR-H-RC-VF	22"– 32"	\$703

Vacuum Formed HC (HCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCW-L-RC-VF	17"– 22"	\$733
Medium	HCW-M-RC-VF	19"– 26"	\$764
High	HCW-H-RC-VF	22"– 32"	\$779

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed HL Series

Profile: Highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration, this series also offers a smaller backrest to maximize elbow room. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education

Baseline manufacturing code for model shown is HLA-L-RC-VF

Slate blue and black vinyl upholsteries are standard.

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code HLW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code HLR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HLS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: HLS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: HLS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLW-H-RC-VF-ATF

Vacuum Formed HL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	Price is \$185 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$135	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$188	Only available on ISO 3 and ISO 4 performance packages without armrests
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	
	FM	Memory Foam	\$65	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$153
	ISO 5	VUV	\$235
	ISO 4*	C10	\$408
	ISO 3*	C1	\$408
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed HL (HLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLS-L-RC-VF	18"– 22"	\$610
Medium	HLS-M-RC-VF	21"– 28"	\$626
High	HLS-H-RC-VF	25"– 32"	\$635

Vacuum Formed HL (HLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLA-L-RC-VF	17"– 22"	\$618
Medium	HLA-M-RC-VF	19"– 26"	\$649
High	HLA-H-RC-VF	22"– 32"	\$664

Vacuum Formed HL (HLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLR-L-RC-VF	17"– 22"	\$600
Medium	HLR-M-RC-VF	19"– 26"	\$631
High	HLR-H-RC-VF	22"– 32"	\$646

Vacuum Formed HL (HLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLW-L-RC-VF	17"– 22"	\$676
Medium	HLW-M-RC-VF	19"– 26"	\$707
High	HLW-H-RC-VF	22"– 32"	\$722

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Zephyr AP & FP Series

Profile: An airy mesh back and choice of comfort-enhancing saddle-shaped seats provide an executive experience for users the entire work day and beyond. Standard features are shown below.

Work Environments:

- Office
- Healthcare
- Education

Manufacturing code for model shown:
APW-M-RC-ATF-PSAS ▼

Manufacturing code for model shown:
FPR-M-RC-ATF-PSAS ▼

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard. Many cloth and vinyl upholstery styles available for the **AP** seat.

Both models feature roomy 19" wide x 24" high nylon mesh ergonomic backs with composite frames, adjustable lumbar support and back height adjustment.

Black powder-coated paint finish on metal parts is standard on both models.



Available with optional armrests.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard. The **FP** seat is available in cloth upholstery.

Both models feature an executive-style control with pneumatic seat height adjustment, backrest-tilt adjustment, seat-tilt adjustment and spring-tension control knob.

Both models meet CAL TB 117. Treatment to meet CAL 133 is optionally available.

Pneumatics available to provide low and medium seat height ranges to accommodate a variety of tasks. Models shown are medium seat height versions.

Adjustable footring is standard on both models with medium seat height range pneumatic.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Available in 28.7" diameter high-profile wide aluminum (**W style**) or 25.6" diameter reinforced composite (**R style**).



Zephyr AP with R Base
Low Seat Range
No Footring
Optional Armrests
Manufacturing Code:
APR-L-RC-PSAS



Zephyr AP with W Base
Low Seat Range
Optional Armrests
Manufacturing Code:
APW-L-RC-PSAS



Zephyr FP with W Base
Low Seat Range
No Footring
Optional Armrests
Manufacturing Code:
FPW-L-RC-PSAS



Zephyr FP with R Base
Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
FPR-M-RC-ATF-PSAS

Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
APR-M-RC-ATF-PSAS

Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
FPW-M-RC-ATF-PSAS

Zephyr AP & FP Series Options & List Pricing

Optional Components, Upholstery, Finishes & List Price				
Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated pneumatic	\$12	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$102	
	ARU	Height and width adjustable with upholstered pads	\$128	
	PSAS	Height adjustable with self-skinned urethane pads	\$102	
	PSAU	Height adjustable with upholstered pads	\$128	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium models; not available with low height models
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard. Contact BioFit for other options. FP only available in cloth
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Zephyr (APW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	APW-L-RC	17" - 22"	\$801
Medium	APW-M-RC-ATF	19" - 26"	\$914

Zephyr (APR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	APR-L-RC	17" - 22"	\$725
Medium	APR-M-RC-ATF	19" - 26"	\$838

Zephyr (FPW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	FPW-L-RC	17" - 22"	\$826
Medium	FPW-M-RC-ATF	19" - 26"	\$939

Zephyr (FPR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	FPR-L-RC	17" - 22"	\$750
Medium	FPR-M-RC-ATF	19" - 26"	\$863

All specifications are nominal. Contact BioFit regarding additional paint finish and upholstery options. Series unavailable in Ship Now! program.

* With Grade 2 upholstery

ExecErgo Series

Profile: The models in this series deliver performance and ergonomic functionality in a range of styles to outfit the corner office or the entire organization. Standard features for each design are shown below.

Work Environments:

- Office
- Healthcare
- Education

Avalon

Backrest: 20" wide X 30" high, contoured and molded, with lumbar support and built-in headrest.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: AVR-L-RC-EXE-PSAS



Scepter

Backrest: 20" wide X 23" high, contoured and molded, with lumbar support.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: ASR-L-RC-EXE-PSAS



Avenue

Backrest: 15.5" wide X 14.5" high with lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: AER-L-RC-EXE-PSAS



FCR Sewn Seams

Backrest: 18" wide X 19" high with sewn seams, lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, with sewn seams; 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: FCR-L-RC-EXE-PSAS



HLR Sewn Seams

Backrest: 18.5" wide X 14.5" high with sewn seams, lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, with sewn seams; 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: HLR-L-RC-EXE-PSAS



All models feature:

- Euro-look, high-profile 25.6" diameter reinforced composite (**R style**) base with T-shape construction for added strength and easy cleanability
- Executive Tilt Control featuring seat- and backrest-height adjustment, backrest tilt, seat and backrest swivel that tilts in unison; tilt tension control knob and single lever seat tilt lock
- Height-adjustable armrests with self-skinned urethane pads
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors

ExecErgo Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	NC	
	ARU	Height and width adjustable with upholstered pads	\$26	
	PSAU	Height adjustable with upholstered pads	\$26	
Caster	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2	Comes standard	NC	Comes standard; contact BioFit for other upholstery options
Fire Retardant	C133	Special upholsteries, foam or barriers (as needed) to meet CAL TB 133 and Boston Fire Code. Upholstery Choices may be limited. Minimums of Grade 2/Grade 3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	FM	Memory Foam	\$35 on Avalon, Scepter and Avenue; \$65 on FCR and HLR	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

ExecErgo Series				
Model	Seat Height	Manufacturing Code	Seat-Height Adjustment Range	List Price*
Avalon	Low	AVR-L-RC-EXE-PSAS	17"– 22"	\$923
Scepter	Low	ASR-L-RC-EXE-PSAS	17"– 22"	\$879
Avenue	Low	AER-L-RC-EXE-PSAS	17"– 22"	\$809
FCR Sewn Seams	Low	FCR-L-RC-EXE-PSAS	17"– 22"	\$943
HLR Sewn Seams	Low	HLR-L-RC-EXE-PSAS	17"– 22"	\$837

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program. *With Grade 2 upholstery

Enhance your Ergonomic Experience

BioFit footrests can help to increase comfort and performance while relieving stress on the thighs.



See page 72 for details.

ArmorSeat (GG) Series

Profile: Rugged multipurpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest. Available under Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Baseline manufacturing code for model shown is GGA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 6°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Standard seat and backrest colors include black, navy and burgundy. Custom colors also available.

16" wide x 10.75" high backrest with lumbar support, UV inhibitor and antimicrobial properties.

Ergonomic 17.5" wide x 15.5" deep with waterfall front, UV inhibitor and antimicrobial properties.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code GGW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code GGR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code GGS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: GGS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: GGS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGW-H-RC-ATF

ArmorSeat (GG) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description		Notes
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	\$185 on ISO 4/CR10 performance package configurations
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [‡]	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO [‡]	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO [‡]	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR [‡]	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamper-proof non-removable backrest bar	\$11	

[‡]Optional components noted unavailable in Ship Now! program. Only black seat and backrest available under Ship Now! Burgundy and navy seats and backrests require standard lead time.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$145*
Clean Room	ISO 6	1000	\$98
	ISO 4	CR10	\$148*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

ArmorSeat GG (GGS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGS-L-RC	17"– 21"	\$407
Medium	GGS-M-RC	20"– 27"	\$423
High	GGS-H-RC	24"– 31"	\$432

ArmorSeat GG (GGA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGA-L-RC	16"– 21"	\$415
Medium	GGA-M-RC	18"– 25"	\$446
High	GGA-H-RC	21"– 31"	\$461

ArmorSeat GG (GGR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGR-L-RC	16"– 21"	\$397
Medium	GGR-M-RC	18"– 25"	\$428
High	GGR-H-RC	21"– 31"	\$443

ArmorSeat GG (GGW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGW-L-RC	16"– 21"	\$473
Medium	GGW-M-RC	18"– 25"	\$504
High	GGW-H-RC	21"– 31"	\$519

All specifications are nominal. Available in Ship Now! program.

UniqueU (UU) Series

Profile: These durable chairs have easy-to-clean seats and backrests that resist water, chemicals, paints and more.

Available under Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Industrial
- Laboratory
- Education
- Clean Room
- Office
- Static Control/ESD



Baseline manufacturing code for model shown is UUA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.



16.5" wide x 12.5" self-skinned urethane backrest with .09375" ventilating ribs and integral lumbar support.

18.5" wide x 17" deep x 1.5 thick self-skinned urethane seat with waterfall front, shaped rear edge and .09375" ventilating ribs.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code UUU-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code UUR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code UUS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: UUS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: UUS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: UUA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: UUA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: UUR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: UUR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: UUU-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: UUU-H-RC-ATF

UniqueU (UU) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description	List Price	Notes
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$90	
Armrests	ARS [†]	Height and width adjustable with self-skinned urethane pads	\$102	Not available with FFAC seat control
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [†]	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO [†]	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO [†]	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR [†]	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	SW	Skid wrapping; net cost per pallet	\$25	
	TKB [†]	Tamper-proof non-removable backrest bar	\$11	

[†]Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$145*
Clean Room	ISO 6	1000	\$98
Clean Room/ESD	ISO 6/ESD	1000-K	\$150*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
UniqueU (UUS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUS-L-RC	17"– 21"	\$486
Medium	UUS-M-RC	20"– 27"	\$502
High	UUS-H-RC	24"– 31"	\$511
UniqueU (UUA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUA-L-RC	16"– 21"	\$494
Medium	UUA-M-RC	18"– 25"	\$525
High	UUA-H-RC	21"– 31"	\$540
UniqueU (UUR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUR-L-RC	16"– 21"	\$476
Medium	UUR-M-RC	18"– 25"	\$507
High	UUR-H-RC	21"– 31"	\$522
UniqueU (UUV) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUV-L-RC	16"– 21"	\$552
Medium	UUV-M-RC	18"– 25"	\$583
High	UUV-H-RC	21"– 31"	\$598

All specifications are nominal. Available in Ship Now! program.

Skoop (KX) Series

Profile: An edgy alternative to traditional multipurpose seating, combining color and contour with ergonomic performance and LEED® compliance. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Laboratory
- Clean Room
- Industrial
- Education

Baseline manufacturing code for model shown is KXA-L-RC ▶

18.5" wide x 17" deep x 18.5" high one-piece high-density polypropylene shell.

Soft Touch™ pneumatic seat height adjustment.

Standard colors include Newport Burgundy, Nordic Black, Highland Green, Pacific (dark) Blue, Caribbean Orange and Mediterranean (light) Blue.

Black powder-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code KXW-L-RC

Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code KXR-L-RC

Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code KXS-L-RC

	<p>S Base Standard Affixed Footring Medium Seat Range Manufacturing Code: KXS-M-RC</p> <p>Standard Affixed Footring High Seat Range Manufacturing Code: KXS-H-RC</p>		<p>A Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: KXA-M-RC-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: KXA-H-RC-ATF</p>		<p>R Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: KXR-M-RC-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: KXR-H-RC-ATF</p>		<p>W Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: KXW-M-RC-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: KXW-H-RC-ATF</p>
-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Skoop (KX) Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 5	VUV	\$87
Optional Chrome-plated metal parts		C	\$39†

† Add additional \$38 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Skoop KX (**KXS**) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXS-L-RC	17"– 21"	\$352
Medium	KXS-M-RC	20"– 27"	\$368
High	KXS-H-RC	24"– 31"	\$377

Skoop KX (**KXA**) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXA-L-RC	16"– 21"	\$360
Medium	KXA-M-RC	18"– 25"	\$391
High	KXA-H-RC	21"– 31"	\$406

Skoop KX (**KXR**) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXR-L-RC	16"– 21"	\$342
Medium	KXR-M-RC	18"– 25"	\$373
High	KXR-H-RC	21"– 31"	\$388

Skoop KX (**KXW**) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXW-L-RC	16"– 21"	\$418
Medium	KXW-M-RC	18"– 25"	\$449
High	KXW-H-RC	21"– 31"	\$464

All specifications are nominal. Unavailable under Ship Now! program.

Willow (WW) Series

Profile: Chairs in this series are constructed of naturally beautiful and durable genuine American maple, combining proven functionality with elegant design. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education

Baseline manufacturing code for model shown is WWA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 6°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.



14.5" wide x 8.75" high x 0.25" thick, 5-ply maple plywood backrest.

16.5" wide x 15.25" deep x 0.5" thick, 7-ply maple plywood with waterfall front.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code WWA-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code WWR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code WWS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
WWS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
WWS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWW-H-RC-ATF

Willow (WW) Series Options & List Pricing

Optional Components, Finishes & List Prices				
Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts	\$43†	†Add additional \$55 for units with S style base
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Willow WW (WWS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWS-L-RC	16"– 20"	\$501
Medium	WWS-M-RC	19"– 26"	\$517
High	WWS-H-RC	23"– 30"	\$526

Willow WW (WWA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWA-L-RC	15"– 20"	\$509
Medium	WWA-M-RC	17"– 24"	\$540
High	WWA-H-RC	20"– 30"	\$555

Willow WW (WWR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWR-L-RC	15"– 20"	\$491
Medium	WWR-M-RC	17"– 24"	\$522
High	WWR-H-RC	20"– 30"	\$537

Willow WW (WWW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWW-L-RC	15"– 20"	\$567
Medium	WWW-M-RC	17"– 24"	\$598
High	WWW-H-RC	20"– 30"	\$613

All specifications are nominal. Unavailable under Ship Now! program.

Intensive Plus

Profile: Highlighted by a 500-lb. capacity and executive-style comfort, this series is designed for continuous, 24/7/365 use and backed by a 5-year warranty. Standard features are shown below.

Work Environments:

- Healthcare
- Office
- Industrial
- Education



Options & List Pricing				
Category	MFG Code	Description	List Price	Note
Armrests	ISAS	Height adjustable with self-skinned urethane pads	\$106	
	ISAU	Height adjustable with upholstered pads	\$135	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details

Seat Height Ranges, Manufacturing Codes & List Prices

Intensive Plus			
Seat Height	Manufacturing Code	Seat-Height Adjustment Range	List Price*
Medium	FSP2025-IP-IPR	20"– 25"	\$1,512
Medium	FSP2025-IP	20"– 25"	\$1,512

*With Grade 2 upholstery. Contact BioFit regarding other upholstery options.
 All specifications are nominal. BioFit's Intensive Plus chairs are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 5 years of normal use. Pneumatic cylinders are covered for the functional lifetime of the chair. Product unavailable in Ship Now! program.

Aramis 2A and 2A Vacuum Formed Stools

Profile: Long a popular choice in the healthcare market, these stools offer hands-free seat height adjustment. Standard features are shown below.

Work Environments:

- Healthcare
- Education
- Laboratory
- Industrial

Manufacturing code for model shown is 2A10-C-CRC ▼

Round 16" diameter upholstered seat with 3.5" thick high-resilience foam cushioning.

Vacuum-formed upholstery to prevent bacterial and fluid infiltration. Available in Slate Blue or Black

Pneumatics available to provide low and medium seat height ranges to accommodate many tasks.

Chrome-plated finish on metal parts.

◀ Manufacturing code for model shown is 2A10-C-CRC-VF

Dual-wheel casters designed for hard floors.

Foot-activated pneumatic seat height adjustment.

5-legged cast aluminum base with 23" leg spread.

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

MFG Code	Seat-Height Adjustment Range	List Price
2A10-C-CRC	18"– 23"	\$599
2A20-C-CRC	22"– 29"	\$615

MFG Code	Seat-Height Adjustment Range	List Price
2A10-C-CRC-VF	18"– 23"	\$599
2A20-C-CRC-VF	22"– 29"	\$615

All specifications are nominal. Stools in this series unavailable in Ship Now! program.

BioFit Carts Make Material Transport Easy.

We offer a full line of carts featuring all-steel construction and a 13-year warranty for libraries, schools, offices and more.



Contact us for details.
www.biofit.com | 800.597.0246

Rexford (RX) Series

Profile: Models in this series provide an ergonomic seating solution in a variety of workplace and learning spaces.

Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Laboratory
- Static Control/ESD
- Industrial
- Education



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RXS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: RXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: RXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXW-H-RC-ATF

Rexford (RX) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM		NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$27	
	Grade 4		\$44	
	Grade 5		\$81	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	VU	Upholstered underwrap to match seat upholstery	\$31	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$220*
Optional Chrome-plated metal parts		C	\$39†

* Not available with R style base † Add additional \$38 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Rexford RX (RXS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXS-L-RC	18"– 22"	\$366
Medium	RXS-M-RC	21"– 28"	\$382
High	RXS-H-RC	25"– 32"	\$391

Rexford RX (RXA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXA-L-RC	17"– 22"	\$374
Medium	RXA-M-RC	19"– 26"	\$405
High	RXA-H-RC	22"– 32"	\$420

Rexford RX (RXR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXR-L-RC	17"– 22"	\$356
Medium	RXR-M-RC	19"– 26"	\$387
High	RXR-H-RC	22"– 32"	\$402

Rexford RX (RXW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXW-L-RC	17"– 22"	\$432
Medium	RXW-M-RC	19"– 26"	\$463
High	RXW-H-RC	22"– 32"	\$478

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Rexford Vacuum Formed (RX-VF) Series

Profile: Vacuum formed upholstery to reduce liquid and bacterial infiltration makes this stool series a smart choice for medical and laboratory settings. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory

Round 16" diameter, upholstered with 3.5" of high-resilience molded foam cushioning, internal seat board bumperguard.

Available in Slate Blue and Back upholstery.

Meets CAL 117 fire retardant standards.

Black power-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Task control with Soft Touch™ pneumatic seat height adjustment.

Baseline manufacturing code for model shown is RXA-L-RC-VF ▶



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RXW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RXR-L-RC-VF



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RXS-L-RC-VF

S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: RXS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: RXS-H-RC-VF

A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXA-H-RC-VF-ATF

R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXR-H-RC-VF-ATF

W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXW-H-RC-VF-ATF

Rexford Vacuum Formed (RX-VF) Series Options & List Pricing

Optional Components, Upholstery, Finishes & List Prices

Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts	\$39†	†Add additional \$38 for S style base
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Rexford Vacuum Formed (RXS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXS-L-RC-VF	18"– 22"	\$366
Medium	RXS-M-RC-VF	21"– 28"	\$382
High	RXS-H-RC-VF	25"– 32"	\$391

Rexford Vacuum Formed (RXA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXA-L-RC-VF	17"– 22"	\$374
Medium	RXA-M-RC-VF	19"– 26"	\$405
High	RXA-H-RC-VF	22"– 32"	\$420

Rexford Vacuum Formed (RXR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXR-L-RC-VF	17"– 22"	\$356
Medium	RXR-M-RC-VF	19"– 26"	\$387
High	RXR-H-RC-VF	22"– 32"	\$402

Rexford Vacuum Formed (RXW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXW-L-RC-VF	17"– 22"	\$432
Medium	RXW-M-RC-VF	19"– 26"	\$463
High	RXW-M-RC-VF	22"– 32"	\$478

All specifications are nominal. Contact BioFit regarding upholstery options. Unavailable in Ship Now! program.

Regent (RT) Series

Profile: The addition of a streamlined backrest to this upholstered ergonomic stool series makes it a comfortable option for work and education spaces. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Laboratory
- Static Control/ESD
- Industrial
- Education



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RTW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RTR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RTS-L-RC



Regent (RT) Series Options & List Pricing

Optional Components, Upholstery & List Prices

Category	MFG Code	Description	List Price	Notes	
Backrest	A	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$22		
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages	
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77		
	LRO	Dual-wheel casters that lock when seat is occupied	\$77		
	MLR	Dual-wheel, soft manual locking	\$26		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC		
Casters & Glides	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages	
	Upholstery	COM	Customer's own material	NC	Contact BioFit for details
		Grade 2		NC	Comes standard on upholstered models unless otherwise noted
		Grade 3		\$54	
		Grade 4		\$88	
Grade 5			\$161		
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25		
	TKB	Tamperproof (nonremovable) backrest bar	\$11		
	VU	Upholstered underwrap to match seat upholstery	\$31		

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
ESD		K	\$220*
Optional Chrome-plated metal parts		C	\$43†

* Not available with R style base † Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Regent RT (RTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTS-L-RC	18"– 22"	\$467
Medium	RTS-M-RC	21"– 28"	\$483
High	RTS-H-RC	25"– 32"	\$492

Regent RT (RTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTA-L-RC	17"– 22"	\$475
Medium	RTA-M-RC	19"– 26"	\$506
High	RTA-H-RC	22"– 32"	\$521

Regent RT (RTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTR-L-RC	17"– 22"	\$457
Medium	RTR-M-RC	19"– 26"	\$488
High	RTR-H-RC	22"– 32"	\$503

Regent RT (RTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTW-L-RC	17"– 22"	\$533
Medium	RTW-M-RC	19"– 26"	\$564
High	RTW-H-RC	22"– 32"	\$579

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Regent Vacuum Formed (RT-VF) Series

Profile: Vacuum formed upholstery to reduce liquid and bacterial infiltration combined with a trapezoid-shaped backrest for added ergonomic support. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room

Available in Slate Blue and Back upholstery

Baseline manufacturing code for model shown is RTA-L-RC-VF ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

14.5" wide x 9.5" high backrest with lumbar support and protective panel.

Round 16" diameter, upholstered with 3.5" of high-resilience molded foam cushioning, internal seat board bumperguard

Meets CAL 117 fire retardant standards.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RTW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RTR-L-RC-VF



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RTS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
RTS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code:
RTS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTW-H-RC-VF-ATF

Regent Vacuum Formed (RT-VF) Series Options & List Pricing

Optional Components, Upholstery & List Prices

Category	MFR Code	Description	List Price	Notes
Backrest	A	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$22	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	
	TKB	Tamperproof (nonremovable) backrest bar	\$11	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$153
Optional Chrome-plated metal parts		C	\$43†

† Add additional \$55 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Regent Vacuum Formed (RTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTS-L-RC-VF	18"– 22"	\$467
Medium	RTS-M-RC-VF	21"– 28"	\$483
High	RTS-H-RC-VF	25"– 32"	\$492

Regent Vacuum Formed (RTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTA-L-RC-VF	17"– 22"	\$475
Medium	RTA-M-RC-VF	19"– 26"	\$506
High	RTA-H-RC-VF	22"– 32"	\$521

Regent Vacuum Formed (RTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTR-L-RC-VF	17"– 22"	\$457
Medium	RTR-M-RC-VF	19"– 26"	\$488
High	RTR-H-RC-VF	22"– 32"	\$503

Regent Vacuum Formed (RTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTW-L-RC-VF	17"– 22"	\$533
Medium	RTW-M-RC-VF	19"– 26"	\$564
High	RTW-H-RC-VF	22"– 32"	\$579

All specifications are nominal. Contact BioFit regarding upholstery options. Unavailable in Ship Now! program.

Traxx (TX) Series

Profile: Highlighted by an 18-gauge steel seat, stools in this series are designed to handle tough industrial settings yet can be configured for use in clean rooms. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Clean Room/ESD
- Industrial
- Education

Baseline manufacturing code for model shown is TXA-L-RC ▶

Task control with Soft Touch™ pneumatic seat height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Round 13" diameter seat made of 18-gauge steel with a formed flange and smooth edges.

Black powder-coated paint finish standard on metal parts.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code TXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code TXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footing, low seat height range. Baseline manufacturing code TXS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
TXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
TXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXW-H-RC-ATF

Traxx (TX) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description	List Price	Notes
Seat	WS	Round maple wood seat, 13" diameter X 1" thick	\$28	Not for clean room or static control use
	Z	Pullover seat cushion, 1.5" thick		Refer to individual upholstery grade options below for pricing; recommended for use on steel seats; not for clean room or static control use
	Z Grade 2	Pullover seat cushion, 1.5" thick w/Grade 2 upholstery	\$54	Recommended for use on steel seats; not for clean room or static control use
	Z Grade 3	Pullover seat cushion, 1.5" thick w/Grade 3 upholstery	\$68	Recommended for use on steel seats; not for clean room or static control use
	Z Grade 4	Pullover seat cushion, 1.5" thick w/Grade 4 upholstery	\$86	Recommended for use on steel seats; not for clean room or static control use
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$77	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$115*
Clean Room	ISO 4	CR10	\$102*
Clean Room/ESD	ISO 4	CR10-K	\$145*
Optional Chrome-plated metal parts		C	\$39†

* Not available with R style base † Add additional \$38 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Traxx (TXS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXS-L-RC	15"– 19"	\$290
Medium	TXS-M-RC	18"– 25"	\$306
High	TXS-H-RC	22"– 29"	\$315
Traxx (TXA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXA-L-RC	14"– 19"	\$298
Medium	TXA-M-RC	16"– 23"	\$329
High	TXA-H-RC	19"– 29"	\$344
Traxx (TXR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXR-L-RC	14"– 19"	\$280
Medium	TXR-M-RC	16"– 23"	\$311
High	TXR-H-RC	19"– 29"	\$326
Traxx (TXW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXW-L-RC	14"– 19"	\$356
Medium	TXW-M-RC	16"– 23"	\$387
High	TXW-H-RC	19"– 29"	\$402

All specifications are nominal. Series unavailable in Ship Now! program.

Cerex (CX) Series

Profile: A rugged self-skinned urethane seat and range of configuration options make models in this series ideal for factories to clean rooms. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Industrial
- Education

Baseline manufacturing code for model shown is CXA-L-RC ▶

Task control with Soft Touch™ pneumatic seat height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Round, 14" diameter 1.5" thick, self-skinned urethane seat.

Black powder-coated paint finish standard on metal parts.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code CXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code CXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code CXS-L-RC



S Base
S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
CXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
CXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXW-H-RC-ATF

Cerex (CX) Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$100	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$82	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$26	
	LRO	Dual-wheel casters that lock when seat is occupied	\$77	
	MLR	Dual-wheel, soft manual locking	\$26	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$82
Optional Chrome-plated metal parts		C	\$39†

† Add additional \$38 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Cerex CX (**CXS**) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXS-L-RC	17"– 21"	\$365
Medium	CXS-M-RC	20"– 27"	\$381
High	CXS-H-RC	24"– 31"	\$390

Cerex CX (**CXA**) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXA-L-RC	16"– 21"	\$373
Medium	CXA-M-RC	18"– 25"	\$404
High	CXA-H-RC	21"– 31"	\$419

Cerex CX (**CXR**) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXR-L-RC	16"– 21"	\$355
Medium	CXR-M-RC	18"– 25"	\$386
High	CXR-H-RC	21"– 31"	\$401

Cerex CX (**CXW**) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXW-L-RC	16"– 21"	\$431
Medium	CXW-M-RC	18"– 25"	\$462
High	CXW-H-RC	21"– 31"	\$477

All specifications are nominal. Series unavailable in Ship Now! program.

Pogo (TXY) Series

Profile: Vertical-surface-mountable design with swing-away capability and many seat and backrest options; ideal for tight spaces and challenging workstations. Standard features shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office
- Specialized

Model shown is baseline unit, manufacturing code TXY. ▶

13" diameter, 18-gauge steel seat with formed flange and no sharp edges.

Soft Touch™ pneumatic with 5.25" seat height adjustment range (22.75" - 28").

2-bar swing arm frame, 1.125" diameter, constructed of 16-gauge steel tubing.

Black power-coated paint finish standard on metal parts.

2" wide, 7-gauge steel mounting bracket; spring-loaded to enable stool base to contact the floor only when weight is applied to the unit.

Non-skid glide.

Pogo (TXY) Series

Optional Configuration Specifications & List Pricing

Pricing on upholstered configurations based on Grade 2 upholstery. Seating options change the low seat height and wall-to-outside edge of seat dimensions. Choosing a seat/backrest combination also adds task control to the product.

Task control includes Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest-height adjustment. There are additional charges for most options.

Optional Upholstery Grades & List Prices

Upholstery	On Units w/Seats & Backs	On Units w/Seats Only	Notes	Upholstery	On Units w/Seats & Backs	On Units w/Seats Only
COM			Contact BioFit for pricing	Grade 4	\$88	\$44
Grade 2	NC	NC	Comes standard	Grade 5	\$161	\$81
Grade 3	\$54	\$27				

Seat Height Ranges, Manufacturing Codes & List Prices (Refer to the next page for larger images of the configurations listed below)

MFG Code	Description	Seat-Height Adjustment Range	Wall to Outside Edge	List Price
 TXY	Baseline standard model with steel seat	22.75"– 28"	20.75"	\$497
 BEY	Backrest is 15.5" wide x 14.5" high with lumbar support, plastic protective panel; seat is concave, 18.5" wide x 16.5" deep x 3" thick with internal seat board bumperguard. Grade 2 upholstery standard.	26.25"– 31.5"	22"	\$687
 BTY	Backrest is 14.5" wide x 9.5" high with lumbar support, plastic protective panel; seat is concave, 18.5" wide x 16.5" deep x 3" thick with internal seat board bumperguard. Grade 2 upholstery standard.	26.25"– 31.5"	22"	\$658
 CXY	Seat is round, 14" diameter x 1.5" thick, self-skinned urethane.	25.25"– 30.5"	21.25"	\$572
 EEY	Backrest is 15.5" wide x 14.5" high with lumbar support, plastic protective panel; seat is ergonomic, 18.5" wide x 17" deep x 3" thick with waterfall front four-way contouring and internal seat board bumperguard. Grade 2 upholstery standard.	27"– 32.25"	23.75"	\$740
 ETY	Backrest is 14.5" wide x 9.5" high with lumbar support, plastic protective panel; seat is ergonomic, 18.5" wide x 17" deep x 3" thick with waterfall front, four-way contouring and internal seat board bumperguard. Grade 2 upholstery standard.	27"– 32.25"	23.75"	\$711
 GGY	Backrest is 16" wide x 10.75" high, seat is 17.5" wide x 15.5" deep, waterfall front. 100% polypropylene with antimicrobial inhibitors.	24.75"– 30"	23.75"	\$614
 HLY-VF	Backrest is 15.5" wide x 14.5" high, lumbar curve, protective plastic back panel, height and tilt adjustment standard; seat is ergonomic, 18" wide x 17" deep x 3" thick with waterfall front, four-way contouring. Features vacuum-formed upholstery. Grade 2 upholstery standard.	27"– 32.25"	22.75"	\$817
 KXY	Seat/ Backrest is 18" wide x 17" deep x 18.5" high, one-piece, high-density polypropylene plastic shell.	25.75"– 31"	21.875"	\$559
 RTY	Backrest is 14.5" wide by 9.5" high with lumbar support and plastic protective panel; seat is round, 15" diameter with 3.5" of high-resilience molded foam cushioning. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$674
 RTY-VF	Backrest is 14.5" wide x 9.5" high with lumbar support and protective plastic panel, height and tilt adjustment standard; seat is 16" diameter with 3.5" of high-resilience molded foam cushioning. Features vacuum-formed upholstery. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$674
 RXY	Seat is round, 15" diameter, upholstered with 3.5" of high-resilience molded foam cushioning and internal seat board bumperguard. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$573
 RXY-VF	Seat is 16" diameter, upholstered with 3.5" of high-resilience molded foam, internal seat board bumperguard, vacuum-formed upholstery. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$573
 UUY	Backrest is self-skinned urethane with integral lumbar support, 16.5" wide x 12.5" high with 0.09375" ventilating ribs; seat is self-skinned urethane, 18.5" wide x 17" deep x 1.5" thick with waterfall front, shaped rear edge and 0.09375" ventilating ribs.	25.25"– 30.5"	23.5"	\$693
 TXY-WS	Round, maple wood seat, 13" diameter and 1" thick	23.75"– 29"	20.75"	\$525
 WWY	Backrest is 14.5" wide x 8.75" high x 0.25 thick 5-ply maple plywood; seat is 16.5" wide x 15.25" deep x 0.5" thick 7-ply maple plywood with waterfall front.	24.75"– 30"	22.5"	\$708

All specifications are nominal. This series is unavailable in Ship Now! program.

Pogo (TXY) Series

Optional Configurations

TXY



EEY



BEY



ETY



BTY



GGY



CXY



HLY-VF



Pogo (TXY) Series

Optional Configurations (continued)

KXY



RXY-VF



RTY



UUY



RTY-VF



TXY-WS



RXY



WWY



GX Series Sit/Stands

Profile: Two durable solutions that provide torso and hip support for workers who must stand for prolonged periods to get the job done. Standard features are shown below.

Work Environments:

- Industrial
- Healthcare
- Laboratory
- Education
- Office



Options & List Pricing			
Category	MFG	Seat-Height Adjustment Range	List Price
Paint Finish	C	Chrome-plated metal parts	\$63
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Medium to High	GXT20	23"– 30"	\$662
Medium to High	GXT50	25"– 35"	\$666
Medium to High	GX120-HG	22"– 29"	\$400
Medium to High	GX150-HG	24"– 34"	\$403

All specifications are nominal. Series unavailable in Ship Now! program.

Footrests (FS-1 & FS-2)


Profile: These adjustable ergonomic footrests can help enhance user comfort and performance. FS-1 model available in Ship Now! quick ship program. Standard features are shown below.

Quick Reference Legend

- = ESD
- = ShipNow

Work Environments:

- Office
- Healthcare
- Laboratory
- Static Control/ESD
- Education
- Industrial



Black powder-coated finish is standard on metal parts. Chrome plating is standard on static control/ESD performance package versions and as an added cost option for other applications.

Performance Packages & List Pricing		
Category	MFG Code	List Price
Static Control*	K	\$135
Optional Chrome-plated metal parts*	C	\$43


Options & List Pricing			
Category	MFG	Height Adjustment Range	List Price
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25

Height Adjustment Ranges, Manufacturing Codes & Baseline List Prices		
MFG Code	Height Adjustment Range	List Price
FS-1	3"– 11"	\$168
FS-2*	3"– 11"	\$160

All specifications are nominal. *FS-2 and performance package options unavailable in Ship Now! program.

Ajax (AJ) Series Stool

Profile: Iconic workplace seating design, backed by the BioFit tradition of durable construction and reliability – shift after shift, year after year. Standard features are shown below.



All specifications are nominal. Series unavailable in Ship Now! program. NOTE: Options and list pricing noted under TXG Series section.

Quick Reference Legend

● = Clean Room

Work Environments:

- Industrial
- Clean Room
- Education
- Healthcare
- Laboratory

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Seat Height	MFG Code	Fixed Seat Height	List Price
Low	AJ-18	18"	\$160
Medium	AJ-24	24"	\$164
High	AJ-30	30"	\$169

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 4	CR10	\$139
Optional Chrome-plated metal parts		C	\$96

TXG Series Stool

Profile: This stool delivers tough performance for small spaces. It's compact, sturdy and built to last. Standard features are shown below.



Quick Reference Legend

● = Clean Room

Work Environments:

- Industrial
- Clean Room
- Education
- Healthcare
- Laboratory

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Seat Height	MFG Code	Fixed Seat Height	List Price
Low	TXG1722	17" - 22"	\$194
Medium	TXG2025	20" - 25"	\$200

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 4	CR10	\$113
Optional Chrome-plated metal parts		C	\$63

AJ & TXG Options & List Pricing


Category	MFG Code	Description	List Price by Model	
			AJ	TXG
Seats	URS	Round, self-skinned urethane seat, 14" diameter, 1.5" thick: not for clean room use	\$76	\$76
	WS	Round, maple wood seat, 14" diameter, 1.5" thick: not for clean room use	\$28	\$28
	Z Gr.2	Pullover seat cushion, 1.5" thick, Grade 2 upholstery	N/A	\$54
	Z Gr.3	Pullover seat cushion, 1.5" thick, Grade 3 upholstery	N/A	\$68
	Z Gr.4	Pullover seat cushion, 1.5" thick, Grade 4 upholstery	N/A	\$86
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$25	\$25

All specifications are nominal. Series unavailable in Ship Now! program.

We Offer More than Seating

BioFit designs and manufactures a full line of mobile folding and cafeteria tables. Innovations including our uniquely contoured EdgeScape Designer Series tables, featuring the exclusive BioFit adjustable torsion cap, are changing the shape of today's learning environment.

Afton Edgescape Series Tables



Avant Edgescape Series Tables



Learn more today.
www.biofit.com | 800.597.0246

Discover the Award-winning MVMT Series – the Next Generation of Performance Seating

MVMT is designed for the way today's professional moves and performs. With an aesthetic that complements the trendiest interiors, it impacts corporate image while addressing task-specific range of motion in healthcare, laboratory and industrial workplaces and beyond.



It's your move. Request a demo or sample today.
www.biofit.com | 800.597.0246



Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246



Dedicated to Design.
Committed to Quality.

MVMT™ Seating

Specification and Price Guide



Pricing shown
effective through
December 31,
2016

Addressing Individual Needs with Innovation and Intuition

MVMT ergonomic seating is changing the dynamic of the seated worker experience in today's workplace, combining a forward-looking European perspective with the BioFit tradition of technological precision and proven durability. The line is offered in two series—Pro and Tech. Modular componentry permits numerous configuration alternatives tailored to suit specific tasks, body types, interior design trends and budgetary considerations in the following work spaces and beyond: Clean Room / Static Control / Laboratory / Healthcare / Industrial / Standing Workstation Applications



Designed for Critical Performance

MVMT models are available to accommodate workspaces from ISO Class 3 clean room to harsh environments. All models are designed to withstand 3-shift use, 365 days per year and carry a 13-year warranty. Refer to the chart below to determine if there is a MVMT performance package to meet the exacting specifications of your facility.



Manufacturing Code	Work Area Classification	List Price Upcharge
06	For non-critical applications (areas without clean room ratings, electrostatic dissipative needs or specialized material requirements); features powder-coated metal parts	**
T	Technical Workspaces – Chrome Metal Parts	
	MVMT Pro Series	+\$0
	MVMT Tech Series w/Classic 5-Star Base	+\$30
K	ESD (Static Control) Package	
	MVMT Pro Series	+\$432
8	ISO Class 8 Clean Room Compatible	
	MVMT Pro Series	+\$30
8K	ISO Class 8 + ESD Compatible	
	MVMT Pro Series	**
7	ISO Class 7 Clean Room Compatible	
	MVMT Pro Series	**
7K	ISO Class 7 + ESD Compatible	
	MVMT Pro Series	**
	MVMT Tech Series	+\$239

Manufacturing Code	Work Area Classification	List Price Upcharge
6	ISO Class 6 Clean Room Compatible	
	MVMT Pro Series	**
6K	ISO Class 8 + ESD Compatible	
	MVMT Pro Series	**
5	ISO Class 5 Clean Room Compatible	
	MVMT Pro Series	+\$300
5K	ISO Class 5 + ESD Compatible	
	MVMT Pro Series	**
3	ISO Class 3 Clean Room Compatible	
	MVMT Pro Series	**
3K	ISO Class 3 + ESD Compatible	
	MVMT Pro Series	**
WD*	Wipe Down Workspaces – for Continuous Exposure to Harsh Cleaning	**
WDK*	Wipe Down Workspaces + ESD	**

* Available on MVMT Pro Series only.

**For performance package pricing on specific models, contact BioFit at 800.597.0246 or biofit@biofit.com.



MVMT Pro series models for critical performance environments feature an exclusive under-seat EPDM (ethylene propylene diene monomer) rubber boot.

MVMT Pro Series Specifications

The MVMT Pro Series is available in six primary models, with options available to custom-configure each to meet unique requirements. All Pro Series models are available with the standard and optional components below. Refer to the chart on the next page for options pricing.

Adjustable urethane armrest pads on solid polished cast aluminum uprights adjust 3.5" vertically, 2" front to back, 1" left to right on each armrest – for 2 full inches of width adjustment – and lock into place once adjusted (manufacturing code **3D**); optionally available without arms (manufacturing code **XA**/\$84 off list price)

Upholstered ergonomic seat, 20.5" wide with adjustable seat depth from 16.4" - 18.9"

Weight-activated Pro control with 5:1 synchro tilt, forward seat tilt, backrest forward adjustment, micro tension adjustment, control lockout (manufacturing code **PM**)

2" high dual wheel polyurethane casters resist movement when seat is unoccupied (manufacturing code **RC**); optionally available with 2" high dual wheel polyurethane casters for ESD applications (manufacturing code **RK**), or 2.25" glides made of first class polyamide (manufacturing code **HG**/no additional charge)

Additional options for all MVMT seating includes:

- **C133**: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- **SW**: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.



MVMT Pro with Tall Backrest

These three models feature an upholstered 17.5" wide x 19.5" high backrest with lumbar support and 3" height adjustment range.



MP-TL

Low seat height range - 17" to 21"
List Price: \$1,096

MVMT Pro with Medium Backrest

These three models feature an upholstered 17.5" wide x 15" high backrest with lumbar support and 3" height adjustment range.



MP-ML

Low seat height range - 17" to 21"
List Price: \$1041

High profile, glass-reinforced composite base with 25.4" leg spread is standard (manufacturing code **GR**), optional large, high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**/add \$60 to list price) or high profile, 5 leg solid cast aluminum base with polished top and 25.6" leg spread (manufacturing code **P25**/add \$51 to list price) are also available. These models are not available with a footring



MP-TM

Medium seat height range - 20" to 27"
List Price: \$1,266



MP-MM

Medium seat height range - 20" to 27"
List Price: \$1,211

Large high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**) 22" diameter adjustable oval tube footring on solid polished cast aluminum spoke (manufacturing code **AFP**), also available without a footring (manufacturing code **XF**)



MP-TH

High seat height range - 24" to 33.5"
List Price: \$1,271



MP-MH

High seat height range - 24" to 33.5"
List Price: \$1,216

Components/Options	+/- Price
Large Backrest Upgrade	+\$55
Arms	Included
Minus Arms	-\$84
Resistance Casters	Included
Foot Ring	Included As Shown
Minus AFP Footring	-\$100
Black Metal Parts	Included
Standard Seat	Included
Glides (if selected)	Included
Upholstery Upgrades	
Grade 3	+\$54
Grade 4	+\$88
Grade 5	+\$161
Grade 6	+\$219
Grade 7	+\$283

MVMT Tech Series Specifications

The MVMT Tech Series is divided into two categories – MVMT Tech Series with Classic 5-Star Base and MVMT Tech Series with Heavy Duty Base. There are six primary models in each category with options available to custom-configure each to meet unique requirements. All Tech Series models are available with the standard and optional components below. Refer to the chart on the next page for Tech Series with Classic 5-Star Base options pricing.

Standard upholstered ergonomic seat, 20.5" wide, mounted forward for 18" seat depth (manufacturing code **1F**); or, an optional upholstered ergonomic seat, 20.5" wide, mounted rearward for 16.4" seat depth (manufacturing code **1B**)

Tech Series chairs come standard without arms (manufacturing code **XA**); optional adjustable urethane armrest pads on solid polished cast aluminum uprights adjust 3.5" vertically, 2" front to back, 1" left to right on each armrest – for 2 full inches of width adjustment – and lock into place once adjusted (manufacturing code **3D**/add \$84 to list price)

2" high dual wheel polyurethane casters resist movement when seat is unoccupied (manufacturing code **RC**); optionally available with 2" high dual wheel polyurethane casters for ESD applications (manufacturing code **RK**), or 2.25" glides made of first class polyamide (manufacturing code **HG**/no additional charge)

Additional options for all MVMT seating includes:

- **C133**: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- **SW**: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.

Standard task control which regulates seat height and backrest angle while keeping the seat fixed at a 3.5° rearward angle (manufacturing code **E1**); or, an optional control which regulates seat tilt, backrest tilt, and seat height from a seated position (manufacturing code **E2**); or, an optional synchro-tilt control which regulates seat height, seat depth and tilt tension, and includes control lock out for precision work (manufacturing code **E3**)



(L) MVMT Tech Series with Classic 5-Star Base, medium height configuration with tall backrest, polished footring, vinyl upholstery

(R) MVMT Tech Series with Classic 5-Star Base, high profile glass reinforced base, low height configuration with medium backrest, vinyl upholstery

MVMT Tech Series with Classic 5-Star Base with Tall Backrest

These three models feature an upholstered 17.5" wide x 19.5" high backrest with lumbar support and 3" height adjustment range.



MVMT Tech Series with Classic 5-Star Base with Medium Backrest

These three models feature an upholstered 17.5" wide x 15" high backrest with lumbar support and 3" height adjustment range.



High profile, glass-reinforced composite base with 25.4" leg spread is standard (manufacturing code **GR**), optional large, high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**/add \$60 to list price) or high profile, 5 leg solid cast aluminum base with polished top and 25.6" leg spread (manufacturing code **P25**/add \$51 to list price) are also available. These models are not available with a footring

MTCL-TL

Low seat height range E1 & E2 controls – 17" to 22"
 Low seat height range E3 control – 17.5" to 22.5"
 List Price: \$732

MTCL-ML

Low seat height range E1 & E2 controls – 17" to 22"
 Low seat height range E3 control – 17.5" to 22.5"
 List Price: \$677



Large high profile, 5 leg solid cast aluminum base with polished top and 28.7" leg spread (manufacturing code **P28**) 22" diameter adjustable oval tube footring on solid polished cast aluminum spoke (manufacturing code **AFP**), also available without a footring (manufacturing code **XF**)

MTCL-TM

Medium seat height range E1 & E2 controls – 19" to 26.5"
 Medium seat height range E3 control – 21" to 28.5"
 List Price: \$894

MTCL-MM

Medium seat height range E1 & E2 controls – 19" to 26.5"
 Medium seat height range E3 control – 21" to 28.5"
 List Price: \$839

Components/Options	+/- Price
Large Backrest Upgrade	+\$55
Arms	+84
Resistance Casters	Included
Foot Ring	Included As Shown
Minus AFP Footring	-\$100
Black Metal Parts	Included
E2 Control Upgrade	+\$70
E3 Control Upgrade	+\$125
Standard Seat	Included
Glides (if selected)	Included
Upholstery Upgrades	
Grade 3	+\$54
Grade 4	+\$88
Grade 5	+\$161
Grade 6	+\$219
Grade 7	+\$283



MTCL-TH

High seat height range E1 & E2 controls – 21.5" to 32"
 High seat height range E3 control – 23.5" to 34"
 List Price: \$898

MTCL-MH

High seat height range E1 & E2 controls – 21.5" to 32"
 High seat height range E3 control – 23.5" to 34"
 List Price: \$843

MVMT Tech Series Specifications (continued)

Models within the Tech Series with Heavy Duty Base category carry the design aesthetic of the overall MVMT family with the addition of a rugged tubular steel base with an affixed footring. All MVMT Tech Series with Heavy Duty Base models are available with the standard and optional components below. This is part of what makes "HD" Base models an ideal solution for industrial workspaces and harsh applications. Refer to the chart on the next page for options pricing.

Standard upholstered ergonomic seat, 20.5" wide, mounted forward for 18" seat depth (manufacturing code **1F**); or, an optional upholstered ergonomic seat, 20.5" wide, mounted rearward for 16.4" seat depth (manufacturing code **1B**)

Tech Series chairs come standard without arms (manufacturing code **XA**); optional adjustable urethane armrest pads on solid polished cast aluminum uprights adjust 3.5" vertically, 2" front to back, 1" left to right on each armrest – for 2 full inches of width adjustment – and lock into place once adjusted (manufacturing code **3D**/add \$84 to list price)

Additional options for all MVMT seating includes:

- **C133**: Special upholstery, foam, and/or barriers (as needed) to meet California Technical Bulletin 133 and Boston Fire Code.
- **SW**: Skid wrapping for shipment; extra charges apply.
- A choice of upholstery is available from BioFit's full selection. All MVMT models come standard with **Grade 2** cloth or vinyl, with other grades available. Refer to the chart on the next page for upgrade pricing.

Standard task control which regulates seat height and backrest angle while keeping the seat fixed at a 3.5° rearward angle (manufacturing code **E1**); or, an optional control which regulates seat tilt, backrest tilt, and seat height from a seated position (manufacturing code **E2**)

2" high dual wheel polyurethane casters resist movement when seat is unoccupied (manufacturing code **RC**); optionally available with 2" high dual wheel polyurethane casters for ESD applications (manufacturing code **RK**), or 2.25" glides made of first class polyamide (manufacturing code **HG**/no additional charge)

MVMT Tech Series with Heavy Duty Base with Tall Backrest

These three models feature an upholstered 17.5" wide x 19.5" high backrest with lumbar support and 3" height adjustment range.



MTHD-TL

Low seat height range - 17.5" to 21.5"
List Price: \$748

MVMT Tech Series with Heavy Duty Base with Medium Backrest

These three models feature an upholstered 17.5" wide x 15" high backrest with lumbar support and 3" height adjustment range.



MTHD-ML

Low seat height range - 17.5" to 21.5"
List Price: \$693

Low high profile tubular base with 23" leg spread and fixed height footring of 21" diameter, 8" above floor level (manufacturing code **TUL**)



MTHD-TM

Medium seat height range - 20.5" to 27.5"
List Price: \$750



MTHD-MM

Medium seat height range - 20.5" to 27.5"
List Price: \$695

Components/Options	+/- Price
Large Backrest Upgrade	+\$55
Arms	+84
Minus Arms	Included
Resistance Casters	Included
Foot Ring	Included
Black Metal Parts	Included
E2 Control Upgrade	+70
Standard Seat	Included
Glides (if selected)	Included
Upholstery Upgrades	
Grade 3	+\$54
Grade 4	+\$88
Grade 5	+\$161
Grade 6	+\$219
Grade 7	+\$283



MTHD-TH

High seat height range - 24.5" to 31.5"
List Price: \$759




MTHD-MH

High seat height range - 24.5" to 31.5"
List Price: \$704

Tall high profile tubular base with 23" leg spread and fixed height footring of 21" diameter, 12" above floor level (manufacturing code **TUH**)

Unique Motion Simplified.

MVMT delivers an intuitive user experience featuring what may be the first self-regulating weight activation control in a specialized chair. This means it not only adjusts to the primary user's movements, but also automatically fine-tunes itself to others of various sizes and weights, sensing their individual support needs from the moment they sit down.



Smart Thinking.

With the MVMT QR Code system, information specific to your individual chair is available on your smartphone. You can access categories including operation and assembly videos, reordering information, warranty claims and more. Scan the code below for a demonstration.





Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246



Dedicated to Design.
Committed to Quality.

2016 Tables Catalog

Specifications and Pricing



BioFit Table Features

Thank you for considering BioFit Engineered Products as your mobile folding table solutions source. We encourage you to refer to the following company background and order placement instructions to help you learn more about us and make your purchasing process efficient and enjoyable.

Why Buy BioFit?

Globally recognized corporate brand leaders, major hospitals, universities and small businesses alike turn to BioFit for innovative, high performance ergonomic seating, tables and accessories. We offer:

- Over 70 years' background improving educational and work spaces
- Award-winning table and seating solutions for education, office, healthcare, technology, laboratory, industrial and custom applications
- Furnishings designed and engineered with user comfort, health and wellbeing in mind
- Durable products built for 24/7, long-term use
- A 13-year warranty on all tables and nearly every other product
- Value-added services including onsite sample and Ship Now! rush seating programs
- A personable, highly experienced customer support team – ensuring you get what you need

13-Year Warranty

BioFit tables are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 13 years of normal use. Scan this QR code for full details.



GREENGUARD GOLD Certified

BioFit has achieved GREENGUARD GOLD Certification for our full line of tables. This rating for low chemical emissions helps to validate our efforts to promote the wellbeing of our customers and the environment.



PRODUCT
CERTIFIED FOR
LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818

Innovations that are Reshaping the Learning Dynamic

From the unique, non-traditional table top profiles of our EdgeScape™ mobile folding table line to the patented adjustable torsion cap table lift-assist component, BioFit is reshaping the thinking and expectations of decision makers in today's top learning institutions.



Ergonomic Seating Solutions to Outfit Your Facility

We offer a full line of ergonomic chairs, stools and specialty products to meet the needs of a variety of learning and work environments. And if you need chairs fast, with our Ship Now! quick-ship program, you can order limited quantities of models from our most popular series and your order will ship within two business days, pending credit approval.



Order Placement Instructions & Shipping Information

How to order

1. Give quantity, catalog number and any accessories for each item ordered.
2. Give table top color.
3. Give frame color: Chrome or choice of powder coat finish.
4. Give seat color.
5. Give complete bill to and ship to addresses.

Return Goods

BioFit reserves the right to refuse return of any merchandise unless it is determined to be BioFit's responsibility. Any merchandise accepted for return must have prior written authorization and may be subject to a 25% restocking charge.

Changes and Cancellations

Once entered in our system orders may not be changed, cancelled or delayed without BioFit's consent. This will be determined depending on the stage of production and BioFit must be indemnified from loss. Thus the buyer will be responsible for material, labor or storage costs of changed, cancelled or delayed shipments. Once the merchandise has been shipped the buyer is obligated to accept delivery from the carrier.

Freight Classifications

Contact BioFit's Customer Service Department for freight quotation and classifications.

Routing

We will use our best judgement based upon available common carriers and our global shipping experience; however, we will make every effort to meet your shipping instructions.

Freight Rates

BioFit will work with you to determine freight costs. However, because of circumstances beyond our control, any quoted freight rates must be considered approximate guidelines only. If fixed costs are required, please ask us to quote you F.O.B. Delivered, C&F or C.I.F. prices.

Terms and Prices

Prices are F.O.B. BioFit factory, Bowling Green, Ohio, 43402. Payment - .5% 10, net 30, with interest applicable at the rate of 1.5% per month after 30 days.

Title of Merchandise

Title to merchandise passes on to buyer upon delivery by BioFit to the carrier. Responsibility of BioFit ceases when carrier issues its receipt to us. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking appropriate recourse against the carrier.

Sales Policy

Possession of this price list does not necessarily suggest an offer to sell.

Minimum Order

BioFit does not have a minimum order.

Cafeteria Table Skidding & Skid Charges

Prices do not include skidding charges. All Shipments are subject to skidding requirements determined by our Shipping Department. Note: Truckload/LTL shipments, a mixture of skidded and non-skidded tables may be applicable. *Note: All LTL shipments not shipping prepaid by BioFit must be palletized. Please clarify skidding requirements and pricing with BioFit's Customer Service Department before quoting your customer.

BioFit Table Features

Recessed Vertical Hinge. Many of BioFit's tables have an automatic locking mechanism which ensures your table stays closed and stable when in the folded position. Please note that this locking mechanism is not on the AdapTable, Fold-N-Roll, or 10-Seat Oval tables. Torsion bar assist is utilized on large table models that allow for easy folding by one person. The one-inch safety gap between top halves (excluding the AdapTable) prevents trapped food and bacteria, plus offers protection against pinched fingers.

Adjustable Torsion Cap. Exclusively from BioFit, our patent-pending adjustable torsion capability enables users to reset the torque level of the lift assist device on affixed-seating tables to the original factory specifications. This can facilitate safer and easier folding and unfolding and allow organizations to save money by prolonging the useful life of the table.

14-Gauge Steel Frame. One-piece, robotically welded for uniform strength.

Wheels. Non-marring, industrial grade neoprene wheels ensure smooth, easy handling.

Exclusive ComfortRim™ Edge Profile. Gentle on forearms, enhancing user comfort.

Food- and Bacteria-resistant Edges. Tough, protective coating surrounds the edges of table tops and bench seats.




Laminate Table Top / Bench Color Options



Bannister Oak



Beige Nebula



Gray Nebula



Graphite Nebula



Navy Legacy



Woolamai Brush

To view the complete selection of laminates available:

1. Visit wilsonart.com 2. Enter "60 matte" in the search bar. 3. Click "View All Products" under the first row of swatches shown.

Some colors are only available at an additional charge, and extended delivery may apply. Contact your service representative or BioFit customer service for more information. Representation of colors may differ somewhat from actual products.

Preschooler Table Top Color Options



Blue



Red

Round ABS Seat Color Options



Black



Burgundy



Dark Blue



Green



Red

Frame Finish Options



Almond



Black



Chrome
(available at an additional cost)




Gray

Meeting Your Needs – Before, During and After the Sale

Free space analysis.

BioFit provides free space analysis and layout consultation at no charge to help determine the proper model and quantity of BioFit tables for your project. Simply notify your furniture distributor or sales representative that you'd like to take advantage of this free service, or contact BioFit directly at **800.597.0246** or **biofit@biofit.com**.



© Troup's Studio

The Afton™

Design that flows as easily as the conversation.

The uniquely curvaceous shape of the Afton is inspired by the river in Scotland, and its design will inspire you as well. The table's ebb and flow facilitates interaction, making it ideal for cafeterias, food courts, breakrooms, meeting areas and more.

- Available in 10- and 12-foot lengths and two heights
- The Afton table has achieved GREENGUARD GOLD Certification and is UL listed
- Featuring durable, ergonomic 13" round ABS seats
- ADA-compliant model available




EdgeScape™ Designer Series - The Afton

Specifications, Manufacturing Codes & List Prices


10' models with 13" round ABS seats. Provides 20" of space for each occupant.
Upright folded height is 72".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
10'	27"	15"	12	282 lb.	10E21227	\$2,376	10E21227-C	\$2,639
10'	29"	17"	12	282 lb.	10E21229	\$2,376	10E21229-C	\$2,639




12' models with 13" round ABS seats. Provides 24" of space for each occupant.
Ideal for adults and larger students. Upright folded height is 78.5".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
12'	27"	15"	12	307 lb.	12E21227	\$2,522	12E21227-C	\$2,786
12'	29"	17"	12	307 lb.	12E21229	\$2,522	12E21229-C	\$2,786




12' ADA Compliant model. Accommodates 4 wheelchairs and 8 individual people.
Upright folded height is 78.5".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
12'	32"	20"	8	307 lb.	12E24ADA32	\$2,883	12E24ADA32-C	\$3,180



Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).
Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.



The Avant™

A multifaceted approach to group seating.

The shape of the Avant is sure to get people talking, and its patented design will make that conversation even easier. The Avant table is perfect for cafeterias, food courts, breakrooms, meeting areas and more—anywhere people gather.

- Available in 10- and 12-foot lengths and two heights
- The Avant table has achieved GREENGUARD GOLD Certification and is UL listed
- Featuring durable, ergonomic 13" round ABS seats
- ADA-compliant model available
- Award-winning, patented design




EdgeScape™ Designer Series - The Avant

Specifications, Manufacturing Codes & List Prices


10' models with 13" round ABS seats. Provides 20" of space for each occupant. Upright folded height is 72".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
10'	27"	15"	12	295 lb.	10E11227	\$2,327	10E11227-C	\$2,595
10'	29"	17"	12	295 lb.	10E11229	\$2,327	10E11229-C	\$2,595




12' models with 13" round ABS seats. Provides 24" of space for each occupant. Ideal for adults and larger students. Upright folded height is 78.5".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
12'	27"	15"	12	320 lb.	12E11227	\$2,424	12E11227-C	\$2,692
12'	29"	17"	12	320 lb.	12E11229	\$2,424	12E11229-C	\$2,692




12' ADA Compliant model. Accommodates 4 wheelchairs and 8 individual people. Upright folded height is 78.5".

Length	Height	Seat Height	# Seats	Weight	Powder #	List Price	Chrome #	List Price
12'	32"	20"	8	320 lb.	12E14ADA32	\$2,783	12E14ADA32-C	\$3,080



Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).
 Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.



10-Seat Oval

Seat 20% more students in the same space.

The design of BioFit's patented 10-Seat Oval Table reduces noise, aids communication and improves space utilization. Its attached seating and easy folding bring function and mobility to cafeterias, training settings and more.

- Attached seating with 13" round ergonomically shaped ABS seats
- Also available in 6- and 8-seat ADA-compliant configurations
- Low center of gravity when folded ensures stability
- Six casters create wide wheelbase, making it sturdier than other tables on the market
- The 10-Seat Oval table has achieved GREENGUARD GOLD Certification and is UL listed



10-Seat Oval Series

Specifications, Manufacturing Codes & List Prices

27" high, oval (98" x 87") with 13" round ABS seats. Provides seating for 10 younger students. Upright folded height is 53.75", folded width is 42.5".

Height Open	Height Folded	# Seats	Weight	Powder #	List Price	Chrome #	List Price
27"	53.75"	10	395lb.	60C27	\$2,642	60C27C	\$2,882

29" high, oval (98" x 87") with 13" round ABS seats. Provides comfortable seating for 10 adults or larger students. Upright folded height is 55.75", folded width is 42.5".

Height Open	Height Folded	# Seats	Weight	Powder #	List Price	Chrome #	List Price
29"	55.75"	10	395lb.	60C29	\$2,642	60C29C	\$2,882




ADA Compliant model. 32" high, oval (85" x 87") with 13" round ABS seats. Accommodates a person who uses a wheelchair. Model has eight 13" round ABS seats plus a space for a wheelchair. Upright folded height is 57.75", folded width is 42.5".

Height Open	Height Folded	# Seats	Weight	Powder #	List Price	Chrome #	List Price
32"	57.75"	8	360lb.	60C322	\$2,454	60C322C	\$2,743

ADA Compliant model. 32" high, oval (72" x 87") with 13" round ABS seats. Accommodates 2 people who use wheelchairs. Model has six 13" round ABS seats plus 2 spaces for a wheelchair. Upright folded height is 57.75", folded width is 42.5".

Height Open	Height Folded	# Seats	Weight	Powder #	List Price	Chrome #	List Price
32"	57.75"	6	360lb.	60C324	\$2,454	60C324C	\$2,743

Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).
Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.



Choose from a variety of sizes to suit any sitter, from larger adults to little ones.



BioFit's ABS seats not only complement your décor, they're also built kid-tough.


Rectangular Tables

The rugged classic, configurable in the ideal style for you.

BioFit Tables are designed for everyone from young children to adults and help you better meet individuals' needs. Choose from a wide variety of table lengths and seating configurations.

- Available with ergonomically shaped, durable individual ABS seats or tough laminated bench seats
- ADA-compliant models available
- BioFit Tables have achieved GREENGUARD GOLD Certification and are UL listed





With ADA-compliant models, you can make sure that everyone has a place at the table.



Choose from rugged, stylish ABS seats or tough, beautifully laminated bench design.



BioFit Tables Rectangular Stool Seating Table Series

Specifications, Manufacturing Codes & List Prices

The Executive: 12' table provides comfortable seating for 12 adults and larger students. Space allowance per seat is 24". Upright folded height is 79.5".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 60"W x 27"H	12 ABS	315 lbs.	12F1227	\$2,281	12F1227-C	\$2,543
144"L x 60"W x 29"H	12 ABS	315 lbs.	12F1229	\$2,281	12F1229-C	\$2,543

ADA Compliant: 12' table accommodates 2 wheelchairs and 10 individual persons. Upright folded height is 82.5". 20" seat height.

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 60"W x 32"H	10 ABS	310 lbs.	12F2ADA32	\$2,641	12F2ADA32-C	\$2,939

ADA Compliant: 12' table accommodates 4 wheelchairs and 8 individual persons. Upright folded height is 82.5". 20" seat height.

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 60"W x 32"H	8 ABS	310 lbs.	12F4ADA32	\$2,641	12F4ADA32-C	\$2,939

The Intermediate: 10' table provides 20" of space for each occupant. Upright folded height is 73.5".







Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
120"L x 60"W x 27"H	12 ABS	290 lbs.	10F1227	\$2,223	12F1027-C	\$2,483
120"L x 60"W x 29"H	12 ABS	290 lbs.	10F1229	\$2,223	12F1029-C	\$2,483

The Instructor: 8' table with comfortable seating for 8 adults or larger students. Provides 24" of table space for each occupant. Upright folded height is 57".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
96"L x 60"W x 27"H	8 ABS	230 lbs.	8F827	\$1,779	8F827-C	\$1,922
96"L x 60"W x 29"H	8 ABS	230 lbs.	8F829	\$1,779	8F829-C	\$1,922

The Preschooler: 24" high table for early childhood facilities. Upright folded height is 67.5".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
120"L x 60"W x 24"H	12 ABS	285 lbs.	10F1224	\$2,223	10F1224-C	\$2,519



Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).

Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.

All dimensions are nominal.

BioFit Tables Rectangular Bench Seating Table Series

Specifications, Manufacturing Codes & List Prices

12' Bench Seating: 12' table accommodates a large number of children and adults. Upright folded height is 79.5".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 56"W x 27"H	Bench	380 lbs.	12FB27	\$2,650	12FB27-C	\$2,860
144"L x 56"W x 29"H	Bench	380 lbs.	12FB29	\$2,650	12FB29-C	\$2,860

ADA Compliant: 12' table provides comfortable seat space and accommodates 2 wheelchairs. Upright folded height is 82.5". 20" bench height.

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 56"W x 32"H	Bench	380 lbs.	12FB32ADA2	\$2,722	2FB32ADA2-C	\$2,933

ADA Compliant: 12' table provides comfortable seat space and accommodates 4 wheelchairs. Upright folded height is 82.5". 20" bench height.






Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
144"L x 56"W x 32"H	Bench	380 lbs.	12FB32ADA4	\$2,722	12FB32ADA4-C	\$2,933

10' Bench Seating: 10' table with bench seating for 12 people. Upright folded height is 73.5".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
120"L x 56"W x 27"H	Bench	350 lbs.	10FB27	\$2,532	10FB27-C	\$2,747
120"L x 56"W x 29"H	Bench	350 lbs.	10FB29	\$2,532	10FB29-C	\$2,747

8' Bench Seating: 8' table provides comfortable seating for children and adults. Upright folded height is 57".

Dimensions	Seats	Shipping WT	Powder #	List Price	Chrome #	List Price
96"L x 56"W x 27"H	Bench	280 lbs.	8FB27	\$2,439	8FB27-C	\$2,640
96"L x 56"W x 29"H	Bench	280 lbs.	8FB29	\$2,439	8FB29-C	\$2,640



Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).
Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.

All dimensions are nominal.

AdapTable™

The furnishing you need, when you need it.

This convertible bench/table system is ideal for settings from training and testing facilities to auditoriums, gymnasiums and food courts.


- Can be quickly configured for use as a bench with backrest or table
- Available in 6', 7' and 8' models
- Nests together easily to save storage space
- Folds and rolls easily for repositioning or storage
- The AdapTable has achieved GREENGUARD GOLD Certification and is UL listed



AdapTable™ Convertible Bench/Table Series

Specifications, Manufacturing Codes & List Prices

Length	Height	Seats	Weight	Model #	List Price
6'	27"	4 younger children	100 lb.**	CBT627	\$1,170
6'	29"	3 adults or larger students	100 lb.**	CBT629	\$1,170
7'	27"	4 younger children	110 lb.**	CBT727	\$1,189
7'	29"	3 adults or larger students	110 lb.**	CBT729	\$1,189
8'	27"	5 younger children	120 lb.**	CBT827	\$1,209
8'	29"	4 adults or larger students	120 lb.**	CBT829	\$1,209



Note: Upright folded height is 34", top width 15", seat width 12".

Options & List Prices

Codes	Seats	List Price
LW	Locking casters on all four positions; locking casters are standard on 2 positions	\$8
MAG	Super strong magnets gang tables securely together	\$82
LBS	Matching laminate on both sides of table top for better appearance when used as bench	\$34



Patented magnets* give you the power to hold units together firmly, yet they can be easily separated without disassembly.



Fold it up and roll it away in seconds—one more way the AdapTable adapts to fit you.



* Protected by US Patent No. 7,226,125

** Indicates up to 2 tables can be packed per skid. Weight shown is that of individual table. Add 100# for weight of skid.


Prices do not include skidding. Add \$50 net for each skid required for your shipment. Note: in most instances, up to as many as 2 tables may ship on one skid. Please call our Customer Service Department (800-597-0246) for clarification if necessary.

All dimensions are nominal.

Fold-N-Roll

Geometric design. Ergonomic support. Logistic ease.


Durable, mobile and easily stored, BioFit Fold-N-Roll tables are perfect for classrooms, meeting facilities and more. Fold-N-Roll tables are available in a range of sizes and shapes, from rectangles and squares to octagons and ovals.




Round




Rectangle




Hexagon



Octagon



Square



Oval

- Able to be opened or closed in five seconds
- ADA-compliant models available
- Choice of laminates, including colorful preschool tops
- Fold-N-Roll tables have achieved GREENGUARD GOLD Certification

Fold-N-Roll Table Series

Specifications, Manufacturing Codes & List Prices

Round Fold-N-Roll

Diameter	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
48"	27"	90 lb.*	4-6 younger students	CFR4827	\$1,211	CFR4827-C	\$1,305
48"	29"	90 lb.*	4 adults or larger students	CFR4829	\$1,211	CFR4829-C	\$1,305
48"	32"	90 lb.*	ADA compliant model	CFR4832	\$1,286	CFR4832-C	\$1,378
60"	27"	125 lb.*	6-8 younger students	CFR6027	\$1,301	CFR6027-C	\$1,396
60"	29"	125 lb.*	6 adults or larger students	CFR6029	\$1,301	CFR6029-C	\$1,396
60"	32"	125 lb.*	ADA compliant model	CFR6032	\$1,372	CFR6032-C	\$1,470
66"	27"	140 lb.**	8-10 younger students	CFR6627	\$1,539	CFR6627-C	\$1,640
66"	29"	140 lb.**	8 adults or larger students	CFR6629	\$1,539	CFR6629-C	\$1,640
66"	32"	140 lb.**	ADA compliant model	CFR6632	\$1,578	CFR6632-C	\$1,677
72"	27"	155 lb.**	10-12 younger students	CFR7227	\$1,565	CFR7227-C	\$1,662
72"	29"	155 lb.**	10 adults or larger students	CFR7229	\$1,565	CFR7229-C	\$1,662
72"	32"	155 lb.**	ADA compliant model	CFR7232	\$1,578	CFR7232-C	\$1,677

The upright folded height of 27" and 29"-high tables is 42"; the upright folded height of ADA-compliant tables is 45".

* Indicates up to 2 tables can be packed per skid. Weight shown is that of individual table. Add 70# for weight of skid.

** Indicates up to 2 tables can be packed per skid. Weight shown is that of individual table. Add 80# for weight of skid.

Prices do not include skidding. Add \$50 net for each skid required for your shipment. Note: in most instances, up to as many as 2 tables may ship on one skid. Please call our Customer Service Department (800-597-0246) for clarification if necessary.



Fold-N-Roll Table Series

Specifications, Manufacturing Codes & List Prices

Rectangle Fold-N-Roll

Size (LxW)	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
8' x 30"	27"	185 lb.	8 younger students	8FR3027	\$1,327	8FR3027-C	\$1,467
8' x 30"	29"	185 lb.	8 adults or larger students	8FR3029	\$1,327	8FR3029-C	\$1,467
10' x 30"	27"	200 lb.	12 younger students	10FR3027	\$1,440	10FR3027	\$1,612
10' x 30"	29"	200 lb.	8 adults or larger students	10FR3029	\$1,440	10FR3029-C	\$1,612
10' x 30"	32"	200 lb.	ADA compliant model	10FR3032	\$1,513	10FR3032-C	\$1,685
12' x 30"	27"	220 lb.	16 younger students	12FR3027	\$1,568	12FR3027-C	\$1,741
12' x 30"	29"	220 lb.	12 adults or larger students	12FR3029	\$1,568	12FR3029-C	\$1,741

Upright folded height range for 27" and 29" tall X 8, 10 and 12 ft. long tables is 54.5" - 78.75". Upright folded height of 10 ft. ADA-compliant table is 70.5".



Hexagon Fold-N-Roll

Diameter	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
60"	27"	130 lb.*	6 younger students	HFR6027	\$1,399	HFR6027-C	\$1,497
60"	29"	130 lb.*	6 adults or larger students	HFR6029	\$1,399	HFR6029-C	\$1,497
60"	32"	130 lb.*	ADA compliant model	HFR6032	\$1,444	HFR6032-C	\$1,539

The upright folded height of 27" and 29"-high tables is 42"; the upright folded height of ADA-compliant tables is 45".



Octagon Fold-N-Roll

Diameter	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
60"	27"	130 lb.*	8 younger students	OFR6027	\$1,311	OFR6027-C	\$1,409
60"	29"	130 lb.*	8 adults or larger students	OFR6029	\$1,311	OFR6029-C	\$1,409
60"	32"	130 lb.*	ADA compliant model	OFR6032	\$1,359	OFR6032-C	\$1,457

The upright folded height of 27" and 29"-high tables is 42"; the upright folded height of ADA-compliant tables is 45".



Square Fold-N-Roll

Size (LxW)	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
60" x 61"	27"	140 lb.*	8 younger students	SFR6027	\$1,255	SFR6027-C	\$1,335
60" x 61"	29"	140 lb.*	8 adults or larger students	SFR6029	\$1,255	SFR6029-C	\$1,335
60" x 61"	32"	140 lb.*	ADA compliant model	SFR6032	\$1,328	SFR6032-C	\$1,410

The upright folded height of 27" and 29"-high tables is 42"; the upright folded height of ADA-compliant tables is 45".



Oval Fold-N-Roll

Size (LxW)	Height	Weight	Seats	Powder #	List Price	Chrome #	List Price
61" x 72"	27"	155 lb.**	10-12 younger students	OVFR7227	\$1,438	OVFR7227-C	\$1,597
61" x 72"	29"	155 lb.**	10 adults or larger students	OVFR7229	\$1,438	OVFR7229-C	\$1,597
61" x 72"	32"	155 lb.**	ADA compliant model	OVFR7232	\$1,505	OVFR7232-C	\$1,665

The upright folded height of 27" and 29"-high tables is 42"; the upright folded height of ADA-compliant tables is 45".



* Indicates up to 2 tables can be packed per skid. Weight shown is that of individual table. Add 70# for weight of skid.

** Indicates up to 2 tables can be packed per skid. Weight shown is that of individual table. Add 80# for weight of skid.

Prices do not include skidding. Add \$50 net for each table shipping on a skid (not \$50 per order).

Note: Truck load / LTL shipments may require a mixture of skidded and non-skidded tables.

All dimensions are nominal.



Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246



Dedicated to Design.
Committed to Quality.

2016 Multipurpose Carts

Specifications and Pricing



BioFit Multipurpose Carts Collection

BioFit Multipurpose Carts are specially designed for transporting and storing materials in a variety of work and training spaces. Light weight, highly maneuverable and built to last, they're available in nearly a dozen models with each featuring:

- Rugged 16-gauge, 1-inch diameter tubular steel frame construction
- 500 lb. weight capacity
- Non-marring rubber wheels on ball-bearing casters for smooth operation
- Durable powder-coated paint finish
- BioFit's 13-year warranty

BioFit carts are ideal for uses including book and media transport in libraries, schools and offices, moving equipment and supplies in laboratory and healthcare environments, and shuttling tools and materials in light industrial settings.

Available models and finish options are shown and described here. Refer to the back cover for ordering instructions and contact information.



Multipurpose Carts Specifications & List Pricing


Manufacturing Codes, Specifications & List Prices

MFG Code	List Price	Description	Actual Weight	Carton Dimensions w x d x h
FS20	\$394	2 Standard 4" Deep Trays 38"H x 28"W x 17"D - Tray Clearance: 17.75" Floor to top of lowest tray is 7.75"	48 lb	30"w x 19"d x 34"h
FS30	\$452	3 Standard 4" Deep Trays 44"H x 28"W x 17"D - Tray Clearance: 10" Floor to top of lowest tray is 7.5"	55 lb	30"w x 18"d x 42"h
RBS16	\$369	3 Single-Sided Sloping Shelves 44"H x 18"W x 13"D - Shelf Clearance: 12.5", shelf slope 12° Shelf depth 7.5" Floor to top of lowest shelf is 8.5"	41 lb	20"w x 14"d x 39"h
RBS33	\$405	3 Single-Sided Sloping Shelves 47"H x 28"W x 13"D - Shelf Clearance: 12", shelf slope 12° Shelf depth 7.5" Floor to top of lowest shelf is 9"	46 lb	30"w x 14"d x 43"h
RBS44	\$406	2 Double-Sided Sloping Shelves 38"H x 28"W x 17"D - Shelf Clearance: 16", shelf slope 12° Shelf depth 6.5" Floor to top of lowest shelf is 9"	47 lb	30"w x 19"d x 34"h
RBS4F	\$498	2 Double-Sided Sloping Shelves; 1 Flat Bottom Shelf 47"H x 28"W x 17"D - Shelf Clearance: 12", shelf slope 12° Shelf depth 6.5" Floor to top of lowest tray is 8"	57 lb	30"w x 18"d x 42"h
RBS55	\$431	3 Flat Shelves 43"H x 28"W x 17"D - Shelf Clearance: 12.5" bottom to middle - 10.25" middle to top Floor to top of lowest shelf is 8"	48 lb	30"w x 18"d x 42"h
RBS66	\$519	3 Double-Sided Sloping Shelves 47"H x 28"W x 17"D - Shelf Clearance: 12", shelf slope 12° Shelf depth 6.5" Floor to top of lowest shelf is 9"	61 lb	30"w x 18"d x 42"h
TR28	\$378	2 Flat Shelves 38"H x 28"W x 17"D - Shelf clearance: 18.5" Floor to top of lowest shelf is 8.75"	42 lb	30"w x 19"d x 34"h
TR2FB	\$392	1 Double-sided Sloping Shelf; 1 Flat Bottom Shelf 38"H x 28"W x 17"D - Shelf clearance: 17", shelf slope 12° Shelf depth 6.5" Floor to top of lowest shelf is 9.5"	44 lb	30"w x 19"d x 34"h
TR2FT	\$392	1 Flat Top Shelf; 1 Double-sided Sloping Shelf 38"H x 28"W x 17"D - Shelf clearance: 17", shelf slope 12° Shelf depth 6.5" Floor to top of lowest shelf is 9.5"	43 lb	30"w x 19"d x 34"h



Powder-coated Colors

Carts are available in six standard, long-lasting, powder-coated finishes. They are also available in custom colors; minimum quantities may apply. Please contact BioFit for details.



Please note: Actual finish colors may differ slightly from those shown here.

1. Give quantity and catalog number for each item ordered.
2. Give powder coat color selection.
3. Give complete bill to and ship to addresses.

Changes and Cancellations

Once entered in our system orders may not be changed, cancelled or delayed without BioFit's consent. This will be determined depending on the stage of production and BioFit must be indemnified from loss. Thus the buyer will be responsible for material, labor or storage costs of changed, cancelled or delayed shipments. Once the merchandise has been shipped the buyer is obligated to accept delivery from the carrier.

Return Goods

BioFit reserves the right to refuse return of any merchandise unless it is determined to be BioFit's responsibility. Any merchandise accepted for return must have prior written authorization and may be subject to a 25% restocking charge and freight.

Freight Classifications

Carts, NMFC 188950, Sub 1, Class 250.

Routing

We will use our best judgment based upon available common carriers and our global shipping experience; however, we will make every effort to meet your shipping instructions.

Freight Rates

BioFit will work with you to determine freight costs. However, because of circumstances beyond our control, any quoted freight rates must be considered approximate guidelines only. If fixed costs are required, please ask us to quote you F.O.B. Delivered, C&F, or C.I.F. prices.

Terms and Prices

Prices are F.O.B. BioFit factory, Bowling Green, Ohio 43402. Payment terms – 1/2% 10, net 30, with interest applicable at the rate of 1½% per month after 30 days.

Title of Merchandise

Title of merchandise passes on to buyer upon delivery by BioFit to the carrier. Responsibility of BioFit ceases when carrier issues its receipt to us. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking appropriate recourse against the carrier.

Sales Policy

Possession of this price list does not necessarily suggest an offer to sell.

Warranty

BioFit furniture products are warranted against mechanical or structural failure due to defective material, workmanship, or abnormal wear for 13 years of normal use. BioFit reserves the right to recondition or replace any units covered by this warranty. Freight and any other consequential damages are not covered. All return shipments require written authorization and must be freight prepaid unless otherwise approved in writing. BioFit takes its warranty, repair and maintenance responsibilities very seriously. Efforts by unqualified personnel to perform repairs on BioFit products can result in dangerous conditions which can lead to serious bodily injury. Any attempt to modify, alter or make unauthorized repairs to BioFit products may not only seriously jeopardize the safety of the user, but will void this warranty in every respect.



Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246