NEX Addendum

IIDEX CANADA 2012 AWARD SILVER

LACASSE
A GROUPE LACASSE BRAND

CODIFICATION

Series	Options: Thickness	Options: Edgebanding
N	**1** Thermofused laminate 1" **2** High-pressure laminate 1" **5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge **K** Knife edge

EDGEBANDING

Is applied automatically on top and sides.

N Edge

1" and 1½"

The **N** edge is **matched with the finish specified for the surface**.

Knife Edge

1½"

The knife edge **K** is **available (and in matching color) ONLY when a wood grain finish or Snow (SNO) is specified** for the surface.

CAFÉ HEIGHT TABLES

Café height tables – 24" D

18" H (457 mm) modesty panel. 3" D (75 mm) recessed modesty.



Top: 1" (25 mm). Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 42	1350 x 600 x 1067	**N_NNN-RT245442A3**	**1,050**	**1,250**
60 x 24 x 42	1500 x 600 x 1067	**N_NNN-RT246042A3**	**1,080**	**1,285**
66 x 24 x 42	1650 x 600 x 1067	**N_NNN-RT246642A3**	**1,105**	**1,315**
72 x 24 x 42	1800 x 600 x 1067	**N_NNN-RT247242A3**	**1,135**	**1,350**
78 x 24 x 42	1950 x 600 x 1067	**N_NNN-RT247842A3**	**1,165**	**1,385**
84 x 24 x 42	2100 x 600 x 1067	**N_NNN-RT248442A3**	**1,190**	**1,415**
90 x 24 x 42	2250 x 600 x 1067	**N_NNN-RT249042A3**	**1,215**	**1,450**
96 x 24 x 42	2400 x 600 x 1067	**N_NNN-RT249642A3**	**1,245**	**1,485**

Smooth edge (N). Specify the surface type (1, 2).



Top and legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 42	1350 x 600 x 1067	**N_NNN-RT245442A3**	**1,200**	**1,430**
60 x 24 x 42	1500 x 600 x 1067	**N_NNN-RT246042A3**	**1,235**	**1,470**
66 x 24 x 42	1650 x 600 x 1067	**N_NNN-RT246642A3**	**1,265**	**1,505**
72 x 24 x 42	1800 x 600 x 1067	**N_NNN-RT247242A3**	**1,295**	**1,545**
78 x 24 x 42	1950 x 600 x 1067	**N_NNN-RT247842A3**	**1,330**	**1,585**
84 x 24 x 42	2100 x 600 x 1067	**N_NNN-RT248442A3**	**1,360**	**1,620**
90 x 24 x 42	2250 x 600 x 1067	**N_NNN-RT249042A3**	**1,390**	**1,655**
96 x 24 x 42	2400 x 600 x 1067	**N_NNN-RT249642A3**	**1,425**	**1,695**

Smooth edge (N). Specify the surface type (5, 6).



Top and legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 42	1350 x 600 x 1067	**N_KNN-RT245442A3**	**1,500**	**1,785**
60 x 24 x 42	1500 x 600 x 1067	**N_KNN-RT246042A3**	**1,540**	**1,835**
66 x 24 x 42	1650 x 600 x 1067	**N_KNN-RT246642A3**	**1,580**	**1,880**
72 x 24 x 42	1800 x 600 x 1067	**N_KNN-RT247242A3**	**1,620**	**1,936**
78 x 24 x 42	1950 x 600 x 1067	**N_KNN-RT247842A3**	**1,665**	**1,980**
84 x 24 x 42	2100 x 600 x 1067	**N_KNN-RT248442A3**	**1,700**	**2,025**
90 x 24 x 42	2250 x 600 x 1067	**N_KNN-RT249042A3**	**1,740**	**2,070**
96 x 24 x 42	2400 x 600 x 1067	**N_KNN-RT249642A3**	**1,780**	**2,120**

Knife edge (K). Specify the surface type (5, 6).

Café height tables – 30" D

18" H (457 mm) modesty panels. 11" D (281 mm) knee space on both sides.



Top: 1" (25 mm). Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 42	1350 x 750 x 1067	**N_NNN-RT305442A3**	**1,125**	**1,335**
60 x 30 x 42	1500 x 750 x 1067	**N_NNN-RT306042A3**	**1,155**	**1,375**
66 x 30 x 42	1650 x 750 x 1067	**N_NNN-RT306642A3**	**1,185**	**1,410**
72 x 30 x 42	1800 x 750 x 1067	**N_NNN-RT307242A3**	**1,215**	**1,445**
78 x 30 x 42	1950 x 750 x 1067	**N_NNN-RT307842A3**	**1,245**	**1,485**
84 x 30 x 42	2100 x 750 x 1067	**N_NNN-RT308442A3**	**1,275**	**1,515**
90 x 30 x 42	2250 x 750 x 1067	**N_NNN-RT309042A3**	**1,300**	**1,550**
96 x 30 x 42	2400 x 750 x 1067	**N_NNN-RT309642A3**	**1,335**	**1,585**

Smooth edge (N). Specify the surface type (1, 2).



Top and legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 42	1350 x 750 x 1067	**N_NNN-RT305442A3**	**1,285**	**1,530**
60 x 30 x 42	1500 x 750 x 1067	**N_NNN-RT306042A3**	**1,320**	**1,570**
66 x 30 x 42	1650 x 750 x 1067	**N_NNN-RT306642A3**	**1,350**	**1,610**
72 x 30 x 42	1800 x 750 x 1067	**N_NNN-RT307242A3**	**1,390**	**1,650**
78 x 30 x 42	1950 x 750 x 1067	**N_NNN-RT307842A3**	**1,425**	**1,695**
84 x 30 x 42	2100 x 750 x 1067	**N_NNN-RT308442A3**	**1,455**	**1,735**
90 x 30 x 42	2250 x 750 x 1067	**N_NNN-RT309042A3**	**1,490**	**1,770**
96 x 30 x 42	2400 x 750 x 1067	**N_NNN-RT309642A3**	**1,525**	**1,815**

Smooth edge (N). Specify the surface type (5, 6).



Top and legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 42	1350 x 750 x 1067	**N_KNN-RT305442A3**	**1,605**	**1,910**
60 x 30 x 42	1500 x 750 x 1067	**N_KNN-RT306042A3**	**1,650**	**1,965**
66 x 30 x 42	1650 x 750 x 1067	**N_KNN-RT306642A3**	**1,690**	**2,010**
72 x 30 x 42	1800 x 750 x 1067	**N_KNN-RT307242A3**	**1,735**	**2,065**
78 x 30 x 42	1950 x 750 x 1067	**N_KNN-RT307842A3**	**1,780**	**2,120**
84 x 30 x 42	2100 x 750 x 1067	**N_KNN-RT308442A3**	**1,820**	**2,165**
90 x 30 x 42	2250 x 750 x 1067	**N_KNN-RT309042A3**	**1,860**	**2,215**
96 x 30 x 42	2400 x 750 x 1067	**N_KNN-RT309642A3**	**1,905**	**2,265**

Knife edge (K). Specify the surface type (5, 6).

= ASSEMBLY REQUIRED

Café height tables – 36" D

18" H (457 mm) modesty panels. 12" D (369 mm) knee space on both sides.



Top: 1" (25 mm). Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 36 x 42	1350 x 900 x 1067	**N_NNN-RT365442A3**	**1,200**	**1,430**
60 x 36 x 42	1500 x 900 x 1067	**N_NNN-RT366042A3**	**1,235**	**1,470**
66 x 36 x 42	1650 x 900 x 1067	**N_NNN-RT366642A3**	**1,265**	**1,505**
72 x 36 x 42	1800 x 900 x 1067	**N_NNN-RT367242A3**	**1,300**	**1,545**
78 x 36 x 42	1950 x 900 x 1067	**N_NNN-RT367842A3**	**1,335**	**1,585**
84 x 36 x 42	2100 x 900 x 1067	**N_NNN-RT368442A3**	**1,365**	**1,620**
90 x 36 x 42	2250 x 900 x 1067	**N_NNN-RT369042A3**	**1,395**	**1,660**
96 x 36 x 42	2400 x 900 x 1067	**N_NNN-RT369642A3**	**1,425**	**1,700**

Smooth edge (N). Specify the surface type (1, 2).



Top and legs: 1½" (38 mm)

54 x 36 x 42	1350 x 900 x 1067	**N_NNN-RT365442A3**	**1,375**	**1,635**
60 x 36 x 42	1500 x 900 x 1067	**N_NNN-RT366042A3**	**1,410**	**1,680**
66 x 36 x 42	1650 x 900 x 1067	**N_NNN-RT366642A3**	**1,445**	**1,720**
72 x 36 x 42	1800 x 900 x 1067	**N_NNN-RT367242A3**	**1,485**	**1,765**
78 x 36 x 42	1950 x 900 x 1067	**N_NNN-RT367842A3**	**1,525**	**1,815**
84 x 36 x 42	2100 x 900 x 1067	**N_NNN-RT368442A3**	**1,560**	**1,855**
90 x 36 x 42	2250 x 900 x 1067	**N_NNN-RT369042A3**	**1,590**	**1,895**
96 x 36 x 42	2400 x 900 x 1067	**N_NNN-RT369642A3**	**1,630**	**1,940**

Smooth edge (N). Specify the surface type (5, 6).



Top and legs: 1½" (38 mm)

54 x 36 x 42	1350 x 900 x 1067	**N_KNN-RT365442A3**	**1,715**	**2,045**
60 x 36 x 42	1500 x 900 x 1067	**N_KNN-RT366042A3**	**1,765**	**2,100**
66 x 36 x 42	1650 x 900 x 1067	**N_KNN-RT366642A3**	**1,810**	**2,150**
72 x 36 x 42	1800 x 900 x 1067	**N_KNN-RT367242A3**	**1,855**	**2,210**
78 x 36 x 42	1950 x 900 x 1067	**N_KNN-RT367842A3**	**1,905**	**2,265**
84 x 36 x 42	2100 x 900 x 1067	**N_KNN-RT368442A3**	**1,945**	**2,315**
90 x 36 x 42	2250 x 900 x 1067	**N_KNN-RT369042A3**	**1,990**	**2,370**
96 x 36 x 42	2400 x 900 x 1067	**N_KNN-RT369642A3**	**2,040**	**2,425**

Knife edge (K). Specify the surface type (5, 6).

Printed in Canada - © Groupe Lacasse 2015

GROUPE LACASSE

1-888-522-2773
www.groupelacasse.com

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818
GOLD

Groupe Lacasse has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

4023
L152-0
7/15
PDF

LACASSE

Office Furniture Solutions



C.I.T.É. > Price Book > June 2015



OFFICE FURNITURE SOLUTIONS

TABLE OF CONTENTS

SURFACES: / SINGLE-SIDED, DOUBLE-SIDED, 120° / WITH OR WITHOUT RACEWAY ... 3
STORAGE MODULES: / HUTCHES / BOOKCASES / RAILS ... 6
BASES: / LATERAL / CENTER ... 7
STORAGE BASE MODULES: / LATERAL / CENTER ... 8
ACCESSORIES: / PRIVACY, LATERAL AND SPACE END SCREENS / CUSHIONS ... 9
ELECTRICITY ... 9
EDGEBANDING ... 11
C.I.T.É. FURNITURE SYSTEM ... 12
SUGGESTIONS ... 29
TERMS AND CONDITIONS OF SALE ... 31



C.I.T.É. is an office furniture system designed to facilitate collaboration and interaction between users in a teamwork environment. The system offers tremendous flexibility in creating open-plan workstations while also meeting the privacy needs of individual users.

1. 1½"-thick (38 mm) surface with smooth edgebanding or knife-edge, and 1"-thick (25 mm) surface with smooth edgebanding.
2. Bases available in metal, laminate, laminate with acrylic insert and, in certain models, integrated storage modules.
3. Wire management raceways with translucent acrylic (T, Y) covers.
4. Storage base modules can support surfaces and serve as divider panels to ensure privacy between users.
5. Hutches are available in 3 different versions, respectively compatible with single-sided surfaces, double-sided surfaces, and 29"-tall (757 mm) storage modules.
6. Storage modules 29" (757 mm) tall, for individual or shared use, offered in several combinations of utility drawers, filing drawers and open compartments.
7. Storage modules 21" (561 mm) tall, for individual or shared use, offered in several combinations of utility drawers, filing drawers and open compartments.
8. Return surfaces and return surfaces combined with storage modules are compatible with mobile pedestals, modesty panels and end screens.
9. Trapezoidal extension surfaces, compatible with double-sided surfaces and storage bases, enable the creation of collaborative work spaces.
10. Rectangular extension surfaces, compatible with double-sided surfaces, enable the creation of workstations or collaborative work spaces.
11. A range of accessories, such as end screens, divider panels, storage modules, accessory rails, surface electrical modules and cushions for 21"-tall (561 mm) storage modules.

= NOT PART OF THE QUICKSHIP PROGRAM

SURFACES: / SINGLE-SIDED - DOUBLE-SIDED - 120°, EXTENSION SURFACES AND RETURN SURFACES

SINGLE-SIDED, DOUBLE-SIDED, 120°, WITH OR WITHOUT RACEWAY

Rectangular surfaces, 1½" (38 mm)



120° surfaces, 1½" or 1" (38 mm or 25 mm)



Rectangular surfaces, 1" (25 mm)



Surfaces without raceway, 1½" or 1" (38 mm or 25 mm)



SINGLE-SIDED, DOUBLE-SIDED OR 120° SURFACES, WITH OR WITHOUT RACEWAY

- Wire management raceways come with acrylic covers.
- For 1 ½"-thick (38 mm) surfaces, a maximum length of 24' (7.2 m) for double-sided surfaces and 16' (4.8 m) for single-sided surfaces is recommended, regardless of the number of sections. For 1"-thick (25 mm) surfaces, a maximum length of 18' (5.4 m) for both double- and single-sided surfaces is recommended, regardless of the number of sections. For all other layout scenarios, please contact Groupe Lacasse's Quotations department.
- Surfaces that include a wire management raceway are equipped with communication plates: 2 for double-sided surfaces, 1 for single-sided surfaces, and 3 for 120° surfaces.
- Surfaces without a raceway are available when projected use does not require the integration of an electrical management system into the surface. This can result in more competitively priced workstations.
- Additional plates (LGC-COM) may be ordered.

Examples of workstations:



2 double-sided sections 96" W x 60" D (2400 mm x 1500 mm) allow for four 8' W (2400 mm) workstations.



3 double-sided sections 48" W x 54" D (1200 mm x 1350 mm) allow for six 4' W (1200 mm) workstations.



Two 120° sections 54" W x 60" D (1350 mm x 1500 mm) and one double-sided section 96" W x 60" D (2400 mm x 1500 mm) allow for 8 workstations, 6 of which are positioned at a 120° angle, while the other 2 are each 8' W (2400 mm).

X = NOT PART OF THE QUICKSHIP PROGRAM

SURFACES WITH KNIFE-EDGE:

Continuous knife-edge for connecting two surfaces:



Flat edgebanding along surface edges:



LOCATION OF KNIFE-EDGE DETAILING:

Double-sided surfaces:



C_KNS-RCD_ _ _ _ _



C_KNS-RCD_ _ _ _ _RA



C_KNS-RCD_ _ _ _ _A



C_KNS-RCD_ _ _ _ _B



C_KNS-RCD_ _ _ _ _RC



C_KNS-RCD_ _ _ _ _C

Single-sided surfaces:



C_KNS-RCS_ _ _ _ _



C_KNS-RCS_ _ _ _ _RAL



C_KNS-RCS_ _ _ _ _RAR



C_KNS-RCS_ _ _ _ _A

Return surfaces:



C_KN_-R_ _ _ _A



C_KNN-R_ _ _ _S



C_K_ _-R_ _ _ _ELUF
C_K_ _-R_ _ _ _ELF
C_K_ _-R_ _ _ _UF



C_K_ _-R_ _ _ _48ELUF
C_K_ _-R_ _ _ _48ELF
C_K_ _-R_ _ _ _48UF



C_K_ _-R_ _ _ _61ELUF
C_K_ _-R_ _ _ _61ELF
C_K_ _-R_ _ _ _61UF

Extension surfaces:



C_KN_-CEA_ _ _ _



C_KN_-CE_ _ _ _

Surfaces with knife-edge are compatible with all bases. Laminate bases with knife-edge are available with integrated surfaces that also have knife-edge (e.g.: C_KNS-RCD_ _ _ _ _RA).

Extension surfaces enable knife-edge on all edges visible along a workstation's contour.

EXTENSION SURFACES

Compatibility of extension surfaces:	Surface	Center panel base	Storage center base module	Storage center base module	Credenza 29⅞" (757 mm)
Trapezoidal extension 					
C_NN_-CEA_ _ _ _	C_NNS-RCD_ _ _ _ CNNNS-LED_ _ _ _	CNNNS-LED9042 CNNNS-LED8442	C_N_ _-PRCT_ _48_ _UF C_N_ _-PRCT_ _48_ _EFF C_N_ _-PRCT_ _48_ _FM	C_N_ _-CRC_ _41_ _EUF C_N_ _-CRC_ _41_ _EFF	C_N_ _-LUF_ _ _ _LUF C_N_ _-LF_ _ _ _LF C_N_N-S_ _ _ _S C_N_ _-_ _ _ _LUF C_N_ _-_ _ _ _LF C_N_N-_ _ _ _S
Rectangular extension 	**Surface** 				
C_NN_-CE_ _ _ _	C_NNS-RCD_ _ _ _ _				

TRAPEZOIDAL AND RECTANGULAR EXTENSIONS:

- Compatible with all double-sided surfaces.
- Enable the creation of a conference table or a meeting space, at one end of a work surface.
- Base included.
- Trapezoidal extension surfaces are also compatible with 41"-tall (1042 mm) center panel bases for double-sided surfaces; storage center bases for double-sided surfaces; and 29"-tall (757 mm) credenzas.

RETURN SURFACES

Return surfaces

29⅞" H
(757 mm)
C_NN_-R_ _ _ _A



29⅞" H
(757 mm)
C_NNN-R_ _ _ _S

Combination return surface and storage module



29⅞" H
(757 mm)
C_N_ _-R_ _ _ _ELUF
C_N_ _-R_ _ _ _ELF
C_N_ _-R_ _ _ _UF



48" H
(1207 mm)
C_NN_-R_ _ _ _48ELUF
C_NN_-R_ _ _ _48ELF
C_NN_-R_ _ _ _48UF



61" H
(1557 mm)
C_NN_-R_ _ _ _61ELUF
C_NN_-R_ _ _ _61ELF
C_NN_-R_ _ _ _61UF

Surfaces 1½"-thick (38 mm) with smooth edgebanding or knife-edge, and surfaces 1" (25 mm) thick with smooth edgebanding.

Examples of workstations:



This type of return surface can be combined with 29" (757 mm) storage modules, as well as with hutches, to create 61"-tall (1557 mm) partitions for dividing an open space into several distinct areas.

- Can receive a mobile pedestal.
- C_NNN-R_ _ _ _S and C_KNN-R_ _ _ _S return surfaces integrating a laminate base are equipped with a 6"-tall (150 mm) reversible modesty panel.



DRAWERS
OPEN AT THE END
C_N_ _-R_ _ _ _ELUF
C_N_ _-R_ _ _ _ELF



DRAWERS
OPEN ON THE SIDE
C_N_ _-R_ _ _ _UF

Return surfaces that combine a surface and a storage module are available with drawers located at the end of the surface, that open toward the end or onto the side.

- Return surfaces that combine a surface and a storage module are available in heights of 29" (757 mm), 48" (1207 mm) or 61" (1557 mm).

= NOT PART OF THE QUICKSHIP PROGRAM

STORAGE MODULES: / HUTCHES / BOOKCASES / RAILS

HUTCHES

Hutch models		Open	Sliding door(s)	Divider	Flip-up door(s)
Double-sided surfaces					
Single-sided surfaces					
29⅞" (757 mm) storage modules					

- Mid-rise back available in translucent acrylic (T, Y), except for divider hutches.
- A divider hutch can hold a tackboard.
- 32" (800 mm) tall.

Example of proper hutch positioning:

One side of the hutch must rest on either end of the surface.



SURFACE STORAGE MODULES

- Made of ⅝" (16 mm) laminate. Legs made of anodized aluminum, 4" (100 mm) tall.
- Laminate back, in translucent acrylic (T, Y) or in a whiteboard version for erasable markers. Can hold a tackboard.
- Enable a space to be divided up, and are designed to be placed above the wire management raceway.
- Height: 11" (285 mm), 18" (450 mm), 24" (610 mm) or 30" (762 mm).

Models:



Choice of back:



LAMINATE WHITEBOARD ACRYLIC

SURFACE COUNTERS

- Surface counter installs at the end or at the center of a double-sided surface.
- Counter height enables a space to be divided up and the creation of areas suitable for quick meetings.
- Made of 1"-thick (25 mm) laminate.
- Back made of translucent acrylic (T, Y) held by metal ties, Silver color (ARS).
- Height: 11" (285 mm) or 18" (450 mm).



ACCESSORY RAILS

- Accessory rails are available in single- or double-sided versions.
- Compatible with metal accessories.
- Enable the space between two workstations to be divided up.
- Designed to be positioned above the wire management raceway.
- Made of laminate, with aluminum rail and Silver finish.
- Height: 11" (285 mm).



SINGLE-SIDED DOUBLE-SIDED

= NOT PART OF THE QUICKSHIP PROGRAM

BASES: LATERAL / CENTER

LATERAL BASES

Compatibility of lateral bases:		**Montréal*** Metal	**Chicago**** Metal	**New York***** Acrylic / Laminate	**Panel** Laminate	**Storage module panel** Laminate	**Storage module** Laminate
Double-sided surface	C_NNS-RCD_ _ _ _ _ 	CNNN_-ABD_ _	CNNN_-QBD_ _	CNNNS-CBD_ _ _	CNNNS-LED_ _28 CNNNS-LED_ _41 	CNNNS-LED_ _06 CNNNS-LED_ _19 	C_N_S_N-EXR_ _29_ _ C_N_S_N-EXR_ _41_ _ 
120° surface	C_NNS-TCAD_ _ _ _ _ 	CNNN_-ABD_ _	CNNN_-QBD_ _	CNNNS-CBD_ _ _	CNNNS-LED_ _28	CNNNS-LED_ _06 	C_N_S-EXR_ _29_ _ C_N_S-EXR_ _41_ _ 
Single-sided surface	C_NNS-RCS_ _ _ _ _ 	CNNN_-ABS30_	CNNN_-QBS30	CNNNS-CBS_30	CNNNS-LES_ _28 CNNNS-LES_ _41		
Return surfaces	C_NN_-R_____ 	CNNN_-AB_ _					

Montréal* and ***Chicago***** **metal bases:**
- Available with Silver (S) or White (W) finish.
- 1 base required for each end of a table.
- Reversible for double-sided surfaces.
- Montréal base for single-sided surfaces is available in Left (L) or Right (R) models.

New York** **translucent acrylic base:**
- 1½"-thick (38 mm) laminate contour.
- Choice of translucent acrylic insert (T, Y).
- Also available with laminate insert.
- 5/16" (8 mm) spacers.
- 6"-wide (150 mm) laminate contour.
- 1 base required for each end of a table.
- Reversible.

Laminate panel bases:
- 1½"-thick (38 mm) laminate panel.
- 5/16" (8 mm) spacers.
- Cantilevers included with lateral panel bases.
- 1 base required for each end of a table.
- Panel bases on storage modules must entirely rest on a 21" (561 mm) storage module.
- Reversible for double-sided surfaces.

CENTER BASES

Compatibility of center bases:		**Wire management** Laminate	**Panel** Laminate	**Panel on storage module** Laminate
Double-sided surface	C_NNS-RCD_ _ _ _ _ 	CNNNS-LBD1212WM	CNNNS-LCD2828 CNNNS-LCD_ _41 	CNNNS-LCD2806 CNNNS-LCD_ _19 
Single-sided surface	C_NNS-RCS_ _ _ _ _ 	CNNNS-LBS912WM	CNNNS-LCS1728 CNNNS-LCS4641 	

Center bases:
- Center panel base version with minimum 13" (330 mm) clearance on either side for legs. Cantilevers and connecting plates included.
- Wire management base in laminate; simple- or double-sided. Cantilevers included.

= NOT PART OF THE QUICKSHIP PROGRAM

STORAGE BASE MODULES: / LATERAL / CENTER / OTHER LOW STORAGE MODULES

STORAGE BASE MODULES

Compatibility of storage base modules:

	Surface
Lateral:  C_N_ _-PRET_____	
C_N_ _-CRE_____	

	2 surfaces	Surface and extension
Center :  C_N_ _-PRCT_____		
C_N_ _-CRC_____		

- C_N_ _-PRET___ and C_N_ _-PRCT___ products are available in 2 versions: with drawers opening at the end of the module or with drawers opening on the side of the module.

Examples of workstations:



DRAWERS
OPENING AT THE END
C_N_ _-PRET___ et C_N_ _-PRCT___



DRAWERS
OPENING ON THE SIDE
C_N_ _-PRET___ et C_N_ _-PRCT___

Specifications:
Storage bases serve to support double-sided surfaces, divide a space between users, and make possible several storage combinations. Center models are used at the junction of two surface sections, while lateral models complete a workstation at the end of a bench run.

- Mid-rise back available in translucent acrylic (T, Y) for C_N_ _-PRET___ and C_N_ _-PRCT___ products.
- Cantilevers are included with all storage bases.
- Center models are also compatible with trapezoidal extension surfaces in order to create an area conducive to meetings.
- C_N_ _-CRE___ and C_N_ _-CRC___ products are equipped with a wire management raceway that enables electric cables to be run from the floor to the surface.

STORAGE MODULE

STORAGE UNIT 29⅞" (757 mm) OR
STORAGE UNIT 29⅜" (745 mm):



Storage module 21" (561 mm) :



STORAGE MODULES:
- Top thickness: 1½" (38 mm) or 1" (25 mm).
- Several drawer configurations available.
- Individual- or shared-use modules.
- Height: 21" (561 mm), 29⅞" (757 mm) or 29⅜" (745 mm).
- 29⅞"- (757 mm) or 29⅜"-tall (745 mm) storage modules may be joined to a double-sided surface, resting on the module back, using a set of surface support ties for storage modules (CNNNS-SURFCON). This set of supports must be ordered separately.

STORAGE MODULE 29⅞" (757 mm) OR 29⅜" (745 mm) ATTACHED TO A DOUBLE-SIDED SURFACE, USING A SET OF SURFACE SUPPORT TIES FOR STORAGE MODULES (CNNNS-SURFCON):

Example of a workstation:



ACCESSORIES: / PRIVACY, LATERAL AND SPACE END SCREENS / CUSHIONS

PRIVACY AND LATERAL SCREENS

- Lateral and center dividing screens are available in 1/4"-thick (6 mm) acrylic, in 3/8"-thick (10 mm) fabric or in 1/2"-thick (12 mm) felt to establish individual work spaces.
- Choice of colors for translucent acrylic, United Chair® fabrics, and felt.
- Height: 11" (285 mm) or 18" (450 mm).


DIVIDERS


LATERAL


PRIVACY, LATERAL AND SPACE END SCREENS

END SCREENS

- End dividing screens are available in 1/4"-thick (6 mm) acrylic, in 3/8"-thick (10 mm) fabric or in 1/2"-thick (12 mm) felt to establish individual work spaces, from the adjacent corridor to the surface.
- Choice of colors for translucent acrylic, United Chair® fabrics, and felt. (Refer to color chart.)
- Metallic base sold separately. Enables a felt end screen to be turned into a tackboard.
- Height: 18" (450 mm).


END


FELT END SCREENS

ACCESSORIES: / CUSHIONS

CUSHIONS:

- 21"-tall (561 mm) storage modules are compatible with all cushion models, except product CNNNN-CU1518, which is reserved for mobile pedestal CN_ _-MP1518F.
- 2"-thick (51 mm) foam.
- Choice of United Chair® fabrics.
- Comply with *Cal. 117* standard.



ELECTRICITY: / CHARACTERISTICS / ELECTRICAL POWER FEED

CHARACTERISTICS OF THE ELECTRICAL SYSTEM

- 4 wires, 2 circuits, 20 Amps each.
- 13 double electric power outlets per circuit. Maximum of 26 double outlets of 15 Amps per power source.
- Easy to adapt, install and reconfigure.
- UL-classified wiring system.
- Cradle-to-cradle compliance with RoHS standard, available upon request.
- For installation in wire management raceways.
- Functions in all regions except Chicago and New York.
- Manufactured wiring systems are not authorized in Chicago or New York.
- So simple: just 4 different kits deliver electrical power to all single-sided, double-sided or 120° work surfaces.

HOW TO SPECIFY:


RCST3196 with LGC-4TRAC296C1


RCDT6084 with LGC-4TRAC496C2



LGC-PASS36



LGC-PASS54

STEP 1
Determine the number of users.

STEP 2
Determine each user's electrical power needs (1 or 2 double outlets per workstation meet most needs). Choose one of the 4 kits available.

Each kit must be ordered according to the surface length and the number of double outlets required.

STEP 3
Determine whether 1 or 2 circuits are required, and order the number of kits needed. The kits are comprised of double outlets and cables. Each kit includes the hardware required to attach the cables to the wire management raceway.

STEP 4
Each added surface must be connected to the adjacent surface with connecting cable LGC-PASS36, except for those arrangements where a C_N_ _-CRC___ storage base is integrated between two surfaces; the latter must be connected with cable LGC-PASS54.

= NOT PART OF THE QUICKSHIP PROGRAM

ELECTRICAL INFEED

There are a number of ways for bringing electrical power to surfaces, namely from a power source located in the floor, in a wall or in the ceiling.

Infeed from ceiling:





Power feed is plugged at one end of the piece of furniture or at any point along the top of the raceway. To this end, a 120"-tall (3000 mm) column is supplied, with the appropriate hardware.

The cable is 132" (3353 mm) long, assuming the piece of furniture is 29⅞" (757 mm) tall and that the first double power outlet is located 18" (450 mm) from the surface edge.

A contact plate may be installed along the wire management raceway's aluminum rails, and it can accommodate up to 4 connections.

Adapters are included.

Examples of electrical specifications:

Rectangular surfaces:



Two double-sided surfaces 60" D x 96" W (1500 mm x 2400 mm) are connected to an electric power source by the sequence of components shown in the diagram above.

120° surfaces:



120° surfaces 54" D x 60" W (1350 mm x 1500 mm) are connected to an electric power source by the sequence of components shown in the diagram above.

Infeed from floor:









The installation of the electrical feed must be carried out by a professional electrician.

Cables for floor infeed are available in lengths of 60" (1524 mm) or 72" (1829 mm), assuming the piece of furniture is 29⅞" (757 mm) tall and that the first duplex is located 18" (450 mm) from the surface edge.

The center base with wire management raceway (CNNNS-LBD1212WM or CNNNS-LBS912WM) is equipped with a lockable door.

Power can be fed to: the end of the work surface; the center, thanks to the wire management raceway; the storage base equipped with a wire management raceway (C_N_ _-CRE___ and C_N_ _-CRC___); the base of the 120° surface; or from any location beneath the raceway, using FFEED23 products, when the power source is in the floor.

Each electrical panel can feed 2 circuits comprising a maximum of 26 double outlets (13 per circuit).

EDGEBANDING:
Automatically applied to the top and the sides.

N Edge



1" and 1½"
(25 mm and 38 mm)

N edgebanding matches the finish specified for the surface.

K Knife Edge



1½" (38 mm)

K knife-edge **available (in coordinated colors) ONLY when a wood grain or Snow (SNO) finish is specified for the surface.**

CODIFICATION

	Options			
Series	Thickness	Edgebanding	High-Gloss accent	Accent
C	**1** Thermofused laminate 1" (25 mm) **2** High-pressure laminate 1" (25 mm) **5** Thermofused laminate 1½" (38 mm) **6** High-pressure laminate 1½" (38 mm)	**N** Smooth edge **K** Knife-edge	**W** High-Gloss White	**S** Silver **W** White

METAL BASES:
S – Silver or **W** – White

Montréal Base

Chicago Base

LAMINATE OR LAMINATE/ ACRYLIC BASES:

New York Base

SCREENS / LATERAL SCREENS:

Acrylic

T – Translucent or
Y – Sky

Felt

Several colors available.

Fabric
Several fabrics available. Refer to United Chair®'s fabric swatch cards.

SCREEN SUPPORTS, HANDLE, SURFACE ELECTRICAL MODULE:
S – Silver or **W** – White

= NOT PART OF THE QUICKSHIP PROGRAM

Double-sided surfaces with raceway



Channel cover option, change T to: Y Sky, add $63.

96" to 84"

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Translucent acrylic channel covers. 2 LGC-COM included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 60 x 1	1800 x 1500 x 25	**C_NNS-RCDT6072**	**1,355**	**1,605**
60 x 60 x 1	1500 x 1500 x 25	**C_NNS-RCDT6060**	**1,200**	**1,455**
48 x 60 x 1	1200 x 1500 x 25	**C_NNS-RCDT6048**	**1,050**	**1,300**
72 x 54 x 1	1800 x 1350 x 25	**C_NNS-RCDT5472**	**1,285**	**1,550**
60 x 54 x 1	1500 x 1350 x 25	**C_NNS-RCDT5460**	**1,140**	**1,410**
48 x 54 x 1	1200 x 1350 x 25	**C_NNS-RCDT5448**	**995**	**1,260**

Specify the surface type (1, 2).

96 x 60 x 1½	2400 x 1500 x 38	**C_NNS-RCDT6096**	**2,025**	**2,430**
84 x 60 x 1½	2100 x 1500 x 38	**C_NNS-RCDT6084**	**1,840**	**2,200**
72 x 60 x 1½	1800 x 1500 x 38	**C_NNS-RCDT6072**	**1,660**	**1,995**
60 x 60 x 1½	1500 x 1500 x 38	**C_NNS-RCDT6060**	**1,490**	**1,785**
48 x 60 x 1½	1200 x 1500 x 38	**C_NNS-RCDT6048**	**1,340**	**1,615**
96 x 54 x 1½	2400 x 1350 x 38	**C_NNS-RCDT5496**	**1,975**	**2,370**
84 x 54 x 1½	2100 x 1350 x 38	**C_NNS-RCDT5484**	**1,795**	**2,155**
72 x 54 x 1½	1800 x 1350 x 38	**C_NNS-RCDT5472**	**1,620**	**1,940**
60 x 54 x 1½	1500 x 1350 x 38	**C_NNS-RCDT5460**	**1,455**	**1,745**
48 x 54 x 1½	1200 x 1350 x 38	**C_NNS-RCDT5448**	**1,315**	**1,570**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

96" to 84"

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 LGC-COM included. 1 tone only.

96 x 60 x 1½	2400 x 1500 x 38	**C_KNS-RCDT6096**	**2,300**	**2,580**
84 x 60 x 1½	2100 x 1500 x 38	**C_KNS-RCDT6084**	**2,155**	**2,390**
72 x 60 x 1½	1800 x 1500 x 38	**C_KNS-RCDT6072**	**1,965**	**2,160**
60 x 60 x 1½	1500 x 1500 x 38	**C_KNS-RCDT6060**	**1,815**	**1,970**
48 x 60 x 1½	1200 x 1500 x 38	**C_KNS-RCDT6048**	**1,670**	**1,780**
96 x 54 x 1½	2400 x 1350 x 38	**C_KNS-RCDT5496**	**2,210**	**2,485**
84 x 54 x 1½	2100 x 1350 x 38	**C_KNS-RCDT5484**	**2,070**	**2,305**
72 x 54 x 1½	1800 x 1350 x 38	**C_KNS-RCDT5472**	**1,890**	**2,090**
60 x 54 x 1½	1500 x 1350 x 38	**C_KNS-RCDT5460**	**1,750**	**1,910**
48 x 54 x 1½	1200 x 1350 x 38	**C_KNS-RCDT5448**	**1,610**	**1,730**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 full leg with knife edge included. 2 LGC-COM included. 1 tone only.

96 x 60 x 29⅞	2400 x 1500 x 757	**C_KNS-RCDT6096RA**	**2,865**	**3,265**
84 x 60 x 29⅞	2100 x 1500 x 757	**C_KNS-RCDT6084RA**	**2,720**	**3,075**
72 x 60 x 29⅞	1800 x 1500 x 757	**C_KNS-RCDT6072RA**	**2,575**	**2,880**
60 x 60 x 29⅞	1500 x 1500 x 757	**C_KNS-RCDT6060RA**	**2,425**	**2,685**
48 x 60 x 29⅞	1200 x 1500 x 757	**C_KNS-RCDT6048RA**	**2,280**	**2,490**
96 x 54 x 29⅞	2400 x 1350 x 757	**C_KNS-RCDT5496RA**	**2,810**	**3,170**
84 x 54 x 29⅞	2100 x 1350 x 757	**C_KNS-RCDT5484RA**	**2,665**	**2,985**
72 x 54 x 29⅞	1800 x 1350 x 757	**C_KNS-RCDT5472RA**	**2,525**	**2,800**
60 x 54 x 29⅞	1500 x 1350 x 757	**C_KNS-RCDT5460RA**	**2,385**	**2,620**
48 x 54 x 29⅞	1200 x 1350 x 757	**C_KNS-RCDT5448RA**	**2,240**	**2,435**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 full legs with knife edge included. 2 LGC-COM included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 29⅞	2400 x 1500 x 757	**C_KNS-RCDT6096A**	**3,570**	**3,965**
84 x 60 x 29⅞	2100 x 1500 x 757	**C_KNS-RCDT6084A**	**3,430**	**3,785**
72 x 60 x 29⅞	1800 x 1500 x 757	**C_KNS-RCDT6072A**	**3,295**	**3,605**
60 x 60 x 29⅞	1500 x 1500 x 757	**C_KNS-RCDT6060A**	**3,160**	**3,425**
48 x 60 x 29⅞	1200 x 1500 x 757	**C_KNS-RCDT6048A**	**3,025**	**3,240**
96 x 54 x 29⅞	2400 x 1350 x 757	**C_KNS-RCDT5496A**	**3,490**	**3,850**
84 x 54 x 29⅞	2100 x 1350 x 757	**C_KNS-RCDT5484A**	**3,360**	**3,675**
72 x 54 x 29⅞	1800 x 1350 x 757	**C_KNS-RCDT5472A**	**3,230**	**3,505**
60 x 54 x 29⅞	1500 x 1350 x 757	**C_KNS-RCDT5460A**	**3,095**	**3,335**
48 x 54 x 29⅞	1200 x 1350 x 757	**C_KNS-RCDT5448A**	**2,965**	**3,165**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 small leg with knife edge included to be supported by low storage module. 2 LGC-COM included. 1 tone only.

96 x 60 x 8	2400 x 1500 x 196	**C_KNS-RCDT6096RC**	**2,730**	**3,125**
84 x 60 x 8	2100 x 1500 x 196	**C_KNS-RCDT6084RC**	**2,585**	**2,935**
72 x 60 x 8	1800 x 1500 x 196	**C_KNS-RCDT6072RC**	**2,440**	**2,740**
60 x 60 x 8	1500 x 1500 x 196	**C_KNS-RCDT6060RC**	**2,295**	**2,550**
48 x 60 x 8	1200 x 1500 x 196	**C_KNS-RCDT6048RC**	**2,150**	**2,360**
96 x 54 x 8	2400 x 1350 x 196	**C_KNS-RCDT5496RC**	**2,685**	**3,035**
84 x 54 x 8	2100 x 1350 x 196	**C_KNS-RCDT5484RC**	**2,545**	**2,855**
72 x 54 x 8	1800 x 1350 x 196	**C_KNS-RCDT5472RC**	**2,405**	**2,675**
60 x 54 x 8	1500 x 1350 x 196	**C_KNS-RCDT5460RC**	**2,265**	**2,490**
48 x 54 x 8	1200 x 1350 x 196	**C_KNS-RCDT5448RC**	**2,125**	**2,310**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 small legs with knife edge included to be supported by low storage modules. 2 LGC-COM included. 1 tone only.

96 x 60 x 8	2400 x 1500 x 196	**C_KNS-RCDT6096C**	**3,410**	**3,815**
84 x 60 x 8	2100 x 1500 x 196	**C_KNS-RCDT6084C**	**3,275**	**3,630**
72 x 60 x 8	1800 x 1500 x 196	**C_KNS-RCDT6072C**	**3,135**	**3,445**
60 x 60 x 8	1500 x 1500 x 196	**C_KNS-RCDT6060C**	**2,995**	**3,260**
48 x 60 x 8	1200 x 1500 x 196	**C_KNS-RCDT6048C**	**2,860**	**3,080**
96 x 54 x 8	2400 x 1350 x 196	**C_KNS-RCDT5496C**	**3,350**	**3,710**
84 x 54 x 8	2100 x 1350 x 196	**C_KNS-RCDT5484C**	**3,215**	**3,535**
72 x 54 x 8	1800 x 1350 x 196	**C_KNS-RCDT5472C**	**3,085**	**3,360**
60 x 54 x 8	1500 x 1350 x 196	**C_KNS-RCDT5460C**	**2,950**	**3,190**
48 x 54 x 8	1200 x 1350 x 196	**C_KNS-RCDT5448C**	**2,815**	**3,015**

Specify the surface type (5, 6).

Double-sided surfaces with raceway and knife edge



Channel cover option, change T to: Y Sky, add $63.

Packaged in 2 boxes.

Double-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 full leg and 1 small leg with knife edge included to be supported by low storage module. 2 LGC-COM included. 1 tone only.

96 x 60 x 29⅞	2400 x 1500 x 757	**C_KNS-RCDT6096B**	**3,505**	**3,910**
84 x 60 x 29⅞	2100 x 1500 x 757	**C_KNS-RCDT6084B**	**3,365**	**3,725**
72 x 60 x 29⅞	1800 x 1500 x 757	**C_KNS-RCDT6072B**	**3,225**	**3,540**
60 x 60 x 29⅞	1500 x 1500 x 757	**C_KNS-RCDT6060B**	**3,090**	**3,355**
48 x 60 x 29⅞	1200 x 1500 x 757	**C_KNS-RCDT6048B**	**2,950**	**3,170**

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double-sided surfaces with raceway and knife edge (cont'd)	96 x 54 x 29 7/8	2400 x 1350 x 757	**C_KNS-RCDT5496B**	**3,430**	**3,795**
	84 x 54 x 29 7/8	2100 x 1350 x 757	**C_KNS-RCDT5484B**	**3,300**	**3,620**
	72 x 54 x 29 7/8	1800 x 1350 x 757	**C_KNS-RCDT5472B**	**3,165**	**3,445**
	60 x 54 x 29 7/8	1500 x 1350 x 757	**C_KNS-RCDT5460B**	**3,030**	**3,275**
	48 x 54 x 29 7/8	1200 x 1350 x 757	**C_KNS-RCDT5448B**	**2,900**	**3,100**
	Specify the surface type (5, 6).				

Double-sided surfaces without raceway



96" to 84"

Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 60 x 1	1800 x 1500 x 25	**C_NNN-RCD6072**	**1,175**	**1,575**
60 x 60 x 1	1500 x 1500 x 25	**C_NNN-RCD6060**	**970**	**1,315**
48 x 60 x 1	1200 x 1500 x 25	**C_NNN-RCD6048**	**765**	**1,035**
72 x 54 x 1	1800 x 1350 x 25	**C_NNN-RCD5472**	**1,105**	**1,500**
60 x 54 x 1	1500 x 1350 x 25	**C_NNN-RCD5460**	**1,030**	**1,255**
48 x 54 x 1	1200 x 1350 x 25	**C_NNN-RCD5448**	**955**	**995**
Specify the surface type (1, 2).				
96 x 60 x 1 1/2	2400 x 1500 x 38	**C_NNN-RCD6096**	**1,380**	**1,840**
84 x 60 x 1 1/2	2100 x 1500 x 38	**C_NNN-RCD6084**	**1,345**	**1,685**
72 x 60 x 1 1/2	1800 x 1500 x 38	**C_NNN-RCD6072**	**1,335**	**1,580**
60 x 60 x 1 1/2	1500 x 1500 x 38	**C_NNN-RCD6060**	**1,110**	**1,440**
48 x 60 x 1 1/2	1200 x 1500 x 38	**C_NNN-RCD6048**	**1,040**	**1,345**
96 x 54 x 1 1/2	2400 x 1350 x 38	**C_NNN-RCD5496**	**1,330**	**1,770**
84 x 54 x 1 1/2	2100 x 1350 x 38	**C_NNN-RCD5484**	**1,230**	**1,630**
72 x 54 x 1 1/2	1800 x 1350 x 38	**C_NNN-RCD5472**	**1,165**	**1,520**
60 x 54 x 1 1/2	1500 x 1350 x 38	**C_NNN-RCD5460**	**1,075**	**1,400**
48 x 54 x 1 1/2	1200 x 1350 x 38	**C_NNN-RCD5448**	**1,015**	**1,295**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



96" to 84"

Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 1 1/2	2400 x 1500 x 38	**C_KNN-RCD6096**	**1,745**	**2,180**
84 x 60 x 1 1/2	2100 x 1500 x 38	**C_KNN-RCD6084**	**1,620**	**2,000**
72 x 60 x 1 1/2	1800 x 1500 x 38	**C_KNN-RCD6072**	**1,495**	**1,820**
60 x 60 x 1 1/2	1500 x 1500 x 38	**C_KNN-RCD6060**	**1,370**	**1,640**
48 x 60 x 1 1/2	1200 x 1500 x 38	**C_KNN-RCD6048**	**1,245**	**1,460**
96 x 54 x 1 1/2	2400 x 1350 x 38	**C_KNN-RCD5496**	**1,670**	**2,055**
84 x 54 x 1 1/2	2100 x 1350 x 38	**C_KNN-RCD5484**	**1,550**	**1,890**
72 x 54 x 1 1/2	1800 x 1350 x 38	**C_KNN-RCD5472**	**1,435**	**1,725**
60 x 54 x 1 1/2	1500 x 1350 x 38	**C_KNN-RCD5460**	**1,315**	**1,560**
48 x 54 x 1 1/2	1200 x 1350 x 38	**C_KNN-RCD5448**	**1,200**	**1,395**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 1 full leg with knife edge included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 29 7/8	2400 x 1500 x 757	**C_KNS-RCD6096RA**	**2,550**	**2,985**
84 x 60 x 29 7/8	2100 x 1500 x 757	**C_KNS-RCD6084RA**	**2,430**	**2,810**
72 x 60 x 29 7/8	1800 x 1500 x 757	**C_KNS-RCD6072RA**	**2,310**	**2,635**
60 x 60 x 29 7/8	1500 x 1500 x 757	**C_KNS-RCD6060RA**	**2,190**	**2,465**
48 x 60 x 29 7/8	1200 x 1500 x 757	**C_KNS-RCD6048RA**	**2,070**	**2,290**
96 x 54 x 29 7/8	2400 x 1350 x 757	**C_KNS-RCD5496RA**	**2,445**	**2,830**
84 x 54 x 29 7/8	2100 x 1350 x 757	**C_KNS-RCD5484RA**	**2,330**	**2,670**
72 x 54 x 29 7/8	1800 x 1350 x 757	**C_KNS-RCD5472RA**	**2,220**	**2,510**
60 x 54 x 29 7/8	1500 x 1350 x 757	**C_KNS-RCD5460RA**	**2,110**	**2,350**
48 x 54 x 29 7/8	1200 x 1350 x 757	**C_KNS-RCD5448RA**	**1,995**	**2,190**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 2 full legs with knife edge included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 29 7/8	2400 x 1500 x 757	**C_KNS-RCD6096A**	**3,270**	**3,710**
84 x 60 x 29 7/8	2100 x 1500 x 757	**C_KNS-RCD6084A**	**3,150**	**3,535**
72 x 60 x 29 7/8	1800 x 1500 x 757	**C_KNS-RCD6072A**	**3,030**	**3,360**
60 x 60 x 29 7/8	1500 x 1500 x 757	**C_KNS-RCD6060A**	**2,910**	**3,185**
48 x 60 x 29 7/8	1200 x 1500 x 757	**C_KNS-RCD6048A**	**2,795**	**3,010**
96 x 54 x 29 7/8	2400 x 1350 x 757	**C_KNS-RCD5496A**	**3,140**	**3,525**
84 x 54 x 29 7/8	2100 x 1350 x 757	**C_KNS-RCD5484A**	**3,025**	**3,365**
72 x 54 x 29 7/8	1800 x 1350 x 757	**C_KNS-RCD5472A**	**2,915**	**3,205**
60 x 54 x 29 7/8	1500 x 1350 x 757	**C_KNS-RCD5460A**	**2,805**	**3,045**
48 x 54 x 29 7/8	1200 x 1350 x 757	**C_KNS-RCD5448A**	**2,690**	**2,885**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 1 small leg with knife edge included to be supported by low storage module. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 8	2400 x 1500 x 196	**C_KNS-RCD6096RC**	**2,445**	**2,885**
84 x 60 x 8	2100 x 1500 x 196	**C_KNS-RCD6084RC**	**2,330**	**2,710**
72 x 60 x 8	1800 x 1500 x 196	**C_KNS-RCD6072RC**	**2,210**	**2,535**
60 x 60 x 8	1500 x 1500 x 196	**C_KNS-RCD6060RC**	**2,090**	**2,360**
48 x 60 x 8	1200 x 1500 x 196	**C_KNS-RCD6048RC**	**1,970**	**2,190**
96 x 54 x 8	2400 x 1350 x 196	**C_KNS-RCD5496RC**	**2,355**	**2,740**
84 x 54 x 8	2100 x 1350 x 196	**C_KNS-RCD5484RC**	**2,240**	**2,605**
72 x 54 x 8	1800 x 1350 x 196	**C_KNS-RCD5472RC**	**2,130**	**2,465**
60 x 54 x 8	1500 x 1350 x 196	**C_KNS-RCD5460RC**	**2,020**	**2,325**
48 x 54 x 8	1200 x 1350 x 196	**C_KNS-RCD5448RC**	**1,905**	**2,190**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



96" to 72"

Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 2 small legs with knife edge included to be supported by low storage modules. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 8	2400 x 1500 x 196	**C_KNS-RCD6096C**	**3,070**	**3,505**
84 x 60 x 8	2100 x 1500 x 196	**C_KNS-RCD6084C**	**2,950**	**3,335**
72 x 60 x 8	1800 x 1500 x 196	**C_KNS-RCD6072C**	**2,830**	**3,160**
60 x 60 x 8	1500 x 1500 x 196	**C_KNS-RCD6060C**	**2,710**	**2,985**
48 x 60 x 8	1200 x 1500 x 196	**C_KNS-RCD6048C**	**2,590**	**2,810**
96 x 54 x 8	2400 x 1350 x 196	**C_KNS-RCD5496C**	**2,960**	**3,345**
84 x 54 x 8	2100 x 1350 x 196	**C_KNS-RCD5484C**	**2,845**	**3,185**
72 x 54 x 8	1800 x 1350 x 196	**C_KNS-RCD5472C**	**2,735**	**3,025**
60 x 54 x 8	1500 x 1350 x 196	**C_KNS-RCD5460C**	**2,625**	**2,865**
48 x 54 x 8	1200 x 1350 x 196	**C_KNS-RCD5448C**	**2,510**	**2,705**
Specify the surface type (5, 6).				

Double-sided knife edge surfaces without raceway



Packaged in 2 boxes.

Double-sided surfaces with 2 3/4" (70 mm) space for wires between surfaces. Knife edge. 1 full leg and 1 small leg with knife edge included to be supported by low storage module. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 60 x 29 7/8	2400 x 1500 x 757	**C_KNS-RCD6096B**	**3,170**	**3,605**
84 x 60 x 29 7/8	2100 x 1500 x 757	**C_KNS-RCD6084B**	**3,050**	**3,435**
72 x 60 x 29 7/8	1800 x 1500 x 757	**C_KNS-RCD6072B**	**2,930**	**3,260**
60 x 60 x 29 7/8	1500 x 1500 x 757	**C_KNS-RCD6060B**	**2,810**	**3,085**
48 x 60 x 29 7/8	1200 x 1500 x 757	**C_KNS-RCD6048B**	**2,690**	**2,910**
96 x 54 x 29 7/8	2400 x 1350 x 757	**C_KNS-RCD5496B**	**3,050**	**3,435**
84 x 54 x 29 7/8	2100 x 1350 x 757	**C_KNS-RCD5484B**	**2,935**	**3,275**
72 x 54 x 29 7/8	1800 x 1350 x 757	**C_KNS-RCD5472B**	**2,825**	**3,115**
60 x 54 x 29 7/8	1500 x 1350 x 757	**C_KNS-RCD5460B**	**2,715**	**2,955**
48 x 54 x 29 7/8	1200 x 1350 x 757	**C_KNS-RCD5448B**	**2,600**	**2,795**
Specify the surface type (5, 6).				

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
120-degree surfaces with raceway	*Surfaces with wire management raceway. Translucent acrylic channel covers. Wire management center base included. 3 LGC-COM included. 1 tone only.*				
	60 x 54 x 29 3/8	1500 x 1350 x 745	**C_NN_-TCADT5460**	**3,625**	**4,605**
	54 x 54 x 29 3/8	1350 x 1350 x 745	**C_NN_-TCADT5454**	**3,585**	**4,505**
	Specify the surface type (1, 2). Specify accent color (S, W).				
	60 x 54 x 29 7/8	1500 x 1350 x 757	**C_NN_-TCADT5460**	**4,050**	**5,075**
	54 x 54 x 29 7/8	1350 x 1350 x 757	**C_NN_-TCADT5454**	**3,985**	**4,950**
	Specify the surface type (5, 6). Specify accent color (S, W).				
120-degree surfaces without raceway	*Surfaces with 2 3/4" (70 mm) space for wires between surfaces. Wire management center base included. 1 tone only.*				
	60 x 54 x 29 3/8	1500 x 1350 x 745	**C_NN_-TCAD5460**	**2,625**	**3,790**
	54 x 54 x 29 3/8	1350 x 1350 x 745	**C_NN_-TCAD5454**	**2,595**	**3,715**
	Specify the surface type (1, 2). Specify accent color (S, W).				
	60 x 54 x 29 7/8	1500 x 1350 x 757	**C_NN_-TCAD5460**	**3,130**	**4,345**
	54 x 54 x 29 7/8	1350 x 1350 x 757	**C_NN_-TCAD5454**	**3,080**	**4,250**
	Specify the surface type (5, 6). Specify accent color (S, W).				
Single-sided surfaces with raceway	*Single-sided surfaces with wire management raceway. Translucent acrylic channel covers. 1 LGC-COM included. 1 tone only.*				
	72 x 31 x 29 3/8	1800 x 797 x 745	**C_NNS-RCST3172**	**1,090**	**1,285**
	60 x 31 x 29 3/8	1500 x 797 x 745	**C_NNS-RCST3160**	**1,000**	**1,185**
	48 x 31 x 29 3/8	1200 x 797 x 745	**C_NNS-RCST3148**	**900**	**1,070**
	Specify the surface type (1, 2).				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_NNS-RCST3196**	**1,360**	**1,630**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_NNS-RCST3184**	**1,215**	**1,455**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_NNS-RCST3172**	**1,115**	**1,335**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_NNS-RCST3160**	**1,025**	**1,225**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_NNS-RCST3148**	**935**	**1,120**
	Specify the surface type (5, 6).				
Single-sided knife edge surfaces with raceway	*Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 LGC-COM included. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNS-RCST3196**	**1,700**	**2,040**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNS-RCST3184**	**1,520**	**1,825**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNS-RCST3172**	**1,395**	**1,675**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNS-RCST3160**	**1,280**	**1,535**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNS-RCST3148**	**1,170**	**1,405**
	Specify the surface type (5, 6).				
Single-sided knife edge surfaces with raceway	*Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 1 full leg with knife edge included. 1 LGC-COM included. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNS-RCST3196RA_**	**2,050**	**2,460**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNS-RCST3184RA_**	**1,870**	**2,245**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNS-RCST3172RA_**	**1,745**	**2,095**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNS-RCST3160RA_**	**1,630**	**1,955**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNS-RCST3148RA_**	**1,520**	**1,825**
	Specify the surface type (5, 6). Choose left or right, add L or R at the end of the code.				

Channel cover option, change T to: Y Sky, add $85.

Packaged in 4 boxes.

Channel cover option, change T to: Y Sky, add $63.

96" to 84"

Packaged in 2 boxes.

Channel cover option, change T to: Y Sky, add $63.

96" to 84"

Packaged in 2 boxes.

Channel cover option, change T to: Y Sky, add $63.

96" to 72"

Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Single-sided knife edge surfaces with raceway	*Single-sided surfaces with wire management raceway. Knife edge. Translucent acrylic channel covers. 2 full legs with knife edge included. 1 LGC-COM included. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNS-RCST3196A**	**2,300**	**2,645**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNS-RCST3184A**	**2,120**	**2,440**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNS-RCST3172A**	**1,995**	**2,295**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNS-RCST3160A**	**1,880**	**2,160**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNS-RCST3148A**	**1,770**	**2,035**
	Specify the surface type (5, 6).				
Single-sided surfaces without raceway	*Single-sided surfaces with 2" (50 mm) space for wires on the surface. 1 tone only.*				
	72 x 31 x 29 3/8	1800 x 797 x 745	**C_NNN-RCS3172**	**715**	**890**
	60 x 31 x 29 3/8	1500 x 797 x 745	**C_NNN-RCS3160**	**670**	**815**
	48 x 31 x 29 3/8	1200 x 797 x 745	**C_NNN-RCS3148**	**625**	**745**
	Specify the surface type (1, 2).				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_NNN-RCS3196**	**1,250**	**1,480**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_NNN-RCS3184**	**1,120**	**1,320**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_NNN-RCS3172**	**990**	**1,160**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_NNN-RCS3160**	**860**	**1,005**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_NNN-RCS3148**	**730**	**845**
	Specify the surface type (5, 6).				
Single-sided knife edge surfaces without raceway	*Single-sided surfaces with 2" (50 mm) space for wires on the surface. Knife edge. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNN-RCS3196**	**1,360**	**1,575**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNN-RCS3184**	**1,235**	**1,425**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNN-RCS3172**	**1,115**	**1,275**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNN-RCS3160**	**1,005**	**1,130**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNN-RCS3148**	**880**	**980**
	Specify the surface type (5, 6).				
Single-sided knife edge surfaces without raceway	*Single-sided surfaces with 2" (50mm) space for wires on the surface. 1 full leg with knife edge included. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNS-RCS3196RA_**	**1,790**	**2,045**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNS-RCS3184RA_**	**1,670**	**1,895**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNS-RCS3172RA_**	**1,550**	**1,745**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNS-RCS3160RA_**	**1,430**	**1,595**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNS-RCS3148RA_**	**1,305**	**1,450**
	Specify the surface type (5, 6). Choose left or right, add L or R at the end of the code.				
Single-sided knife edge surfaces without raceway	*Single-sided surfaces with 2" (50 mm) space for wires on the surface. 2 full legs with knife edge included. 1 tone only.*				
	96 x 31 x 29 7/8	2400 x 797 x 757	**C_KNS-RCS3196A**	**2,285**	**2,515**
	84 x 31 x 29 7/8	2100 x 797 x 757	**C_KNS-RCS3184A**	**2,160**	**2,365**
	72 x 31 x 29 7/8	1800 x 797 x 757	**C_KNS-RCS3172A**	**2,035**	**2,215**
	60 x 31 x 29 7/8	1500 x 797 x 757	**C_KNS-RCS3160A**	**1,915**	**2,065**
	48 x 31 x 29 7/8	1200 x 797 x 757	**C_KNS-RCS3148A**	**1,790**	**1,915**
	Specify the surface type (5, 6).				

Channel cover option, change T to: Y Sky, add $63.

Packaged in 2 boxes.

96" to 84"

Packaged in 2 boxes.

96" à 84"

Packaged in 2 boxes.

96" to 72"

Packaged in 2 boxes.

Packaged in 2 boxes.

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

Return surfaces

Packaged in 3 boxes.

Rectangular return surfaces. Metal bases included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 3/8	1800 x 900 x 745	**C_NN_-R3672A**	**750**	**940**
60 x 36 x 29 3/8	1500 x 900 x 745	**C_NN_-R3660A**	**730**	**885**
48 x 36 x 29 3/8	1200 x 900 x 745	**C_NN_-R3648A**	**705**	**830**
72 x 30 x 29 3/8	1800 x 750 x 745	**C_NN_-R3072A**	**730**	**885**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_NN_-R3060A**	**710**	**840**
48 x 30 x 29 3/8	1200 x 750 x 745	**C_NN_-R3048A**	**690**	**790**
36 x 30 x 29 3/8	900 x 750 x 745	**C_NN_-R3036A**	**665**	**745**
72 x 24 x 29 3/8	1800 x 600 x 745	**C_NN_-R2472A**	**705**	**830**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_NN_-R2460A**	**690**	**795**
48 x 24 x 29 3/8	1200 x 600 x 745	**C_NN_-R2448A**	**670**	**755**
36 x 24 x 29 3/8	900 x 600 x 745	**C_NN_-R2436A**	**655**	**720**

Specify the surface type (1, 2). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_NN_-R3672A**	**835**	**1,035**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_NN_-R3660A**	**800**	**1,010**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_NN_-R3648A**	**760**	**890**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_NN_-R3072A**	**800**	**965**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_NN_-R3060A**	**770**	**960**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_NN_-R3048A**	**735**	**900**
36 x 30 x 29 7/8	900 x 750 x 757	**C_NN_-R3036A**	**705**	**785**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_NN_-R2472A**	**765**	**895**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_NN_-R2460A**	**740**	**850**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_NN_-R2448A**	**710**	**800**
36 x 24 x 29 7/8	900 x 600 x 757	**C_NN_-R2436A**	**685**	**750**

Specify the surface type (5, 6). Specify accent color (S, W).

Return surfaces, knife edge



Packaged in 3 boxes.

Rectangular return surfaces. Knife edge. Metal bases included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_KN_-R3672A**	**975**	**1,200**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_KN_-R3660A**	**940**	**1,130**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_KN_-R3648A**	**905**	**1,060**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_KN_-R3072A**	**940**	**1,070**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_KN_-R3060A**	**910**	**1,025**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_KN_-R3048A**	**880**	**995**
36 x 30 x 29 7/8	900 x 750 x 757	**C_KN_-R3036A**	**850**	**960**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_KN_-R2472A**	**910**	**1,065**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_KN_-R2460A**	**885**	**1,020**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_KN_-R2448A**	**860**	**970**
36 x 24 x 29 7/8	900 x 600 x 757	**C_KN_-R2436A**	**835**	**925**

Specify the surface type (5, 6). Specify accent color (S, W).

Return surfaces



Rectangular return surfaces. 6" small back. 1 full 1½" (38 mm) leg included. Reversible. Can accommodate 1 mobile pedestal CNNN_-MP1518F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 3/8	1800 x 900 x 745	**C_NNN-R3672S**	**650**	**860**
60 x 36 x 29 3/8	1500 x 900 x 745	**C_NNN-R3660S**	**615**	**790**
48 x 36 x 29 3/8	1200 x 900 x 745	**C_NNN-R3648S**	**575**	**715**
72 x 30 x 29 3/8	1800 x 750 x 745	**C_NNN-R3072S**	**610**	**785**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_NNN-R3060S**	**575**	**720**
48 x 30 x 29 3/8	1200 x 750 x 745	**C_NNN-R3048S**	**540**	**655**
36 x 30 x 29 3/8	900 x 750 x 745	**C_NNN-R3036S**	**505**	**595**
72 x 24 x 29 3/8	1800 x 600 x 745	**C_NNN-R2472S**	**565**	**705**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_NNN-R2460S**	**535**	**655**
48 x 24 x 29 3/8	1200 x 600 x 745	**C_NNN-R2448S**	**505**	**600**
36 x 24 x 29 3/8	900 x 600 x 745	**C_NNN-R2436S**	**475**	**545**

Specify the surface type (1, 2).

Return surfaces (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_NNN-R3672S**	**730**	**920**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_NNN-R3660S**	**660**	**835**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_NNN-R3648S**	**585**	**740**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_NNN-R3072S**	**635**	**830**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_NNN-R3060S**	**590**	**750**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_NNN-R3048S**	**545**	**675**
36 x 30 x 29 7/8	900 x 750 x 757	**C_NNN-R3036S**	**500**	**595**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_NNN-R2472S**	**580**	**735**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_NNN-R2460S**	**545**	**670**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_NNN-R2448S**	**505**	**610**
36 x 24 x 29 7/8	900 x 600 x 757	**C_NNN-R2436S**	**465**	**545**

Specify the surface type (5, 6).

Return surfaces, knife edge



Rectangular return surfaces. 6" (150 mm) small back. Knife edge. 1 full leg included. Reversible. Can accommodate 1 mobile pedestal CNNN_-MP1518F. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_KNN-R3672S**	**900**	**1,110**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_KNN-R3660S**	**855**	**1,025**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_KNN-R3648S**	**800**	**940**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_KNN-R3072S**	**845**	**1,020**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_KNN-R3060S**	**800**	**945**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_KNN-R3048S**	**755**	**875**
36 x 30 x 29 7/8	900 x 750 x 757	**C_KNN-R3036S**	**715**	**800**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_KNN-R2472S**	**790**	**930**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_KNN-R2460S**	**775**	**865**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_KNN-R2448S**	**760**	**805**
36 x 24 x 29 7/8	900 x 600 x 757	**C_KNN-R2436S**	**745**	**775**

Specify the surface type (5, 6).

Trapezoidal extension surfaces





Packaged in 2 or 3 boxes depending on the number of legs.

Trapezoidal extension surfaces. Must be installed at the end of a double-sided surface. Metal base included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 54 x 29 3/8	1500 x 1350 x 745	**C_NN_-CEA6054**	**935**	**1,170**
60 x 36 x 29 3/8	1500 x 900 x 745	**C_NN_-CEA6036**	**620**	**775**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_NN_-CEA6030**	**595**	**730**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_NN_-CEA6024**	**575**	**680**
54 x 54 x 29 3/8	1350 x 1350 x 745	**C_NN_-CEA5454**	**905**	**1,140**
54 x 36 x 29 3/8	1350 x 900 x 745	**C_NN_-CEA5436**	**595**	**750**
54 x 30 x 29 3/8	1350 x 750 x 745	**C_NN_-CEA5430**	**570**	**690**
54 x 24 x 29 3/8	1350 x 600 x 745	**C_NN_-CEA5424**	**550**	**650**

Specify the surface type (1, 2). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 54 x 29 7/8	1500 x 1350 x 757	**C_NN_-CEA6054**	**1,090**	**1,285**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_NN_-CEA6036**	**720**	**850**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_NN_-CEA6030**	**690**	**795**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_NN_-CEA6024**	**655**	**735**
54 x 54 x 29 7/8	1350 x 1350 x 757	**C_NN_-CEA5454**	**1,055**	**1,250**
54 x 36 x 29 7/8	1350 x 900 x 757	**C_NN_-CEA5436**	**690**	**820**
54 x 30 x 29 7/8	1350 x 750 x 757	**C_NN_-CEA5430**	**660**	**765**
54 x 24 x 29 7/8	1350 x 600 x 757	**C_NN_-CEA5424**	**620**	**695**

Specify the surface type (5, 6). Specify accent color (S, W).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Trapezoidal extension surfaces with knife edge





Packaged in 2 or 3 boxes depending on the number of legs.

Trapezoidal extension surfaces with knife edge. Must be installed at the end of a double-sided surface. Metal base included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 54 x 29 7/8	1500 x 1350 x 757	**C_KN_-CEA6054**	**1,170**	**1,405**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_KN_-CEA6036**	**845**	**1,005**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_KN_-CEA6030**	**815**	**950**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_KN_-CEA6024**	**785**	**895**
54 x 54 x 29 7/8	1350 x 1350 x 757	**C_KN_-CEA5454**	**1,135**	**1,270**
54 x 36 x 29 7/8	1350 x 900 x 757	**C_KN_-CEA5436**	**810**	**960**
54 x 30 x 29 7/8	1350 x 750 x 757	**C_KN_-CEA5430**	**780**	**910**
54 x 24 x 29 7/8	1350 x 600 x 757	**C_KN_-CEA5424**	**755**	**860**

Specify the surface type (5, 6). Specify accent color (S, W).

Rectangular extension surfaces



Packaged in 3 boxes.

Rectangular extension surfaces. Must be installed at the end of a double-sided surface. Metal base and laminate junction panel included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 36 x 29 3/8	1500 x 900 x 745	**C_NN_-CE6036**	**1,060**	**1,235**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_NN_-CE6030**	**1,040**	**1,190**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_NN_-CE6024**	**1,025**	**1,150**
54 x 36 x 29 3/8	1350 x 900 x 745	**C_NN_-CE5436**	**1,030**	**1,190**
54 x 30 x 29 3/8	1350 x 750 x 745	**C_NN_-CE5430**	**1,010**	**1,145**
54 x 24 x 29 3/8	1350 x 600 x 745	**C_NN_-CE5424**	**990**	**1,110**

Specify the surface type (1, 2). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 36 x 29 7/8	1500 x 900 x 757	**C_NN_-CE6036**	**1,135**	**1,310**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_NN_-CE6030**	**1,105**	**1,255**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_NN_-CE6024**	**1,075**	**1,200**
54 x 36 x 29 7/8	1350 x 900 x 757	**C_NN_-CE5436**	**1,105**	**1,265**
54 x 30 x 29 7/8	1350 x 750 x 757	**C_NN_-CE5430**	**1,075**	**1,205**
54 x 24 x 29 7/8	1350 x 600 x 757	**C_NN_-CE5424**	**1,040**	**1,160**

Specify the surface type (5, 6). Specify accent color (S, W).

Rectangular extension surfaces with knife edge



Packaged in 3 boxes.

Rectangular extension surfaces with knife edge. Must be installed at the end of a double-sided surface. Metal base and laminate junction panel included.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 36 x 29 7/8	1500 x 900 x 757	**C_KN_-CE6036**	**1,315**	**1,490**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_KN_-CE6030**	**1,285**	**1,440**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_KN_-CE6024**	**1,255**	**1,385**
54 x 36 x 29 7/8	1350 x 900 x 757	**C_KN_-CE5436**	**1,280**	**1,450**
54 x 30 x 29 7/8	1350 x 750 x 757	**C_KN_-CE5430**	**1,250**	**1,395**
54 x 24 x 29 7/8	1350 x 600 x 757	**C_KN_-CE5424**	**1,220**	**1,340**

Specify the surface type (5, 6). Specify accent color (S, W).

Return surface and storage module combos



High-Gloss White finish option for drawer fronts and back (W): add $159.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 3/8	1800 x 900 x 745	**C_N__-R3672ELUF**	**1,355**	**1,540**
60 x 36 x 29 3/8	1500 x 900 x 745	**C_N__-R3660ELUF**	**1,330**	**1,485**
48 x 36 x 29 3/8	1200 x 900 x 745	**C_N__-R3648ELUF**	**1,305**	**1,425**
72 x 30 x 29 3/8	1800 x 750 x 745	**C_N__-R3072ELUF**	**1,300**	**1,460**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_N__-R3060ELUF**	**1,280**	**1,410**
48 x 30 x 29 3/8	1200 x 750 x 745	**C_N__-R3048ELUF**	**1,260**	**1,365**
72 x 24 x 29 3/8	1800 x 600 x 745	**C_N__-R2472ELUF**	**1,250**	**1,375**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_N__-R2460ELUF**	**1,240**	**1,345**
48 x 24 x 29 3/8	1200 x 600 x 745	**C_N__-R2448ELUF**	**1,225**	**1,310**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_N__-R3672ELUF**	**1,465**	**1,665**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_N__-R3660ELUF**	**1,425**	**1,590**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_N__-R3648ELUF**	**1,385**	**1,520**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_N__-R3072ELUF**	**1,395**	**1,565**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_N__-R3060ELUF**	**1,350**	**1,505**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_N__-R3048ELUF**	**1,300**	**1,445**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_N__-R2472ELUF**	**1,335**	**1,465**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_N__-R2460ELUF**	**1,305**	**1,415**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_N__-R2448ELUF**	**1,280**	**1,370**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $159.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 34 x 29 7/8	1800 x 850 x 757	**C_K__-R3472ELUF**	**1,590**	**1,770**
60 x 34 x 29 7/8	1500 x 850 x 757	**C_K__-R3460ELUF**	**1,550**	**1,705**
48 x 34 x 29 7/8	1200 x 850 x 757	**C_K__-R3448ELUF**	**1,510**	**1,635**
72 x 28 x 29 7/8	1800 x 700 x 757	**C_K__-R2872ELUF**	**1,525**	**1,675**
60 x 28 x 29 7/8	1500 x 700 x 757	**C_K__-R2860ELUF**	**1,495**	**1,620**
48 x 28 x 29 7/8	1200 x 700 x 757	**C_K__-R2848ELUF**	**1,460**	**1,560**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos



High-Gloss White finish option for drawer fronts and back (W): add $159.

Packaged in 2 boxes.

2 file drawers with suspension bars. Drawers open at the end of the module. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 3/8	1800 x 900 x 745	**C_N__-R3672ELF**	**1,115**	**1,305**
60 x 36 x 29 3/8	1500 x 900 x 745	**C_N__-R3660ELF**	**1,095**	**1,250**
48 x 36 x 29 3/8	1200 x 900 x 745	**C_N__-R3648ELF**	**1,070**	**1,195**
72 x 30 x 29 3/8	1800 x 750 x 745	**C_N__-R3072ELF**	**1,120**	**1,275**
60 x 30 x 29 3/8	1500 x 750 x 745	**C_N__-R3060ELF**	**1,100**	**1,230**
48 x 30 x 29 3/8	1200 x 750 x 745	**C_N__-R3048ELF**	**1,080**	**1,185**
72 x 24 x 29 3/8	1800 x 600 x 745	**C_N__-R2472ELF**	**1,080**	**1,205**
60 x 24 x 29 3/8	1500 x 600 x 745	**C_N__-R2460ELF**	**1,065**	**1,170**
48 x 24 x 29 3/8	1200 x 600 x 745	**C_N__-R2448ELF**	**1,045**	**1,130**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29 7/8	1800 x 900 x 757	**C_N__-R3672ELF**	**1,270**	**1,470**
60 x 36 x 29 7/8	1500 x 900 x 757	**C_N__-R3660ELF**	**1,230**	**1,385**
48 x 36 x 29 7/8	1200 x 900 x 757	**C_N__-R3648ELF**	**1,190**	**1,280**
72 x 30 x 29 7/8	1800 x 750 x 757	**C_N__-R3072ELF**	**1,210**	**1,380**
60 x 30 x 29 7/8	1500 x 750 x 757	**C_N__-R3060ELF**	**1,180**	**1,320**
48 x 30 x 29 7/8	1200 x 750 x 757	**C_N__-R3048ELF**	**1,145**	**1,260**
72 x 24 x 29 7/8	1800 x 600 x 757	**C_N__-R2472ELF**	**1,160**	**1,290**
60 x 24 x 29 7/8	1500 x 600 x 757	**C_N__-R2460ELF**	**1,130**	**1,245**
48 x 24 x 29 7/8	1200 x 600 x 757	**C_N__-R2448ELF**	**1,105**	**1,195**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

Return surface and storage module combos with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $159.

Packaged in 2 boxes.

Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 34 x 29⅞	1800 x 850 x 757	**C_K__-R3472ELF**	**1,410**	**1,590**
60 x 34 x 29⅞	1500 x 850 x 757	**C_K__-R3460ELF**	**1,375**	**1,525**
48 x 34 x 29⅞	1200 x 850 x 757	**C_K__-R3448ELF**	**1,335**	**1,455**
72 x 28 x 29⅞	1800 x 700 x 757	**C_K__-R2872ELF**	**1,355**	**1,510**
60 x 28 x 29⅞	1500 x 700 x 757	**C_K__-R2860ELF**	**1,325**	**1,450**
48 x 28 x 29⅞	1200 x 700 x 757	**C_K__-R2848ELF**	**1,290**	**1,390**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos



High-Gloss White finish option for drawer fronts and back (W): add $159.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Pencil tray. Lock. Reversible.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29⅜	1800 x 900 x 745	**C_N__-R3672UF**	**1,315**	**1,505**
60 x 36 x 29⅜	1500 x 900 x 745	**C_N__-R3660UF**	**1,290**	**1,450**
48 x 36 x 29⅜	1200 x 900 x 745	**C_N__-R3648UF**	**1,265**	**1,395**
72 x 30 x 29⅜	1800 x 750 x 745	**C_N__-R3072UF**	**1,270**	**1,425**
60 x 30 x 29⅜	1500 x 750 x 745	**C_N__-R3060UF**	**1,250**	**1,380**
48 x 30 x 29⅜	1200 x 750 x 745	**C_N__-R3048UF**	**1,230**	**1,335**
72 x 24 x 29⅜	1800 x 600 x 745	**C_N__-R2472UF**	**1,220**	**1,345**
60 x 24 x 29⅜	1500 x 600 x 745	**C_N__-R2460UF**	**1,205**	**1,310**
48 x 24 x 29⅜	1200 x 600 x 745	**C_N__-R2448UF**	**1,185**	**1,270**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29⅞	1800 x 900 x 757	**C_N__-R3672UF**	**1,425**	**1,625**
60 x 36 x 29⅞	1500 x 900 x 757	**C_N__-R3660UF**	**1,385**	**1,555**
48 x 36 x 29⅞	1200 x 900 x 757	**C_N__-R3648UF**	**1,350**	**1,480**
72 x 30 x 29⅞	1800 x 750 x 757	**C_N__-R3072UF**	**1,365**	**1,530**
60 x 30 x 29⅞	1500 x 750 x 757	**C_N__-R3060UF**	**1,335**	**1,470**
48 x 30 x 29⅞	1200 x 750 x 757	**C_N__-R3048UF**	**1,300**	**1,410**
72 x 24 x 29⅞	1800 x 600 x 757	**C_N__-R2472UF**	**1,300**	**1,435**
60 x 24 x 29⅞	1500 x 600 x 757	**C_N__-R2460UF**	**1,275**	**1,385**
48 x 24 x 29⅞	1200 x 600 x 757	**C_N__-R2448UF**	**1,245**	**1,335**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos with knife edge



High-Gloss White finish option for drawer fronts and back (W) : add $159.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Pencil tray. Lock. Reversible.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 34 x 29⅞	1800 x 850 x 757	**C_K__-R3472UF**	**1,570**	**1,750**
60 x 34 x 29⅞	1500 x 850 x 757	**C_K__-R3460UF**	**1,530**	**1,685**
48 x 34 x 29⅞	1200 x 850 x 757	**C_K__-R3448UF**	**1,490**	**1,610**
72 x 28 x 29⅞	1800 x 700 x 757	**C_K__-R2872UF**	**1,505**	**1,655**
60 x 28 x 29⅞	1500 x 700 x 757	**C_K__-R2860UF**	**1,475**	**1,600**
48 x 28 x 29⅞	1200 x 700 x 757	**C_K__-R2848UF**	**1,440**	**1,540**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47	1800 x 900 x 1195	**C_N__-R367248ELUF**	**1,565**	**1,755**
60 x 36 x 47	1500 x 900 x 1195	**C_N__-R366048ELUF**	**1,540**	**1,700**
72 x 30 x 47	1800 x 750 x 1195	**C_N__-R307248ELUF**	**1,500**	**1,660**
60 x 30 x 47	1500 x 750 x 1195	**C_N__-R306048ELUF**	**1,480**	**1,610**
72 x 24 x 47	1800 x 600 x 1195	**C_N__-R247248ELUF**	**1,435**	**1,565**
60 x 24 x 47	1500 x 600 x 1195	**C_N__-R246048ELUF**	**1,420**	**1,525**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47½	1800 x 900 x 1207	**C_N__-R367248ELUF**	**1,685**	**1,890**
60 x 36 x 47½	1500 x 900 x 1207	**C_N__-R366048ELUF**	**1,645**	**1,815**
72 x 30 x 47½	1800 x 750 x 1207	**C_N__-R307248ELUF**	**1,605**	**1,775**
60 x 30 x 47½	1500 x 750 x 1207	**C_N__-R306048ELUF**	**1,570**	**1,710**
72 x 24 x 47½	1800 x 600 x 1207	**C_N__-R247248ELUF**	**1,525**	**1,660**
60 x 24 x 47½	1500 x 600 x 1207	**C_N__-R246048ELUF**	**1,500**	**1,610**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47½	1800 x 900 x 1207	**C_K__-R367248ELUF**	**1,810**	**2,005**
60 x 36 x 47½	1500 x 900 x 1207	**C_K__-R366048ELUF**	**1,770**	**1,930**
72 x 30 x 47½	1800 x 750 x 1207	**C_K__-R307248ELUF**	**1,730**	**1,895**
60 x 30 x 47½	1500 x 750 x 1207	**C_K__-R306048ELUF**	**1,695**	**1,830**
72 x 24 x 47½	1800 x 600 x 1207	**C_K__-R247248ELUF**	**1,660**	**1,785**
60 x 24 x 47½	1500 x 600 x 1207	**C_K__-R246048ELUF**	**1,630**	**1,735**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47	1800 x 900 x 1195	**C_N__-R367248ELF**	**1,495**	**1,690**
60 x 36 x 47	1500 x 900 x 1195	**C_N__-R366048ELF**	**1,470**	**1,630**
72 x 30 x 47	1800 x 750 x 1195	**C_N__-R307248ELF**	**1,430**	**1,590**
60 x 30 x 47	1500 x 750 x 1195	**C_N__-R306048ELF**	**1,410**	**1,540**
72 x 24 x 47	1800 x 600 x 1195	**C_N__-R247248ELF**	**1,365**	**1,495**
60 x 24 x 47	1500 x 600 x 1195	**C_N__-R246048ELF**	**1,350**	**1,455**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47½	1800 x 900 x 1207	**C_N__-R367248ELF**	**1,615**	**1,815**
60 x 36 x 47½	1500 x 900 x 1207	**C_N__-R366048ELF**	**1,575**	**1,745**
72 x 30 x 47½	1800 x 750 x 1207	**C_N__-R307248ELF**	**1,530**	**1,710**
60 x 30 x 47½	1500 x 750 x 1207	**C_N__-R306048ELF**	**1,500**	**1,640**
72 x 24 x 47½	1800 x 600 x 1207	**C_N__-R247248ELF**	**1,455**	**1,590**
60 x 24 x 47½	1500 x 600 x 1207	**C_N__-R246048ELF**	**1,425**	**1,540**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 48" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47½	1800 x 900 x 1207	**C_K__-R367248ELF**	**1,740**	**1,935**
60 x 36 x 47½	1500 x 900 x 1207	**C_K__-R366048ELF**	**1,700**	**1,865**
72 x 30 x 47½	1800 x 750 x 1207	**C_K__-R307248ELF**	**1,665**	**1,825**
60 x 30 x 47½	1500 x 750 x 1207	**C_K__-R306048ELF**	**1,630**	**1,765**
72 x 24 x 47½	1800 x 600 x 1207	**C_K__-R247248ELF**	**1,590**	**1,720**
60 x 24 x 47½	1500 x 600 x 1207	**C_K__-R246048ELF**	**1,560**	**1,670**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

= NOT PART OF THE QUICKSHIP PROGRAM

Return surface and storage module combos – 48" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 47	1800 x 900 x 1195	**C_N__-R367248UF_**	**1,615**	**1,795**
60 x 36 x 47	1500 x 900 x 1195	**C_N__-R366048UF_**	**1,590**	**1,740**
72 x 30 x 47	1800 x 750 x 1195	**C_N__-R307248UF_**	**1,550**	**1,705**
60 x 30 x 47	1500 x 750 x 1195	**C_N__-R306048UF_**	**1,530**	**1,660**
72 x 24 x 47	1800 x 600 x 1195	**C_N__-R247248UF_**	**1,490**	**1,615**
60 x 24 x 47	1500 x 600 x 1195	**C_N__-R246048UF_**	**1,475**	**1,575**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

72 x 36 x 47½	1800 x 900 x 1207	**C_N__-R367248UF_**	**1,730**	**1,925**
60 x 36 x 47½	1500 x 900 x 1207	**C_N__-R366048UF_**	**1,690**	**1,850**
72 x 30 x 47½	1800 x 750 x 1207	**C_N__-R307248UF_**	**1,655**	**1,815**
60 x 30 x 47½	1500 x 750 x 1207	**C_N__-R306048UF_**	**1,620**	**1,755**
72 x 24 x 47½	1800 x 600 x 1207	**C_N__-R247248UF_**	**1,575**	**1,705**
60 x 24 x 47½	1500 x 600 x 1207	**C_N__-R246048UF_**	**1,550**	**1,655**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

Return surface and storage module combos – 48" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil tray. Lock.

72 x 36 x 47½	1800 x 900 x 1207	**C_K__-R367248UF_**	**1,850**	**2,040**
60 x 36 x 47½	1500 x 900 x 1207	**C_K__-R366048UF_**	**1,810**	**1,965**
72 x 30 x 47½	1800 x 750 x 1207	**C_K__-R307248UF_**	**1,780**	**1,935**
60 x 30 x 47½	1500 x 750 x 1207	**C_K__-R306048UF_**	**1,745**	**1,875**
72 x 24 x 47½	1800 x 600 x 1207	**C_K__-R247248UF_**	**1,710**	**1,830**
60 x 24 x 47½	1500 x 600 x 1207	**C_K__-R246048UF_**	**1,680**	**1,780**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

Return surface and storage module combos – 61" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase and lift-up door above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 60¾	1800 x 900 x 1545	**C_N__-R367261ELUF**	**1,930**	**2,120**
60 x 36 x 60¾	1500 x 900 x 1545	**C_N__-R366061ELUF**	**1,905**	**2,065**
72 x 30 x 60¾	1800 x 750 x 1545	**C_N__-R307261ELUF**	**1,845**	**2,005**
60 x 30 x 60¾	1500 x 750 x 1545	**C_N__-R306061ELUF**	**1,825**	**1,960**
72 x 24 x 60¾	1800 x 600 x 1545	**C_N__-R247261ELUF**	**1,770**	**1,895**
60 x 24 x 60¾	1500 x 600 x 1545	**C_N__-R246061ELUF**	**1,750**	**1,855**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

72 x 36 x 61¼	1800 x 900 x 1557	**C_N__-R367261ELUF**	**2,055**	**2,255**
60 x 36 x 61¼	1500 x 900 x 1557	**C_N__-R366061ELUF**	**2,015**	**2,185**
72 x 30 x 61¼	1800 x 750 x 1557	**C_N__-R307261ELUF**	**1,955**	**2,125**
60 x 30 x 61¼	1500 x 750 x 1557	**C_N__-R306061ELUF**	**1,925**	**2,065**
72 x 24 x 61¼	1800 x 600 x 1557	**C_N__-R247261ELUF**	**1,860**	**1,995**
60 x 24 x 61¼	1500 x 600 x 1557	**C_N__-R246061ELUF**	**1,835**	**1,945**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Bookcase and lift-up door above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 61¼	1800 x 900 x 1557	**C_K__-R367261ELUF**	**2,160**	**2,355**
60 x 36 x 61¼	1500 x 900 x 1557	**C_K__-R366061ELUF**	**2,120**	**2,280**
72 x 30 x 61¼	1800 x 750 x 1557	**C_K__-R307261ELUF**	**2,065**	**2,230**
60 x 30 x 61¼	1500 x 750 x 1557	**C_K__-R306061ELUF**	**2,035**	**2,165**
72 x 24 x 61¼	1800 x 600 x 1557	**C_K__-R247261ELUF**	**1,980**	**2,105**
60 x 24 x 61¼	1500 x 600 x 1557	**C_K__-R246061ELUF**	**1,950**	**2,055**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase and lift-up door above surface. Lock.

72 x 36 x 60¾	1800 x 900 x 1545	**C_N__-R367261ELF**	**1,845**	**2,040**
60 x 36 x 60¾	1500 x 900 x 1545	**C_N__-R366061ELF**	**1,820**	**1,980**
72 x 30 x 60¾	1800 x 750 x 1545	**C_N__-R307261ELF**	**1,765**	**1,925**
60 x 30 x 60¾	1500 x 750 x 1545	**C_N__-R306061ELF**	**1,745**	**1,875**
72 x 24 x 60¾	1800 x 600 x 1545	**C_N__-R247261ELF**	**1,685**	**1,815**
60 x 24 x 60¾	1500 x 600 x 1545	**C_N__-R246061ELF**	**1,670**	**1,775**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

72 x 36 x 61¼	1800 x 900 x 1557	**C_N__-R367261ELF**	**1,970**	**2,175**
60 x 36 x 61¼	1500 x 900 x 1557	**C_N__-R366061ELF**	**1,930**	**2,100**
72 x 30 x 61¼	1800 x 750 x 1557	**C_N__-R307261ELF**	**1,870**	**2,040**
60 x 30 x 61¼	1500 x 750 x 1557	**C_N__-R306061ELF**	**1,840**	**1,980**
72 x 24 x 61¼	1800 x 600 x 1557	**C_N__-R247261ELF**	**1,780**	**1,915**
60 x 24 x 61¼	1500 x 600 x 1557	**C_N__-R246061ELF**	**1,750**	**1,865**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase and lift-up door above surface. Lock.

72 x 36 x 61¼	1800 x 900 x 1557	**C_K__-R367261ELF**	**2,080**	**2,275**
60 x 36 x 61¼	1500 x 900 x 1557	**C_K__-R366061ELF**	**2,040**	**2,200**
72 x 30 x 61¼	1800 x 750 x 1557	**C_K__-R307261ELF**	**1,990**	**2,150**
60 x 30 x 61¼	1500 x 750 x 1557	**C_K__-R306061ELF**	**1,955**	**2,085**
72 x 24 x 61¼	1800 x 600 x 1557	**C_K__-R247261ELF**	**1,900**	**2,025**
60 x 24 x 61¼	1500 x 600 x 1557	**C_K__-R246061ELF**	**1,870**	**1,975**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).

Return surface and storage module combos – 61" H



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase and lift-up door above surface. Pencil tray. Lock.

72 x 36 x 60¾	1800 x 900 x 1545	**C_N__-R367261UF_**	**1,925**	**2,110**
60 x 36 x 60¾	1500 x 900 x 1545	**C_N__-R366061UF_**	**1,905**	**2,055**
72 x 30 x 60¾	1800 x 750 x 1545	**C_N__-R307261UF_**	**1,850**	**2,000**
60 x 30 x 60¾	1500 x 750 x 1545	**C_N__-R306061UF_**	**1,825**	**1,955**
72 x 24 x 60¾	1800 x 600 x 1545	**C_N__-R247261UF_**	**1,770**	**1,895**
60 x 24 x 60¾	1500 x 600 x 1545	**C_N__-R246061UF_**	**1,755**	**1,855**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Return surface and storage module combos – 61" H (cont'd)	72 x 36 x 61¼	1800 x 900 x 1557	**C_N__-R367261UF_**	**2,050**	**2,245**
	60 x 36 x 61¼	1500 x 900 x 1557	**C_N__-R366061UF_**	**2,010**	**2,170**
	72 x 30 x 61¼	1800 x 750 x 1557	**C_N__-R307261UF_**	**1,955**	**2,115**
	60 x 30 x 61¼	1500 x 750 x 1557	**C_N__-R306061UF_**	**1,920**	**2,055**
	72 x 24 x 61¼	1800 x 600 x 1557	**C_N__-R247261UF_**	**1,865**	**1,995**
	60 x 24 x 61¼	1500 x 600 x 1557	**C_N__-R246061UF_**	**1,835**	**1,945**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

Return surface and storage module combos – 61" H with knife edge



High-Gloss White finish option for drawer fronts and back (W): add $212.

Packaged in 2 boxes.

Surface with knife edge. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase and lift-up door above surface. Pencil tray. Lock.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 61¼	1800 x 900 x 1557	**C_K__-R367261UF_**	**2,155**	**2,340**
60 x 36 x 61¼	1500 x 900 x 1557	**C_K__-R366061UF_**	**2,115**	**2,270**
72 x 30 x 61¼	1800 x 750 x 1557	**C_K__-R307261UF_**	**2,065**	**2,220**
60 x 30 x 61¼	1500 x 750 x 1557	**C_K__-R306061UF_**	**2,030**	**2,160**
72 x 24 x 61¼	1800 x 600 x 1557	**C_K__-R247261UF_**	**1,980**	**2,105**
60 x 24 x 61¼	1500 x 600 x 1557	**C_K__-R246061UF_**	**1,950**	**2,050**

Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.

NEW YORK double-sided laminate bases



1 end base, goes under double-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 6 x 28	1500 x 150 x 719	**CNNNS-CBDM60**	**930**	–
54 x 6 x 28	1350 x 150 x 719	**CNNNS-CBDM54**	**920**	–

NEW YORK double-sided combined bases



Insert option, change T to: Y Sky, add $128.

1 end base, goes under double-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 6 x 28	1500 x 150 x 719	**CNNNS-CBDT60**	**1,425**	–
54 x 6 x 28	1350 x 150 x 719	**CNNNS-CBDT54**	**1,405**	–

MONTRÉAL double-sided angled bases



Packaged in 3 boxes.

1 end base, goes under double-sided surfaces. Painted steel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 6 x 28	1500 x 150 x 719	**CNNN_-ABD60**	**900**	–
54 x 6 x 28	1350 x 150 x 719	**CNNN_-ABD54**	**865**	–

Specify accent color (S, W).

CHICAGO metal U-shaped double-sided bases



1 end base, goes under double-sided surfaces. Painted steel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 6 x 28	1500 x 150 x 719	**CNNN_-QBD60**	**850**	–
54 x 6 x 28	1350 x 150 x 719	**CNNN_-QBD54**	**815**	–

Specify accent color (S, W).

Double-sided end panel bases

90" base compatible with 60" surfaces.

84" base compatible with 54" surfaces.

Full 1½" (38 mm) thick end panel. Go under double-sided surfaces. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 1½ x 28	1500 x 38 x 719	**CNNNS-LED6028**	**405**	–
54 x 1½ x 28	1350 x 38 x 719	**CNNNS-LED5428**	**380**	–
90 x 1½ x 41	2250 x 38 x 1042	**CNNNS-LED9041**	**655**	–
84 x 1½ x 41	2100 x 38 x 1042	**CNNNS-LED8441**	**610**	–

Double-sided end panel bases to stack on low storage module

90" base compatible with 60" surfaces.

84" base compatible with 54" surfaces.

1½" (38 mm) thick end panel. Go under double-sided surfaces and stack on low storage module. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
60 x 1½ x 6¼	1500 x 38 x 158	**CNNNS-LED6006**	**310**	–
54 x 1½ x 6¼	1350 x 38 x 158	**CNNNS-LED5406**	**300**	–
90 x 1½ x 19	2250 x 38 x 481	**CNNNS-LED9019**	**505**	–
84 x 1½ x 19	2100 x 38 x 481	**CNNNS-LED8419**	**480**	–

Center base with wire management for double-sided surfaces



Goes under 2 double-sided surfaces. This base allows to connect electric cables to a floor outlet. Includes door with 110º hinges and a locked storage module. Include 2 cantilevers kits. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
12 x 12 x 28	300 x 300 x 719	**CNNNS-LBD1212WM**	**860**	–

Center panel bases for double-sided surfaces

90" base compatible with 60" surfaces.

84" base compatible with 54" surfaces.

Go at the junction of double-sided surfaces. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 1½ x 28	690 x 38 x 719	**CNNNS-LCD2828**	**525**	–
90 x 1½ x 41	2250 x 38 x 1042	**CNNNS-LCD9042**	**875**	–
84 x 1½ x 41	2100 x 38 x 1042	**CNNNS-LCD8442**	**850**	–

Center panel bases for double-sided surfaces to stack on low storage module

31" and 90" bases compatible with 60" surfaces.

28" and 84" bases compatible with 54" surfaces.

Go at the junction of double-sided surfaces. Stack on low storage module. Hardware included.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 12 x 6	705 x 305 x 158	**CNNNS-LCD2806**	**550**	–
31 x 12 x 6	781 x 305 x 158	**CNNNS-LCD3106**	**560**	–
90 x 1½ x 19	2250 x 38 x 481	**CNNNS-LCD9019**	**665**	–
84 x 1½ x 19	2100 x 38 x 481	**CNNNS-LCD8419**	**645**	–

NEW YORK single-sided laminate base



1 end base, goes under single-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
30 x 6 x 28	750 x 150 x 719	**CNNNS-CBSM30**	**820**	–

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
NEW YORK single-sided combined base	*1 end base, goes under single-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.*				
	30 x 6 x 28	750 x 150 x 719	**CNNNS-CBST30**	**1,090**	–



Insert option, change T to: Y Sky, add $85.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
MONTRÉAL single-sided angled metal base	*1 end base, goes under single-sided surfaces. Painted steel.*				
	30 x 6 x 28	750 x 150 x 719	**CNNN_-ABS30_**	**755**	–
	Specify accent color (S, W). Choose left or right, add L or R at the end of the code.				





Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
MONTRÉAL angled metal base	*Painted steel. Leg only, no beam.*				
	6 x 6 x 28	150 x 150 x 719	**CNNN_-AB**	**305**	–
	Specify accent color (S, W).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Chicago U-shaped single-sided metal base	*1 end base. Goes under single-sided surfaces. Painted steel.*				
	30 x 6 x 28	750 x 150 x 719	**CNNN_-QBS30**	**700**	–
	Specify accent color (S, W).				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Single-sided end panel bases	*Full 1½" (38 mm) thick end panel. To be used with single-sided surfaces. Hardware included.*				
	30 x 1½ x 28	750 x 38 x 719	**CNNNS-LES3028_**	**265**	–
	46 x 1½ x 41	1172 x 38 x 1042	**CNNNS-LES4641_**	**425**	–
	Choose left or right, add L or R at the end of the code.				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Center base with wire management for single-sided surfaces	*To be used at the junction of 2 single-sided surfaces. This base allows the connection of electric cables to a floor outlet. Includes door with 110º hinges and a lockable storage module. 6" (150 mm) recessed bottom. Includes 1 cantilever kit. 1 tone only.*				
	12 x 9 x 28	300 x 234 x 719	**CNNNS-LBS912WM**	**630**	–



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Center panel bases for single-sided surfaces	*1½" (38 mm) thick end panel. Go at the junction of single-sided surfaces. Hardware included.*				
	17 x 3 x 28	429 x 76 x 719	**CNNNS-LCS1728**	**380**	–
	46 x 1½ x 41	1172 x 38 x 1042	**CNNNS-LCS4641**	**535**	–



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End-base extensions with storage module	*To be used witth double-sided surfaces. Open bookcase.*				
	60 x 15 x 29⅜	1500 x 375 x 745	**C_NNS-EXR602915**	**840**	**910**
	54 x 15 x 29⅜	1350 x 375 x 745	**C_NNS-EXR542915**	**815**	**875**
	Specify the surface type (1, 2).				
	60 x 15 x 29⅞	1500 x 375 x 757	**C_NNS-EXR602915**	**890**	**960**
	54 x 15 x 29⅞	1350 x 375 x 757	**C_NNS-EXR542915**	**860**	**925**
	Specify the surface type (5, 6).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End-base extensions with storage module	*To be used witth double-sided surfaces. Bookcase with doors.*				
	60 x 15¾ x 29⅜	1500 x 393 x 745	**C_N_S-EXR602915P**	**1,245**	**1,305**
	54 x 15¾ x 29⅜	1350 x 393 x 745	**C_N_S-EXR542915P**	**1,200**	**1,255**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	60 x 15¾ x 29⅞	1500 x 393 x 757	**C_N_S-EXR602915P**	**1,280**	**1,340**
	54 x 15¾ x 29⅞	1350 x 393 x 757	**C_N_S-EXR542915P**	**1,230**	**1,290**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				

High-Gloss White finish option for doors (W): add $106.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End-base extensions with storage module	*To be used witth double-sided surfaces. Bookcase with sliding door.*				
	60 x 15¾ x 29⅜	1500 x 393 x 745	**C_N_S-EXR602915C**	**1,150**	**1,220**
	54 x 15¾ x 29⅜	1350 x 393 x 745	**C_N_S-EXR542915C**	**1,085**	**1,145**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	60 x 15¾ x 29⅞	1500 x 393 x 757	**C_N_S-EXR602915C**	**1,185**	**1,255**
	54 x 15¾ x 29⅞	1350 x 393 x 757	**C_N_S-EXR542915C**	**1,115**	**1,175**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				

High-Gloss White finish option for door (W): add $106.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End-base extensions with storage module – 41" H	*To be used witth double-sided surfaces. Open bookcase 10" (250 mm).*				
	60 x 15 x 41	1500 x 375 x 1042	**C_NNS-EXR604115**	**875**	**945**
	54 x 15 x 41	1350 x 375 x 1042	**C_NNS-EXR544115**	**830**	**890**
	Specify the surface type (1, 2).				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage end base modules for double-sided surfaces	*Storage end base modules. Support double-sided surfaces and divide space. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil trays. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).*				
	108 x 18 x 47½	2700 x 450 x 1207	**C_N__-PRET1084818UF**	**3,170**	**3,355**
	102 x 18 x 47½	2550 x 450 x 1207	**C_N__-PRET1024818UF**	**3,030**	**3,270**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).				

Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for drawer fronts and back (W): add $400.

Packaged in 3 boxes.



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage end base modules for double-sided surfaces	*Storage end base modules. Support double-sided surfaces and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).*				
	108 x 16 x 47½	2700 x 409 x 1207	**C_N__-PRET1084816EFF**	**2,955**	**3,185**
	102 x 16 x 47½	2550 x 409 x 1207	**C_N__-PRET1024816EFF**	**2,885**	**3,100**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).				

Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option (W): add 400$.

Packaged in 3 boxes.



= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)

Storage center base modules for double-sided surfaces

Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for drawer fronts and back (W): add $400.

Packaged in 3 boxes.

Go at the junction of double-sided surfaces. 2 box drawers and 1 file drawer with suspension bar. Drawers open on the side. Bookcase above surface. Pencil trays. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).



108 x 18 x 47½	2700 x 450 x 1207	**C_N__-PRCT1084818UF**	**3,345**	**3,605**
102 x 18 x 47½	2550 x 450 x 1207	**C_N__-PRCT1024818UF**	**3,265**	**3,510**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Storage center base modules for double-sided surfaces

Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option (W): add $400.

Packaged in 3 boxes.

Go at the junction of double-sided surfaces. 2 file drawers with suspension bars. Drawers open at the end of the module. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).



108 x 16 x 47½	2700 x 409 x 1207	**C_N__-PRCT1084816EFF**	**3,200**	**3,440**
102 x 16 x 47½	2550 x 409 x 1207	**C_N__-PRCT1024816EFF**	**3,120**	**3,345**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Storage center base modules for double-sided surfaces

Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for drawer fronts and back (W): add $400.

Packaged in 3 boxes.

Go at the junction of double-sided surfaces. 1 file drawer with suspension bar on each side. Drawers open on the sides. Bookcase above surface. Locks. 108"L (2700 mm) compatible with 60"D (1500 mm) surfaces and 102"L (2550 mm) compatible with 54"D (1350 mm).



108 x 18 x 47½	2700 x 450 x 1207	**C_N__-PRCT1084818FM**	**3,205**	**3,460**
102 x 18 x 47½	2550 x 450 x 1207	**C_N__-PRCT1024818FM**	**3,125**	**3,365**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces

High-Gloss White finish option (W): add $400.

Support double-sided surfaces and divide space. 2 box drawers and 1 file drawer with suspension bar. Drawers open at the end of the module. Open space. Integrated wire management. Pencil trays. Locks.



60 x 16 x 41	1500 x 409 x 1042	**C_N__-CRE604116EUF**	**2,385**	**2,455**
54 x 16 x 41	1350 x 409 x 1042	**C_N__-CRE544116EUF**	**2,325**	**2,390**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces

High-Gloss White finish option (W): add $400.

Support double-sided surfaces and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Open space. Integrated wire management. Locks.



60 x 16 x 41	1500 x 409 x 1042	**C_N__-CRE604116EFF**	**2,205**	**2,280**
54 x 16 x 41	1350 x 409 x 1042	**C_N__-CRE544116EFF**	**2,155**	**2,220**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces

High-Gloss White finish option (W): add $400.

Go at the junction of double-sided and divide space. 2 box drawer and 1 file drawers with suspension bar. Drawers open at the end of the module. Open space. Integrated wire management. Pencil trays. Locks.



60 x 16 x 41	1500 x 409 x 1042	**C_N__-CRC604116EUF**	**2,585**	**2,655**
54 x 16 x 41	1350 x 409 x 1042	**C_N__-CRC544116EUF**	**2,525**	**2,590**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

Pedestal bases for double-sided surfaces

High-Gloss White finish option (W): add $400.

Go at the junction of double-sided and divide space. 2 file drawers with suspension bars. Drawers open at the end of the module. Open space. Integrated wire management. Locks.



60 x 16 x 41	1500 x 409 x 1042	**C_N__-CRC604116EFF**	**2,405**	**2,480**
54 x 16 x 41	1350 x 409 x 1042	**C_N__-CRC544116EFF**	**2,350**	**2,415**

Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).

End of double-sided surface screens – 18" H

Insert option, change T to: Y Sky, add $63.

Acrylic screens with metal supports to go at the end of a double-sided surface.

60 x ¼ x 18	1500 x 6 x 450	**CNNN_-SCET6018**	**705**	–
54 x ¼ x 18	1350 x 6 x 450	**CNNN_-SCET5418**	**675**	–

Specify accent color (S, W).

End of double-sided surface screens – 18" H

Fabric screens with metal supports to go at the end of a double-sided surface. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.

60 x ½ x 18	1500 x 12 x 450	**CNNN_-SCEF6018**	**745**	–
54 x ½ x 18	1350 x 12 x 450	**CNNN_-SCEF5418**	**700**	–

Specify accent color (S, W). Specify the fabric code after the product code.

End of double-sided surface screens – 18" H



Felt screens with metal supports to go at the end of a double-sided surface.

60 x ½ x 18	1500 x 12 x 450	**CNNN_-SCEFF6018**	**705**	–
54 x ½ x 18	1350 x 12 x 450	**CNNN_-SCEFF5418**	**675**	–

Specify accent color (S, W). Specify the felt code after the product code.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End of single-sided surface screen – 18" H	*Acrylic screen with metal supports to go at the end of a single-sided surface.*				
	31 x 1/4 x 18	797 x 6 x 450	**CNNN_-SCET3118**	**670**	–
	Specify accent color (S, W).				



Insert option, change T to: Y Sky, add $63.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End of single-sided surface screen – 18" H	*Fabric screen with metal supports to go at the end of a single-sided surface. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.*				
	31 x 1/2 x 18	797 x 12 x 450	**CNNN_-SCEF3118**	**680**	–
	Specify accent color (S, W). Specify the fabric code after the product code.				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
End of single-sided surface screen – 18" H	*Felt screen with metal supports to go at the end of a double-sided surface.*				
	31 x 1/2 x 18	797 x 12 x 450	**CNNN_-SCEFF3118**	**670**	–
	Specify accent color (S, W). Specify the felt code after the product code.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy screens	*Acrylic translucent screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces*				
	48 x 1/4 x 18	1200 x 6 x 450	**CNNN_-SCT4818**	**465**	–
	36 x 1/4 x 18	900 x 6 x 450	**CNNN_-SCT3618**	**445**	–
	30 x 1/4 x 18	750 x 6 x 450	**CNNN_-SCT3018**	**420**	–
	24 x 1/4 x 18	600 x 6 x 450	**CNNN_-SCT2418**	**400**	–
	18 x 1/4 x 18	450 x 6 x 450	**CNNN_-SCT1818**	**370**	–
	48 x 1/4 x 11	1200 x 6 x 285	**CNNN_-SCT4811**	**410**	–
	36 x 1/4 x 11	900 x 6 x 285	**CNNN_-SCT3611**	**390**	–
	30 x 1/4 x 11	750 x 6 x 285	**CNNN_-SCT3011**	**360**	–
	24 x 1/4 x 11	600 x 6 x 285	**CNNN_-SCT2411**	**340**	–
	18 x 1/4 x 11	450 x 6 x 285	**CNNN_-SCT1811**	**315**	–
	Specify accent color (S, W).				



Insert option, change T to: Y Sky, add $63.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy screens	*Fabric screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.*				
	48 x 1/2 x 18	1200 x 12 x 450	**CNNN_-SCF4818**	**480**	–
	36 x 1/2 x 18	900 x 12 x 450	**CNNN_-SCF3618**	**460**	–
	30 x 1/2 x 18	750 x 12 x 450	**CNNN_-SCF3018**	**440**	–
	24 x 1/2 x 18	600 x 12 x 450	**CNNN_-SCF2418**	**415**	–
	18 x 1/2 x 18	450 x 12 x 450	**CNNN_-SCF1818**	**395**	–
	48 x 1/2 x 11	1200 x 12 x 285	**CNNN_-SCF4811**	**425**	–
	36 x 1/2 x 11	900 x 12 x 285	**CNNN_-SCF3611**	**405**	–
	30 x 1/2 x 11	750 x 12 x 285	**CNNN_-SCF3011**	**380**	–
	24 x 1/2 x 11	600 x 12 x 285	**CNNN_-SCF2411**	**355**	–
	18 x 1/2 x 11	450 x 12 x 285	**CNNN_-SCF1811**	**335**	–
	Specify accent color (S, W). Specify the fabric code after the product code.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy screens	*Felt screens supported by metal stabilizer feet in a painted finish. Divide face-to-face individual workspaces*				
	48 x 1/2 x 18	1200 x 12 x 450	**CNNN_-SCFF4818**	**465**	–
	36 x 1/2 x 18	900 x 12 x 450	**CNNN_-SCFF3618**	**445**	–
	30 x 1/2 x 18	750 x 12 x 450	**CNNN_-SCFF3018**	**420**	–
	24 x 1/2 x 18	600 x 12 x 450	**CNNN_-SCFF2418**	**400**	–
	18 x 1/2 x 18	450 x 12 x 450	**CNNN_-SCFF1818**	**370**	–

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy screens (cont'd)	48 x 1/2 x 11	1200 x 12 x 285	**CNNN_-SCFF4811**	**410**	–
	36 x 1/2 x 11	900 x 12 x 285	**CNNN_-SCFF3611**	**390**	–
	30 x 1/2 x 11	750 x 12 x 285	**CNNN_-SCFF3011**	**360**	–
	24 x 1/2 x 11	600 x 12 x 285	**CNNN_-SCFF2411**	**340**	–
	18 x 1/2 x 11	450 x 12 x 285	**CNNN_-SCFF1811**	**315**	–
	Specify accent color (S, W). Specify the felt code after the product code.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy lateral screens	*Acrylic translucent screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces.*				
	24 x 1/4 x 18	600 x 6 x 450	**CNNN_-SCCT2418**	**415**	–
	21 x 1/4 x 18	525 x 6 x 450	**CNNN_-SCCT2118**	**400**	–
	18 x 1/4 x 18	450 x 6 x 450	**CNNN_-SCCT1818**	**395**	–
	15 x 1/4 x 18	375 x 6 x 450	**CNNN_-SCCT1518**	**385**	–
	24 x 1/4 x 11	600 x 6 x 285	**CNNN_-SCCT2411**	**355**	–
	21 x 1/4 x 11	525 x 6 x 285	**CNNN_-SCCT2111**	**345**	–
	18 x 1/4 x 11	450 x 6 x 285	**CNNN_-SCCT1811**	**335**	–
	15 x 1/4 x 11	375 x 6 x 285	**CNNN_-SCCT1511**	**325**	–
	Specify accent color (S, W).				

Insert option, change T to: Y Sky, add $63.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy lateral screens	*Fabric screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.*				
	24 x 1/2 x 18	600 x 12 x 450	**CNNN_-SCCF2418**	**435**	–
	21 x 1/2 x 18	525 x 12 x 450	**CNNN_-SCCF2118**	**420**	–
	18 x 1/2 x 18	450 x 12 x 450	**CNNN_-SCCF1818**	**410**	–
	15 x 1/2 x 18	375 x 12 x 450	**CNNN_-SCCF1518**	**400**	–
	24 x 1/2 x 11	600 x 12 x 285	**CNNN_-SCCF2411**	**370**	–
	21 x 1/2 x 11	525 x 12 x 285	**CNNN_-SCCF2111**	**360**	–
	18 x 1/2 x 11	450 x 12 x 285	**CNNN_-SCCF1811**	**350**	–
	15 x 1/2 x 11	375 x 12 x 285	**CNNN_-SCCF1511**	**340**	–
	Specify accent color (S, W). Specify the fabric code after the product code.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy lateral screens	*Felt screens supported by metal stabilizer feet and clip in a painted finish. Divide side-to-side individual workspaces.*				
	24 x 1/2 x 18	600 x 12 x 450	**CNNN_-SCCFF2418**	**415**	–
	21 x 1/2 x 18	525 x 12 x 450	**CNNN_-SCCFF2118**	**400**	–
	18 x 1/2 x 18	450 x 12 x 450	**CNNN_-SCCFF1818**	**395**	–
	15 x 1/2 x 18	375 x 12 x 450	**CNNN_-SCCFF1518**	**385**	–
	24 x 1/2 x 11	600 x 12 x 285	**CNNN_-SCCFF2411**	**355**	–
	21 x 1/2 x 11	525 x 12 x 285	**CNNN_-SCCFF2111**	**345**	–
	18 x 1/2 x 11	450 x 12 x 285	**CNNN_-SCCFF1811**	**335**	–
	15 x 1/2 x 11	375 x 12 x 285	**CNNN_-SCCFF1511**	**325**	–
	Specify accent color (S, W). Specify the felt code after the product code.				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Add-on counters with off-centered back	*1" (25 mm) thick melamine, acrylic back. To be used at the end of double-sided surfaces.*				
	60 x 15 x 18	1500 x 375 x 450	**C_NNS-MCET601815**	**635**	**725**
	54 x 15 x 18	1350 x 375 x 450	**C_NNS-MCET541815**	**615**	**700**
	60 x 15 x 11	1500 x 375 x 285	**C_NNS-MCET601115**	**620**	**710**
	54 x 15 x 11	1350 x 375 x 285	**C_NNS-MCET541115**	**605**	**685**
	Specify the surface type (1, 2).				

Insert option, change T to: Y Sky, add $63.

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Add-on counters with centered back	*1" (25 mm) thick melamine, acrylic back. To be used on double-sided surfaces to divide space. 1 tone only.*				
	60 x 18 x 18	1500 x 450 x 450	**C_NNS-MCCT601818**	**650**	**755**
	54 x 18 x 18	1350 x 450 x 450	**C_NNS-MCCT541818**	**630**	**730**
	60 x 18 x 11	1500 x 450 x 285	**C_NNS-MCCT601118**	**635**	**740**
Insert option, change T to: Y Sky, add $63.	54 x 18 x 11	1350 x 450 x 285	**C_NNS-MCCT541118**	**615**	**715**
	Specify the surface type (1, 2).				
Double-sided accessory rails	*Silver aluminum finish and laminate ends. Allow accessories utilisation on both sides of a double-sided surface and create visual privacy. (Refer to Lacasse general price book for accessories). 1 tone only.*				
	72 x 13 x 11	1800 x 325 x 285	**CNNNS-RAD7211**	**875**	–
	66 x 13 x 11	1650 x 325 x 285	**CNNNS-RAD6611**	**850**	–
	60 x 13 x 11	1500 x 325 x 285	**CNNNS-RAD6011**	**820**	–
	54 x 13 x 11	1350 x 325 x 285	**CNNNS-RAD5411**	**800**	–
	48 x 13 x 11	1200 x 325 x 285	**CNNNS-RAD4811**	**775**	–
	42 x 13 x 11	1050 x 325 x 285	**CNNNS-RAD4211**	**755**	–
	36 x 13 x 11	900 x 325 x 285	**CNNNS-RAD3611**	**730**	–
	30 x 13 x 11	750 x 325 x 285	**CNNNS-RAD3011**	**705**	–
	24 x 13 x 11	600 x 325 x 285	**CNNNS-RAD2411**	**685**	–
Single-sided accessory rails	*Silver aluminum finish and laminate ends. Allow accessories utilisation on single-sided surfaces. (Refer to Lacasse general price book for accessories). 1 tone only.*				
	72 x 11 x 11	1800 x 285 x 285	**CNNNS-RAS7211**	**640**	–
	66 x 11 x 11	1650 x 285 x 285	**CNNNS-RAS6611**	**615**	–
	60 x 11 x 11	1500 x 285 x 285	**CNNNS-RAS6011**	**590**	–
	54 x 11 x 11	1350 x 285 x 285	**CNNNS-RAS5411**	**565**	–
	48 x 11 x 11	1200 x 285 x 285	**CNNNS-RAS4811**	**540**	–
	42 x 11 x 11	1050 x 285 x 285	**CNNNS-RAS4211**	**520**	–
	36 x 11 x 11	900 x 285 x 285	**CNNNS-RAS3611**	**500**	–
	30 x 11 x 11	750 x 285 x 285	**CNNNS-RAS3011**	**470**	–
	24 x 11 x 11	600 x 285 x 285	**CNNNS-RAS2411**	**450**	–
Surface height bookcases – 30" H	***Laminate back*** *Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.*				
	18 x 13 x 30	450 x 325 x 762	**CNNNS-EBM3018**	**560**	–
	White board on back *Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.*				
	18 x 13 x 30	450 x 325 x 762	**CNNNS-EBW3018**	**620**	–
Surface height bookcases – 30" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.*				
	18 x 13 x 30	450 x 325 x 762	**CNNNS-EBT3018**	**660**	–
Insert option, change T to: Y Sky, add $63.					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Surface height bookcases – 24" H	***Laminate back*** *Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.*				
	18 x 13 x 24	450 x 325 x 610	**CNNNS-EBM2418**	**550**	–
	White board on back *Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.*				
	18 x 13 x 24	450 x 325 x 610	**CNNNS-EBW2418**	**595**	–
Surface height bookcases – 24" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.*				
	18 x 13 x 24	450 x 325 x 610	**CNNNS-EBT2418**	**645**	–
Insert option, change T to: Y Sky, add $63.					
Surface height bookcases – 18" H	***Laminate back*** *Silver anodized aluminum feet. 1 tone only*				
	30 x 13 x 18	750 x 325 x 450	**CNNNS-EBM1830**	**560**	–
	24 x 13 x 18	600 x 325 x 450	**CNNNS-EBM1824**	**550**	–
	18 x 13 x 18	450 x 325 x 450	**CNNNS-EBM1818**	**535**	–
	White board on back *Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 18	750 x 325 x 450	**CNNNS-EBW1830**	**620**	–
	24 x 13 x 18	600 x 325 x 450	**CNNNS-EBW1824**	**595**	–
	18 x 13 x 18	450 x 325 x 450	**CNNNS-EBW1818**	**575**	–
Surface height bookcases – 18" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 18	750 x 325 x 450	**CNNNS-EBT1830**	**660**	–
	24 x 13 x 18	600 x 325 x 450	**CNNNS-EBT1824**	**645**	–
	18 x 13 x 18	450 x 325 x 450	**CNNNS-EBT1818**	**635**	–
Insert option, change T to: Y Sky, add $63.					
Surface height bookcases – 11" H	***Laminate back*** *Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 11	750 x 325 x 285	**CNNNS-EBM1130**	**525**	–
	24 x 13 x 11	600 x 325 x 285	**CNNNS-EBM1124**	**515**	–
	18 x 13 x 11	450 x 325 x 285	**CNNNS-EBM1118**	**505**	–
	White board on back *Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 11	750 x 325 x 285	**CNNNS-EBW1130**	**585**	–
	24 x 13 x 11	600 x 325 x 285	**CNNNS-EBW1124**	**555**	–
	18 x 13 x 11	450 x 325 x 285	**CNNNS-EBW1118**	**530**	–
Surface height bookcases – 11" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 11	750 x 325 x 285	**CNNNS-EBT1130**	**600**	–
	24 x 13 x 11	600 x 325 x 285	**CNNNS-EBT1124**	**590**	–
	18 x 13 x 11	450 x 325 x 285	**CNNNS-EBT1118**	**580**	–
Insert option, change T to: Y Sky, add $43.					

= NOT PART OF THE QUICKSHIP PROGRAM

Surface height pigeonholes



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Laminate back *Silver anodized aluminum feet. 1 tone only.*				
30 x 13 x 11	750 x 325 x 285	**CNNNS-DVM1130**	**555**	–
24 x 13 x 11	600 x 325 x 285	**CNNNS-DVM1124**	**540**	–
18 x 13 x 11	450 x 325 x 285	**CNNNS-DVM1118**	**530**	–
White board on back *Silver anodized aluminum feet. 1 tone only.*				
30 x 13 x 11	750 x 325 x 285	**CNNNS-DVW1130**	**595**	–
24 x 13 x 11	600 x 325 x 285	**CNNNS-DVW1124**	**575**	–
18 x 13 x 11	450 x 325 x 285	**CNNNS-DVW1118**	**540**	–

Surface height pigeonholes

Insert option, change T to: Y Sky, add $43.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.				
30 x 13 x 11	750 x 325 x 285	**CNNNS-DVT1130**	**620**	–
24 x 13 x 11	600 x 325 x 285	**CNNNS-DVT1124**	**595**	–
18 x 13 x 11	450 x 325 x 285	**CNNNS-DVT1118**	**575**	–

Open hutches for double-sided surfaces



Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for back (W): add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Clearance: 16¾" (425 mm). Open space on each side. Half-height centered acrylic back. Storage module back can receive a tackboard.				
84 x 14¾ x 32	2100 x 364 x 800	**CNN_S-EDT843215**	**1,425**	–
72 x 14¾ x 32	1800 x 364 x 800	**CNN_S-EDT723215**	**1,350**	–
60 x 14¾ x 32	1500 x 364 x 800	**CNN_S-EDT603215**	**1,285**	–
48 x 14¾ x 32	1200 x 364 x 800	**CNN_S-EDT483215**	**1,265**	–
42 x 14¾ x 32	1050 x 364 x 800	**CNN_S-EDT423215**	**1,130**	–

Specify the Gloss finish (W, N).

Sliding doors hutches for double-sided surfaces



Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for doors and back (W): add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Clearance: 16½" (412 mm). 1 sliding door on each side. Half-height centered acrylic back.				
84 x 16 x 32	2100 x 400 x 800	**CNN_S-EDT843216C**	**1,970**	–
72 x 16 x 32	1800 x 400 x 800	**CNN_S-EDT723216C**	**1,885**	–
60 x 16 x 32	1500 x 400 x 800	**CNN_S-EDT603216C**	**1,815**	–
48 x 16 x 32	1200 x 400 x 800	**CNN_S-EDT483216C**	**1,785**	–
42 x 16 x 32	1050 x 400 x 800	**CNN_S-EDT423216C**	**1,635**	–

Specify the Gloss finish (W, N).

Laminate dividers for double-sided surfaces



High-Gloss White finish option for back (W): add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Centered laminate back compatible with a tackboard.				
84 x 14¾ x 32	2100 x 364 x 800	**CNN_S-EDS843215**	**715**	–
72 x 14¾ x 32	1800 x 364 x 800	**CNN_S-EDS723215**	**700**	–
60 x 14¾ x 32	1500 x 364 x 800	**CNN_S-EDS603215**	**685**	–
48 x 14¾ x 32	1200 x 364 x 800	**CNN_S-EDS483215**	**675**	–
42 x 14¾ x 32	1050 x 364 x 800	**CNN_S-EDS423215**	**645**	–

Specify the Gloss finish (W, N).

Open hutches for single-sided surfaces



Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for back (W): add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Clearance: 16¾" (425 mm). Half-height acrylic back.				
84 x 15¼ x 32	2100 x 380 x 800	**CNN_S-EST843215**	**1,305**	–
72 x 15¼ x 32	1800 x 380 x 800	**CNN_S-EST723215**	**1,255**	–
60 x 15¼ x 32	1500 x 380 x 800	**CNN_S-EST603215**	**1,215**	–
48 x 15¼ x 32	1200 x 380 x 800	**CNN_S-EST483215**	**1,195**	–
42 x 15¼ x 32	1050 x 380 x 800	**CNN_S-EST423215**	**1,100**	–

Specify the Gloss finish (W, N).

Sliding door hutches for single-sided surfaces



Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for doors and back (W): add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Clearance: 16½" (412 mm). Half-height acrylic back. 1 sliding door.				
84 x 16 x 32	2100 x 400 x 800	**CNN_S-EST843216C**	**1,605**	–
72 x 16 x 32	1800 x 400 x 800	**CNN_S-EST723216C**	**1,555**	–
60 x 16 x 32	1500 x 400 x 800	**CNN_S-EST603216C**	**1,515**	–
48 x 16 x 32	1200 x 400 x 800	**CNN_S-EST483216C**	**1,485**	–
42 x 16 x 32	1050 x 400 x 800	**CNN_S-EST423216C**	**1,395**	–

Specify the Gloss finish (W, N).

Laminate dividers for single-sided surface



High-Gloss White finish option for back (W): add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Back can receive a tackboard.				
84 x 15¼ x 32	2100 x 380 x 800	**CNN_S-ESS843215**	**680**	–
72 x 15¼ x 32	1800 x 380 x 800	**CNN_S-ESS723215**	**660**	–
60 x 15¼ x 32	1500 x 380 x 800	**CNN_S-ESS603215**	**650**	–
48 x 15¼ x 32	1200 x 380 x 800	**CNN_S-ESS483215**	**640**	–
42 x 15¼ x 32	1050 x 380 x 800	**CNN_S-ESS423215**	**605**	–

Specify the Gloss finish (W, N).

Open hutches for storage module





Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for back (W): add $159.

90": 3 sections
72" to 42": 2 sections

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Clearance: 16¾" (425 mm). Half-height centered acrylic back.				
90 x 19¼ x 32	2250 x 480 x 800	**CNN_S-ET903220**	**1,175**	–
72 x 19¼ x 32	1800 x 480 x 800	**CNN_S-ET723220**	**1,025**	–
60 x 19¼ x 32	1500 x 480 x 800	**CNN_S-ET603220**	**975**	–
48 x 19¼ x 32	1200 x 480 x 800	**CNN_S-ET483220**	**920**	–
42 x 19¼ x 32	1050 x 480 x 800	**CNN_S-ET423220**	**870**	–

Specify the Gloss finish (W, N).

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hutches with lift-up doors for storage module	*Clearance: 16½" (412 mm). Lift-up doors with soft close. Half-height acrylic back.*				
	90 x 20 x 32	2250 x 500 x 800	**CNN_S-ET903220V**	**1,815**	–
	72 x 20 x 32	1800 x 500 x 800	**CNN_S-ET723220V**	**1,470**	–
	60 x 20 x 32	1500 x 500 x 800	**CNN_S-ET603220V**	**1,405**	–
	48 x 20 x 32	1200 x 500 x 800	**CNN_S-ET483220V**	**1,345**	–
	42 x 20 x 32	1050 x 500 x 800	**CNN_S-ET423220V**	**1,285**	–
	Specify the Gloss finish (W, N).				





Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for doors and back (W): add $212.

90": 3 sections
72" to 42": 2 sections

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Sliding door hutches for storage module	*Clearance: 16½" (412 mm). 1 sliding door. Half-height acrylic back.*				
	72 x 20 x 32	1800 x 500 x 800	**CNN_S-ET723220C**	**1,640**	–
	60 x 20 x 32	1500 x 500 x 800	**CNN_S-ET603220C**	**1,550**	–
	48 x 20 x 32	1200 x 500 x 800	**CNN_S-ET483220C**	**1,455**	–
	Specify the Gloss finish (W, N).				



Insert option, change T to: Y Sky, add $63.

High-Gloss White finish option for back (W): add $159.

72" to 42": 2 sections

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Laminate dividers for storage module	*Back can receive a tackboard.*				
	90 x 19¼ x 32	2250 x 480 x 800	**CNN_S-ES903220**	**720**	–
	72 x 19¼ x 32	1800 x 480 x 800	**CNN_S-ES723220**	**700**	–
	60 x 19¼ x 32	1500 x 480 x 800	**CNN_S-ES603220**	**685**	–
	48 x 19¼ x 32	1200 x 480 x 800	**CNN_S-ES483220**	**670**	–
	42 x 19¼ x 32	1050 x 480 x 800	**CNN_S-ES423220**	**640**	–
	Specify the Gloss finish (W, N).				



High-Gloss White finish option for back (W): add $106.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared storage modules, lateral files	*3 file drawers with suspension bars on both sides. Locks.*				
	90 x 20 x 29⅜	2250 x 500 x 745	**C_N__-DFM2090MF**	**3,040**	**3,385**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).				
	90 x 20 x 29⅞	2250 x 500 x 757	**C_N__-DFM2090MF**	**3,260**	**3,520**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).				



High-Gloss White finish option for drawer fronts and back (W): add $318.

Packaged in 4 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared storage modules, box and file drawers	*2 box drawers and 1 file drawer with suspension bar on both sides. Pencil trays. Locks.*				
	72 x 20 x 29⅜	1800 x 500 x 745	**C_N__-DLUF2072M**	**2,240**	**2,495**
	60 x 20 x 29⅜	1500 x 500 x 745	**C_N__-DLUF2060M**	**2,170**	**2,405**
	48 x 20 x 29⅜	1200 x 500 x 745	**C_N__-DLUF2048M**	**2,140**	**2,310**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).				
	72 x 20 x 29⅞	1800 x 500 x 757	**C_N__-DLUF2072M**	**2,385**	**2,845**
	60 x 20 x 29⅞	1500 x 500 x 757	**C_N__-DLUF2060M**	**2,305**	**2,730**
	48 x 20 x 29⅞	1200 x 500 x 757	**C_N__-DLUF2048M**	**2,235**	**2,675**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).				



High-Gloss White finish option for drawer fronts and back (W): add $212.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared storage modules, lateral files	*2 file drawers with suspension bars on both sides. Locks.*				
	72 x 20 x 29⅜	1800 x 500 x 745	**C_N__-DLF2072M**	**1,930**	**2,175**
	60 x 20 x 29⅜	1500 x 500 x 745	**C_N__-DLF2060M**	**1,865**	**2,085**
	48 x 20 x 29⅜	1200 x 500 x 745	**C_N__-DLF2048M**	**1,800**	**2,035**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W).				
	72 x 20 x 29⅞	1800 x 500 x 757	**C_N__-DLF2072M**	**2,030**	**2,440**
	60 x 20 x 29⅞	1500 x 500 x 757	**C_N__-DLF2060M**	**1,990**	**2,380**
	48 x 20 x 29⅞	1200 x 500 x 757	**C_N__-DLF2048M**	**1,945**	**2,340**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W).				



High-Gloss White finish option for drawer fronts and back (W): add $212.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared storage modules, box and file drawers – 21" H	*1 box drawer and 1 file drawer with suspension bar on both sides. 1 open space on each side. Adjustable shelves. Pencil trays. Locks. Can receive 1 or more cushions.*				
	90 x 20 x 21	2250 x 500 x 561	**C_N__-DUL209021MS**	**2,065**	**2,280**
	72 x 20 x 21	1800 x 500 x 561	**C_N__-DUL207221MS**	**1,885**	**2,015**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	90 x 20 x 21	2250 x 500 x 561	**C_N__-DUL209021MS**	**2,145**	**2,370**
	72 x 20 x 21	1800 x 500 x 561	**C_N__-DUL207221MS**	**1,910**	**2,125**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				



High-Gloss White finish option for drawer fronts and back (W): add $318.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared open bookcases – 21" H	*1 open space with back on each side. 1 open space without back. Adjustable shelves. Can receive 1 or more cushions.*				
	90 x 20 x 21	2250 x 500 x 561	**C_N_N-DS209021MS**	**1,195**	**1,380**
	72 x 20 x 21	1800 x 500 x 561	**C_N_N-DS207221MS**	**1,085**	**1,260**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	90 x 20 x 21	2250 x 500 x 561	**C_N_N-DS209021MS**	**1,280**	**1,455**
	72 x 20 x 21	1800 x 500 x 561	**C_N_N-DS207221MS**	**1,140**	**1,330**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				



High-Gloss White finish option for fronts (W): add $159.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared storage modules, box and file drawers – 21" H	*1 box drawer and 1 file drawer with suspension bar on both sides. Pencil trays. Locks. Can receive 1 or more cushions.*				
	60 x 20 x 21	1500 x 500 x 561	**C_N__-DUL206021M**	**1,765**	**1,840**
	48 x 20 x 21	1200 x 500 x 561	**C_N__-DUL204821M**	**1,705**	**1,765**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	60 x 20 x 21	1500 x 500 x 561	**C_N__-DUL206021M**	**1,845**	**1,955**
	48 x 20 x 21	1200 x 500 x 561	**C_N__-DUL204821M**	**1,755**	**1,865**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				



High-Gloss White finish option for drawer fronts and back (W): add $212.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared open bookcases – 21" H	*1 open space on both sides. Adjustables shelves. Can receive 1 or more cushions.*				
 High-Gloss White finish option for back (W): add $159.	60 x 20 x 21	1500 x 500 x 561	**C_N_N-DS206021M**	**845**	**1,045**
	48 x 20 x 21	1200 x 500 x 561	**C_N_N-DS204821M**	**825**	**985**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	60 x 20 x 21	1500 x 500 x 561	**C_N_N-DS206021M**	**905**	**1,095**
	48 x 20 x 21	1200 x 500 x 561	**C_N_N-DS204821M**	**860**	**1,030**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				
Lateral box and file storages	*6 box drawers and 3 file drawers with suspension bars. Pencil trays. Locks.*				
 High-Gloss White finish option for drawer fronts and back (W): add $318. Packaged in 4 boxes.	90 x 20 x 29 3/8	2250 x 500 x 745	**C_N__-LUF2090LUF**	**3,360**	**3,605**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	90 x 20 x 29 7/8	2250 x 500 x 757	**C_N__-LUF2090LUF**	**3,535**	**3,765**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				
Lateral file storages	*6 file drawers with suspension bars. Locks.*				
 High-Gloss White finish option for drawer fronts and back (W): add $318. Packaged in 4 boxes.	90 x 20 x 29 3/8	2250 x 500 x 745	**C_N__-LF2090LF**	**2,980**	**3,210**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	90 x 20 x 29 7/8	2250 x 500 x 757	**C_N__-LF2090LF**	**3,140**	**3,365**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				
Open bookcase storages	*Adjustable shelves.*				
	90 x 20 x 29 3/8	2250 x 500 x 745	**C_N_N-S2090S**	**1,195**	**1,380**
	72 x 20 x 29 3/8	1800 x 500 x 745	**C_N_N-S2072S**	**960**	**1,110**
	60 x 20 x 29 3/8	1500 x 500 x 745	**C_N_N-S2060S**	**910**	**1,050**
	48 x 20 x 29 3/8	1200 x 500 x 745	**C_N_N-S2048S**	**860**	**985**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
 High-Gloss White finish option for back (W): add $212.	90 x 20 x 29 7/8	2250 x 500 x 757	**C_N_N-S2090S**	**1,265**	**1,510**
	72 x 20 x 29 7/8	1800 x 500 x 757	**C_N_N-S2072S**	**1,015**	**1,225**
	60 x 20 x 29 7/8	1500 x 500 x 757	**C_N_N-S2060S**	**950**	**1,145**
	48 x 20 x 29 7/8	1200 x 500 x 757	**C_N_N-S2048S**	**900**	**1,075**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				
Lateral box and file storages	*4 box drawers and 2 file drawers with suspension bars. Pencil trays. Locks. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).*				
 High-Gloss White finish option for drawer fronts and back (W): add $212.	72 x 20 x 29 3/8	1800 x 500 x 745	**C_N__-LUF2072LUF**	**2,080**	**2,460**
	60 x 20 x 29 3/8	1500 x 500 x 745	**C_N__-LUF2060LUF**	**2,010**	**2,365**
	48 x 20 x 29 3/8	1200 x 500 x 745	**C_N__-LUF2048LUF**	**1,915**	**2,270**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	72 x 20 x 29 7/8	1800 x 500 x 757	**C_N__-LUF2072LUF**	**2,190**	**2,555**
	60 x 20 x 29 7/8	1500 x 500 x 757	**C_N__-LUF2060LUF**	**2,110**	**2,495**
	48 x 20 x 29 7/8	1200 x 500 x 757	**C_N__-LUF2048LUF**	**2,000**	**2,405**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral file storages	*4 file drawers with suspension bars. Locks. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).*				
 High-Gloss White finish option for drawer fronts and back (W): add $212.	72 x 20 x 29 3/8	1800 x 500 x 745	**C_N__-LF2072LF**	**1,785**	**2,015**
	60 x 20 x 29 3/8	1500 x 500 x 745	**C_N__-LF2060LF**	**1,710**	**1,920**
	48 x 20 x 29 3/8	1200 x 500 x 745	**C_N__-LF2048LF**	**1,630**	**1,820**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	72 x 20 x 29 7/8	1800 x 500 x 757	**C_N__-LF2072LF**	**1,960**	**2,190**
	60 x 20 x 29 7/8	1500 x 500 x 757	**C_N__-LF2060LF**	**1,870**	**2,075**
	48 x 20 x 29 7/8	1200 x 500 x 757	**C_N__-LF2048LF**	**1,760**	**2,110**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				
Lateral box and file storages	*2 box drawers and 1 file drawer with suspension bar. Pencil tray. Lock. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).*				
High-Gloss White finish option for drawer fronts and back (W): add $159.	36 x 20 x 29 3/8	900 x 500 x 745	**C_N__-2036LUF**	**1,135**	**1,305**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_N__-2036LUF**	**1,170**	**1,415**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				
Lateral file storages	*2 file drawers with suspension bars. Lock. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).*				
High-Gloss White finish option for drawer fronts and back (W): add $159.	36 x 20 x 29 3/8	900 x 500 x 745	**C_N__-2036LF**	**1,085**	**1,235**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_N__-2036LF**	**1,115**	**1,335**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				
Open bookcase storages	*Adjustable shelf.*				
High-Gloss White finish option for back (W): add $106.	36 x 20 x 29 3/8	900 x 500 x 745	**C_N_N-2036S**	**685**	**755**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_N_N-2036S**	**775**	**930**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				
Lateral box and file storages – 21" H	*3 box drawers and 3 file drawers with suspension bars. Pencil trays. Locks. Can receive 1 or more cushions.*				
 High-Gloss White finish option for drawer fronts and back (W): add $318.	90 x 20 x 21	2250 x 500 x 561	**C_N__-UL209021UL**	**2,370**	**2,595**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	90 x 20 x 21	2250 x 500 x 561	**C_N__-UL209021UL**	**2,480**	**2,715**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral box and file with open space storages – 21" H	*2 box drawers and 2 file drawers with suspension bars. 1 open space with adjustable shelf. Pencil trays. Locks. Can receive 1 or more cushions.*				
	90 x 20 x 21	2250 x 500 x 561	**C_N__-UL209021ULS_**	**1,940**	**2,070**
	72 x 20 x 21	1800 x 500 x 561	**C_N__-UL207221ULS_**	**1,845**	**1,945**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S). Choose left or right, add L or R at the end of the code.				
	90 x 20 x 21	2250 x 500 x 561	**C_N__-UL209021ULS_**	**2,000**	**2,135**
	72 x 20 x 21	1800 x 500 x 561	**C_N__-UL207221ULS_**	**1,890**	**2,000**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S). Choose left or right, add L or R at the end of the code.				





High-Gloss White finish option for drawer fronts and back (W): add $318.

Open bookcase storages – 21" H	*Adjustable shelves. Can receive 1 or more cushions.*				
	90 x 20 x 21	2250 x 500 x 561	**C_N_N-S209021S**	**1,115**	**1,250**
	72 x 20 x 21	1800 x 500 x 561	**C_N_N-S207221S**	**895**	**1,000**
	60 x 20 x 21	1500 x 500 x 561	**C_N_N-S206021S**	**840**	**930**
	48 x 20 x 21	1200 x 500 x 561	**C_N_N-S204821S**	**785**	**855**
	36 x 20 x 21	900 x 500 x 561	**C_N_N-S203621S**	**730**	**780**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N).				
	90 x 20 x 21	2250 x 500 x 561	**C_N_N-S209021S**	**1,180**	**1,320**
	72 x 20 x 21	1800 x 500 x 561	**C_N_N-S207221S**	**945**	**1,055**
	60 x 20 x 21	1500 x 500 x 561	**C_N_N-S206021S**	**880**	**975**
	48 x 20 x 21	1200 x 500 x 561	**C_N_N-S204821S**	**820**	**895**
	36 x 20 x 21	900 x 500 x 561	**C_N_N-S203621S**	**755**	**810**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N).				





High-Gloss White finish option for back (W): add $159.

Lateral box and file storages – 21" H	*2 box drawers and 2 file drawers with suspension bars. Pencil trays. Locks. Can receive 1 or more cushions. Optionnal counterweight to meet BIFMA standards (See general Lacasse price book).*				
	60 x 20 x 22	1500 x 500 x 561	**C_N__-UL206021UL**	**1,710**	**1,860**
	48 x 20 x 22	1200 x 500 x 561	**C_N__-UL204821UL**	**1,635**	**1,765**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (W, S).				
	60 x 20 x 22	1500 x 500 x 561	**C_N__-UL206021UL**	**1,780**	**1,940**
	48 x 20 x 22	1200 x 500 x 561	**C_N__-UL204821UL**	**1,695**	**1,835**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (W, S).				



High-Gloss White finish option for drawer fronts and back (W): add $212.

Lateral box and file with open space storages – 21" H	*1 box drawer and 1 file drawer with suspension bar. 1 open space with adjustable shelf. Pencil tray. Lock. Can receive 1 or more cushions.*				
	60 x 20 x 21	1500 x 500 x 561	**C_N__-UL206021S_**	**1,275**	**1,420**
	48 x 20 x 21	1200 x 500 x 561	**C_N__-UL204821S_**	**1,205**	**1,325**
	Specify the surface type (1, 2). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.				
	60 x 20 x 21	1500 x 500 x 561	**C_N__-UL206021S_**	**1,345**	**1,495**
	48 x 20 x 21	1200 x 500 x 561	**C_N__-UL204821S_**	**1,265**	**1,390**
	Specify the surface type (5, 6). Specify the Gloss finish (W, N). Specify accent color (S, W). Choose left or right, add L or R at the end of the code.				





High-Gloss White finish option for drawer fronts and back (W): add $159.

Mobile pedestal – 20" H	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Lock. Brakes on front casters. Fits under a work surface. Can accommodate 1 cushion.*				
	15 x 18 x 20	388 x 450 x 508	**CNN__-MP1518F**	**900**	–
	Specify the Gloss finish (W, N). Specify accent color (W, S).				

High-Gloss White finish option for drawer fronts (W): add $53.

ELECTRIFICATION

	Code	Price ($)
Electrical table kit	*4 duplex receptacles with cables. Black. Compatible with surfaces 96"/84"/72" W. (2400 mm/2100 mm/1828 mm).*	
	LGC-4TRAC496C_	**425**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cable. Black. Compatible with surfaces 96"/84" W. (2400 mm/1800 mm).*	
	LGC-4TRAC296C_	**250**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cable. Black. Compatible with surfaces 72" W. (1828 mm).*	
	LGC-4TRAC272C_	**240**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cable. Black. Compatible with surfaces 60"/48" W. (1524 mm/1200 mm).*	
	LGC-4TRAC260C_	**230**
	Specify circuit number at the end of the code (1, 2).	
Pass cables	*Connects 2 adjacents surfaces.*	
	LGC-PASS54	**145**
	LGC-PASS36	**130**
Electrical floor feed	*72" (1828 mm) cable or 60" (1524 mm) cable. Must be installed by an electrician.*	
	LGC-FFEED72	**215**
	LGC-FFEED60	**205**
Power source from the floor to the central wire management raceway	*23" (569 mm) tall aluminum post, silver. 72" (1828 mm) long cable. Screws and supports included. Must be installed by an electrician.*	
	CNNNS-FFEED23	**355**
	23" (569 mm) tall aluminum post, Silver.	
	CNNNS-CEV23	**235**
Electrical ceiling feed	*120" (3000 mm) tall aluminum post, Silver. 132" (3353 mm) long cable. Screws and supports included. Must be installed by an electrician.*	
	CNNNS-CFEED120	**525**
	120" (3000 mm) tall aluminum post, Silver.	
	CNNNS-POLE120	**410**
Communication plate	*Communication plate for single-sided or double-sided surfaces. Silver finish. Adaptors included.*	
	LGC-COM	**40**















Packaged in 2 boxes.



Packaged in 2 boxes.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Surface electrical module	*4 power outlets and 4 charging USB. Must be installed on a surface with wire management raceway. Plugs into a wall outlet or into the CITE electrical system. Cable length of 9' (2740 mm).*			
	24 x 6 x 1/4	600 x 160 x 6	**CNNN_-DELECT**	**790**
	Specify accent color (S, W).			



Acrylic option, change T to: Y Sky, add $43.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Surface electrical module	*2 power outlets and 2 charging USB. Must be installed on a surface with wire management raceway. Plugs into a wall outlet or into the CITE electrical system. Cable length of 9' (2740 mm).*			
	24 x 6 x 1/4	600 x 160 x 6	**CNNN_-SELECT**	**440**
	Specify accent color (S, W).			

Acrylic option, change T to: Y Sky, add $43.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Modular modesty panels	*Compatible with return surfaces.*			
	54 x 5/8 x 14	1350 x 16 x 350	**CNN_S-MOD1454**	**515**
	42 x 5/8 x 14	1050 x 16 x 350	**CNN_S-MOD1442**	**435**
	30 x 5/8 x 14	750 x 16 x 350	**CNN_S-MOD1430**	**350**
	Specify the Gloss finish (W, N).			

High-Gloss White finish option (W): add $53.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Cushions for storage modules and pedestal	*2" (51 mm) foam. Install on low storage modules or mobile pedestals with velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.*			
	36 x 20 x 2	900 x 500 x 51	**CNNNN-CU2036**	**410**
	30 x 20 x 2	750 x 500 x 51	**CNNNN-CU2030**	**370**
	24 x 20 x 2	600 x 500 x 51	**CNNNN-CU2024**	**325**
	15 x 18 x 2	388 x 450 x 51	**CNNNN-CU1518**	**235**



All United Chair® standard fabrics (**except vinyls and leathers**) are available to coordinate on tackboard.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Tackboards	*Mount to surface height bookcases, pigeonholes back panel and hutches. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.*			
	Tackboards for hutches			
	88 x 1/2 x 22	2200 x 13 x 548	**CNNNN-TK8822**	**415**
	82 x 1/2 x 22	2050 x 13 x 548	**CNNNN-TK8222**	**400**
	70 x 1/2 x 22	1750 x 13 x 548	**CNNNN-TK7022**	**380**
	58 x 1/2 x 22	1450 x 13 x 548	**CNNNN-TK5822**	**345**
	46 x 1/2 x 22	1150 x 13 x 548	**CNNNN-TK4622**	**325**
	40 x 1/2 x 22	1000 x 13 x 548	**CNNNN-TK4022**	**320**
	16 x 1/2 x 25	408 x 13 x 611	**CNNNN-TK4012**	**280**
	16 x 1/2 x 19	408 x 13 x 467	**CNNNN-TK3412**	**255**
	16 x 1/2 x 13	408 x 13 x 340	**CNNNN-TK2812**	**230**
	22 x 1/2 x 13	558 x 13 x 340	**CNNNN-TK2212**	**220**
	28 x 1/2 x 13	708 x 13 x 340	**CNNNN-TK1912**	**205**
	Tackboards for surface bookcases and pigeonholes			
	16 x 1/2 x 25	408 x 13 x 611	**CNNN-TK1625**	**290**
	16 x 1/2 x 19	408 x 13 x 467	**CNNN-TK1619**	**235**
	16 x 1/2 x 12 1/4	408 x 13 x 340	**CNNN-TK1613**	**265**
	22 x 1/2 x 12 1/4	558 x 13 x 340	**CNNN-TK2213**	**270**
	28 x 1/2 x 12 1/4	708 x 13 x 340	**CNNN-TK2813**	**275**
	16 x 1/2 x 5 3/4	408 x 13 x 340	**CNNN-TK1606**	**240**
	22 x 1/2 x 5 3/4	558 x 13 x 340	**CNNN-TK2206**	**245**
	28 x 1/2 x 5 3/4	708 x 13 x 340	**CNNN-TK2806**	**250**
	Specify accent color (S, W).			



All United Chair® standard fabrics (**except vinyls and leathers**) are available to coordinate on tackboard.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal back for surface screens	*Compatible with felt screens for end of surface. Convert a felt screen to be tackable.*			
	56 3/4 x 8 1/2 x 19	1442 x 216 x 482	**CNNN_-METK6018**	**215**
	50 7/8 x 8 1/2 x 19	1292 x 216 x 482	**CNNN_-METK5418**	**205**
	29 1/8 x 8 1/2 x 19	740 x 216 x 482	**CNNN_-METK3018**	**195**



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hardware kit surface to storage module	*Allow connection between surfaces (double, extension) and a 29" H (757 mm) storage module.*			
	4 x 15 1/8 x 10 1/4	100 x 385 x 262	**CNNNS_-SURFCON**	**240**



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Heavy duty flush plates	*4 plates included. Silver paint finish.*			
			CNNNS-HDFP	**75**

= NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

C5NNN-PLAN01



C5NNN-PLAN01	$10,200
2	C5KNS-RCDT5484
2	CNNNW-ABD54
1	C1NNW-PRCT1024816EFF
2	C1NNS-MCET541115

1½"-thick laminate with knife-edge (K). MONTRÉAL end bases in white painted metal (W), storage center base and surface counters with translucent acrylic (T).

Electrical components	$1,335
1	LGC-FFEED23
2	LGC-4TRAC496C1
1	LGC-PASS36

C5NNN-PLAN02



C5NNN-PLAN02	$12,605
2	C5KNS-RCDT5460
2	C5KNW-CEA5454
2	C1NNW-PRCT1024816EFF
1	CNNNS-LCD2828

1½"-thick laminate with knife-edge (K). MONTRÉAL end bases in white painted metal (W), storage center base with translucent acrylic (T) and trapezoidal extension surfaces.

Electrical components	$945
1	LGC-FFEED23
2	LGC-4TRAC260C1
1	LGC-PASS36

C5NNN-PLAN03



C5NNN-PLAN03	$24,160
2	C5KNS-RCDT5472RA
2	C5KNS-RCDT5472
1	CNNNN-LCD8441
4	CNNNS-SCT3611
8	CNNNS-EBT1118
2	CNNNS-LCD2806
2	C1NNS-DUL207221MS
2	C1NNS-DUL204821MS

1½"-thick laminate with knife-edge (K). Laminate bases deposited on low storage modules, also to divide up space. Bookcases and surface screens with translucent acrylic (T).

Electrical components	$2,445
1	LGC-FFEED23
2	LGC-4TRAC496C1
2	LGC-4TRAC496C2
3	LGC-PASS36

C5NNN-PLAN04



C5NNN-PLAN04	$10,010
2	C5NNW-R307261ELF
4	CNNNW-AB
2	CNNNW-SCEFF3118
2	CNNNS-ET903220V

1½"-thick laminate (5). Return surfaces with integrated storage module and MONTRÉAL bases in white painted metal (W). Open storage modules and hutches with lift-up doors. Felt screens and supports in white painted metal (W).

C5NNN-PLAN05



C5NNN-PLAN05	$12,345
1	C5NNN-RCD6096
2	C5NNW-CEA5436
1	CNNNW-ABD60
1	CNNNW-SCEFF6018
1	CNNNW-METK6018
1	CNNNS-ES603220
1	CNNNN-TK5822
1	C5NNN-S2060S
2	C5NNW-LF2090LF

1½"-thick laminate (5). Double-sided surfaces without raceway as well as trapezoidal extension surfaces. MONTRÉAL bases in white painted metal (W). Open storage modules and filing drawers. Hutch with tackboard. Felt screen and supports in white painted metal (W).

C5NNN-PLAN06



C5NNN-PLAN06	$11,360
2	C5NNS-RCDT6084
2	CNNNS-CBDT60
2	CNNNS-EDT843215
1	CNNNS-LBD1212WM
4	CNNNN-TK4012

1½"-thick laminate (5). NEW YORK bases with translucent acrylic insert (T). Shared open hutches.

Electrical components	$1,185
1	LGC-FFEED60
2	LGC-4TRAC496C1
1	LGC-PASS36

= NOT PART OF THE QUICKSHIP PROGRAM

= ASSEMBLY REQUIRED

SUGGESTIONS

C5NNN-PLAN07



C5NNN-PLAN07	$10,190
2	C5NNS-RCDT6084
2	C5NNN-EXR602915
2	CNNNS-EDT843215
1	CNNNS-LBD1212WM
4	CNNNN-TK4012

1½"-thick laminate (5). Extension bases with storage modules. Shared open hutches.

Electrical components	$1,185
1	LGC-FFEED60
2	LGC-4TRAC496C1
1	LGC-PASS36

C5NN-PLAN10



C5NN-PLAN10	$21,645
3	C5NNS-RCDT6072
2	CNNNS-LBD1212WM
2	CNNNS-QBD60
6	CNNNS-MP1518F
6	CNNNN-CU1518
6	CNNNS-EBM3018
6	CNNNN-TK1625
3	CNNNS-SCT3618

1½"-thick laminate (5). End bases in metal, center bases and storage modules in laminate. Divider panels. End bases in Silver finish (S) painted metal.

Electrical components	$1,185
1	LGC-FFEED60
3	LGC-4TRAC272C1
2	LGC-PASS36

C5NNN-PLAN08



C5NNN-PLAN08	$4,380
1	C5KNS-RCDT6096
2	C5KNW-CE6030

1½"-thick laminate with knife-edge detailing (K). Rectangular extension bases with MONTRÉAL bases in white painted metal (W).

Electrical components	$780
1	LGC-FFEED23
1	LGC-4TRAC496C1

C5NN-PLAN11



C5NN-PLAN11	$28,230
4	C5NNS-RCDT6060
2	CNNNS-CBDT60
3	CNNNS-LBD1212WM
8	CNNNS-MP1518F
8	CNNNS-DVM1118
4	CNNNS-SCT2418
8	CNNNN-CU1518
8	CNNNN-TK1606

1½"-thick laminate (5). Bases, divider panels and top storage modules in translucent acrylic (T).

Electrical components	$1,515
1	LGC-FFEED60
3	LGC-PASS36
4	LGC-4TRAC260C1

C5NN-PLAN09



C5NN-PLAN09	$14,058
2	C5NNS-RCDY6060
2	CNNNS-CBDY60
1	CNNNS-LBD1212WM
2	C5NNN-R2448S
2	C5NNN-S204821S
2	CNNNS-EBY1824
2	CNNNN-CU2024
2	CNNNS-MP1518F
2	CNNNN-CU1518

1½"-thick laminate (5). Bases and top storage modules in Sky acrylic (Y).

Electrical components	$795
1	LGC-FFEED60
1	LGC-PASS36
2	LGC-4TRAC260C1

= NOT PART OF THE QUICKSHIP PROGRAM

TERMS & CONDITIONS OF SALE

1. ORDER PLACEMENT

a) The seller sells its products in the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order.

b) The following information is required to process an order

Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

CUSTOMER INFORMATION	PRODUCT INFORMATION
Sold/Ship to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Colors and fabrics (all surfaces)
Contact name	Note: Product number overrules the written description and/or comment lines
Consignee contact name and phone	
Bid/Quote # if applicable	
Product total (list/net)	
Preferred delivered date (Specific delivery date not guaranteed)	

2. ORDER CHANGES

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on QuickShip orders.

3. ORDER CANCELLATIONS

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. No cancellation allowed on QuickShip orders.

4. ORDER ACKNOWLEDGMENT

Orders will be acknowledged to dealers by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number. If you do not receive your order acknowledgement within 48 hours, please contact our customer service.

5. LIMITED LIFETIME WARRANTY

Groupe Lacasse LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of purchase from Groupe Lacasse LLC being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- Twenty-five years: High-performance thermofused laminate.
- Twenty years: Drawer slides.
- Ten years: Locks.
- Five years: Swing-lift mechanisms and adjustable surface mechanisms.
- Five years: High-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions and accessories.
- One year: Electrical modules and components.
- Exclusions: Light bulbs, ballasts and C.O.M..

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. Labor, delivery charges and service not covered under warranty. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedy stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. Specials may be subject to a limited warranty.

6. PRICES

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Accepted orders are subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

7. TERMS (UPON ACCEPTANCE FROM OUR CREDIT DEPARTMENT)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full. No sales within a one-year period will automatically lead to the account's closure.

8. QUOTATIONS

Quotations are valid for a period of ninety (90) days unless otherwise specified on the quote.

9. CHANGES

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. PACKING AND SHIPPING

Packaging consists of polyethylene and protectors or separate cartons, depending on method of shipment.

11. DELIVERY

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse is not liable for delay or failure to deliver goods due to causes beyond its control (such as a casualty, an act of god, a labor dispute, or an accident; the inability to obtain the necessary labor, material or transportation; or any change requested by the customer). Under these circumstances, the ship date will be extended to compensate for the delay as determined by the Seller.

Groupe Lacasse will accept, upon prior approval by Logistics and Customer Service departments, to make installation job site deliveries for a minimum of one half of a full truckload (1,200 cubic feet); however, and in all cases, an unloading dock must be available to accommodate 53 ft. trailers and the address is also subject to approval. Unloading at destination is the sole responsibility of the purchaser. No waiting time will be possible; however, and if any is incurred, it will be recharged to the purchaser.

Under no circumstance will Groupe Lacasse deliver goods in a residential area.

Surcharge

Time sensitive deliveries (weekend deliveries, night, etc.) that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Liftgates: Our standard carriers do not have liftgates. Requests for liftgates can often be accommodated but will result in extra fees and they must be made at least 2 weeks in advance.

12. SHIPPING WEIGHTS AND VOLUMES

Shipping weights and volumes are available on demand and may vary due to the constantly improving methods of packaging.

13. ROUTING

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

14. TRANSPORTATION POLICY

"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.



On all orders less than $2,000 net (regardless of brand and/or of shipping point) we will add a $50 "small order fee" in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is $100.

Please take note of the following exclusion to the "small order fee";

- By combining different product collections in one order, even if the net value of each collection is less than $2,000 net, but the total value of all collections in one order is at least or above $2,000 net, and as long as all products are shipped at the same destination / receiving location (ship to), the fee will not apply regardless of shipping dates and points of origins.

Small orders **under $25 net** are subject to a $20 small order fee (instead of $50 or $100) regardless of the shipping zones.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

15. FREIGHT CLAIMS

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines:

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse as follows:

1) Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made within 15 days of the delivery date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

2) Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. Claims must be submitted within 5 business days of reception of the merchandise.

Submit your claim to the Groupe Lacasse Customer Service by email at:
lacassecustomer.service@groupelacasse.com.

Phone: 1-888-522-2773 - Fax: 1-888-248-1865

16. RETURNS

Absolutely no returns will be accepted on any standard and non-standard products.

17. STORAGE

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or at a time Groupe Lacasse LLC is then about to make shipment, Groupe Lacasse LLC may store the goods at the purchaser's expense. Such transfer to storage shall be deemed a delivery to purchaser for all purposes including invoicing and payment.

18. GOVERNING LAW

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

C.I.T.É. > Price Book > June 2015



Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.

GROUPE LACASSE

1-888-522-2773

www.groupelacasse.com

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

Groupe Lacasse has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

Printed in Canada - © Groupe Lacasse 2015

4022
L149-0
6/15
3M

Café height tables – 36" D

18" H (457 mm) modesty panels. 12" D (369 mm) knee space on both sides.



Top: 1" (25 mm). Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 36 x 42	1350 x 900 x 1067	**N_NNN-RT365442A3**	**1,200**	**1,430**
60 x 36 x 42	1500 x 900 x 1067	**N_NNN-RT366042A3**	**1,235**	**1,470**
66 x 36 x 42	1650 x 900 x 1067	**N_NNN-RT366642A3**	**1,265**	**1,505**
72 x 36 x 42	1800 x 900 x 1067	**N_NNN-RT367242A3**	**1,300**	**1,545**
78 x 36 x 42	1950 x 900 x 1067	**N_NNN-RT367842A3**	**1,335**	**1,585**
84 x 36 x 42	2100 x 900 x 1067	**N_NNN-RT368442A3**	**1,365**	**1,620**
90 x 36 x 42	2250 x 900 x 1067	**N_NNN-RT369042A3**	**1,395**	**1,660**
96 x 36 x 42	2400 x 900 x 1067	**N_NNN-RT369642A3**	**1,425**	**1,700**

Smooth edge (N). Specify the surface type (1, 2).



Top and legs: 1½" (38 mm)

54 x 36 x 42	1350 x 900 x 1067	**N_NNN-RT365442A3**	**1,375**	**1,635**
60 x 36 x 42	1500 x 900 x 1067	**N_NNN-RT366042A3**	**1,410**	**1,680**
66 x 36 x 42	1650 x 900 x 1067	**N_NNN-RT366642A3**	**1,445**	**1,720**
72 x 36 x 42	1800 x 900 x 1067	**N_NNN-RT367242A3**	**1,485**	**1,765**
78 x 36 x 42	1950 x 900 x 1067	**N_NNN-RT367842A3**	**1,525**	**1,815**
84 x 36 x 42	2100 x 900 x 1067	**N_NNN-RT368442A3**	**1,560**	**1,855**
90 x 36 x 42	2250 x 900 x 1067	**N_NNN-RT369042A3**	**1,590**	**1,895**
96 x 36 x 42	2400 x 900 x 1067	**N_NNN-RT369642A3**	**1,630**	**1,940**

Smooth edge (N). Specify the surface type (5, 6).



Top and legs: 1½" (38 mm)

54 x 36 x 42	1350 x 900 x 1067	**N_KNN-RT365442A3**	**1,715**	**2,045**
60 x 36 x 42	1500 x 900 x 1067	**N_KNN-RT366042A3**	**1,765**	**2,100**
66 x 36 x 42	1650 x 900 x 1067	**N_KNN-RT366642A3**	**1,810**	**2,150**
72 x 36 x 42	1800 x 900 x 1067	**N_KNN-RT367242A3**	**1,855**	**2,210**
78 x 36 x 42	1950 x 900 x 1067	**N_KNN-RT367842A3**	**1,905**	**2,265**
84 x 36 x 42	2100 x 900 x 1067	**N_KNN-RT368442A3**	**1,945**	**2,315**
90 x 36 x 42	2250 x 900 x 1067	**N_KNN-RT369042A3**	**1,990**	**2,370**
96 x 36 x 42	2400 x 900 x 1067	**N_KNN-RT369642A3**	**2,040**	**2,425**

Knife edge (K). Specify the surface type (5, 6).

Printed in Canada - © Groupe Lacasse 2015

GROUPE LACASSE

1-888-522-2773
www.groupelacasse.com

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818
GOLD

Groupe Lacasse has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

4023
L152-0
7/15
PDF

LACASSE

harmoniä

Healthcare Furniture Solutions

Lacasse presents Harmoniä, a complete offering of evolutive furniture solutions designed and manufactured with exceptional care to cover the full needs of healthcare establishments, from hospitals to long-term care facilities and clinics of all types. Waiting areas, patient rooms, nursing stations, whatever the application, our modular approach allows for fast and easy configuration and reconfiguration.

The exam room illustrated here exemplifies the simplicity and efficient ergonomics of Harmoniä with its wall-mounted cabinetry and consultation table.

EXPERIENCE THE CARE

Inclined cabinetry top surfaces facilitate cleaning.

Complete wall-mounted cabinetry system meets stringent clean environment requirements.

Wall-mounted rectangular surface with silver steel leg for easy interaction with patients.

Curved antimicrobial metal handles.

		W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Return surface		*1 silver steel leg, 4" (100 mm) dia. Rounded corners. Must be used with a wall-mounted support or attached to another surface or reception module. Corner radius: 4" (100 mm).*				
		48 x 32 x 29	1200 x 800 x 738	**H1NNN-RSC3248**	**500**	–
Wall-mounted support for return surface		*Laminate panel with cantilever (included). Compatible with return surfaces. Must be anchored to a wall with appropriate fastening hardware (not included) depending on wall type.*				
		32 x 1 x 8	795 x 25 x 200	**HNNNN-MOD0832**	**205**	–
Rectangular surface		*Installs on modular cabinets or wall-mounted support. Can receive a backsplash.*				
		72 x 19 x 1	1800 x 475 x 25	**H2NNN-TR1972**	–	**390**
Backsplash		*Installs on a surface.*				
		72 x ⅝ x 4	1800 x 16 x 102	**H2NNN-BS0472**	–	**125**
Modular wall-mounted sink cabinet with doors		*Open back to accommodate plumbing. Installs under a surface. Must order a laminate hanging system separately.*				
		36 x 19 x 24	900 x 475 x 595	**HNNAN-W193624KL**	**865**	–
Modular wall-mounted cabinet with drawers		*3 drawers. Installs under a surface. Must order a laminate hanging system separately.*				
		18 x 19 x 24	450 x 475 x 595	**HNNAN-W191824UL**	**1,035**	–
Modular wall-mounted cabinet with door - Opens right		*1 adjustable shelf. Installs under a surface. Must order a laminate hanging system separately.*				
		18 x 19 x 24	450 x 475 x 595	**HNNAN-W191824BRL**	**620**	–
Wall-mounted storage unit with inclined top		*3 ajustable shelves and 1 fixed shelf. Laminate hanging system included. Must be anchored to wall with appropriate fastening hardware (not included) depending on wall type.*				
		18 x 19 x 74	450 x 475 x 1890	**HNANN-W191874AC**	**1,310**	–
Wall-mounted cabinet with inclined top		*1 adjustable shelf. Laminate hanging system included. Must be anchored to a wall with appropriate fastening hardware (not included) depending on wall type.*				
		36 x 14 x 30	900 x 350 x 766	**HNNNN-W363014AP**	**1,020**	–
Finishing trim for wall-mounted cabinets		*L-shaped anodized aluminium profile. Installs at the end of an assembly of wall-mounted cabinets.*				
		⅝ x 1½ x 24	17 x 38 x 600	**HNNNN-FT24**	–	**75**
Laminate hanging system		*Laminate panel. Must be anchored to wall with appropriate fastening hardware (not included) depending on the wall type.*				
		71 x ⅝ x 8	1775 x 16 x 200	**HNNNN-WMS71**	**250**	–

Printed in Canada - © Groupe Lacasse 2014

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

4013
L113-1
8/14
5M

LACASSE

harmoniä

Healthcare Furniture Solutions

Lacasse presents Harmoniä, a complete offering of evolutive furniture solutions designed and manufactured with exceptional care to cover the full needs of healthcare establishments, from hospitals to long-term care facilities and clinics of all types. Waiting areas, patient rooms, nursing stations, whatever the application, our˜modular approach allows for fast and easy confguration and reconf guration.

The long-term care room shows the versatility of Harmoniä in freestanding furniture designed to express the comfort of home thanks to its stylish thermoformed fronts.

EXPERIENCE THE CARE

Multimedia dresser with thermoformed fronts and cable management to accommodate electronic equipment.

Bedside table with thermoformed fronts and top with spill guard.

Wardrobe unit with thermoformed fronts with minimal joints for better microbial control.

Patient chair available in 2015.

		W x D x H (in)	W x D x H (mm)	Code	Thermoformed ($)
Wardrobe unit with thermoformed fronts		*Metal legs. Adjustable clothes hanger bar. 2 f xed shelves on the wardrobe side. 2 adjustables shelves on the bookcase side. 3 drawers on the right side. We recommend anchoring the unit to a wall for safety and stability (hardware included).*			
		36 x 25 x 74	900 x 625 x 786	**H1NF3-L253674UCB**	**2,605**
Multimedia dresser with thermoformed fronts		*Metal legs. 3 drawers. Multimedia space with grommets. Recessed back and wiring access.*			
		36 x 25 x 31	900 x 625 x 786	**H1NF3-L253631COM**	**1,280**
Left single pedestal desk with thermoformed fronts		*1 pedestal on left. 2 box drawers. Recessed, half height modesty panel.*			
		66 x 25 x 29	1650 x 625 x 740	**H1NF3-U2566S**	**990**
Bedside table with thermoformed fronts and top		*Metal legs. 3 drawers. Thermoformed top with spill guard. Can receive one plastic liner (HNNNN-BAC1818). Can receive one shelf (H3NNN-TA0820).*			
		18 x 18 x 31	490 x 490 x 786	**H3NF3-L181831U**	**1,060**
Thermoformed shelf		*Installs on bedside table with thermoformed top. Hardware included.*			
		20 x 8 x 1	500 x 200 x 25	**H3NNN-TA0820**	**125**
Bed headboard and footboard		*Compatible with HNNNN-GLB3980.*			
		Headboard			
		39 x 15¾ x 1	981 x 400 x 25	**H2NNN-BF1639**	**305**
		Footboard			
		39 x 15¾ x 1	981 x 400 x 25	**H2NNN-BH1639**	**305**
Height adjustable bed		*Specif cations available upon request.*			
		90½ x 43½ x 10-32	2300 x 1105 x 254-813	**HNNNN-GLB3980**	**Ask for a quote**
Height adjustable rectangular overbed table		*Low prof le mobile base. Thermoformed top with spill guard. Load capacity of 100 lbs (45 kg). Height range is 15". Lowest position is 25¼". Highest position is 40¼".*			
		36 x 17 x 25¼-40¼	900 x 425 x 641-1023	**H3NNN-MOBTR1736**	**Ask for a quote**

Printed in Canada - © Groupe Lacasse 2014

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

4013
L114-1
8/14
5M

LACASSE

harmoniä

Healthcare Furniture Solutions

Lacasse presents Harmoniä, a complete offering of evolutive furniture solutions designed and manufactured with exceptional care to cover the full needs of healthcare establishments, from hospitals to long-term care facilities and clinics of all types. Waiting areas, patient rooms, nursing stations, whatever the application, our modular approach allows for fast and easy configuration and reconfiguration.

The nursing station illustrated below is a remarkable example of this modularity concept. This sturdy furniture solution can be moved, expanded on and reconfigured for multiple nursing environments.

EXPERIENCE THE CARE

ADA* reception counter with rounded corners allows easy wheelchair access.

Rectangular surface mounted on proprietary supports for easy creation of work spaces.

Reception modules can receive a cove molding option for strict clean area requirements.

Wall-mounted return surfaces for improved collaborative work and easy maintenance.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with doors – 35"H	*1 adjustable shelf. Installs under surfaces. Must be anchored to a wall or a cabinet for safety and stability. Kick plate: 4½" (119 mm).*				
	36 x 19 x 35	900 x 475 x 912	**HNNUN-193635BL**	**1,045**	–
Rectangular surface	*Installs on modular cabinets or wall-mounted supports. Can receive a backsplash.*				
	96 x 19 x 1	2400 x 475 x 25	**H2NNN-TR1996**	–	**455**
Backsplash	*Installs on a surface.*				
	96 x ⅝ x 4	2400 x 16 x 102	**H2NNN-BS0496**	–	**135**
Return surface	*1 silver steel leg, 4" (100 mm) dia. Rounded corners. Must be used with a wall-mounted support or attached to another surface or reception module. Corner radius: 4" (100 mm).*				
	48 x 25 x 36	1200 x 625 x 924	**H2NNN-RSC254836**	–	**580**
Wall-mounted support for surface	*Laminate panel with cantilevers (included). Compatible with surfaces. Must be anchored to a wall with appropriate fastening hardware (not included) depending on wall type.*				
	60 x 1 x 8	1495 x 25 x 200	**HNNNN-MOD0860**	**270**	–
Wall-mounted cabinet with inclined top and doors	*Laminate hanging system included. Must be anchored to a wall with appropriate fastening hardware (not included) depending on wall type.*				
	2 adjustable shelves.				
	66 x 14 x 30	1650 x 350 x 766	**HNNNN-W663014AP**	**1,455**	–
	1 adjustable shelf.				
	30 x 14 x 30	750 x 350 x 766	**HNNNN-W303014AP**	**990**	–
Reception module – 41"H	*Must use a modular cabinet, a 28"H base module or a reception module as support. Can receive one or more transaction shelves.*				
	Closed on right.				
	78 x 26 x 41	1950 x 650 x 1038	**H1GNN-GR267841S**	**940**	–
	Closed on left.				
	78 x 26 x 41	1950 x 650 x 1038	**H1GNN-GS267841R**	**940**	–
	Center module.				
	60 x 26 x 41	1500 x 650 x 1038	**H1GNN-GR266041R**	**725**	–
ADA reception counter	*Surface with rounded corners. Recessed half-height modesty panel. Wiring access on modesty panel allows passage of electrical cables. Must be installed between 2 reception modules. Corner radius: 4" (100 mm).*				
	48 x 32 x 15	1200 x 800 x 384	**H1NNN-BC3248**	**410**	–
Transaction shelf	*Compatible with 41"H reception modules. Hardware for installation included. Corner radius: 4" (100 mm).*				
	Rounded corners on both side.				
	90 x 13 x 1	2250 x 325 x 25	**H2NNN-TSC1390C**	–	**410**
	Rounded corner on left.				
	48 x 13 x 1	1200 x 325 x 25	**H2NNN-TSC1348**	–	**315**
	Rounded corner on right.				
	48 x 13 x 1	1200 x 325 x 25	**H2NNN-TS1348C**	–	**315**
Modular cabinet with open space and drawer	*Open space and 1 file drawer with suspension ba . Installs under a surface. Must be anchored to a wall or a cabinet for safety and stability.*				
	18 x 25 x 28	450 x 625 x 714	**HNNUN-251828SFL**	**890**	–
Base module	*Installs under a reception module. 1 fixed shelf. 1 tone onl .*				
	Left				
	7 x 14 x 28	178 x 350 x 714	**HNNNN-LB140728**	**455**	–
	Right				
	7 x 14 x 28	178 x 350 x 714	**HNNNN-140728LB**	**455**	–
Corner guard	*L-shaped anodized aluminium profile. Installs on vertical edges*				
	⅝ x 1½ x 41	17 x 38 x 1038	**HNNNN-FT41**	–	**80**

* American Disability Act

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

USA

Printed in Canada - © Groupe Lacasse 2014

4013
L112-1
8/14
5M

LACASSE

harmoniä

Healthcare Furniture Solutions

Lacasse presents Harmoniä, a complete offering of evolutive furniture solutions designed and manufactured with exceptional care to cover the full needs of healthcare establishments, from hospitals to long-term care facilities and clinics of all types. Waiting areas, patient rooms, nursing stations, whatever the application, our modular approach allows for fast and easy configuration and reconfiguration.

The patient room demonstrates efficient accessibility and practicality of Harmoniä, with features like whiteboard fronts on cabinets for easy communication between caregiver and patient.

EXPERIENCE THE CARE

Asymmetrical counter surfaces available in a vast array of materials and finishes.

Bedside table with spill guard thermoformed top.

Patient chair available in 2015.

Wall-mounted rectangular surfaces available for decentralized nursing stations.

		W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right asymmetrical surface		*Installs on modular cabinets or wall-mounted supports. Can receive a backsplash.*				
		72 x 25 x 1	1800 x 625 x 25	**H2NNN-TD2572**	–	**550**
Backsplash		*Installs on a surface.*				
		72 x ⅝ x 4	1800 x 16 x 102	**H2NNN-BS0472**	–	**125**
Wall-mounted support for surface		*Laminate panel with cantilevers (included). Compatible with surfaces. Must be anchored to a wall with appropriate fastening hardware (not included) depending on wall type.*				
		36 x 1 x 8	895 x 25 x 200	**HNNNN-MOD0836**	**205**	–
Modular wall-mounted ADA sink cabinet		*Installs under a surface. Front access panel and open back to accommodate plumbing. Must order a laminate hanging system separately.*				
		36 x 24 x 25	900 x 625 x 595	**HNNNN-W2536AD**	**925**	–
Wall-mounted wardrobe unit with inclined top, whiteboard fronts		*2 drawers. 1 door, opens on right. Clothes hanger bar and 2 fixed shelves. Hanging system included Installation requires appropriate fastening hardware (not included) depending on wall type.*				
		18 x 19 x 74	450 x 475 x 1890	**H1NUW-W191874AUCR**	**1,655**	–
Mobile bedside table with thermoformed top		*1 drawer with open space. Thermoformed top with spill guard. Brakes on front casters. Can receive one plastic liner (HNNNN-BAC1818). Can receive one shelf (H3NNN-TA0820).*				
		18 x 18 x 29	490 x 490 x 722	**H3NUN-M181829US**	–	**725**
Finishing trim for wall-mounted cabinets		*L-shaped anodized aluminium profile. Installs at the end of an assembly of wall-mounted cabinets.*				
		⅝ x 1½ x 24	17 x 38 x 600	**HNNNN-FT24**	–	**75**
Height adjustable rectangular overbed table		*Low profile mobile base. Thermoformed top with spill guard. Load capacity of 100 lbs (45 kg). Height range is 15". Lowest position is 25¼". Highest position is 40¼".*				
		36 x 17 x 25¼-40¼	900 x 425 x 641-1023	**H3NNN-MOBTR1736**	**Ask for a quote**	
Height adjustable bed		*Specifications available upon request*				
		90½ x 43½ x 10-32	2300 x 1105 x 254-813	**HNNNN-GLB3980**	**Ask for a quote**	
Laminate hanging system		*Laminate panel. Must be anchored to a wall with appropriate fastening hardware (not included) depending on the wall type.*				
		35 x ⅝ x 8	875 x 16 x 200	**HNNNN-WMS35**	–	**230**

Printed in Canada - © Groupe Lacasse 2014

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

4013
L115-1
8/14
5M

LACASSE

harmoniä

Healthcare Furniture Solutions

Lacasse presents Harmoniä, a complete offering of evolutive furniture solutions designed and manufactured with exceptional care to cover the full needs of healthcare establishments, from hospitals to long-term care facilities and clinics of all types. Waiting areas, patient rooms, nursing stations, whatever the application, our modular approach allows for fast and easy configuration and reconfiguration.

This elegant waiting area clearly illustrates the aesthetics and impressive product depth of our healthcare furniture portfolio, with its contemporary reception desk, tables and seating solutions.

EXPERIENCE THE CARE

Arold Terra floating seat design allows for easy cleaning.



Harmoniä offers full compatibility with all Lacasse accessories.



Seating and table combo with cable management and electrical modules.

		W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left extended corner reception desk – 43"H		*Transaction countertop with pigeonholes. Full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately.*				
		97 x 48 x 43 5/16	2425 x 1200 x 1100	**M5NNS-GC974843**	**2,575**	–
Rectangular table		*Full-height modesty panel. 1 grommet.*				
		72 x 24 x 29½	1800 x 600 x 744	**M5NNS-DT2472B**	**770**	–
Lateral file credenz		*4 file drawers with suspension bars. Locks. Optional counterweight to meet BIFMA standards, please refer to the Lacasse price book.*				
		72 x 24 x 29½	1800 x 600 x 744	**M5NAS-LF2472LF**	**1,955**	–
Wall-mounted hutch with sliding door – 16"H		*The sliding door covers one half of the hutch. Hanger bar included for wall-mount installation. 1 tone only.*				
		72 x 16 x 16	1800 x 400 x 406	**QNNS-EM721616C**	**960**	–
Modular pedestal		*2 box drawers, 1 file drawer with suspension ba . Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
		15 x 18 x 28	388 x 466 x 719	**MNNAS-P1518UFL**	**730**	–
Square top		*1½" thick.*				
		36 x 36 x 1½	900 x 900 x 38	**T5NS-SQ36**	**350**	–
Metal disc base		*The top plate allows the mounting of a LGC-PC.*				
		22 x 4 x 28	559 x 101 x 713	**TNNS-DC22**	–	**505**

Printed in Canada - © Groupe Lacasse 2014

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

4013
L116-1
8/14
5M

METAL COLORS

P01 - CRYSTAL BLACK

P03 - MERCURY

P04 - CHARCOAL

P08 - B. PUTTY

P17 - BEIGE

P19 - GRAPHITE

P24 - GREY

P28 - ANTHRACITE GREY

P29 - WILLOW GREY

P30 - CLAY

P42 - SMOKE

P44 - METALLIC SILVER

HANDLES



F - FULL PULL

R - RECESSED ALUMINUM PULL

Metal Storage Furniture

Addendum

LACASSE

Office Furniture Solutions

GENERAL INFORMATION

- Dimensions shown are exact and may vary from those of other Groupe Lacasse collections.
- Metal storage furniture meets and exceeds ANSI/BIFMA standards and is GREENGUARD GOLD certified.
- Manufactured from 68% recycled materials and 99.5% recyclable.
- All products in this collection are covered by Lacasse's limited lifetime warranty.
- Metal storage furniture is shipped pre-assembled and ready to use.
- Special orders available; ask us for more information.

CODIFICATION

	Options	
Series	Handles	Colors / lock
RIN	**F** Full pull	**A** Anthracite Grey
	R Recessed aluminum pull	**S** Silver

SPECIFICATIONS

- Cabinets, bookcases and wardrobes are made of cold laminated top-grade steel. They are completely welded and have a 16 gauge steel base for maximum robustness.
- Cabinets and wardrobes have an inset front with hinged doors allowing a 110-degree opening.
- All storage furniture receives a phosphate treatment before a powder-coated paint finish is applied.
- Furniture interior is the same color as the exterior.
- Full pull is made of metal and is of the same color. Recessed pull is non-painted aluminum.
- Lock plugs are factory installed and keys are shipped with random numbering. Specific key option is available; ask us for more information.
- Glides provide 1" (25 mm) of height adjustment and are easily accessible.
- The shelves, adjustable at 1½" (38 mm) intervals, can bear a load of 100 lb (45 kg), provided it is evenly distributed.

USA

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Bookcases	*4 adjustable shelves.*			
	42 x 18 x 65½	1067 x 457 x 1664	**RINNN-B426618**	**1,135**
	36 x 18 x 65½	914 x 457 x 1664	**RINNN-B366618**	**975**
	30 x 18 x 65½	762 x 457 x 1664	**RINNN-B306618**	**910**
	3 adjustable shelves.			
	42 x 18 x 53⅜	1067 x 457 x 1356	**RINNN-B425418**	**905**
	36 x 18 x 53⅜	914 x 457 x 1356	**RINNN-B365418**	**840**
	30 x 18 x 53⅜	762 x 457 x 1356	**RINNN-B305418**	**780**
	2 adjustable shelves.			
	42 x 18 x 40 1/16	1067 x 457 x 1018	**RINNN-B424118**	**760**
	36 x 18 x 40 1/16	914 x 457 x 1018	**RINNN-B364118**	**680**
	30 x 18 x 40 1/16	762 x 457 x 1018	**RINNN-B304118**	**640**
	1 adjustable shelf.			
	42 x 18 x 27⅞	1067 x 457 x 708	**RINNN-B422818**	**650**
	36 x 18 x 27⅞	914 x 457 x 708	**RINNN-B362818**	**600**
	30 x 18 x 27⅞	762 x 457 x 708	**RINNN-B302818**	**575**
Cabinets	*4 adjustable shelves. Lock.*			
	42 x 18 x 65½	1067 x 457 x 1664	**RIN_ _-421866B**	**1,420**
	36 x 18 x 65½	914 x 457 x 1664	**RIN_ _-361866B**	**1,320**
	30 x 18 x 65½	762 x 457 x 1664	**RIN_ _-301866B**	**1,270**
	3 adjustable shelves. Lock.			
	42 x 18 x 53⅜	1067 x 457 x 1356	**RIN_ _-421854B**	**1,235**
	36 x 18 x 53⅜	914 x 457 x 1356	**RIN_ _-361854B**	**1,145**
	30 x 18 x 53⅜	762 x 457 x 1356	**RIN_ _-301854B**	**1,100**
	2 adjustable shelves. Lock.			
	42 x 18 x 40 1/16	1067 x 457 x 1018	**RIN_ _-421841B**	**1,065**
	36 x 18 x 40 1/16	914 x 457 x 1018	**RIN_ _-361841B**	**985**
	30 x 18 x 40 1/16	762 x 457 x 1018	**RIN_ _-301841B**	**945**
	Specify the handle code (F, R). Specify the lock color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Cabinets (cont'd)	*1 adjustable shelf. Lock.*			
	42 x 18 x 27⅞	1067 x 457 x 708	**RIN_ _-421828B**	**860**
	36 x 18 x 27⅞	914 x 457 x 708	**RIN_ _-361828B**	**810**
	30 x 18 x 27⅞	762 x 457 x 708	**RIN_ _-301828B**	**785**
	Specify the handle code (F, R). Specify the lock color (A, S).			
Wardrobes	*Clothes hanger bar. Fixed shelf. Lock.*			
 L R	18 x 24 x 65½	457 x 610 x 1664	**RIN_ _-241866B_**	**1,190**
	18 x 24 x 53⅜	457 x 610 x 1356	**RIN_ _-241854B_**	**1,090**
	15 x 24 x 65½	381 x 610 x 1664	**RIN_ _-241566B_**	**1,020**
	15 x 24 x 53⅜	381 x 610 x 1356	**RIN_ _-241554B_**	**970**
	Specify the handle code (F, R). Specify the lock color (A, S). Specify the door opening at the end of the code: hinges on left (L) or hinges on right (R).			
Additional shelves	*For bookcase 18" (457 mm) deep.*			
	41¾ x 16¾ x ¾	1060 x 425 x 19	**RINNN-TB4218**	**105**
	35¾ x 16¾ x ¾	908 x 425 x 19	**RINNN-TB3618**	**100**
	29¾ x 16¾ x ¾	756 x 425 x 19	**RINNN-TB3018**	**95**
	For cabinet 18" (457 mm) deep .			
	41¾ x 14¼ x ¾	1060 x 362 x 19	**RINNN-TA4218**	**105**
	35¾ x 14¼ x ¾	908 x 362 x 19	**RINNN-TA3618**	**100**
	29¾ x 14¼ x ¾	756 x 362 x 19	**RINNN-TA3018**	**95**
Laminate tops	*For bookcase or cabinet 18" (457 mm) deep. Two-sided adhesive tape included.*			
	42 1/16 x 18 1/16 x 1	1068 x 458 x 25	**R1NNN-T04218**	**220**
	36 1/16 x 18 1/16 x 1	916 x 458 x 25	**R1NNN-T03618**	**210**
	30 1/16 x 18 1/16 x 1	763 x 458 x 25	**R1NNN-T03018**	**200**
	For wardrobe 24" (610 mm) deep. Two-sided adhesive tape included.			
	18 1/16 x 24 1/16 x 1	458 x 611 x 25	**R1NNN-T01824**	**170**
	15 1/16 x 24 1/16 x 1	382 x 611 x 25	**R1NNN-T01524**	**160**

Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.

GROUPE LACASSE

1 888 522-2773

www.groupelacasse.com

Metal storage furniture is GREENGUARD GOLD certified.

FSC 100% From well-managed forests FSC® C000000 www.fsc.org

Printed in Canada - © Groupe Lacasse 2016

4031
L175-0
6/16
4M

ELECTRICAL AND COMMUNICATION MODULES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Electrical / communication module *Includes two electrical outlets. Can accommodate the listed couplers. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.*	8 1/4 x 4 3/8 x 3	212 x 110 x 75	**LGC-PC2P**	**371**
Double-sided electrical / communication module *Includes two electrical outlets on each side. Can accommodate the listed couplers. 72" (1829 mm) cord included. Silver anodized aluminum. Field installed. UL and CUL certified. Adaptors included.*	8 1/4 x 8 x 3	206 x 200 x 75	**LGC-DPC4P**	**658**
Flush-mount rectangular electrical / communication module  *Includes two electrical outlets and two 2.1A USB ports. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.*	6 1/4 x 2 1/2 x 3 1/8	159 x 64 x 79	**LGC-PCQ1USB2P**	**405**
Grommet-mounted flush rectangular electrical / communication module  *Includes one electrical outlet and two 2.1A USB ports. Fits in the rectangular Lacasse grommet hole. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.*	3 3/4 x 2 1/4 x 3 1/8	95 x 57 x 79	**LGC-PCQ1USB1P**	**360**
Flush-mount round electrical / communication module  *Includes two electrical outlets and two 2.1A USB ports. 120VAC power outlet. Spill resistant. 108" (2743 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.*	6 x 6 x 3 1/8	152 x 152 x 79	**LGC-PCV1USB2P**	**405**
Grommet-mounted flush round electrical / communication module *Includes one electrical outlet and two 2.1A USB ports. Fits in the rectangular Lacasse grommet hole. 120VAC power outlet. Spill resistant. 108" (2746 mm) cord included. Mounting screw included. Silver. Field installed. ETL certified.*	5 1/4 x 5 1/4 x 3 1/8	133 x 133 x 79	**LGC-PCV1USB1P**	**360**
Wireless charger *Compatible with any Qi rated devices and smartphones, refer to the wireless compatibility chart on next page. 78" (1981 mm) cord included. Silver anodized aluminum. Field installed. The transformer is UL and CUL certified.*	3 1/4 x 3 1/4 x 3/4	84 x 84 x 17	**LGC-CHARGE**	**480**

COUPLERS

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Voice coupler *RJ11 coupler, category 3. Modular coupler to connect a standard phone. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.*	9/16 x 5/8 x 1 3/16	14 x 16 x 30	**LGC-RJ11**	**55**
Data jack *RJ-45 coupler, category 5. 110 connect jack used for internet and multi-line/VOIP phone systems. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.*	5/8 x 5/8 x 1 3/16	16 x 16 x 30	**LGC-RJ45**	**65**
HDMI connector  *To connect to HD displays that accept HDMI feed. Female / female connection. 18" (457 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.*	5/8 x 9/16 x 1 3/16	16 x 14 x 30	**LGC-HDMI**	**110**
VGA coupler  *Female-to-male connector cable. Device cable not included. 120" (3048 mm) cord included. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.*	1 1/4 x 1/4 x 1 1/2	33 x 12 x 37	**LGC-VGA**	**110**
USB 3.0 coupler *Simultaneous read and write capability. Transfer speed of 5 gbs/sec. Does not charge. 72" (1829 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed.*	5/8 x 9/16 x 1 3/16	16 x 14 x 30	**LGC-USBDATA**	**90**
USB charging coupler  *USB-A connections for USB-powered device and charging mobile electronics. 2,000 mA of charging power. 72" (1829 mm) cord. Compatible with electrical / communication modules LGC-PC2P or LGC-DPC4P. Black. Must be used with the adaptors provided with selected accessories plates or modules. Field installed. The transformer is UL and CUL certified.*	1 x 1 x 1 3/16	26 x 26 x 30	**LGC-USB**	**135**

LGC-CHARGE WIRELESS COMPATIBILITY CHART

Casio - G'zone Commando	LG G3**	Nexus 6
Blackberry Z30*	LG Optimus LTE 2	Nexus 7
Dell Venue 8	Motorola Moto Maxx*	Philips X723
Droid Maxx	NEC Medias PP N-01D	Samsung Galaxy S6
Droid Mini	NEC Medias X N-04E	Samsung Galaxy S6 Edge
Droid Turbo	Nokia Lumina 735	Saygus V2
Fujitsu Arrows Kiss F-03D	Nokia Lumina 830	Sharp Q-Pot SH-04D
Fujitsu Arrows X F-10D	Nokia Lumina 920	Sharp SH-05D
Fujitsu Arrows F-09D Anteprima	Nokia Lumina 928	Sharp Aquos SH-13C
Fujitsu Arrows Kiss F-03E	Nokia Lumina 930	Sharp Aquos SH-07D
HTC Droid DNA	Nokia Lumina 1520	Sharp Aquos Zeta SH-09D
HTC Windows Phone *8X**	Nokia Lumina Icon	Sharp Aquos Ex SH-04E
LG Spectrum 2*	Nexus 4	Sharp Aquos Xeta SH-06E
LG G2*	Nexus 5	Sharp Aquos Slider SH-02D

* Only through Verizon in US
** European Model

DEVICES THAT MUST BE USED WITH OFFICIAL OEM Qi COVER

HTC Thunderbolt	Motorola Droid 3	Samsung Galaxy Note II
HTC Incredible 2	Motorola Droid 4	Samsung Galaxy Note III
HTC Rezound	Motorola Droid X	Samsung Galaxy Note IV
LG Revolution	Nokia Lumina 720	Samsung Galaxy Alpha
LG Spectrum	Nokia Lumina 810	Samsung Galaxy S3
LG Lucid	Nokia Lumina 820	Samsung Galaxy S4
LG Lucid 2	Nokia Lumina 822	Samsung Galaxy S5
LG Optimus G Pro	Nokia Lumina 925	Samsung Droid Charge
LG Optimus Pro	Nokia Lumina 1020	Sony- Xperia Z3
LG Optimus IT L-05E	Nokia Lumina Icon	
Motorola Droid Bionic	Pantech Breakout	

Printed in Canada - © Groupe Lacasse 2015

GROUPE LACASSE

1-888-522-2773
www.groupelacasse.com

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818
GOLD

Groupe Lacasse has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

4024
L155-0
7/15
PDF

LACASSE

Office Furniture Solutions



Price Book > USA > February 2015

OFFICE FURNITURE SOLUTIONS

TABLE OF CONTENTS

ENVIRONMENTAL INITIATIVES 2

JADE 2

GSA 2

LACASSE QUICKSHIP PROGRAM 3

STANDARDIZED DIMENSIONAL SPECIALS 4

GENERAL SPECIFICATIONS FOR LAMINATE FURNITURE COLLECTIONS 6

FURNITURE COLLECTIONS

- QUAD 8
- NEX 22
- MORPHEO 51
- OPTIONS 72
- CONCEPT 3 88
- CONCEPT 70 96
- CONCEPT 400E 108
- CONCEPT 300 118
- C.A. 128
- PANGRAM 130

FURNITURE SYSTEM

- C.I.T.É. 141

COMPLEMENTARY FURNITURE COLLECTIONS

- RECEPTION FURNITURE 152
- QUORUM MULTICONFERENCE 160
- LATERAL FILES AND STORAGE FURNITURE 196

OTHERS

- ELECTRICOM II ELECTRIFICATION SYSTEM 200
- THE ESSENTIAL ACCESSORIES 204

TECHNICAL PERFORMANCES AND CONVERSION TABLE 208

TERMS & CONDITIONS OF SALE 209

Designer Specifications

Groupe Lacasse distinguishes itself thanks to its flexibility and willingness to accommodate special requests, and successfully meets most specific requests for products that are not part of its standard offering. It is possible, among other things, to use C.O.M. fabrics for our PanGram divider panels, tackboards, cushions, etc. Translucent inserts as well as certain high-pressure laminates can also be special-ordered. The Quotations department can process such specific requests.

NICER FOR THE ENVIRONMENT

It's our corporate responsibility to contribute to the preservation of natural resources and to ensure that our operations have the least possible impact on the environment. We choose suppliers who support our efforts to reduce deforestation. The majority of our products are manufactured from particleboard, made from 100% post-industrial recycled materials. We recover the cuttings from all our activities and even sawdust for power cogeneration. What's more, we sort and recycle plastic, steel and aluminum.

Our St. Pie, QC and Bruce, MS facilities are certified ISO 9001 and ISO 14 001.

We're proud to say that all Lacasse products are GREENGUARD® certified. Which means that North Americans can be sure that these products will not affect the air quality of their working environments. And other groups, like architects, designers and specifiers who use Lacasse products can benefit from their GREENGUARD® certification to earn points towards meeting LEED® standards.

GREENGUARD® Indoor Air Quality Certified

Children & Schools GREENGUARD® Indoor Air Quality Certified

GREENGUARD Indoor Air Quality® and GREENGUARD Children & Schools® are trademarks of the GREENGUARD Environmental Institute

ENVIRONMENTAL TOOLS
A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under "**About Us > Environment**". Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

GREENGUARD CERTIFICATES
GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the "Find Products" Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

FURTHER INFORMATION
For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@groupelacasse.com.

Jade

Groupe Lacasse is proud to introduce **Jade**, a web tool that will ease the entry and follow-up of all your office furniture orders. With this system, you will be able to visualize the final price of all your products, including the discounts, along with the details of any price agreement established with us. Your orders will be validated and sent with all required information, guaranteed. Available 24 hours a day, 7 days a week, **Jade** allows you to consult your orders' status anywhere, anytime. **We are convinced that you will appreciate this convenient, fast and efficient tool from Groupe Lacasse!**

In order to start using **Jade** and benefit from its many advantages, please schedule a web training time by sending us an email at **jade_registration@groupelacasse.com**. For any other question concerning **Jade**, please contact us at **jade@groupelacasse.com**.

* Order status availability can vary for specific brands depending on the region.

GSA Schedule
Contract GS-29F-0105G

GROUPE LACASSE LLC # GS-29F-0105G

PRODUCT NOT ON CONTRACT:
- PanGram – laminate panels
- All serving carts and coffee tables

LACASSE QUICKSHIP PROGRAM

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program.**

PROGRAM CONDITIONS AND LIMITATIONS:

- Maximum of **five (5) of each item and of each color per order**, refer to each collection to see which products are available.
- Products are **ready for shipment 5 business days after reception of a ready-to-process order and delivered on next available trailer**.
- HPL finishes are not part of the QuickShip Program.

IMPORTANT:

Place QuickShip orders separately from regular Lacasse orders.
When preparing QuickShip orders, indicate the code "**QS**" in front of the QuickShip product code or the QuickShip suggested layout code; i.e.: **QS**M1NCS-F3672F.

AVAILABLE OPTIONS AND FINISHES:

Make sure to complete QuickShip product codes with the options and finish codes that are part of the QuickShip program.
See below for the complete list of QuickShip options and finishes relevant to each Lacasse collection:

MORPHEO	CONCEPT 3	CONCEPT 70	CONCEPT 400E	PANGRAM
EDGES N, 1, 2 **DOOR INSERT** T **HANDLES** A, C, K, W, Z **LEG** V **ACCENT COLORS** A, S **LAMINATE TOPS / VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations	**LAMINATE TOPS / VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations* *Refer to page 88 for more information on Concept 3's specific two-tone application.	**EDGES** N, 1, 2 **HANDLES** D, K **ACCENT COLORS** A, B, N **LAMINATE TOP FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY **LAMINATE VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations	**HANDLES** L, X, Y **LAMINATE TOPS / VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations	**HANDLES** Q, V **LEGS** Q, V **ACCENT COLORS** A, S **LAMINATE TOPS / VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations

CONCEPT 300	C.A.	LAMINATE LATERAL FILES	STEEL LATERAL FILES	QUORUM MULTICONFERENCE
HANDLES E, F **LAMINATE TOPS / VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations	**EDGES** N **HANDLE** E **ACCENT** S **LAMINATE TOP FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY **LAMINATE VERTICAL PLANS FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations **PEDESTAL AND LATERAL FILE FINISH** SNO	**HANDLES** A, C, K, L, W, Z **ACCENT COLORS** A, S **LAMINATE DRAWER FRONTS / LAMINATE CASE FINISHES** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO One or two-tone combinations	**HANDLES** F, R **METAL COLORS** P01, P08, P17, P28	**EDGES** N, S, 1, 2 **LAMINATE TOPS / LAMINATE VERTICAL PLANS** BUC, CCL, CER, ERH, HZN, NRM, NTL, RBY, GAN, SNO

TACKBOARD FABRICS	**ALPHA MARQUESA:** AM24, AM25, AM47, AM51	**CREPE:** CPT72, CPT74, CPT85, CPT89	**SHARD:** SD01, SD08, SD10, SD12	**AELLA:** AE08, AE10, AE13, AE16
ACCESSORIES	Several accessories are available in QuickShip; refer to the Accessories section on page 204.			

STANDARDIZED DIMENSIONAL SPECIALS

"DIMENSIONAL SPECIALS" PROGRAM

Groupe Lacasse offers its dealers the possibility of making certain modifications to unit dimensions without having to go through the Quotations department. The following rules apply:

- Only one dimension may be modified on any given unit (width **or** depth **or** height).
- The modified dimension must fall within the range of standard dimensions offered. Example: a 98"-wide desk may not be specified without going through the Specials department, because that width exceeds standard widths. However, a 70"-wide desk may be specified, because that width does fall between existing standard widths (namely, 66" and 72").
- The dimension change must not affect the overall construction of the furniture unit. Example: a wider bookcase necessitating a central divider for added support.
- Drawers must remain in standard dimensions.
- Applicable to laminate units only. (Doors and modesty panels with metal frames cannot be modified, nor can metal legs.)
- Rounded reception desks are not included in this program.

PROCEDURE:

1. Choose the unit with the next **largest** dimension.
   Example: if you need a right single pedestal desk 70" wide, choose model 41_N-S3672F.
2. Add the prefix "**S**" at the start of the product code. (Ex.: S41_N-S36_ _F.)
3. Change the dimensions of the standard unit to those required.
   (Ex.: 41_N-F36**72**S becomes S41_N-F36**70**S.)
4. Use the price of the next largest unit from the price list in effect.
   (Ex.: if the new unit is a S41_N-F3670S, the price to use is that of model 41_N-F3672S, from the February 2015 price list.)

*** If exact dimensions are required, be sure to specify it on the order form; otherwise, the unit will be manufactured using the corresponding Imperial units.**

* If a particular dimension includes a fraction, the code must be modified to show the measurement's rounded-off value; however, the measurement must be indicated with the fraction in the item description on the order form. (Example: a width of 68.5 is to be shown as 69 in the code, while the comments section of the order form must bear the mention "exactly 68.5".)

*** The number of doors and shelves on a hutch / storage unit will be determined by Groupe Lacasse (in accordance with our manufacturing standards).**

* If the "Dimensional Specials" program does not apply to your particular situation, or for any questions concerning such specials, contact our Specials department at **Quotation@groupelacasse.com**.

"STANDARDIZED" SPECIALS

Groupe Lacasse offers the possibility of making certain types of modifications to standard furniture without having to go through the Specials department:

1. Modification of the color scheme
2. Addition, modification or removal of grommets
3. Modification of the pedestal configuration
4. Height modification for modesty panels
5. Addition of locks

1. COLOR SCHEME

Applicable when the desired color scheme differs from the standard scheme.

- Add the prefix "**S**" at the start of the product code.
- Replace the choice of colors with "**XXX**".
- Along with the order form, provide a drawing showing the desired color scheme.
- Add a 10% upcharge to the list price.

2. ADDITION, MODIFICATION OR REMOVAL OF GROMMETS

- Add the prefix "**S**" at the start of the product code.
- In the product description, add the code corresponding to the desired position (refer to table).
- Insert the appropriate modification code (**A, M** or **R**) at the start of the product code.
  A: Addition; **M**: Modification; **R**: Removal.

CODE	TYPE OF GROMMET	COLLECTIONS	CODE AND POSITION		
			Left	Centre	Right
GRV25N	Round **Black**	400E, 70, 300	_GRV25N**L**	_GRV25N**C**	_GRV25N**R**
GRQ25S	Rectangular **Silver** for surfaces 1" thick	Quad, Options, PanGram, Morpheo, C3	_GRQ25S**L**	_GRQ25S**C**	_GRQ25S**R**
GRQ25A	Rectangular **Anthracite Grey** for surfaces 1" thick	Quad, Options, PanGram, Morpheo	_GRQ25A**L**	_GRQ25A**C**	_GRQ25A**R**
GRQ38S	Rectangular **Silver** for surfaces 1½" thick	Quad, Morpheo, Options, Quorum	_GRQ38S**L**	_GRQ38S**C**	_GRQ38S**R**
GRQ38A	Rectangular **Anthracite Grey** for surfaces 1½" thick	Morpheo, Options, Quad	_GRQ38A**L**	_GRQ38A**C**	_GRQ38A**R**
GR9		All collections	If any position other than a standard one is needed, the order form must be accompanied by a drawing indicating the exact position required.		

- Add the upcharge for grommet modification.

Addition of a grommet in standard position	$50.00
Addition of a grommet in a non-standard position	$50.00
Modification of the position of an existing grommet	$0.00
Removal of an existing grommet	$0.00

3. MODIFICATION OF THE PEDESTAL CONFIGURATION

Applicable when the desired pedestal arrangement is not standard for the collection.

- Add the prefix "**S**" at the start of the product code.
- Modify the pedestal codification as per the table below.
- Add the upcharge corresponding to the type of modification made.



¾ height pedestal to full-height pedestal

FROM	TO	UPCHARGE PER PEDESTAL
F (U/F)	UF (U/U/F)	$150.00
F (U/F)	FF (F/F)	$150.00
Ex.: 41NN-SxxxxF	S41NN-SxxxxUF	$150.00

Full-height pedestal

FROM	TO	UPCHARGE PER PEDESTAL
UF (U/U/F)	FF (F/F)	$50.00
FF (F/F)	UF (U/U/F)	$50.00
Ex.: 71KA-UFxxxxUF	S71KA-UFxxxxFF	$50.00

Full-height pedestal to ¾ height pedestal

FROM	TO	UPCHARGE PER PEDESTAL
UF (U/U/F)	F (U/F)	$50.00
UF (U/U/F)	U (U/U/U)	$50.00
Ex.: 71KA-UFxxxxUF	S71KA-UFxxxxF	$50.00

¾ height pedestal

FROM	TO	UPCHARGE PER PEDESTAL
F (U/F)	U (U/U/U)	$50.00
Ex.: 41NN-FxxxxF	S41NN-FxxxxU	$50.00

4. HEIGHT MODIFICATION FOR MODESTY PANELS

Modesty panels are available in a number of different heights for all our collections. (Exceptions: C3, Quad with metal legs, Morpheo with metal kickplate or Translucent insert, and corner modules for Concept 400E, 70 and 300, as well as for PanGram and Morpheo.)

- Add the prefix "**S**" at the start of the product code.
- Add the type of modesty panel at the end of the code.



TYPE	HEIGHT OF MODESTY PANEL	SPACE BETWEEN FLOOR AND MODESTY PANEL	TYPE OF MODESTY PANEL	ACCESS TO ELECTRICAL RECEPTACLES
.1	9"	19"	Curved	Will free up access to most wall outlets
.2	14"	14"	Straight	Will free up access to wall outlets less than 16" from the floor
.3	19¾"	8¼"	Straight	
.9	For all dimensions other than the ones specified above.	Other	Curved: between 9" and 13" Straight: 14" or greater	

TYPE OF SURFACE	COLLECTIONS	APPLICATION	CODIFICATION	UPCHARGE
AT, DT, BR	All (excluding the above-mentioned exceptions)		According to table	$0.00
CM	All (excluding the above-mentioned exceptions)	On one side only	Indicate the desired height according to the table, as well as **L** for left back or **R** for right back	$0.00
CM	Options, Quad	On both sides	Indicate the desired height according to the table, as well as **B** for the 2 sides	$0.00
CM	Morpheo, 70, 400E, 300, PanGram	On both sides (a wooden block and a leg must be added to the structure in order to support the backs)	Indicate the desired height according to the table, as well as **B** for the 2 sides	$50.00
Desks, returns, credenzas with pedestal	All (excluding the above-mentioned exceptions)		.1	$100.00
Desks, returns, credenzas with pedestal	All (excluding the above-mentioned exceptions)		.2	$100.00
Desks, returns, credenzas with pedestal	All (excluding the above-mentioned exceptions)	With ¾ height pedestal	.3	$0.00
Desks, returns, credenzas with pedestal	All (excluding the above-mentioned exceptions)	With full-height pedestal	.3	$100.00

5. ADDITION OF LOCKS

Add $75 to list price for the first lock and $25 for additional locks on any given furniture unit (one lock locks 2 doors).

APPLICATION	CODIFICATION	UPCHARGE
Addition of 1 lock	Add the prefix "**S**" at the start of the product code and indicate **K1** at the end of the code	$75.00
Addition of 2 locks	Add the prefix "**S**" at the start of the product code and indicate **K2** at the end of the code	$100.00
Addition of 3 locks	Add the prefix "**S**" at the start of the product code and indicate **K3** at the end of the code	$125.00
Addition of 4 locks	Add the prefix "**S**" at the start of the product code and indicate **K4** at the end of the code	$150.00
Ex.: 41NN-E724416P	S41NN-E724416PK2	$100.00

GENERAL SPECIFICATIONS

	QUAD	MORPHEO	OPTIONS
CHARACTERISTICS	Collection featuring smooth, sleek lines with a modern look. Numerous models make possible a variety of configurations. • 2 accent colors • Choice of 3 inserts (Translucent, Lexan, Perforated metal) • 5 storage heights (49, 57, 65, 73, 81) • 2 surface types (thermofused laminate or high-pressure laminate) • Full-width wiring access	Contemporary office furnishings with a floating top design. Vast selection: • 2 top thicknesses • 2 accent colors • 2 surface types (thermofused laminate or high-pressure laminate) • Choice of 5 handles • Choice of 2 Translucent inserts • Choice of 2 legs • Ergonomic work surfaces • Choice of 3 edges	Classic style offering a wide range of unique items for organizing and optimizing space. • 2 top thicknesses • Choice of 3 handles • 2 accent colors • Translucent door option • 2 surface types (thermofused laminate or high-pressure laminate) • Full-width wiring access
TOP THICKNESS	1½" (38 mm)	1" and 1½" (25 and 38 mm) Aluminium spacers add 5/16" (8 mm) to the overall height of the work surfaces	1" and 1½" (25 and 38 mm)
EDGE THICKNESS	3/32" (3 mm)	3/32" and 5/32" (3 and 4 mm)	3/32" (3 mm)
SURFACE TYPE	TFL and HPL	TFL and HPL	TFL and HPL
HUTCH CLEARANCES	N/A	Low profile: 13⅝" (346 mm) – 21 13/16" (579 mm) 44" (1099 mm): 20½" (521 mm) 36" (900 mm): 17" (432 mm)	44" (1096 mm): 20⅞" (530 mm) 36" (893 mm): 16¾" (426 mm)
DESKS – MODESTY PANELS	Full-height	Full-height	Full-height
AT, DT – BACK PANELS	2½" (63,5 mm) clearance from floor	Full-height	Full-height
CM – BACK AND SIDE PANELS	Back panel: 2½" (63,5 mm) clearance from floor Side panel: 2½" (63,5 mm) clearance from floor	Back panel and side panel: Full-height	Back panel and side panel: Full-height
GROMMETS ON SURFACES			

GENERAL FEATURES FOR ALL LACASSE CASEGOODS COLLECTIONS

CONSTRUCTION

- Casegoods are made of particleboard panels finished on both sides with mar-resistant high-performance thermofused laminate (45 lbs/ft^3), also called TFL.
- High-pressure laminate work surfaces, also called HPL, are available for certain collections, adding 1/16" (1,6 mm) to the overall thickness of the work surface.
- All components are finished with a thermoplastic polymer edgebanding. All edges are finished.
- Levelers allow up to 1¼" (32 mm) height adjustment (unless otherwise specified).
- All modesty panels are recessed 8" (211 mm) on 36" (900 mm) deep desks and 2" (61 mm) on 30" (750 mm) deep desks.
- All bridge returns (BR) are full-height except for Concept 3.
- All ready-to-assemble furniture has metal-to-metal fittings to maintain product integrity, ease of assembly and reconfiguration. These furniture units are identified by the screwdriver pictogram.

DRAWERS

All drawers are built for trouble-free performance and smooth operation:

- Shock-absorbent bumpers standard on all drawers.
- Drawer construction in black laminated particleboard.
- Pencil tray is standard in one box drawer per component.
- File drawers are mounted on full extension ball bearing suspensions: 100 lbs (45 kg) load capacity (except metal pedestals: 75 lbs (34 kg) load capacity).
- Lateral file drawers are mounted on full extension ball bearing suspensions with over-travel: 150 lbs (68 kg) load capacity.
- Lateral file drawers come standard with top rails for folders and one lateral suspension bar for side-to-side filing. For suspension bars accommodating front-to-back filing, refer to Accessories on page 172.
- Interlock system is standard on lateral files and mixed pedestals.

LOCKS

Standard black cam locks with accent color finish are standard on hanging file pedestals, mobile pedestals, lateral files and cabinets (except for Concept 400E, Concept 70, Concept 3, PanGram and Concept 300 cabinets).

CONCEPT 3	CONCEPT 70	CONCEPT 400E	CONCEPT 300	PANGRAM
Unique non-handed collection in a contemporary style and reversible. • Exclusive anodized aluminum legs • Choice of laminate or Translucent doors • Optimized storage solutions • Easy to specify	Classic, durable executive office furnishings. • Choice of 2 handles • 3 accent colors • Over 350 components • Choice of 3 edges	Quintessential classic office furnishings. • Choice of 3 handles • Over 300 components	Unique manufacturing parameters that offer exceptional value. • ¾ height modesty panel • Recessed back to accommodate walls with electrical outlets • Choice of 2 handles • Horizontal wood grain • Standard choice of 5 colors • 100% Quickship	Solution for space division with laminate panels. • 2 accent colors • Compatible with Lacasse furnishings • Several freestanding units complete the collection • Easy to specify and to install
1" (25 mm)	1½" (38 mm)	1" (25 mm)	1" (25 mm)	1" (25 mm)
3/32" (3 mm)	3/32" and 5/32" (3 and 4 mm)	3/32" (3 mm)	3/32" (3 mm)	3/32" (3 mm)
TFL	TFL	TFL	TFL	TFL
N/A	44" (1099 mm): 21¼" (543 mm) 36" (900 mm): 17⅜" (445 mm)	44" (1099 mm): 21½" (546 mm) 36" (900 mm): 17⅝" (448 mm)	44" (1099 mm): 26½" (673 mm) 36" (900 mm): 18⅝" (473 mm)	36" (900 mm): 19" (483 mm) 28" (710 mm): 17⅝" (448 mm)
Full-height on TD desks with ¾ (19 m) clearance from floor. Half-height on Y-shape surfaces. Optional back panel are not available.	Full-height	Full-height	Recessed 6" (150 mm) on all desks; except for modesty panel on curved desks with metal pedestals, which is recessed 9" (225 mm). ¾ height overlaps exterior side panels of furniture, and full height overlaps on low-profile desks.	Full-height
N/A	Full-height	Full-height	Recessed 1" (27 mm). ¾ height recessed on exterior side panels of furniture.	N/A
N/A	Back panel and side panel: Full-height	Back panel and side panel: Full-height	Symmetrical corner module: full-height back. Extended corner module: ¾ height back panel overlaps along the extended portion and recessed 1" (27 mm).	Back panel and side panel: Full-height

HUTCHES

- All hutches are equipped at work surface height with a full-width flexible wire access extrusion (except for Concept 300).
- A grommet is also provided on the back panel of the hutch to accommodate an optional task light unit.
- Depending on the hutch model, the clearance is 16¾" to 21 13/16" (426 to 579 mm) from the work surface level.
- Combination of rails and tackboards available for use with hutches. Refer to page 205.

DOORS

All hinges for Concept 400E, Concept 70, PanGram and Concept 300 collections are 120°. For other collections, hutches have 120° hinges while other units have 135° hinges.

BOOKCASE

Bookcase must be placed against a wall or back-to-back to another unit.

PEDESTALS

All mobile pedestals 18" deep can receive a cushion (LGC-CU1518). Refer to page 207.

DIMENSIONS

Metric dimensions shown in this price book are exact; imperial dimensions are nominal (unless otherwise specified).

TACKBOARDS

Included with all tackboards is a Velcro strip or hardware for fastening to walls.

CHOICE OF LEG PANELS



PICTOGRAMS

Pictograms are intended for informative purposes only and cannot be used from a technical point of view. For further information, contact the Groupe Lacasse customer service department.

CABINET DOORS
Aluminum doors are offered in a choice of 2 accent colors: Anthracite Grey (A) or Silver (S). High impact resistant electrostatic paint finish.

Quad offers 4 door styles for all storage with doors.


Laminate (N)


Metal with ridged Lexan insert (L)


Metal with translucent insert (T)


Metal with perforated metal insert (M)

Leg panels
Leg panels are available in full width metal (M) legs or laminate with 2" (50 mm) metal legs (N), in full and recessed options (taking knee space into account).


Full laminate leg panel


Recessed laminate leg panel


Full leg metal panel

Leg panel options:
A Two full width leg panels (metal or laminate)
B One full width leg panel (metal or laminate) and one recessed (laminate)
C Two recessed leg panels (laminate)
M Two full width leg panels (1 metal, 1 laminate)
D Two full width leg panels, one with wiring access (laminate)
E Two full width leg panels with wiring access (laminate)
F One full width leg panel and one recessed with wiring access (laminate)

Laminate


A - Two full leg panels


B - One full leg panel and one recessed


C - Two recessed leg panels

Metal


A - Two full leg panels


M - Two full leg panels (1 metal, 1 laminate)


B - One full leg panel (metal) and one recessed (laminate)

Examples:
- Rectangular table, metal leg panels **M**, two full width leg panels **A**: Q5**M**A-DT3072**A**
- Rectangular table, laminate leg panels **N**, one full width leg panel and one recessed leg panel **B**: Q5**N**A-DT3072**B**
- Rectangular table, metal leg panel, one full width metal leg panel and one laminate recessed leg panel **B**: Q5**M**A-DT3072**B**

STORAGE
Cabinets, hutches and bookcases are available in one-tone finish only.

MATERIALS
- **Thermofused laminate furniture:**
  See prices shown in the "All Laminate" column. Surface material must be specified in the code.
- **Furniture with tops in high-pressure laminate, the rest in thermofused laminate:**
  See prices shown in the "HPL Surfaces" column. Surface material must be specified in the code.

ELECTRIFICATION OF FREESTANDING FURNITURE
Electricom II is fully compatible with Quad collection to enable the electrification of Quad freestanding furniture. Refer to the Electricom II section on page 200.

GENERAL SPECIFICATION RULES
- A hutch must be supported at both ends and secured to the slots intended for this purpose.
- Hardware for assembly must be ordered separately.
- It is possible to combine hutch connections, as long as at least one of the following conditions is met:

On top of, or side-by-side with, a cabinet



OR

On top of a 24" or larger pigeonhole



OR

Connection at a 90° angle





- The other end of the hutch may be connected in any of the ways described in the section on hutch configurations.
- Stacked modules, including connections, must not exceed a total of 81" in height.
- When a hutch support rests on a surface, it is recommended that this surface be supported by a ground fixture. The fixture may be a metal or laminate leg, or a modular pedestal.

Examples:


Modular pedestal


Laminate leg

- No connection between a wall-mounted hutch and a freestanding furniture unit is allowed.
- For furniture runs exceeding 32' in length, contact Groupe Lacasse's customer service department.
- All furnishing arrangements must be levelled properly.
- All arrangements must be made using Quad hardware.
- The Quad furnishing system makes possible a wide variety of arrangements and combinations. Should you require assistance or advice, feel free to contact Groupe Lacasse's customer service department.

X = NOT PART OF THE QUICKSHIP PROGRAM

HUTCH CONFIGURATIONS


Side-by-side with cabinet

On top of cabinet


On top of pigeonhole


On top of metal support


Side-by-side with another hutch


In Z shape over another hutch


In Z shape over pigeonhole


In Z shape over cabinet


At 90° over another hutch


At 90° over pigeonhole

At 90° over cabinet

HARDWARE REQUIRED FOR HUTCH CONFIGURATIONS


QNN_-HBU


QNN_-HBS


QNN_-HSM4
QNN_-HSM12
QNN_-HSM20


QNN_-HBZ


QNN_-HB90L


QNN_-HB90R

X = NOT PART OF THE QUICKSHIP PROGRAM

CONFIGURATIONS NOT ALLOWED



HEIGHT DIAGRAMS









= NOT PART OF THE QUICKSHIP PROGRAM

EDGEBANDING

Furniture with 1½" (38 mm) thick tops.

N Edge

Smooth, ⅛" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

HANDLES

Quad

MODESTY PANELS / DOOR INSERTS



T – Translucent



L – Ridged Lexan



M – Perforated Metal

ACCENT COLORS



S – Silver

A – Anthracite Grey

LEGS

N – Laminate

M – Metal

CODIFICATION

	Options			
Series	Thickness	Doors / Modesty Panels	Legs	Accent color
Q	**5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**L** Ridged Lexan **M** Perforated Metal **T** Translucent **N** Laminate	**N** Laminate **M** Metal	**A** Anthracite Grey **S** Silver **N** No accent color

Double pedestal desks

2 pedestals with lock. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Full-width wiring access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 36 x 29½	2100 x 900 x 751	**Q_N_-UF3684FF**	**2,477**	**2,816**
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UF3672FF**	**2,350**	**2,705**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UF3072FF**	**2,297**	**2,636**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UF3066FF**	**2,233**	**2,562**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UF3060FF**	**2,180**	**2,493**

Specify the surface type (5, 6). Specify the accent color (A, S).

Double pedestal desks

2 pedestals with lock. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Half-height modesty panel.

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 36 x 29½	2100 x 900 x 751	**Q_N_-UFM3684FF**	**2,530**	**2,880**
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UFM3672FF**	**2,403**	**2,768**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UFM3072FF**	**2,350**	**2,705**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UFM3066FF**	**2,291**	**2,620**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UFM3060FF**	**2,233**	**2,551**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Full-width wiring access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UF3672S**	**1,803**	**2,085**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UF3072S**	**1,740**	**2,021**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UF3066S**	**1,676**	**1,941**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UF3060S**	**1,628**	**1,873**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Full-width wiring access.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-S3672UF**	**1,803**	**2,085**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-S3072UF**	**1,740**	**2,021**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-S3066UF**	**1,676**	**1,941**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-S3060UF**	**1,628**	**1,873**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left single pedestal desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Half-height modesty panel.

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UFM3672S**	**1,856**	**2,153**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UFM3072S**	**1,793**	**2,085**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UFM3066S**	**1,734**	**2,005**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UFM3060S**	**1,681**	**1,941**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right single pedestal desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Half-height modesty panel.



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-S3672UFM**	**1,856**	**2,153**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-S3072UFM**	**1,793**	**2,085**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-S3066UFM**	**1,734**	**2,005**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-S3060UFM**	**1,681**	**1,941**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular tables with modesty panel and pedestal on right

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. 3" square steel legs. Half-height modesty panel.



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-BT3672UFM**	**1,968**	**2,259**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-BT3072UFM**	**1,899**	**2,185**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-BT3066UFM**	**1,835**	**2,111**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-BT3060UFM**	**1,661**	**1,915**

Specify the surface type (5, 6). Specify the accent color (A, S).

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Rectangular tables with modesty panel and pedestal on left

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 3 boxes.

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. 3" square steel legs. Half-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UFM3672BT**	**1,968**	**2,259**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UFM3072BT**	**1,899**	**2,185**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UFM3066BT**	**1,835**	**2,111**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UFM3060BT**	**1,661**	**1,915**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left pedestal desk-returns

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Half-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-UFM3672R**	**1,692**	**1,952**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-UFM3072R**	**1,628**	**1,873**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-UFM3066R**	**1,565**	**1,798**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-UFM3060R**	**1,495**	**1,719**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right pedestal desk-returns



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Half-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-R3672UFM**	**1,692**	**1,952**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-R3072UFM**	**1,628**	**1,873**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-R3066UFM**	**1,565**	**1,798**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-R3060UFM**	**1,495**	**1,719**

Specify the surface type (5, 6). Specify the accent color (A, S).

Desk shells



Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. Full-width wiring access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-TDM3672**	**1,029**	**1,236**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-TDM3072**	**981**	**1,177**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-TDM3066**	**955**	**1,145**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-TDM3060**	**918**	**1,104**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular tables

Packaged in 2 boxes.

3" square steel legs (carton of 4).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-RT3672**	**1,501**	**1,994**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-RT3072**	**1,437**	**1,904**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-RT3066**	**1,374**	**1,825**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-RT3060**	**1,305**	**1,740**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular tables with modesty panel



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

3" square steel legs (carton of 4). Half-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 751	**Q_N_-RTM3672**	**1,639**	**2,132**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-RTM3072**	**1,575**	**2,042**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-RTM3066**	**1,507**	**1,962**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-RTM3060**	**1,442**	**1,873**

Specify the surface type (5, 6). Specify the accent color (A, S).

Corner modules

Mechanism packaged separately.

To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 48 x 29½	1200 x 1200 x 751	**Q_N_-CMS4830SC**	**2,158**	**2,286**
42 x 42 x 29½	1050 x 1050 x 751	**Q_N_-CMS4224SC**	**2,085**	**2,217**

Specify the surface type (5, 6). Specify the accent color (A, S).
Diagonal wood grain: change last S to D, add 10% to the price.

Laminate leg panels Q_N_: Option B, C or F.

Mixed leg panels Q_M_: Option B: add $80.

To attach to a work surface. Grommet. Full-width wiring access on each side.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 48 x 29½	1200 x 1200 x 751	**Q_ _ _-CM4830S_**	**1,092**	**1,480**
42 x 42 x 29½	1050 x 1050 x 751	**Q_ _ _-CM4224S_**	**986**	**1,342**
36 x 36 x 29½	900 x 900 x 751	**Q_ N _-CM3618SC**	**938**	**1,257**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F). Diagonal wood grain: change S to D, add 10% to the price.

Left extended corner modules



Laminate leg panels Q_N_: Option A, B, C, D, E or F.



Metal leg panels Q_M_: Option A: add $159.



Mixed leg panels Q_M_: Option B or M: add $80.

Full-width wiring access on each side. Grommet.



Surface	R1	R2
72"/48"	28½"	4⅞"
66"/48"	22½"	4⅞"
60"/48"	16⅝"	4⅞"
72"/42"	28½"	
66"/42"	22½"	
60"/42"	16⅝"	
72"/36"	16⅝"	
66"/36"	16⅝"	

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 48 x 29½	1800 x 1200 x 751	**Q_ _ _-CM724824_**	**1,454**	**1,984**
66 x 48 x 29½	1650 x 1200 x 751	**Q_ _ _-CM664824_**	**1,395**	**1,899**
60 x 48 x 29½	1500 x 1200 x 751	**Q_ _ _-CM604824_**	**1,336**	**1,820**
72 x 42 x 29½	1800 x 1050 x 751	**Q_ _ _-CM724224_**	**1,395**	**1,899**
66 x 42 x 29½	1650 x 1050 x 751	**Q_ _ _-CM664224_**	**1,336**	**1,820**
60 x 42 x 29½	1500 x 1050 x 751	**Q_ _ _-CM604224**	**1,278**	**1,734**
72 x 36 x 29½	1800 x 900 x 751	**Q_ _ _-CM723624_**	**1,246**	**1,681**
66 x 36 x 29½	1650 x 900 x 751	**Q_ _ _-CM663624_**	**1,177**	**1,608**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

Right extended corner modules

Full-width wiring access on each side. Grommet.



Surface	R1	R2
72"/48"	28½"	4⅞"
66"/48"	22½"	4⅞"
60"/48"	16⅝"	4⅞"
72"/42"	28½"	
66"/42"	22½"	
60"/42"	16⅝"	
72"/36"	16⅝"	
66"/36"	16⅝"	



Laminate leg panels Q_N_: Option A, B, C, D, E or F.



Metal leg panels Q_M_: Option A: add $159.



Mixed leg panels Q_M_: Option B or M: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 48 x 29½	1800 x 1200 x 751	**Q_ _ _-CM487224_**	**1,454**	**1,984**
66 x 48 x 29½	1650 x 1200 x 751	**Q_ _ _-CM486624_**	**1,395**	**1,899**
60 x 48 x 29½	1500 x 1200 x 751	**Q_ _ _-CM486024_**	**1,336**	**1,820**
72 x 42 x 29½	1800 x 1050 x 751	**Q_ _ _-CM427224_**	**1,395**	**1,899**
66 x 42 x 29½	1650 x 1050 x 751	**Q_ _ _-CM426624_**	**1,336**	**1,820**
60 x 42 x 29½	1500 x 1050 x 751	**Q_ _ _-CM426024_**	**1,278**	**1,734**
72 x 36 x 29½	1800 x 900 x 751	**Q_ _ _-CM367224_**	**1,246**	**1,681**
66 x 36 x 29½	1650 x 900 x 751	**Q_ _ _-CM366624_**	**1,177**	**1,608**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Rectangular tables 30"

Full-width wiring access.



Laminate leg panels Q_N_: Option A, B, C, D, E or F.



Metal leg panels Q_M_: Option A: add $159.



Mixed leg panels Q_M_: Option B or M: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29½	1800 x 750 x 751	**Q_ _ _-DT3072_**	**981**	**1,177**
66 x 30 x 29½	1650 x 750 x 751	**Q_ _ _-DT3066_**	**955**	**1,145**
60 x 30 x 29½	1500 x 750 x 751	**Q_ _ _-DT3060_**	**918**	**1,104**
54 x 30 x 29½	1350 x 750 x 751	**Q_ _ _-DT3054_**	**891**	**1,071**
48 x 30 x 29½	1200 x 750 x 751	**Q_ _ _-DT3048_**	**838**	**1,008**
42 x 30 x 29½	1050 x 750 x 751	**Q_ _ _-DT3042_**	**796**	**955**
36 x 30 x 29½	900 x 750 x 751	**Q_ _ _-DT3036_**	**769**	**923**
30 x 30 x 29½	750 x 750 x 751	**Q_ _ _-DT3030_**	**732**	**880**
24 x 30 x 29½	600 x 750 x 751	**Q_ _ _-DT3024_**	**706**	**849**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Rectangular tables 24"

Full-width wiring access.



Laminate leg panels Q_N_: Option A, B, C, D, E or F.



Metal leg panels Q_M_: Option A: add $159.



Mixed leg panels Q_M_: Option B or M: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29½	1800 x 600 x 751	**Q_ _ _-DT2472_**	**918**	**1,104**
66 x 24 x 29½	1650 x 600 x 751	**Q_ _ _-DT2466_**	**891**	**1,071**
60 x 24 x 29½	1500 x 600 x 751	**Q_ _ _-DT2460_**	**859**	**1,029**
54 x 24 x 29½	1350 x 600 x 751	**Q_ _ _-DT2454_**	**838**	**1,008**
48 x 24 x 29½	1200 x 600 x 751	**Q_ _ _-DT2448_**	**769**	**923**
42 x 24 x 29½	1050 x 600 x 751	**Q_ _ _-DT2442_**	**732**	**880**
36 x 24 x 29½	900 x 600 x 751	**Q_ _ _-DT2436_**	**706**	**849**
30 x 24 x 29½	750 x 600 x 751	**Q_ _ _-DT2430_**	**673**	**806**
24 x 24 x 29½	600 x 600 x 751	**Q_ _ _-DT2424_**	**647**	**774**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Left asymmetrical tables, 30"

Full-width wiring access. To attach to a work surface.





Laminate leg panels Q_N_: Option B, C or F.



Mixed leg panels Q_M_: Option B: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 29½	1350 x 750 x 751	**Q_ _ _-AT245430_**	**870**	**1,044**
48 x 30 x 29½	1200 x 750 x 751	**Q_ _ _-AT244830_**	**801**	**960**
42 x 30 x 29½	1050 x 750 x 751	**Q_ _ _-AT244230_**	**779**	**938**
36 x 30 x 29½	900 x 750 x 751	**Q_ _ _-AT243630_**	**753**	**907**
30 x 30 x 29½	750 x 750 x 751	**Q_ _ _-AT243030_**	**721**	**865**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Right asymmetrical tables, 30"

Full-width wiring access. To attach to a work surface.





Laminate leg panels Q_N_: Option B, C or F.



Mixed leg panels Q_M_: Option B: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 29½	1350 x 750 x 751	**Q_ _ _-AT305424_**	**870**	**1,044**
48 x 30 x 29½	1200 x 750 x 751	**Q_ _ _-AT304824_**	**801**	**960**
42 x 30 x 29½	1050 x 750 x 751	**Q_ _ _-AT304224_**	**779**	**938**
36 x 30 x 29½	900 x 750 x 751	**Q_ _ _-AT303624_**	**753**	**907**
30 x 30 x 29½	750 x 750 x 751	**Q_ _ _-AT303024_**	**721**	**865**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Left asymmetrical tables, 24"

Full-width wiring access. To attach to a work surface.





Laminate leg panels Q_N_: Option B, C or F.



Mixed leg panels Q_M_: Option B: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 29½	1350 x 600 x 751	**Q_ _ _-AT185424_**	**844**	**1,013**
48 x 24 x 29½	1200 x 600 x 751	**Q_ _ _-AT184824_**	**779**	**938**
42 x 24 x 29½	1050 x 600 x 751	**Q_ _ _-AT184224_**	**753**	**907**
36 x 24 x 29½	900 x 600 x 751	**Q_ _ _-AT183624_**	**721**	**865**
30 x 24 x 29½	750 x 600 x 751	**Q_ _ _-AT183024_**	**695**	**832**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Right asymmetrical tables, 24"

Full-width wiring access. To attach to a work surface.





Laminate leg panels Q_N_: Option B, C or F.



Mixed leg panels Q_M_: Option B: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 29½	1350 x 600 x 751	**Q_ _ _-AT245418_**	**844**	**1,013**
48 x 24 x 29½	1200 x 600 x 751	**Q_ _ _-AT244818_**	**779**	**938**
42 x 24 x 29½	1050 x 600 x 751	**Q_ _ _-AT244218_**	**753**	**907**
36 x 24 x 29½	900 x 600 x 751	**Q_ _ _-AT243618_**	**721**	**865**
30 x 24 x 29½	750 x 600 x 751	**Q_ _ _-AT243018_**	**695**	**832**

Specify the surface type (5, 6). Specify the accent color (A, S). Specify panel legs (A, B, C, D, E, F).

Left Peninsula corner modules

To attach to a work surface. 2 recessed reversible leg panels, 1 with wiring access. Grommet. 3" square steel legs.



Packaged in 2 boxes.

84 x 48 x 29½	2100 x 1200 x 751	**Q_N_-CB844824**	**1,649**	**2,217**
78 x 48 x 29½	1950 x 1200 x 751	**Q_N_-CB784824**	**1,596**	**2,138**
72 x 48 x 29½	1800 x 1200 x 751	**Q_N_-CB724824**	**1,533**	**2,047**

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left Peninsula corner modules (cont'd)	84 x 42 x 29½	2100 x 1050 x 751	**Q_N_-CB844224**	**1,596**	**2,138**
	78 x 42 x 29½	1950 x 1050 x 751	**Q_N_-CB784224**	**1,533**	**2,047**
	72 x 42 x 29½	1800 x 1050 x 751	**Q_N_-CB724224**	**1,469**	**1,968**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

Right Peninsula corner modules

Packaged in 2 boxes.

To attach to a work surface. 2 recessed reversible leg panels, 1 with wiring access. Grommet. 3" square steel legs.

84 x 48 x 29½	2100 x 1200 x 751	**Q_N_-C4884B24**	**1,649**	**2,217**
78 x 48 x 29½	1950 x 1200 x 751	**Q_N_-C4878B24**	**1,596**	**2,138**
72 x 48 x 29½	1800 x 1200 x 751	**Q_N_-C4872B24**	**1,533**	**2,047**
84 x 42 x 29½	2100 x 1050 x 751	**Q_N_-C4284B24**	**1,596**	**2,138**
78 x 42 x 29½	1950 x 1050 x 751	**Q_N_-C4278B24**	**1,533**	**2,047**
72 x 42 x 29½	1800 x 1050 x 751	**Q_N_-C4272B24**	**1,469**	**1,968**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left Peninsula extended corner modules with modesty panel



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

To attach to a work surface. 2 recessed reversible leg panels, 1 with wiring access. Grommet. 3" square steel legs. Half-height modesty panel.

84 x 48 x 29½	2100 x 1200 x 751	**Q_N_-CBM844824**	**1,787**	**2,355**
78 x 48 x 29½	1950 x 1200 x 751	**Q_N_-CBM784824**	**1,734**	**2,271**
72 x 48 x 29½	1800 x 1200 x 751	**Q_N_-CBM724824**	**1,671**	**2,185**
84 x 42 x 29½	2100 x 1050 x 751	**Q_N_-CBM844224**	**1,734**	**2,271**
78 x 42 x 29½	1950 x 1050 x 751	**Q_N_-CBM784224**	**1,671**	**2,185**
72 x 42 x 29½	1800 x 1050 x 751	**Q_N_-CBM724224**	**1,608**	**2,105**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right Peninsula extended corner modules with modesty panel

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

To attach to a work surface. 2 recessed leg panels, 1 with wiring access. Grommet. 3" square steel legs. Half-height modesty panel.

84 x 48 x 29½	2100 x 1200 x 751	**Q_N_-C4884BM24**	**1,787**	**2,355**
78 x 48 x 29½	1950 x 1200 x 751	**Q_N_-C4878BM24**	**1,734**	**2,271**
72 x 48 x 29½	1800 x 1200 x 751	**Q_N_-C4872BM24**	**1,671**	**2,185**
84 x 42 x 29½	2100 x 1050 x 751	**Q_N_-C4284BM24**	**1,734**	**2,271**
78 x 42 x 29½	1950 x 1050 x 751	**Q_N_-C4278BM24**	**1,671**	**2,185**
72 x 42 x 29½	1800 x 1050 x 751	**Q_N_-C4272BM24**	**1,608**	**2,105**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular tables



Packaged in 2 boxes.

To attach to a work surface. Grommet. 3" square steel legs.

72 x 36 x 29½	1800 x 900 x 751	**Q_N_-BT3672**	**1,241**	**1,654**
66 x 36 x 29½	1650 x 900 x 751	**Q_N_-BT3666**	**1,220**	**1,623**
60 x 36 x 29½	1500 x 900 x 751	**Q_N_-BT3660**	**1,177**	**1,581**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-BT3072**	**1,177**	**1,581**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-BT3066**	**1,140**	**1,522**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-BT3060**	**1,114**	**1,475**
72 x 24 x 29½	1800 x 600 x 751	**Q_N_-BT2472**	**1,114**	**1,475**
66 x 24 x 29½	1650 x 600 x 751	**Q_N_-BT2466**	**1,082**	**1,437**
60 x 24 x 29½	1500 x 600 x 751	**Q_N_-BT2460**	**1,051**	**1,389**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular tables with modesty panel

Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

To attach to a work surface. Grommet. 3" square steel legs. Half-height modesty panel.

72 x 36 x 29½	1800 x 900 x 751	**Q_N_-BTM3672**	**1,379**	**1,649**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-BTM3072**	**1,310**	**1,575**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-BTM3066**	**1,246**	**1,495**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-BTM3060**	**1,177**	**1,416**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular work surfaces

Packaged in 2 boxes.

To attach to a freestanding work surface. 3" square steel legs.

72 x 36 x 29½	1800 x 900 x 751	**Q_N_-BU3672**	**950**	**1,140**
66 x 36 x 29½	1650 x 900 x 751	**Q_N_-BU3666**	**912**	**1,092**
60 x 36 x 29½	1500 x 900 x 751	**Q_N_-BU3660**	**875**	**1,051**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-BU3072**	**875**	**1,051**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-BU3066**	**854**	**1,024**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-BU3060**	**832**	**991**
48 x 30 x 29½	1200 x 750 x 751	**Q_N_-BU3048**	**801**	**960**
72 x 24 x 29½	1800 x 600 x 751	**Q_N_-BU2472**	**832**	**991**
66 x 24 x 29½	1650 x 600 x 751	**Q_N_-BU2466**	**801**	**960**
60 x 24 x 29½	1500 x 600 x 751	**Q_N_-BU2460**	**779**	**938**
48 x 24 x 29½	1200 x 600 x 751	**Q_N_-BU2448**	**759**	**912**

Specify the surface type (5, 6). Specify the accent color (A, S).

Rectangular work surfaces with modesty panel



Modesty panel option: change N in the code prefix to Lexan (L) / Translucent (T) add $318, Metal (M) add $424.

Packaged in 2 boxes.

To attach to a freestanding work surface. 3" square steel legs. Half-height modesty panel.

72 x 36 x 29½	1800 x 900 x 751	**Q_N_-BUM3672**	**1,087**	**1,252**
72 x 30 x 29½	1800 x 750 x 751	**Q_N_-BUM3072**	**1,013**	**1,162**
66 x 30 x 29½	1650 x 750 x 751	**Q_N_-BUM3066**	**986**	**1,135**
60 x 30 x 29½	1500 x 750 x 751	**Q_N_-BUM3060**	**965**	**1,114**

Specify the surface type (5, 6). Specify the accent color (A, S).

Return-shells

Reversible. Grommet. Can accommodate 1 pedestal.

48 x 24 x 29½	1200 x 600 x 751	**Q_N_-R2448S**	**700**	**801**
42 x 24 x 29½	1050 x 600 x 751	**Q_N_-R2442S**	**668**	**764**
36 x 24 x 29½	900 x 600 x 751	**Q_N_-R2436S**	**626**	**721**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right executive returns – low profile



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.

48 x 24 x 29½	1200 x 600 x 751	**Q_N_-R2448UF**	**1,353**	**1,560**
42 x 24 x 29½	1050 x 600 x 751	**Q_N_-R2442UF**	**1,305**	**1,490**
36 x 24 x 29½	900 x 600 x 751	**Q_N_-R2436UF**	**1,257**	**1,437**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left executive returns – low profile

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.

48 x 24 x 29½	1200 x 600 x 751	**Q_N_-UF2448R**	**1,353**	**1,560**
42 x 24 x 29½	1050 x 600 x 751	**Q_N_-UF2442R**	**1,305**	**1,490**
36 x 24 x 29½	900 x 600 x 751	**Q_N_-UF2436R**	**1,257**	**1,437**

Specify the surface type (5, 6). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bridge-returns	*Full-height modesty panel.*				
	48 x 24 x 29½	1200 x 600 x 751	**Q_N_-BR2448**	**514**	**615**
	42 x 24 x 29½	1050 x 600 x 751	**Q_N_-BR2442**	**494**	**589**
	36 x 24 x 29½	900 x 600 x 751	**Q_N_-BR2436**	**472**	**567**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Lateral file credenza with open storage	*Open space on top and 2 file drawers on bottom with suspension bars. Locks. Full-width wiring access. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	72 x 24 x 29½	1800 x 600 x 751	**Q_N_-SLF2472**	**1,702**	**2,042**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Lateral file credenza	*4 file drawers with suspension bars. Locks. Full-width wiring access. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	72 x 24 x 29½	1800 x 600 x 751	**Q_N_-LF2472LF**	**2,164**	**2,594**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Lateral file / bookcase credenza	*2 file drawers with suspension bars. Bookcase with doors and adjustable shelf. Locks. Full-width wiring access.*				
	72 x 24 x 29½	1800 x 600 x 751	**Q_N_-LF2472B**	**1,979**	**2,370**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Bookcase credenza	*Storage unit with doors and adjustable shelves. Locks. Full-width wiring access.*				
	72 x 24 x 29½	1800 x 600 x 751	**Q_N_-B2472B**	**1,814**	**2,175**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Open bookcase credenza	*1 adjustable shelf on each side. Full-width wiring access.*				
	72 x 24 x 29½	1800 x 600 x 751	**Q_N_-BE2472BE**	**1,437**	**1,724**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with doors	*All doors open in the same way. Reversible end door. Reversible hutch for right-or left-hand door opening. Hutches must be supported by storage units or hutch supports (page 16) using the hutch assembly hardware (page 16). See examples of configuration (page 9). 1 tone only.*			
	32" H. Adjustable shelves.			
	96 x 16 x 32	2400 x 400 x 813	**QNN_-E963216P**	**1,767**
	90 x 16 x 32	2250 x 400 x 813	**QNN_-E903216P**	**1,707**
	84 x 16 x 32	2100 x 400 x 813	**QNN_-E843216P**	**1,661**
	78 x 16 x 32	1950 x 400 x 813	**QNN_-E783216P**	**1,601**
	72 x 16 x 32	1800 x 400 x 813	**QNN_-E723216P**	**1,501**
	66 x 16 x 32	1650 x 400 x 813	**QNN_-E663216P**	**1,448**
	60 x 16 x 32	1500 x 400 x 813	**QNN_-E603216P**	**1,427**
	54 x 16 x 32	1350 x 400 x 813	**QNN_-E543216P**	**1,204**
	48 x 16 x 32	1200 x 400 x 813	**QNN_-E483216P**	**1,140**
	42 x 16 x 32	1050 x 400 x 813	**QNN_-E423216P**	**998**
	36 x 16 x 32	900 x 400 x 813	**QNN_-E363216P**	**955**
	Specify the accent color (A, S).			

Door options: change the second N in the code prefix to:

96" to 60": 4 doors Lexan (L) / Translucent (T) add $1,061, Metal (M) add $1,273.

54" to 48": 3 doors Lexan (L) / Translucent (T) add $827, Metal (M) add $955.

42" to 36": 2 doors Lexan (L) / Translucent (T) add $530, Metal (M) add $636.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with doors (cont'd)	*24" H. Adjustable shelves.*			
	96 x 16 x 24	2400 x 400 x 609,5	**QNN_-E962416P**	**1,560**
	90 x 16 x 24	2250 x 400 x 609,5	**QNN_-E902416P**	**1,522**
	84 x 16 x 24	2100 x 400 x 609,5	**QNN_-E842416P**	**1,469**
	78 x 16 x 24	1950 x 400 x 609,5	**QNN_-E782416P**	**1,432**
	72 x 16 x 24	1800 x 400 x 609,5	**QNN_-E722416P**	**1,369**
	66 x 16 x 24	1650 x 400 x 609,5	**QNN_-E662416P**	**1,326**
	60 x 16 x 24	1500 x 400 x 609,5	**QNN_-E602416P**	**1,273**
	54 x 16 x 24	1350 x 400 x 609,5	**QNN_-E542416P**	**1,071**
	48 x 16 x 24	1200 x 400 x 609,5	**QNN_-E482416P**	**1,024**
	42 x 16 x 24	1050 x 400 x 609,5	**QNN_-E422416P**	**902**
	36 x 16 x 24	900 x 400 x 609,5	**QNN_-E362416P**	**854**
	Specify the accent color (A, S).			
	16" H.			
	96 x 16 x 16	2400 x 400 x 406,5	**QNN_-E961616P**	**1,432**
	90 x 16 x 16	2250 x 400 x 406,5	**QNN_-E901616P**	**1,389**
	84 x 16 x 16	2100 x 400 x 406,5	**QNN_-E841616P**	**1,369**
	78 x 16 x 16	1950 x 400 x 406,5	**QNN_-E781616P**	**1,331**
	72 x 16 x 16	1800 x 400 x 406,5	**QNN_-E721616P**	**1,082**
	66 x 16 x 16	1650 x 400 x 406,5	**QNN_-E661616P**	**1,044**
	60 x 16 x 16	1500 x 400 x 406,5	**QNN_-E601616P**	**1,008**
	54 x 16 x 16	1350 x 400 x 406,5	**QNN_-E541616P**	**844**
	48 x 16 x 16	1200 x 400 x 406,5	**QNN_-E481616P**	**801**
	42 x 16 x 16	1050 x 400 x 406,5	**QNN_-E421616P**	**700**
	36 x 16 x 16	900 x 400 x 406,5	**QNN_-E361616P**	**679**
	Specify the accent color (A, S).			

Door options: change the second N in the code prefix to:

96" to 78": 6 doors Lexan (L) / Translucent (T) add $1,273, Metal (M) add $1,591.

72" to 60": 4 doors Lexan (L) / Translucent (T) add $849, Metal (M) add $1,061.

54" to 48": 3 doors Lexan (L) / Translucent (T) add $636, Metal (M) add $827.

42" to 36": 2 doors Lexan (L) / Translucent (T) add $424, Metal (M) add $530.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with sliding door	*The sliding door covers one half of the storage. Hutches must be supported by storage units or hutch supports (page 16) using the hutch assembly hardware (page 16). See examples of configuration (page 9). 1 tone only.*			
	*32" H. Adjustable shelves.*			
	96 x 16 x 32	2400 x 400 x 813	**QNN_-E963216C**	**1,517**
	90 x 16 x 32	2250 x 400 x 813	**QNN_-E903216C**	**1,469**
	84 x 16 x 32	2100 x 400 x 813	**QNN_-E843216C**	**1,437**
	78 x 16 x 32	1950 x 400 x 813	**QNN_-E783216C**	**1,395**
	72 x 16 x 32	1800 x 400 x 813	**QNN_-E723216C**	**1,283**
	66 x 16 x 32	1650 x 400 x 813	**QNN_-E663216C**	**1,252**
	60 x 16 x 32	1500 x 400 x 813	**QNN_-E603216C**	**1,225**
	Specify the accent color (A, N, S).			
	*24" H. Adjustable shelves.*			
	96 x 16 x 24	2400 x 400 x 609,5	**QNN_-E962416C**	**1,379**
	90 x 16 x 24	2250 x 400 x 609,5	**QNN_-E902416C**	**1,342**
	84 x 16 x 24	2100 x 400 x 609,5	**QNN_-E842416C**	**1,316**
	78 x 16 x 24	1950 x 400 x 609,5	**QNN_-E782416C**	**1,273**
	72 x 16 x 24	1800 x 400 x 609,5	**QNN_-E722416C**	**1,162**
	66 x 16 x 24	1650 x 400 x 609,5	**QNN_-E662416C**	**1,124**
	60 x 16 x 24	1500 x 400 x 609,5	**QNN_-E602416C**	**1,098**
	Specify the accent color (A, N, S).			

Door option: change the second N in the code prefix to:

Lexan (L) / Translucent (T) add $477, Metal (M) add $530.

Door option: change the second N in the code prefix to:

Lexan (L) / Translucent (T) add $451, Metal (M) add $504.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with sliding door (cont'd)	*16" H.*			
	96 x 16 x 16	2400 x 400 x 406,5	**QNN_-E961616C**	**1,241**
	90 x 16 x 16	2250 x 400 x 406,5	**QNN_-E901616C**	**1,162**
	84 x 16 x 16	2100 x 400 x 406,5	**QNN_-E841616C**	**1,140**
	78 x 16 x 16	1950 x 400 x 406,5	**QNN_-E781616C**	**1,114**
	72 x 16 x 16	1800 x 400 x 406,5	**QNN_-E721616C**	**960**
	66 x 16 x 16	1650 x 400 x 406,5	**QNN_-E661616C**	**928**
	60 x 16 x 16	1500 x 400 x 406,5	**QNN_-E601616C**	**885**
	Specify the accent color (A, N, S).			



Door option: change the second N in the code prefix to:

Lexan (L) / Translucent (T) add $424, Metal (M) add $477.

Open hutches

Hutches must be supported by storage units or hutch supports (page 16) using the hutch assembly hardware (page 16). See examples of configuration (page 9). 1 tone only.

96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
	32" H. Adjustable shelves.			
	96 x 15 x 32	2400 x 381 x 813	**QNNN-E963216**	**1,347**
	90 x 15 x 32	2250 x 381 x 813	**QNNN-E903216**	**1,305**
	84 x 15 x 32	2100 x 381 x 813	**QNNN-E843216**	**1,273**
	78 x 15 x 32	1950 x 381 x 813	**QNNN-E783216**	**1,236**
	72 x 15 x 32	1800 x 381 x 813	**QNNN-E723216**	**1,119**
	66 x 15 x 32	1650 x 381 x 813	**QNNN-E663216**	**1,077**
	60 x 15 x 32	1500 x 381 x 813	**QNNN-E603216**	**1,039**
	54 x 15 x 32	1350 x 381 x 813	**QNNN-E543216**	**849**
	48 x 15 x 32	1200 x 381 x 813	**QNNN-E483216**	**801**
	42 x 15 x 32	1050 x 381 x 813	**QNNN-E423216**	**753**
	36 x 15 x 32	900 x 381 x 813	**QNNN-E363216**	**711**

96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
	24" H. Adjustable shelves.			
	96 x 15 x 24	2400 x 381 x 609,5	**QNNN-E962416**	**1,273**
	90 x 15 x 24	2250 x 381 x 609,5	**QNNN-E902416**	**1,241**
	84 x 15 x 24	2100 x 381 x 609,5	**QNNN-E842416**	**1,193**
	78 x 15 x 24	1950 x 381 x 609,5	**QNNN-E782416**	**1,145**
	72 x 15 x 24	1800 x 381 x 609,5	**QNNN-E722416**	**1,044**
	66 x 15 x 24	1650 x 381 x 609,5	**QNNN-E662416**	**1,008**
	60 x 15 x 24	1500 x 381 x 609,5	**QNNN-E602416**	**960**
	54 x 15 x 24	1350 x 381 x 609,5	**QNNN-E542416**	**774**
	48 x 15 x 24	1200 x 381 x 609,5	**QNNN-E482416**	**732**
	42 x 15 x 24	1050 x 381 x 609,5	**QNNN-E422416**	**695**
	36 x 15 x 24	900 x 381 x 609,5	**QNNN-E362416**	**658**

96" to 78":
6 open compartments.
72" to 60":
4 open compartments.
54" to 36":
2 open compartments.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
	16" H.			
	96 x 15 x 16	2400 x 381 x 406,5	**QNNN-E961616**	**1,018**
	90 x 15 x 16	2250 x 381 x 406,5	**QNNN-E901616**	**976**
	84 x 15 x 16	2100 x 381 x 406,5	**QNNN-E841616**	**955**
	78 x 15 x 16	1950 x 381 x 406,5	**QNNN-E781616**	**928**
	72 x 15 x 16	1800 x 381 x 406,5	**QNNN-E721616**	**764**
	66 x 15 x 16	1650 x 381 x 406,5	**QNNN-E661616**	**737**
	60 x 15 x 16	1500 x 381 x 406,5	**QNNN-E601616**	**706**
	54 x 15 x 16	1350 x 381 x 406,5	**QNNN-E541616**	**557**
	48 x 15 x 16	1200 x 381 x 406,5	**QNNN-E481616**	**536**
	42 x 15 x 16	1050 x 381 x 406,5	**QNNN-E421616**	**504**
	36 x 15 x 16	900 x 381 x 406,5	**QNNN-E361616**	**482**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch supports	*See examples of configuration (page 9).*			
Pigeonhole hutch supports	*Removable shelves. 1 tone only.*			
	18 x 15 x 28	450 x 381 x 685	**QNNN-SDV1828**	**631**
	18 x 15 x 20	450 x 381 x 482	**QNNN-SDV1820**	**557**
	12 x 15 x 28	300 x 381 x 685	**QNNN-SDV1228**	**573**
	12 x 15 x 20	300 x 381 x 482	**QNNN-SDV1220**	**509**



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch supports	*Adjustable shelf (shelves). 1 tone only.*			
	36 x 15 x 28	900 x 381 x 685	**QNNN-SDVB3628**	**631**
	36 x 15 x 20	900 x 381 x 482	**QNNN-SDVB3620**	**600**
	30 x 15 x 28	750 x 381 x 685	**QNNN-SDVB3028**	**600**
	30 x 15 x 20	750 x 381 x 482	**QNNN-SDVB3020**	**578**
	24 x 15 x 28	600 x 381 x 685	**QNNN-SDVB2428**	**509**
	24 x 15 x 20	600 x 381 x 482	**QNNN-SDVB2420**	**494**
	18 x 15 x 28	450 x 381 x 685	**QNNN-SDVB1828**	**488**
	18 x 15 x 20	450 x 381 x 482	**QNNN-SDVB1820**	**467**
	12 x 15 x 28	300 x 381 x 685	**QNNN-SDVB1228**	**461**
	12 x 15 x 20	300 x 381 x 482	**QNNN-SDVB1220**	**435**
	6 x 15 x 28	150 x 381 x 685	**QNNN-SDVB0628**	**424**
	6 x 15 x 20	150 x 381 x 482	**QNNN-SDVB0620**	**408**



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch metal supports	*Steel frame support. Hardware included. Refer to specification guide (page 8) for appropriate use.*			
	1 x 15 x 3	25 x 375 x 76	**QNN_-HSM4**	**181**
	1 x 15 x 11	25 x 375 x 279	**QNN_-HSM12**	**191**
	1 x 15 x 19	25 x 375 x 481	**QNN_-HSM20**	**202**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch assembly U-shaped bracket	*Hardware included.*			
	9 x 2 x 2	230 x 52,5 x 51,1	**QNN_-HBU**	**106**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch assembly I-shaped bracket	*Hardware included.*			
	9 x 4 x ⅛	230 x 100 x 3	**QNN_-HBS**	**96**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch assembly Z-shaped bracket	*Z connection. Hardware included.*			
	15 x 2 x 4	375 x 58 x 105	**QNN_-HBZ**	**96**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutch assembly S-shaped brackets	*Right 90° connection. Hardware included.*			
	11 x 11 x 4	280 x 280 x 105	**QNN_-HB90R**	**96**
	Specify the accent color (A, S).			

Right (R)

Left (L)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
	Left 90° connection. Hardware included.			
	11 x 11 x 4	280 x 280 x 105	**QNN_-HB90L**	**96**
	Specify the accent color (A, S).			

= NOT PART OF THE QUICKSHIP PROGRAM

Wall-mounted hutches with doors

All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hanger bar included for wall-mount installation. 1 tone only.

Door options: change the second N in the code prefix to:

96" to 60": 4 doors Lexan (L) / Translucent (T) add $1,061, Metal (M) add $1,273.

54" to 48": 3 doors Lexan (L) / Translucent (T) add $827, Metal (M) add $955.

42" to 36": 2 doors Lexan (L) / Translucent (T) add $530, Metal (M) add $636.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
32" H. Adjustable shelves.			
96 x 16 x 32	2400 x 400 x 813	**QNN_-EM963216P**	**1,867**
90 x 16 x 32	2250 x 400 x 813	**QNN_-EM903216P**	**1,825**
84 x 16 x 32	2100 x 400 x 813	**QNN_-EM843216P**	**1,761**
78 x 16 x 32	1950 x 400 x 813	**QNN_-EM783216P**	**1,697**
72 x 16 x 32	1800 x 400 x 813	**QNN_-EM723216P**	**1,596**
66 x 16 x 32	1650 x 400 x 813	**QNN_-EM663216P**	**1,538**
60 x 16 x 32	1500 x 400 x 813	**QNN_-EM603216P**	**1,475**
54 x 16 x 32	1350 x 400 x 813	**QNN_-EM543216P**	**1,252**
48 x 16 x 32	1200 x 400 x 813	**QNN_-EM483216P**	**1,199**
42 x 16 x 32	1050 x 400 x 813	**QNN_-EM423216P**	**1,051**
36 x 16 x 32	900 x 400 x 813	**QNN_-EM363216P**	**991**

Specify the accent color (A, S).

Door options: change the second N in the code prefix to:

96" to 60": 4 doors Lexan (L) / Translucent (T) add $955, Metal (M) add $1,167.

54" to 48": 3 doors Lexan (L) / Translucent (T) add $716, Metal (M) add $875.

42" to 36": 2 doors Lexan (L) / Translucent (T) add $477, Metal (M) add $583.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24" H. Adjustable shelves.			
96 x 16 x 24	2400 x 400 x 609,5	**QNN_-EM962416P**	**1,681**
90 x 16 x 24	2250 x 400 x 609,5	**QNN_-EM902416P**	**1,634**
84 x 16 x 24	2100 x 400 x 609,5	**QNN_-EM842416P**	**1,586**
78 x 16 x 24	1950 x 400 x 609,5	**QNN_-EM782416P**	**1,538**
72 x 16 x 24	1800 x 400 x 609,5	**QNN_-EM722416P**	**1,379**
66 x 16 x 24	1650 x 400 x 609,5	**QNN_-EM662416P**	**1,369**
60 x 16 x 24	1500 x 400 x 609,5	**QNN_-EM602416P**	**1,331**
54 x 16 x 24	1350 x 400 x 609,5	**QNN_-EM542416P**	**1,119**
48 x 16 x 24	1200 x 400 x 609,5	**QNN_-EM482416P**	**1,071**
42 x 16 x 24	1050 x 400 x 609,5	**QNN_-EM422416P**	**945**
36 x 16 x 24	900 x 400 x 609,5	**QNN_-EM362416P**	**897**

Specify the accent color (A, S).

Door options: change the second N in the code prefix to:

96" to 78": 6 doors Lexan (L) / Translucent (T) add $1,273, Metal (M) add $1,591.

72" to 60": 4 doors Lexan (L) / Translucent (T) add $849, Metal (M) add $1,061.

54" to 48": 3 doors Lexan (L) / Translucent (T) add $636, Metal (M) add $827.

42" to 36": 2 doors Lexan (L) / Translucent (T) add $424, Metal (M) add $530.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
16" H.			
96 x 16 x 16	2400 x 400 x 406,5	**QNN_-EM961616P**	**1,507**
90 x 16 x 16	2250 x 400 x 406,5	**QNN_-EM901616P**	**1,469**
84 x 16 x 16	2100 x 400 x 406,5	**QNN_-EM841616P**	**1,437**
78 x 16 x 16	1950 x 400 x 406,5	**QNN_-EM781616P**	**1,395**
72 x 16 x 16	1800 x 400 x 406,5	**QNN_-EM721616P**	**1,140**
66 x 16 x 16	1650 x 400 x 406,5	**QNN_-EM661616P**	**1,098**
60 x 16 x 16	1500 x 400 x 406,5	**QNN_-EM601616P**	**1,061**
54 x 16 x 16	1350 x 400 x 406,5	**QNN_-EM541616P**	**897**
48 x 16 x 16	1200 x 400 x 406,5	**QNN_-EM481616P**	**859**
42 x 16 x 16	1050 x 400 x 406,5	**QNN_-EM421616P**	**748**
36 x 16 x 16	900 x 400 x 406,5	**QNN_-EM361616P**	**711**

Specify the accent color (A, S).

Wall-mounted hutches with sliding door

The sliding door covers one half of the storage. Hanger bar included for wall-mount installation. 1 tone only.



Door option: change the second N in the code prefix to: Lexan (L) / Translucent (T) add $477, Metal (M) add $530.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
32" H. Adjustable shelves.			
96 x 16 x 32	2400 x 400 x 813	**QNN_-EM963216C**	**1,596**
90 x 16 x 32	2250 x 400 x 813	**QNN_-EM903216C**	**1,560**
84 x 16 x 32	2100 x 400 x 813	**QNN_-EM843216C**	**1,522**
78 x 16 x 32	1950 x 400 x 813	**QNN_-EM783216C**	**1,475**
72 x 16 x 32	1800 x 400 x 813	**QNN_-EM723216C**	**1,326**
66 x 16 x 32	1650 x 400 x 813	**QNN_-EM663216C**	**1,278**
60 x 16 x 32	1500 x 400 x 813	**QNN_-EM603216C**	**1,257**

Specify the accent color (A, N, S).



Door option: change the second N in the code prefix to: Lexan (L) / Translucent (T) add $451, Metal (M) add $504.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24" H. Adjustable shelves.			
96 x 16 x 24	2400 x 400 x 609,5	**QNN_-EM962416C**	**1,459**
90 x 16 x 24	2250 x 400 x 609,5	**QNN_-EM902416C**	**1,416**
84 x 16 x 24	2100 x 400 x 609,5	**QNN_-EM842416C**	**1,379**
78 x 16 x 24	1950 x 400 x 609,5	**QNN_-EM782416C**	**1,342**
72 x 16 x 24	1800 x 400 x 609,5	**QNN_-EM722416C**	**1,236**
66 x 16 x 24	1650 x 400 x 609,5	**QNN_-EM662416C**	**1,199**
60 x 16 x 24	1500 x 400 x 609,5	**QNN_-EM602416C**	**1,151**

Specify the accent color (A, N, S).



Door option: change the second N in the code prefix to: Lexan (L) / Translucent (T) add $424, Metal (M) add $477.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
16" H.			
96 x 16 x 16	2400 x 400 x 406,5	**QNN_-EM961616C**	**1,257**
90 x 16 x 16	2250 x 400 x 406,5	**QNN_-EM901616C**	**1,230**
84 x 16 x 16	2100 x 400 x 406,5	**QNN_-EM841616C**	**1,204**
78 x 16 x 16	1950 x 400 x 406,5	**QNN_-EM781616C**	**1,092**
72 x 16 x 16	1800 x 400 x 406,5	**QNN_-EM721616C**	**1,018**
66 x 16 x 16	1650 x 400 x 406,5	**QNN_-EM661616C**	**981**
60 x 16 x 16	1500 x 400 x 406,5	**QNN_-EM601616C**	**955**

Specify the accent color (A, N, S).

Open wall-mounted hutches

Hanger bar included for wall-mount installation. 1 tone only.

96" to 60": 4 open compartments. 54" to 36": 2 open compartments.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
32" H. Adjustable shelves.			
96 x 15 x 32	2400 x 381 x 813	**QNNN-EM963216**	**1,305**
90 x 15 x 32	2250 x 381 x 813	**QNNN-EM903216**	**1,257**
84 x 15 x 32	2100 x 381 x 813	**QNNN-EM843216**	**1,230**
78 x 15 x 32	1950 x 381 x 813	**QNNN-EM783216**	**1,167**
72 x 15 x 32	1800 x 381 x 813	**QNNN-EM723216**	**1,071**
66 x 15 x 32	1650 x 381 x 813	**QNNN-EM663216**	**1,039**
60 x 15 x 32	1500 x 381 x 813	**QNNN-EM603216**	**991**
54 x 15 x 32	1350 x 381 x 813	**QNNN-EM543216**	**812**
48 x 15 x 32	1200 x 381 x 813	**QNNN-EM483216**	**774**
42 x 15 x 32	1050 x 381 x 813	**QNNN-EM423216**	**737**
36 x 15 x 32	900 x 381 x 813	**QNNN-EM363216**	**690**

96" to 60": 4 open compartments. 54" to 36": 2 open compartments.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24" H. Adjustable shelves.			
96 x 15 x 24	2400 x 381 x 609,5	**QNNN-EM962416**	**1,204**
90 x 15 x 24	2250 x 381 x 609,5	**QNNN-EM902416**	**1,157**
84 x 15 x 24	2100 x 381 x 609,5	**QNNN-EM842416**	**1,119**
78 x 15 x 24	1950 x 381 x 609,5	**QNNN-EM782416**	**1,087**
72 x 15 x 24	1800 x 381 x 609,5	**QNNN-EM722416**	**986**
66 x 15 x 24	1650 x 381 x 609,5	**QNNN-EM662416**	**955**
60 x 15 x 24	1500 x 381 x 609,5	**QNNN-EM602416**	**912**
54 x 15 x 24	1350 x 381 x 609,5	**QNNN-EM542416**	**748**
48 x 15 x 24	1200 x 381 x 609,5	**QNNN-EM482416**	**711**
42 x 15 x 24	1050 x 381 x 609,5	**QNNN-EM422416**	**679**
36 x 15 x 24	900 x 381 x 609,5	**QNNN-EM362416**	**647**

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Open wall-mounted hutches (cont'd)	*16" H.*			
	96 x 15 x 16	2400 x 381 x 406,5	**QNNN-EM961616**	**991**
	90 x 15 x 16	2250 x 381 x 406,5	**QNNN-EM901616**	**965**
	84 x 15 x 16	2100 x 381 x 406,5	**QNNN-EM841616**	**938**
	78 x 15 x 16	1950 x 381 x 406,5	**QNNN-EM781616**	**907**
	72 x 15 x 16	1800 x 381 x 406,5	**QNNN-EM721616**	**764**
	66 x 15 x 16	1650 x 381 x 406,5	**QNNN-EM661616**	**737**
	60 x 15 x 16	1500 x 381 x 406,5	**QNNN-EM601616**	**695**
	54 x 15 x 16	1350 x 381 x 406,5	**QNNN-EM541616**	**562**
	48 x 15 x 16	1200 x 381 x 406,5	**QNNN-EM481616**	**536**
	42 x 15 x 16	1050 x 381 x 406,5	**QNNN-EM421616**	**504**
	36 x 15 x 16	900 x 381 x 406,5	**QNNN-EM361616**	**482**

96" to 78":
6 open compartments.
72" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Modular pedestal

2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Goes under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	**QNN_-P1518UFL**	**865**

Specify the accent color (A, S).

Modular pedestal

2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.

15 x 18 x 28	388 x 448 x 713	**QNN_-P1518FFL**	**812**

Specify the accent color (A, S).

Modular lateral files

2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.

36 x 18 x 28	900 x 448 x 713	**QNN_-1836LFL**	**1,008**
30 x 18 x 28	750 x 448 x 713	**QNN_-1830LFL**	**976**

Specify the accent color (A, S).

Combined modular pedestals

2 box drawers, 2 file drawers with suspension bars. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.

36 x 18 x 28	900 x 448 x 713	**QNN_-1836COL**	**1,263**
30 x 18 x 28	750 x 448 x 713	**QNN_-1830COL**	**1,162**

Specify the accent color (A, S).

Combined modular pedestals

2 box drawers, 2 file drawers with suspension bars. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.

36 x 18 x 28	900 x 448 x 713	**QNN_-CO1836L**	**1,263**
30 x 18 x 28	750 x 448 x 713	**QNN_-CO1830L**	**1,162**

Specify the accent color (A, S).

Modular bookcase with doors

1 adjustable shelf. Lock. Must be installed under a work surface. 1 tone only.

36 x 18 x 28	900 x 448 x 713	**QNN_-1836BL**	**885**
30 x 18 x 28	750 x 448 x 713	**QNN_-1830BL**	**822**

Specify the accent color (A, S).

Door options: change N in the code prefix to:
Lexan (L) / Translucent (T) add $477, Metal (M) add $583.

Mobile pedestals

1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Brakes on front casters. Fits under a work surface. 1 tone only.

15 x 18 x 20¾	390 x 450 x 527	**QNN_-MP1518F**	**832**
15 x 23 x 20¾	390 x 575 x 527	**QNN_-MP1523F**	**859**

Specify the accent color (A, S).

Mobile pedestals

2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Brakes on front casters. Fits under a work surface. 1 tone only.

15 x 28 x 27	388 x 700 x 704	**QNN_-MP1528UF**	**928**
15 x 18 x 27	388 x 448 x 704	**QNN_-MP1518UF**	**912**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral file	*2 file drawers with suspension bars. Lock. Optional counterweight to meet BIFMA Standards, refer to page 207.*				
	36 x 24 x 29½	900 x 600 x 751	**Q_N_-2436LF**	**1,289**	**1,517**

Specify the surface type (5, 6). Specify the accent color (A, S).

Combined pedestal

2 box drawers, 2 file drawers with suspension bars. Pencil tray. One lock for the two file drawers. Optional counterweight to meet BIFMA Standards, refer to page 207.

36 x 24 x 29½	900 x 600 x 751	**Q_N_-2436CO**	**1,427**	**1,808**

Specify the surface type (5, 6). Specify the accent color (A, S).

Combined pedestal

2 box drawers, 2 file drawers with suspension bars. Pencil tray. One lock for the two file drawers. Optional counterweight to meet BIFMA Standards, refer to page 207.

36 x 24 x 29½	900 x 600 x 751	**Q_N_-CO2436**	**1,427**	**1,808**

Specify the surface type (5, 6). Specify the accent color (A, S).

Bookcase with doors

1 adjustable shelf. Lock.

36 x 24 x 29½	900 x 600 x 751	**Q_N_-2436B**	**1,151**	**1,353**

Specify the surface type (5,6). Specify the accent color (A, S).

Door options: change N in the code prefix to:
Lexan (L) / Translucent (T) add $477, Metal (M) add $583.

Storage cabinets



Door options: change N in the code prefix to:
Lexan (L) / Translucent (T) add $849, Metal (M) add $1,061.

Lock. 1 tone only. 81" H: 4 adjustable shelves, 1 fixed. 65"-73" H: 3 adjustable shelves, 1 fixed. 57" H: 3 adjustable shelves. 49" H: 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 24 x 81	900 x 600 x 2046	**QNN_-243681B**	**1,873**
36 x 24 x 73	900 x 600 x 1843	**QNN_-243673B**	**1,755**
36 x 24 x 65	900 x 600 x 1640	**QNN_-243665B**	**1,697**
36 x 24 x 57	900 x 600 x 1437	**QNN_-243657B**	**1,581**
36 x 24 x 49	900 x 600 x 1234	**QNN_-243649B**	**1,459**

Specify the accent color (A, S).

Wardrobe / storage cabinets



Door options: change N in the code prefix to:
Lexan (L) / Translucent (T) add $849, Metal (M) add $1,061.

Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side 15⅝" W (399 mm). 81" H: 4 adjustable shelves, 1 fixed. 65"-73" H: 3 adjustable shelves, 1 fixed. 57" H: 3 adjustable shelves. 49" H: 2 adjustable shelves. 1 tone only.

36 x 24 x 81	900 x 600 x 2046	**QNN_-243681BC**	**1,755**
36 x 24 x 73	900 x 600 x 1843	**QNN_-243673BC**	**1,697**
36 x 24 x 65	900 x 600 x 1640	**QNN_-243665BC**	**1,639**
36 x 24 x 57	900 x 600 x 1437	**QNN_-243657BC**	**1,522**
36 x 24 x 49	900 x 600 x 1234	**QNN_-243649BC**	**1,406**

Specify the accent color (A, S).

Storage cabinets with lateral file



Door options: change N in the code prefix to:
Lexan (L) / Translucent (T) add $583, Metal (M) add $743.

Lock on file drawers only. Suspension bars. 81" H: 3 adjustable shelves. 65"-73" H: 2 adjustable shelves. 57"-49" H: 1 adjustable shelf. 1 tone only.

36 x 24 x 81	900 x 600 x 2046	**QNN_-243681LFB**	**2,201**
36 x 24 x 73	900 x 600 x 1843	**QNN_-243673LFB**	**2,047**
36 x 24 x 65	900 x 600 x 1640	**QNN_-243665LFB**	**1,915**
36 x 24 x 57	900 x 600 x 1437	**QNN_-243657LFB**	**1,761**
36 x 24 x 49	900 x 600 x 1234	**QNN_-243649LFB**	**1,618**

Specify the accent color (A, S).

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Wardrobe / storage cabinets	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side 18⅜" W (468 mm). One lock for drawers and one lock on full-height door. 81" H: 3 adjustable shelves. 65"-73" H: 2 adjustable shelves. 1 tone only.*			
	36 x 24 x 81	900 x 600 x 2046	**QNN_-243681UFB**	**2,329**
	36 x 24 x 73	900 x 600 x 1843	**QNN_-243673UFB**	**2,185**
	36 x 24 x 65	900 x 600 x 1640	**QNN_-243665UFB**	**2,037**
	Specify the accent color (A, S).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $716, Metal (M) add $902.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Wardrobe / storage cabinets	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side 18⅜" W (468 mm). One lock for drawers and one lock on full-height door. 81" H: 3 adjustable shelves. 65"-73" H: 2 adjustable shelves. 1 tone only.*			
	36 x 24 x 81	900 x 600 x 2046	**QNN_-243681BUF**	**2,329**
	36 x 24 x 73	900 x 600 x 1843	**QNN_-243673BUF**	**2,185**
	36 x 24 x 65	900 x 600 x 1640	**QNN_-243665BUF**	**2,037**
	Specify the accent color (A, S).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $716, Metal (M) add $902.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Storage cabinets with lateral file	*One lock for file drawers. Suspension bars. Reversible door. 81" H: 3 adjustable shelves. 65"-73" H: 2 adjustable shelves. 1 tone only.*			
	24 x 24 x 81	600 x 600 x 2046	**QNN_-242481FB**	**1,750**
	24 x 24 x 73	600 x 600 x 1843	**QNN_-242473FB**	**1,676**
	24 x 24 x 65	600 x 600 x 1640	**QNN_-242465FB**	**1,613**
	Specify the accent color (A, S).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $292, Metal (M) add $371.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Wardrobe / storage cabinets	*Clothes hanger bar and 1 fixed shelf on wardrobe side 9¾" W (249 mm). Lock. Reversible door. 81" H: 5 adjustable shelves. 65"-73" H: 4 adjustable shelves. 57" H: 3 adjustable shelves. 49" H: 2 adjustable shelves. 1 tone only.*			
	24 x 24 x 81	600 x 600 x 2046	**QNN_-242481BC_**	**1,316**
	24 x 24 x 73	600 x 600 x 1843	**QNN_-242473BC_**	**1,257**
	24 x 24 x 65	600 x 600 x 1640	**QNN_-242465BC_**	**1,199**
	24 x 24 x 57	600 x 600 x 1437	**QNN_-242457BC_**	**1,135**
	24 x 24 x 49	600 x 600 x 1234	**QNN_-242449BC_**	**1,077**
	Specify the accent color (A, S). Specify the opening at the end of the code: on right (R) or on left (L).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $424, Metal (M) add $530.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Storage cabinets	*Lock. Reversible door. 81" H: 5 adjustable shelves. 65"-73" H: 4 adjustable shelves. 57" H: 3 adjustable shelves. 49" H: 2 adjustable shelves. 1 tone only.*			
	24 x 24 x 81	600 x 600 x 2046	**QNN_-242481B_**	**1,316**
	24 x 24 x 73	600 x 600 x 1843	**QNN_-242473B_**	**1,257**
	24 x 24 x 65	600 x 600 x 1640	**QNN_-242465B_**	**1,199**
	24 x 24 x 57	600 x 600 x 1437	**QNN_-242457B_**	**1,135**
	24 x 24 x 49	600 x 600 x 1234	**QNN_-242449B_**	**1,077**
	Specify the accent color (A, S). Specify the opening at the end of the code: on right (R) or on left (L).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $424, Metal (M) add $530.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Open bookcases	*81" H: 4 adjustable shelves, 1 fixed at 29" H. 73" H: 3 adjustable shelves, 1 fixed at 29" H. 65" H: 4 adjustable shelves. 57" H: 3 adjustable shelves. 49" H: 2 adjustable shelves. 1 tone only.*			
	36 x 15 x 81	900 x 381 x 2046	**QNN_-B368116**	**1,034**
	36 x 15 x 73	900 x 381 x 1834	**QNN_-B367316**	**971**
	36 x 15 x 65	900 x 381 x 1640	**QNN_-B366516**	**897**
	36 x 15 x 57	900 x 381 x 1437	**QNN_-B365716**	**838**
	36 x 15 x 49	900 x 381 x 1234	**QNN_-B364916**	**774**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left personal bookcases	*1 box drawer, 2 file drawers with suspension bars. Adjustable shelf 57" H only. Wardrobe with clothes hanger bar 7¼" W (187 mm). Lock for the two file drawers. Lock on door. 1 tone only.*			
	24 x 24 x 57	600 x 600 x 1437	**QNN_-PB242457**	**2,079**
	24 x 24 x 49	600 x 600 x 1234	**QNN_-PB242449**	**1,989**
	Specify the accent color (A, S).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $204, Metal (M) add $318.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right personal bookcases	*1 box drawer, 2 file drawers with suspension bars. Adjustable shelf 57" H only. Wardrobe with clothes hanger bar 7¼" W (187 mm). Lock for the two file drawers. Lock on door. 1 tone only.*			
	24 x 24 x 57	600 x 600 x 1437	**QNN_-P242457B**	**2,079**
	24 x 24 x 49	600 x 600 x 1234	**QNN_-P242449B**	**1,989**
	Specify the accent color (A, S).			

Door options: change N in the code prefix to: Lexan (L) / Translucent (T) add $212, Metal (M) add $318.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Tables	*3" square steel legs (carton of 4).*				
	48 x 48 x 1½	1200 x 1200 x 38	**Q_M_-SQ48**	**1,459**	**1,671**
	42 x 42 x 1½	1050 x 1050 x 38	**Q_M_-SQ42**	**1,369**	**1,543**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

Packaged in 2 boxes.

Additional full-width laminate legs	*Full-width leg without wire access. 1 tone only*				
	30 x 1 x 27½	748 x 25 x 698	**QNN_-L30**	–	**143**
	24 x 1 x 27½	598 x 25 x 698	**QNN_-L24**	–	**133**
	Full-width leg with wiring access. 1 tone only.				
	30 x 1 x 27½	748 x 25 x 698	**QNN_-L30D**	–	**143**
	24 x 1 x 27½	598 x 25 x 698	**QNN_-L24D**	–	**133**
	Specify the accent color (A, S).				
Additional full-width metal legs	30 x 1 x 27½	748 x 25 x 698	**QNN_-L30M**	–	**275**
	24 x 1 x 27½	598 x 25 x 698	**QNN_-L24M**	–	**275**
	Specify the accent color (A, S).				
Additional laminate recessed leg	13 x 1 x 27½	340 x 25 x 698	**QNN_-L12**	–	**111**
	Specify the accent color (A, S).				

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

Q_ _ _-PLAN01



Plan shown in Quad Brochure:

Q5TS-PLAN01	$8,831
1	Q5TS-UFM3684FF
1	Q5NS-DT2472A
1	QNNS-1830COL
1	QNNS-242449BL
1	QNNS-242449BR
1	QNNS-E962416P
1	QNNS-HBZ
1	QNNS-HBS

Laminate doors (N), Translucent modesty panel (T), Silver accent (S).

Q_ _ _-PLAN02



Plan shown in Quad Brochure:

Q5MA-PLAN02	$9,876
1	Q5TS-UFM3066R
2	Q5NS-DT2466B
1	QNNS-1830LFL
1	QNNS-MP1518UF
1	QNNN-SDVB1820
1	QNNS-242449BR
1	QNNN-E661616
1	QNTS-E841616C
1	QNNS-HBS
1	QNNS-HBU
1	QNNS-HSM4
1	QNNN-HB90L

Storage with Laminate door (N), hutches with Translucent doors (T), Translucent modesty panel (T), Silver accent (S).

Q_ _ _-PLAN03



Plan shown in Quad Brochure:

Q5TS-PLAN03	$25,141
4	Q5NS-DT3072A
4	Q5NN-R2442S
4	QNNS-E721616P
4	QNNN-E721616
4	QNNS-242449BR
4	QNNS-MP1518UF
4	LGC-CU1518
4	QNNS-HSM20
4	QNNS-HBU
4	QNNS-HSM4
4	QNNN-HB90L

Laminate doors (N), Silver accent (S).

Q_ _ _-PLAN04



Plan shown in Quad Brochure:

Q5TS-PLAN04	$19,084
2	Q5NS-DT2472A
1	Q5TS-R3072UFM
1	Q5TS-UFM3072R
2	QNNS-P1518FFL
1	QNTS-242481BCL
1	QNTS-242481BCR
1	QNTS-243657B
2	QNNS-E962416C
2	QNNN-E722416
4	QNNS-HBU
1	QNNS-HB90R
1	QNNS-HB90L
2	QNNS-HSM12

Storage with Translucent doors (T), hutches with Laminate doors (N), Silver accent (S). Translucent modesty panel (T).

Q_ _ _-PLAN05



Plan shown in Quad Brochure:

Q5TS-PLAN05	$10,528
1	Q5MA-BUM3060
1	Q5NA-DT3072A
1	QNMA-242449BCL
1	QNMA-243673LFB
1	QNMA-E962416C
1	QNNA-P1518UFL
1	QNNA-HBS
1	QNNA-HBU
1	LGC-RA72A
1	LGC-SUPACA
2	LGC-RPT14A
1	LGC-RAS12A

Metal doors (M), Metal modesty panel (M), Anthracite Grey accent (A).

Q_ _ _-PLAN06



Plan shown in Quad Brochure:

Q5TS-PLAN06	$10,401
1	Q5TS-CBM784824
1	Q5NS-DT2448B
1	QNTS-243673UFB
1	QNNS-1836LFL
1	QNTS-242457BL
2	QNNN-E481616P
2	QNNS-HBU
1	QNNS-HBZ
1	QNNS-HSM12

Storage with Translucent doors (T), hutches with Laminate doors (N), Translucent modesty panel (T), Silver accent (S).

= NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

Q_ _ _-PLAN07



Plan shown in Quad Brochure:

Q5TS-PLAN07	**$10,025**
1	Q5TS-C4884BM24
1	Q5NS-DT2448B
1	QNNS-P1518FFL
1	QNNS-242449BL
1	QNNS-242465BCL
1	QNNS-242449BR
1	QNNN-E961616
1	QNNN-E481616
1	QNNN-E721616
2	QNNS-HBS
2	QNNS-HBZ
1	QNNS-HBU
1	QNNS-HSM4

Storage with Laminate doors (N), Translucent modesty panel (T), Silver accent (S).

Q_ _ _-PLAN08



Plan shown in Quad Brochure:

Q5TS-PLAN08	**$11,037**
1	Q5TS-RTM3072
1	Q5NS-LF2472B
1	Q5NS-2436LF
1	QNNS-243649B
1	QNTS-EM722416P
1	QNNS-EM722416P
1	LGC-TK7221M
1	LGC-TK3621M

1 hutch with Translucent doors (T) and 1 hutch and storage with Laminate doors (N), Translucent modesty panel (T), Silver accent (S).

Q_ _ _-PLAN09



Plan shown in Quad Brochure:

Q5TS-PLAN05	**$8,587**
1	Q5NS-UF3072FF
1	Q5NS-DT2472A
1	Q5NS-2436LF
1	QNNS-242449BCR
1	QNNS-E962416P
1	QNNS-HSM20
1	QNNS-HBS
1	LGC-SUPALS
1	LGC-TK7208S
1	LGC-RA72S
2	LGC-RPT14S
1	LGC-RAS12S

Laminate doors (N), Silver accent (S).

TYPICAL WOOD GRAIN DIRECTION FOR QUAD:



= NOT PART OF THE QUICKSHIP PROGRAM

TABLE OF CONTENTS

GENERAL SPECIFICATIONS..... 2 PRICE LIST.....9 SUGGESTIONS..... 28 TERMS AND CONDITIONS..... 31

FEATURES AND CONSTRUCTION

Nex is a stylish casegoods collection. It offers a superior value and an incomparable flexibility in its configuration possibilities.



HEIGHT DIAGRAMS AND STACKING COMPATIBILITY





* Imperial dimensions are nominal.

DESKS

Desks with recessed short back:
Built with a 6" (150 mm) high recessed back. Choice of 1" (25 mm) thick tops with a smooth edgebanding and 1½" (38 mm) thick tops with a smooth edgebanding or a knife edge detailing. Laminate legs are always 1½" (38 mm) thick.



They are compatible with low storage modules and allow a variety of configurations:



Freestanding desk and pedestal



Freestanding desk with low storage unit

Desks with recessed full-height back:
Choice of 1" (25 mm) thick tops with a smooth edgebanding and 1½" (38 mm) thick tops with a smooth edgebanding or a knife edge detailing. Laminate legs are always 1½" (38 mm) thick. A laminate or a high-gloss finish can be applied to the back (exterior side only). Desks are compatible with NNN_ _-161820F or NNN_ _-MP161820F pedestals.



SURFACES

Built with a 6" (150 mm) high recessed back. Choice of 1" (25 mm) thick tops with a smooth edgebanding and 1½" (38 mm) thick tops with a smooth edgebanding or a knife edge detailing. Laminate legs are always 1½" (38 mm) thick.



1 full-height leg
1 short leg



2 short legs



1 short leg
1 full-height slim metal leg

Surfaces must be positioned on 1 or 2 low storage modules from the Nex collection. Positioning possibilities are multiple and assembly is completed with double-faced tape.



Surface. Low storage unit of different depth but positioned perpendicularly to a surface.



Surface. Low storage unit in a determined position at the time of the installation.



Surface. Low storage unit positioned inside the desk frame.



Surface. Low storage unit positioned outside the desk frame.



Surface. 2 low storage units with one unit of equivalent depth, and the other unit of different depth and positioned perpendicularly.

RETURNS

Built with a 6" (150 mm) high recessed back. Choice of 1" (25 mm) thick tops with a smooth edgebanding and 1½" (38 mm) thick tops with a smooth edgebanding or a knife edge detailing. Laminate legs are always 1½" (38 mm) thick.





Returns are always connected to another surface. Multiple connections are possible. Returns with a short leg must be positioned on a low storage module from the Nex collection.





DESKS AND ADJUSTABLE SURFACES

Desks are adjustable in height by 1" (25 mm) increments, from 27" to 33" (701 to 828 mm) high. These desks have a half-height recessed back. Choice of 1" (25 mm) thick tops with a smooth edgebanding and 1½" (38 mm) thick tops with a smooth edgebanding or a knife edge detailing. The knife edge is applicable only on 3 sides of the surface and is not applicable on the legs. The height adjustment must be done at the time of the installation.



27" to 33" (701 mm to 828 mm) high





MODULAR MODESTY PANELS

The modular modesty panels can be installed under all desks and work surfaces with a short back. They must always be of lesser dimensions than the desk or the surface under which they are to be installed and can be positioned anywhere. Available in laminate or high-gloss finish.



Examples:



For a N5NNN-RT2472A5 desk, specify a NNNNB-MOD1469 modesty panel (or a modesty panel of lesser width).



For a N5NNN-RT2472A5 desk, you may specify a NNNNB-MOD1445 modesty panel.



For a N5NRN-RS2472PA5 desk, specify a NNNNB-MOD1457 modesty panel. The metal leg is always recessed by 13" (340 mm).



For a N5NRN-RS2472B5 desk with a N1NRW-UL206021BE storage unit, specify a NNNNW-MOD1449 modesty panel.



For a N5NRN-R2048A5 return unit with a N5NNN-RT3072A5 surface, specify a NNNNB-MOD1449 modesty panel. The modesty panel may be longer or shorter than the return unit. If it is longer, it will extend under the surface.

LOW STORAGE UNITS

Can be used as a freestanding element, occasional seating or to support a surface. The fronts and doors cover the exteriors, top and bottom.



Hidden storage space:
On furniture intended for this purpose. Space is either 9" (222 mm) or 12" (284 mm) wide.

Open back bookcase space:
Brings a lighter aspect to the configuration. Allows easy access to electrical outlets. Perfect for electronic equipment.



Short low storage modules:
Available in 20", 24", 30" and 36" (519, 619, 769 and 919 mm) deep and 16" to 48" (409 to 1200 mm) wide. When combined with surfaces, short low storage modules are perfect to create freestanding desk configurations.



Storage unit for CPU or other. Grommets on the surface and on the side allow wire management inside the storage space.



Long low storage units:
Available in 20" (519 mm) deep and 60" to 96" (1500 to 2400 mm) wide. Perfect as a low return unit for a surface or as a credenza.

MODULAR SCREENS

Modular screens can be installed on surfaces, desks and returns. They must be installed on the opposite side of the user and they must never be installed on the legs' side. They are made of frosted acrylic or upholstered in fabric.



HIGH STORAGE UNITS

Fronts and doors cover the exteriors, top and bottom. The inset back ensures solidity with an impeccable look.



STACKING MODULES

Doors cover the exteriors, top and bottom. The inset back ensures solidity with an impeccable look. Can be positioned on low storage modules, desks, surfaces and returns. Can accommodate a tackboard on its back side. Must be installed with double face tape.



WALL-MOUNTED HUTCHES

Doors cover the exteriors, top and bottom. Assembly hardware included for wall-mount installation. Compatible with standard wall-mounted tackboards from the February 2015 Lacasse Price Book.



DRAWERS

Box and file drawers have 16" (406 mm) full extension ball-bearing suspensions. 75 lbs (34 kg) capacity. Comes with a soft-close mechanism for all 16" (409 mm) wide drawers. In units wider than 16" (409 mm), only the box drawer has the soft-close mechanism.

Lateral files have double 16" (406 mm) extension ball-bearing suspensions. 150 lbs (68 kg) capacity. Box drawer comes with one pencil tray. Lateral files come with a suspension bar for file folders. Central lock locks all drawers.



DOORS

Doors cover the exteriors and have 105° hinges with a soft-close mechanism.
Sliding doors: Do not have a soft-close effect.
Vertical openings: Assisted opening and soft-close mechanism.



LEVELERS

Levelers allow up to a 1¼" (32 mm) height adjustment. They come standard on all Nex furniture except for the slim metal leg, which has a different height adjustment component.

SLIM METAL LEG

Metal with a brushed satin chrome finish. Transparent plastic floor caps. Bracket on leg allows for a 1" (25 mm) height adjustment.



ASSEMBLY

Many components have a metal-to-metal assembly hardware.

ACCESSORIES

- The LGC-SKD26 keyboard tray is not compatible with 20" (500 mm) deep surfaces.
- The LGC-BBAKD26 and LGC-GBAKD26 keyboard trays are not compatible with 20", 24" and 30" (500, 600 and 750 mm) deep surfaces.
- The long and short LGC-SUPAC_ and LGC-SUPAL_ accessory trays are NOT compatible with surfaces and desks with a knife edge.
- Flat screen monitor arms with a clip- or grommet-style fastener (refer to the Accessories section in the February 2015 Lacasse Price Book) are compatible with Nex surfaces. The clip-style fastener is not compatible with knife edge surfaces.
- Surface screens (LGC-SCF_____ and LGC-SCL_____) are compatible with surfaces and desks only if they are NOT installed on the laminate leg's side and if the screen's dimensions are lesser than the surface's or the desk's dimensions.
- An array of electrical and communication accessories are available and compatible with Nex components. Refer to the Accessories section in the February 2015 Lacasse Price Book.

LEFT/RIGHT SPECIFICATIONS

Example: Left/right handle on drawers



N1NRW-UL363021
Handle curve on right

N1NLW-UL363021
Handle curve on left

Example: Left/right opening on storage units



NNNLW-202073B
Hinges on left

NNNRW-202073B
Hinges on right

Example: Left/right short leg on surfaces, user side view



N5NRN-RS2472B5

N5NLN-RS2472B5

N5NRN-R2472B5
Short leg on right

N5NLN-R2472B5
Short leg on left

Example: Left/right full-height leg on desks, user side view



N5NLN-RTM3072
Full-height leg on left

N5NLN-RT2472PA5
Full-height leg on left

TWO-TONE AND HIGH-GLOSS FINISH APPLICATION

Surfaces: The first finish specified will be applied to the top and to the legs. The second specified finish will be applied to the back of the unit. For adjustable surfaces, the first finish will be applied to the top of the surface and the legs. The second finish will be applied to the back panels.

Storage units: The first finish specified will be applied to the frame of the unit. The second finish will be applied to the unit's front.

Two-tone application and wood grain direction:



TWO-TONE AND HIGH-GLOSS FINISH APPLICATION (CONTINUED)

Application of the high-gloss finish to desks and modesty panels:



Application of the high-gloss finish to storage units:



Order examples:

YES N1NRN-UL206021BE CCL/SNO

YES N1NR**W**-UL206021BE CCL (The W in the code indicates that fronts will be in High-Gloss White finish.)

NO N1NR**W**-UL206021BE CCL/**SNO** (The W in the code indicates that fronts will be in High-Gloss White finish. Therefore, it is not possible to specify Snow SNO laminate finish as Color 02.)

UNACCEPTABLE CONFIGURATIONS



The surface's short leg must always rest on a low storage module.



The depth of the low storage module must be equal or greater than the depth of the surface.



The junction point between a surface and a return must be on a low storage unit.



Total stackable height must be 73" (1850 mm) or less.



Stackable storage units must be positioned on top of a solid and stable configuration such as a desk with legs or freestanding storage modules.

The hanging pedestal (NNN_ _-161820F) is NOT compatible on 20" (500 mm) deep desks and returns.

NON-RECOMMENDED CONFIGURATIONS



It is preferable to position a storage module underneath a surface, 2" in recess, when the surface and legs have knife edge detailing.



Overlapping furniture elements can result in drawers being completely or partially inaccessible underneath the surface. It is preferable to choose another storage configuration.



Choose the depths of the furniture elements carefully, thus avoiding a situation where a storage module exceeds the surface depth.



The uneven handle gives a noticeable design value to the configuration.
To create the desired effect, a certain attention must be given when specifying the orientation of the handles.

SPECIFICATIONS

EDGEBANDING

Is applied automatically on top and sides.

N Edge

1" and 1½"

The **N** edge is **matched with the finish specified for the surface**.

Knife Edge

1½"

The knife edge **K** is **available (and in matching color) ONLY when a wood grain finish or Snow (SNO) is specified** for the surface.

METAL COMPONENTS

Satin chrome finish



Grommet cover



Modular screen



Metal leg

HIGH-GLOSS FINISHES

B – High-Gloss Black



W – High-Gloss White

HANDLES

Anodized aluminum



L – Left



R – Right

ORDERING EXAMPLES

Low storage unit with box and file drawers, High-Gloss Black finish on fronts and handle on left.
N1NLB-UL243021

Rectangular surface with short back, full-height leg on right and short leg on left.
N1NLN-RS2472B5

CODIFICATION

	Options			
Series	Thickness	Edgebanding	Left/Right	High-Gloss Accent
N	**1** Thermofused laminate 1" **2** High-pressure laminate 1" **5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge **K** Knife edge	**L** Left **R** Right	**B** High-Gloss Black **W** High-Gloss White

STANDARDIZED DIMENSIONAL SPECIALS

Because of the Nex collection's unique construction, the following standardized specials do not apply:

- Modification of the pedestal configuration
- Height modification for modesty panels

For further assistance, please contact the Quotations Department.

DESKS AND SURFACES

Rectangular desks, short back, 2 long legs – 36" D



9" (225 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 low storage units and 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_NNN-RT3678A5**	**885**	**1,145**
72 x 36 x 29½	1800 x 900 x 752	**N_NNN-RT3672A5**	**870**	**1,104**
66 x 36 x 29½	1650 x 900 x 752	**N_NNN-RT3666A5**	**849**	**1,066**
60 x 36 x 29½	1500 x 900 x 752	**N_NNN-RT3660A5**	**832**	**1,029**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

78 x 36 x 29½	1950 x 900 x 752	**N_NNN-RT3678A5**	**960**	**1,215**
72 x 36 x 29½	1800 x 900 x 752	**N_NNN-RT3672A5**	**938**	**1,172**
66 x 36 x 29½	1650 x 900 x 752	**N_NNN-RT3666A5**	**912**	**1,130**
60 x 36 x 29½	1500 x 900 x 752	**N_NNN-RT3660A5**	**885**	**1,082**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

78 x 36 x 29½	1950 x 900 x 752	**N_KNN-RT3678A5**	**1,204**	**1,454**
72 x 36 x 29½	1800 x 900 x 752	**N_KNN-RT3672A5**	**1,172**	**1,411**
66 x 36 x 29½	1650 x 900 x 752	**N_KNN-RT3666A5**	**1,151**	**1,363**
60 x 36 x 29½	1500 x 900 x 752	**N_KNN-RT3660A5**	**1,130**	**1,321**

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 30" D



6" (150 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 low storage units and 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_NNN-RT3078A5**	**827**	**1,044**
72 x 30 x 29½	1800 x 750 x 752	**N_NNN-RT3072A5**	**806**	**1,008**
66 x 30 x 29½	1650 x 750 x 752	**N_NNN-RT3066A5**	**791**	**976**
60 x 30 x 29½	1500 x 750 x 752	**N_NNN-RT3060A5**	**774**	**938**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

78 x 30 x 29½	1950 x 750 x 752	**N_NNN-RT3078A5**	**885**	**1,092**
72 x 30 x 29½	1800 x 750 x 752	**N_NNN-RT3072A5**	**865**	**1,061**
66 x 30 x 29½	1650 x 750 x 752	**N_NNN-RT3066A5**	**844**	**1,018**
60 x 30 x 29½	1500 x 750 x 752	**N_NNN-RT3060A5**	**817**	**986**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

78 x 30 x 29½	1950 x 750 x 752	**N_KNN-RT3078A5**	**1,124**	**1,336**
72 x 30 x 29½	1800 x 750 x 752	**N_KNN-RT3072A5**	**1,098**	**1,294**
66 x 30 x 29½	1650 x 750 x 752	**N_KNN-RT3066A5**	**1,077**	**1,263**
60 x 30 x 29½	1500 x 750 x 752	**N_KNN-RT3060A5**	**1,061**	**1,220**

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 24" D



3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 or 2 low storage units and 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29½	1800 x 600 x 752	**N_NNN-RT2472A5**	**748**	**907**
66 x 24 x 29½	1650 x 600 x 752	**N_NNN-RT2466A5**	**732**	**875**
60 x 24 x 29½	1500 x 600 x 752	**N_NNN-RT2460A5**	**721**	**849**
54 x 24 x 29½	1350 x 600 x 752	**N_NNN-RT2454A5**	**706**	**827**
48 x 24 x 29½	1200 x 600 x 752	**N_NNN-RT2448A5**	**690**	**796**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

72 x 24 x 29½	1800 x 600 x 752	**N_NNN-RT2472A5**	**791**	**945**
66 x 24 x 29½	1650 x 600 x 752	**N_NNN-RT2466A5**	**774**	**912**
60 x 24 x 29½	1500 x 600 x 752	**N_NNN-RT2460A5**	**748**	**880**
54 x 24 x 29½	1350 x 600 x 752	**N_NNN-RT2454A5**	**732**	**854**
48 x 24 x 29½	1200 x 600 x 752	**N_NNN-RT2448A5**	**716**	**817**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

72 x 24 x 29½	1800 x 600 x 752	**N_KNN-RT2472A5**	**1,024**	**1,177**
66 x 24 x 29½	1650 x 600 x 752	**N_KNN-RT2466A5**	**1,008**	**1,151**
60 x 24 x 29½	1500 x 600 x 752	**N_KNN-RT2460A5**	**991**	**1,119**
54 x 24 x 29½	1350 x 600 x 752	**N_KNN-RT2454A5**	**976**	**1,087**
48 x 24 x 29½	1200 x 600 x 752	**N_KNN-RT2448A5**	**950**	**1,056**

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, short back, 2 long legs – 20" D



3" (75 mm) recessed short back. 2 grommets. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 29½	1800 x 500 x 752	**N_NNN-RT2072A5**	**716**	**844**
66 x 20 x 29½	1650 x 500 x 752	**N_NNN-RT2066A5**	**700**	**812**
60 x 20 x 29½	1500 x 500 x 752	**N_NNN-RT2060A5**	**690**	**791**
54 x 20 x 29½	1350 x 500 x 752	**N_NNN-RT2054A5**	**668**	**769**
48 x 20 x 29½	1200 x 500 x 752	**N_NNN-RT2048A5**	**653**	**737**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

72 x 20 x 29½	1800 x 500 x 752	**N_NNN-RT2072A5**	**737**	**870**
66 x 20 x 29½	1650 x 500 x 752	**N_NNN-RT2066A5**	**721**	**844**
60 x 20 x 29½	1500 x 500 x 752	**N_NNN-RT2060A5**	**706**	**812**
54 x 20 x 29½	1350 x 500 x 752	**N_NNN-RT2054A5**	**695**	**791**
48 x 20 x 29½	1200 x 500 x 752	**N_NNN-RT2048A5**	**673**	**764**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

72 x 20 x 29½	1800 x 500 x 752	**N_KNN-RT2072A5**	**981**	**1,104**
66 x 20 x 29½	1650 x 500 x 752	**N_KNN-RT2066A5**	**960**	**1,077**
60 x 20 x 29½	1500 x 500 x 752	**N_KNN-RT2060A5**	**945**	**1,056**
54 x 20 x 29½	1350 x 500 x 752	**N_KNN-RT2054A5**	**928**	**1,024**
48 x 20 x 29½	1200 x 500 x 752	**N_KNN-RT2048A5**	**912**	**998**

Knife edge (K). Specify the surface type (5, 6).

= ASSEMBLY REQUIRED

Rectangular surfaces, short back, 1 long and 1 short leg – 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
9" (225 mm) recessed short back. 2 grommets. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel. *Top: 1" (25 mm)* *Legs: 1½" (38 mm)*				
84 x 36 x 29½	2100 x 900 x 752	**N_N_N-RS3684B5**	**918**	**1,193**
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RS3678B5**	**801**	**1,061**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RS3672B5**	**785**	**1,018**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RS3666B5**	**769**	**981**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RS3660B5**	**743**	**945**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top and legs: 1½" (38 mm)				
84 x 36 x 29½	2100 x 900 x 752	**N_N_N-RS3684B5**	**998**	**1,268**
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RS3678B5**	**875**	**1,130**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RS3672B5**	**854**	**1,082**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RS3666B5**	**827**	**1,044**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RS3660B5**	**801**	**998**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top and legs: 1½" (38 mm) with knife edge				
84 x 36 x 29½	2100 x 900 x 752	**N_K_N-RS3684B5**	**1,305**	**1,575**
78 x 36 x 29½	1950 x 900 x 752	**N_K_N-RS3678B5**	**1,114**	**1,363**
72 x 36 x 29½	1800 x 900 x 752	**N_K_N-RS3672B5**	**1,087**	**1,321**
66 x 36 x 29½	1650 x 900 x 752	**N_K_N-RS3666B5**	**1,066**	**1,278**
60 x 36 x 29½	1500 x 900 x 752	**N_K_N-RS3660B5**	**1,034**	**1,230**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Rectangular surfaces, short back, 1 long and 1 short leg – 30" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
6" (150 mm) recessed short back. 2 grommets. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel. *Top: 1" (25 mm)* *Legs: 1½" (38 mm)*				
84 x 30 x 29½	2100 x 750 x 752	**N_N_N-RS3084B5**	**865**	**1,092**
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RS3078B5**	**748**	**971**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RS3072B5**	**732**	**933**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RS3066B5**	**716**	**902**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RS3060B5**	**700**	**865**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top and legs: 1½" (38 mm)				
84 x 30 x 29½	2100 x 750 x 752	**N_N_N-RS3084B5**	**928**	**1,157**
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RS3078B5**	**806**	**1,018**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RS3072B5**	**791**	**986**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RS3066B5**	**769**	**945**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RS3060B5**	**743**	**907**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top and legs: 1½ (38 mm) with knife edge				
84 x 30 x 29½	2100 x 750 x 752	**N_K_N-RS3084B5**	**1,236**	**1,464**
78 x 30 x 29½	1950 x 750 x 752	**N_K_N-RS3078B5**	**1,051**	**1,263**
72 x 30 x 29½	1800 x 750 x 752	**N_K_N-RS3072B5**	**1,024**	**1,220**
66 x 30 x 29½	1650 x 750 x 752	**N_K_N-RS3066B5**	**1,003**	**1,177**
60 x 30 x 29½	1500 x 750 x 752	**N_K_N-RS3060B5**	**986**	**1,145**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Rectangular surfaces, short back, 1 long and 1 short leg – 24" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
3" (75 mm) recessed short back. 2 grommets. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel. *Top: 1" (25 mm)* *Legs: 1½" (38 mm)*				
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RS2472B5**	**690**	**844**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RS2466B5**	**668**	**812**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RS2460B5**	**658**	**791**
54 x 24 x 29½	1350 x 600 x 752	**N_N_N-RS2454B5**	**642**	**764**
48 x 24 x 29½	1200 x 600 x 752	**N_N_N-RS2448B5**	**626**	**732**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top and legs: 1½" (38 mm)				
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RS2472B5**	**726**	**880**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RS2466B5**	**706**	**849**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RS2460B5**	**690**	**817**
54 x 24 x 29½	1350 x 600 x 752	**N_N_N-RS2454B5**	**668**	**785**
48 x 24 x 29½	1200 x 600 x 752	**N_N_N-RS2448B5**	**653**	**759**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top and legs: 1½" (38 mm) with knife edge				
72 x 24 x 29½	1800 x 600 x 752	**N_K_N-RS2472B5**	**960**	**1,119**
66 x 24 x 29½	1650 x 600 x 752	**N_K_N-RS2466B5**	**945**	**1,087**
60 x 24 x 29½	1500 x 600 x 752	**N_K_N-RS2460B5**	**928**	**1,056**
54 x 24 x 29½	1350 x 600 x 752	**N_K_N-RS2454B5**	**907**	**1,024**
48 x 24 x 29½	1200 x 600 x 752	**N_K_N-RS2448B5**	**885**	**991**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Rectangular surfaces, short back, 2 short legs – 36" D



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
9" (225 mm) recessed short back. 2 grommets. Must use 2 low storage units as support. Can accommodate 1 modular modesty panel. *Top: 1" (25 mm)* *Legs: 1½" (38 mm)*				
84 x 36 x 7½	2100 x 900 x 191	**N_NNN-RS3684C5**	**832**	**1,114**
78 x 36 x 7½	1950 x 900 x 191	**N_NNN-RS3678C5**	**716**	**976**
72 x 36 x 7½	1800 x 900 x 191	**N_NNN-RS3672C5**	**700**	**933**
66 x 36 x 7½	1650 x 900 x 191	**N_NNN-RS3666C5**	**684**	**902**
60 x 36 x 7½	1500 x 900 x 191	**N_NNN-RS3660C5**	**658**	**859**
Smooth edge (N). Specify the surface type (1, 2).				
Top and legs: 1½" (38 mm)				
84 x 36 x 7½	2100 x 900 x 191	**N_NNN-RS3684C5**	**912**	**1,177**
78 x 36 x 7½	1950 x 900 x 191	**N_NNN-RS3678C5**	**791**	**1,044**
72 x 36 x 7½	1800 x 900 x 191	**N_NNN-RS3672C5**	**764**	**998**
66 x 36 x 7½	1650 x 900 x 191	**N_NNN-RS3666C5**	**737**	**950**
60 x 36 x 7½	1500 x 900 x 191	**N_NNN-RS3660C5**	**716**	**912**
Smooth edge (N). Specify the surface type (5, 6).				
Top and legs: 1½" (38 mm) with knife edge				
84 x 36 x 7½	2100 x 900 x 191	**N_KNN-RS3684C5**	**1,220**	**1,490**
78 x 36 x 7½	1950 x 900 x 191	**N_KNN-RS3678C5**	**1,024**	**1,278**
72 x 36 x 7½	1800 x 900 x 191	**N_KNN-RS3672C5**	**1,003**	**1,236**
66 x 36 x 7½	1650 x 900 x 191	**N_KNN-RS3666C5**	**981**	**1,193**
60 x 36 x 7½	1500 x 900 x 191	**N_KNN-RS3660C5**	**950**	**1,145**
Knife edge (K). Specify the surface type (5, 6).				

= ASSEMBLY REQUIRED

Rectangular surfaces, short back, 2 short legs – 30" D



6" (150 mm) recessed short back. 2 grommets. Must use 2 low storage units as support. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 30 x 7½	2100 x 750 x 191	**N_NNN-RS3084C5**	**791**	**1,024**
78 x 30 x 7½	1950 x 750 x 191	**N_NNN-RS3078C5**	**673**	**891**
72 x 30 x 7½	1800 x 750 x 191	**N_NNN-RS3072C5**	**663**	**859**
66 x 30 x 7½	1650 x 750 x 191	**N_NNN-RS3066C5**	**647**	**827**
60 x 30 x 7½	1500 x 750 x 191	**N_NNN-RS3060C5**	**631**	**791**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

84 x 30 x 7½	2100 x 750 x 191	**N_NNN-RS3084C5**	**854**	**1,077**
78 x 30 x 7½	1950 x 750 x 191	**N_NNN-RS3078C5**	**732**	**945**
72 x 30 x 7½	1800 x 750 x 191	**N_NNN-RS3072C5**	**711**	**907**
66 x 30 x 7½	1650 x 750 x 191	**N_NNN-RS3066C5**	**695**	**870**
60 x 30 x 7½	1500 x 750 x 191	**N_NNN-RS3060C5**	**668**	**832**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

84 x 30 x 7½	2100 x 750 x 191	**N_KNN-RS3084C5**	**1,162**	**1,384**
78 x 30 x 7½	1950 x 750 x 191	**N_KNN-RS3078C5**	**976**	**1,177**
72 x 30 x 7½	1800 x 750 x 191	**N_KNN-RS3072C5**	**950**	**1,145**
66 x 30 x 7½	1650 x 750 x 191	**N_KNN-RS3066C5**	**928**	**1,104**
60 x 30 x 7½	1500 x 750 x 191	**N_KNN-RS3060C5**	**907**	**1,071**

Knife edge (K). Specify the surface type (5, 6).

Rectangular surfaces, short back, 2 short legs – 24" D



3" (75 mm) recessed short back. 2 grommets. Use 2 low storage units as support. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 7½	1800 x 600 x 191	**N_NNN-RS2472C5**	**626**	**785**
66 x 24 x 7½	1650 x 600 x 191	**N_NNN-RS2466C5**	**605**	**759**
60 x 24 x 7½	1500 x 600 x 191	**N_NNN-RS2460C5**	**594**	**726**
54 x 24 x 7½	1350 x 600 x 191	**N_NNN-RS2454C5**	**583**	**700**
48 x 24 x 7½	1200 x 600 x 191	**N_NNN-RS2448C5**	**567**	**673**

Smooth edge (N). Specify the surface type (1, 2).

Top and legs: 1½" (38 mm)

72 x 24 x 7½	1800 x 600 x 191	**N_NNN-RS2472C5**	**663**	**817**
66 x 24 x 7½	1650 x 600 x 191	**N_NNN-RS2466C5**	**642**	**785**
60 x 24 x 7½	1500 x 600 x 191	**N_NNN-RS2460C5**	**626**	**759**
54 x 24 x 7½	1350 x 600 x 191	**N_NNN-RS2454C5**	**605**	**721**
48 x 24 x 7½	1200 x 600 x 191	**N_NNN-RS2448C5**	**589**	**695**

Smooth edge (N). Specify the surface type (5, 6).

Top and legs: 1½" (38 mm) with knife edge

72 x 24 x 7½	1800 x 600 x 191	**N_KNN-RS2472C5**	**902**	**1,056**
66 x 24 x 7½	1650 x 600 x 191	**N_KNN-RS2466C5**	**880**	**1,024**
60 x 24 x 7½	1500 x 600 x 191	**N_KNN-RS2460C5**	**859**	**991**
54 x 24 x 7½	1350 x 600 x 191	**N_KNN-RS2454C5**	**844**	**960**
48 x 24 x 7½	1200 x 600 x 191	**N_KNN-RS2448C5**	**827**	**928**

Knife edge (K). Specify the surface type (5, 6).

Rectangular desks, full modesty panel, 2 long legs – 36" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add $265.

9" (225 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN_ _-161820F or NNN_ _-MP161820F.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29½	1800 x 900 x 752	**N_NN_-RT3672A**	**849**	**1,087**
66 x 36 x 29½	1650 x 900 x 752	**N_NN_-RT3666A**	**801**	**1,003**
60 x 36 x 29½	1500 x 900 x 752	**N_NN_-RT3660A**	**759**	**923**

Smooth edge (N). Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).

Top and legs: 1½" (38 mm)

72 x 36 x 29½	1800 x 900 x 752	**N_NN_-RT3672A**	**933**	**1,167**
66 x 36 x 29½	1650 x 900 x 752	**N_NN_-RT3666A**	**875**	**1,071**
60 x 36 x 29½	1500 x 900 x 752	**N_NN_-RT3660A**	**812**	**981**

Smooth edge (N). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

Top and legs: 1½" (38 mm) with knife edge

72 x 36 x 29½	1800 x 900 x 752	**N_KN_-RT3672A**	**1,406**	**1,639**
66 x 36 x 29½	1650 x 900 x 752	**N_KN_-RT3666A**	**1,321**	**1,522**
60 x 36 x 29½	1500 x 900 x 752	**N_KN_-RT3660A**	**1,241**	**1,406**

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

Rectangular desks, full modesty panel, 2 long legs – 30" D



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add $265.

6" (150 mm) recessed full-height modesty panel. 2 grommets. Can accommodate 1 or 2 pedestals NNN_ _-161820F or NNN_ _-MP161820F.
Top: 1" (25 mm)
Legs: 1½" (38 mm)

72 x 30 x 29½	1800 x 750 x 752	**N_NN_-RT3072A**	**806**	**1,029**
66 x 30 x 29½	1650 x 750 x 752	**N_NN_-RT3066A**	**779**	**976**
60 x 30 x 29½	1500 x 750 x 752	**N_NN_-RT3060A**	**748**	**918**

Smooth edge (N). Specify the surface type (1, 2). Specify the modesty panel finish (B, W, N).

Top and legs: 1½" (38 mm)

72 x 30 x 29½	1800 x 750 x 752	**N_NN_-RT3072A**	**885**	**1,114**
66 x 30 x 29½	1650 x 750 x 752	**N_NN_-RT3066A**	**849**	**1,044**
60 x 30 x 29½	1500 x 750 x 752	**N_NN_-RT3060A**	**812**	**976**

Smooth edge (N). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

Top and legs: 1½" (38 mm) with knife edge

72 x 30 x 29½	1800 x 750 x 752	**N_KN_-RT3072A**	**1,358**	**1,581**
66 x 30 x 29½	1650 x 750 x 752	**N_KN_-RT3066A**	**1,299**	**1,490**
60 x 30 x 29½	1500 x 750 x 752	**N_KN_-RT3060A**	**1,236**	**1,406**

Knife edge (K). Specify the surface type (5, 6). Specify the modesty panel finish (B, W, N).

= ASSEMBLY REQUIRED

Rectangular desks, full modesty panel, meeting space – 36" D

L



R



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add $212.

9" (225 mm) recessed full-height modesty panel. Meeting space. 1 grommet.
Can accommodate 1 pedestal NNN_ _-161820F or NNN_ _-MP161820F.
Top: 1" (25 mm)
Exterior leg: 1½" (38 mm)
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_N_ _-RTM3678**	**774**	**1,024**
72 x 36 x 29½	1800 x 900 x 752	**N_N_ _-RTM3672**	**748**	**986**
66 x 36 x 29½	1650 x 900 x 752	**N_N_ _-RTM3666**	**726**	**945**
60 x 36 x 29½	1500 x 900 x 752	**N_N_ _-RTM3660**	**706**	**907**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Top and exterior leg: 1½" (38 mm)
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_N_ _-RTM3678**	**865**	**1,124**
72 x 36 x 29½	1800 x 900 x 752	**N_N_ _-RTM3672**	**838**	**1,071**
66 x 36 x 29½	1650 x 900 x 752	**N_N_ _-RTM3666**	**806**	**1,018**
60 x 36 x 29½	1500 x 900 x 752	**N_N_ _-RTM3660**	**779**	**976**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Top and exterior leg: 1½" (38 mm) with knife edge
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_K_ _-RTM3678**	**1,305**	**1,560**
72 x 36 x 29½	1800 x 900 x 752	**N_K_ _-RTM3672**	**1,257**	**1,485**
66 x 36 x 29½	1650 x 900 x 752	**N_K_ _-RTM3666**	**1,204**	**1,416**
60 x 36 x 29½	1500 x 900 x 752	**N_K_ _-RTM3660**	**1,151**	**1,347**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Rectangular desks, full modesty panel, meeting space – 30" D

L



R



High-Gloss Black (B) or High-Gloss White (W) modesty panel finish option: add $212.

6" (150 mm) recessed full-height modesty panel. Meeting space. 1 grommet.
Can accommodate 1 pedestal NNN_ _-161820F or NNN_ _-MP161820F.
Top: 1" (25 mm)
Exterior leg: 1½" (38 mm)
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_N_ _-RTM3078**	**732**	**938**
72 x 30 x 29½	1800 x 750 x 752	**N_N_ _-RTM3072**	**711**	**907**
66 x 30 x 29½	1650 x 750 x 752	**N_N_ _-RTM3066**	**690**	**870**
60 x 30 x 29½	1500 x 750 x 752	**N_N_ _-RTM3060**	**668**	**838**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Top and exterior legs: 1½" (38 mm)
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_N_ _-RTM3078**	**801**	**1,013**
72 x 30 x 29½	1800 x 750 x 752	**N_N_ _-RTM3072**	**779**	**976**
66 x 30 x 29½	1650 x 750 x 752	**N_N_ _-RTM3066**	**759**	**933**
60 x 30 x 29½	1500 x 750 x 752	**N_N_ _-RTM3060**	**726**	**885**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Top and exterior legs: 1½" (38 mm) with knife edge
Recessed leg: 1" (25 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_K_ _-RTM3078**	**1,241**	**1,459**
72 x 30 x 29½	1800 x 750 x 752	**N_K_ _-RTM3072**	**1,199**	**1,389**
66 x 30 x 29½	1650 x 750 x 752	**N_K_ _-RTM3066**	**1,151**	**1,331**
60 x 30 x 29½	1500 x 750 x 752	**N_K_ _-RTM3060**	**1,104**	**1,268**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R). Specify the modesty panel finish (B, W, N).

Rectangular desks, short back, 1 long and 1 metal leg, meeting space – 36" D

L



R



Packaged in 2 boxes.

9" (225 mm) recessed short back. Meeting space. 1 grommet. 1 metal leg.
Can accommodate 1 low storage unit and 1 modular modesty panel.
Must be attached to another surface.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RT3678PA5**	**1,283**	**1,533**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RT3672PA5**	**1,263**	**1,501**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RT3666PA5**	**1,241**	**1,459**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RT3660PA5**	**1,225**	**1,422**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RT3678PA5**	**1,358**	**1,608**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RT3672PA5**	**1,336**	**1,565**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RT3666PA5**	**1,305**	**1,522**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RT3660PA5**	**1,283**	**1,480**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 36 x 29½	1950 x 900 x 752	**N_K_N-RT3678PA5**	**1,543**	**1,798**
72 x 36 x 29½	1800 x 900 x 752	**N_K_N-RT3672PA5**	**1,517**	**1,750**
66 x 36 x 29½	1650 x 900 x 752	**N_K_N-RT3666PA5**	**1,495**	**1,707**
60 x 36 x 29½	1500 x 900 x 752	**N_K_N-RT3660PA5**	**1,464**	**1,661**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular desks, short back, 1 long and 1 metal leg, meeting space – 30" D

L



R



Packaged in 2 boxes.

6" (150 mm) recessed short back. Meeting space. 1 grommet. 1 metal leg.
Can accommodate 1 low storage unit and 1 modular modesty panel.
Must be attached to another surface.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RT3078PA5**	**1,236**	**1,416**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RT3072PA5**	**1,220**	**1,379**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RT3066PA5**	**1,204**	**1,347**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RT3060PA5**	**1,188**	**1,294**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RT3078PA5**	**1,294**	**1,512**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RT3072PA5**	**1,278**	**1,475**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RT3066PA5**	**1,257**	**1,437**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RT3060PA5**	**1,230**	**1,406**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 30 x 29½	1950 x 750 x 752	**N_K_N-RT3078PA5**	**1,485**	**1,697**
72 x 30 x 29½	1800 x 750 x 752	**N_K_N-RT3072PA5**	**1,459**	**1,661**
66 x 30 x 29½	1650 x 750 x 752	**N_K_N-RT3066PA5**	**1,437**	**1,628**
60 x 30 x 29½	1500 x 750 x 752	**N_K_N-RT3060PA5**	**1,422**	**1,591**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

= ASSEMBLY REQUIRED

Rectangular desks, short back, 1 long and 1 metal leg, meeting space – 24" D



Packaged in 2 boxes.

3" (75 mm) recessed short back. Meeting space. 1 grommet. 1 metal leg. Can accommodate 1 low storage unit and 1 modular modesty panel. Must be attached to another surface.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
78 x 24 x 29½	1950 x 600 x 752	**N_N_N-RT2478PA5**	**1,188**	**1,358**
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RT2472PA5**	**1,172**	**1,331**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RT2466PA5**	**1,157**	**1,305**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RT2460PA5**	**1,145**	**1,278**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

78 x 24 x 29½	1950 x 600 x 752	**N_N_N-RT2478PA5**	**1,230**	**1,406**
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RT2472PA5**	**1,215**	**1,369**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RT2466PA5**	**1,199**	**1,342**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RT2460PA5**	**1,177**	**1,310**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

78 x 24 x 29½	1950 x 600 x 752	**N_K_N-RT2478PA5**	**1,422**	**1,586**
72 x 24 x 29½	1800 x 600 x 752	**N_K_N-RT2472PA5**	**1,406**	**1,560**
66 x 24 x 29½	1650 x 600 x 752	**N_K_N-RT2466PA5**	**1,384**	**1,528**
60 x 24 x 29½	1500 x 600 x 752	**N_K_N-RT2460PA5**	**1,369**	**1,495**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular surfaces, short back, 1 short and 1 metal leg, meeting space – 36" D



Packaged in 2 boxes.

9" (225 mm) recessed short back. Meeting space. 1 grommet. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

84 x 36 x 29½	2100 x 900 x 752	**N_N_N-RS3684PB5**	**1,316**	**1,591**
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RS3678PB5**	**1,204**	**1,459**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RS3672PB5**	**1,188**	**1,422**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RS3666PB5**	**1,162**	**1,379**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RS3660PB5**	**1,145**	**1,347**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

84 x 36 x 29½	2100 x 900 x 752	**N_N_N-RS3684PB5**	**1,411**	**1,671**
78 x 36 x 29½	1950 x 900 x 752	**N_N_N-RS3678PB5**	**1,283**	**1,533**
72 x 36 x 29½	1800 x 900 x 752	**N_N_N-RS3672PB5**	**1,263**	**1,490**
66 x 36 x 29½	1650 x 900 x 752	**N_N_N-RS3666PB5**	**1,230**	**1,442**
60 x 36 x 29½	1500 x 900 x 752	**N_N_N-RS3660PB5**	**1,210**	**1,400**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

84 x 36 x 29½	2100 x 900 x 752	**N_K_N-RS3684PB5**	**1,666**	**1,931**
78 x 36 x 29½	1950 x 900 x 752	**N_K_N-RS3678PB5**	**1,475**	**1,719**
72 x 36 x 29½	1800 x 900 x 752	**N_K_N-RS3672PB5**	**1,442**	**1,671**
66 x 36 x 29½	1650 x 900 x 752	**N_K_N-RS3666PB5**	**1,422**	**1,634**
60 x 36 x 29½	1500 x 900 x 752	**N_K_N-RS3660PB5**	**1,389**	**1,586**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular surfaces, short back, 1 short and 1 metal leg, meeting space – 30" D



Packaged in 2 boxes.

6" (150 mm) recessed short back. Meeting space. 1 grommet. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 30 x 29½	2100 x 750 x 752	**N_N_N-RS3084PB5**	**1,283**	**1,512**
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RS3078PB5**	**1,167**	**1,384**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RS3072PB5**	**1,151**	**1,353**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RS3066PB5**	**1,135**	**1,316**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RS3060PB5**	**1,119**	**1,283**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

84 x 30 x 29½	2100 x 750 x 752	**N_N_N-RS3084PB5**	**1,374**	**1,575**
78 x 30 x 29½	1950 x 750 x 752	**N_N_N-RS3078PB5**	**1,246**	**1,442**
72 x 30 x 29½	1800 x 750 x 752	**N_N_N-RS3072PB5**	**1,220**	**1,406**
66 x 30 x 29½	1650 x 750 x 752	**N_N_N-RS3066PB5**	**1,193**	**1,369**
60 x 30 x 29½	1500 x 750 x 752	**N_N_N-RS3060PB5**	**1,167**	**1,331**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

84 x 30 x 29½	2100 x 750 x 752	**N_K_N-RS3084PB5**	**1,634**	**1,835**
78 x 30 x 29½	1950 x 750 x 752	**N_K_N-RS3078PB5**	**1,437**	**1,628**
72 x 30 x 29½	1800 x 750 x 752	**N_K_N-RS3072PB5**	**1,411**	**1,591**
66 x 30 x 29½	1650 x 750 x 752	**N_K_N-RS3066PB5**	**1,379**	**1,554**
60 x 30 x 29½	1500 x 750 x 752	**N_K_N-RS3060PB5**	**1,353**	**1,512**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular surfaces, short back, 1 short and 1 metal leg, meeting space – 24" D



Packaged in 2 boxes.

3" (75 mm) recessed short back. Meeting space. 1 grommet. Must use 1 low storage unit as support. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

78 x 24 x 29½	1950 x 600 x 752	**N_N_N-RS2478PB5**	**1,135**	**1,305**
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RS2472PB5**	**1,119**	**1,278**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RS2466PB5**	**1,104**	**1,246**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RS2460PB5**	**1,087**	**1,220**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

78 x 24 x 29½	1950 x 600 x 752	**N_N_N-RS2478PB5**	**1,177**	**1,347**
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-RS2472PB5**	**1,162**	**1,316**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-RS2466PB5**	**1,145**	**1,289**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-RS2460PB5**	**1,130**	**1,257**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

78 x 24 x 29½	1950 x 600 x 752	**N_K_N-RS2478PB5**	**1,363**	**1,533**
72 x 24 x 29½	1800 x 600 x 752	**N_K_N-RS2472PB5**	**1,347**	**1,501**
66 x 24 x 29½	1650 x 600 x 752	**N_K_N-RS2466PB5**	**1,331**	**1,475**
60 x 24 x 29½	1500 x 600 x 752	**N_K_N-RS2460PB5**	**1,310**	**1,442**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

= ASSEMBLY REQUIRED

Adjustable rectangular desks, half-height modesty panel, meeting space – 36" D





9" (225 mm) recessed half-height modesty panel. Meeting space. 1 grommet. Adjustable from 27" (701 mm) to 33" (828 mm) in 1" (25 mm) increments. Can accommodate 1 pedestal NNN_ _-161820F or NNN_ _-MP161820F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Top: 1" (25 mm)				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_N_N-IRT3672**	**955**	**1,177**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_N_N-IRT3666**	**933**	**1,145**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_N_N-IRT3660**	**918**	**1,104**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top: 1½" (38 mm)				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_N_N-IRT3672**	**1,044**	**1,257**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_N_N-IRT3666**	**1,013**	**1,210**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_N_N-IRT3660**	**986**	**1,167**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top: 1½" (38 mm) with knife edge on 3 sides				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_K_N-IRT3672**	**1,411**	**1,628**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_K_N-IRT3666**	**1,379**	**1,581**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_K_N-IRT3660**	**1,358**	**1,533**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Adjustable rectangular desks, half-height modesty panel, meeting space – 30" D





6" (150 mm) recessed half-height modesty panel. Meeting space. 1 grommet. Adjustable from 27" (701 mm) to 33" (828 mm) in 1" (25 mm) increments. Can accommodate 1 pedestal NNN_ _-161820F or NNN_ _-MP161820F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Top: 1" (25 mm)				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_N_N-IRT3072**	**918**	**1,104**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_N_N-IRT3066**	**902**	**1,071**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_N_N-IRT3060**	**880**	**1,044**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top: 1½" (38 mm)				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_N_N-IRT3072**	**991**	**1,167**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_N_N-IRT3066**	**971**	**1,130**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_N_N-IRT3060**	**938**	**1,092**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top: 1½" (38 mm) with knife edge on 3 sides				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_K_N-IRT3072**	**1,358**	**1,533**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_K_N-IRT3066**	**1,336**	**1,501**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_K_N-IRT3060**	**1,310**	**1,459**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Adjustable rectangular surfaces, half-height modesty panel, meeting space – 36" D





9" (225 mm) recessed half-height modesty panel. Meeting space. 1 grommet. Adjustable from 27" (701 mm) to 33" (828 mm) in 1" (25 mm) increments. Must use 1 low storage unit as support.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Top: 1" (25 mm)				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_N_N-IRS3672**	**907**	**1,130**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_N_N-IRS3666**	**880**	**1,087**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_N_N-IRS3660**	**865**	**1,056**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top: 1½" (38 mm)				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_N_N-IRS3672**	**986**	**1,204**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_N_N-IRS3666**	**960**	**1,162**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_N_N-IRS3660**	**933**	**1,119**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top: 1½" (38 mm) with knife edge on 3 sides				
72 x 36 x 27-33	1800 x 900 x 701-828	**N_K_N-IRS3672**	**1,347**	**1,560**
66 x 36 x 27-33	1650 x 900 x 701-828	**N_K_N-IRS3666**	**1,316**	**1,517**
60 x 36 x 27-33	1500 x 900 x 701-828	**N_K_N-IRS3660**	**1,289**	**1,480**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

Adjustable rectangular surfaces, half-height modesty panel, meeting space – 30" D





Half-height 6" (150 mm) recessed modesty panel. Meeting space. 1 grommet. Adjustable from 27" (701 mm) to 33" (828 mm) in 1" (25 mm) increments. Must use 1 low storage unit as support.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Top: 1" (25 mm)				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_N_N-IRS3072**	**870**	**1,061**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_N_N-IRS3066**	**854**	**1,024**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_N_N-IRS3060**	**838**	**998**
Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).				
Top: 1½" (38 mm)				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_N_N-IRS3072**	**945**	**1,124**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_N_N-IRS3066**	**923**	**1,082**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_N_N-IRS3060**	**891**	**1,051**
Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).				
Top: 1½" (38 mm) with knife edge on 3 sides				
72 x 30 x 27-33	1800 x 750 x 701-828	**N_K_N-IRS3072**	**1,299**	**1,480**
66 x 30 x 27-33	1650 x 750 x 701-828	**N_K_N-IRS3066**	**1,278**	**1,437**
60 x 30 x 27-33	1500 x 750 x 701-828	**N_K_N-IRS3060**	**1,257**	**1,406**
Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).				

= ASSEMBLY REQUIRED

RETURNS

Rectangular returns, short back, 1 short leg – 24" D



3" (75 mm) recessed short back. 1 grommet. Must use 1 low storage unit as support and must be attached to another surface. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 7½	1800 x 600 x 191	**N_N_N-R2472B5**	**520**	**668**
66 x 24 x 7½	1650 x 600 x 191	**N_N_N-R2466B5**	**504**	**642**
60 x 24 x 7½	1500 x 600 x 191	**N_N_N-R2460B5**	**488**	**620**
54 x 24 x 7½	1350 x 600 x 191	**N_N_N-R2454B5**	**477**	**589**
48 x 24 x 7½	1200 x 600 x 191	**N_N_N-R2448B5**	**456**	**562**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

72 x 24 x 7½	1800 x 600 x 191	**N_N_N-R2472B5**	**557**	**706**
66 x 24 x 7½	1650 x 600 x 191	**N_N_N-R2466B5**	**541**	**673**
60 x 24 x 7½	1500 x 600 x 191	**N_N_N-R2460B5**	**520**	**642**
54 x 24 x 7½	1350 x 600 x 191	**N_N_N-R2454B5**	**504**	**615**
48 x 24 x 7½	1200 x 600 x 191	**N_N_N-R2448B5**	**488**	**583**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

72 x 24 x 7½	1800 x 600 x 191	**N_K_N-R2472B5**	**726**	**875**
66 x 24 x 7½	1650 x 600 x 191	**N_K_N-R2466B5**	**711**	**849**
60 x 24 x 7½	1500 x 600 x 191	**N_K_N-R2460B5**	**695**	**817**
54 x 24 x 7½	1350 x 600 x 191	**N_K_N-R2454B5**	**673**	**785**
48 x 24 x 7½	1200 x 600 x 191	**N_K_N-R2448B5**	**658**	**759**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular returns, short back, 1 short leg – 20" D



3" (75 mm) recessed short back. 1 grommet. Must use 1 low storage unit as support and must be attached to another surface. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

72 x 20 x 7½	1800 x 500 x 191	**N_N_N-R2072B5**	**504**	**636**
66 x 20 x 7½	1650 x 500 x 191	**N_N_N-R2066B5**	**494**	**615**
60 x 20 x 7½	1500 x 500 x 191	**N_N_N-R2060B5**	**482**	**589**
54 x 20 x 7½	1350 x 500 x 191	**N_N_N-R2054B5**	**461**	**562**
48 x 20 x 7½	1200 x 500 x 191	**N_N_N-R2048B5**	**451**	**541**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

72 x 20 x 7½	1800 x 500 x 191	**N_N_N-R2072B5**	**541**	**663**
66 x 20 x 7½	1650 x 500 x 191	**N_N_N-R2066B5**	**520**	**636**
60 x 20 x 7½	1500 x 500 x 191	**N_N_N-R2060B5**	**504**	**615**
54 x 20 x 7½	1350 x 500 x 191	**N_N_N-R2054B5**	**488**	**583**
48 x 20 x 7½	1200 x 500 x 191	**N_N_N-R2048B5**	**472**	**557**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

72 x 20 x 7½	1800 x 500 x 191	**N_K_N-R2072B5**	**711**	**838**
66 x 20 x 7½	1650 x 500 x 191	**N_K_N-R2066B5**	**695**	**806**
60 x 20 x 7½	1500 x 500 x 191	**N_K_N-R2060B5**	**673**	**785**
54 x 20 x 7½	1350 x 500 x 191	**N_K_N-R2054B5**	**658**	**759**
48 x 20 x 7½	1200 x 500 x 191	**N_K_N-R2048B5**	**642**	**726**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular returns, short back, 1 long leg – 24" D



3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 low storage unit and must be attached to another surface. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29½	1800 x 600 x 752	**N_N_N-R2472A5**	**589**	**743**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-R2466A5**	**573**	**716**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-R2460A5**	**557**	**695**
54 x 24 x 29½	1350 x 600 x 752	**N_N_N-R2454A5**	**547**	**663**
48 x 24 x 29½	1200 x 600 x 752	**N_N_N-R2448A5**	**525**	**636**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

72 x 24 x 29½	1800 x 600 x 752	**N_N_N-R2472A5**	**631**	**785**
66 x 24 x 29½	1650 x 600 x 752	**N_N_N-R2466A5**	**615**	**759**
60 x 24 x 29½	1500 x 600 x 752	**N_N_N-R2460A5**	**589**	**721**
54 x 24 x 29½	1350 x 600 x 752	**N_N_N-R2454A5**	**573**	**695**
48 x 24 x 29½	1200 x 600 x 752	**N_N_N-R2448A5**	**557**	**658**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

72 x 24 x 29½	1800 x 600 x 752	**N_K_N-R2472A5**	**801**	**955**
66 x 24 x 29½	1650 x 600 x 752	**N_K_N-R2466A5**	**785**	**928**
60 x 24 x 29½	1500 x 600 x 752	**N_K_N-R2460A5**	**769**	**902**
54 x 24 x 29½	1350 x 600 x 752	**N_K_N-R2454A5**	**743**	**865**
48 x 24 x 29½	1200 x 600 x 752	**N_K_N-R2448A5**	**726**	**838**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

Rectangular returns, short back, 1 long leg – 20" D



3" (75 mm) recessed short back. 1 grommet. Can accommodate 1 low storage unit and must be attached to another surface. Can accommodate 1 modular modesty panel.
Top: 1" (25 mm)
Leg: 1½" (38 mm)

72 x 20 x 29½	1800 x 500 x 752	**N_N_N-R2072A5**	**573**	**706**
66 x 20 x 29½	1650 x 500 x 752	**N_N_N-R2066A5**	**557**	**673**
60 x 20 x 29½	1500 x 500 x 752	**N_N_N-R2060A5**	**547**	**653**
54 x 20 x 29½	1350 x 500 x 752	**N_N_N-R2054A5**	**525**	**626**
48 x 20 x 29½	1200 x 500 x 752	**N_N_N-R2048A5**	**514**	**600**

Smooth edge (N). Specify the surface type (1, 2). Choose left or right (L, R).

Top and leg: 1½" (38 mm)

72 x 20 x 29½	1800 x 500 x 752	**N_N_N-R2072A5**	**600**	**732**
66 x 20 x 29½	1650 x 500 x 752	**N_N_N-R2066A5**	**583**	**706**
60 x 20 x 29½	1500 x 500 x 752	**N_N_N-R2060A5**	**567**	**673**
54 x 20 x 29½	1350 x 500 x 752	**N_N_N-R2054A5**	**552**	**647**
48 x 20 x 29½	1200 x 500 x 752	**N_N_N-R2048A5**	**530**	**626**

Smooth edge (N). Specify the surface type (5, 6). Choose left or right (L, R).

Top and leg: 1½" (38 mm) with knife edge

72 x 20 x 29½	1800 x 500 x 752	**N_K_N-R2072A5**	**774**	**907**
66 x 20 x 29½	1650 x 500 x 752	**N_K_N-R2066A5**	**759**	**875**
60 x 20 x 29½	1500 x 500 x 752	**N_K_N-R2060A5**	**737**	**849**
54 x 20 x 29½	1350 x 500 x 752	**N_K_N-R2054A5**	**721**	**827**
48 x 20 x 29½	1200 x 500 x 752	**N_K_N-R2048A5**	**711**	**796**

Knife edge (K). Specify the surface type (5, 6). Choose left or right (L, R).

= ASSEMBLY REQUIRED

STORAGE

Low storage units with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bar. Pencil tray. Lock. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 36 x 21	600 x 919 x 561	**N_N_ _-F362421**	**1,193**	**1,257**
16 x 36 x 21	409 x 919 x 561	**N_N_ _-F361621**	**1,098**	**1,157**
24 x 30 x 21	600 x 769 x 561	**N_N_ _-F302421**	**1,157**	**1,220**
16 x 30 x 21	409 x 769 x 561	**N_N_ _-F301621**	**1,077**	**1,124**
24 x 24 x 21	600 x 619 x 561	**N_N_ _-F242421**	**1,130**	**1,172**
16 x 24 x 21	409 x 619 x 561	**N_N_ _-F241621**	**1,071**	**1,104**

Smooth edge (N). Specify the surface type (1, 2). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Low storage units with drawers – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 36 x 21	900 x 919 x 561	**N_N_ _-UL363621**	**1,316**	**1,416**
30 x 36 x 21	750 x 919 x 561	**N_N_ _-UL363021**	**1,246**	**1,342**
36 x 30 x 21	900 x 769 x 561	**N_N_ _-UL303621**	**1,263**	**1,353**
30 x 30 x 21	750 x 769 x 561	**N_N_ _-UL303021**	**1,204**	**1,283**
36 x 24 x 21	900 x 619 x 561	**N_N_ _-UL243621**	**1,215**	**1,294**
30 x 24 x 21	750 x 619 x 561	**N_N_ _-UL243021**	**1,162**	**1,225**

Smooth edge (N). Specify the surface type (1, 2). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Low storage units with drawers on left and hidden space on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" (284 mm) hidden space on right. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NR_-364821ULS**	**1,554**	**1,687**
42 x 36 x 21	1050 x 919 x 561	**N_NR_-364221ULS**	**1,507**	**1,634**
48 x 30 x 21	1200 x 769 x 561	**N_NR_-304821ULS**	**1,507**	**1,634**
42 x 30 x 21	1050 x 769 x 561	**N_NR_-304221ULS**	**1,459**	**1,570**
48 x 24 x 21	1200 x 619 x 561	**N_NR_-244821ULS**	**1,442**	**1,548**
42 x 24 x 21	1050 x 619 x 561	**N_NR_-244221ULS**	**1,406**	**1,490**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and hidden space on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" (284 mm) hidden space on left. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NL_-SUL364821**	**1,554**	**1,687**
42 x 36 x 21	1050 x 919 x 561	**N_NL_-SUL364221**	**1,507**	**1,634**
48 x 30 x 21	1200 x 769 x 561	**N_NL_-SUL304821**	**1,507**	**1,634**
42 x 30 x 21	1050 x 769 x 561	**N_NL_-SUL304221**	**1,459**	**1,570**
48 x 24 x 21	1200 x 619 x 561	**N_NL_-SUL244821**	**1,442**	**1,548**
42 x 24 x 21	1050 x 619 x 561	**N_NL_-SUL244221**	**1,406**	**1,490**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left and open bookcase on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NR_-F364821BE**	**1,369**	**1,586**
42 x 36 x 21	1050 x 919 x 561	**N_NR_-F364221BE**	**1,353**	**1,522**
36 x 36 x 21	900 x 919 x 561	**N_NR_-F363621BE**	**1,331**	**1,475**
30 x 36 x 21	750 x 919 x 561	**N_NR_-F363021BE**	**1,305**	**1,416**
48 x 30 x 21	1200 x 769 x 561	**N_NR_-F304821BE**	**1,331**	**1,495**
42 x 30 x 21	1050 x 769 x 561	**N_NR_-F304221BE**	**1,310**	**1,442**
36 x 30 x 21	900 x 769 x 561	**N_NR_-F303621BE**	**1,289**	**1,400**
30 x 30 x 21	750 x 769 x 561	**N_NR_-F303021BE**	**1,268**	**1,347**
48 x 24 x 21	1200 x 619 x 561	**N_NR_-F244821BE**	**1,310**	**1,411**
42 x 24 x 21	1050 x 619 x 561	**N_NR_-F244221BE**	**1,283**	**1,369**
36 x 24 x 21	900 x 619 x 561	**N_NR_-F243621BE**	**1,246**	**1,331**
30 x 24 x 21	750 x 619 x 561	**N_NR_-F243021BE**	**1,220**	**1,283**
48 x 20 x 21	1200 x 519 x 561	**N_NR_-F204821BE**	**1,273**	**1,358**
42 x 20 x 21	1050 x 519 x 561	**N_NR_-F204221BE**	**1,246**	**1,321**
36 x 20 x 21	900 x 519 x 561	**N_NR_-F203621BE**	**1,225**	**1,289**
30 x 20 x 21	750 x 519 x 561	**N_NR_-F203021BE**	**1,204**	**1,257**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and open bookcase on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NL_-BE364821F**	**1,369**	**1,586**
42 x 36 x 21	1050 x 919 x 561	**N_NL_-BE364221F**	**1,353**	**1,522**
36 x 36 x 21	900 x 919 x 561	**N_NL_-BE363621F**	**1,331**	**1,475**
30 x 36 x 21	750 x 919 x 561	**N_NL_-BE363021F**	**1,305**	**1,416**
48 x 30 x 21	1200 x 769 x 561	**N_NL_-BE304821F**	**1,331**	**1,495**
42 x 30 x 21	1050 x 769 x 561	**N_NL_-BE304221F**	**1,310**	**1,442**
36 x 30 x 21	900 x 769 x 561	**N_NL_-BE303621F**	**1,289**	**1,400**
30 x 30 x 21	750 x 769 x 561	**N_NL_-BE303021F**	**1,268**	**1,347**
48 x 24 x 21	1200 x 619 x 561	**N_NL_-BE244821F**	**1,310**	**1,411**
42 x 24 x 21	1050 x 619 x 561	**N_NL_-BE244221F**	**1,283**	**1,369**
36 x 24 x 21	900 x 619 x 561	**N_NL_-BE243621F**	**1,246**	**1,331**
30 x 24 x 21	750 x 619 x 561	**N_NL_-BE243021F**	**1,220**	**1,283**
48 x 20 x 21	1200 x 519 x 561	**N_NL_-BE204821F**	**1,273**	**1,358**
42 x 20 x 21	1050 x 519 x 561	**N_NL_-BE204221F**	**1,246**	**1,321**
36 x 20 x 21	900 x 519 x 561	**N_NL_-BE203621F**	**1,225**	**1,289**
30 x 20 x 21	750 x 519 x 561	**N_NL_-BE203021F**	**1,204**	**1, 237**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left and open CPU storage on right – 21" H

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion: refer to page 57. CPU space: 7½" (193 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 36 x 21	600 x 919 x 561	**N_NR_-F362421CPU**	**1,172**	**1,246**
24 x 30 x 21	600 x 769 x 561	**N_NR_-F302421CPU**	**1,140**	**1,204**
24 x 24 x 21	600 x 619 x 561	**N_NR_-F242421CPU**	**1,104**	**1,157**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and open CPU storage on left – 21" H

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $ 53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion: refer to page 57. CPU space: 7½" (193 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 36 x 21	600 x 919 x 561	**N_NL_-CPU362421F**	**1,172**	**1,246**
24 x 30 x 21	600 x 769 x 561	**N_NL_-CPU302421F**	**1,140**	**1,204**
24 x 24 x 21	600 x 619 x 561	**N_NL_-CPU242421F**	**1,104**	**1,157**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left and open CPU storage on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on right. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion: refer to page 57. CPU space: 12" (300 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NR_-UL364821CPU**	**1,389**	**1,554**
42 x 36 x 21	1050 x 919 x 561	**N_NR_-UL364221CPU**	**1,336**	**1,464**
36 x 36 x 21	900 x 919 x 561	**N_NR_-UL363621CPU**	**1,268**	**1,389**
48 x 30 x 21	1200 x 769 x 561	**N_NR_-UL304821CPU**	**1,342**	**1,464**
42 x 30 x 21	1050 x 769 x 561	**N_NR_-UL304221CPU**	**1,283**	**1,389**
36 x 30 x 21	900 x 769 x 561	**N_NR_-UL303621CPU**	**1,225**	**1,321**
48 x 24 x 21	1200 x 619 x 561	**N_NR_-UL244821CPU**	**1,289**	**1,384**
42 x 24 x 21	1050 x 619 x 561	**N_NR_-UL244221CPU**	**1,230**	**1,321**
36 x 24 x 21	900 x 619 x 561	**N_NR_-UL243621CPU**	**1,188**	**1,263**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and open CPU storage on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open CPU storage on left. Grommets on the surface and on the side of CPU storage. Can accommodate 1 cushion: refer to page 57. CPU space: 12" (300 mm).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NL_-CPU364821UL**	**1,389**	**1,554**
42 x 36 x 21	1050 x 919 x 561	**N_NL_-CPU364221UL**	**1,336**	**1,464**
36 x 36 x 21	900 x 919 x 561	**N_NL_-CPU363621UL**	**1,268**	**1,389**
48 x 30 x 21	1200 x 769 x 561	**N_NL_-CPU304821UL**	**1,342**	**1,464**
42 x 30 x 21	1050 x 769 x 561	**N_NL_-CPU304221UL**	**1,283**	**1,389**
36 x 30 x 21	900 x 769 x 561	**N_NL_-CPU303621UL**	**1,225**	**1,321**
48 x 24 x 21	1200 x 619 x 561	**N_NL_-CPU244821UL**	**1,289**	**1,384**
42 x 24 x 21	1050 x 619 x 561	**N_NL_-CPU244221UL**	**1,230**	**1,321**
36 x 24 x 21	900 x 619 x 561	**N_NL_-CPU243621UL**	**1,188**	**1,263**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole – 21" H

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 file drawer with soft-close. No soft-close mechanism on 24" (600 mm) wide file drawer. Suspension bar. Lock. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 36 x 21	600 x 919 x 561	**N_N_ _-SF362421**	**885**	**971**
16 x 36 x 21	409 x 919 x 561	**N_N_ _-SF361621**	**801**	**849**
24 x 30 x 21	600 x 769 x 561	**N_N_ _-SF302421**	**865**	**928**
16 x 30 x 21	409 x 769 x 561	**N_N_ _-SF301621**	**791**	**832**
24 x 24 x 21	600 x 619 x 561	**N_N_ _-SF242421**	**844**	**885**
16 x 24 x 21	409 x 619 x 561	**N_N_ _-SF241621**	**779**	**812**

Smooth edge (N). Specify the surface type (1, 2). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole – 21" H

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 file drawer with suspension bar. Lock. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 36 x 21	900 x 919 x 561	**N_N_ _-SLF363621**	**1,114**	**1,236**
30 x 36 x 21	750 x 919 x 561	**N_N_ _-SLF363021**	**1,056**	**1,157**
36 x 30 x 21	900 x 769 x 561	**N_N_ _-SLF303621**	**1,061**	**1,157**
30 x 30 x 21	750 x 769 x 561	**N_N_ _-SLF303021**	**1,003**	**1,082**
36 x 24 x 21	900 x 619 x 561	**N_N_ _-SLF243621**	**1,008**	**1,082**
30 x 24 x 21	750 x 619 x 561	**N_N_ _-SLF243021**	**950**	**1,013**

Smooth edge (N). Specify the surface type (1, 2). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole, hidden space on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 file drawer with suspension bar. Lock. 12" (284 mm) hidden space on right. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NR_-364821SLFS**	**1,411**	**1,522**
42 x 36 x 21	1050 x 919 x 561	**N_NR_-364221SLFS**	**1,347**	**1,459**
48 x 30 x 21	1200 x 769 x 561	**N_NR_-304821SLFS**	**1,321**	**1,437**
42 x 30 x 21	1050 x 769 x 561	**N_NR_-304221SLFS**	**1,268**	**1,379**
48 x 24 x 21	1200 x 619 x 561	**N_NR_-244821SLFS**	**1,241**	**1,358**
42 x 24 x 21	1050 x 619 x 561	**N_NR_-244221SLFS**	**1,193**	**1,305**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole, hidden space on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 file drawer with suspension bar. Lock. 12" (284 mm) hidden space on left. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NL_-SSLF364821**	**1,411**	**1,522**
42 x 36 x 21	1050 x 919 x 561	**N_NL_-SSLF364221**	**1,347**	**1,459**
48 x 30 x 21	1200 x 769 x 561	**N_NL_-SSLF304821**	**1,321**	**1,437**
42 x 30 x 21	1050 x 769 x 561	**N_NL_-SSLF304221**	**1,268**	**1,379**
48 x 24 x 21	1200 x 619 x 561	**N_NL_-SSLF244821**	**1,241**	**1,358**
42 x 24 x 21	1050 x 619 x 561	**N_NL_-SSLF244221**	**1,193**	**1,305**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with bookcase – 21" H

48" - 42"



36"

Can accommodate 1 cushion: refer to page 57.
48" W (1200 mm) - 42" W (1050 mm): 2 adjustable shelves;
36" W (900 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 900 x 561	**N_NNN-BE364821**	**971**	**1,119**
42 x 36 x 21	1050 x 900 x 561	**N_NNN-BE364221**	**923**	**1,056**
36 x 36 x 21	900 x 900 x 561	**N_NNN-BE363621**	**774**	**885**
48 x 30 x 21	1200 x 750 x 561	**N_NNN-BE304821**	**891**	**1,018**
42 x 30 x 21	1050 x 750 x 561	**N_NNN-BE304221**	**854**	**960**
36 x 30 x 21	900 x 750 x 561	**N_NNN-BE303621**	**716**	**812**
48 x 24 x 21	1200 x 600 x 561	**N_NNN-BE244821**	**817**	**923**
42 x 24 x 21	1050 x 600 x 561	**N_NNN-BE244221**	**785**	**875**
36 x 24 x 21	900 x 600 x 561	**N_NNN-BE243621**	**663**	**737**
48 x 20 x 21	1200 x 500 x 561	**N_NNN-BE204821**	**774**	**859**
42 x 20 x 21	1050 x 500 x 561	**N_NNN-BE204221**	**743**	**812**
36 x 20 x 21	900 x 500 x 561	**N_NNN-BE203621**	**631**	**695**

Smooth edge (N). Specify the surface type (1, 2).

Low storage units with doors – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

2 doors with soft-close. Lock. Can accommodate 1 cushion: refer to page 57.
48" W (1200 mm) - 42" W (1050 mm): 2 adjustable shelves;
36" W (900 mm) - 30" W (750 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NN_-364821B**	**1,342**	**1,671**
42 x 36 x 21	1050 x 919 x 561	**N_NN_-364221B**	**1,310**	**1,422**
36 x 36 x 21	900 x 919 x 561	**N_NN_-363621B**	**1,283**	**1,379**
30 x 36 x 21	750 x 919 x 561	**N_NN_-363021B**	**1,225**	**1,310**
48 x 30 x 21	1200 x 769 x 561	**N_NN_-304821B**	**1,316**	**1,628**
42 x 30 x 21	1050 x 769 x 561	**N_NN_-304221B**	**1,278**	**1,379**
36 x 30 x 21	900 x 769 x 561	**N_NN_-303621B**	**1,236**	**1,331**
30 x 30 x 21	750 x 769 x 561	**N_NN_-303021B**	**1,193**	**1,268**
48 x 24 x 21	1200 x 619 x 561	**N_NN_-244821B**	**1,188**	**1,565**
42 x 24 x 21	1050 x 619 x 561	**N_NN_-244221B**	**1,145**	**1,230**
36 x 24 x 21	900 x 619 x 561	**N_NN_-243621B**	**1,104**	**1,177**
30 x 24 x 21	750 x 619 x 561	**N_NN_-243021B**	**1,071**	**1,135**
48 x 20 x 21	1200 x 519 x 561	**N_NN_-204821B**	**1,157**	**1,501**
42 x 20 x 21	1050 x 519 x 561	**N_NN_-204221B**	**1,114**	**1,193**
36 x 20 x 21	900 x 519 x 561	**N_NN_-203621B**	**1,066**	**1,130**
30 x 20 x 21	750 x 519 x 561	**N_NN_-203021B**	**1,029**	**1,087**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 door with soft-close. Lock. 1 adjustable shelf. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 36 x 21	600 x 919 x 561	**N_N_ _-362421B**	**938**	**1,013**
16 x 36 x 21	400 x 919 x 561	**N_N_ _-361621B**	**870**	**918**
24 x 30 x 21	600 x 769 x 561	**N_N_ _-302421B**	**912**	**976**
16 x 30 x 21	400 x 769 x 561	**N_N_ _-301621B**	**849**	**885**
24 x 24 x 21	600 x 619 x 561	**N_N_ _-242421B**	**880**	**933**
16 x 24 x 21	400 x 619 x 561	**N_N_ _-241621B**	**827**	**859**
24 x 20 x 21	600 x 519 x 561	**N_N_ _-202421B**	**854**	**902**
16 x 20 x 21	400 x 519 x 561	**N_N_ _-201621B**	**801**	**832**

Smooth edge (N). Specify the surface type (1, 2). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Low storage units with door on left, open storage on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on right. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NR_-B364821BE**	**1,135**	**1,283**
42 x 36 x 21	1050 x 919 x 561	**N_NR_-B364221BE**	**1,098**	**1,230**
36 x 36 x 21	900 x 919 x 561	**N_NR_-B363621BE**	**1,071**	**1,177**
30 x 36 x 21	750 x 919 x 561	**N_NR_-B363021BE**	**1,034**	**1,130**
48 x 30 x 21	1200 x 769 x 561	**N_NR_-B304821BE**	**1,071**	**1,199**
42 x 30 x 21	1050 x 769 x 561	**N_NR_-B304221BE**	**1,044**	**1,151**
36 x 30 x 21	900 x 769 x 561	**N_NR_-B303621BE**	**1,013**	**1,104**
30 x 30 x 21	750 x 769 x 561	**N_NR_-B303021BE**	**986**	**1,066**
48 x 24 x 21	1200 x 619 x 561	**N_NR_-B244821BE**	**1,008**	**1,104**
42 x 24 x 21	1050 x 619 x 561	**N_NR_-B244221BE**	**981**	**1,071**
36 x 24 x 21	900 x 619 x 561	**N_NR_-B243621BE**	**955**	**1,029**
30 x 24 x 21	750 x 619 x 561	**N_NR_-B243021BE**	**933**	**998**
48 x 20 x 21	1200 x 519 x 561	**N_NR_-B204821BE**	**960**	**1,051**
42 x 20 x 21	1050 x 519 x 561	**N_NR_-B204221BE**	**950**	**1,024**
36 x 20 x 21	900 x 519 x 561	**N_NR_-B203621BE**	**933**	**998**
30 x 20 x 21	750 x 519 x 561	**N_NR_-B203021BE**	**923**	**976**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with door on right, open storage on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 door with soft-close. Lock. 1 adjustable shelf. Open bookcase without back on left. Can accommodate 1 cushion: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 36 x 21	1200 x 919 x 561	**N_NL_-BE364821B**	**1,135**	**1,283**
42 x 36 x 21	1050 x 919 x 561	**N_NL_-BE364221B**	**1,098**	**1,230**
36 x 36 x 21	900 x 919 x 561	**N_NL_-BE363621B**	**1,071**	**1,177**
30 x 36 x 21	750 x 919 x 561	**N_NL_-BE363021B**	**1,034**	**1,130**
48 x 30 x 21	1200 x 769 x 561	**N_NL_-BE304821B**	**1,071**	**1,199**
42 x 30 x 21	1050 x 769 x 561	**N_NL_-BE304221B**	**1,044**	**1,151**
36 x 30 x 21	900 x 769 x 561	**N_NL_-BE303621B**	**1,013**	**1,104**
30 x 30 x 21	750 x 769 x 561	**N_NL_-BE303021B**	**986**	**1,066**
48 x 24 x 21	1200 x 619 x 561	**N_NL_-BE244821B**	**1,008**	**1,104**
42 x 24 x 21	1050 x 619 x 561	**N_NL_-BE244221B**	**981**	**1,071**
36 x 24 x 21	900 x 619 x 561	**N_NL_-BE243621B**	**955**	**1,029**
30 x 24 x 21	750 x 619 x 561	**N_NL_-BE243021B**	**933**	**998**
48 x 20 x 21	1200 x 519 x 561	**N_NL_-BE204821B**	**960**	**1,051**
42 x 20 x 21	1050 x 519 x 561	**N_NL_-BE204221B**	**950**	**1,024**
36 x 20 x 21	900 x 519 x 561	**N_NL_-BE203621B**	**933**	**998**
30 x 20 x 21	750 x 519 x 561	**N_NL_-BE203021B**	**923**	**976**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left and open bookcase on right – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NR_-UL207221BE**	**1,384**	**1,501**
60 x 20 x 21	1500 x 519 x 561	**N_NR_-UL206021BE**	**1,305**	**1,411**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and open bookcase on left – 21" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions: refer to page 57.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NL_-BE207221UL**	**1,384**	**1,501**
60 x 20 x 21	1500 x 519 x 561	**N_NL_-BE206021UL**	**1,305**	**1,411**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left, hidden space and open bookcase on right – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" (284 mm) hidden space on right. Open bookcase without back on right. Can accommodate 1 or 2 cushions: refer to page 57.



96" - 90"



84" - 72"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NR_-ULS209621BE**	**1,719**	**1,883**
90 x 20 x 21	2250 x 519 x 561	**N_NR_-ULS209021BE**	**1,702**	**1,862**
84 x 20 x 21	2100 x 519 x 561	**N_NR_-ULS208421BE**	**1,608**	**1,750**
78 x 20 x 21	1950 x 519 x 561	**N_NR_-ULS207821BE**	**1,586**	**1,724**
72 x 20 x 21	1800 x 519 x 561	**N_NR_-ULS207221BE**	**1,543**	**1,666**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right, hidden space and open bookcase on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar. Pencil tray. Lock. 12" (284 mm) hidden space on left. Open bookcase without back on left. Can accommodate 1 or 2 cushions: refer to page 57.



96" - 90"



84" - 72"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NL_-BE209621SUL**	**1,719**	**1,883**
90 x 20 x 21	2250 x 519 x 561	**N_NL_-BE209021SUL**	**1,702**	**1,862**
84 x 20 x 21	2100 x 519 x 561	**N_NL_-BE208421SUL**	**1,608**	**1,750**
78 x 20 x 21	1950 x 519 x 561	**N_NL_-BE207821SUL**	**1,586**	**1,724**
72 x 20 x 21	1800 x 519 x 561	**N_NL_-BE207221SUL**	**1,543**	**1,666**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers – 21" H

2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NN_-UL207221UL**	**2,074**	**2,196**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-UL206021UL**	**2,021**	**2,122**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers and hidden spaces on left and right – 21" H

2 box drawers with soft-close and 2 file drawers with suspension bars. Pencil tray. Locks. Left and right hidden spaces. Can accommodate 1 or 2 cushions: refer to page 57.
96" (2400 mm): hidden space of 12" (297 mm);
90" (2250 mm): hidden space of 9" (222 mm);
84" (2100 mm): hidden space of 12" (297 mm);
78" (1950 mm): hidden space of 9" (222 mm);
72" (1800 mm): hidden space of 12" (297 mm).



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-SUL209621ULS**	**2,461**	**2,625**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-SUL209021ULS**	**2,418**	**2,572**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-SUL208421ULS**	**2,377**	**2,514**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-SUL207821ULS**	**2,334**	**2,456**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-SUL207221ULS**	**2,286**	**2,408**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole on left, open bookcase on right – 21" H

1 file drawer with suspension bar. Lock. Pigeonhole. Open bookcase without back on right. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NR_-SLF207221BE**	**1,188**	**1,305**
60 x 20 x 21	1500 x 519 x 561	**N_NR_-SLF206021BE**	**1,124**	**1,225**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole on right, open bookcase on left – 21" H

1 file drawer with suspension bar. Lock. Pigeonhole. Open bookcase without back on left. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NL_-BE207221SLF**	**1,188**	**1,305**
60 x 20 x 21	1500 x 519 x 561	**N_NL_-BE206021SLF**	**1,124**	**1,225**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole on left, hidden space and open bookcase on right – 21" H

1 file drawer with suspension bar. Lock. Pigeonhole. 12" (284 mm) hidden space on right. Open bookcase without back on right. Can accommodate 1 or 2 cushions: refer to page 57.



96" - 90"



84" - 72"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NR_-SLFS209621BE**	**1,485**	**1,649**
90 x 20 x 21	2250 x 519 x 561	**N_NR_-SLFS209021BE**	**1,464**	**1,623**
84 x 20 x 21	2100 x 519 x 561	**N_NR_-SLFS208421BE**	**1,369**	**1,517**
78 x 20 x 21	1950 x 519 x 561	**N_NR_-SLFS207821BE**	**1,347**	**1,485**
72 x 20 x 21	1800 x 519 x 561	**N_NR_-SLFS207221BE**	**1,299**	**1,427**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawer and pigeonhole on right, hidden space and open bookcase on left – 21" H

1 file drawer with suspension bar. Lock. Pigeonhole. 12" (284 mm) hidden space on left. Open bookcase without back on left. Can accommodate 1 or 2 cushions: refer to page 57.



96" - 90"



84" - 72"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NL_-BE209621SSLF**	**1,485**	**1,649**
90 x 20 x 21	2250 x 519 x 561	**N_NL_-BE209021SSLF**	**1,464**	**1,623**
84 x 20 x 21	2100 x 519 x 561	**N_NL_-BE208421SSLF**	**1,369**	**1,517**
78 x 20 x 21	1950 x 519 x 561	**N_NL_-BE207821SSLF**	**1,347**	**1,485**
72 x 20 x 21	1800 x 519 x 561	**N_NL_-BE207221SSLF**	**1,299**	**1,427**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers and pigeonholes – 21" H

2 file drawers with suspension bars. Locks. Pigeonholes. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NN_-SLF207221**	**1,639**	**1,750**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-SLF206021**	**1,548**	**1,639**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers and pigeonholes, hidden spaces on left and right – 21" H

2 file drawers with suspension bars. Locks. Pigeonholes. Hidden spaces on left and right. Can accommodate 1 or 2 cushions: refer to page 57.
96" (2400 mm): hidden space of 12" (297 mm);
90" (2250 mm): hidden space of 9" (222 mm);
84" (2100 mm): hidden space of 12" (297 mm);
78" (1950 mm): hidden space of 9" (222 mm);
72" (1800 mm): hidden space of 12" (297 mm).



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $186.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-SLFS209621**	**2,021**	**2,180**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-SLFS209021**	**1,984**	**2,132**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-SLFS208421**	**1,936**	**2,074**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-SLFS207821**	**1,888**	**2,016**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-SLFS207221**	**1,846**	**1,962**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with doors on left, open bookcase on right – 21" H

2 doors with soft-close. Lock. Open bookcase without back on right. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 84" W (2100 mm): 2 adjustable shelves;
78" W (1950 mm) - 60" W (1500 mm): 1 adjustable shelf.



96" - 84"



78" - 60"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-B209621BE**	**1,379**	**1,548**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-B209021BE**	**1,347**	**1,501**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-B208421BE**	**1,310**	**1,454**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-B207821BE**	**1,157**	**1,278**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-B207221BE**	**1,104**	**1,230**
66 x 20 x 21	1650 x 519 x 561	**N_NN_-B206621BE**	**1,071**	**1,177**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-B206021BE**	**1,029**	**1,135**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with doors on right, open bookcase on left – 21" H

2 doors with soft-close. Lock. Open bookcase without back on left. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 84" W (2100 mm): 2 adjustable shelves;
78" W (1950 mm) - 60" W (1500 mm): 1 adjustable shelf.



96" - 84"



78" - 60"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-BE209621B**	**1,379**	**1,548**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-BE209021B**	**1,347**	**1,501**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-BE208421B**	**1,310**	**1,454**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-BE207821B**	**1,157**	**1,278**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-BE207221B**	**1,104**	**1,230**
66 x 20 x 21	1650 x 519 x 561	**N_NN_-BE206621B**	**1,071**	**1,177**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-BE206021B**	**1,029**	**1,135**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with doors – 21" H

4 doors with soft-close. Locks. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 84" W (2100 mm): 4 adjustable shelves;
78" W (1950 mm) - 60" W (1500 mm): 2 adjustable shelves.



96" - 84"



78" - 60"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-B209621B**	**1,851**	**2,016**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-B209021B**	**1,808**	**1,973**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-B208421B**	**1,777**	**1,926**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-B207821B**	**1,581**	**1,719**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-B207221B**	**1,548**	**1,671**
66 x 20 x 21	1650 x 519 x 561	**N_NN_-B206621B**	**1,517**	**1,639**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-B206021B**	**1,475**	**1,581**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left and doors on right – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 2 doors with soft-close on right. 1 adjustable shelf. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NN_-UL207221B**	**1,729**	**1,856**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-UL206021B**	**1,654**	**1,761**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right and doors on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 2 doors with soft-close on left. 1 adjustable shelf. Can accommodate 1 or 2 cushions: refer to page 57.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 21	1800 x 519 x 561	**N_NN_-B207221UL**	**1,729**	**1,856**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-B206021UL**	**1,654**	**1,761**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on left, hidden space and doors on right – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on left. Pencil tray. Locks. 12" (299 mm) right hidden space. 2 doors with soft-close on right. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 90" W (2250 mm): 2 adjustable shelves;
84" W (2100 mm) - 78" W (1950 mm): 1 adjustable shelf.



96" - 90"



84" - 78"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

W x D x H (in)	W x D x H (mm)	Code		All Laminate ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-ULS209621B**	**2,127**	**2,291**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-ULS209021B**	**2,090**	**2,249**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-ULS208421B**	**1,936**	**2,079**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-ULS207821B**	**1,893**	**2,032**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with drawers on right, hidden space and doors on left – 21" H

1 box drawer with soft-close and 1 file drawer with suspension bar on right. Pencil tray. Locks. 12" (299 mm) left hidden space. 2 doors with soft-close on left. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 90" W (2250 mm): 2 adjustable shelves;
84" W (2100 mm) - 78" W (1950 mm): 1 adjustable shelf.



96" - 90"



84" - 78"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

W x D x H (in)	W x D x H (mm)	Code		All Laminate ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-B209621SUL**	**2,127**	**2,291**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-B209021SUL**	**2,090**	**2,249**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-B208421SUL**	**1,936**	**2,079**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-B207821SUL**	**1,893**	**2,032**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with sliding doors – 21" H

Open bookcase storage with sliding door. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 84" W (2100 mm): 4 adjustable shelves;
78" W (1950 mm) - 60" W (1500 mm): 2 adjustable shelves.



96" - 84"



78" - 60"

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

W x D x H (in)	W x D x H (mm)	Code		All Laminate ($)
96 x 20 x 21	2400 x 519 x 561	**N_NN_-209621C**	**1,310**	**1,480**
90 x 20 x 21	2250 x 519 x 561	**N_NN_-209021C**	**1,283**	**1,442**
84 x 20 x 21	2100 x 519 x 561	**N_NN_-208421C**	**1,257**	**1,406**
78 x 20 x 21	1950 x 519 x 561	**N_NN_-207821C**	**1,145**	**1,283**
72 x 20 x 21	1800 x 519 x 561	**N_NN_-207221C**	**1,034**	**1,162**
66 x 20 x 21	1650 x 519 x 561	**N_NN_-206621C**	**1,008**	**1,124**
60 x 20 x 21	1500 x 519 x 561	**N_NN_-206021C**	**981**	**1,087**

Smooth edge (N). Specify the surface type (1, 2). Specify the front finish (B, W, N).

Low storage units with open bookcase – 21" H

Open bookcase storage with adjustable shelves. Can accommodate 1 or 2 cushions: refer to page 57.
96" W (2400 mm) - 84" W (2100 mm): 4 adjustable shelves;
78" W (1950 mm) - 60" W (1500 mm): 2 adjustable shelves.



96" - 84"



78" - 60"

W x D x H (in)	W x D x H (mm)	Code		All Laminate ($)
96 x 20 x 21	2400 x 500 x 561	**N_NNN-BE209621BE**	**1,140**	**1,310**
90 x 20 x 21	2250 x 500 x 561	**N_NNN-BE209021BE**	**1,114**	**1,268**
84 x 20 x 21	2100 x 500 x 561	**N_NNN-BE208421BE**	**1,082**	**1,225**
78 x 20 x 21	1950 x 500 x 561	**N_NNN-BE207821BE**	**1,056**	**1,188**
72 x 20 x 21	1800 x 500 x 561	**N_NNN-BE207221BE**	**1,018**	**1,145**
66 x 20 x 21	1650 x 500 x 561	**N_NNN-BE206621BE**	**991**	**1,104**
60 x 20 x 21	1500 x 500 x 561	**N_NNN-BE206021BE**	**960**	**1,066**

Smooth edge (N). Specify the surface type (1, 2).

Left personal bookcases

2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock for box and file drawers. Open space on left.



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

16 x 30 x 49	409 x 769 x 1277	**NNNR_-PUF301649**	**1,687**
16 x 30 x 41	409 x 769 x 1092	**NNNR_-PUF301641**	**1,654**
16 x 24 x 49	409 x 619 x 1277	**NNNR_-PUF241649**	**1,634**
16 x 24 x 41	409 x 619 x 1092	**NNNR_-PUF241641**	**1,608**

Smooth edge (N). Specify the front finish (B, W, N).

Right personal bookcases

2 box drawers and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock for box and file drawers. Open space on right.

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

16 x 30 x 49	409 x 769 x 1277	**NNNL_-P301649UF**	**1,687**
16 x 30 x 41	409 x 769 x 1092	**NNNL_-P301641UF**	**1,654**
16 x 24 x 49	409 x 619 x 1277	**NNNL_-P241649UF**	**1,634**
16 x 24 x 41	409 x 619 x 1092	**NNNL_-P241641UF**	**1,608**

Smooth edge (N). Specify the front finish (B, W, N).

Lateral file unit

3 file drawers with suspension bars. Lock.

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

36 x 20 x 41	900 x 519 x 1092	**NNN_ _-203641LF3**	**1,999**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Lateral file unit/bookcase with lift-up door

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

2 file drawers with suspension bars. Lock on file drawers. Open bookcase. 1 adjustable shelf. Assisted lift-up door with soft-close.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNN_ _-203673LFBEV**	**2,238**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Combined storage cabinet with lift-up door

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $318.

Doors with soft-close. Lock for doors. 3 adjustable shelves. Assisted lift-up door with soft-close.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNN_ _-203673BV**	**2,201**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Open bookcases with lift-up door

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

Assisted lift-up door with soft-close. 73" H (1850 mm) - 65" H (1659 mm): 3 adjustable shelves; 57" H (1468 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNN_ _-203673BEV**	**1,608**
36 x 20 x 65	900 x 519 x 1659	**NNN_ _-203665BEV**	**1,485**
36 x 20 x 57	900 x 519 x 1468	**NNN_ _-203657BEV**	**1,454**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Storage cabinets with doors



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $318.

2 doors with soft-close. Lock. 73" H (1850 mm) - 65" H (1659 mm): 3 adjustable shelves and 1 fixed shelf; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNNN_-203673B**	**1,608**
36 x 20 x 65	900 x 519 x 1659	**NNNN_-203665B**	**1,570**
36 x 20 x 57	900 x 519 x 1468	**NNNN_-203657B**	**1,528**
36 x 20 x 49	900 x 519 x 1277	**NNNN_-203649B**	**1,411**
30 x 20 x 73	750 x 519 x 1850	**NNNN_-203073B**	**1,512**
30 x 20 x 65	750 x 519 x 1659	**NNNN_-203065B**	**1,475**
30 x 20 x 57	750 x 519 x 1468	**NNNN_-203057B**	**1,432**
30 x 20 x 49	750 x 519 x 1277	**NNNN_-203049B**	**1,316**

Smooth edge (N). Specify the front finish (B, W, N).

Storage cabinets with door

L



R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

1 door with soft-close. Lock. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24 x 20 x 73	600 x 519 x 1850	**NNN_ _-202473B**	**1,172**
24 x 20 x 65	600 x 519 x 1659	**NNN_ _-202465B**	**1,140**
24 x 20 x 57	600 x 519 x 1468	**NNN_ _-202457B**	**1,104**
24 x 20 x 49	600 x 519 x 1277	**NNN_ _-202449B**	**1,071**
20 x 20 x 73	500 x 519 x 1850	**NNN_ _-202073B**	**1,130**
20 x 20 x 65	500 x 519 x 1659	**NNN_ _-202065B**	**1,098**
20 x 20 x 57	500 x 519 x 1468	**NNN_ _-202057B**	**1,066**
20 x 20 x 49	500 x 519 x 1277	**NNN_ _-202049B**	**1,034**

Smooth edge (N). Specify the opening: Left (L) or Right (R). Specify the front finish (B, W, N).

Wardrobe units with door

L



R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
20 x 20 x 73	500 x 519 x 1850	**NNN_ _-202073BC**	**1,220**
20 x 20 x 65	500 x 519 x 1659	**NNN_ _-202065BC**	**1,188**
20 x 20 x 57	500 x 519 x 1468	**NNN_ _-202057BC**	**1,151**
20 x 20 x 49	500 x 519 x 1277	**NNN_ _-202049BC**	**1,114**
14 x 20 x 73	350 x 519 x 1850	**NNN_ _-201473BC**	**1,157**
14 x 20 x 65	350 x 519 x 1659	**NNN_ _-201465BC**	**1,124**
14 x 20 x 57	350 x 519 x 1468	**NNN_ _-201457BC**	**1,092**
14 x 20 x 49	350 x 519 x 1277	**NNN_ _-201449BC**	**1,066**

Smooth edge (N). Specify the opening: Left (L) or Right (R). Specify the front finish (B, W, N).

Wardrobe units with open bookcase on right



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Bookcase on right. 73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves; 57" H (1468 mm): 3 adjustable shelves; 49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
30 x 20 x 73	750 x 519 x 1850	**NNNN_-203073CBE**	**1,517**
30 x 20 x 65	750 x 519 x 1659	**NNNN_-203065CBE**	**1,501**
30 x 20 x 57	750 x 519 x 1468	**NNNN_-203057CBE**	**1,480**
30 x 20 x 49	750 x 519 x 1277	**NNNN_-203049CBE**	**1,331**
24 x 20 x 73	600 x 519 x 1850	**NNNN_-202473CBE**	**1,459**
24 x 20 x 65	600 x 519 x 1659	**NNNN_-202465CBE**	**1,422**
24 x 20 x 57	600 x 519 x 1468	**NNNN_-202457CBE**	**1,379**
24 x 20 x 49	600 x 519 x 1277	**NNNN_-202449CBE**	**1,283**

Smooth edge (N). Specify the front finish (B, W, N).

Wardrobe units with open bookcase on left



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 door with soft-close. Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side. Bookcase on left.
73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves;
57" H (1468 mm): 3 adjustable shelves;
49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
30 x 20 x 73	750 x 519 x 1850	**NNNN_-BEC203073**	**1,517**
30 x 20 x 65	750 x 519 x 1659	**NNNN_-BEC203065**	**1,501**
30 x 20 x 57	750 x 519 x 1468	**NNNN_-BEC203057**	**1,480**
30 x 20 x 49	750 x 519 x 1277	**NNNN_-BEC203049**	**1,331**
24 x 20 x 73	600 x 519 x 1850	**NNNN_-BEC202473**	**1,459**
24 x 20 x 65	600 x 519 x 1659	**NNNN_-BEC202465**	**1,422**
24 x 20 x 57	600 x 519 x 1468	**NNNN_-BEC202457**	**1,379**
24 x 20 x 49	600 x 519 x 1277	**NNNN_-BEC202449**	**1,283**

Smooth edge (N). Specify the front finish (B, W, N).

Storage lateral file cabinets

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option:

73" to 65": add $318;
57" to 49": add $212.

2 doors with soft-close. 2 file drawers with suspension bars. Lock on file drawers.
73" H (1850 mm) - 65" H (1659 mm): 2 adjustable shelves;
57" H (1468 mm) - 49" H (1277 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNN_ _-203673LFB**	**2,095**
36 x 20 x 65	900 x 519 x 1659	**NNN_ _-203665LFB**	**2,052**
36 x 20 x 57	900 x 519 x 1468	**NNN_ _-203657LFB**	**1,941**
36 x 20 x 49	900 x 519 x 1277	**NNN_ _-203649LFB**	**1,893**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Open bookcases with lateral files

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

Open bookcase. 2 file drawers with suspension bars. Lock.
73" H (1850 mm) - 65" H (1659 mm): 2 adjustable shelves;
57" H (1468 mm) - 49" H (1277 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNN_ _-203673LFBE**	**1,750**
36 x 20 x 65	900 x 519 x 1659	**NNN_ _-203665LFBE**	**1,724**
36 x 20 x 57	900 x 519 x 1468	**NNN_ _-203657LFBE**	**1,628**
36 x 20 x 49	900 x 519 x 1277	**NNN_ _-203649LFBE**	**1,596**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Open bookcases with doors



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

Open bookcase. 2 doors with soft-close. Lock.
73" H (1850 mm) - 57" H (1468 mm): 3 adjustable shelves;
49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 73	900 x 519 x 1850	**NNNN_-203673BBE**	**1,596**
36 x 20 x 65	900 x 519 x 1659	**NNNN_-203665BBE**	**1,570**
36 x 20 x 57	900 x 519 x 1468	**NNNN_-203657BBE**	**1,475**
36 x 20 x 49	900 x 519 x 1277	**NNNN_-203649BBE**	**1,442**

Smooth edge (N). Specify the front finish (B, W, N).

Open bookcases



73" H (1850 mm) - 65" H (1659 mm): 4 adjustable shelves;
57" H (1468 mm): 3 adjustable shelves;
49" H (1277 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 16 x 73	900 x 400 x 1850	**NNNNN-B367316**	**998**
36 x 16 x 65	900 x 400 x 1659	**NNNNN-B366516**	**902**
36 x 16 x 57	900 x 400 x 1468	**NNNNN-B365716**	**870**
36 x 16 x 49	900 x 400 x 1277	**NNNNN-B364916**	**774**
30 x 16 x 73	750 x 400 x 1850	**NNNNN-B307316**	**945**
30 x 16 x 65	750 x 400 x 1659	**NNNNN-B306516**	**854**
30 x 16 x 57	750 x 400 x 1468	**NNNNN-B305716**	**832**
30 x 16 x 49	750 x 400 x 1277	**NNNNN-B304916**	**737**
24 x 16 x 73	600 x 400 x 1850	**NNNNN-B247316**	**885**
24 x 16 x 65	600 x 400 x 1659	**NNNNN-B246516**	**806**
24 x 16 x 57	600 x 400 x 1468	**NNNNN-B245716**	**785**
24 x 16 x 49	600 x 400 x 1277	**NNNNN-B244916**	**700**
20 x 16 x 73	500 x 400 x 1850	**NNNNN-B207316**	**854**
20 x 16 x 65	500 x 400 x 1659	**NNNNN-B206516**	**774**
20 x 16 x 57	500 x 400 x 1468	**NNNNN-B205716**	**759**
20 x 16 x 49	500 x 400 x 1277	**NNNNN-B204916**	**673**

HUTCHES

Bookcase hutches with doors



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

2 doors with soft-close. Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 36" H (907 mm): 2 adjustable shelves;
28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 52	900 x 519 x 1289	**NNNN_-EB365220P**	**1,379**
36 x 20 x 44	900 x 519 x 1098	**NNNN_-EB364420P**	**1,331**
36 x 20 x 36	900 x 519 x 907	**NNNN_-EB363620P**	**1,204**
36 x 20 x 28	900 x 519 x 716	**NNNN_-EB362820P**	**1,151**
30 x 20 x 52	750 x 519 x 1289	**NNNN_-EB305220P**	**1,342**
30 x 20 x 44	750 x 519 x 1098	**NNNN_-EB304420P**	**1,289**
30 x 20 x 36	750 x 519 x 907	**NNNN_-EB303620P**	**1,162**
30 x 20 x 28	750 x 519 x 716	**NNNN_-EB302820P**	**1,119**
36 x 16 x 52	900 x 419 x 1289	**NNNN_-EB365216P**	**1,331**
36 x 16 x 44	900 x 419 x 1098	**NNNN_-EB364416P**	**1,278**
36 x 16 x 36	900 x 419 x 907	**NNNN_-EB363616P**	**1,157**
36 x 16 x 28	900 x 419 x 716	**NNNN_-EB362816P**	**1,114**
30 x 16 x 52	750 x 419 x 1289	**NNNN_-EB305216P**	**1,278**
30 x 16 x 44	750 x 419 x 1098	**NNNN_-EB304416P**	**1,230**
30 x 16 x 36	750 x 419 x 907	**NNNN_-EB303616P**	**1,114**
30 x 16 x 28	750 x 419 x 716	**NNNN_-EB302816P**	**1,071**

Smooth edge (N). Specify the front finish (B, W, N).

Bookcase hutches with doors

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 door with soft-close. Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 36" H (907 mm): 2 adjustable shelves;
28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24 x 20 x 52	600 x 519 x 1289	**NNN_ _-EB245220P**	**1,283**
24 x 20 x 44	600 x 519 x 1098	**NNN_ _-EB244420P**	**1,241**
24 x 20 x 36	600 x 519 x 907	**NNN_ _-EB243620P**	**1,124**
24 x 20 x 28	600 x 519 x 716	**NNN_ _-EB242820P**	**1,082**
20 x 20 x 52	500 x 519 x 1289	**NNN_ _-EB205220P**	**1,193**
20 x 20 x 44	500 x 519 x 1098	**NNN_ _-EB204420P**	**1,162**
20 x 20 x 36	500 x 519 x 907	**NNN_ _-EB203620P**	**1,051**
20 x 20 x 28	500 x 519 x 716	**NNN_ _-EB202820P**	**1,018**
24 x 16 x 52	600 x 419 x 1289	**NNN_ _-EB245216P**	**1,029**
24 x 16 x 44	600 x 419 x 1098	**NNN_ _-EB244416P**	**998**
24 x 16 x 36	600 x 419 x 907	**NNN_ _-EB243616P**	**880**
24 x 16 x 28	600 x 419 x 716	**NNN_ _-EB242816P**	**849**
16 x 16 x 52	400 x 419 x 1289	**NNN_ _-EB165216P**	**960**
16 x 16 x 44	400 x 419 x 1098	**NNN_ _-EB164416P**	**933**
16 x 16 x 36	400 x 419 x 907	**NNN_ _-EB163616P**	**827**
16 x 16 x 28	400 x 419 x 716	**NNN_ _-EB162816P**	**796**

Smooth edge (N). Specify the opening: Left (L) or Right (R). Specify the front finish (B, W, N).

Bookcase hutches with doors and pigeonhole



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $212.

2 doors with soft-close. Pigeonhole. Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 44" H (1098 mm): 2 adjustable shelves;
36" H (907 mm) - 28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 52	900 x 519 x 1289	**NNNN_-EBS365220P**	**1,358**
36 x 20 x 44	900 x 519 x 1098	**NNNN_-EBS364420P**	**1,230**
36 x 20 x 36	900 x 519 x 907	**NNNN_-EBS363620P**	**1,177**
36 x 20 x 28	900 x 519 x 716	**NNNN_-EBS362820P**	**1,130**
30 x 20 x 52	750 x 519 x 1289	**NNNN_-EBS305220P**	**1,305**
30 x 20 x 44	750 x 519 x 1098	**NNNN_-EBS304420P**	**1,177**
30 x 20 x 36	750 x 519 x 907	**NNNN_-EBS303620P**	**1,135**
30 x 20 x 28	750 x 519 x 716	**NNNN_-EBS302820P**	**1,087**
36 x 16 x 52	900 x 419 x 1289	**NNNN_-EBS365216P**	**1,305**
36 x 16 x 44	900 x 419 x 1098	**NNNN_-EBS364416P**	**1,177**
36 x 16 x 36	900 x 419 x 907	**NNNN_-EBS363616P**	**1,135**
36 x 16 x 28	900 x 419 x 716	**NNNN_-EBS362816P**	**1,087**
30 x 16 x 52	750 x 419 x 1289	**NNNN_-EBS305216P**	**1,257**
30 x 16 x 44	750 x 419 x 1098	**NNNN_-EBS304416P**	**1,135**
30 x 16 x 36	750 x 419 x 907	**NNNN_-EBS303616P**	**1,092**
30 x 16 x 28	750 x 419 x 716	**NNNN_-EBS302816P**	**1,051**

Smooth edge (N). Specify the front finish (B, W, N).

Bookcase hutches with doors and pigeonhole

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

1 door with soft-close. Pigeonhole. Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 44" H (1098 mm): 2 adjustable shelves;
36" H (907 mm) - 28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24 x 20 x 52	600 x 519 x 1289	**NNN_ _-EBS245220P**	**1,246**
24 x 20 x 44	600 x 519 x 1098	**NNN_ _-EBS244420P**	**1,130**
24 x 20 x 36	600 x 519 x 907	**NNN_ _-EBS243620P**	**1,087**
24 x 20 x 28	600 x 519 x 716	**NNN_ _-EBS242820P**	**1,051**
20 x 20 x 52	500 x 519 x 1289	**NNN_ _-EBS205220P**	**1,193**
20 x 20 x 44	500 x 519 x 1098	**NNN_ _-EBS204420P**	**1,077**
20 x 20 x 36	500 x 519 x 907	**NNN_ _-EBS203620P**	**1,044**
20 x 20 x 28	500 x 519 x 716	**NNN_ _-EBS202820P**	**1,008**
24 x 16 x 52	600 x 419 x 1289	**NNN_ _-EBS245216P**	**1,018**
24 x 16 x 44	600 x 419 x 1098	**NNN_ _-EBS244416P**	**907**
24 x 16 x 36	600 x 419 x 907	**NNN_ _-EBS243616P**	**870**
24 x 16 x 28	600 x 419 x 716	**NNN_ _-EBS242816P**	**838**
16 x 16 x 52	400 x 419 x 1289	**NNN_ _-EBS165216P**	**950**
16 x 16 x 44	400 x 419 x 1098	**NNN_ _-EBS164416P**	**844**
16 x 16 x 36	400 x 419 x 907	**NNN_ _-EBS163616P**	**812**
16 x 16 x 28	400 x 419 x 716	**NNN_ _-EBS162816P**	**785**

Smooth edge (N). Specify the opening: Left (L) or Right (R). Specify the front finish (B, W, N).

Open bookcase hutches



Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 36" H (907 mm): 2 adjustable shelves;
28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 52	900 x 500 x 1289	**NNNNN-EB365220**	**870**
36 x 20 x 44	900 x 500 x 1098	**NNNNN-EB364420**	**838**
36 x 20 x 36	900 x 500 x 907	**NNNNN-EB363620**	**806**
36 x 20 x 28	900 x 500 x 716	**NNNNN-EB362820**	**690**
30 x 20 x 52	750 x 500 x 1289	**NNNNN-EB305220**	**832**
30 x 20 x 44	750 x 500 x 1098	**NNNNN-EB304420**	**801**
30 x 20 x 36	750 x 500 x 907	**NNNNN-EB303620**	**769**
30 x 20 x 28	750 x 500 x 716	**NNNNN-EB302820**	**653**
24 x 20 x 52	600 x 500 x 1289	**NNNNN-EB245220**	**791**
24 x 20 x 44	600 x 500 x 1098	**NNNNN-EB244420**	**764**
24 x 20 x 36	600 x 500 x 907	**NNNNN-EB243620**	**737**
24 x 20 x 28	600 x 500 x 716	**NNNNN-EB242820**	**626**
20 x 20 x 52	500 x 500 x 1289	**NNNNN-EB205220**	**774**
20 x 20 x 44	500 x 500 x 1098	**NNNNN-EB204420**	**743**
20 x 20 x 36	500 x 500 x 907	**NNNNN-EB203620**	**716**
20 x 20 x 28	500 x 500 x 716	**NNNNN-EB202820**	**600**
36 x 16 x 52	900 x 400 x 1289	**NNNNN-EB365216**	**812**
36 x 16 x 44	900 x 400 x 1098	**NNNNN-EB364416**	**785**
36 x 16 x 36	900 x 400 x 907	**NNNNN-EB363616**	**759**
36 x 16 x 28	900 x 400 x 716	**NNNNN-EB362816**	**647**
30 x 16 x 52	750 x 400 x 1289	**NNNNN-EB305216**	**779**
30 x 16 x 44	750 x 400 x 1098	**NNNNN-EB304416**	**748**
30 x 16 x 36	750 x 400 x 907	**NNNNN-EB303616**	**721**
30 x 16 x 28	750 x 400 x 716	**NNNNN-EB302816**	**620**
24 x 16 x 52	600 x 400 x 1289	**NNNNN-EB245216**	**743**
24 x 16 x 44	600 x 400 x 1098	**NNNNN-EB244416**	**721**
24 x 16 x 36	600 x 400 x 907	**NNNNN-EB243616**	**695**
24 x 16 x 28	600 x 400 x 716	**NNNNN-EB242816**	**589**
16 x 16 x 52	400 x 400 x 1289	**NNNNN-EB165216**	**721**
16 x 16 x 44	400 x 400 x 1098	**NNNNN-EB164416**	**700**
16 x 16 x 36	400 x 400 x 907	**NNNNN-EB163616**	**668**
16 x 16 x 28	400 x 400 x 716	**NNNNN-EB162816**	**567**

Open bookcase hutches with sliding door



28" H



52" H - 36" H

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

Sliding door. Can accommodate a tackboard on back: refer to page 57.
52" H (1289 mm) - 36" H (1277 mm): 4 adjustable shelves;
28" H (716 mm): 2 adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 20 x 52	900 x 519 x 1289	**NNNN_-EB365220C**	**1,369**
36 x 20 x 44	900 x 519 x 1098	**NNNN_-EB364420C**	**1,321**
36 x 20 x 36	900 x 519 x 907	**NNNN_-EB363620C**	**1,278**
36 x 20 x 28	900 x 519 x 716	**NNNN_-EB362820C**	**1,167**
30 x 20 x 52	750 x 519 x 1289	**NNNN_-EB305220C**	**1,310**
30 x 20 x 44	750 x 519 x 1098	**NNNN_-EB304420C**	**1,273**
30 x 20 x 36	750 x 519 x 907	**NNNN_-EB303620C**	**1,230**
30 x 20 x 28	750 x 519 x 716	**NNNN_-EB302820C**	**1,130**
36 x 16 x 52	900 x 419 x 1289	**NNNN_-EB365216C**	**1,316**
36 x 16 x 44	900 x 419 x 1098	**NNNN_-EB364416C**	**1,278**
36 x 16 x 36	900 x 419 x 907	**NNNN_-EB363616C**	**1,236**
36 x 16 x 28	900 x 419 x 716	**NNNN_-EB362816C**	**1,130**
30 x 16 x 52	750 x 419 x 1289	**NNNN_-EB305216C**	**1,273**
30 x 16 x 44	750 x 419 x 1098	**NNNN_-EB304416C**	**1,230**
30 x 16 x 36	750 x 419 x 907	**NNNN_-EB303616C**	**1,193**
30 x 16 x 28	750 x 419 x 716	**NNNN_-EB302816C**	**1,092**

Smooth edge (N). Specify the front finish (B, W, N).

Hutches with lift-up door and open space on right – 44" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on right. Clearance: 27½" (698 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 25" (620 mm) open bookcase;
66" (1650 mm): 21" (520 mm) open bookcase;
60" (1500 mm): 19" (470 mm) open bookcase;
54" (1350 mm): 17" (420 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 44	1800 x 419 x 1098	**NNNR_-EV724416**	**1,278**
66 x 16 x 44	1650 x 419 x 1098	**NNNR_-EV664416**	**1,246**
60 x 16 x 44	1500 x 419 x 1098	**NNNR_-EV604416**	**1,220**
54 x 16 x 44	1350 x 419 x 1098	**NNNR_-EV544416**	**1,193**

Smooth edge (N). Specify the front finish (B, W, N).

Hutches with lift-up door and open space on left – 44" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on left. Clearance: 27½" (698 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 25" (620 mm) open bookcase;
66" (1650 mm): 21" (520 mm) open bookcase;
60" (1500 mm): 19" (470 mm) open bookcase;
54" (1350 mm): 17" (420 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 44	1800 x 419 x 1098	**NNNL_-E724416V**	**1,278**
66 x 16 x 44	1650 x 419 x 1098	**NNNL_-E664416V**	**1,246**
60 x 16 x 44	1500 x 419 x 1098	**NNNL_-E604416V**	**1,220**
54 x 16 x 44	1350 x 419 x 1098	**NNNL_-E544416V**	**1,193**

Smooth edge (N). Specify the front finish (B, W, N).

Hutches with lift-up door and open space on right – 36" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on right. Clearance: 20" (507 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 25" (620 mm) open bookcase;
66" (1650 mm): 21" (520 mm) open bookcase;
60" (1500 mm): 19" (470 mm) open bookcase;
54" (1350 mm): 17" (420 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 36	1800 x 419 x 907	**NNNR_-EV723616**	**1,236**
66 x 16 x 36	1650 x 419 x 907	**NNNR_-EV663616**	**1,215**
60 x 16 x 36	1500 x 419 x 907	**NNNR_-EV603616**	**1,188**
54 x 16 x 36	1350 x 419 x 907	**NNNR_-EV543616**	**1,157**

Smooth edge (N). Specify the front finish (B, W, N).

Hutches with lift-up door and open space on left – 36" H



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on left. Clearance: 20" (507 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 25" (620 mm) open bookcase;
66" (1650 mm): 21" (520 mm) open bookcase;
60" (1500 mm): 19" (470 mm) open bookcase;
54" (1350 mm): 17" (420 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 36	1800 x 419 x 907	**NNNL_-E723616V**	**1,236**
66 x 16 x 36	1650 x 419 x 907	**NNNL_-E663616V**	**1,215**
60 x 16 x 36	1500 x 419 x 907	**NNNL_-E603616V**	**1,188**
54 x 16 x 36	1350 x 419 x 907	**NNNL_-E543616V**	**1,157**

Smooth edge (N). Specify the front finish (B, W, N).

Wall-mounted hutches with lift-up door and open space on right



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on right. Hanger bar included for wall-mount installation. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 26" (645 mm) open bookcase;
66" (1650 mm): 22" (545 mm) open bookcase;
60" (1500 mm): 20" (495 mm) open bookcase;
54" (1350 mm): 18" (445 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 16	1800 x 419 x 400	**NNNR_-EMV721616**	**1,098**
66 x 16 x 16	1650 x 419 x 400	**NNNR_-EMV661616**	**1,077**
60 x 16 x 16	1500 x 419 x 400	**NNNR_-EMV601616**	**1,051**
54 x 16 x 16	1350 x 419 x 400	**NNNR_-EMV541616**	**1,024**

Smooth edge (N). Specify the front finish (B, W, N).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)

Wall-mounted hutches with lift-up door and open space on left



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Assisted lift-up door with soft-close. Open space on left. Hanger bar included for wall-mount installation. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.
72" (1800 mm): 26" (645 mm) open bookcase;
66" (1650 mm): 22" (545 mm) open bookcase;
60" (1500 mm): 20" (495 mm) open bookcase;
54" (1350 mm): 18" (445 mm) open bookcase.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 16 x 16	1800 x 419 x 400	**NNNL_-EM721616V**	**1,098**
66 x 16 x 16	1650 x 419 x 400	**NNNL_-EM661616V**	**1,077**
60 x 16 x 16	1500 x 419 x 400	**NNNL_-EM601616V**	**1,051**
54 x 16 x 16	1350 x 419 x 400	**NNNL_-EM541616V**	**1,024**

Smooth edge (N). Specify the front finish (B, W, N).

Wall-mounted hutches with sliding door



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $106.

Sliding door. Hanger bar included for wall-mount installation. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
84 x 16 x 16	2100 x 419 x 400	**NNNN_-EM841616C**	**1,114**
78 x 16 x 16	1950 x 419 x 400	**NNNN_-EM781616C**	**1,087**
72 x 16 x 16	1800 x 419 x 400	**NNNN_-EM721616C**	**1,061**
66 x 16 x 16	1650 x 419 x 400	**NNNN_-EM661616C**	**1,034**
60 x 16 x 16	1500 x 419 x 400	**NNNN_-EM601616C**	**1,013**
54 x 16 x 16	1350 x 419 x 400	**NNNN_-EM541616C**	**986**

Smooth edge (N). Specify the front finish (B, W, N).

Open wall-mounted hutches



84" - 78"



72" - 54"

Hanger bar included for wall-mount installation. Can accommodate a tackboard: refer to page 205 in the February 2015 Lacasse price book.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
84 x 16 x 16	2100 x 419 x 400	**NNNNN-EM841616**	**928**
78 x 16 x 16	1950 x 419 x 400	**NNNNN-EM781616**	**912**
72 x 16 x 16	1800 x 419 x 400	**NNNNN-EM721616**	**801**
66 x 16 x 16	1650 x 419 x 400	**NNNNN-EM661616**	**779**
60 x 16 x 16	1500 x 419 x 400	**NNNNN-EM601616**	**764**
54 x 16 x 16	1350 x 419 x 400	**NNNNN-EM541616**	**737**

Wall-mounted hutches with doors



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $159.

2 doors with soft-close. Hanger bar included for wall-mount installation.
52" H (1289 mm) - 36" H (907 mm): 2 adjustable shelves;
28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
36 x 16 x 52	900 x 419 x 1289	**NNNN_-EM365216P**	**1,273**
36 x 16 x 44	900 x 419 x 1098	**NNNN_-EM364416P**	**1,210**
36 x 16 x 36	900 x 419 x 907	**NNNN_-EM363616P**	**1,119**
36 x 16 x 28	900 x 419 x 716	**NNNN_-EM362816P**	**1,077**
30 x 16 x 52	750 x 419 x 1289	**NNNN_-EM305216P**	**1,225**
30 x 16 x 44	750 x 419 x 1098	**NNNN_-EM304416P**	**1,167**
30 x 16 x 36	750 x 419 x 907	**NNNN_-EM303616P**	**1,082**
30 x 16 x 28	750 x 419 x 716	**NNNN_-EM302816P**	**1,044**

Smooth edge (N). Specify the front finish (B, W, N).

L



R



High-Gloss Black (B) or High-Gloss White (W) front finish option: add $80.

1 door with soft-close. Hanger bar included for wall-mount installation.
52" H (1289 mm) - 36" H (907 mm): 2 adjustable shelves;
28" H (716 mm): 1 adjustable shelf.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
24 x 16 x 52	600 x 419 x 1289	**NNN_ _-EM245216P**	**1,140**
24 x 16 x 44	600 x 419 x 1098	**NNN_ _-EM244416P**	**1,087**
24 x 16 x 36	600 x 419 x 907	**NNN_ _-EM243616P**	**1,008**
24 x 16 x 28	600 x 419 x 716	**NNN_ _-EM242816P**	**981**

Smooth edge (N). Specify the opening: Left (L) or Right (R). Specify the front finish (B, W, N).

PEDESTALS

Hanging pedestal with drawers

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Must be installed under a surface. Not compatible with 20" (500 mm) deep surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
16 x 18 x 20	409 x 448 x 489	**NNN_ _-161820F**	**806**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

Mobile pedestal with drawers

L

R

High-Gloss Black (B) or High-Gloss White (W) front finish option: add $53.

1 box drawer and 1 file drawer with soft-close. Suspension bar. Pencil tray. Lock. Brakes on front casters. Can accommodate 1 LGC-CU1518 cushion. See page 207 from the February 2015 Lacasse price book.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
16 x 18 x 20	390 x 450 x 530	**NNN_ _-MP161820F**	**991**

Smooth edge (N). Specify the handle curve: Left (L) or Right (R). Specify the front finish (B, W, N).

ACCESSORIES

Modular modesty panels

High-Gloss Black (B) or High-Gloss White (W) finish option:

27" to 51", add $80;
55" to 67", add $106;
69" to 81", add $133.

Use as modesty panel. Compatible with short-back surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
81 x 5/8 x 14	2019 x 16 x 350	**NNNN_-MOD1481**	**202**
75 x 5/8 x 14	1869 x 16 x 350	**NNNN_-MOD1475**	**196**
73 x 5/8 x 14	1819 x 16 x 350	**NNNN_-MOD1473**	**196**
69 x 5/8 x 14	1719 x 16 x 350	**NNNN_-MOD1469**	**191**
67 x 5/8 x 14	1669 x 16 x 350	**NNNN_-MOD1467**	**191**
63 x 5/8 x 14	1569 x 16 x 350	**NNNN_-MOD1463**	**186**
61 x 5/8 x 14	1519 x 16 x 350	**NNNN_-MOD1461**	**186**
57 x 5/8 x 14	1419 x 16 x 350	**NNNN_-MOD1457**	**175**
55 x 5/8 x 14	1369 x 16 x 350	**NNNN_-MOD1455**	**169**
51 x 5/8 x 14	1269 x 16 x 350	**NNNN_-MOD1451**	**169**
49 x 5/8 x 14	1219 x 16 x 350	**NNNN_-MOD1449**	**164**
45 x 5/8 x 14	1119 x 16 x 350	**NNNN_-MOD1445**	**164**
39 x 5/8 x 14	969 x 16 x 350	**NNNN_-MOD1439**	**159**
33 x 5/8 x 14	819 x 16 x 350	**NNNN_-MOD1433**	**154**
27 x 5/8 x 14	669 x 16 x 350	**NNNN_-MOD1427**	**154**

Smooth edge (N). Specify the modesty panel finish (B, W, N).

Privacy lateral screens

Fabric screen supported by metal clip. Height adjustable. Can be attached to a surface, desk or return. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
48 x 3/8 x 30	1200 x 10 x 750	**NNNNN-SCF3048**	**530**
42 x 3/8 x 30	1050 x 10 x 750	**NNNNN-SCF3042**	**514**
36 x 3/8 x 30	900 x 10 x 750	**NNNNN-SCF3036**	**499**
30 x 3/8 x 30	750 x 10 x 750	**NNNNN-SCF3030**	**482**
48 x 3/8 x 24	1200 x 10 x 600	**NNNNN-SCF2448**	**504**
42 x 3/8 x 24	1050 x 10 x 600	**NNNNN-SCF2442**	**494**
36 x 3/8 x 24	900 x 10 x 600	**NNNNN-SCF2436**	**477**
30 x 3/8 x 24	750 x 10 x 600	**NNNNN-SCF2430**	**461**
24 x 3/8 x 24	600 x 10 x 600	**NNNNN-SCF2424**	**446**

= ASSEMBLY REQUIRED

Privacy lateral screens

Acrylic option: Change T for Y Sky, add $63.

Translucent screen supported by metal clip. Height adjustable. Can be attached to a surface, desk or return.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
48 x ¼ x 30	1200 x 6 x 750	**NNNNN-SCT3048**	**706**
42 x ¼ x 30	1050 x 6 x 750	**NNNNN-SCT3042**	**631**
36 x ¼ x 30	900 x 6 x 750	**NNNNN-SCT3036**	**557**
30 x ¼ x 30	750 x 6 x 750	**NNNNN-SCT3030**	**482**
48 x ¼ x 24	1200 x 6 x 600	**NNNNN-SCT2448**	**589**
42 x ¼ x 24	1050 x 6 x 600	**NNNNN-SCT2442**	**525**
36 x ¼ x 24	900 x 6 x 600	**NNNNN-SCT2436**	**472**
30 x ¼ x 24	750 x 6 x 600	**NNNNN-SCT2430**	**408**
24 x ¼ x 24	600 x 6 x 600	**NNNNN-SCT2424**	**350**

Tackboards



To be used on back of bookcase hutches. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.

34 x ½ x 50	841 x 13 x 1232	**NNNNN-TK3450**	**376**
34 x ½ x 42	841 x 13 x 1041	**NNNNN-TK3442**	**366**
34 x ½ x 34	841 x 13 x 850	**NNNNN-TK3434**	**355**
34 x ½ x 26	841 x 13 x 659	**NNNNN-TK3426**	**345**
28 x ½ x 50	691 x 13 x 1232	**NNNNN-TK2850**	**366**
28 x ½ x 42	691 x 13 x 1041	**NNNNN-TK2842**	**355**
28 x ½ x 34	691 x 13 x 850	**NNNNN-TK2834**	**345**
28 x ½ x 26	691 x 13 x 659	**NNNNN-TK2826**	**335**
22 x ½ x 50	541 x 13 x 1232	**NNNNN-TK2250**	**355**
22 x ½ x 42	541 x 13 x 1041	**NNNNN-TK2242**	**345**
22 x ½ x 34	541 x 13 x 850	**NNNNN-TK2234**	**335**
22 x ½ x 26	541 x 13 x 659	**NNNNN-TK2226**	**318**
18 x ½ x 50	441 x 13 x 1232	**NNNNN-TK1850**	**345**
18 x ½ x 42	441 x 13 x 1041	**NNNNN-TK1842**	**335**
18 x ½ x 34	441 x 13 x 850	**NNNNN-TK1834**	**318**
18 x ½ x 26	441 x 13 x 659	**NNNNN-TK1826**	**308**
14 x ½ x 50	341 x 13 x 1232	**NNNNN-TK1450**	**335**
14 x ½ x 42	341 x 13 x 1041	**NNNNN-TK1442**	**318**
14 x ½ x 34	341 x 13 x 850	**NNNNN-TK1434**	**308**
14 x ½ x 26	341 x 13 x 659	**NNNNN-TK1426**	**297**

Cushions

2" (51 mm) foam. Installs on low storage units with Velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%. For any other dimension, please contact the Quotations Department.

48 x 36 x 2	1200 x 900 x 51	**NNNNN-CU3648**	**631**
36 x 36 x 2	900 x 900 x 51	**NNNNN-CU3636**	**547**
24 x 36 x 2	600 x 900 x 51	**NNNNN-CU3624**	**456**
48 x 30 x 2	1200 x 750 x 51	**NNNNN-CU3048**	**573**
36 x 30 x 2	900 x 750 x 51	**NNNNN-CU3036**	**514**
24 x 30 x 2	600 x 750 x 51	**NNNNN-CU3024**	**429**
48 x 24 x 2	1200 x 600 x 51	**NNNNN-CU2448**	**514**
36 x 24 x 2	900 x 600 x 51	**NNNNN-CU2436**	**456**
24 x 24 x 2	600 x 600 x 51	**NNNNN-CU2424**	**371**
48 x 20 x 2	1200 x 500 x 51	**NNNNN-CU2048**	**488**
36 x 20 x 2	900 x 500 x 51	**NNNNN-CU2036**	**408**
24 x 20 x 2	600 x 500 x 51	**NNNNN-CU2024**	**323**

Grommets

Satin chrome finish. Factory installed on request. Attach positioning sketch with your order.

LGC-MGRQ25	**58**
LGC-MGRQ38	**58**

SUGGESTIONS

N_ _ _ _-PLAN01



Plan shown in Nex Brochure:

N5KNW-PLAN01	$7,993
1	N5KRN-RS3078B5
1	NNNNW-MOD1451
1	N1NRW-UL303621CPU
1	N1NRN-244221ULS
1	N1NLN-SUL244221
1	NNNLW-EB204420P
1	NNNRW-202065BC

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), High-Gloss White finish (W) on the modesty panel and fronts.

N_ _ _ _-PLAN02



Plan shown in Nex Brochure:

N5KNB-PLAN02	$7,754
1	NNNLB-EM721616V
1	NNNRB-EMV721616
1	N5KLN-RS3072B5
1	N5KRN-RS3072B5
1	N1NRB-ULS207221BE
1	N1NLB-BE207221SUL

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), High-Gloss Black finish (B) on fronts.

With accessories	$2,164
2	LGC-RPT14S
2	LGC-RAS20S
2	LGC-RA72MS
2	LGC-TK7217M
2	LGC-TK7213M

N_ _ _ _-PLAN03



Plan shown in Nex Brochure:

N5KNW-PLAN03	$5,994
1	NNNNW-EM721616C
1	N1NNW-204821B
1	N5KRN-R2060B5
1	N5KRN-RS3078PB5
1	N1NRW-UL206021BE

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), High-Gloss White finish (W) on fronts.

With accessories	$1,946
2	LGC-RA60MS
2	LGC-TK6017M
2	LGC-TK6013M
1	LGC-RAS20S
2	LGC-RPT11S

N_ _ _ _-PLAN04



Plan shown in Nex Brochure:

N5NNW-PLAN04	$6,497
1	NNNRW-202073BC
1	NNNNW-EB364416P
1	NNNLW-202065B
1	N5NLW-RTM3678
1	N1NLW-UL243621

1½" thick laminate (5) desk, handles on right (R) and left (L), High-Gloss White finish (W) on the modesty panel and fronts.

N_ _ _ _-PLAN05



Plan shown in Nex Brochure:

N5NNN-PLAN05	$6,529
1	NNNNN-202465CBE
1	NNNLN-E724416V
1	N1NNN-203621B
1	N5NRN-RS3078B5
1	N1NLN-BE207221SUL
1	NNNNN-CU2036

1½" thick laminate (5) surface, handles on left (L).

With accessories	$891
1	LGC-RA70ES
2	LGC-RPT11S
1	LGC-RAS12S
1	LGC-LED37

N_ _ _ _-PLAN06



Plan shown in Nex Brochure:

N1NNB-PLAN06	$25,565
2	NNNLB-203673LFBEV
2	NNNRB-203673LFBEV
2	N1NLN-RS2472B5
2	N1NRN-RS2472B5
2	N1NRB-F204821BE
2	N1NLB-BE204821F
2	NNNRB-PUF241649
2	NNNLB-P241649UF
2	NNNNN-SCF3048

1" thick laminate (1) surface, handles on right (R) and left (L), High-Gloss Black finish (B) on fronts.

With accessories	$2,206
4	LGC-SUPECPLS

N_ _ _ _-PLAN07



Plan shown in Nex Brochure:

N5KNW-PLAN07	$6,413
1	NNNLW-EM601616V
1	NNNRW-EMV601616
1	N1NNN-UL206021UL
1	N5KRN-RS3078B5
1	N1NNN-B206021BE

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), High-Gloss White finish (W) on hutch fronts.

With accessories	$1,767
1	LGC-TK6013M
1	LGC-RA60MS
2	LGC-RPT11S
1	LGC-RAS12S
3	LGC-TK6017M

SUGGESTIONS

N_ _ _ _-PLAN08



Plan shown in Nex Brochure:

N5NNW-PLAN08	**$5,193**
1 NNNNW-EM303616P	
1 N1NNW-B207221UL	
1 N5KNN-RT3078A5	
1 N5KRN-R2066B5	
1 NNNNW-MOD1445	

1½" thick laminate (5) desk, knife edge (K) desk, handles on right (R) and left (L), High-Gloss White finish (W) on the modesty panel and fronts.

With accessories	**$350**
1 LGC-TK6021M	

N_ _ _ _-PLAN09



Not shown in Nex Brochure:

N1_ _ _-PLAN09	**$6,360**
1 N1NNN-RT3072A5	
1 NNNLN-203673BV	
1 NNNRN-203673BV	
1 NNNLN-202057BC	

1" thick laminate (1) desk, handles on right (R) and left (L).

Other option	**$7,447**

1½" thick laminate (5) desk, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN10



Not shown in Nex Brochure:

N1_ _ _-PLAN10	**$4,976**
1 N1NLN-RS3066B5	
1 N1NRN-UL303021	
1 N1NNN-B206021UL	
1 NNNRN-EBS163616P	
1 NNNNN-MOD1439	
1 NNNNN-CU3024	

1" thick laminate (1) desk, handles on right (R) and left (L).

Other option	**$5,606**

1½" thick laminate (5) desk, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN11



Not shown in Nex Brochure:

N1_ _ _-PLAN11	**$3,782**
1 N1NLN-IRS3072	
1 N1NRN-ULS209621BE	
1 NNNNN-EB303616C	

1" thick laminate (1) surface, handles on right (R).

Other option	**$4,477**

1½" thick laminate (5) surface, knife edge (K), handles on right (R), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN12



Not shown in Nex Brochure:

N1_ _ _-PLAN12	**$3,007**
1 N1NRN-RTM3072	
1 N1NRN-ULS208421BE	
1 N1NLN-RS2472B5	

1" thick laminate (1) desk, handles on right (R).

Other option	**$3,872**

1½" thick laminate (5) desk, knife edge (K), handles on right (R), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN13



Not shown in Nex Brochure:

N1_ _ _-PLAN13	**$9,378**
1 N1NRN-RS3078PB5	
1 N1NRN-R2460B5	
1 N1NRN-UL243021	
1 N1NNN-UL206021B	
1 N1NLN-201473BC	
1 NNNNN-EB205220	
1 N1NNN-SLFS207221	
1 N1NLN-202073B	

1" thick laminate (1) surface, handles on right (R) and left (L).

Other option	**$10,598**

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN14



Not shown in Nex Brochure:

N1_ _ _-PLAN14	**$6,408**
2 NNNNN-EM541616C	
1 N1NLN-CPU303621UL	
1 N1NNN-RS3078C5	
1 N1NLN-F301621	
1 NNNRN-201473BC	

1" thick laminate (1) surface, handles on right (R) and left (L).

With accessories	**$2,249**
2 LGC-TK5413M	
2 LGC-TK5421M	
2 LGC-LED37	

Other option	**$6,912**

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

SUGGESTIONS

N_ _ _ _-PLAN15



Not shown in Nex Brochure:

N1_ _ _-PLAN15	$7,760
2	N1NNN-RT3072A5
1	N1NRN-R2048B5
1	N1NLN-R2048B5
1	N1NNN-203621B
1	N1NRN-MP161820F
1	N1NLN-MP161820F
1	NNNNN-EM841616
2	NNNNN-SCT3042

1" thick laminate (1) surface, handles on right (R) and left (L).

With accessories	$3,522
2	LGC-TK8417M
2	LGC-TK8413M
2	LGC-RA84MS
4	LGC-RPT11S
2	LGC-RAS20S
2	LGC-SUPECPLS

Other option	$8,937

1½" thick laminate (5) surface, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN16



Not shown in Nex Brochure:

N1_ _ _-PLAN16	$3,713
2	N1NLN-RS3072B5
2	N1NRN-SLF206021BE

1" thick laminate (1) surface, handles on right (R).

With accessories	$1,241
2	LGC-RA48S
2	LGC-SUPACS
4	LGC-RPT11S
2	LGC-RAS20S

Other option	$4,455

1½" thick laminate (5) surface, knife edge (K), handles on right (R), high-gloss finish on fronts (B, W). Knife edge not compatible with LGC-SUPAC_.

N_ _ _ _-PLAN17



Not shown in Nex Brochure:

N1_ _ _-PLAN17	$6,285
1	N1NLN-IRT3072
1	N1NNN-UL206021UL
1	NNNLN-202073B
1	NNNRN-202073BC
1	NNNNN-B367316

1" thick laminate (1) desk, handles on right (R) and left (L).

Other option	$7,203

1½" thick laminate (5) desk, knife edge (K), handles on right (R) and left (L), high-gloss finish on fronts (B, W).

N_ _ _ _-PLAN18



Not shown in Nex Brochure:

N1_ _ _-PLAN18	$4,991
1	N1NLN-RS3084B5
1	N1NLN-F301621
1	N1NRN-R2454A5
1	NNNNN-B206516
1	NNNNN-203665BBE
1	NNNNN-MOD1439

1" thick laminate (1) surface, handles on left (L).

With accessories	$1,193
1	LGC-RA84MS
1	LGC-TK8413M
1	LGC-TK8417M
2	LGC-RPT11S
1	LGC-RAS12S

Other option	$5,851

1½" thick laminate (5) surface, knife edge (K), handles on left (L), high-gloss finish on fronts (B, W).

EDGEBANDING

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

Furniture with 1½" (38 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

Textured 1 Edge

Textured 2 Edge

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

HANDLES

A – Arcade



C – Cubic

K – Classic

W – Waterfall



Z – Straight

LEGS

Q – Square

V – Round

ALUMINUM KICKPLATE

M – Anodized Aluminum

MODESTY PANELS / DOOR INSERTS

T – Translucent

X – Matrix

ACCENT COLORS



S – Silver

A – Anthracite Grey

Exception: Furniture with doors or aluminum kickplate are available in Silver anodized aluminum only.

CODIFICATION

	Options			
Series	Thickness	Edgebanding	Handles / Legs	Accent color
M	**1** Thermofused laminate 1" **2** High-pressure laminate 1" **5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge **1** Textured edge **2** Textured edge	**A** Arcade **C** Cubic **K** Classic **W** Waterfall **Z** Straight **Q** Square leg **V** Round leg	**A** Anthracite Grey **S** Silver

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double pedestals bow front desks	*2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-F4272FA**	**1,767**	**2,063**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-F3666FA**	**1,649**	**1,926**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-F4272FA**	**1,984**	**2,329**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-F3666FA**	**1,867**	**2,191**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Double pedestal desks	*2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-F3672F**	**1,490**	**1,787**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-F3066F**	**1,374**	**1,649**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-F3060F**	**1,321**	**1,575**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				



Aluminum kickplate option: specify M at the end of the code, add $159.



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double pedestal desks (cont'd)	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-F3672F**	**1,707**	**2,052**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-F3066F**	**1,591**	**1,915**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-F3060F**	**1,533**	**1,840**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Double pedestals bow front desks – low profile	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-UF4272FFA**	**2,117**	**2,418**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-UF3666FFA**	**2,005**	**2,281**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-UF4272FFA**	**2,334**	**2,679**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-UF3666FFA**	**2,217**	**2,536**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				



Aluminum kickplate option: specify M at the end of the code, add $159.

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double pedestal desks – low profile	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-UF3672FF**	**1,840**	**2,143**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-UF3066FF**	**1,729**	**2,005**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-UF3060FF**	**1,666**	**1,931**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-UF3672FF**	**2,058**	**2,403**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-UF3066FF**	**1,941**	**2,259**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-UF3060FF**	**1,883**	**2,196**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Left single pedestals bow front desks	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-F4272SA**	**1,475**	**1,714**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-F3666SA**	**1,358**	**1,570**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-F4272SA**	**1,666**	**1,946**
	66 x 36 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-F3666SA**	**1,548**	**1,808**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Right single pedestal bow front desks	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-S4272FA**	**1,475**	**1,714**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-S3666FA**	**1,358**	**1,570**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-S4272FA**	**1,666**	**1,946**
	66 x 36 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-S3666FA**	**1,548**	**1,808**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Left single pedestal desks	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-F3672S**	**1,199**	**1,437**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-F3066S**	**1,082**	**1,294**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-F3060S**	**1,024**	**1,230**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-F3672S**	**1,389**	**1,671**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-F3066S**	**1,273**	**1,533**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-F3060S**	**1,225**	**1,469**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Right single pedestal desks	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-S3672F**	**1,199**	**1,437**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-S3066F**	**1,082**	**1,294**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-S3060F**	**1,024**	**1,230**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal desks (cont'd) Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-S3672F**	**1,389**	**1,671**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-S3066F**	**1,273**	**1,533**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-S3060F**	**1,225**	**1,469**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Left single pedestals bow front desks – low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-UF4272SA**	**1,649**	**1,893**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-UF3666SA**	**1,533**	**1,750**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-UF4272SA**	**1,840**	**2,122**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-UF3666SA**	**1,729**	**1,984**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Right single pedestal bow front desks – low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-S4272UFA**	**1,649**	**1,893**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-S3666UFA**	**1,533**	**1,750**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-S4272UFA**	**1,840**	**2,122**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-S3666UFA**	**1,729**	**1,984**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Left single pedestal desks – low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-UF3672S**	**1,374**	**1,618**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-UF3066S**	**1,257**	**1,475**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-UF3060S**	**1,199**	**1,400**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-UF3672S**	**1,565**	**1,846**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-UF3066S**	**1,454**	**1,707**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-UF3060S**	**1,395**	**1,644**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Right single pedestal desks – low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
 Aluminum kickplate option: specify M at the end of the code, add $159.	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-S3672UF**	**1,374**	**1,618**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-S3066UF**	**1,257**	**1,475**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-S3060UF**	**1,199**	**1,400**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-S3672UF**	**1,565**	**1,846**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-S3066UF**	**1,454**	**1,707**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-S3060UF**	**1,395**	**1,644**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bow front desk shells	*Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_NNN-TDM4272A**	**1,119**	**1,432**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_NNN-TDM3666A**	**1,008**	**1,326**
	Specify the surface type (1, 2). Edge N.				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _NN-TDM4272A**	**1,236**	**1,601**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _NN-TDM3666A**	**1,124**	**1,490**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				



Aluminum kickplate option: specify M at the end of the code, add $159.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular desk shells	*Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_NNN-TDM3672**	**791**	**1,104**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_NNN-TDM3066**	**700**	**981**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_NNN-TDM3060**	**673**	**945**
	Specify the surface type (1, 2). Edge N.				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _NN-TDM3672**	**907**	**1,268**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _NN-TDM3066**	**817**	**1,145**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _NN-TDM3060**	**791**	**1,104**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				



Aluminum kickplate option: specify M at the end of the code, add $159.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left corner desks	*Recessed, full-height modesty panel. Can accommodate 1 pedestal. 1 grommet.*				
	72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-CDM724818**	**971**	**1,459**
	66 x 48 x 29 3/8	1650 x 1200 x 744	**M_NN_-CDM664818**	**912**	**1,369**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).				
	72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-CDM724818**	**1,109**	**1,666**
	66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _N_-CDM664818**	**1,056**	**1,575**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				



Aluminum kickplate option: specify M at the end of the code, add $159.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right corner desks	*Recessed, full-height modesty panel. Can accommodate 1 pedestal. 1 grommet.*				
	72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-CDM184872**	**971**	**1,459**
	66 x 48 x 29 3/8	1650 x 1200 x 744	**M_NN_-CDM184866**	**912**	**1,369**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).				
	72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-CDM184872**	**1,109**	**1,666**
	66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _N_-CDM184866**	**1,056**	**1,575**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				



Aluminum kickplate option: specify M at the end of the code, add $159.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tables	*2 steel legs. 1 grommet.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RT3672**	**779**	**1,092**
	72 x 30 x 29 3/8	1800 x 750 x 744	**M_N_ _-RT3072**	**732**	**1,039**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-RT3066**	**711**	**998**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RT3060**	**695**	**976**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RT3672**	**991**	**1,389**
	72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _ _ _-RT3072**	**950**	**1,326**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-RT3066**	**912**	**1,273**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RT3060**	**880**	**1,241**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tables with laminate modesty panel	*Reversible. Half-height laminate modesty panel. 2 steel legs. 1 grommet.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RTM3672**	**817**	**1,130**
	72 x 30 x 29 3/8	1800 x 750 x 744	**M_N_ _-RTM3072**	**785**	**1,071**
	66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-RTM3066**	**748**	**1,039**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RTM3060**	**732**	**1,008**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RTM3672**	**1,039**	**1,432**
	72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _ _ _-RTM3072**	**981**	**1,358**
	66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-RTM3066**	**950**	**1,305**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RTM3060**	**918**	**1,273**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rainbow tables	*4 steel legs.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RBT3672**	**965**	**1,353**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-RBT3666**	**844**	**1,183**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RBT3060**	**806**	**1,092**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RBT3672**	**1,056**	**1,475**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-RBT3666**	**1,013**	**1,427**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RBT3060**	**950**	**1,278**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rainbow tables with modesty panel	*Half-height laminate modesty panel. 4 steel legs.*				
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RBTM3672**	**1,140**	**1,528**
	66 x 36 x 29 3/8	1650 x 900 x 744	**M_N_ _-RBTM3666**	**1,013**	**1,358**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RBTM3060**	**981**	**1,268**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RBTM3672**	**1,230**	**1,649**
	66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _ _ _-RBTM3666**	**1,193**	**1,601**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RBTM3060**	**1,124**	**1,459**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Modesty panel options, change M to: T Translucent, add $265; X Matrix, add $424.
Packaged in 2 boxes.

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Left ellipse tables



Packaged in 2 boxes.

2 steel legs. 1 grommet.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 48 x 29 3/8	1800 x 1200 x 744	**M_N_ _-CT724818**	**1,167**	**1,639**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_N_ _-CT664818**	**1,140**	**1,596**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_N_ _-CT604818**	**1,109**	**1,554**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _ _ _-CT724818**	**1,432**	**2,010**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _ _ _-CT664818**	**1,384**	**1,941**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _ _ _-CT604818**	**1,342**	**1,878**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Right ellipse tables

Packaged in 2 boxes.

2 steel legs. 1 grommet.

72 x 48 x 29 3/8	1800 x 1200 x 744	**M_N_ _-CT184872**	**1,167**	**1,639**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_N_ _-CT184866**	**1,140**	**1,596**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_N_ _-CT184860**	**1,109**	**1,554**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _ _ _-CT184872**	**1,432**	**2,010**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _ _ _-CT184866**	**1,384**	**1,941**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _ _ _-CT184860**	**1,342**	**1,878**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Left ellipse tables with laminate modesty panel



Packaged in 2 boxes.

Half-height laminate modesty panel. 2 steel legs. 1 grommet.

72 x 48 x 29 3/8	1800 x 1200 x 744	**M_N_ _-CTM724818**	**1,230**	**1,692**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_N_ _-CTM664818**	**1,199**	**1,654**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_N_ _-CTM604818**	**1,167**	**1,618**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _ _ _-CTM724818**	**1,490**	**2,063**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _ _ _-CTM664818**	**1,442**	**2,005**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _ _ _-CTM604818**	**1,395**	**1,936**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Right ellipse tables with laminate modesty panel

Packaged in 2 boxes.

Half-height laminate modesty panel. 2 steel legs. 1 grommet.

72 x 48 x 29 3/8	1800 x 1200 x 744	**M_N_ _-CTM184872**	**1,230**	**1,692**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_N_ _-CTM184866**	**1,199**	**1,654**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_N_ _-CTM184860**	**1,167**	**1,618**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _ _ _-CTM184872**	**1,490**	**2,063**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _ _ _-CTM184866**	**1,442**	**2,005**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _ _ _-CTM184860**	**1,395**	**1,936**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Y-shape tables

Packaged in 2 boxes.

2 steel legs. 1 grommet.

72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-YT3672**	**912**	**1,278**
66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-YT3666**	**885**	**1,246**
60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-YT3660**	**865**	**1,215**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-YT3672**	**1,167**	**1,639**
66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-YT3666**	**1,135**	**1,591**
60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-YT3660**	**1,098**	**1,543**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Y-shape tables with modesty panel



Packaged in 2 boxes.

Reversible. Half-height laminate modesty panel. 2 steel legs. 1 grommet.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-YTM3672**	**960**	**1,331**
66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-YTM3666**	**938**	**1,289**
60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-YTM3660**	**912**	**1,263**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-YTM3672**	**1,215**	**1,681**
66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-YTM3666**	**1,183**	**1,639**
60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-YTM3660**	**1,145**	**1,591**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Rectangular surfaces



Packaged in 2 boxes.

2 steel legs. Reinforcement bar included with 60" long surfaces (1" thick top only).

72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RS3672**	**764**	**1,013**
72 x 30 x 29 3/8	1800 x 750 x 744	**M_N_ _-RS3072**	**653**	**870**
66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-RS3066**	**610**	**838**
60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RS3060**	**583**	**806**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RS3672**	**817**	**1,145**
72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _ _ _-RS3072**	**764**	**1,061**
66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-RS3066**	**743**	**1,044**
60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RS3060**	**711**	**998**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Rectangular surfaces with modesty panel



Modesty panel options, change M to: T Translucent, add $265; X Matrix, add $424.

Packaged in 2 boxes.

Reversible. Half-height laminate modesty panel. 2 steel legs. Reinforcement bar included with 60" long surfaces (1" thick top only).

72 x 36 x 29 3/8	1800 x 900 x 744	**M_N_ _-RSM3672**	**938**	**1,193**
72 x 30 x 29 3/8	1800 x 750 x 744	**M_N_ _-RSM3072**	**822**	**1,051**
66 x 30 x 29 3/8	1650 x 750 x 744	**M_N_ _-RSM3066**	**796**	**1,013**
60 x 30 x 29 3/8	1500 x 750 x 744	**M_N_ _-RSM3060**	**769**	**986**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _ _ _-RSM3672**	**991**	**1,326**
72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _ _ _-RSM3072**	**938**	**1,236**
66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _ _ _-RSM3066**	**918**	**1,215**
60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _ _ _-RSM3060**	**885**	**1,177**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

Y-shape surfaces

Packaged in 2 boxes.

2 steel legs.

72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-YS3672**	**791**	**1,193**
66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-YS3666**	**679**	**955**
60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-YS3660**	**658**	**918**

Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).

72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-YS3672**	**960**	**1,347**
66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-YS3666**	**923**	**1,294**
60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-YS3660**	**885**	**1,246**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Y-shape surfaces with modesty panel	*Reversible. Half-height laminate modesty panel. 2 steel legs.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-YSM3672**	**965**	**1,369**
	66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-YSM3666**	**854**	**1,130**
	60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-YSM3660**	**832**	**1,092**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-YSM3672**	**1,135**	**1,522**
	66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-YSM3666**	**1,098**	**1,475**
	60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-YSM3660**	**1,066**	**1,422**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Modesty panel options, change M to: T Translucent, add $265; X Matrix, add $424. Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left boomerang surfaces	*2 steel legs.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-BGS3672**	**769**	**1,162**
	66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-BGS3666**	**658**	**918**
	60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-BGS3660**	**631**	**885**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-BGS3672**	**912**	**1,278**
	66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-BGS3666**	**875**	**1,230**
	60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-BGS3660**	**844**	**1,183**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right boomerang surfaces	*2 steel legs.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-3672BGS**	**769**	**1,162**
	66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-3666BGS**	**658**	**918**
	60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-3660BGS**	**631**	**885**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-3672BGS**	**912**	**1,278**
	66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-3666BGS**	**875**	**1,230**
	60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-3660BGS**	**844**	**1,183**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left boomerang surfaces with modesty panel	*Half-height laminate modesty panel. 2 steel legs.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-BGSM3672**	**945**	**1,342**
	66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-BGSM3666**	**832**	**1,092**
	60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-BGSM3660**	**806**	**1,066**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-BGSM3672**	**1,087**	**1,459**
	66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-BGSM3666**	**1,056**	**1,400**
	60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-BGSM3660**	**1,013**	**1,358**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Modesty panel options, change M to: T Translucent, add $265; X Matrix, add $424. Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right boomerang surfaces with modesty panel	*Half-height laminate modesty panel. 2 steel legs.*				
	72 x 42 x 29 3/8	1800 x 1050 x 744	**M_N_ _-3672BGSM**	**945**	**1,342**
	66 x 42 x 29 3/8	1650 x 1050 x 744	**M_N_ _-3666BGSM**	**832**	**1,092**
	60 x 42 x 29 3/8	1500 x 1050 x 744	**M_N_ _-3660BGSM**	**806**	**1,066**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _ _ _-3672BGSM**	**1,087**	**1,459**
	66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _ _ _-3666BGSM**	**1,056**	**1,400**
	60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _ _ _-3660BGSM**	**1,013**	**1,358**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				



Modesty panel options, change M to: T Translucent, add $265; X Matrix, add $424. Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left conference extensions	*1 steel leg. 1grommet.*				
	48 x 48 x 29 3/8	1200 x 1200 x 744	**M_N_ _-CE484824**	**684**	**832**
	48 x 42 x 29 3/8	1200 x 1050 x 744	**M_N_ _-CE424824**	**668**	**796**
	48 x 36 x 29 3/8	1200 x 900 x 744	**M_N_ _-CE364824**	**647**	**774**
	42 x 42 x 29 3/8	1050 x 1050 x 744	**M_N_ _-CE424224**	**631**	**764**
	42 x 36 x 29 3/8	1050 x 900 x 744	**M_N_ _-CE364224**	**626**	**732**
	36 x 36 x 29 3/8	900 x 900 x 744	**M_N_ _-CE363624**	**600**	**690**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	48 x 48 x 29 7/8	1200 x 1200 x 757	**M_ _ _ _-CE484824**	**849**	**976**
	48 x 42 x 29 7/8	1200 x 1050 x 757	**M_ _ _ _-CE424824**	**812**	**923**
	48 x 36 x 29 7/8	1200 x 900 x 757	**M_ _ _ _-CE364824**	**791**	**902**
	42 x 42 x 29 7/8	1050 x 1050 x 757	**M_ _ _ _-CE424224**	**779**	**875**
	42 x 36 x 29 7/8	1050 x 900 x 757	**M_ _ _ _-CE364224**	**748**	**832**
	36 x 36 x 29 7/8	900 x 900 x 757	**M_ _ _ _-CE363624**	**706**	**785**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				

Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right conference extensions	*1 steel leg. 1 grommet.*				
	48 x 48 x 29 3/8	1200 x 1200 x 744	**M_N_ _-CE244848**	**684**	**832**
	48 x 42 x 29 3/8	1200 x 1050 x 744	**M_N_ _-CE244842**	**668**	**796**
	48 x 36 x 29 3/8	1200 x 900 x 744	**M_N_ _-CE244836**	**647**	**774**
	42 x 42 x 29 3/8	1050 x 1050 x 744	**M_N_ _-CE244242**	**631**	**764**
	42 x 36 x 29 3/8	1050 x 900 x 744	**M_N_ _-CE244236**	**626**	**732**
	36 x 36 x 29 3/8	900 x 900 x 744	**M_N_ _-CE243636**	**600**	**690**
	Specify the surface type (1, 2). Edge N. Specify the leg code (Q, V). Specify the accent color (A, S).				
	48 x 48 x 29 7/8	1200 x 1200 x 757	**M_ _ _ _-CE244848**	**849**	**976**
	48 x 42 x 29 7/8	1200 x 1050 x 757	**M_ _ _ _-CE244842**	**812**	**923**
	48 x 36 x 29 7/8	1200 x 900 x 757	**M_ _ _ _-CE244836**	**791**	**902**
	42 x 42 x 29 7/8	1050 x 1050 x 757	**M_ _ _ _-CE244242**	**779**	**875**
	42 x 36 x 29 7/8	1050 x 900 x 757	**M_ _ _ _-CE244236**	**748**	**832**
	36 x 36 x 29 7/8	900 x 900 x 757	**M_ _ _ _-CE243636**	**706**	**785**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code (Q, V). Specify the accent color (A, S).				

Packaged in 2 boxes.

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Corner modules

Full-height modesty panel. 1 grommet.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 48 x 29 3/8	1200 x 1200 x 744	**M_NN_-CM4824S**	**817**	**1,145**
42 x 42 x 29 3/8	1050 x 1050 x 744	**M_NN_-CM4224S**	**711**	**1,003**
36 x 36 x 29 3/8	900 x 900 x 744	**M_NN_-CM3618S**	**700**	**981**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Diagonal wood grain: change S to D, add 10% to the price.

48 x 48 x 29 7/8	1200 x 1200 x 757	**M_ _N_-CM4824S**	**991**	**1,389**
42 x 42 x 29 7/8	1050 x 1050 x 757	**M_ _N_-CM4224S**	**891**	**1,257**
36 x 36 x 29 7/8	900 x 900 x 757	**M_ _N_-CM3618S**	**822**	**1,151**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Diagonal wood grain: change S to D, add 10% to the price.

Left extended corner modules – 24" D

Full-height modesty panel. 1 grommet.





Surface	R1	R2
72"/48"	28 7/8"	5 1/4"
66"/48"	23"	5 1/4"
60"/48"	17 1/16"	5 1/4"
72"/42"	28 7/8"	0"
66"/42"	23"	0"
60"/42"	17 1/16"	0"
72"/36"	17 1/16"	0"
66"/36"	23 7/8"	0"
60"/36"	18"	0"

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-CM724824_**	**1,124**	**1,570**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_NN_-CM664824_**	**1,066**	**1,490**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_NN_-CM604824_**	**1,003**	**1,406**
72 x 42 x 29 3/8	1800 x 1050 x 744	**M_NN_-CM724224_**	**1,066**	**1,490**
66 x 42 x 29 3/8	1650 x 1050 x 744	**M_NN_-CM664224_**	**1,003**	**1,406**
60 x 42 x 29 3/8	1500 x 1050 x 744	**M_NN_-CM604224_**	**950**	**1,331**
72 x 36 x 29 3/8	1800 x 900 x 744	**M_NN_-CM723624_**	**1,003**	**1,406**
66 x 36 x 29 3/8	1650 x 900 x 744	**M_NN_-CM663624_**	**902**	**1,263**
60 x 36 x 29 3/8	1500 x 900 x 744	**M_NN_-CM603624_**	**844**	**1,183**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (A, B).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-CM724824_**	**1,294**	**1,820**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _N_-CM664824_**	**1,241**	**1,740**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _N_-CM604824_**	**1,183**	**1,654**
72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _N_-CM724224_**	**1,241**	**1,740**
66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _N_-CM664224_**	**1,183**	**1,654**
60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _N_-CM604224_**	**1,124**	**1,570**
72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _N_-CM723624_**	**1,087**	**1,528**
66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _N_-CM663624_**	**1,029**	**1,442**
60 x 36 x 29 7/8	1500 x 900 x 757	**M_ _N_-CM603624_**	**965**	**1,353**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (A, B).

Right extended corner modules – 24" D

Full-height modesty panel. 1 grommet.





Surface	R1	R2
72"/48"	28 7/8"	5 1/4"
66"/48"	23"	5 1/4"
60"/48"	17 1/16"	5 1/4"
72"/42"	28 7/8"	0"
66"/42"	23"	0"
60"/42"	17 1/16"	0"
72"/36"	17 1/16"	0"
66"/36"	23 7/8"	0"
60"/36"	18"	0"

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-CM487224_**	**1,124**	**1,570**
66 x 48 x 29 3/8	1650 x 1200 x 744	**M_NN_-CM486624_**	**1,066**	**1,490**
60 x 48 x 29 3/8	1500 x 1200 x 744	**M_NN_-CM486024_**	**1,003**	**1,406**
72 x 42 x 29 3/8	1800 x 1050 x 744	**M_NN_-CM427224_**	**1,066**	**1,490**
66 x 42 x 29 3/8	1650 x 1050 x 744	**M_NN_-CM426624_**	**1,003**	**1,406**
60 x 42 x 29 3/8	1500 x 1050 x 744	**M_NN_-CM426024_**	**950**	**1,331**
72 x 36 x 29 3/8	1800 x 900 x 744	**M_NN_-CM367224_**	**1,003**	**1,406**
66 x 36 x 29 3/8	1650 x 900 x 744	**M_NN_-CM366624_**	**902**	**1,263**
60 x 36 x 29 3/8	1500 x 900 x 744	**M_NN_-CM366024_**	**844**	**1,183**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (A, B).

72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-CM487224_**	**1,294**	**1,820**
66 x 48 x 29 7/8	1650 x 1200 x 757	**M_ _N_-CM486624_**	**1,241**	**1,740**
60 x 48 x 29 7/8	1500 x 1200 x 757	**M_ _N_-CM486024_**	**1,183**	**1,654**
72 x 42 x 29 7/8	1800 x 1050 x 757	**M_ _N_-CM427224_**	**1,241**	**1,740**
66 x 42 x 29 7/8	1650 x 1050 x 757	**M_ _N_-CM426624_**	**1,183**	**1,654**
60 x 42 x 29 7/8	1500 x 1050 x 757	**M_ _N_-CM426024_**	**1,124**	**1,570**
72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _N_-CM367224_**	**1,087**	**1,528**
66 x 36 x 29 7/8	1650 x 900 x 757	**M_ _N_-CM366624_**	**1,029**	**1,442**
60 x 36 x 29 7/8	1500 x 900 x 757	**M_ _N_-CM366024_**	**965**	**1,353**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (A, B).

Rectangular tables – 30" D

Full-height modesty panel. 1 grommet.



72 x 30 x 29 3/8	1800 x 750 x 744	**M_NN_-DT3072_**	**753**	**1,061**
66 x 30 x 29 3/8	1650 x 750 x 744	**M_NN_-DT3066_**	**732**	**1,024**
60 x 30 x 29 3/8	1500 x 750 x 744	**M_NN_-DT3060_**	**695**	**976**
54 x 30 x 29 3/8	1350 x 750 x 744	**M_NN_-DT3054_**	**668**	**938**
48 x 30 x 29 3/8	1200 x 750 x 744	**M_NN_-DT3048_**	**631**	**764**
42 x 30 x 29 3/8	1050 x 750 x 744	**M_NN_-DT3042_**	**600**	**721**
36 x 30 x 29 3/8	900 x 750 x 744	**M_NN_-DT3036_**	**567**	**684**
30 x 30 x 29 3/8	750 x 750 x 744	**M_NN_-DT3030_**	**541**	**653**
24 x 30 x 29 3/8	600 x 750 x 744	**M_NN_-DT3024_**	**504**	**605**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (A, B, C).

72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _N_-DT3072_**	**880**	**1,241**
66 x 30 x 29 7/8	1650 x 750 x 757	**M_ _N_-DT3066_**	**854**	**1,199**
60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _N_-DT3060_**	**817**	**1,145**
54 x 30 x 29 7/8	1350 x 750 x 757	**M_ _N_-DT3054_**	**791**	**1,104**
48 x 30 x 29 7/8	1200 x 750 x 757	**M_ _N_-DT3048_**	**732**	**875**
42 x 30 x 29 7/8	1050 x 750 x 757	**M_ _N_-DT3042_**	**695**	**838**
36 x 30 x 29 7/8	900 x 750 x 757	**M_ _N_-DT3036_**	**668**	**801**
30 x 30 x 29 7/8	750 x 750 x 757	**M_ _N_-DT3030_**	**631**	**764**
24 x 30 x 29 7/8	600 x 750 x 757	**M_ _N_-DT3024_**	**600**	**721**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (A, B, C).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

Rectangular tables – 24" D



Full-height modesty panel. 1 grommet.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29 3/8	1800 x 600 x 744	**M_NN_-DT2472_**	**732**	**1,024**
66 x 24 x 29 3/8	1650 x 600 x 744	**M_NN_-DT2466_**	**695**	**976**
60 x 24 x 29 3/8	1500 x 600 x 744	**M_NN_-DT2460_**	**668**	**938**
54 x 24 x 29 3/8	1350 x 600 x 744	**M_NN_-DT2454_**	**631**	**885**
48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-DT2448_**	**600**	**721**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-DT2442_**	**567**	**684**
36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-DT2436_**	**541**	**653**
30 x 24 x 29 3/8	750 x 600 x 744	**M_NN_-DT2430_**	**504**	**605**
24 x 24 x 29 3/8	600 x 600 x 744	**M_NN_-DT2424_**	**477**	**578**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (A, B, C).

72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _N_-DT2472_**	**817**	**1,145**
66 x 24 x 29 7/8	1650 x 600 x 757	**M_ _N_-DT2466_**	**791**	**1,104**
60 x 24 x 29 7/8	1500 x 600 x 757	**M_ _N_-DT2460_**	**753**	**1,061**
54 x 24 x 29 7/8	1350 x 600 x 757	**M_ _N_-DT2454_**	**732**	**1,024**
48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-DT2448_**	**668**	**801**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-DT2442_**	**631**	**764**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-DT2436_**	**600**	**721**
30 x 24 x 29 7/8	750 x 600 x 757	**M_ _N_-DT2430_**	**567**	**684**
24 x 24 x 29 7/8	600 x 600 x 757	**M_ _N_-DT2424_**	**541**	**653**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (A, B, C).

Rectangular tables – 20" D



Full-height modesty panel. 1 grommet.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 20 x 29 3/8	1800 x 500 x 744	**M_NN_-DT2072_**	**711**	**1,003**
66 x 20 x 29 3/8	1650 x 500 x 744	**M_NN_-DT2066_**	**673**	**955**
60 x 20 x 29 3/8	1500 x 500 x 744	**M_NN_-DT2060_**	**647**	**918**
54 x 20 x 29 3/8	1350 x 500 x 744	**M_NN_-DT2054_**	**605**	**865**
48 x 20 x 29 3/8	1200 x 500 x 744	**M_NN_-DT2048_**	**578**	**700**
42 x 20 x 29 3/8	1050 x 500 x 744	**M_NN_-DT2042_**	**547**	**663**
36 x 20 x 29 3/8	900 x 500 x 744	**M_NN_-DT2036_**	**520**	**631**
30 x 20 x 29 3/8	750 x 500 x 744	**M_NN_-DT2030_**	**477**	**583**
24 x 20 x 29 3/8	600 x 500 x 744	**M_NN_-DT2024_**	**456**	**557**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (A, B, C).

72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _N_-DT2072_**	**796**	**1,124**
66 x 20 x 29 7/8	1650 x 500 x 757	**M_ _N_-DT2066_**	**769**	**1,082**
60 x 20 x 29 7/8	1500 x 500 x 757	**M_ _N_-DT2060_**	**732**	**1,039**
54 x 20 x 29 7/8	1350 x 500 x 757	**M_ _N_-DT2054_**	**711**	**1,003**
48 x 20 x 29 7/8	1200 x 500 x 757	**M_ _N_-DT2048_**	**647**	**779**
42 x 20 x 29 7/8	1050 x 500 x 757	**M_ _N_-DT2042_**	**605**	**737**
36 x 20 x 29 7/8	900 x 500 x 757	**M_ _N_-DT2036_**	**578**	**700**
30 x 20 x 29 7/8	750 x 500 x 757	**M_ _N_-DT2030_**	**547**	**663**
24 x 20 x 29 7/8	600 x 500 x 757	**M_ _N_-DT2024_**	**520**	**631**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (A, B, C).

Left asymmetrical tables – 30" D



Full-height modesty panel. 1 grommet.



Surface	R1
54"/30"	35 3/8"
48"/30"	29½"
42"/30"	23 5/8"
36"/30"	17 11/16"
30"/30"	11¾"

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 30 x 29 3/8	1350 x 750 x 744	**M_NN_-AT245430_**	**653**	**912**
48 x 30 x 29 3/8	1200 x 750 x 744	**M_NN_-AT244830_**	**615**	**748**

Left asymmetrical tables – 30" D (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
42 x 30 x 29 3/8	1050 x 750 x 744	**M_NN_-AT244230_**	**589**	**711**
36 x 30 x 29 3/8	900 x 750 x 744	**M_NN_-AT243630_**	**562**	**679**
30 x 30 x 29 3/8	750 x 750 x 744	**M_NN_-AT243030_**	**530**	**647**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (B, C).

54 x 30 x 29 7/8	1350 x 750 x 757	**M_ _N_-AT245430_**	**769**	**1,077**
48 x 30 x 29 7/8	1200 x 750 x 757	**M_ _N_-AT244830_**	**700**	**844**
42 x 30 x 29 7/8	1050 x 750 x 757	**M_ _N_-AT244230_**	**679**	**817**
36 x 30 x 29 7/8	900 x 750 x 757	**M_ _N_-AT243630_**	**653**	**785**
30 x 30 x 29 7/8	750 x 750 x 757	**M_ _N_-AT243030_**	**615**	**748**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (B, C).

Right asymmetrical tables – 30" D



Full-height modesty panel. 1 grommet.



Surface	R1
54"/30"	35 3/8"
48"/30"	29½"
42"/30"	23 5/8"
36"/30"	17 11/16"
30"/30"	11¾"

54 x 30 x 29 3/8	1350 x 750 x 744	**M_NN_-AT305424_**	**653**	**912**
48 x 30 x 29 3/8	1200 x 750 x 744	**M_NN_-AT304824_**	**615**	**748**
42 x 30 x 29 3/8	1050 x 750 x 744	**M_NN_-AT304224_**	**589**	**711**
36 x 30 x 29 3/8	900 x 750 x 744	**M_NN_-AT303624_**	**562**	**679**
30 x 30 x 29 3/8	750 x 750 x 744	**M_NN_-AT303024_**	**530**	**647**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (B, C).

54 x 30 x 29 7/8	1350 x 750 x 757	**M_ _N_-AT305424_**	**769**	**1,077**
48 x 30 x 29 7/8	1200 x 750 x 757	**M_ _N_-AT304824_**	**700**	**844**
42 x 30 x 29 7/8	1050 x 750 x 757	**M_ _N_-AT304224_**	**679**	**817**
36 x 30 x 29 7/8	900 x 750 x 757	**M_ _N_-AT303624_**	**653**	**785**
30 x 30 x 29 7/8	750 x 750 x 757	**M_ _N_-AT303024_**	**615**	**748**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (B, C).

Left asymmetrical tables – 24" D



Full-height modesty panel. 1 grommet.



Surface	R1
54"/24"	35 3/8"
48"/24"	29½"
42"/24"	23 5/8"
36"/24"	17 11/16"
30"/24"	11¾"

54 x 24 x 29 3/8	1350 x 600 x 744	**M_NN_-AT185424_**	**615**	**870**
48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-AT184824_**	**589**	**711**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-AT184224_**	**562**	**679**
36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-AT183624_**	**530**	**647**
30 x 24 x 29 3/8	750 x 600 x 744	**M_NN_-AT183024_**	**504**	**605**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (B, C).

54 x 24 x 29 7/8	1350 x 600 x 757	**M_ _N_-AT185424_**	**737**	**1,039**
48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-AT184824_**	**679**	**817**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-AT184224_**	**653**	**785**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-AT183624_**	**615**	**748**
30 x 24 x 29 7/8	750 x 600 x 757	**M_ _N_-AT183024_**	**589**	**711**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (B, C).

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Right asymmetrical tables – 24" D

Full-height modesty panel. 1 grommet.



Surface	R1
54"/24"	35 3/8"
48"/24"	29 1/2"
42"/24"	23 5/8"
36"/24"	17 11/16"
30"/24"	11 3/4"





W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 29 3/8	1350 x 600 x 744	M_NN_-AT245418_	615	870
48 x 24 x 29 3/8	1200 x 600 x 744	M_NN_-AT244818_	589	711
42 x 24 x 29 3/8	1050 x 600 x 744	M_NN_-AT244218_	562	679
36 x 24 x 29 3/8	900 x 600 x 744	M_NN_-AT243618_	530	647
30 x 24 x 29 3/8	750 x 600 x 744	M_NN_-AT243018_	504	605

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify panel legs (B, C).

54 x 24 x 29 7/8	1350 x 600 x 757	M_ _N_-AT245418_	737	1,039
48 x 24 x 29 7/8	1200 x 600 x 757	M_ _N_-AT244818_	679	817
42 x 24 x 29 7/8	1050 x 600 x 757	M_ _N_-AT244218_	653	785
36 x 24 x 29 7/8	900 x 600 x 757	M_ _N_-AT243618_	615	748
30 x 24 x 29 7/8	750 x 600 x 757	M_ _N_-AT243018_	589	711

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify panel legs (B, C).

Left open bookcase credenzas

1 adjustable shelf. Full-height modesty panel. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_NN_-BE2472S	1,124	1,353
60 x 24 x 29 3/8	1500 x 600 x 744	M_NN_-BE2460S	1,013	1,241
72 x 20 x 29 3/8	1800 x 500 x 744	M_NN_-BE2072S	1,066	1,278
60 x 20 x 29 3/8	1500 x 500 x 744	M_NN_-BE2060S	1,013	1,241

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _N_-BE2472S	1,236	1,485
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _N_-BE2460S	1,124	1,374
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _N_-BE2072S	1,167	1,400
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _N_-BE2060S	1,124	1,374

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Right open bookcase credenzas

1 adjustable shelf. Full-height modesty panel. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_NN_-S2472BE	1,124	1,353
60 x 24 x 29 3/8	1500 x 600 x 744	M_NN_-S2460BE	1,013	1,241
72 x 20 x 29 3/8	1800 x 500 x 744	M_NN_-S2072BE	1,066	1,278
60 x 20 x 29 3/8	1500 x 500 x 744	M_NN_-S2060BE	1,013	1,241

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _N_-S2472BE	1,236	1,485
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _N_-S2460BE	1,124	1,374
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _N_-S2072BE	1,167	1,400
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _N_-S2060BE	1,124	1,374

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Left lateral file credenzas

2 file drawers on left with suspension bars. Lock. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_N_ _-LF2472S	1,454	1,745
60 x 24 x 29 3/8	1500 x 600 x 744	M_N_ _-LF2460S	1,326	1,591
72 x 20 x 29 3/8	1800 x 500 x 744	M_N_ _-LF2072S	1,326	1,591
60 x 20 x 29 3/8	1500 x 500 x 744	M_N_ _-LF2060S	1,225	1,469

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Left lateral file credenzas (cont'd)

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _ _ _-LF2472S	1,639	1,962
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _ _ _-LF2460S	1,507	1,814
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _ _ _-LF2072S	1,507	1,814
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _ _ _-LF2060S	1,406	1,692

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right lateral file credenzas

2 file drawers on right with suspension bars. Lock. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_N_ _-S2472LF	1,454	1,745
60 x 24 x 29 3/8	1500 x 600 x 744	M_N_ _-S2460LF	1,326	1,591
72 x 20 x 29 3/8	1800 x 500 x 744	M_N_ _-S2072LF	1,326	1,591
60 x 20 x 29 3/8	1500 x 500 x 744	M_N_ _-S2060LF	1,225	1,469

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _ _ _-S2472LF	1,639	1,962
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _ _ _-S2460LF	1,507	1,814
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _ _ _-S2072LF	1,507	1,814
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _ _ _-S2060LF	1,406	1,692

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Left single pedestal credenzas

1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_N_ _-F2472S	1,071	1,283
60 x 24 x 29 3/8	1500 x 600 x 744	M_N_ _-F2460S	1,013	1,225
72 x 20 x 29 3/8	1800 x 500 x 744	M_N_ _-F2072S	1,051	1,257
60 x 20 x 29 3/8	1500 x 500 x 744	M_N_ _-F2060S	998	1,204

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _ _ _-F2472S	1,236	1,485
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _ _ _-F2460S	1,183	1,422
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _ _ _-F2072S	1,204	1,454
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _ _ _-F2060S	1,151	1,384

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right single pedestal credenzas

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_N_ _-S2472F	1,071	1,283
60 x 24 x 29 3/8	1500 x 600 x 744	M_N_ _-S2460F	1,013	1,225
72 x 20 x 29 3/8	1800 x 500 x 744	M_N_ _-S2072F	1,051	1,257
60 x 20 x 29 3/8	1500 x 500 x 744	M_N_ _-S2060F	998	1,204

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

72 x 24 x 29 7/8	1800 x 600 x 757	M_ _ _ _-S2472F	1,236	1,485
60 x 24 x 29 7/8	1500 x 600 x 757	M_ _ _ _-S2460F	1,183	1,422
72 x 20 x 29 7/8	1800 x 500 x 757	M_ _ _ _-S2072F	1,204	1,454
60 x 20 x 29 7/8	1500 x 500 x 757	M_ _ _ _-S2060F	1,151	1,384

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Left single pedestal credenzas – low profile

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet on back.



72 x 24 x 29 3/8	1800 x 600 x 744	M_N_ _-UF2472S	1,246	1,464
60 x 24 x 29 3/8	1500 x 600 x 744	M_N_ _-UF2460S	1,193	1,395
72 x 20 x 29 3/8	1800 x 500 x 744	M_N_ _-UF2072S	1,225	1,432
60 x 20 x 29 3/8	1500 x 500 x 744	M_N_ _-UF2060S	1,177	1,379

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal credenzas – low profile (cont'd)	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-UF2472S**	**1,406**	**1,661**
	60 x 24 x 29 7/8	1500 x 600 x 757	**M_ _ _ _-UF2460S**	**1,358**	**1,596**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-UF2072S**	**1,379**	**1,628**
	60 x 20 x 29 7/8	1500 x 500 x 757	**M_ _ _ _-UF2060S**	**1,331**	**1,560**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right single pedestal credenzas – low profile



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet on back.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_N_ _-S2472UF**	**1,246**	**1,464**
	60 x 24 x 29 3/8	1500 x 600 x 744	**M_N_ _-S2460UF**	**1,193**	**1,395**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_N_ _-S2072UF**	**1,225**	**1,432**
	60 x 20 x 29 3/8	1500 x 500 x 744	**M_N_ _-S2060UF**	**1,177**	**1,379**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-S2472UF**	**1,406**	**1,661**
	60 x 24 x 29 7/8	1500 x 600 x 757	**M_ _ _ _-S2460UF**	**1,358**	**1,596**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-S2072UF**	**1,379**	**1,628**
	60 x 20 x 29 7/8	1500 x 500 x 757	**M_ _ _ _-S2060UF**	**1,331**	**1,560**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Lateral file credenzas with open storage



Open space on top and 2 file drawers on bottom with suspension bars. Locks. Grommet on back. Optional counterweight to meet BIFMA standards, refer to page 207.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_N_ _-SLF2472**	**1,422**	**1,707**
	60 x 24 x 29 3/8	1500 x 600 x 744	**M_N_ _-SLF2460**	**1,289**	**1,554**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_N_ _-SLF2072**	**1,289**	**1,554**
	60 x 20 x 29 3/8	1500 x 500 x 744	**M_N_ _-SLF2060**	**1,151**	**1,363**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-SLF2472**	**1,613**	**1,931**
	60 x 24 x 29 7/8	1500 x 600 x 757	**M_ _ _ _-SLF2460**	**1,485**	**1,782**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-SLF2072**	**1,485**	**1,782**
	60 x 20 x 29 7/8	1500 x 500 x 757	**M_ _ _ _-SLF2060**	**1,363**	**1,581**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Open bookcase credenzas



1 adjustable shelf on each side.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_NNN-BE2472BE**	**1,220**	**1,464**
	60 x 24 x 29 3/8	1500 x 600 x 744	**M_NNN-BE2460BE**	**1,109**	**1,353**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_NNN-BE2072BE**	**1,157**	**1,389**
	60 x 20 x 29 3/8	1500 x 500 x 744	**M_NNN-BE2060BE**	**1,051**	**1,278**

Specify the surface type (1, 2). Edge N.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _NN-BE2472BE**	**1,342**	**1,613**
	60 x 24 x 29 7/8	1500 x 600 x 757	**M_ _NN-BE2460BE**	**1,230**	**1,501**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _NN-BE2072BE**	**1,273**	**1,528**
	60 x 20 x 29 7/8	1500 x 500 x 757	**M_ _NN-BE2060BE**	**1,162**	**1,416**

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

Lateral file credenzas

4 file drawers with suspension bars. Locks. Optional counterweight to meet BIFMA standards, refer to page 207.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_N_ _-LF2472LF**	**1,888**	**2,264**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_N_ _-LF2072LF**	**1,761**	**2,117**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-LF2472LF**	**2,074**	**2,493**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-LF2072LF**	**1,952**	**2,344**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Lateral file / bookcase credenzas



2 file drawers with suspension bars. Bookcase with doors and adjustable shelf. Locks.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_N_ _-LF2472B**	**1,697**	**2,047**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_N_ _-LF2072B**	**1,570**	**1,888**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-LF2472B**	**1,888**	**2,264**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-LF2072B**	**1,761**	**2,117**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Bookcase credenzas



Storage unit with doors and adjustable shelves. Locks.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 3/8	1800 x 600 x 744	**M_N_ _-B2472B**	**1,528**	**1,835**
	72 x 20 x 29 3/8	1800 x 500 x 744	**M_N_ _-B2072B**	**1,400**	**1,681**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	72 x 24 x 29 7/8	1800 x 600 x 757	**M_ _ _ _-B2472B**	**1,719**	**2,063**
	72 x 20 x 29 7/8	1800 x 500 x 757	**M_ _ _ _-B2072B**	**1,591**	**1,915**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Return shells



Reversible. 1 grommet. Can accommodate 1 pedestal.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-R2448S**	**499**	**594**
	42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-R2442S**	**477**	**578**
	36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-R2436S**	**456**	**552**
	30 x 24 x 29 3/8	750 x 600 x 744	**M_NN_-R2430S**	**441**	**525**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-R2448S**	**642**	**769**
	42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-R2442S**	**605**	**732**
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-R2436S**	**567**	**684**
	30 x 24 x 29 7/8	750 x 600 x 757	**M_ _N_-R2430S**	**541**	**653**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Left executive returns



1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-F2448R**	**875**	**1,056**
	42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-F2442R**	**822**	**991**
	36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-F2436R**	**779**	**938**
	30 x 24 x 29 3/8	750 x 600 x 744	**M_N_ _-F2430R**	**732**	**875**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-F2448R**	**986**	**1,188**
	42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-F2442R**	**938**	**1,124**
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-F2436R**	**885**	**1,071**
	30 x 24 x 29 7/8	750 x 600 x 757	**M_ _ _ _-F2430R**	**844**	**1,008**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right executive returns



1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-R2448F**	**875**	**1,056**
	42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-R2442F**	**822**	**991**
	36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-R2436F**	**779**	**938**
	30 x 24 x 29 3/8	750 x 600 x 744	**M_N_ _-R2430F**	**732**	**875**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right executive returns (cont'd)	48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-R2448F**	**986**	**1,188**
	42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-R2442F**	**938**	**1,124**
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-R2436F**	**885**	**1,071**
	30 x 24 x 29 7/8	750 x 600 x 757	**M_ _ _ _-R2430F**	**844**	**1,008**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Left executive returns – low profile

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-UF2448R**	**1,056**	**1,230**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-UF2442R**	**998**	**1,167**
36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-UF2436R**	**955**	**1,109**
30 x 24 x 29 3/8	750 x 600 x 744	**M_N_ _-UF2430R**	**907**	**1,056**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-UF2448R**	**1,162**	**1,363**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-UF2442R**	**1,109**	**1,294**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-UF2436R**	**1,066**	**1,246**
30 x 24 x 29 7/8	750 x 600 x 757	**M_ _ _ _-UF2430R**	**1,013**	**1,188**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right executive returns – low profile



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-R2448UF**	**1,056**	**1,230**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-R2442UF**	**998**	**1,167**
36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-R2436UF**	**955**	**1,109**
30 x 24 x 29 3/8	750 x 600 x 744	**M_N_ _-R2430UF**	**907**	**1,056**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-R2448UF**	**1,162**	**1,363**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-R2442UF**	**1,109**	**1,294**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-R2436UF**	**1,066**	**1,246**
30 x 24 x 29 7/8	750 x 600 x 757	**M_ _ _ _-R2430UF**	**1,013**	**1,188**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Left asymmetrical return shells – 24" D



Can accommodate 1 pedestal. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-S244818R**	**520**	**615**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-S244218R**	**504**	**600**
36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-S243618R**	**477**	**573**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-S244818R**	**663**	**791**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-S244218R**	**631**	**753**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-S243618R**	**589**	**706**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Right asymmetrical return shells – 24" D

Can accommodate 1 pedestal. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-R184824S**	**520**	**615**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-R184224S**	**504**	**600**
36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-R183624S**	**477**	**573**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-R184824S**	**663**	**791**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-R184224S**	**631**	**753**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-R183624S**	**589**	**706**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Left asymmetrical executive returns



1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-F244818R**	**902**	**1,077**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-F244218R**	**849**	**1,013**
36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-F243618R**	**801**	**960**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-F244818R**	**1,008**	**1,210**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-F244218R**	**960**	**1,145**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-F243618R**	**912**	**1,092**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Right asymmetrical executive returns

1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_N_ _-R184824F**	**902**	**1,077**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_N_ _-R184224F**	**849**	**1,013**
36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-R183624F**	**801**	**960**

Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _ _ _-R184824F**	**1,008**	**1,210**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _ _ _-R184224F**	**960**	**1,145**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-R183624F**	**912**	**1,092**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).

Bridge-returns



Full-height modesty panel. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-BR2448**	**403**	**488**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-BR2442**	**376**	**451**
36 x 24 x 29 3/8	900 x 600 x 744	**M_NN_-BR2436**	**355**	**424**
48 x 18 x 29 3/8	1200 x 450 x 744	**M_NN_-BR1848**	**313**	**381**
42 x 18 x 29 3/8	1050 x 450 x 744	**M_NN_-BR1842**	**297**	**361**
36 x 18 x 29 3/8	900 x 450 x 744	**M_NN_-BR1836**	**282**	**340**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-BR2448**	**494**	**589**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-BR2442**	**467**	**562**
36 x 24 x 29 7/8	900 x 600 x 757	**M_ _N_-BR2436**	**446**	**541**
48 x 18 x 29 7/8	1200 x 450 x 757	**M_ _N_-BR1848**	**371**	**446**
42 x 18 x 29 7/8	1050 x 450 x 757	**M_ _N_-BR1842**	**355**	**424**
36 x 18 x 29 7/8	900 x 450 x 757	**M_ _N_-BR1836**	**335**	**408**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Left asymmetrical bridge-returns

Full-height modesty panel. 1 grommet.

48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-BR244818**	**456**	**552**
42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-BR244218**	**429**	**520**

Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-BR244818**	**547**	**658**
42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-BR244218**	**525**	**631**

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right asymmetrical bridge-returns	*Full-height modesty panel. 1 grommet.*				
	48 x 24 x 29 3/8	1200 x 600 x 744	**M_NN_-BR184824**	**456**	**552**
	42 x 24 x 29 3/8	1050 x 600 x 744	**M_NN_-BR184224**	**429**	**520**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).				
	48 x 24 x 29 7/8	1200 x 600 x 757	**M_ _N_-BR184824**	**547**	**658**
	42 x 24 x 29 7/8	1050 x 600 x 757	**M_ _N_-BR184224**	**525**	**631**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				
Hutches with laminate doors – 44" H	*Clearance: 20½" (521 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
72" to 60": 4 doors 54" to 48": 3 doors	72 x 16 x 44	1800 x 400 x 1099	**M1NN_-E724416P**	**1,246**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NN_-E664416P**	**1,193**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NN_-E604416P**	**1,140**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NN_-E544416P**	**1,082**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NN_-E484416P**	**1,029**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_N_-E724416P**	**1,369**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_N_-E664416P**	**1,305**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_N_-E604416P**	**1,257**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_N_-E544416P**	**1,199**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_N_-E484416P**	**1,124**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent doors – 44" H	*Clearance: 20½" (521 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
72" to 60": 4 doors 54" to 48": 3 doors Door insert option, change T to: X Matrix, add $424 (72"-60"); X Matrix, add $318 (54"-48").	72 x 16 x 44	1800 x 400 x 1099	**M1NNS-E724416T**	**1,798**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NNS-E664416T**	**1,745**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NNS-E604416T**	**1,692**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NNS-E544416T**	**1,495**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NNS-E484416T**	**1,442**	**N/A**
	Edge N. To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_NS-E724416T**	**1,920**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_NS-E664416T**	**1,856**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_NS-E604416T**	**1,808**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_NS-E544416T**	**1,613**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_NS-E484416T**	**1,538**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Hutches with laminate doors – 36" H	*Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
72" to 60": 4 doors 54" to 48": 3 doors	72 x 16 x 36	1800 x 400 x 900	**M1NN_-E723616P**	**1,135**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NN_-E663616P**	**1,082**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NN_-E603616P**	**1,029**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NN_-E543616P**	**971**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NN_-E483616P**	**923**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_N_-E723616P**	**1,257**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M5_N_-E663616P**	**1,199**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M5_N_-E603616P**	**1,145**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M5_N_-E543616P**	**1,087**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M5_N_-E483616P**	**1,013**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hutches with translucent doors – 36" H	*Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
72" to 60": 4 doors 54" to 48": 3 doors Door insert option, change T to: X Matrix, add $424 (72"-60"); X Matrix, add $318 (54"-48").	72 x 16 x 36	1800 x 400 x 900	**M1NNS-E723616T**	**1,687**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NNS-E663616T**	**1,634**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NNS-E603616T**	**1,581**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NNS-E543616T**	**1,384**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NNS-E483616T**	**1,336**	**N/A**
	Edge N. Accent color S. To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 1099	**M5_ NS-E723616T**	**1,808**	**N/A**
	66 x 16 x 36	1650 x 400 x 1099	**M5_ NS-E663616T**	**1,750**	**N/A**
	60 x 16 x 36	1500 x 400 x 1099	**M5_ NS-E603616T**	**1,697**	**N/A**
	54 x 16 x 36	1350 x 400 x 1099	**M5_ NS-E543616T**	**1,501**	**N/A**
	48 x 16 x 36	1200 x 400 x 1099	**M5_ NS-E483616T**	**1,427**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Hutches with laminate doors – low profile	*Clearance: 13 5/8" - 22 13/16" (346 mm - 579 mm). 1 adjustable shelf on each low profile side. 1 grommet. Full-width wire access. Can accommodate a LGC-LE25. Tackboard not available.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1N _ _-EL724416P**	**1,538**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_ _ _-EL724416P**	**1,661**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent doors – low profile	*Clearance: 13 5/8" - 22 13/16" (346 mm - 579 mm). 1 adjustable shelf on each low profile side. 1 grommet. Full-width wire access. Can accommodate a LGC-LE25. Tackboard not available.*				
Door insert option, change T to: X Matrix, add $318.	72 x 16 x 44	1800 x 400 x 1099	**M1N _S-EL724416T**	**1,888**	**N/A**
	Edge N. Accent color S. Specify the handle code (A, C, K, W, Z).To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_ _S-EL724416T**	**2,016**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. Specify the handle code (A, C, K, W, Z). To be used with 1½" surfaces.				
Hutches with laminate sliding door – 44" H	*Sliding door covers half of the storage. Clearance: 20½" (521 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NN_-EC724416P**	**1,490**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NN_-EC664416P**	**1,432**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NN_-EC604416P**	**1,374**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NN_-EC544416P**	**1,321**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NN_-EC484416P**	**1,257**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_N_-EC724416P**	**1,634**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_N_-EC664416P**	**1,570**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_N_-EC604416P**	**1,517**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_N_-EC544416P**	**1,459**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_N_-EC484416P**	**1,395**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hutches with translucent sliding door – 44" H	*Sliding door covers half of the storage. Clearance: 20½" (521 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NNS-EC724416T**	**1,820**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NNS-EC664416T**	**1,767**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NNS-EC604416T**	**1,702**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NNS-EC544416T**	**1,649**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NNS-EC484416T**	**1,591**	**N/A**
Door insert option, change T to: X Matrix, add $318.	**Edge N. Accent color S. To be used with 1" surfaces.**				
	72 x 16 x 44	1800 x 400 x 1099	**M5_NS-EC724416T**	**1,962**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_NS-EC664416T**	**1,904**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_NS-EC604416T**	**1,846**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_NS-EC544416T**	**1,787**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_NS-EC484416T**	**1,729**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Hutches with laminate sliding door – 36" H	*Sliding door covers half of the storage. Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NN_-EC723616P**	**1,379**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NN_-EC663616P**	**1,326**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NN_-EC603616P**	**1,263**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NN_-EC543616P**	**1,210**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NN_-EC483616P**	**1,145**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_N_-EC723616P**	**1,522**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M5_N_-EC663616P**	**1,464**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M5_N_-EC603616P**	**1,406**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M5_N_-EC543616P**	**1,347**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M5_N_-EC483616P**	**1,283**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent sliding door – 36" H	*Sliding door covers half of the storage. Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NNS-EC723616T**	**1,707**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NNS-EC663616T**	**1,654**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NNS-EC603616T**	**1,596**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NNS-EC543616T**	**1,538**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NNS-EC483616T**	**1,480**	**N/A**
Door insert option, change T to: X Matrix, add $318.	**Edge N. Accent color S. To be used with 1" surfaces.**				
	72 x 16 x 36	1800 x 400 x 900	**M5_ NS-EC723616T**	**1,851**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M5_ NS-EC663616T**	**1,793**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M5_ NS-EC603616T**	**1,740**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M5_ NS-EC543616T**	**1,676**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M5_NS-EC483616T**	**1,618**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Hutches with laminate doors, opened center – 44" H	*Clearance: 20½" (513 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NN_-EO724416P**	**1,193**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NN_-EO664416P**	**1,135**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NN_-EO604416P**	**1,087**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NN_-EO544416P**	**1,024**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NN_-EO484416P**	**976**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hutches with laminate doors, opened center – 44" H (cont'd)	72 x 16 x 44	1800 x 400 x 1099	**M5_N_-EO724416P**	**1,316**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_N_-EO664416P**	**1,252**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_N_-EO604416P**	**1,204**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_N_-EO544416P**	**1,140**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_N_-EO484416P**	**1,071**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent doors, opened center – 44" H	*Clearance: 20½" (513 mm). Adjustable shelves. 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NNS-EO724416T**	**1,459**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M1NNS-EO664416T**	**1,400**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M1NNS-EO604416T**	**1,353**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M1NNS-EO544416T**	**1,289**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M1NNS-EO484416T**	**1,241**	**N/A**
Door insert option, change T to: X Matrix, add $212.	**Edge N. Accent color S. To be used with 1" surfaces.**				
	72 x 16 x 44	1800 x 400 x 1099	**M5_NS-EO724416T**	**1,581**	**N/A**
	66 x 16 x 44	1650 x 400 x 1099	**M5_NS-EO664416T**	**1,517**	**N/A**
	60 x 16 x 44	1500 x 400 x 1099	**M5_NS-EO604416T**	**1,469**	**N/A**
	54 x 16 x 44	1350 x 400 x 1099	**M5_NS-EO544416T**	**1,406**	**N/A**
	48 x 16 x 44	1200 x 400 x 1099	**M5_NS-EO484416T**	**1,336**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Hutches with laminate doors, opened center – 36" H	*Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NN_-EO723616P**	**1,082**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NN_-EO663616P**	**1,024**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NN_-EO603616P**	**976**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NN_-EO543616P**	**918**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NN_-EO483616P**	**865**	**N/A**
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_N_-EO723616P**	**1,204**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M5_N_-EO663616P**	**1,140**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M5_N_-EO603616P**	**1,092**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M5_N_-EO543616P**	**1,029**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M5_N_-EO483616P**	**960**	**N/A**
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent doors, opened center – 36" H	*Clearance: 17" (432 mm). 1 grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NNS-EO723616T**	**1,347**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M1NNS-EO663616T**	**1,289**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M1NNS-EO603616T**	**1,241**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M1NNS-EO543616T**	**1,183**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M1NNS-EO483616T**	**1,130**	**N/A**
Door insert option, change T to: X Matrix, add $212.	**Edge N. Accent color S. To be used with 1" surfaces.**				
	72 x 16 x 36	1800 x 400 x 900	**M5_NS-EO723616T**	**1,469**	**N/A**
	66 x 16 x 36	1650 x 400 x 900	**M5_NS-EO663616T**	**1,406**	**N/A**
	60 x 16 x 36	1500 x 400 x 900	**M5_NS-EO603616T**	**1,358**	**N/A**
	54 x 16 x 36	1350 x 400 x 900	**M5_NS-EO543616T**	**1,294**	**N/A**
	48 x 16 x 36	1200 x 400 x 900	**M5_NS-EO483616T**	**1,225**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Wall-mounted hutches with laminate doors – 22" H	*Adjustable shelves. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 22	1800 x 400 x 567	**M1NNN-EM722216P**	**1,193**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M1NNN-EM662216P**	**1,135**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M1NNN-EM602216P**	**1,087**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M1NNN-EM542216P**	**1,024**	**N/A**
72" to 60": 4 doors 54" to 48": 3 doors	48 x 16 x 22	1200 x 400 x 567	**M1NNN-EM482216P**	**976**	**N/A**
	Edge N. To be used with 1" surfaces.				
	72 x 16 x 22	1800 x 400 x 567	**M5_NN-EM722216P**	**1,316**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M5_NN-EM662216P**	**1,252**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M5_NN-EM602216P**	**1,204**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M5_NN-EM542216P**	**1,140**	**N/A**
	48 x 16 x 22	1200 x 400 x 567	**M5_NN-EM482216P**	**1,071**	**N/A**
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Wall-mounted hutches with translucent doors – 22" H	*Adjustable shelves. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 22	1800 x 400 x 567	**M1NNS-EM722216T**	**1,724**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M1NNS-EM662216T**	**1,666**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M1NNS-EM602216T**	**1,618**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M1NNS-EM542216T**	**1,422**	**N/A**
Door insert option, change T to: X Matrix. 72" to 60": 4 doors X Matrix, add $424; 54" to 48": 3 doors X Matrix, add $318.	48 x 16 x 22	1200 x 400 x 567	**M1NNS-EM482216T**	**1,374**	**N/A**
	Edge N. Accent color S. To be used with 1" surfaces.				
	72 x 16 x 22	1800 x 400 x 567	**M5_NS-EM722216T**	**1,846**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M5_NS-EM662216T**	**1,782**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M5_NS-EM602216T**	**1,734**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M5_NS-EM542216T**	**1,538**	**N/A**
	48 x 16 x 22	1200 x 400 x 567	**M5_NS-EM482216T**	**1,469**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Wall-mounted hutches with laminate sliding door – 22" H	*Adjustable shelves. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 22	1800 x 400 x 567	**M1NNN-EMC722216P**	**1,432**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M1NNN-EMC662216P**	**1,379**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M1NNN-EMC602216P**	**1,331**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M1NNN-EMC542216P**	**1,268**	**N/A**
	48 x 16 x 22	1200 x 400 x 567	**M1NNN-EMC482216P**	**1,220**	**N/A**
	Edge N. To be used with 1" surfaces.				
	72 x 16 x 22	1800 x 400 x 567	**M5_NN-EMC722216P**	**1,554**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M5_NN-EMC662216P**	**1,495**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M5_NN-EMC602216P**	**1,442**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M5_NN-EMC542216P**	**1,384**	**N/A**
	48 x 16 x 22	1200 x 400 x 567	**M5_NN-EMC482216P**	**1,316**	**N/A**
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Wall-mounted hutches with translucent sliding door – 22" H	*Adjustable shelves. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 22	1800 x 400 x 567	**M1NNS-EMC722216T**	**1,750**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M1NNS-EMC662216T**	**1,697**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M1NNS-EMC602216T**	**1,649**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M1NNS-EMC542216T**	**1,586**	**N/A**
Door insert option, change T to: X Matrix, add $318.	48 x 16 x 22	1200 x 400 x 567	**M1NNS-EMC482216T**	**1,538**	**N/A**
	Edge N. Accent color S. To be used with 1" surfaces.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Wall-mounted hutches with translucent sliding door – 22" H (cont'd)	72 x 16 x 22	1800 x 400 x 567	**M5_NS-EMC722216T**	**1,873**	**N/A**
	66 x 16 x 22	1650 x 400 x 567	**M5_NS-EMC662216T**	**1,814**	**N/A**
	60 x 16 x 22	1500 x 400 x 567	**M5_NS-EMC602216T**	**1,761**	**N/A**
	54 x 16 x 22	1350 x 400 x 567	**M5_NS-EMC542216T**	**1,702**	**N/A**
	48 x 16 x 22	1200 x 400 x 567	**M5_NS-EMC482216T**	**1,634**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. To be used with 1½" surfaces.				
Open bookcase hutches – 44" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NNN-EB724416**	**1,029**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M1NNN-EB364416**	**658**	**N/A**
	Edge N. To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_ NN-EB724416**	**1,145**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M5_ NN-EB364416**	**711**	**N/A**
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Bookcase hutches with doors – 44" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1N_ _-EB724416P**	**1,517**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M1N_ _-EB364416P**	**902**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_ _ _-EB724416P**	**1,634**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M5_ _ _-EB364416P**	**960**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Bookcase hutches with translucent doors – 44" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1N _S-EB724416T**	**2,365**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M1N _S-EB364416T**	**1,326**	**N/A**
	Edge N. Accent color S. Specify the handle code (A, C, K, W, Z). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_ _S-EB724416T**	**2,483**	**N/A**
	36 x 16 x 44	900 x 400 x 1099	**M5_ _S-EB364416T**	**1,384**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. Specify the handle code (A, C, K, W, Z). To be used with 1½" surfaces.				
Door insert option, change T to: X Matrix, add $849 for EB724416X; add $424 for EB364416X.					
Open bookcase hutches – 36" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NNN-EB723616**	**928**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M1NNN-EB363616**	**589**	**N/A**
	Edge N. To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_NN-EB723616**	**1,029**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M5_NN-EB363616**	**642**	**N/A**
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase hutches with laminate doors – 36" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 36	1800 x 400 x 900	**M1N_ _-EB723616P**	**1,369**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M1N_ _-EB363616P**	**812**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_ _ _-EB723616P**	**1,469**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M5_ _ _-EB363616P**	**865**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). To be used with 1½" surfaces.				
Bookcase hutches with translucent doors – 36" H	*Adjustable shelves. Can accommodate a tackboard, refer to page 64.*				
	72 x 16 x 36	1800 x 400 x 900	**M1N_S-EB723616T**	**2,217**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M1N_S-EB363616T**	**1,236**	**N/A**
	Edge N. Accent color S. Specify the handle code (A, C, K, W, Z). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5N_S-EB723616T**	**2,317**	**N/A**
	36 x 16 x 36	900 x 400 x 900	**M5N_S-EB363616T**	**1,289**	**N/A**
	Specify the edge (N, 1, 2). Accent color S. Specify the handle code (A, C, K, W, Z). To be used with 1½" surfaces.				
Door insert option, change T to: X Matrix, add $849 for EB723616X; add $424 for EB363616X.					
Tackboards	*To be used on back of bookcase hutches. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%. For any other dimension, please contact the Quotations Department.*				
	70 x 1½ x 42	1740 x 13 x 1040	**MNNNN-TK7042EB**	**499**	**N/A**
	70 x 1½ x 34	1740 x 13 x 840	**MNNNN-TK7034EB**	**467**	**N/A**
	34 x 1½ x 42	840 x 13 x 1040	**MNNNN-TK3442EB**	**328**	**N/A**
	34 x 1½ x 34	840 x 13 x 840	**MNNNN-TK3434EB**	**302**	**N/A**
Lateral file units	*2 file drawers with suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 207.*				
	36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-2436LF**	**1,003**	**1,210**
	36 x 20 x 29 3/8	900 x 500 x 744	**M_N_ _-2036LF**	**976**	**1,177**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-2436LF**	**1,109**	**1,336**
	36 x 20 x 29 7/8	900 x 500 x 757	**M_ _ _ _-2036LF**	**1,077**	**1,289**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Open lateral file units	*1 file drawer with suspension bar. Lock. Optional counterweight to meet BIFMA standards, refer to page 207.*				
	36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-SLF2436**	**774**	**933**
	36 x 20 x 29 3/8	900 x 500 x 744	**M_N_ _-SLF2036**	**743**	**891**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-SLF2436**	**875**	**1,056**
	36 x 20 x 29 7/8	900 x 500 x 757	**M_ _ _ _-SLF2036**	**844**	**1,008**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase units	*Bookcase with doors and adjustable shelf.*				
	36 x 24 x 29 3/8	900 x 600 x 744	**M_N_ _-2436B**	**865**	**1,044**
	36 x 20 x 29 3/8	900 x 500 x 744	**M_N_ _-2036B**	**822**	**991**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29 7/8	900 x 600 x 757	**M_ _ _ _-2436B**	**976**	**1,177**
	36 x 20 x 29 7/8	900 x 500 x 757	**M_ _ _ _-2036B**	**938**	**1,124**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Combined pedestals	*2 box drawers on left, 2 file drawers with suspension bars. Lock. Pencil tray. Optional counterweight to meet BIFMA standards, refer to page 207.*				
	36 x 24 x 29	900 x 600 x 744	**M_N_ _-2436CO**	**1,268**	**1,363**
	30 x 24 x 29	750 x 600 x 744	**M_N_ _-2430CO**	**1,230**	**1,326**
	36 x 20 x 29	900 x 500 x 744	**M_N_ _-2036CO**	**1,230**	**1,326**
	30 x 20 x 29	750 x 500 x 744	**M_N_ _-2030CO**	**1,199**	**1,289**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 757	**M_ _ _ _-2436CO**	**1,395**	**1,501**
	30 x 24 x 29½	750 x 600 x 757	**M_ _ _ _-2430CO**	**1,353**	**1,454**
	36 x 20 x 29½	900 x 500 x 757	**M_ _ _ _-2036CO**	**1,353**	**1,454**
	30 x 20 x 29½	750 x 500 x 757	**M_ _ _ _-2030CO**	**1,321**	**1,411**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Combined pedestals	*2 box drawers on right, 2 file drawers with suspension bars. Lock. Pencil tray. Optional counterweight to meet BIFMA standards, refer to page 207.*				
	36 x 24 x 29	900 x 600 x 744	**M_N_ _-CO2436**	**1,268**	**1,363**
	30 x 24 x 29	750 x 600 x 744	**M_N_ _-CO2430**	**1,230**	**1,326**
	36 x 20 x 29	900 x 500 x 744	**M_N_ _-CO2036**	**1,230**	**1,326**
	30 x 20 x 29	750 x 500 x 744	**M_N_ _-CO2030**	**1,199**	**1,289**
	Specify the surface type (1, 2). Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 757	**M_ _ _ _-CO2436**	**1,395**	**1,501**
	30 x 24 x 29½	750 x 600 x 757	**M_ _ _ _-CO2430**	**1,353**	**1,454**
	36 x 20 x 29½	900 x 500 x 757	**M_ _ _ _-CO2036**	**1,353**	**1,454**
	30 x 20 x 29½	750 x 500 x 757	**M_ _ _ _-CO2030**	**1,321**	**1,411**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular lateral files	*2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 466 x 719	**MNN_ _-1836LFL**	**950**	**N/A**
	30 x 18 x 28	750 x 466 x 719	**MNN_ _-1830LFL**	**923**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular combined pedestals	*2 box drawers on left, 2 file drawers with suspension bars. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 466 x 719	**MNN_ _-1836COL**	**1,177**	**N/A**
	30 x 18 x 28	750 x 466 x 719	**MNN_ _-1830COL**	**1,098**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular combined pedestals	*2 box drawers on right, 2 file drawers with suspension bars. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 466 x 719	**MNN_ _-CO1836L**	**1,177**	**N/A**
	30 x 18 x 28	750 x 466 x 719	**MNN_ _-CO1830L**	**1,098**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular bookcases with doors	*1 adjustable shelf. Lock. Must be installed under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 466 x 719	**MNN_ _-1836BL**	**812**	**N/A**
	30 x 18 x 28	750 x 466 x 719	**MNN_ _-1830BL**	**769**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Storage / lateral file cabinets with laminate doors	*Bookcase with doors, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_ _-243673LFB**	**1,840**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_ _-203673LFB**	**1,666**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _ _-243673LFB**	**2,063**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _ _-203673LFB**	**1,886**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Storage / lateral file cabinets with translucent doors	*Bookcase with doors, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_S-243673LFBT**	**2,264**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_S-203673LFBT**	**2,090**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _S-243673LFBT**	**2,408**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _S-203673LFBT**	**2,238**	**N/A**
Door insert option, change T to: X Matrix, add $530.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				
Storage / lateral file cabinets with laminate doors	*Bookcase with doors, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_ _-243665LFB**	**1,777**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_ _-203665LFB**	**1,601**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _ _-243665LFB**	**1,920**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _ _-203665LFB**	**1,750**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Storage / lateral file cabinets with translucent doors	*Bookcase with doors, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_S-243665LFBT**	**2,217**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_S-203665LFBT**	**2,042**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _S-243665LFBT**	**2,360**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _S-203665LFBT**	**2,191**	**N/A**
Door insert option, change T to: X Matrix, add $530.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage / lateral file cabinets with pigeonholes and laminate doors	*Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_ _-243673LDB**	**1,952**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_ _-203673LDB**	**1,777**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _ _-243673LDB**	**2,095**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _ _-203673LDB**	**1,926**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Storage / lateral file cabinets with pigeonholes and translucent doors	*Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_S-243673LDBT**	**2,377**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_S-203673LDBT**	**2,201**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _S-243673LDBT**	**2,519**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _S-203673LDBT**	**2,350**	**N/A**
Door insert option, change T to: X Matrix, add $530.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				
Storage / lateral file cabinets with pigeonholes and laminate doors	*Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_ _-243665LDB**	**1,888**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_ _-203665LDB**	**1,707**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _ _-243665LDB**	**2,032**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _ _-203665LDB**	**1,856**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Storage / lateral file cabinets with pigeonholes and translucent doors	*Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 file drawers with suspension bars. Lock on drawers.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_S-243665LDBT**	**2,329**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_S-203665LDBT**	**2,153**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _S-243665LDBT**	**2,471**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _S-203665LDBT**	**2,302**	**N/A**
Door insert option, change T to: X Matrix, add $530.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				
Storage cabinets with laminate doors	*3 adjustable shelves. 1 full-width fixed shelf. Lock.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_ _-243673B**	**1,570**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_ _-203673B**	**1,454**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _ _-243673B**	**1,734**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _ _-203673B**	**1,601**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage cabinets with translucent doors	*3 adjustable shelves. 1 full-width fixed shelf. Lock.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_S-243673BT**	**2,418**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_S-203673BT**	**2,302**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _S-243673BT**	**2,583**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _S-203673BT**	**2,450**	**N/A**
Door insert option, change T to: X Matrix, add $849.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				
Storage cabinets with laminate doors	*3 adjustable shelves. 1 full-width fixed shelf. Lock.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_ _-243665B**	**1,507**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_ _-203665B**	**1,384**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _ _-243665B**	**1,665**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _ _-203665B**	**1,533**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Storage cabinets with translucent doors	*3 adjustable shelves. 1 full-width fixed shelf. Lock.*				
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_S-243665BT**	**2,387**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_S-203665BT**	**2,264**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _S-243665BT**	**2,546**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _S-203665BT**	**2,418**	**N/A**
Door insert option, change T to: X Matrix, add $849.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.**				
Combined storage cabinets with laminate doors	*2 file drawers with suspension bars. Clothes hanger bar and 1 fixed shelf on wardrobe side (10¾" - 275 mm). 2 adjustable shelves. Lock on drawers and on full-height door.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_ _-243673FFB**	**2,493**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_ _-203673FFB**	**2,382**	**N/A**
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_ _-243665FFB**	**2,430**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_ _-203665FFB**	**2,317**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				
	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _ _-243673FFB**	**2,726**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _ _-203673FFB**	**2,615**	**N/A**
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _ _-243665FFB**	**2,657**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _ _-203665FFB**	**2,546**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Combined storage cabinets with laminate doors	*2 file drawers with suspension bars. Clothes hanger bar and 1 fixed shelf on wardrobe side (10¾" - 275 mm). 2 adjustable shelves. Lock on drawers and on full-height door.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_ _-243673BFF**	**2,493**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_ _-203673BFF**	**2,382**	**N/A**
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_ _-243665BFF**	**2,430**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_ _-203665BFF**	**2,317**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1" surfaces.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Combined storage cabinets with laminate doors (cont'd)	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _ _-243673BFF**	**2,726**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _ _-203673BFF**	**2,615**	**N/A**
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _ _-243665BFF**	**2,657**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _ _-203665BFF**	**2,546**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). To be used with 1½" surfaces.				
Combined storage cabinets with translucent doors	*2 file drawers with suspension bars. Clothes hanger bar and 1 fixed shelf on wardrobe side (10¾" - 275 mm). 2 adjustable shelves. Lock on drawers and on full-height door.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_S-243673FFBT**	**3,156**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_S-203673FFBT**	**3,045**	**N/A**
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_S-243665FFBT**	**3,087**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_S-203665FFBT**	**2,980**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
Door insert option, change T to: X Matrix, add $636.	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _S-243673FFBT**	**3,389**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _S-203673FFBT**	**3,278**	**N/A**
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _S-243665FFBT**	**3,320**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _S-203665FFBT**	**3,209**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.				
Combined storage cabinets with translucent doors	*2 file drawers with suspension bars. Clothes hanger bar and 1 fixed shelf on wardrobe side (10¾" - 275 mm). 2 adjustable shelves. Lock on drawers and on full-height door.*				
	36 x 24 x 73 3/8	900 x 600 x 1844	**M1N_S-243673BFFT**	**3,156**	**N/A**
	36 x 20 x 73 3/8	900 x 500 x 1844	**M1N_S-203673BFFT**	**3,045**	**N/A**
	36 x 24 x 65 3/8	900 x 600 x 1644	**M1N_S-243665BFFT**	**3,087**	**N/A**
	36 x 20 x 65 3/8	900 x 500 x 1644	**M1N_S-203665BFFT**	**2,980**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1" surfaces.				
Door insert option, change T to: X Matrix, add $636.	36 x 24 x 73 7/8	900 x 600 x 1856	**M5_ _S-243673BFFT**	**3,389**	**N/A**
	36 x 20 x 73 7/8	900 x 500 x 1856	**M5_ _S-203673BFFT**	**3,278**	**N/A**
	36 x 24 x 65 7/8	900 x 600 x 1657	**M5_ _S-243665BFFT**	**3,320**	**N/A**
	36 x 20 x 65 7/8	900 x 500 x 1657	**M5_ _S-203665BFFT**	**3,209**	**N/A**
	Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Accent color S. To be used with 1½" surfaces.				
Wardrobe units	*Clothes hanger bar and 1 fixed shelf. Lock.*				
	18 x 24 x 73 3/8	450 x 600 x 1844	**M1N _ _-241873C_**	**1,268**	**N/A**
	18 x 20 x 73 3/8	450 x 500 x 1844	**M1N _ _-201873C_**	**1,140**	**N/A**
	18 x 24 x 65 7/8	450 x 600 x 1644	**M1N _ _-241865C_**	**1,204**	**N/A**
	18 x 20 x 65 7/8	450 x 500 x 1644	**M1N _ _-201865C_**	**1,077**	**N/A**
Open right (CR)	**Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). Specifiy the opening at the end of the code: on right (R) or on left (L). To be used with 1" surfaces.**				
	18 x 24 x 73 7/8	450 x 600 x 1856	**M5_ _ _-241873C_**	**1,326**	**N/A**
	18 x 20 x 73 7/8	450 x 500 x 1856	**M5_ _ _-201873C_**	**1,188**	**N/A**
	18 x 24 x 65 7/8	450 x 600 x 1657	**M5_ _ _-241865C_**	**1,257**	**N/A**
	18 x 20 x 65 7/8	450 x 500 x 1657	**M5_ _ _-201865C_**	**1,119**	**N/A**
Open left (CL)	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). Specifiy the opening at the end of the code: on right (R) or on left (L). To be used with 1½" surfaces.**				

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Wardrobe units	*Full-width clothes hanger bar and 1 fixed shelf. Lock.*				
	18 x 24 x 73 7/8	450 x 600 x 1844	**M1N _ _-241873C_T**	**1,586**	**N/A**
	18 x 20 x 73 7/8	450 x 500 x 1844	**M1N _ _-201873C_T**	**1,459**	**N/A**
	18 x 24 x 65 7/8	450 x 600 x 1644	**M1N _ _-241865C_T**	**1,522**	**N/A**
	18 x 20 x 65 7/8	450 x 500 x 1644	**M1N _ _-201865C_T**	**1,395**	**N/A**
	Edge N. Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). Specify the opening at the end of the code: on right (R) or on left (L). To be used with 1" surfaces.				
Open right (CRT)					
	18 x 24 x 73 7/8	450 x 600 x 1856	**M5_ _ _-241873C_T**	**1,644**	**N/A**
	18 x 20 x 73 7/8	450 x 500 x 1856	**M5_ _ _-201873C_T**	**1,507**	**N/A**
	18 x 24 x 65 7/8	450 x 600 x 1657	**M5_ _ _-241865C_T**	**1,575**	**N/A**
	18 x 20 x 65 7/8	450 x 500 x 1657	**M5_ _ _-201865C_T**	**1,437**	**N/A**
Open left (CLT) Door insert option, specify at the end of the code: X Matrix, add $318.	**Specify the edge (N, 1, 2). Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S). Specify the opening at the end of the code: on right (R) or on left (L). To be used with 1½" surfaces.**				
Personal storage tower – left	*1 box drawer, 2 file drawers with suspension bars. Lock controls file drawers. Wardrobe with coat hanger bar. Pencil tray.*				
	24 x 24 x 49	600 x 600 x 1234	**MNN_ _-PB242449**	**1,777**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Personal storage tower – right	*1 box drawer, 2 file drawers with suspension bars. Lock controls file drawers. Wardrobe with coat hanger bar. Pencil tray.*				
	24 x 24 x 49	600 x 600 x 1234	**MNN_ _-P242449B**	**1,777**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Open bookcases	*4 adjustable shelves.*				
	36 x 14 x 73 3/8	900 x 350 x 1844	**M1NNN-B367314**	**817**	**N/A**
	36 x 14 x 65 3/8	900 x 350 x 1644	**M1NNN-B366514**	**764**	**N/A**
	Edge N. To be used with 1" surfaces.				
	2 adjustable shelves.				
	36 x 14 x 73 7/8	900 x 350 x 1856	**M5_NN-B367314**	**907**	**N/A**
	36 x 14 x 65 7/8	900 x 350 x 1697	**M5_NN-B366514**	**849**	**N/A**
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Additional shelf	*Additional shelf.*				
	36 x 13 x 1	846 x 325 x 25	**MNNNN-TB3614.1E**	**111**	**N/A**
Modular pedestals	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 24 x 28	388 x 598 x 719	**MNN_ _-P1524UFL**	**838**	**N/A**
	15 x 18 x 28	388 x 466 x 719	**MNN_ _-P1518UFL**	**774**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular pedestals	*2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 24 x 28	388 x 598 x 719	**MNN_ _-P1524FFL**	**812**	**N/A**
	15 x 18 x 28	388 x 466 x 719	**MNN_ _-P1518FFL**	**726**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular pedestal – Laptop storage	*1 box drawer with space/shelf to accommodate a laptop, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 18 x 28	388 x 448 x 719	**MNN_ _-P1518CUFL**	**844**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular pedestal – Recycle bin storage	*1 box drawer, 1 door with space to accommodate recycling box. Space available of 14" W x 16 7/8" D x 17 3/8" H (355 mm W x 429 mm D x 440 mm H). Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
	18 x 18 x 28	448 x 448 x 719	**MNN_ _-P1818URL**	**753**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Hanging pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 17½ x 19	388 x 448 x 489	**MNN_ _-F**	**642**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Metal pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Lock. Must be installed under a work surface.*				
	15 x 22 x 28	372 x 554 x 713	**MNN_ _-PM1522UFL**	**520**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Metal pedestal	*2 file drawers with suspension bars. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*				
	15 x 22 x 28	372 x 554 x 713	**MNN_ _-PM1522FFL**	**499**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Hanging metal pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*				
	15 x 22 x 19½	372 x 540 x 496	**MNN_ _-MF**	**461**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Mobile pedestals	*2 box drawers and 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*				
	15 x 23 x 27 1/8	390 x 575 x 689	**MNN_ _-MP1523UF**	**822**	**N/A**
	15 x 18 x 27 1/8	390 x 575 x 689	**MNN_ _-MP1518UF**	**769**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Mobile pedestal	*2 file drawers with suspension bars. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*				
	15 x 23 x 27 1/8	390 x 575 x 689	**MNN_ _-MP1523FF**	**785**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Mobile pedestals	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*				
	15 x 23 x 20¾	390 x 575 x 527	**MNN_ _-MP1523F**	**753**	**N/A**
	15 x 18 x 20¾	390 x 450 x 527	**MNN_ _-MP1518F**	**726**	**N/A**
	Specify the handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Additional full-width legs	*1 tone only. For AT, DT and CM tables.*				
	30 x 1 x 27½	748 x 25 x 698	**MNNNN-L30**	**143**	**N/A**
	24 x 1 x 27½	598 x 25 x 698	**MNNNN-L24**	**133**	**N/A**
	20 x 1 x 27½	498 x 25 x 698	**MNNNN-L20**	**122**	**N/A**
Additional recessed leg	*1 tone only. For AT, DT and CM tables.*				
	13 x 1 x 27½	340 x 25 x 698	**MNNNN-L12**	**111**	**N/A**

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

M_ _ _ _-PLAN01



Plan shown in Morpheo Brochure:

M5NCS-PLAN01	$7,802
1	M5NCS-S3672UFM
2	M5NCS-203673LFBT
1	M5NCS-203673B

1½" thick laminate (5), Cubic pull (C), Silver accent (S), upper cabinets with Translucent doors (T).

Other option

Upper cabinet with laminate doors	**$6,953**

M_ _ _ _-PLAN02



Plan shown in Morpheo Brochure:

QSM5N_S-PLAN02	$5,400
1	**QS**M5NVS-CT184872
1	**QS**M5NNS-BR244818
1	**QS**M5NKS-UF2472S
1	**QS**M5NKS-EL724416T

1½" thick laminate (5), Round legs (V), Classic pull (K), Silver accent (S), cabinet with Translucent doors (T).

Others options

Cabinet with laminate doors	**$5,044**

M_ _ _ _-PLAN03



Plan shown in Morpheo Brochure:

M1N_S-PLAN03	$7,717
1	M1NQS-YS3672
2	M1NNS-DT2460B
2	MNNZS-1830LFL
2	M1NNN-EMC602216P
2	LGC-TK6021M
1	LGC-DV1817

1" thick laminate (1), Square legs (Q), Straight pull (Z), Silver accent (S), cabinet with laminate doors.

Other option

Cabinet with translucent doors	**$8,354**

M_ _ _ _-PLAN04



Plan shown in Morpheo Brochure:

M1N_S-PLAN04	$5,564
1	M1NQS-RT3672
1	M1NNN-BE2072BE
1	MNNCS-MP1518F
1	LGC-CU1518
1	M1NCS-EB364416P
1	M1NCS-203673B
1	LGC-PCS

1" thick laminate (1), Square legs (Q), Cubic pull (C), Silver accent (S), cabinets with laminate doors.

Other option

Cabinets with translucent doors	**$6,837**

M_ _ _ _-PLAN05



Plan shown in Morpheo Brochure:

M1N_S-PLAN05	$12,475
2	M1NQS-RS3072
2	M1NNN-BE2060BE
2	MNNWS-MP1518F
2	LGC-CU1518
1	M1NNN-EB724416
2	LPT-0230D
2	L1NN-TO1830
2	LGC-SUPACS
2	LGC-RA66S
4	LGC-RPT11S
4	LGC-RVPT11S
1	LGC-PC
2	LPT-0336D
2	L1NN-TO1836

1" thick laminate (1), Square legs (Q), Waterfall pull (W), Silver accent (S).

Other option

1½" thick laminate	**$13,281**

M_ _ _ _-PLAN06



Plan shown in Morpheo Brochure:

M1N_S-PLAN06	$6,295
1	M1NVS-RBTT3672
1	M1NCS-LF2472LF
1	M1NCS-2436CO
1	M1NNS-EM722216T

1" thick laminate (1), Round legs (V), Cubic pull (C), Silver accent (S), upper cabinet with Translucent doors (T).

Other option

Cabinet with laminate doors	**$5,765**

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

M_ _ _ _-PLAN07



Plan shown in Morpheo Brochure:

M1N_A-PLAN07	$15,180
2 M1NQA-3672BGST	
2 M1NCA-UF2472S	
2 M1NCA-243665FFB	
2 T5NA-R36	
2 TNNA-DC22	
3 PNNA-SFLX6536	
3 PNNA-SAGX0830	
2 PNNA-SFLX6548	
2 PNNA-SAGX0842	

1" thick laminate (1), Square legs (Q), Cubic pull (C), Anthracite Grey accent (A), cabinet with laminate doors.

Other option

Cabinet with translucent doors	**$16,495**

M_ _ _ _-PLAN08



Plan shown in Morpheo Brochure:

M5N_A-PLAN08	$10,237
1 M5NNA-CM427224B	
1 M5NNA-CM724224B	
1 M5NVA-CE364224	
1 M5NVA-CE244236	
1 M5NVA-RT3672	
1 MNNAA-CO1830L	
1 MNNAA-1830COL	
1 M5NNN-EB363616	
2 LGC-SUPALA	
2 LGC-TK5417A	
2 LGC-SUPACA	
2 LGC-RA30A	
4 LGC-RPT11A	
2 LGC-RVPT11A	

1½" thick laminate (5), Round legs (V), Arcade pull (A), Anthracite Grey accent (A).

Other option

1" thick laminate	**$9,378**

M_ _ _ _-PLAN09



Plan shown in Morpheo Brochure:

M1N_S-PLAN09	$7,187
1 M1NQS-RST3060	
1 M1NZS-S2072UF	
1 M1NZS-EB364416T	
1 M1NNS-EC724416T	
1 M1NZS-2036LF	
1 LGC-TK7015E	
1 LGC-RA70ES	
2 LGC-RPT11S	
1 LGC-RVPT11S	

1" thick laminate (1), Square legs (Q), Straight pull (Z), Silver accent (S), Translucent doors and modesty panel (T).

Other option

Cabinet with laminate doors	**$6,434**

M_ _ _ _-PLAN10



Not shown in Morpheo Brochure:

QSM_ _ _ _-PLAN10	$7,595
1 **QS**M1NV_-3672BGSM	
1 **QS**M1N_ _-UF2072S	
1 **QS**M1NN_-E724416P	
2 **QS**M1N_ _-203673LFBT	

1" thick laminate (1), Round legs (V), cabinets with Translucent doors (T), hutch with laminate doors.

Other option

1½" thick laminate	**$8,311**

M_ _ _ _-PLAN11



Not shown in Morpheo Brochure:

QSM_ _ _ _-PLAN11	$10,263
1 **QS**M1NV_-3672BGST	
1 **QS**M1NV_-BGST3672	
1 **QS**M1N_ _-UF2072S	
1 **QS**M1N_ _-S2072UF	
2 **QS**M1NNS-E724416T	
1 **QS**M1N_ _-203673LDB	

1" thick laminate (1), Round legs (V), cabinet with laminate doors and hutches with Translucent doors (T).

Other option

Cabinet with Translucent doors (T)	**$10,688**

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

M_ _ _ _-PLAN12



Not shown in Morpheo Brochure:

QSM_ _ _ _-PLAN12	$3,575
1 **QS**M1NN_-TDM3672	
1 **QS**M1N_ _-F2436R	
2 **QS**M1N_ _-2436LF	

1" thick laminate (1).

Other option

1½" thick laminate	**$4,010**

M_ _ _ _-PLAN13



Not shown in Morpheo Brochure:

QSM_ _ _ _-PLAN13	$5,097
1 **QS**M1NN_-CDM724818	
1 **QS**M1NN_-BR1842	
1 **QS**M1N_ _-S2472LF	
1 **QS**M1N_ _-EL724416P	
1 **QS**MNN_ _-P1524UFL	

1" thick laminate (1), laminate doors.

Other option

1½" thick laminate	**$5,601**

M_ _ _ _-PLAN14



Not shown in Morpheo Brochure:

QSM_ _ _ _-PLAN14	$3,988
1 **QS**M1NV_-RBT3672	
1 **QS**M1N_ _-S2072UF	
1 **QS**M1NNS-E724416T	

1" thick laminate (1), Round legs (V), Translucent doors (T).

Other option

1½" thick laminate	**$4,354**

TYPICAL WOOD GRAIN DIRECTION FOR MORPHEO:



X = NOT PART OF THE QUICKSHIP PROGRAM

OPTIONS

EDGEBANDING

Furniture with 1" (25 mm) thick tops

Edge - 1" (25 mm)

Furniture with 1½" (38 mm) thick tops

Edge - 1½" (38 mm)

Smooth, ⅛" (3 mm) thick edge.
The edge is **matched with the finish specified for the surface**.

HANDLES

A choice of metal handles or a linear thermoplastic pull is offered.
All are finished Anthracite Grey.

B – Curved



L – Linear

Z – Straight

ACCENT COLORS



S – Silver

A – Anthracite Grey

Exception: Furniture with doors or aluminum kickplate are available in Silver anodized aluminum only.

LEG PANEL OPTIONS FOR DT, AT, CM, ETC.

A Two full-width leg panels
B One full-width leg panel and one recessed
C Two recessed leg panels
D Two full-width leg panels, one with wiring access
E Two full-width leg panels with wiring access
F One full-width leg panel and one recessed with wiring access

MATERIALS

- **Thermofused laminate furniture:**
  See prices shown in the "All Laminate" column. Surface material and thickness must be specified in the code.
- **Furniture with tops in high-pressure laminate, the rest in thermofused laminate:**
  See prices shown in the "HPL Surfaces" column. Surface material and thickness must be specified in the code.

CODIFICATION

	Options		
Series	Thickness	Handles	Accent color
0	**1** Thermofused laminate 1" **2** High-pressure laminate 1" **5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**B** Curved **L** Linear **Z** Straight	**A** Anthracite Grey **S** Silver

ELECTRIFICATION OF FREESTANDING FURNITURE

Electricom II System is fully compatible with Options collection to enable the electrification and communication of Options freestanding furniture. Refer to the Electricom II System section on page 200.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bow front double pedestal desks	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*				
	84 x 42 x 29	2100 x 1050 x 738	**0_ _ _-UF4284FFA**	**2,185**	**2,530**
	72 x 42 x 29	1800 x 1050 x 738	**0_ _ _-UF4272FFA**	**2,063**	**2,413**
	66 x 36 x 29	1650 x 900 x 738	**0_ _ _-UF3666FFA**	**2,010**	**2,355**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	84 x 42 x 29½	2100 x 1050 x 751	**0_ _ _-UF4284FFA**	**2,413**	**2,763**
	72 x 42 x 29½	1800 x 1050 x 751	**0_ _ _-UF4272FFA**	**2,302**	**2,647**
	66 x 36 x 29½	1650 x 900 x 751	**0_ _ _-UF3666FFA**	**2,238**	**2,589**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Double pedestal desks	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*				
	84 x 36 x 29	2100 x 900 x 738	**0_ _ _-UF3684FF**	**1,941**	**2,233**
	72 x 36 x 29	1800 x 900 x 738	**0_ _ _-UF3672FF**	**1,825**	**2,122**
	72 x 30 x 29	1800 x 750 x 738	**0_ _ _-UF3072FF**	**1,767**	**2,058**
	66 x 30 x 29	1650 x 750 x 738	**0_ _ _-UF3066FF**	**1,707**	**1,984**
	60 x 30 x 29	1500 x 750 x 738	**0_ _ _-UF3060FF**	**1,649**	**1,915**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double pedestal desks (cont'd)	84 x 36 x 29½	2100 x 900 x 751	**0_ _ _-UF3684FF**	**2,153**	**2,498**
	72 x 36 x 29½	1800 x 900 x 751	**0_ _ _-UF3672FF**	**2,037**	**2,382**
	72 x 30 x 29½	1800 x 750 x 751	**0_ _ _-UF3072FF**	**1,984**	**2,324**
	66 x 30 x 29½	1650 x 750 x 751	**0_ _ _-UF3066FF**	**1,926**	**2,238**
	60 x 30 x 29½	1500 x 750 x 751	**0_ _ _-UF3060FF**	**1,862**	**2,175**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Bow front double pedestal desks	*2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.*				
	84 x 42 x 29	2100 x 1050 x 738	**0_ _ _-F4284FA**	**1,835**	**2,185**
	72 x 42 x 29	1800 x 1050 x 738	**0_ _ _-F4272FA**	**1,719**	**2,063**
	66 x 36 x 29	1650 x 900 x 738	**0_ _ _-F3666FA**	**1,661**	**2,010**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	84 x 42 x 29½	2100 x 1050 x 751	**0_ _ _-F4284FA**	**2,063**	**2,413**
	72 x 42 x 29½	1800 x 1050 x 751	**0_ _ _-F4272FA**	**1,952**	**2,302**
	66 x 36 x 29½	1650 x 900 x 751	**0_ _ _-F3666FA**	**1,893**	**2,238**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

= NOT PART OF THE QUICKSHIP PROGRAM

Double pedestal desks



2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 36 x 29	2100 x 900 x 738	**O_ _ _-F3684F**	**1,596**	**1,888**
72 x 36 x 29	1800 x 900 x 738	**O_ _ _-F3672F**	**1,475**	**1,772**
72 x 30 x 29	1800 x 750 x 738	**O_ _ _-F3072F**	**1,422**	**1,714**
66 x 30 x 29	1650 x 750 x 738	**O_ _ _-F3066F**	**1,358**	**1,634**
60 x 30 x 29	1500 x 750 x 738	**O_ _ _-F3060F**	**1,305**	**1,565**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

84 x 36 x 29½	2100 x 900 x 751	**O_ _ _-F3684F**	**1,808**	**2,148**
72 x 36 x 29½	1800 x 900 x 751	**O_ _ _-F3672F**	**1,692**	**2,032**
72 x 30 x 29½	1800 x 750 x 751	**O_ _ _-F3072F**	**1,634**	**1,973**
66 x 30 x 29½	1650 x 750 x 751	**O_ _ _-F3066F**	**1,575**	**1,893**
60 x 30 x 29½	1500 x 750 x 751	**O_ _ _-F3060F**	**1,517**	**1,825**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Bow front single pedestal desks



1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	**O_ _ _-UF4272SA**	**1,613**	**1,931**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	**O_ _ _-UF4272SA**	**1,835**	**2,206**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Bow front single pedestal desks



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	**O_ _ _-S4272UFA**	**1,613**	**1,931**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	**O_ _ _-S4272UFA**	**1,835**	**2,206**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Single pedestal desks



1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	**O_ _ _-UF3672S**	**1,358**	**1,601**
72 x 30 x 29	1800 x 750 x 738	**O_ _ _-UF3072S**	**1,305**	**1,538**
66 x 30 x 29	1650 x 750 x 738	**O_ _ _-UF3066S**	**1,246**	**1,459**
60 x 30 x 29	1500 x 750 x 738	**O_ _ _-UF3060S**	**1,188**	**1,389**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	**O_ _ _-UF3672S**	**1,554**	**1,830**
72 x 30 x 29½	1800 x 750 x 751	**O_ _ _-UF3072S**	**1,490**	**1,772**
66 x 30 x 29½	1650 x 750 x 751	**O_ _ _-UF3066S**	**1,437**	**1,692**
60 x 30 x 29½	1500 x 750 x 751	**O_ _ _-UF3060S**	**1,384**	**1,628**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Single pedestal desks



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 36 x 29	1800 x 900 x 738	**O_ _ _-S3672UF**	**1,358**	**1,601**
72 x 30 x 29	1800 x 750 x 738	**O_ _ _-S3072UF**	**1,305**	**1,538**
66 x 30 x 29	1650 x 750 x 738	**O_ _ _-S3066UF**	**1,246**	**1,459**
60 x 30 x 29	1500 x 750 x 738	**O_ _ _-S3060UF**	**1,188**	**1,389**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	**O_ _ _-S3672UF**	**1,554**	**1,830**
72 x 30 x 29½	1800 x 750 x 751	**O_ _ _-S3072UF**	**1,490**	**1,772**
66 x 30 x 29½	1650 x 750 x 751	**O_ _ _-S3066UF**	**1,437**	**1,692**
60 x 30 x 29½	1500 x 750 x 751	**O_ _ _-S3060UF**	**1,384**	**1,628**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Bow front single pedestal desks



1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	**O_ _ _-F4272SA**	**1,437**	**1,719**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	**O_ _ _-F4272SA**	**1,623**	**1,946**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Bow front single pedestal desks



1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 42 x 29	1800 x 1050 x 738	**O_ _ _-S4272FA**	**1,437**	**1,719**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 42 x 29½	1800 x 1050 x 751	**O_ _ _-S4272FA**	**1,623**	**1,946**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Single pedestal desks



1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	**O_ _ _-F3672S**	**1,188**	**1,427**
72 x 30 x 29	1800 x 750 x 738	**O_ _ _-F3072S**	**1,130**	**1,369**
66 x 30 x 29	1650 x 750 x 738	**O_ _ _-F3066S**	**1,071**	**1,283**
60 x 30 x 29	1500 x 750 x 738	**O_ _ _-F3060S**	**1,018**	**1,220**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	**O_ _ _-F3672S**	**1,379**	**1,654**
72 x 30 x 29½	1800 x 750 x 751	**O_ _ _-F3072S**	**1,321**	**1,601**
66 x 30 x 29½	1650 x 750 x 751	**O_ _ _-F3066S**	**1,263**	**1,517**
60 x 30 x 29½	1500 x 750 x 751	**O_ _ _-F3060S**	**1,215**	**1,454**

Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).

Single pedestal desks



1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Full-width wire access.

72 x 36 x 29	1800 x 900 x 738	**O_ _ _-S3672F**	**1,188**	**1,427**
72 x 30 x 29	1800 x 750 x 738	**O_ _ _-S3072F**	**1,130**	**1,369**
66 x 30 x 29	1650 x 750 x 738	**O_ _ _-S3066F**	**1,071**	**1,283**
60 x 30 x 29	1500 x 750 x 738	**O_ _ _-S3060F**	**1,018**	**1,220**

Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Single pedestal desks (cont'd)	72 x 36 x 29½	1800 x 900 x 751	**O_ _ _-S3672F**	**1,379**	**1,654**
	72 x 30 x 29½	1800 x 750 x 751	**O_ _ _-S3072F**	**1,321**	**1,601**
	66 x 30 x 29½	1650 x 750 x 751	**O_ _ _-S3066F**	**1,263**	**1,517**
	60 x 30 x 29½	1500 x 750 x 751	**O_ _ _-S3060F**	**1,215**	**1,454**

Specify the surface type (5, 6). Specify the handle code (B, L, Z).
Specify the accent color (A, S).

Desk shells

Recessed, full-height modesty panel. Full-width wire access. Can accommodate 1 or 2 pedestals.



72 x 36 x 29	1800 x 900 x 738	**O_N_-TDM3672**	**779**	**1,092**
72 x 30 x 29	1800 x 750 x 738	**O_N_-TDM3072**	**726**	**1,024**
66 x 30 x 29	1650 x 750 x 738	**O_N_-TDM3066**	**695**	**971**
60 x 30 x 29	1500 x 750 x 738	**O_N_-TDM3060**	**668**	**933**

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	**O_N_-TDM3672**	**897**	**1,257**
72 x 30 x 29½	1800 x 750 x 751	**O_N_-TDM3072**	**849**	**1,193**
66 x 30 x 29½	1650 x 750 x 751	**O_N_-TDM3066**	**806**	**1,135**
60 x 30 x 29½	1500 x 750 x 751	**O_N_-TDM3060**	**779**	**1,092**

Specify the surface type (5, 6). Specify the accent color (A, S).

Corner modules

To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels. Mechanism packaged separately.

Diagonal wood grain:
change last S to D, add 10% to the price.

With adjustable keyboard surface.

48 x 48 x 29	1200 x 1200 x 738	**O_ N_-CMS4830SC**	**1,697**	**1,957**
42 x 42 x 29	1050 x 1050 x 738	**O_ N_-CMS4224SC**	**1,628**	**1,846**

Specify the surface type (1, 2). Specify the accent color (A, S).

48 x 48 x 29½	1200 x 1200 x 751	**O_ N_-CMS4830SC**	**1,989**	**2,111**
42 x 42 x 29½	1050 x 1050 x 751	**O_ N_-CMS4224SC**	**1,920**	**2,042**

Specify the surface type (5, 6). Specify the accent color (A, S).



To attach to a work surface. Grommet. Full-width wiring access on both back panels.



Diagonal wood grain:
change S to D, add 10% to the price.

48 x 48 x 29	1200 x 1200 x 738	**O_ N_-CM4830S_**	**801**	**1,130**
42 x 42 x 29	1050 x 1050 x 738	**O_ N_-CM4224S_**	**711**	**991**
36 x 36 x 29	900 x 900 x 738	**O_ N_-CM3618SC**	**690**	**965**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

48 x 48 x 29½	1200 x 1200 x 751	**O_ N_-CM4830S_**	**945**	**1,326**
42 x 42 x 29½	1050 x 1050 x 751	**O_ N_-CM4224S_**	**849**	**1,188**
36 x 36 x 29½	900 x 900 x 751	**O_ N_-CM3618SC**	**785**	**1,104**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left extended corner modules



Grommet. Full-width wiring access on both back panels.



Surface	R1	R2
72"/48"	29½" (750 mm)	5⅛" (150 mm)
66"/48"	23½" (600 mm)	5⅛" (150 mm)
60"/48"	17⅞" (450 mm)	5⅛" (150 mm)
72"/42"	29½" (750 mm)	
66"/42"	23½" (600 mm)	
60"/42"	17⅞" (450 mm)	
72"/36"	17⅞" (450 mm)	
66"/36"	11¾" (300 mm)	
60"/36"	5⅛" (150 mm)	

72 x 48 x 29	1800 x 1200 x 738	**O_ N_-CM724824_**	**1,114**	**1,560**
66 x 48 x 29	1650 x 1200 x 738	**O_ N_-CM664824_**	**1,056**	**1,475**
60 x 48 x 29	1500 x 1200 x 738	**O_ N_-CM604824_**	**991**	**1,395**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-CM724224_**	**1,056**	**1,475**
66 x 42 x 29	1650 x 1050 x 738	**O_ N_-CM664224_**	**991**	**1,395**
60 x 42 x 29	1500 x 1050 x 738	**O_ N_-CM604224_**	**938**	**1,316**
72 x 36 x 29	1800 x 900 x 738	**O_ N_-CM723624_**	**991**	**1,395**
66 x 36 x 29	1650 x 900 x 738	**O_ N_-CM663624_**	**891**	**1,252**
60 x 36 x 29	1500 x 900 x 738	**O_ N_-CM603624_**	**838**	**1,167**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-CM724824_**	**1,283**	**1,803**
66 x 48 x 29½	1650 x 1200 x 751	**O_ N_-CM664824_**	**1,230**	**1,719**
60 x 48 x 29½	1500 x 1200 x 751	**O_ N_-CM604824_**	**1,167**	**1,639**
72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-CM724224_**	**1,230**	**1,719**
66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-CM664224_**	**1,167**	**1,639**
60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-CM604224_**	**1,114**	**1,560**
72 x 36 x 29½	1800 x 900 x 751	**O_ N_-CM723624_**	**1,077**	**1,512**
66 x 36 x 29½	1650 x 900 x 751	**O_ N_-CM663624_**	**1,024**	**1,432**
60 x 36 x 29½	1500 x 900 x 751	**O_ N_-CM603624_**	**955**	**1,336**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Right extended corner modules



Grommet. Full-width wiring access on both back panels.



Surface	R1	R2
72"/48"	29½" (750 mm)	5⅛" (150 mm)
66"/48"	23½" (600 mm)	5⅛" (150 mm)
60"/48"	17⅞" (450 mm)	5⅛" (150 mm)
72"/42"	29½" (750 mm)	
66"/42"	23½" (600 mm)	
60"/42"	17⅞" (450 mm)	
72"/36"	17⅞" (450 mm)	
66"/36"	11¾" (300 mm)	
60"/36"	5⅛" (150 mm)	

72 x 48 x 29	1800 x 1200 x 738	**O_ N_-CM487224_**	**1,114**	**1,560**
66 x 48 x 29	1650 x 1200 x 738	**O_ N_-CM486624_**	**1,056**	**1,475**
60 x 48 x 29	1500 x 1200 x 738	**O_ N_-CM486024_**	**991**	**1,395**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-CM427224_**	**1,056**	**1,475**
66 x 42 x 29	1650 x 1050 x 738	**O_ N_-CM426624_**	**991**	**1,395**
60 x 42 x 29	1500 x 1050 x 738	**O_ N_-CM426024_**	**938**	**1,316**
72 x 36 x 29	1800 x 900 x 738	**O_ N_-CM367224_**	**991**	**1,395**
66 x 36 x 29	1650 x 900 x 738	**O_ N_-CM366624_**	**891**	**1,252**
60 x 36 x 29	1500 x 900 x 738	**O_ N_-CM366024_**	**838**	**1,167**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right extended corner modules (cont'd)	72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-CM487224_**	**1,283**	**1,803**
	66 x 48 x 29½	1650 x 1200 x 751	**O_ N_-CM486624_**	**1,230**	**1,719**
	60 x 48 x 29½	1500 x 1200 x 751	**O_ N_-CM486024_**	**1,167**	**1,639**
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-CM427224_**	**1,230**	**1,719**
	66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-CM426624_**	**1,167**	**1,639**
	60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-CM426024_**	**1,114**	**1,560**
	72 x 36 x 29½	1800 x 900 x 751	**O_ N_-CM367224_**	**1,077**	**1,512**
	66 x 36 x 29½	1650 x 900 x 751	**O_ N_-CM366624_**	**1,024**	**1,432**
	60 x 36 x 29½	1500 x 900 x 751	**O_ N_-CM366024_**	**955**	**1,336**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 30" D



Full-width wire access.

72 x 30 x 29	1800 x 750 x 738	**O_ N_-DT3072_**	**748**	**1,051**
66 x 30 x 29	1650 x 750 x 738	**O_ N_-DT3066_**	**726**	**1,018**
60 x 30 x 29	1500 x 750 x 738	**O_ N_-DT3060_**	**690**	**965**
54 x 30 x 29	1350 x 750 x 738	**O_ N_-DT3054_**	**663**	**928**
48 x 30 x 29	1200 x 750 x 738	**O_ N_-DT3048_**	**620**	**753**
42 x 30 x 29	1050 x 750 x 738	**O_ N_-DT3042_**	**594**	**716**
36 x 30 x 29	900 x 750 x 738	**O_ N_-DT3036_**	**562**	**679**
30 x 30 x 29	750 x 750 x 738	**O_ N_-DT3030_**	**536**	**647**
24 x 30 x 29	600 x 750 x 738	**O_ N_-DT3024_**	**499**	**600**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 30 x 29½	1800 x 750 x 751	**O_ N_-DT3072_**	**875**	**1,230**
66 x 30 x 29½	1650 x 750 x 751	**O_ N_-DT3066_**	**849**	**1,188**
60 x 30 x 29½	1500 x 750 x 751	**O_ N_-DT3060_**	**806**	**1,135**
54 x 30 x 29½	1350 x 750 x 751	**O_ N_-DT3054_**	**779**	**1,092**
48 x 30 x 29½	1200 x 750 x 751	**O_ N_-DT3048_**	**726**	**870**
42 x 30 x 29½	1050 x 750 x 751	**O_ N_-DT3042_**	**690**	**832**
36 x 30 x 29½	900 x 750 x 751	**O_ N_-DT3036_**	**663**	**791**
30 x 30 x 29½	750 x 750 x 751	**O_ N_-DT3030_**	**620**	**753**
24 x 30 x 29½	600 x 750 x 751	**O_ N_-DT3024_**	**594**	**716**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 24" D



Full-width wire access.

72 x 24 x 29	1800 x 600 x 738	**O_ N_-DT2472_**	**726**	**1,018**
66 x 24 x 29	1650 x 600 x 738	**O_ N_-DT2466_**	**690**	**965**
60 x 24 x 29	1500 x 600 x 738	**O_ N_-DT2460_**	**663**	**928**
54 x 24 x 29	1350 x 600 x 738	**O_ N_-DT2454_**	**620**	**880**
48 x 24 x 29	1200 x 600 x 738	**O_ N_-DT2448_**	**594**	**716**
42 x 24 x 29	1050 x 600 x 738	**O_ N_-DT2442_**	**562**	**679**
36 x 24 x 29	900 x 600 x 738	**O_ N_-DT2436_**	**536**	**647**
30 x 24 x 29	750 x 600 x 738	**O_ N_-DT2430_**	**499**	**600**
24 x 24 x 29	600 x 600 x 738	**O_ N_-DT2424_**	**477**	**573**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tables 24" D (cont'd)	72 x 24 x 29½	1800 x 600 x 751	**O_ N_-DT2472_**	**806**	**1,135**
	66 x 24 x 29½	1650 x 600 x 751	**O_ N_-DT2466_**	**779**	**1,092**
	60 x 24 x 29½	1500 x 600 x 751	**O_ N_-DT2460_**	**748**	**1,051**
	54 x 24 x 29½	1350 x 600 x 751	**O_ N_-DT2454_**	**726**	**1,018**
	48 x 24 x 29½	1200 x 600 x 751	**O_ N_-DT2448_**	**663**	**791**
	42 x 24 x 29½	1050 x 600 x 751	**O_ N_-DT2442_**	**620**	**753**
	36 x 24 x 29½	900 x 600 x 751	**O_ N_-DT2436_**	**594**	**716**
	30 x 24 x 29½	750 x 600 x 751	**O_ N_-DT2430_**	**562**	**679**
	24 x 24 x 29½	600 x 600 x 751	**O_ N_-DT2424_**	**536**	**647**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (A, B, C, D, E, F).

Left asymmetrical tables, 30" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/30"	35⅜"
48"/30"	29½"
42"/30"	23½"
36"/30"	17⅝"
30"/30"	11⅝"

54 x 30 x 29	1350 x 750 x 738	**O_ N_-AT245430_**	**647**	**902**
48 x 30 x 29	1200 x 750 x 738	**O_ N_-AT244830_**	**610**	**743**
42 x 30 x 29	1050 x 750 x 738	**O_ N_-AT244230_**	**583**	**706**
36 x 30 x 29	900 x 750 x 738	**O_ N_-AT243630_**	**557**	**673**
30 x 30 x 29	750 x 750 x 738	**O_ N_-AT243030_**	**525**	**642**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 30 x 29½	1350 x 750 x 751	**O_ N_-AT245430_**	**759**	**1,066**
48 x 30 x 29½	1200 x 750 x 751	**O_ N_-AT244830_**	**695**	**838**
42 x 30 x 29½	1050 x 750 x 751	**O_ N_-AT244230_**	**673**	**806**
36 x 30 x 29½	900 x 750 x 751	**O_ N_-AT243630_**	**647**	**774**
30 x 30 x 29½	750 x 750 x 751	**O_ N_-AT243030_**	**610**	**743**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables, 30" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/30"	35⅜"
48"/30"	29½"
42"/30"	23½"
36"/30"	17⅝"
30"/30"	11⅝"

54 x 30 x 29	1350 x 750 x 738	**O_ N_-AT305424_**	**647**	**902**
48 x 30 x 29	1200 x 750 x 738	**O_ N_-AT304824_**	**610**	**743**
42 x 30 x 29	1050 x 750 x 738	**O_ N_-AT304224_**	**583**	**706**
36 x 30 x 29	900 x 750 x 738	**O_ N_-AT303624_**	**557**	**673**
30 x 30 x 29	750 x 750 x 738	**O_ N_-AT303024_**	**525**	**642**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 30 x 29½	1350 x 750 x 751	**O_ N_-AT305424_**	**759**	**1,066**
48 x 30 x 29½	1200 x 750 x 751	**O_ N_-AT304824_**	**695**	**838**
42 x 30 x 29½	1050 x 750 x 751	**O_ N_-AT304224_**	**673**	**806**
36 x 30 x 29½	900 x 750 x 751	**O_ N_-AT303624_**	**647**	**774**
30 x 30 x 29½	750 x 750 x 751	**O_ N_-AT303024_**	**610**	**743**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

Left asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35⅜"
48"/24"	29½"
42"/24"	23½"
36"/24"	17⅝"
30"/24"	11⅝"

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 29	1350 x 600 x 738	**O_ N_-AT185424_**	**610**	**865**
48 x 24 x 29	1200 x 600 x 738	**O_ N_-AT184824_**	**583**	**706**
42 x 24 x 29	1050 x 600 x 738	**O_ N_-AT184224_**	**557**	**673**
36 x 24 x 29	900 x 600 x 738	**O_ N_-AT183624_**	**525**	**642**
30 x 24 x 29	750 x 600 x 738	**O_ N_-AT183024_**	**499**	**600**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	**O_ N_-AT185424_**	**732**	**1,029**
48 x 24 x 29½	1200 x 600 x 751	**O_ N_-AT184824_**	**673**	**806**
42 x 24 x 29½	1050 x 600 x 751	**O_ N_-AT184224_**	**647**	**774**
36 x 24 x 29½	900 x 600 x 751	**O_ N_-AT183624_**	**610**	**743**
30 x 24 x 29½	750 x 600 x 751	**O_ N_-AT183024_**	**583**	**706**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables, 24" D



To attach to a work surface. Full-width wire access.



Surface	R1
54"/24"	35⅜"
48"/24"	29½"
42"/24"	23½"
36"/24"	17⅝"
30"/24"	11⅝"

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
54 x 24 x 29	1350 x 600 x 738	**O_ N_-AT245418_**	**610**	**865**
48 x 24 x 29	1200 x 600 x 738	**O_ N_-AT244818_**	**583**	**706**
42 x 24 x 29	1050 x 600 x 738	**O_ N_-AT244218_**	**557**	**673**
36 x 24 x 29	900 x 600 x 738	**O_ N_-AT243618_**	**525**	**642**
30 x 24 x 29	750 x 600 x 738	**O_ N_-AT243018_**	**499**	**600**

Specify the surface type (1, 2). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	**O_ N_-AT245418_**	**732**	**1,029**
48 x 24 x 29½	1200 x 600 x 751	**O_ N_-AT244818_**	**673**	**806**
42 x 24 x 29½	1050 x 600 x 751	**O_ N_-AT244218_**	**647**	**774**
36 x 24 x 29½	900 x 600 x 751	**O_ N_-AT243618_**	**610**	**743**
30 x 24 x 29½	750 x 600 x 751	**O_ N_-AT243018_**	**583**	**706**

Specify the surface type (5, 6). Specify the accent color (A, S).
Specify leg choice at the end of the code (B, C, F).

Left D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 48 x 29	2100 x 1200 x 738	**O_ N_-CB844824**	**1,220**	**1,702**
78 x 48 x 29	1950 x 1200 x 738	**O_ N_-CB784824**	**1,157**	**1,623**
72 x 48 x 29	1800 x 1200 x 738	**O_ N_-CB724824**	**1,098**	**1,538**
84 x 42 x 29	2100 x 1050 x 738	**O_ N_-CB844224**	**1,157**	**1,623**
78 x 42 x 29	1950 x 1050 x 738	**O_ N_-CB784224**	**1,098**	**1,538**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-CB724224**	**1,044**	**1,459**

Specify the surface type (1, 2). Specify the accent color (A, S).

Left D-shaped extended corner modules (cont'd)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 48 x 29½	2100 x 1200 x 751	**O_ N_-CB844824**	**1,389**	**1,946**
78 x 48 x 29½	1950 x 1200 x 751	**O_ N_-CB784824**	**1,331**	**1,862**
72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-CB724824**	**1,273**	**1,782**
84 x 42 x 29½	2100 x 1050 x 751	**O_ N_-CB844224**	**1,331**	**1,862**
78 x 42 x 29½	1950 x 1050 x 751	**O_ N_-CB784224**	**1,273**	**1,782**
72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-CB724224**	**1,220**	**1,702**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	**O_ N_-C4884B24**	**1,220**	**1,702**
78 x 48 x 29	1950 x 1200 x 738	**O_ N_-C4878B24**	**1,157**	**1,623**
72 x 48 x 29	1800 x 1200 x 738	**O_ N_-C4872B24**	**1,098**	**1,538**
84 x 42 x 29	2100 x 1050 x 738	**O_ N_-C4284B24**	**1,157**	**1,623**
78 x 42 x 29	1950 x 1050 x 738	**O_ N_-C4278B24**	**1,098**	**1,538**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-C4272B24**	**1,044**	**1,459**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	**O_ N_-C4884B24**	**1,389**	**1,946**
78 x 48 x 29½	1950 x 1200 x 751	**O_ N_-C4878B24**	**1,331**	**1,862**
72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-C4872B24**	**1,273**	**1,782**
84 x 42 x 29½	2100 x 1050 x 751	**O_ N_-C4284B24**	**1,331**	**1,862**
78 x 42 x 29½	1950 x 1050 x 751	**O_ N_-C4278B24**	**1,273**	**1,782**
72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-C4272B24**	**1,220**	**1,702**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	**O_ N_-CBM844824**	**1,358**	**1,846**
78 x 48 x 29	1950 x 1200 x 738	**O_ N_-CBM784824**	**1,305**	**1,767**
72 x 48 x 29	1800 x 1200 x 738	**O_ N_-CBM724824**	**1,246**	**1,681**
84 x 42 x 29	2100 x 1050 x 738	**O_ N_-CBM844224**	**1,305**	**1,767**
78 x 42 x 29	1950 x 1050 x 738	**O_ N_-CBM784224**	**1,246**	**1,681**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-CBM724224**	**1,188**	**1,608**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 48 x 29½	2100 x 1200 x 751	**O_ N_-CBM844824**	**1,533**	**2,090**
78 x 48 x 29½	1950 x 1200 x 751	**O_ N_-CBM784824**	**1,475**	**2,010**
72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-CBM724824**	**1,422**	**1,931**
84 x 42 x 29½	2100 x 1050 x 751	**O_ N_-CBM844224**	**1,475**	**2,010**
78 x 42 x 29½	1950 x 1050 x 751	**O_ N_-CBM784224**	**1,422**	**1,931**
72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-CBM724224**	**1,358**	**1,846**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right D-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 48 x 29	2100 x 1200 x 738	**O_ N_-C4884BM24**	**1,358**	**1,846**
78 x 48 x 29	1950 x 1200 x 738	**O_ N_-C4878BM24**	**1,305**	**1,767**
72 x 48 x 29	1800 x 1200 x 738	**O_ N_-C4872BM24**	**1,246**	**1,681**
84 x 42 x 29	2100 x 1050 x 738	**O_ N_-C4284BM24**	**1,305**	**1,767**
78 x 42 x 29	1950 x 1050 x 738	**O_ N_-C4278BM24**	**1,246**	**1,681**
72 x 42 x 29	1800 x 1050 x 738	**O_ N_-C4272BM24**	**1,188**	**1,608**

Specify the surface type (1, 2). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right D-shaped extended corner modules with modesty panel (cont'd)	84 x 48 x 29½	2100 x 1200 x 751	**O_ N_-C4884BM24**	**1,533**	**2,090**
	78 x 48 x 29½	1950 x 1200 x 751	**O_ N_-C4878BM24**	**1,475**	**2,010**
	72 x 48 x 29½	1800 x 1200 x 751	**O_ N_-C4872BM24**	**1,422**	**1,931**
	84 x 42 x 29½	2100 x 1050 x 751	**O_ N_-C4284BM24**	**1,475**	**2,010**
	78 x 42 x 29½	1950 x 1050 x 751	**O_ N_-C4278BM24**	**1,422**	**1,931**
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-C4272BM24**	**1,358**	**1,846**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

Left P-shaped extended corner modules

Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	**O_ N_-CP844824**	**1,273**	**1,782**
78 x 60 x 29	1950 x 1500 x 738	**O_ N_-CP784824**	**1,220**	**1,702**
72 x 60 x 29	1800 x 1500 x 738	**O_ N_-CP724824**	**1,157**	**1,623**
84 x 54 x 29	2100 x 1350 x 738	**O_ N_-CP844224**	**1,220**	**1,702**
78 x 54 x 29	1950 x 1350 x 738	**O_ N_-CP784224**	**1,157**	**1,623**
72 x 54 x 29	1800 x 1350 x 738	**O_ N_-CP724224**	**1,098**	**1,538**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	**O_ N_-CP844824**	**1,448**	**2,026**
78 x 60 x 29½	1950 x 1500 x 751	**O_ N_-CP784824**	**1,389**	**1,946**
72 x 60 x 29½	1800 x 1500 x 751	**O_ N_-CP724824**	**1,331**	**1,862**
84 x 54 x 29½	2100 x 1350 x 751	**O_ N_-CP844224**	**1,389**	**1,946**
78 x 54 x 29½	1950 x 1350 x 751	**O_ N_-CP784224**	**1,331**	**1,862**
72 x 54 x 29½	1800 x 1350 x 751	**O_ N_-CP724224**	**1,273**	**1,782**

Specify the surface type (5, 6). Specify the accent color (A, S).

Right P-shaped extended corner modules



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	**O_ N_-C4884P24**	**1,273**	**1,782**
78 x 60 x 29	1950 x 1500 x 738	**O_ N_-C4878P24**	**1,220**	**1,702**
72 x 60 x 29	1800 x 1500 x 738	**O_ N_-C4872P24**	**1,157**	**1,623**
84 x 54 x 29	2100 x 1350 x 738	**O_ N_-C4284P24**	**1,220**	**1,702**
78 x 54 x 29	1950 x 1350 x 738	**O_ N_-C4278P24**	**1,157**	**1,623**
72 x 54 x 29	1800 x 1350 x 738	**O_ N_-C4272P24**	**1,098**	**1,538**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	**O_ N_-C4884P24**	**1,448**	**2,026**
78 x 60 x 29½	1950 x 1500 x 751	**O_ N_-C4878P24**	**1,389**	**1,946**
72 x 60 x 29½	1800 x 1500 x 751	**O_ N_-C4872P24**	**1,331**	**1,862**
84 x 54 x 29½	2100 x 1350 x 751	**O_ N_-C4284P24**	**1,389**	**1,946**
78 x 54 x 29½	1950 x 1350 x 751	**O_ N_-C4278P24**	**1,331**	**1,862**
72 x 54 x 29½	1800 x 1350 x 751	**O_ N_-C4272P24**	**1,273**	**1,782**

Specify the surface type (5, 6). Specify the accent color (A, S).

Left P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	**O_ N_-CPM844824**	**1,422**	**1,931**
78 x 60 x 29	1950 x 1500 x 738	**O_ N_-CPM784824**	**1,358**	**1,846**
72 x 60 x 29	1800 x 1500 x 738	**O_ N_-CPM724824**	**1,305**	**1,767**
84 x 54 x 29	2100 x 1350 x 738	**O_ N_-CPM844224**	**1,358**	**1,846**
78 x 54 x 29	1950 x 1350 x 738	**O_ N_-CPM784224**	**1,305**	**1,767**
72 x 54 x 29	1800 x 1350 x 738	**O_ N_-CPM724224**	**1,246**	**1,681**

Specify the surface type (1, 2). Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left P-shaped extended corner modules with modesty panel (cont'd)	84 x 60 x 29½	2100 x 1500 x 751	**O_ N_-CPM844824**	**1,596**	**2,175**
	78 x 60 x 29½	1950 x 1500 x 751	**O_ N_-CPM784824**	**1,533**	**2,090**
	72 x 60 x 29½	1800 x 1500 x 751	**O_ N_-CPM724824**	**1,475**	**2,010**
	84 x 54 x 29½	2100 x 1350 x 751	**O_ N_-CPM844224**	**1,533**	**2,090**
	78 x 54 x 29½	1950 x 1350 x 751	**O_ N_-CPM784224**	**1,475**	**2,010**
	72 x 54 x 29½	1800 x 1350 x 751	**O_ N_-CPM724224**	**1,422**	**1,931**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

Right P-shaped extended corner modules with modesty panel



Packaged in 2 boxes.

To attach to a work surface. Grommet. Side full-width wiring access. Modesty panel. 6" diameter steel leg.

84 x 60 x 29	2100 x 1500 x 738	**O_ N_-C4884PM24**	**1,422**	**1,931**
78 x 60 x 29	1950 x 1500 x 738	**O_ N_-C4878PM24**	**1,358**	**1,846**
72 x 60 x 29	1800 x 1500 x 738	**O_ N_-C4872PM24**	**1,305**	**1,767**
84 x 54 x 29	2100 x 1350 x 738	**O_ N_-C4284PM24**	**1,358**	**1,846**
78 x 54 x 29	1950 x 1350 x 738	**O_ N_-C4278PM24**	**1,305**	**1,767**
72 x 54 x 29	1800 x 1350 x 738	**O_ N_-C4272PM24**	**1,246**	**1,681**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 60 x 29½	2100 x 1500 x 751	**O_ N_-C4884PM24**	**1,596**	**2,175**
78 x 60 x 29½	1950 x 1500 x 751	**O_ N_-C4878PM24**	**1,533**	**2,090**
72 x 60 x 29½	1800 x 1500 x 751	**O_ N_-C4872PM24**	**1,475**	**2,010**
84 x 54 x 29½	2100 x 1350 x 751	**O_ N_-C4284PM24**	**1,533**	**2,090**
78 x 54 x 29½	1950 x 1350 x 751	**O_ N_-C4278PM24**	**1,475**	**2,010**
72 x 54 x 29½	1800 x 1350 x 751	**O_ N_-C4272PM24**	**1,422**	**1,931**

Specify the surface type (5, 6). Specify the accent color (A, S).

D-shaped tables



Packaged in 2 boxes.

To attach to a work surface. Grommet. 6" diameter steel leg.

72 x 36 x 29	1800 x 900 x 738	**O_ N_-BT3672**	**849**	**1,188**
66 x 36 x 29	1650 x 900 x 738	**O_ N_-BT3666**	**827**	**1,151**
60 x 36 x 29	1500 x 900 x 738	**O_ N_-BT3660**	**791**	**1,114**
72 x 30 x 29	1800 x 750 x 738	**O_ N_-BT3072**	**791**	**1,114**
66 x 30 x 29	1650 x 750 x 738	**O_ N_-BT3066**	**753**	**1,056**
60 x 30 x 29	1500 x 750 x 738	**O_ N_-BT3060**	**726**	**1,018**
72 x 24 x 29	1800 x 600 x 738	**O_ N_-BT2472**	**726**	**1,018**
66 x 24 x 29	1650 x 600 x 738	**O_ N_-BT2466**	**695**	**971**
60 x 24 x 29	1500 x 600 x 738	**O_ N_-BT2460**	**663**	**928**

Specify the surface type (1, 2). Specify the accent color (A, S).

72 x 36 x 29½	1800 x 900 x 751	**O_ N_-BT3672**	**1,024**	**1,432**
66 x 36 x 29½	1650 x 900 x 751	**O_ N_-BT3666**	**991**	**1,395**
60 x 36 x 29½	1500 x 900 x 751	**O_ N_-BT3660**	**965**	**1,353**
72 x 30 x 29½	1800 x 750 x 751	**O_ N_-BT3072**	**965**	**1,353**
66 x 30 x 29½	1650 x 750 x 751	**O_ N_-BT3066**	**928**	**1,294**
60 x 30 x 29½	1500 x 750 x 751	**O_ N_-BT3060**	**897**	**1,257**
72 x 24 x 29½	1800 x 600 x 751	**O_ N_-BT2472**	**897**	**1,257**
66 x 24 x 29½	1650 x 600 x 751	**O_ N_-BT2466**	**870**	**1,220**
60 x 24 x 29½	1500 x 600 x 751	**O_ N_-BT2460**	**838**	**1,167**

Specify the surface type (5, 6). Specify the accent color (A, S).

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
D-shaped tables with modesty panel	*To attach to a work surface. Reversible modesty panel. 6" diameter steel leg. Grommet.*				
 Packaged in 2 boxes.	72 x 36 x 29	1800 x 900 x 738	**O_ N_-BTM3672**	**938**	**1,316**
	72 x 30 x 29	1800 x 750 x 738	**O_ N_-BTM3072**	**885**	**1,246**
	66 x 30 x 29	1650 x 750 x 738	**O_ N_-BTM3066**	**769**	**1,077**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 36 x 29½	1800 x 900 x 751	**O_ N_-BTM3672**	**986**	**1,384**
	72 x 30 x 29½	1800 x 750 x 751	**O_ N_-BTM3072**	**945**	**1,326**
	66 x 30 x 29½	1650 x 750 x 751	**O_ N_-BTM3066**	**907**	**1,273**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Left P-shaped tables	*To attach to a work surface. 6" diameter steel leg. Grommet.*				
 Packaged in 2 boxes.	72 x 42 x 29	1800 x 1050 x 738	**O_ N_-PT3072**	**880**	**1,236**
	66 x 42 x 29	1650 x 1050 x 738	**O_ N_-PT3066**	**859**	**1,204**
	60 x 42 x 29	1500 x 1050 x 738	**O_ N_-PT3060**	**838**	**1,162**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-PT3072**	**1,056**	**1,475**
	66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-PT3066**	**1,034**	**1,448**
	60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-PT3060**	**1,008**	**1,416**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Right P-shaped tables	*To attach to a work surface. 6" diameter steel leg. Grommet.*				
 Packaged in 2 boxes.	72 x 42 x 29	1800 x 1050 x 738	**O_ N_-3072PT**	**880**	**1,236**
	66 x 42 x 29	1650 x 1050 x 738	**O_ N_-3066PT**	**859**	**1,204**
	60 x 42 x 29	1500 x 1050 x 738	**O_ N_-3060PT**	**838**	**1,162**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-3072PT**	**1,056**	**1,475**
	66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-3066PT**	**1,034**	**1,448**
	60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-3060PT**	**1,008**	**1,416**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Left P-shaped tables with modesty panel	*To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.*				
 Packaged in 2 boxes.	72 x 42 x 29	1800 x 1050 x 738	**O_ N_-PTM3072**	**933**	**1,310**
	66 x 42 x 29	1650 x 1050 x 738	**O_ N_-PTM3066**	**912**	**1,283**
	60 x 42 x 29	1500 x 1050 x 738	**O_ N_-PTM3060**	**838**	**1,167**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-PTM3072**	**1,104**	**1,554**
	66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-PTM3066**	**1,087**	**1,528**
	60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-PTM3060**	**1,008**	**1,416**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Right P-shaped tables with modesty panel	*To attach to a work surface. Modesty panel. 6" diameter steel leg. Grommet.*				
 Packaged in 2 boxes.	72 x 42 x 29	1800 x 1050 x 738	**O_ N_-3072PTM**	**933**	**1,310**
	66 x 42 x 29	1650 x 1050 x 738	**O_ N_-3066PTM**	**912**	**1,283**
	60 x 42 x 29	1500 x 1050 x 738	**O_ N_-3060PTM**	**838**	**1,167**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 42 x 29½	1800 x 1050 x 751	**O_ N_-3072PTM**	**1,104**	**1,554**
	66 x 42 x 29½	1650 x 1050 x 751	**O_ N_-3066PTM**	**1,087**	**1,528**
	60 x 42 x 29½	1500 x 1050 x 751	**O_ N_-3060PTM**	**1,008**	**1,416**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral file / bookcase credenzas	*Full-width wire access. 2 file drawers with suspension bars. Bookcase unit with doors, 1 adjustable shelf. Locks.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-LF2472B**	**1,681**	**2,026**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-LF2472B**	**1,867**	**2,244**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Double bookcase credenzas	*Full-width wire access. 2 bookcases units with doors. Locks. 1 adjustable shelf on each side.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-B2472B**	**1,512**	**1,820**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-B2472B**	**1,702**	**2,042**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Double lateral file credenzas	*Full-width wire access. 4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-LF2472LF**	**1,867**	**2,244**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-LF2472LF**	**2,052**	**2,471**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Left lateral file credenzas	*Full-width wire access. 2 file drawers with suspension bars. Lock.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-LF2472S**	**1,432**	**1,719**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-LF2466S**	**1,374**	**1,644**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-LF2460S**	**1,310**	**1,570**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-LF2472S**	**1,639**	**1,962**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-LF2466S**	**1,575**	**1,888**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-LF2460S**	**1,507**	**1,814**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right lateral file credenzas	*Full-width wire access. 2 file drawers with suspension bars. Lock.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-S2472LF**	**1,432**	**1,719**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-S2466LF**	**1,374**	**1,644**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-S2460LF**	**1,310**	**1,570**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-S2472LF**	**1,639**	**1,962**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-S2466LF**	**1,575**	**1,888**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-S2460LF**	**1,507**	**1,814**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Lateral file credenzas	*Open space on top and 2 file drawers on bottom with suspension bars. Locks. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-SLF2472**	**1,411**	**1,692**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-SLF2472**	**1,596**	**1,915**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Double pedestal credenzas low profile	*Full-width wire access. 2 pedestals with locks. 4 box drawers and 2 file drawers with suspension bars. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-UF2472UF**	**1,719**	**2,063**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-UF2466UF**	**1,707**	**2,047**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-UF2460UF**	**1,676**	**2,026**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-UF2472UF**	**1,926**	**2,312**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-UF2466UF**	**1,915**	**2,297**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-UF2460UF**	**1,883**	**2,259**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Double pedestal credenzas	*Full-width wire access. 2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-F2472F**	**1,374**	**1,649**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-F2466F**	**1,358**	**1,634**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-F2460F**	**1,331**	**1,601**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-F2472F**	**1,575**	**1,893**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-F2466F**	**1,565**	**1,873**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-F2460F**	**1,533**	**1,840**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Left single pedestal credenzas low profile	*Full-width wire access. 1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-UF2472S**	**1,236**	**1,448**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-UF2466S**	**1,215**	**1,422**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-UF2460S**	**1,177**	**1,384**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-UF2472S**	**1,395**	**1,644**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-UF2466S**	**1,369**	**1,613**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-UF2460S**	**1,342**	**1,581**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right single pedestal credenzas low profile	*Full-width wire access. 1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-S2472UF**	**1,236**	**1,448**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-S2466UF**	**1,215**	**1,422**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-S2460UF**	**1,177**	**1,384**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-S2472UF**	**1,395**	**1,644**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-S2466UF**	**1,369**	**1,613**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-S2460UF**	**1,342**	**1,581**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Left single pedestal credenzas	*Full-width wire access. 1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-F2472S**	**1,061**	**1,273**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-F2466S**	**1,039**	**1,246**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-F2460S**	**1,008**	**1,215**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Left single pedestal credenzas (cont'd)	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-F2472S**	**1,263**	**1,517**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-F2466S**	**1,241**	**1,485**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-F2460S**	**1,215**	**1,454**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right single pedestal credenzas	*Full-width wire access. 1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray.*				
	72 x 24 x 29	1800 x 600 x 738	**O_ _ _-S2472F**	**1,061**	**1,273**
	66 x 24 x 29	1650 x 600 x 738	**O_ _ _-S2466F**	**1,039**	**1,246**
	60 x 24 x 29	1500 x 600 x 738	**O_ _ _-S2460F**	**1,008**	**1,215**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_ _ _-S2472F**	**1,263**	**1,517**
	66 x 24 x 29½	1650 x 600 x 751	**O_ _ _-S2466F**	**1,241**	**1,485**
	60 x 24 x 29½	1500 x 600 x 751	**O_ _ _-S2460F**	**1,215**	**1,454**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Open bookcase credenzas	*1 adjustable shelf on each side. Full-width wire access.*				
	72 x 24 x 29	1800 x 600 x 738	**O_N_-BE2472BE**	**1,210**	**1,448**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_N_-BE2472BE**	**1,326**	**1,596**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Left open bookcase credenzas	*1 adjustable shelf. Full-width wire access.*				
	72 x 24 x 29	1800 x 600 x 738	**O_N_-BE2472S**	**1,114**	**1,336**
	66 x 24 x 29	1650 x 600 x 738	**O_N_-BE2466S**	**1,061**	**1,283**
	60 x 24 x 29	1500 x 600 x 738	**O_N_-BE2460S**	**1,008**	**1,230**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_N_-BE2472S**	**1,225**	**1,469**
	66 x 24 x 29½	1650 x 600 x 751	**O_N_-BE2466S**	**1,167**	**1,416**
	60 x 24 x 29½	1500 x 600 x 751	**O_N_-BE2460S**	**1,114**	**1,358**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Right open bookcase credenzas	*1 adjustable shelf. Full-width wire access.*				
	72 x 24 x 29	1800 x 600 x 738	**O_N_-S2472BE**	**1,114**	**1,336**
	66 x 24 x 29	1650 x 600 x 738	**O_N_-S2466BE**	**1,061**	**1,283**
	60 x 24 x 29	1500 x 600 x 738	**O_N_-S2460BE**	**1,008**	**1,230**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	72 x 24 x 29½	1800 x 600 x 751	**O_N_-S2472BE**	**1,225**	**1,469**
	66 x 24 x 29½	1650 x 600 x 751	**O_N_-S2466BE**	**1,167**	**1,416**
	60 x 24 x 29½	1500 x 600 x 751	**O_N_-S2460BE**	**1,114**	**1,358**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Return shells	*Reversible. 1 grommet. Can accommodate 1 pedestal.*				
	48 x 24 x 29	1200 x 600 x 738	**O_N_-R2448S**	**494**	**589**
	42 x 24 x 29	1050 x 600 x 738	**O_N_-R2442S**	**477**	**573**
	36 x 24 x 29	900 x 600 x 738	**O_N_-R2436S**	**451**	**547**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_N_-R2448S**	**631**	**759**
	42 x 24 x 29½	1050 x 600 x 751	**O_N_-R2442S**	**600**	**726**
	36 x 24 x 29½	900 x 600 x 751	**O_N_-R2436S**	**562**	**679**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left executive returns low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 738	**O_ _ _-UF2448R**	**1,044**	**1,220**
	42 x 24 x 29	1050 x 600 x 738	**O_ _ _-UF2442R**	**986**	**1,157**
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-UF2436R**	**945**	**1,098**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_ _ _-UF2448R**	**1,151**	**1,347**
	42 x 24 x 29½	1050 x 600 x 751	**O_ _ _-UF2442R**	**1,098**	**1,283**
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-UF2436R**	**1,056**	**1,236**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right executive returns low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 738	**O_ _ _-R2448UF**	**1,044**	**1,220**
	42 x 24 x 29	1050 x 600 x 738	**O_ _ _-R2442UF**	**986**	**1,157**
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-R2436UF**	**945**	**1,098**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_ _ _-R2448UF**	**1,151**	**1,347**
	42 x 24 x 29½	1050 x 600 x 751	**O_ _ _-R2442UF**	**1,098**	**1,283**
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-R2436UF**	**1,056**	**1,236**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right executive returns	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 738	**O_ _ _-R2448F**	**870**	**1,044**
	42 x 24 x 29	1050 x 600 x 738	**O_ _ _-R2442F**	**812**	**981**
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-R2436F**	**769**	**928**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_ _ _-R2448F**	**976**	**1,172**
	42 x 24 x 29½	1050 x 600 x 751	**O_ _ _-R2442F**	**928**	**1,114**
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-R2436F**	**880**	**1,061**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Left executive returns	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 738	**O_ _ _-F2448R**	**870**	**1,044**
	42 x 24 x 29	1050 x 600 x 738	**O_ _ _-F2442R**	**812**	**981**
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-F2436R**	**769**	**928**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_ _ _-F2448R**	**976**	**1,172**
	42 x 24 x 29½	1050 x 600 x 751	**O_ _ _-F2442R**	**928**	**1,114**
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-F2436R**	**880**	**1,061**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bridge returns	*Grommet. Full-height modesty panel.*				
	48 x 24 x 29	1200 x 600 x 738	**O_N_-BR2448**	**398**	**482**
	42 x 24 x 29	1050 x 600 x 738	**O_N_-BR2442**	**371**	**446**
	36 x 24 x 29	900 x 600 x 738	**O_N_-BR2436**	**350**	**419**
	Specify the surface type (1, 2). Specify the accent color (A, S).				
	48 x 24 x 29½	1200 x 600 x 751	**O_N_-BR2448**	**488**	**583**
	42 x 24 x 29½	1050 x 600 x 751	**O_N_-BR2442**	**467**	**557**
	36 x 24 x 29½	900 x 600 x 751	**O_N_-BR2436**	**441**	**536**
	Specify the surface type (5, 6). Specify the accent color (A, S).				
Hutches with doors and pigeonholes	*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.*				
	72 x 16 x 44	1800 x 400 x 1096	**01N_-E724416PD**	**1,464**	–
72" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	66 x 16 x 44	1650 x 400 x 1096	**01N_-E664416PD**	**1,416**	–
	60 x 16 x 44	1500 x 400 x 1096	**01N_-E604416PD**	**1,358**	–
	54 x 16 x 44	1350 x 400 x 1096	**01N_-E544416PD**	**1,305**	–
	48 x 16 x 44	1200 x 400 x 1096	**01N_-E484416PD**	**1,252**	–
	42 x 16 x 44	1050 x 400 x 1096	**01N_-E424416PD**	**1,193**	–
	36 x 16 x 44	900 x 400 x 1096	**01N_-E364416PD**	**1,135**	–
	Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1096	**05N_-E724416PD**	**1,586**	–
	66 x 16 x 44	1650 x 400 x 1096	**05N_-E664416PD**	**1,528**	–
	60 x 16 x 44	1500 x 400 x 1096	**05N_-E604416PD**	**1,475**	–
	54 x 16 x 44	1350 x 400 x 1096	**05N_-E544416PD**	**1,422**	–
	48 x 16 x 44	1200 x 400 x 1096	**05N_-E484416PD**	**1,342**	–
	42 x 16 x 44	1050 x 400 x 1096	**05N_-E424416PD**	**1,283**	–
	36 x 16 x 44	900 x 400 x 1096	**05N_-E364416PD**	**1,230**	–
	Specify the accent color (A, S). To be used with 1½" surfaces.				
Hutches with translucent doors and pigeonholes – 44" H	*Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.*				
	72 x 16 x 44	1800 x 400 x 1096	**01NS-E724416TD**	**2,010**	–
72" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	66 x 16 x 44	1650 x 400 x 1096	**01NS-E664416TD**	**1,962**	–
	60 x 16 x 44	1500 x 400 x 1096	**01NS-E604416TD**	**1,904**	–
	54 x 16 x 44	1350 x 400 x 1096	**01NS-E544416TD**	**1,714**	–
	48 x 16 x 44	1200 x 400 x 1096	**01NS-E484416TD**	**1,661**	–
	42 x 16 x 44	1050 x 400 x 1096	**01NS-E424416TD**	**1,464**	–
	36 x 16 x 44	900 x 400 x 1096	**01NS-E364416TD**	**1,411**	–
	Accent color S. To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1096	**05NS-E724416TD**	**2,132**	–
	66 x 16 x 44	1650 x 400 x 1096	**05NS-E664416TD**	**2,074**	–
	60 x 16 x 44	1500 x 400 x 1096	**05NS-E604416TD**	**2,021**	–
	54 x 16 x 44	1350 x 400 x 1096	**05NS-E544416TD**	**1,830**	–
	48 x 16 x 44	1200 x 400 x 1096	**05NS-E484416TD**	**1,755**	–
	42 x 16 x 44	1050 x 400 x 1096	**05NS-E424416TD**	**1,560**	–
	36 x 16 x 44	900 x 400 x 1096	**05NS-E364416TD**	**1,501**	–
	Accent color S. To be used with 1½" surfaces.				

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

Hutches with doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access. Adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 44	1800 x 400 x 1096	**01N_-E724416P**	**1,236**	–
66 x 16 x 44	1650 x 400 x 1096	**01N_-E664416P**	**1,177**	–
60 x 16 x 44	1500 x 400 x 1096	**01N_-E604416P**	**1,130**	–
54 x 16 x 44	1350 x 400 x 1096	**01N_-E544416P**	**1,071**	–
48 x 16 x 44	1200 x 400 x 1096	**01N_-E484416P**	**1,024**	–
42 x 16 x 44	1050 x 400 x 1096	**01N_-E424416P**	**960**	–
36 x 16 x 44	900 x 400 x 1096	**01N_-E364416P**	**902**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	**05N_-E724416P**	**1,353**	–
66 x 16 x 44	1650 x 400 x 1096	**05N_-E664416P**	**1,294**	–
60 x 16 x 44	1500 x 400 x 1096	**05N_-E604416P**	**1,246**	–
54 x 16 x 44	1350 x 400 x 1096	**05N_-E544416P**	**1,188**	–
48 x 16 x 44	1200 x 400 x 1096	**05N_-E484416P**	**1,114**	–
42 x 16 x 44	1050 x 400 x 1096	**05N_-E424416P**	**1,056**	–
36 x 16 x 44	900 x 400 x 1096	**05N_-E364416P**	**991**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 44" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.

72 x 16 x 44	1800 x 400 x 1096	**01NS-E724416T**	**1,782**	–
66 x 16 x 44	1650 x 400 x 1096	**01NS-E664416T**	**1,724**	–
60 x 16 x 44	1500 x 400 x 1096	**01NS-E604416T**	**1,676**	–
54 x 16 x 44	1350 x 400 x 1096	**01NS-E544416T**	**1,480**	–
48 x 16 x 44	1200 x 400 x 1096	**01NS-E484416T**	**1,432**	–
42 x 16 x 44	1050 x 400 x 1096	**01NS-E424416T**	**1,236**	–
36 x 16 x 44	900 x 400 x 1096	**01NS-E364416T**	**1,172**	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	**05NS-E724416T**	**1,899**	–
66 x 16 x 44	1650 x 400 x 1096	**05NS-E664416T**	**1,840**	–
60 x 16 x 44	1500 x 400 x 1096	**05NS-E604416T**	**1,793**	–
54 x 16 x 44	1350 x 400 x 1096	**05NS-E544416T**	**1,596**	–
48 x 16 x 44	1200 x 400 x 1096	**05NS-E484416T**	**1,522**	–
42 x 16 x 44	1050 x 400 x 1096	**05NS-E424416T**	**1,326**	–
36 x 16 x 44	900 x 400 x 1096	**05NS-E364416T**	**1,268**	–

Accent color S. To be used with 1½" surfaces.

Hutches with doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.

72 x 16 x 36	1800 x 400 x 893	**01N_-E723616P**	**1,056**	–
66 x 16 x 36	1650 x 400 x 893	**01N_-E663616P**	**998**	–
60 x 16 x 36	1500 x 400 x 893	**01N_-E603616P**	**945**	–
54 x 16 x 36	1350 x 400 x 893	**01N_-E543616P**	**897**	–
48 x 16 x 36	1200 x 400 x 893	**01N_-E483616P**	**849**	–
42 x 16 x 36	1050 x 400 x 893	**01N_-E423616P**	**774**	–
36 x 16 x 36	900 x 400 x 893	**01N_-E363616P**	**700**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	**05N_-E723616P**	**1,167**	–
66 x 16 x 36	1650 x 400 x 893	**05N_-E663616P**	**1,119**	–
60 x 16 x 36	1500 x 400 x 893	**05N_-E603616P**	**1,061**	–
54 x 16 x 36	1350 x 400 x 893	**05N_-E543616P**	**1,018**	–
48 x 16 x 36	1200 x 400 x 893	**05N_-E483616P**	**933**	–
42 x 16 x 36	1050 x 400 x 893	**05N_-E423616P**	**865**	–
36 x 16 x 36	900 x 400 x 893	**05N_-E363616P**	**785**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Hutches with translucent doors – 36" H



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Clearance: 16¾" (426 mm). Grommet. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 36	1800 x 400 x 893	**01NS-E723616T**	**1,601**	–
66 x 16 x 36	1650 x 400 x 893	**01NS-E663616T**	**1,543**	–
60 x 16 x 36	1500 x 400 x 893	**01NS-E603616T**	**1,490**	–
54 x 16 x 36	1350 x 400 x 893	**01NS-E543616T**	**1,305**	–
48 x 16 x 36	1200 x 400 x 893	**01NS-E483616T**	**1,257**	–
42 x 16 x 36	1050 x 400 x 893	**01NS-E423616T**	**1,051**	–
36 x 16 x 36	900 x 400 x 893	**01NS-E363616T**	**971**	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	**05NS-E723616T**	**1,714**	–
66 x 16 x 36	1650 x 400 x 893	**05NS-E663616T**	**1,666**	–
60 x 16 x 36	1500 x 400 x 893	**05NS-E603616T**	**1,608**	–
54 x 16 x 36	1350 x 400 x 893	**05NS-E543616T**	**1,427**	–
48 x 16 x 36	1200 x 400 x 893	**05NS-E483616T**	**1,342**	–
42 x 16 x 36	1050 x 400 x 893	**05NS-E423616T**	**1,135**	–
36 x 16 x 36	900 x 400 x 893	**05NS-E363616T**	**1,061**	–

Accent color S. To be used with 1½" surfaces.

Hutches with flipper doors



72" to 54": 2 doors
48" to 36": 1 door

Wire dividers included (2 per door). Can accommodate a tackboard, refer to page 205. Clearance: 16¾" (426 mm). Grommet. Full-width wire access. 1 tone only.

72 x 16 x 36	1800 x 400 x 893	**ONN_-E723616FD**	**1,056**	–
66 x 16 x 36	1650 x 400 x 893	**ONN_-E663616FD**	**998**	–
60 x 16 x 36	1500 x 400 x 893	**ONN_-E603616FD**	**945**	–
54 x 16 x 36	1350 x 400 x 893	**ONN_-E543616FD**	**897**	–
48 x 16 x 36	1200 x 400 x 893	**ONN_-E483616FD**	**849**	–
42 x 16 x 36	1050 x 400 x 893	**ONN_-E423616FD**	**774**	–
36 x 16 x 36	900 x 400 x 893	**ONN_-E363616FD**	**700**	–

Specify the accent color (A, S).

Open hutches – 44" H

72" to 48": 4 shelves
42" to 36": 2 shelves

Adjustable shelves. Wire dividers included (1 per shelf). Can accommodate a tackboard, refer to page 205. Clearance: 20⅞" (530 mm). Grommet. Full-width wire access.

72 x 16 x 44	1800 x 400 x 1096	**01N_-E724416**	**928**	–
66 x 16 x 44	1650 x 400 x 1096	**01N_-E664416**	**880**	–
60 x 16 x 44	1500 x 400 x 1096	**01N_-E604416**	**832**	–
54 x 16 x 44	1350 x 400 x 1096	**01N_-E544416**	**769**	–
48 x 16 x 44	1200 x 400 x 1096	**01N_-E484416**	**716**	–
42 x 16 x 44	1050 x 400 x 1096	**01N_-E424416**	**673**	–
36 x 16 x 44	900 x 400 x 1096	**01N_-E364416**	**642**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1096	**05N_-E724416**	**1,044**	–
66 x 16 x 44	1650 x 400 x 1096	**05N_-E664416**	**991**	–
60 x 16 x 44	1500 x 400 x 1096	**05N_-E604416**	**945**	–
54 x 16 x 44	1350 x 400 x 1096	**05N_-E544416**	**885**	–
48 x 16 x 44	1200 x 400 x 1096	**05N_-E484416**	**801**	–
42 x 16 x 44	1050 x 400 x 1096	**05N_-E424416**	**759**	–
36 x 16 x 44	900 x 400 x 1096	**05N_-E364416**	**726**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

X = NOT PART OF THE QUICKSHIP PROGRAM

Open hutches – 36" H



Wire dividers included. Can accommodate a tackboard, refer to page 205. Clearance: 16 ¾" (426 mm). Grommet. Full-width wire access.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 36	1800 x 400 x 893	**O1N_-E723616**	**774**	–
66 x 16 x 36	1650 x 400 x 893	**O1N_-E663616**	**732**	–
60 x 16 x 36	1500 x 400 x 893	**O1N_-E603616**	**679**	–
54 x 16 x 36	1350 x 400 x 893	**O1N_-E543616**	**620**	–
48 x 16 x 36	1200 x 400 x 893	**O1N_-E483616**	**573**	–
42 x 16 x 36	1050 x 400 x 893	**O1N_-E423616**	**514**	–
36 x 16 x 36	900 x 400 x 893	**O1N_-E363616**	**482**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 36	1800 x 400 x 893	**O5N_-E723616**	**891**	–
66 x 16 x 36	1650 x 400 x 893	**O5N_-E663616**	**849**	–
60 x 16 x 36	1500 x 400 x 893	**O5N_-E603616**	**791**	–
54 x 16 x 36	1350 x 400 x 893	**O5N_-E543616**	**743**	–
48 x 16 x 36	1200 x 400 x 893	**O5N_-E483616**	**658**	–
42 x 16 x 36	1050 x 400 x 893	**O5N_-E423616**	**600**	–
36 x 16 x 36	900 x 400 x 893	**O5N_-E363616**	**567**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Wall-mounted hutches with laminate doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 22	1800 x 400 x 567	**O1N_-EM722216PD**	**1,411**	–
66 x 16 x 22	1650 x 400 x 567	**O1N_-EM662216PD**	**1,358**	–
60 x 16 x 22	1500 x 400 x 567	**O1N_-EM602216PD**	**1,305**	–
54 x 16 x 22	1350 x 400 x 567	**O1N_-EM542216PD**	**1,252**	–
48 x 16 x 22	1200 x 400 x 567	**O1N_-EM482216PD**	**1,199**	–
42 x 16 x 22	1050 x 400 x 567	**O1N_-EM422216PD**	**1,135**	–
36 x 16 x 22	900 x 400 x 567	**O1N_-EM362216PD**	**1,082**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	**O5N_-EM722216PD**	**1,528**	–
66 x 16 x 22	1650 x 400 x 580	**O5N_-EM662216PD**	**1,475**	–
60 x 16 x 22	1500 x 400 x 580	**O5N_-EM602216PD**	**1,422**	–
54 x 16 x 22	1350 x 400 x 580	**O5N_-EM542216PD**	**1,369**	–
48 x 16 x 22	1200 x 400 x 580	**O5N_-EM482216PD**	**1,289**	–
42 x 16 x 22	1050 x 400 x 580	**O5N_-EM422216PD**	**1,230**	–
36 x 16 x 22	900 x 400 x 580	**O5N_-EM362216PD**	**1,172**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Wall-mounted hutches with translucent doors and pigeonholes



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 22	1800 x 400 x 567	**O1NS-EM722216TD**	**1,957**	–
66 x 16 x 22	1650 x 400 x 567	**O1NS-EM662216TD**	**1,904**	–
60 x 16 x 22	1500 x 400 x 567	**O1NS-EM602216TD**	**1,851**	–
54 x 16 x 22	1350 x 400 x 567	**O1NS-EM542216TD**	**1,661**	–
48 x 16 x 22	1200 x 400 x 567	**O1NS-EM482216TD**	**1,608**	–
42 x 16 x 22	1050 x 400 x 567	**O1NS-EM422216TD**	**1,411**	–
36 x 16 x 22	900 x 400 x 567	**O1NS-EM362216TD**	**1,353**	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	**O5NS-EM722216TD**	**2,074**	–
66 x 16 x 22	1650 x 400 x 580	**O5NS-EM662216TD**	**2,021**	–
60 x 16 x 22	1500 x 400 x 580	**O5NS-EM602216TD**	**1,968**	–
54 x 16 x 22	1350 x 400 x 580	**O5NS-EM542216TD**	**1,777**	–
48 x 16 x 22	1200 x 400 x 580	**O5NS-EM482216TD**	**1,697**	–
42 x 16 x 22	1050 x 400 x 580	**O5NS-EM422216TD**	**1,501**	–
36 x 16 x 22	900 x 400 x 580	**O5NS-EM362216TD**	**1,448**	–

Accent color S. To be used with 1½" surfaces.

Wall-mounted hutches with doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Adjustable shelf. Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 22	1800 x 400 x 567	**O1N_-EM722216P**	**1,180**	–
66 x 16 x 22	1650 x 400 x 567	**O1N_-EM662216P**	**1,125**	–
60 x 16 x 22	1500 x 400 x 567	**O1N_-EM602216P**	**1,075**	–
54 x 16 x 22	1350 x 400 x 567	**O1N_-EM542216P**	**1,020**	–
48 x 16 x 22	1200 x 400 x 567	**O1N_-EM482216P**	**970**	–
42 x 16 x 22	1050 x 400 x 567	**O1N_-EM422216P**	**900**	–
36 x 16 x 22	900 x 400 x 567	**O1N_-EM362216P**	**850**	–

Specify the accent color (A, S). To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	**O5N_-EM722216P**	**1,300**	–
66 x 16 x 22	1650 x 400 x 580	**O5N_-EM662216P**	**1,240**	–
60 x 16 x 22	1500 x 400 x 580	**O5N_-EM602216P**	**1,190**	–
54 x 16 x 22	1350 x 400 x 580	**O5N_-EM542216P**	**1,135**	–
48 x 16 x 22	1200 x 400 x 580	**O5N_-EM482216P**	**1,060**	–
42 x 16 x 22	1050 x 400 x 580	**O5N_-EM422216P**	**1,000**	–
36 x 16 x 22	900 x 400 x 580	**O5N_-EM362216P**	**940**	–

Specify the accent color (A, S). To be used with 1½" surfaces.

Wall-mounted hutches with translucent doors



72" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Wire dividers included (1 per door). Can accommodate a tackboard, refer to page 205. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 22	1800 x 400 x 567	**O1NS-EM722216T**	**1,485**	–
66 x 16 x 22	1650 x 400 x 567	**O1NS-EM662216T**	**1,432**	–
60 x 16 x 22	1500 x 400 x 567	**O1NS-EM602216T**	**1,379**	–
54 x 16 x 22	1350 x 400 x 567	**O1NS-EM542216T**	**1,193**	–
48 x 16 x 22	1200 x 400 x 567	**O1NS-EM482216T**	**1,167**	–
42 x 16 x 22	1050 x 400 x 567	**O1NS-EM422216T**	**960**	–
36 x 16 x 22	900 x 400 x 567	**O1NS-EM362216T**	**885**	–

Accent color S. To be used with 1" surfaces.

72 x 16 x 22	1800 x 400 x 580	**O5NS-EM722216T**	**1,601**	–
66 x 16 x 22	1650 x 400 x 580	**O5NS-EM662216T**	**1,543**	–
60 x 16 x 22	1500 x 400 x 580	**O5NS-EM602216T**	**1,490**	–
54 x 16 x 22	1350 x 400 x 580	**O5NS-EM542216T**	**1,336**	–
48 x 16 x 22	1200 x 400 x 580	**O5NS-EM482216T**	**1,257**	–
42 x 16 x 22	1050 x 400 x 580	**O5NS-EM422216T**	**1,051**	–
36 x 16 x 22	900 x 400 x 580	**O5NS-EM362216T**	**971**	–

Accent color S. To be used with 1½" surfaces.

Wall-mounted hutches with flipper doors



72" to 54": 2 doors
48" to 36": 1 door

Wire dividers included (2 per door). 1 tone only. Can accommodate a tackboard, refer to page 205. Hanger bar included for wall-mount installation.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 16 x 17	1800 x 400 x 468	**ONN_-EM721716D**	**938**	–
66 x 16 x 17	1650 x 400 x 468	**ONN_-EM661716D**	**885**	–
60 x 16 x 17	1500 x 400 x 468	**ONN_-EM601716D**	**832**	–
54 x 16 x 17	1350 x 400 x 468	**ONN_-EM541716D**	**779**	–
48 x 16 x 17	1200 x 400 x 468	**ONN_-EM481716D**	**759**	–
42 x 16 x 17	1050 x 400 x 468	**ONN_-EM421716D**	**690**	–
36 x 16 x 17	900 x 400 x 468	**ONN_-EM361716D**	**610**	–

Specify the accent color (A, S).

Modular pedestal

2 box drawers, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
15 x 18 x 28	388 x 448 x 713	**ON_ _-P1518UFL**	**796**	–

Specify the handle code (B, L, Z). Specify the accent color (A, S).

Modular pedestal

2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
15 x 18 x 28	388 x 448 x 713	**ON_ _-P1518FFL**	**748**	–

Specify the handle code (B, L, Z). Specify the accent color (A, S).

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hanging pedestal	*1 box drawer, 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 17½ x 19	388 x 448 x 503	**ON_ _-F**	**642**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Metal pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*				
	15 x 22 x 28	372 x 540 x 713	**ON_ _-PM1522UFL**	**504**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Metal pedestal	*2 file drawers with suspension bars. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*				
	15 x 22 x 28	372 x 540 x 713	**ON_ _-PM1522FFL**	**482**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Hanging metal pedestal	*1 box drawer, 1 file drawer. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*				
	15 x 22 x 19½	372 x 540 x 496	**ON_ _-MF**	**461**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular lateral files	*2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 448 x 713	**ON_ _-1836LFL**	**933**	–
	30 x 18 x 28	750 x 448 x 713	**ON_ _-1830LFL**	**885**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals	*2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 448 x 713	**ON_ _-1836COL**	**1,199**	–
	30 x 18 x 28	750 x 448 x 713	**ON_ _-1830COL**	**1,098**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined modular pedestals	*2 box drawers, 2 file drawers with suspension bars. Goes under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 448 x 713	**ON_ _-CO1836L**	**1,199**	–
	30 x 18 x 28	750 x 448 x 713	**ON_ _-CO1830L**	**1,098**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Modular bookcase with doors	*1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.*				
	36 x 18 x 28	900 x 448 x 713	**ON_ _-1836BL**	**732**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals	*2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.*				
	15 x 28 x 27	388 x 700 x 689	**ON_ _-MP1528UF**	**870**	–
	15 x 18 x 27	388 x 450 x 704	**ON_ _-MP1518UF**	**859**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Mobile pedestals	*1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Pencil tray. Lock. Fits under a work surface. 1 tone only.*				
	15 x 28 x 21½	388 x 700 x 527	**ON_ _-MP1528F**	**849**	–
	15 x 18 x 21½	388 x 450 x 527	**ON_ _-MP1518F**	**827**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Lateral files	*2 file drawers with suspension bars. Lock. Full-width wire access. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-2436LF**	**991**	**1,199**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-2436LF**	**1,098**	**1,321**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Combined pedestals	*2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.*				
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-2436CO**	**1,257**	**1,347**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-2436CO**	**1,384**	**1,485**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined pedestals	*2 box drawers, 2 file drawers with suspension bars. Full-width wire access. Lock.*				
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-CO2436**	**1,257**	**1,347**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-CO2436**	**1,384**	**1,485**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Bookcases units with doors	*1 adjustable shelf. Full-width wire access. Lock.*				
	36 x 24 x 29	900 x 600 x 738	**O_ _ _-2436B**	**859**	**1,034**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 24 x 29½	900 x 600 x 751	**O_ _ _-2436B**	**965**	**1,162**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Storage cabinets with laminate doors	*3 adjustable shelves. 1 fixed shelf. Lock. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_ _ -243673B**	**1,560**	–
	36 x 24 x 65	900 x 600 x 1632	**01_ _ -243665B**	**1,501**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_ _ -243673B**	**1,714**	–
	36 x 24 x 65	900 x 600 x 1645	**05_ _ -243665B**	**1,654**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Storage cabinets with translucent doors	*3 adjustable shelves. 1 full-width fixed shelf. Lock. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_S-243673BT**	**2,264**	–
	36 x 24 x 65	900 x 600 x 1632	**01_S-243665BT**	**2,211**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_S-243673BT**	**2,424**	–
	36 x 24 x 65	900 x 600 x 1645	**05_S-243665BT**	**2,365**	–
	Specify the handle code (B, Z).				
Wardrobe / storage cabinets with laminate doors	*Clothes hanger bar and 1 fixed shelf on wardrobe side (15⅝" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_ _ -243673BC**	**1,501**	–
	36 x 24 x 65	900 x 600 x 1632	**01_ _ -243665BC**	**1,442**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_ _ -243673BC**	**1,654**	–
	36 x 24 x 65	900 x 600 x 1645	**05_ _ -243665BC**	**1,601**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Wardrobe / storage cabinets with translucent doors	*Clothes hanger bar and 1 fixed shelf on wardrobe side (15⅝" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_S-243673BCT**	**2,377**	–
	36 x 24 x 65	900 x 600 x 1632	**01_S-243665BCT**	**2,317**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_S-243673BCT**	**2,530**	–
	36 x 24 x 65	900 x 600 x 1645	**05_S-243665BCT**	**2,477**	–
	Specify the handle code (B, Z).				

X = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage / lateral file cabinets with laminate doors	*2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_ _ -243673LFB**	**1,825**	–
	36 x 24 x 65	900 x 600 x 1632	**01_ _ -243665LFB**	**1,681**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_ _ -243673LFB**	**1,968**	–
	36 x 24 x 65	900 x 600 x 1645	**05_ _ -243665LFB**	**1,825**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Storage / lateral file cabinets with translucent doors	*2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_S-243673LFBT**	**2,259**	–
	36 x 24 x 65	900 x 600 x 1632	**01_S-243665LFBT**	**2,122**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_S-243673LFBT**	**2,403**	–
	36 x 24 x 65	900 x 600 x 1645	**05_S-243665LFBT**	**2,259**	–
	Specify the handle code (B, Z).				
Wardrobe / storage cabinets with laminate doors	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18⅜" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_ _-243673UFB**	**1,941**	–
	36 x 24 x 65	900 x 600 x 1632	**01_ _-243665UFB**	**1,803**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_ _-243673UFB**	**2,085**	–
	36 x 24 x 65	900 x 600 x 1645	**05_ _-243665UFB**	**1,941**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined storage cabinets with translucent doors	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18⅜" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_S-243673UFBT**	**2,594**	–
	36 x 24 x 65	900 x 600 x 1632	**01_S-243665UFBT**	**2,461**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_S-243673UFBT**	**2,742**	–
	36 x 24 x 65	900 x 600 x 1645	**05_S-243665UFBT**	**2,594**	–
	Specify the handle code (B, Z).				
Wardrobe / storage cabinets with laminate doors	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18⅜" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_ _-243673BUF**	**1,941**	–
	36 x 24 x 65	900 x 600 x 1632	**01_ _-243665BUF**	**1,803**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_ _-243673BUF**	**2,085**	–
	36 x 24 x 65	900 x 600 x 1645	**05_ _-243665BUF**	**1,941**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Combined storage cabinets with translucent doors	*2 box drawers, 1 file drawer with suspension bar. Clothes hanger bar and 1 fixed shelf on wardrobe side (18⅜" W). 2 adjustable shelves. Lock on drawers and on full-height door. To be used with 1" surfaces.*				
	36 x 24 x 73	900 x 600 x 1834	**01_S-243673BUFT**	**2,594**	–
	36 x 24 x 65	900 x 600 x 1632	**01_S-243665BUFT**	**2,461**	–
	To be used with 1½" surfaces.				
	36 x 24 x 73	900 x 600 x 1847	**05_S-243673BUFT**	**2,742**	–
	36 x 24 x 65	900 x 600 x 1645	**05_S-243665BUFT**	**2,594**	–
	Specify the handle code (B, Z).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage / lateral file cabinets with laminate door	*2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_ _-242473FB**	**1,469**	–
	24 x 24 x 65	600 x 600 x 1632	**01_ _-242465FB**	**1,406**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_ _-242473FB**	**1,586**	–
	24 x 24 x 65	600 x 600 x 1645	**05_ _-242465FB**	**1,517**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Storage / lateral file cabinets with translucent door	*2 adjustable shelves. 2 file drawers with suspension bars. Reversible door. Lock on drawers. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_S-242473FBT**	**1,904**	–
	24 x 24 x 65	600 x 600 x 1632	**01_S-242465FBT**	**1,840**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_S-242473FBT**	**2,021**	–
	24 x 24 x 65	600 x 600 x 1645	**05_S-242465FBT**	**1,957**	–
	Specify the handle code (B, Z).				
Wardrobe / storage cabinets with laminate door	*Clothes hanger bar and 1 fixed shelf on wardrobe side (10¼" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_ _-242473BC_**	**1,077**	–
	24 x 24 x 65	600 x 600 x 1632	**01_ _-242465BC_**	**1,024**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_ _-242473BC_**	**1,193**	–
	24 x 24 x 65	600 x 600 x 1645	**05_ _-242465BC_**	**1,135**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				
Wardrobe / storage cabinets with translucent door	*Clothes hanger bar and 1 fixed shelf on wardrobe side (10¼" W). 4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_S-242473BCT_**	**1,570**	–
	24 x 24 x 65	600 x 600 x 1632	**01_S-242465BCT_**	**1,512**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_S-242473BCT_**	**1,681**	–
	24 x 24 x 65	600 x 600 x 1645	**05_S-242465BCT_**	**1,628**	–
	Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				
Storage cabinets with laminate door	*4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_ _-242473B_**	**1,077**	–
	24 x 24 x 65	600 x 600 x 1632	**01_ _-242465B_**	**1,024**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_ _-242473B_**	**1,193**	–
	24 x 24 x 65	600 x 600 x 1645	**05_ _-242465B_**	**1,135**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S). Specify opening at the end of the code: on right (R) or on left (L).				
Storage cabinets with translucent doors	*4 adjustable shelves. Lock. To be used with 1" surfaces.*				
	24 x 24 x 73	600 x 600 x 1834	**01_S-242473BT_**	**1,570**	–
	24 x 24 x 65	600 x 600 x 1632	**01_S-242465BT_**	**1,512**	–
	To be used with 1½" surfaces.				
	24 x 24 x 73	600 x 600 x 1847	**05_S-242473BT_**	**1,681**	–
	24 x 24 x 65	600 x 600 x 1645	**05_S-242465BT_**	**1,628**	–
	Specify the handle code (B, Z). Specify opening at the end of the code: on right (R) or on left (L).				

= NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Open bookcases	*73" H: 4 adjustable shelves. 65" H: 4 adjustable shelves. 48" H: 2 adjustable shelves. To be used with 1" surfaces.*				
	36 x 14 x 73	900 x 350 x 1834	**01NN-B367314**	**1,748**	–
	36 x 14 x 65	900 x 350 x 1632	**01NN-B366514**	**1,693**	–
	36 x 14 x 48	900 x 350 x 1225	**01NN-B364814**	**866**	–
	To be used with 1½" surfaces.				
	36 x 14 x 73	900 x 350 x 1847	**05NN-B367314**	**897**	–
	36 x 14 x 65	900 x 350 x 1645	**05NN-B366514**	**849**	–
	36 x 14 x 48	900 x 350 x 1238	**05NN-B364814**	**759**	–
Left personal storage towers	*1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7¼" W). Lock for the two file drawers. Lock on door.*				
	24 x 24 x 57	600 x 600 x 1437	**ON_ _-PB242457**	**1,846**	–
	24 x 24 x 49	600 x 600 x 1234	**ON_ _-PB242449**	**1,761**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Right personal storage towers	*1 box drawer, 2 file drawers with suspension bars. Adjustable shelf on 57" H only. Wardrobe with clothes / hanger bar (7¼" W). Lock for the two file drawers. Lock on door.*				
	24 x 24 x 57	600 x 600 x 1437	**ON_ _-P242457B**	**1,846**	–
	24 x 24 x 49	600 x 600 x 1234	**ON_ _-P242449B**	**1,761**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Round table tops	*1½" thick.*				
	48 x 48 x 1½	1200 x 1200 x 38	**O_ NN-R48**	**583**	**764**
	42 x 42 x 1½	1050 x 1050 x 38	**O_ NN-R42**	**504**	**663**
	Specify the surface type (5, 6).				
Cross base	*1½" laminate thick base. For 48" diameter round table tops.*				
	33 x 33 x 28	825 x 825 x 713	**LGC-CR33**	**441**	–
Cross base	*1½" laminate thick base. For 42" diameter round table tops.*				
	27 x 27 x 28	680 x 680 x 713	**LGC-CR27**	**388**	–
Cross base	*Anthracite Grey (GAN) or Silver (ARS) steel. Specify the finish.*				
	33 x 33 x 28	830 x 830 x 710	**LGC-CH433**	**562**	–
6" diameter steel leg.	*Anthracite Grey (GAN) or Silver (ARS) steel. Specify the finish.*				
	6 x 6 x 28	150 x 150 x 710	**LGC-TL**	**260**	–

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Serving carts	*1 sliding shelf, 11½" extension. 2 box drawers. 2 doors with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.*				
	36 x 21 x 36	900 x 520 x 908	**O_ _ _-MS213636**	**1,326**	**1,724**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	36 x 21 x 36½	900 x 520 x 921	**O_ _ _-MS213636**	**1,464**	**1,904**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Serving carts	*1 sliding shelf, 11½" extension. 1 box drawer. 1 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.*				
	20 x 21 x 36	500 x 520 x 908	**O_ _ _-MS212036**	**854**	**1,114**
	Specify the surface type (1, 2). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	20 x 21 x 36½	500 x 520 x 921	**O_ _ _-MS212036**	**986**	**1,289**
	Specify the surface type (5, 6). Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Marker boards	*180º hinges. Board surface: white high-pressure laminate, non magnetic, for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork.*				
	55 x 5 x 41	1368 x 130 x 1049	**01_ _-VBX4054**	**1,379**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
	55 x 5 x 42¼	1368 x 130 x 1075	**05_ _-VBX4054**	**1,512**	–
	Specify the handle code (B, L, Z). Specify the accent color (A, S).				
Coffee tables	22 x 22 x 18	550 x 550 x 438	**O_ NN-ST222218**	**376**	**435**
	Specify the surface type (1, 2).				
	22 x 22 x 18½	550 x 550 x 451	**O_ NN-ST222218**	**424**	**547**
	Specify the surface type (5, 6).				
Additional full-width legs	*1 tone only. For AT, DT and CM tables.*				
	24 x 1 x 27½	598 x 25 x 698	**ONNN-L24**	**133**	–
	30 x 1 x 27½	748 x 25 x 698	**ONNN-L30**	**143**	–
Additional full-width legs with wire access	*1 tone only. For AT, DT and CM tables.*				
	24 x 1 x 27½	598 x 25 x 698	**ONNN-L24D**	**133**	–
	30 x 1 x 27½	748 x 25 x 698	**ONNN-L30D**	**143**	–
Additional recessed leg	*1 tone only. For AT, DT and CM tables.*				
	13 x 1 x 27½	340 x 25 x 698	**ONNN-L12**	**111**	–

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

0_ _ _-PLAN01



Plan shown in Options Flyer:

05BA-PLAN01	$6,110
1	05NA-TDM3072
1	05BA-R2442F
1	05BA-242473BCL
1	05BA-242473BR
1	05NA-E724416PD
1	LGC-TK7019E

1½" thick laminate (5), Curved pull (B), Anthracite Grey accent (A).

Other option:

Translucent doors	**$7,633**

0_ _ _-PLAN02



Plan shown in Options Flyer:

05ZS-PLAN02	$6,948
1	05ZS-F4272SA
1	05NS-BR2448
1	05ZS-S2472F
1	05NS-E724416
1	05ZS-243673BCT

1½" thick laminate (5), Straight pull (Z), Silver accent (S).

Other option:

Laminate doors	**$6,073**

0_ _ _-PLAN03



Plan shown in Options Flyer:

01ZS-PLAN03	$10,688
1	01NS-CPM724824
1	01NS-C4872PM24
2	01NS-DT2436B
1	01ZS-243673BC
2	ONZS-P1518UFL
2	01NS-EM722216TD

1" thick laminate (1), Straight pull (Z), Silver accent (S).

Other option:

Laminate doors	**$9,595**

0_ _ _-PLAN04



Plan shown in Options Flyer:

01LA-PLAN04	$6,799
2	01LA-SLF2472
2	01NA-TDM3072
4	LGC-SCL2416A
4	PNNN-TK2215P
4	LGC-7POA

1" thick laminate (1), Linear pull (L), Anthracite Grey accent (A).

Other option:

1½" thick laminate	**$7,415**

0_ _ _-PLAN05



Plan shown in Options Flyer:

01LS-PLAN05	$6,317
1	01LS-LF2472LF
1	ONLS-C01830L
1	01NS-DT2460B
1	01NS-TDM3072
1	ONNS-EM721716D
1	05NN-R48
1	LGC-CR33

1" thick laminate (1), Linear pull (L), Silver accent (S).

Other option:

1½" thick laminate	**$6,710**

0_ _ _-PLAN06



Plan shown in Options Flyer:

05BS-PLAN06	$7,421
1	05NS-DT2430B
1	05NS-C4278B24
1	05BS-243665BUFT
1	05BS-242465BCTR
1	ONBS-P1518FFL
1	LGC-SUPALS
1	LGC-RA72S
1	LGC-RAS12S
1	LGC-RPT11S

1½" thick laminate (1), Curved pull (B), Silver accent (S).

Other option:

1" thick laminate	**$6,932**

0_ _ _-PLAN07



Not shown in Options Flyer:

01_ _-PLAN07	$5,919
1	01N_-C4278PM24
1	01N_-DT2430B
1	01N_-E724416PD
1	01_ _-243673LFB
1	ON_ _-MP1518F

1" thick laminate (1).

Other option:

Translucent doors	**$6,900**

0_ _ _-PLAN08



Not shown in Options Flyer:

01_ _-PLAN08	$5,622
1	01_ _-S4272FA
1	01N_-BR2448
1	01N_-DT2472A
1	01N_-E724416P
1	01_ _-243673LFB

1" thick laminate (1).

Other option:

Translucent doors	**$6,603**

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

O_ _ _-PLAN09



Not shown in Options Flyer:

O1_ _-PLAN09	**$6,529**
1 O1N_-BT3672	
1 O1N_-CM367224B	
1 O1N_-DT2436B	
1 O1N_-E724416PD	
1 O1_ _-243673BUF	
1 ON_ _-P1518FFL	

1" thick laminate (1).

Other option:

Translucent doors	**$7,728**

O_ _ _-PLAN11



Not shown in Options Flyer:

O1_ _-PLAN11	**$15,286**
2 O1N_-BT3060	
2 O1N_-BR2442	
2 O1N_-DT2472A	
2 O1N_-E724416PD	
2 O1_ _-242473BCR	
2 ON_ _-1836COL	
2 PNN_-SFLX4130	
2 PNN_-SFLX4142	
2 PNN_-SFLX4124	
2 PNN_-SOFX0830	
2 PNN_-SOFX0842	
2 PNN_-SOFX0824	

1" thick laminate (1).

Other option:

Translucent doors	**$17,366**

O_ _ _-PLAN10



Not shown in Options Flyer:

O1_ _-PLAN10	**$6,561**
1 O1_ _-S3672F	
1 O1_ _-S2472UF	
1 O1N_-E724416P	
1 O1_ _-242473BCR	
1 O1_ _-243673LFB	

1" thick laminate (1).

Other option:

Translucent doors	**$8,036**

O_ _ _-PLAN12



Not shown in Options Flyer:

O1_ _-PLAN12	**$9,372**
2 O1N_-CM4224S	
4 O1N_-DT2430B	
2 O1N_-E724416P	
2 ON_ _-F	
2 LGC-DV1221	
2 LGC-SCF4216_	
1 LGC-SCF3016_	
1 LGC-14TP_	
2 LGC-7PO_	

1" thick laminate (1).

Other option:

Translucent doors	**$10,465**

TYPICAL WOOD GRAIN DIRECTION FOR OPTIONS:



= NOT PART OF THE QUICKSHIP PROGRAM

CONCEPT 3 – EASY TO SPECIFY, EASY TO RECONFIGURE

3 LAYOUTS

Concept 3 envisions three classic office workstation layouts – **traditional T, U-shaped** and **L-shaped** – with generous surfaces and versatile storage. Inspired design ensures upscale looks and maximum functionality whichever setting you choose.

REVERSIBLE

As easy as flipping a coin, storage and non-handed work surfaces fit together left or right. In the **U**-shaped and **L**-shaped settings, you can attach the bridge or work surface on either side without losing access to the storage below. A big plus if you change your space... or change your mind!

3 HEIGHTS

Keep it sleek and low with the **33-inch** storage module, elevate the look to **49 inches** or top it off at **73 inches**. Each level has its own refined sense of proportion and scale.



3 SURFACE SHAPES

Customize the look and function of your work surface with the shape you prefer – classic **rectangular R**, stylish **bow front A** or our adaptable **Y shape**.



3 STORAGE OPTIONS

Choose from **storage modules** designed for filing, or for a multiplicity of functions with drawers and open bookcase. Whatever works best for you.



DOOR OPTIONS

Concept 3 is designed to simplify your life, but you still have the final say. Choose from matching **laminate N** or **anodized aluminum frame T** door styles. Storage modules are shipped assembled but offer you the flexibility of modifying the door configuration on site.



SPECIFIC TWO-TONE APPLICATION ON 73", 49" AND 33" H STORAGE UNITS (unless otherwise specified)

The first finish specified will be applied to the laminate door(s) and to the drawer at the bottom of the unit. The second finish specified will be applied to the rest of the unit.



EDGEBANDING

Furniture with 1" (25 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

HANDLES



C – Cubic

CODIFICATION

	Options
Series	Doors
C3	**T** Translucent

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Rectangular surfaces	*Can accommodate 1 or 2 modular pedestals. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**C3-TD3672**	**891**
	66 x 30 x 29	1650 x 750 x 735	**C3-TD3066**	**764**
Arched surfaces	*Can accommodate 1 or 2 modular pedestals. Recessed, full-height modesty panel.*			
	72 x 42 x 29	1800 x 1050 x 735	**C3-TD4272A**	**981**
	66 x 36 x 29	1650 x 900 x 735	**C3-TD3666A**	**870**
Y-shaped surfaces	*Reversible. Half-height modesty panel. Grommet. Can not accommodate pedestal.*			
	72 x 42 x 29	1800 x 1050 x 735	**C3-YTM3672**	**928**
	66 x 42 x 29	1650 x 1050 x 735	**C3-YTM3666**	**870**
Rectangular surface-returns	*Reversible. Can accommodate 1 modular pedestal. Can be attached to a 36" wide bookcase. Recessed, full-height modesty panel. Grommet.*			
	72 x 36 x 29	1800 x 900 x 735	**C3-RD3672**	**753**
	66 x 36 x 29	1650 x 900 x 735	**C3-RD3666**	**695**
	54 x 36 x 29	1350 x 900 x 735	**C3-RD3654**	**653**
Y-shaped surface-returns	*Reversible. Must be attached to a 36" wide bookcase. Half-height modesty panel. Grommet. Can not accommodate pedestal.*			
	72 x 42 x 29	1800 x 1050 x 735	**C3-YUM3672**	**774**
	66 x 42 x 29	1650 x 1050 x 735	**C3-YUM3666**	**721**
	54 x 42 x 29	1350 x 1050 x 735	**C3-YUM3654**	**695**
Modular pedestal	*2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.*			
	15 x 24 x 24 3/4	388 x 600 x 628	**C3-FF24**	**647**
Modular pedestal	*2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock. Goes under a work surface. 1 tone only.*			
	15 x 24 x 24 3/4	388 x 600 x 628	**C3-UF24**	**716**
Bridge-returns	*Half-height modesty panel. Grommet.*			
	48 x 18 x 13	1200 x 448 x 327	**C3-BR1848**	**287**
	42 x 18 x 13	1050 x 448 x 327	**C3-BR1842**	**260**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Executive return	*Reversible. 2 box drawers and 1 file drawer. Pencil tray. Grommet on the back. Lock.*			
	48 x 24 x 29	1200 x 600 x 735	**C3-UF2448R**	**1,172**
Packaged in 2 boxes.				
73" Storage modules – 4 doors	*UPPER: Open bookcases, 4 adjustable shelves. Bookcase with doors, 2 adjustable shelves. Doors can be installed at either ends. Grommet on the back. Specify T at the end of the code for translucent doors.* *LOWER: Bookcases with doors, 2 adjustable shelves. 2 pigeonholes.* *Packaged in 2 boxes.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273LFB**	**3,252**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273LFBT**	**3,845**
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273COB**	**3,511**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273COBT**	**4,100**
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273CCB**	**3,368**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273CCBT**	**3,946**
73" Storage modules – 3 doors	*UPPER: Open bookcases, 2 adjustable shelves. Bookcase with doors, 2 adjustable shelves. Doors can be installed at either ends. Grommet on the back. Specify T at the end of the code for translucent doors.* *LOWER: Reversible. Bookcases with door, adjustable shelf. 3 pigeonholes. Open Bookcase, adjustable shelf. A bridge-return can be attached.* *Packaged in two boxes.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273LFS**	**3,193**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273LFST**	**3,782**

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
73" Storage modules – 3 doors (cont'd)				
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273COS**	**3,464**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273COST**	**4,047**
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273CCS**	**3,325**
	72 x 20 x 73	1796 x 500 x 1850	**C3-207273CCST**	**3,915**
49" Storage modules – 2 doors	*Bookcases with doors, 4 adjustable shelves. Open storage space. 2 pigeonholes. Grommet on the back. Specify T at the end of the code for translucent doors.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249LFB**	**2,148**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249LFBT**	**2,806**
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249COB**	**2,350**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249COBT**	**2,997**
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249CCB**	**2,206**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249CCBT**	**2,758**
49" Storage modules – 1 door	*Reversible. Bookcase with door, 2 adjustable shelves. Open storage space. 8 pigeonholes. Open bookcase, adjustable shelf. Grommet on the back. A bridge-return can be attached. Specify T at the end of the code for translucent doors.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249LFS**	**2,201**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249LFST**	**2,514**
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249COS**	**2,392**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249COST**	**2,721**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
49" Storage modules – 1 door (cont'd)				
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249CCS**	**2,264**
	72 x 20 x 49	1796 x 500 x 1241	**C3-207249CCST**	**2,589**
33" Storage modules – 2 doors	*Bookcases with doors, 2 adjustable shelves. 2 pigeonholes. Specify T at the end of the code for translucent doors.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233LFB**	**1,899**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233LFBT**	**2,392**
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233COB**	**2,175**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233COBT**	**2,657**
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233CCB**	**2,026**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233CCBT**	**2,483**
33" Storage modules – 1 door	*Reversible. Bookcase with doors, adjustable shelf. 3 pigeonholes. Open bookcase, adjustable shelf. A bridge-return can be attached. Specify T at the end of the code for translucent doors.*			
Lateral file modules	*2 file drawers with suspension bars. Lock.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233LFS**	**1,846**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233LFST**	**2,090**
Mixed modules	*2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233COS**	**2,122**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233COST**	**2,355**
Open mixed modules	*Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	72 x 20 x 33	1796 x 500 x 834	**C3-207233CCS**	**1,989**
	72 x 20 x 33	1796 x 500 x 834	**C3-207233CCST**	**2,211**

= QUICKSHIP

73" COMPLEMENTARY STORAGE MODULES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file modules *Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 file drawers with suspension bars. Lock. Grommet on the back. Specify T at the end of the code for translucent doors.*				
	36 x 20 x 73	900 x 500 x 1850	**C3-203673LF**	**2,090**
	36 x 20 x 73	900 x 500 x 1850	**C3-203673LFT**	**2,689**
Mixed modules *Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 box drawers. 2 file drawers with suspension bars. Lock. Pencil tray. Grommet on the back. Specify T at the end of the code for translucent doors.*				
	36 x 20 x 73	900 x 500 x 1850	**C3-203673CO**	**2,302**
	36 x 20 x 73	900 x 500 x 1850	**C3-203673COT**	**2,880**
Open mixed modules *Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. Open storage space. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray. Grommet on the back. Specify T at the end of the code for translucent doors.*				
	36 x 20 x 73	900 x 500 x 1850	**C3-203673CC**	**2,148**
	36 x 20 x 73	900 x 500 x 1850	**C3-203673CCT**	**2,726**
Bookcase modules with doors *3 adjustable shelves and 1 fixed shelf. 1 clothes hanger bar. Specify T at the end of the code for translucent doors.*				
	36 x 20 x 73	900 x 500 x 1850	**C3-203673B**	**1,442**
	36 x 20 x 73	900 x 500 x 1850	**C3-203673BT**	**2,286**
Bookcase modules *Fixed shelf at 29". 3 adjustable shelves. 2 pigeonholes. Grommet on the back. A surface-return can be attached. 1 tone only.*				
	36 x 20 x 73	900 x 500 x 1850	**C3-BS203673**	**1,321**
Lateral file module *Bookcase, 2 adjustable shelves. Pigeonhole. 2 file drawers with suspension bars. Lock.*				
	18 x 20 x 73	450 x 500 x 1850	**C3-201873FF**	**1,353**
Mixed module *Bookcase, 2 adjustable shelves. Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock.*				
	18 x 20 x 73	450 x 500 x 1850	**C3-201873UF**	**1,437**
Bookcase modules with door *Reversible door. 4 adjustable shelves. Specify T at the end of the code for translucent door.*				
	18 x 20 x 73	450 x 500 x 1850	**C3-201873B**	**1,119**
	18 x 20 x 73	450 x 500 x 1850	**C3-201873BT**	**1,517**
Bookcase module *3 adjustable shelves. Pigeonhole. A bridge-return can be attached. 1 tone only.*				
	18 x 20 x 73	450 x 500 x 1850	**C3-BS201873**	**991**

49" COMPLEMENTARY STORAGE MODULES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file module *Open storage space. 2 pigeonholes. 2 file drawers with suspension bars. Lock. Grommet on the back.*				
	36 x 20 x 49	900 x 500 x 1241	**C3-203649LF**	**1,384**
Mixed module *Open storage space. 2 pigeonholes. 2 box drawers. 2 file drawers with suspension bars. Lock. Pencil tray. Grommet on the back.*				
	36 x 20 x 49	900 x 500 x 1241	**C3-203649CO**	**1,634**
Open mixed module *Open storage space. 2 pigeonholes. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray. Grommet on the back.*				
	36 x 20 x 49	900 x 500 x 1241	**C3-203649CC**	**1,495**
Bookcase modules with doors *2 adjustable shelves. 1 clothes hanger bar. Specify T at the end of the code for translucent doors.*				
	36 x 20 x 49	900 x 500 x 1241	**C3-203649B**	**1,066**
	36 x 20 x 49	900 x 500 x 1241	**C3-203649BT**	**1,681**
Bookcase module *Open storage space. 2 pigeonholes. Fixed shelf at 29". Adjustable shelve. Grommet on the back. A surface-return can be attached. 1 tone only.*				
	36 x 20 x 49	900 x 500 x 1241	**C3-BS203649**	**971**
Lateral file module *Open storage space. Pigeonhole. 2 file drawers with suspension bars. Lock.*				
	18 x 20 x 49	450 x 500 x 1241	**C3-201849FF**	**1,092**
Mixed module *Open storage space. Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock.*				
	18 x 20 x 49	450 x 500 x 1241	**C3-201849UF**	**1,167**
Bookcase modules with door *Reversible door. 2 adjustable shelves. Specify T at the end of the code for translucent door.*				
	18 x 20 x 49	450 x 500 x 1241	**C3-201849B**	**865**
	18 x 20 x 49	450 x 500 x 1241	**C3-201849BT**	**1,135**
Bookcase module *Open storage space. Pigeonhole. Adjustable shelve. A bridge-return can be attached. 1 tone only.*				
	18 x 20 x 49	450 x 500 x 1241	**C3-BS201849**	**785**

= QUICKSHIP

33" COMPLEMENTARY STORAGE MODULES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file module	*2 pigeonholes. 2 file drawers with suspension bars. Lock.*			
	36 x 20 x 33	900 x 500 x 834	**C3-203633LF**	**1,230**
Mixed module	*2 pigeonholes. 2 box drawers. 2 file drawers with suspension bars. Lock. Pencil tray.*			
	36 x 20 x 33	900 x 500 x 834	**C3-203633CO**	**1,464**
Open mixed module	*2 pigeonholes. Open storage space. 2 box drawers. File drawer with suspension bar. Lock. Pencil tray.*			
	36 x 20 x 33	900 x 500 x 834	**C3-203633CC**	**1,336**
Bookcase modules with doors	*Adjustable shelve. Specify T at the end of the code for translucent doors.*			
	36 x 20 x 33	900 x 500 x 834	**C3-203633B**	**897**
	36 x 20 x 33	900 x 500 x 834	**C3-203633BT**	**1,363**
Bookcase module	*2 pigeonholes. Adjustable shelve. A surface-return can be attached. 1 tone only.*			
	36 x 20 x 33	900 x 500 x 834	**C3-BS203633**	**774**
Lateral file module	*Pigeonhole. 2 file drawers with suspension bars. Lock.*			
	18 x 20 x 33	450 x 500 x 834	**C3-201833FF**	**965**
Mixed module	*Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Lock. Pencil tray.*			
	18 x 20 x 33	450 x 500 x 834	**C3-201833UF**	**1,051**
Bookcase modules with door	*Reversible door. Adjustable shelve. Specify T at the end of the code for translucent door.*			
	18 x 20 x 33	450 x 500 x 834	**C3-201833B**	**743**
	18 x 20 x 33	450 x 500 x 834	**C3-201833BT**	**945**
Bookcase module	*Pigeonhole. Adjustable shelve. A bridge-return can be attached. 1 tone only.*			
	18 x 20 x 33	450 x 500 x 834	**C3-BS201833**	**636**

COMPLEMENTARY FURNITURE

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Mobile pedestals	*2 box drawers. 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27⅛	390 x 575 x 689	**C3-MP1523UF**	**859**
	15 x 18 x 27⅛	390 x 450 x 689	**C3-MP1518UF**	**806**
Mobile pedestal	*2 file drawers with suspension bars. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27⅛	390 x 575 x 689	**C3-MP1523FF**	**726**
Mobile pedestals	*1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 23 x 20¾	390 x 575 x 527	**C3-MP1523F**	**711**
	15 x 18 x 20¾	390 x 450 x 527	**C3-MP1518F**	**684**
Hanging combination pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 19¼	388 x 448 x 489	**C3-F**	**594**
Conference table	*Cross base with anodized aluminum legs.*			
	42 x 42 x 29	1050 x 1050 x 735	**C3-R42CR**	**764**
Conference tables	*1" thick top. Laminate base with anodized aluminium legs.*			
	120 x 42 x 29	3000 x 1050 x 735	**C3-REC42120**	**1,246**
	96 x 42 x 29	2400 x 1050 x 735	**C3-REC4296**	**933**
	72 x 42 x 29	1800 x 1050 x 735	**C3-REC4272**	**832**
	120 x 48 x 29	3000 x 1200 x 735	**C3-REC48120**	**1,353**
	96 x 48 x 29	2400 x 1200 x 735	**C3-REC4896**	**1,039**

42" x 120" and 48" x 120": packaged in 2 boxes.

= ASSEMBLY REQUIRED = QUICKSHIP

SUGGESTIONS

C3-PLAN01



Plan shown in Concept 3 Flyer:

C3-PLAN01	**$6,068**
1 C3-203649BT	
2 C3-203633LF	
1 C3-BS203633	
1 C3-RD3672	
1 LGC-TK8421M	

Cabinet with translucent doors (T).

Other option:

Cabinet with laminate doors. **$5,453**

C3-PLAN02



Plan shown in Concept 3 Flyer:

C3-PLAN02	**$7,924**
2 C3-TD3672	
2 C3-201849UF	
1 C3-207233LFB	
1 C3-GS3084ST	

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors (T). **$8,417**

C3-PLAN03



Plan shown in Concept 3 Flyer:

C3-PLAN03	**$3,729**
1 C3-REC42120	
1 C3-207233CCBT	

Cabinet with translucent doors (T).

Other option:

Cabinet with laminate doors **$3,272**

C3-PLAN04



Plan shown in Concept 3 Flyer:

C3-PLAN04	**$10,624**
2 C3-YTM3672	
2 C3-BR1848	
2 C3-207249CCST	
1 C3-203649BT	
3 CNNN-SCT3618	

Cabinets with translucent doors (T).

Other option:

Cabinets with laminate doors **$9,362**

C3-PLAN05



Plan shown in Concept 3 Flyer:

QSC3-PLAN05	**$4,508**
1 **QS**C3-201873B	
1 **QS**C3-207233COS	
1 **QS**C3-BR1848	
1 **QS**C3-TD4272A	

Cabinets with laminate doors.

Other option:

Cabinets with translucent doors (T). **$5,140**

C3-PLAN06



Plan shown in Concept 3 Flyer:

QSC3-PLAN06	**$5,453**
1 **QS**C3-TD3672	
1 **QS**C3-207273LFBT	
1 **QS**C3-UF24	

Upper cabinet with translucent doors (T).

Other option:

Upper cabinet with laminate doors. **$4,858**

C3-PLAN07



Not shown in Concept 3 Flyer:

QSC3-PLAN07	**$4,540**
1 **QS**C3-YTM3672	
1 **QS**C3-BR1848	
1 **QS**C3-207273CCS	

Upper cabinet with laminate doors.

Other option:

Upper cabinet with translucent doors (T). **$5,129**

C3-PLAN08



Not shown in Concept 3 Flyer:

QSC3-PLAN08	**$3,803**
1 **QS**C3-YTM3672	
1 **QS**C3-BR1848	
1 **QS**C3-207249CCST	

Cabinet with translucent door (T).

Other option:

Cabinet with laminate door. **$3,479**

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP

USA – FEBRUARY 2015

SUGGESTIONS

C3-PLAN09



Not shown in Concept 3 Flyer:

QSC3-PLAN09	$4,280
1 **QS**C3-TD3672	
1 **QS**C3-207233CCB	
1 **QS**C3-UF24	
1 **QS**C3-FF24	

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors (T)	**$4,737**

C3-PLAN12



Not shown in Concept 3 Flyer:

C3-PLAN12	$6,497
1 C3-TD4272A	
1 C3-207233LFB	
2 C3-201849FF	
2 C3-UF24	

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors (T).	**$6,991**

C3-PLAN10



Not shown in Concept 3 Flyer:

QSC3-PLAN10	$3,474
1 **QS**C3-RD3672	
1 **QS**C3-BS203633	
1 **QS**C3-203633LF	
1 **QS**C3-UF24	

C3-PLAN13



Not shown in Concept 3 Flyer:

C3-PLAN13	$3,829
1 C3-TD4272A	
1 C3-BR1848	
1 C3-207233CCS	
1 C3-UF24	

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors (T).	**$4,074**

C3-PLAN11



Not shown in Concept 3 Flyer:

QSC3-PLAN11	$11,085
2 C3-TD3066	
2 C3-BR1842	
2 C3-207249CCST	
2 C3-UF24	
2 PNN_-SFLX4120_	
2 PNN_-SFLX4130_	
2 PNN_-SFLX4142_	
2 LGC-FPBP73	

Cabinets with translucent doors (T).

Other option:

Cabinets with laminate doors.	**$10,439**

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 3:



2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP

CONCEPT 70

EDGEBANDING
Furniture with 1½" (38 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

Textured 1 Edge



Textured 2 Edge

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges **are available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

HANDLES
A choice of two metal handles offered in three colors.

DA Anthracite Grey

DB Brass

DN Nickel



KA Anthracite Grey

KB Brass

KN Nickel

CODIFICATION

	Options		
Series	Edgebanding	Handles	Accent color
7	**N** Smooth edge **1** Textured 1 edge **2** Textured 2 edge	**D** Straight **K** Classic	**A** Anthracite Grey **B** Brass **N** Nickel

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Double pedestal desks	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-F3684F**		**1,692**
	72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-F3672F**		**1,586**
	72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-F3072F**		**1,533**
	66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-F3066F**		**1,485**
	60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-F3060F**		**1,437**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				
Double pedestal bow front desks	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-F4284FA**		**1,968**
	72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-F4272FA**		**1,803**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				
Left single pedestal desks	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-F3684S**		**1,369**
	72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-F3672S**		**1,257**
	72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-F3072S**		**1,210**
	66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-F3066S**		**1,157**
	60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-F3060S**		**1,109**
	48 x 30 x 29½	1200 x 750 x 748	**7_ _ _-F3048S**		**1,039**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Right single pedestal desks	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-S3684F**		**1,369**
	72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-S3672F**		**1,257**
	72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-S3072F**		**1,210**
	66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-S3066F**		**1,157**
	60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-S3060F**		**1,109**
	48 x 30 x 29½	1200 x 750 x 748	**7_ _ _-S3048F**		**1,039**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				
Left single pedestal bow front desks	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-F4284SA**		**1,692**
	72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-F4272SA**		**1,586**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				
Right single pedestal bow front desks	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-S4284FA**		**1,692**
	72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-S4272FA**		**1,586**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				
Double pedestal desks – low profile	*2 pedestals with locks, 4 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*				
	84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-UF3684UF**		**2,021**
	72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-UF3672UF**		**1,915**
	72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-UF3072UF**		**1,862**
	66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-UF3066UF**		**1,814**
	60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-UF3060UF**		**1,767**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).				

= QUICKSHIP

Double pedestal bow front desks – low profile



2 pedestals with locks, 4 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-UF4284UFA**	**2,264**
72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-UF4272UFA**	**2,158**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Left single pedestal desks – low profile



1 pedestal on left with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-UF3684S**	**1,528**
72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-UF3672S**	**1,422**
72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-UF3072S**	**1,374**
66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-UF3066S**	**1,321**
60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-UF3060S**	**1,273**
48 x 30 x 29½	1200 x 750 x 748	**7_ _ _-UF3048S**	**1,204**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Right single pedestal desks – low profile



1 pedestal on right with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 36 x 29½	2100 x 900 x 748	**7_ _ _-S3684UF**	**1,528**
72 x 36 x 29½	1800 x 900 x 748	**7_ _ _-S3672UF**	**1,422**
72 x 30 x 29½	1800 x 750 x 748	**7_ _ _-S3072UF**	**1,374**
66 x 30 x 29½	1650 x 750 x 748	**7_ _ _-S3066UF**	**1,321**
60 x 30 x 29½	1500 x 750 x 748	**7_ _ _-S3060UF**	**1,273**
48 x 30 x 29½	1200 x 750 x 748	**7_ _ _-S3048UF**	**1,204**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Left single pedestal bow front desks – low profile



1 pedestal on left with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-UF4284SA**	**1,856**
72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-UF4272SA**	**1,750**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Right single pedestal bow front desks – low profile



1 pedestal on right with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 42 x 29½	2100 x 1050 x 748	**7_ _ _-S4284UFA**	**1,856**
72 x 42 x 29½	1800 x 1050 x 748	**7_ _ _-S4272UFA**	**1,750**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Desk shells

Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_NN-TDM3672**	**849**
72 x 30 x 29½	1800 x 750 x 748	**7_NN-TDM3072**	**812**
66 x 30 x 29½	1650 x 750 x 748	**7_NN-TDM3066**	**779**
60 x 30 x 29½	1500 x 750 x 748	**7_NN-TDM3060**	**748**

Specify the edge (N, 1, 2).

Corner modules



Full-height modesty panel. 1 grommet. Must be attached to a work surface.



Surface	48"/30"	42"/24"	36"/24"	36"/18"
R1	25 1/16" (637 mm)	25 1/16" (637 mm)	16 11/16" (424 mm)	25 1/16" (637 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
48 x 48 x 29½	1200 x 1200 x 748	**7_NN-CM4830S**	**955**
42 x 42 x 29½	1050 x 1050 x 748	**7_NN-CM4224S**	**865**
36 x 36 x 29½	900 x 900 x 748	**7_NN-CM3624S**	**743**
36 x 36 x 29½	900 x 900 x 748	**7_NN-CM3618S**	**743**

Specify the edge (N, 1, 2).
Diagonal wood grain: change S to D, add 10% to the price.

Right extended corner modules – 24" D



Full-height modesty panel. 1 grommet.



Surface	R1	R2
72"/36"	21⅛" (573 mm)	21⅛" (573 mm)
66"/36"	15¼" (387 mm)	28⅝" (727 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_NN-CM367224_**	**1,051**
66 x 36 x 29½	1650 x 900 x 748	**7_NN-CM366624_**	**986**

Specify the edge (N, 1, 2). Specify panel legs (A, B).

Left extended corner modules – 24" D



Full-height modesty panel. 1 grommet.



Surface	R1	R2
72"/36"	21⅛" (573 mm)	21⅛" (573 mm)
66"/36"	15¼" (387 mm)	28⅝" (727 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_NN-CM723624_**	**1,051**
66 x 36 x 29½	1650 x 900 x 748	**7_NN-CM663624_**	**986**

Specify the edge (N, 1, 2). Specify panel legs (A, B).

Right extended corner modules – 20" D



Full-height modesty panel. 1 grommet.



Surface	R1	R2
72"/36"	23 15/16" (608 mm)	31 7/16" (799 mm)
66"/36"	18 1/16" (459 mm)	31 7/16" (799 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_NN-CM367220_**	**1,051**
66 x 36 x 29½	1650 x 900 x 748	**7_NN-CM366620_**	**986**

Specify the edge (N, 1, 2). Specify panel legs (A, B).

Left extended corner modules – 20" D



Full-height modesty panel. 1 grommet.



Surface	R1	R2
72"/36"	23 15/16" (608 mm)	31 7/16" (799 mm)
66"/36"	18 1/16" (459 mm)	31 7/16" (799 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_NN-CM723620_**	**1,051**
66 x 36 x 29½	1650 x 900 x 748	**7_NN-CM663620_**	**986**

Specify the edge (N, 1, 2). Specify panel legs (A, B).

= QUICKSHIP = ASSEMBLY REQUIRED

Rectangular tables – 30" D



Full-height modesty panel. 1 grommet.



W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 30 x 29½	1800 x 750 x 748	**7_NN-DT3072_**	**791**
66 x 30 x 29½	1650 x 750 x 748	**7_NN-DT3066_**	**764**
60 x 30 x 29½	1500 x 750 x 748	**7_NN-DT3060_**	**737**
54 x 30 x 29½	1350 x 750 x 748	**7_NN-DT3054_**	**706**
48 x 30 x 29½	1200 x 750 x 748	**7_NN-DT3048_**	**658**
42 x 30 x 29½	1050 x 750 x 748	**7_NN-DT3042_**	**620**
36 x 30 x 29½	900 x 750 x 748	**7_NN-DT3036_**	**594**
30 x 30 x 29½	750 x 750 x 748	**7_NN-DT3030_**	**567**
24 x 30 x 29½	600 x 750 x 748	**7_NN-DT3024_**	**541**

Specify the edge (N, 1, 2). Specify panel legs (A, B, C).

Rectangular tables – 24" D



Full-height modesty panel. 1 grommet.



W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_NN-DT2472_**	**737**
66 x 24 x 29½	1650 x 600 x 748	**7_NN-DT2466_**	**706**
60 x 24 x 29½	1500 x 600 x 748	**7_NN-DT2460_**	**679**
54 x 24 x 29½	1350 x 600 x 748	**7_NN-DT2454_**	**658**
48 x 24 x 29½	1200 x 600 x 748	**7_NN-DT2448_**	**594**
42 x 24 x 29½	1050 x 600 x 748	**7_NN-DT2442_**	**567**
36 x 24 x 29½	900 x 600 x 748	**7_NN-DT2436_**	**541**
30 x 24 x 29½	750 x 600 x 748	**7_NN-DT2430_**	**509**
24 x 24 x 29½	600 x 600 x 748	**7_NN-DT2424_**	**482**

Specify the edge (N, 1, 2). Specify panel legs (A, B, C).

Rectangular tables – 20" D

Full-height modesty panel. 1 grommet.



W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 20 x 29½	1800 x 500 x 748	**7_NN-DT2072_**	**743**
66 x 20 x 29½	1650 x 500 x 748	**7_NN-DT2066_**	**711**
60 x 20 x 29½	1500 x 500 x 748	**7_NN-DT2060_**	**679**
54 x 20 x 29½	1350 x 500 x 748	**7_NN-DT2054_**	**647**
48 x 20 x 29½	1200 x 500 x 748	**7_NN-DT2048_**	**610**
42 x 20 x 29½	1050 x 500 x 748	**7_NN-DT2042_**	**578**
36 x 20 x 29½	900 x 500 x 748	**7_NN-DT2036_**	**547**
30 x 20 x 29½	750 x 500 x 748	**7_NN-DT2030_**	**514**
24 x 20 x 29½	600 x 500 x 748	**7_NN-DT2024_**	**482**

Specify the edge (N, 1, 2). Specify panel legs (A, B, C).

Asymmetrical tables – 30" D



To complete a standard corner module. Full-height modesty panel. 1 grommet.



Surface	R1
54"/30"	39¹⁄₁₆" (992 mm)
48"/30"	33³⁄₁₆" (843 mm)
42"/30"	27¼" (692 mm)
36"/30"	21⅜" (543 mm)
30"/30"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 30 x 29½	1350 x 750 x 748	**7_NN-AT305424_**	**732**
48 x 30 x 29½	1200 x 750 x 748	**7_NN-AT304824_**	**679**
42 x 30 x 29½	1050 x 750 x 748	**7_NN-AT304224_**	**658**
36 x 30 x 29½	900 x 750 x 748	**7_NN-AT303624_**	**620**
30 x 30 x 29½	750 x 750 x 748	**7_NN-AT303024_**	**594**

Specify the edge (N, 1, 2). Specify panel legs (B, C).

Asymmetrical tables – 30" D



To complete a standard corner module. Full-height modesty panel. 1 grommet.



Surface	R1
54"/30"	39¹⁄₁₆" (992 mm)
48"/30"	33³⁄₁₆" (843 mm)
42"/30"	27¼" (692 mm)
36"/30"	21⅜" (543 mm)
30"/30"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 30 x 29½	1350 x 750 x 748	**7_NN-AT245430_**	**732**
48 x 30 x 29½	1200 x 750 x 748	**7_NN-AT244830_**	**679**
42 x 30 x 29½	1050 x 750 x 748	**7_NN-AT244230_**	**658**
36 x 30 x 29½	900 x 750 x 748	**7_NN-AT243630_**	**620**
30 x 30 x 29½	750 x 750 x 748	**7_NN-AT243030_**	**594**

Specify the edge (N, 1, 2). Specify panel legs (B, C).

Asymmetrical tables – 24" D



To complete a standard corner module. Full-height modesty panel. 1 grommet.



Surface	R1
54"/24"	39¹⁄₁₆" (992 mm)
48"/24"	33³⁄₁₆" (843 mm)
42"/24"	27¼" (692 mm)
36"/24"	21⅜" (543 mm)
30"/24"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 24 x 29½	1350 x 600 x 748	**7_NN-AT245418_**	**700**
48 x 24 x 29½	1200 x 600 x 748	**7_NN-AT244818_**	**658**
42 x 24 x 29½	1050 x 600 x 748	**7_NN-AT244218_**	**620**
36 x 24 x 29½	900 x 600 x 748	**7_NN-AT243618_**	**594**
30 x 24 x 29½	750 x 600 x 748	**7_NN-AT243018_**	**567**

Specify the edge (N, 1, 2). Specify panel legs (B, C).

Asymmetrical tables – 24" D



To complete a standard corner module. Full-height modesty panel. 1 grommet.



Surface	R1
54"/24"	39¹⁄₁₆" (992 mm)
48"/24"	33³⁄₁₆" (843 mm)
42"/24"	27¼" (692 mm)
36"/24"	21⅜" (543 mm)
30"/24"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 24 x 29½	1350 x 600 x 748	**7_NN-AT185424_**	**700**
48 x 24 x 29½	1200 x 600 x 748	**7_NN-AT184824_**	**658**
42 x 24 x 29½	1050 x 600 x 748	**7_NN-AT184224_**	**620**
36 x 24 x 29½	900 x 600 x 748	**7_NN-AT183624_**	**594**
30 x 24 x 29½	750 x 600 x 748	**7_NN-AT183024_**	**567**

Specify the edge (N, 1, 2). Specify panel legs (B, C).

D-shaped surfaces



Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Steel leg: A Anthracite Grey. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_ NA-BU3672**	**785**
72 x 30 x 29½	1800 x 750 x 748	**7_ NA-BU3072**	**726**
66 x 30 x 29½	1650 x 750 x 748	**7_ NA-BU3066**	**690**
60 x 30 x 29½	1500 x 750 x 748	**7_ NA-BU3060**	**658**
66 x 24 x 29½	1650 x 600 x 748	**7_ NA-BU2466**	**626**
60 x 24 x 29½	1500 x 600 x 748	**7_ NA-BU2460**	**583**
48 x 24 x 29½	1200 x 600 x 748	**7_ NA-BU2448**	**552**

Specify the edge (N, 1, 2).

D-shaped work tables

Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_ NA-BT3672**	**902**
72 x 30 x 29½	1800 x 750 x 748	**7_ NA-BT3072**	**865**
66 x 30 x 29½	1650 x 750 x 748	**7_ NA-BT3066**	**832**
60 x 30 x 29½	1500 x 750 x 748	**7_ NA-BT3060**	**791**
66 x 24 x 29½	1650 x 600 x 748	**7_ NA-BT2466**	**769**
60 x 24 x 29½	1500 x 600 x 748	**7_ NA-BT2460**	**737**
48 x 24 x 29½	1200 x 600 x 748	**7_ NA-BT2448**	**706**

Specify the edge (N, 1, 2).

= ASSEMBLY REQUIRED = QUICKSHIP

D-shaped work tables

Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Reversible modesty panel. Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29½	1800 x 900 x 748	**7_ NA-BTM3672**	**986**
72 x 30 x 29½	1800 x 750 x 748	**7_ NA-BTM3072**	**945**
66 x 30 x 29½	1650 x 750 x 748	**7_ NA-BTM3066**	**907**
60 x 30 x 29½	1500 x 750 x 748	**7_ NA-BTM3060**	**880**

Specify the edge (N, 1, 2).

Left P-shaped work tables



Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29½	1800 x 1050 x 748	**7_ NA-PT3072**	**991**
66 x 42 x 29½	1650 x 1050 x 748	**7_ NA-PT3066**	**971**
60 x 42 x 29½	1500 x 1050 x 748	**7_ NA-PT3060**	**950**

Specify the edge (N, 1, 2).

Right P-shaped work tables



Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29½	1800 x 1050 x 748	**7_ NA-3072PT**	**991**
66 x 42 x 29½	1650 x 1050 x 748	**7_ NA-3066PT**	**971**
60 x 42 x 29½	1500 x 1050 x 748	**7_ NA-3060PT**	**950**

Specify the edge (N, 1, 2).

Left P-shaped work tables



Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Modesty panel. Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29½	1800 x 1050 x 748	**7_ NA-PTM3072**	**1,056**
66 x 42 x 29½	1650 x 1050 x 748	**7_ NA-PTM3066**	**1,034**
60 x 42 x 29½	1500 x 1050 x 748	**7_ NA-PTM3060**	**1,008**

Specify the edge (N, 1, 2).

Right P-shaped work tables



Packaged in 2 boxes.

Steel leg options, change A to:
B Brass, add $212;
N Nickel, add $212.

Modesty panel. Steel leg: A Anthracite Grey. 1 grommet. Must be attached to a work surface.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29½	1800 x 1050 x 748	**7_ NA-3072PTM**	**1,056**
66 x 42 x 29½	1650 x 1050 x 748	**7_ NA-3066PTM**	**1,034**
60 x 42 x 29½	1500 x 1050 x 748	**7_ NA-3060PTM**	**1,008**

Specify the edge (N, 1, 2).

Lateral file / bookcase credenzas

2 file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-LF2472B**	**1,697**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-LF2072B**	**1,581**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Bookcase credenzas



Storage unit with doors and adjustable shelves. Locks.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-B2472B**	**1,543**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-B2072B**	**1,432**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Lateral file credenzas

4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 207.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-LF2472LF**	**1,862**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-LF2072LF**	**1,755**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Left lateral file credenzas

2 file drawers on left with suspension bars. Lock. Grommet on back.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-LF2472S**	**1,469**
66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-LF2466S**	**1,416**
60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-LF2460S**	**1,353**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-LF2072S**	**1,353**
66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-LF2066S**	**1,305**
60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-LF2060S**	**1,268**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Right lateral file credenzas

2 file drawers on right with suspension bars. Lock. Grommet on back.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-S2472LF**	**1,469**
66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-S2466LF**	**1,416**
60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-S2460LF**	**1,353**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-S2072LF**	**1,353**
66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-S2066LF**	**1,305**
60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-S2060LF**	**1,268**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Left open bookcase credenzas



1 adjustable shelf. Full-height modesty panel. Grommet on back.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_NN-BE2472S**	**1,162**
72 x 20 x 29½	1800 x 500 x 748	**7_NN-BE2072S**	**1,098**

Specify the edge (N, 1, 2).

Right open bookcase credenzas

1 adjustable shelf. Full-height modesty panel. Grommet on back.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_NN-S2472BE**	**1,162**
72 x 20 x 29½	1800 x 500 x 748	**7_NN-S2072BE**	**1,098**

Specify the edge (N, 1, 2).

Open bookcase crecenzas



1 adjustable shelf on each side.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_NN-BE2472BE**	**1,263**
72 x 20 x 29½	1800 x 500 x 748	**7_NN-BE2072BE**	**1,204**

Specify the edge (N, 1, 2).

Lateral file credenzas



Open space on top and 2 lateral file drawers on bottom with suspension bars. Locks. Grommet on back. Optional counterweights to meet BIFMA standards, refer to page 207.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-SLF2472**	**1,459**
72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-SLF2072**	**1,406**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Double pedestal credenzas	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-F2472KF**	**1,384**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-F2466KF**	**1,374**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-F2460KF**	**1,353**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-F2072KF**	**1,283**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-F2066KF**	**1,263**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-F2060KF**	**1,241**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Left single pedestal credenzas	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-F2472S**	**1,104**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-F2466S**	**1,082**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-F2460S**	**1,061**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-F2072S**	**1,082**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-F2066S**	**1,061**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-F2060S**	**1,039**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Right single pedestal credenzas	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-S2472F**	**1,104**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-S2466F**	**1,082**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-S2460F**	**1,061**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-S2072F**	**1,082**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-S2066F**	**1,061**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-S2060F**	**1,039**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Double pedestal credenzas – low profile	*2 pedestals with locks, 4 box drawers and 2 file drawers with suspension bars. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-UF2472UF**	**1,724**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-UF2466UF**	**1,714**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-UF2460UF**	**1,692**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-UF2072UF**	**1,623**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-UF2066UF**	**1,601**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-UF2060UF**	**1,581**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Left single pedestal credenzas – low profile	*1 pedestal on left with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-UF2472S**	**1,273**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-UF2466S**	**1,252**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-UF2460S**	**1,230**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-UF2072S**	**1,252**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-UF2066S**	**1,230**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-UF2060S**	**1,204**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Right single pedestal credenzas – low profile	*1 pedestal on right with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*			
	72 x 24 x 29½	1800 x 600 x 748	**7_ _ _-S2472UF**	**1,273**
	66 x 24 x 29½	1650 x 600 x 748	**7_ _ _-S2466UF**	**1,252**
	60 x 24 x 29½	1500 x 600 x 748	**7_ _ _-S2460UF**	**1,230**
	72 x 20 x 29½	1800 x 500 x 748	**7_ _ _-S2072UF**	**1,252**
	66 x 20 x 29½	1650 x 500 x 748	**7_ _ _-S2066UF**	**1,230**
	60 x 20 x 29½	1500 x 500 x 748	**7_ _ _-S2060UF**	**1,204**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Return shells	*Reversible. Grommet. Can accommodate 1 pedestal.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_NN-R2448S**	**494**
	42 x 24 x 29½	1050 x 600 x 748	**7_NN-R2442S**	**461**
	48 x 20 x 29½	1200 x 500 x 748	**7_NN-R2448S**	**446**
	42 x 20 x 29½	1050 x 500 x 748	**7_NN-R2042S**	**414**
	Specify the edge (N, 1, 2).			
Left executive returns	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_ _ _-F2448R**	**885**
	42 x 24 x 29½	1050 x 600 x 748	**7_ _ _-F2442R**	**844**
	48 x 20 x 29½	1200 x 500 x 748	**7_ _ _-F2048R**	**849**
	42 x 20 x 29½	1050 x 500 x 748	**7_ _ _-F2042R**	**827**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Right executive returns	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_ _ _-R2448F**	**885**
	42 x 24 x 29½	1050 x 600 x 748	**7_ _ _-R2442F**	**844**
	48 x 20 x 29½	1200 x 500 x 748	**7_ _ _-R2048F**	**849**
	42 x 20 x 29½	1050 x 500 x 748	**7_ _ _-R2042F**	**827**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Left executive returns – low profile	*1 pedestal on left with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_ _ _-UF2448R**	**1,056**
	42 x 24 x 29½	1050 x 600 x 748	**7_ _ _-UF2442R**	**1,008**
	48 x 20 x 29½	1200 x 500 x 748	**7_ _ _-UF2048R**	**1,018**
	42 x 20 x 29½	1050 x 500 x 748	**7_ _ _-UF2042R**	**986**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Right executive returns – low profile	*1 pedestal on right with lock, 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_ _ _-R2448UF**	**1,056**
	42 x 24 x 29½	1050 x 600 x 748	**7_ _ _-R2442UF**	**1,008**
	48 x 20 x 29½	1200 x 500 x 748	**7_ _ _-R2048UF**	**1,018**
	42 x 20 x 29½	1050 x 500 x 748	**7_ _ _-R2042UF**	**986**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Bridge-returns	*Full-height modesty panel. 1 grommet.*			
	48 x 24 x 29½	1200 x 600 x 748	**7_NN-BR2448**	**408**
	42 x 24 x 29½	1050 x 600 x 748	**7_NN-BR2442**	**381**
	36 x 24 x 29½	900 x 600 x 748	**7_NN-BR2436**	**361**
	48 x 20 x 29½	1200 x 500 x 748	**7_NN-BR2048**	**371**
	42 x 20 x 29½	1050 x 500 x 748	**7_NN-BR2042**	**345**
	36 x 20 x 29½	900 x 500 x 748	**7_NN-BR2036**	**323**
	Specify the edge (N, 1, 2).			

= ASSEMBLY REQUIRED = QUICKSHIP

Hutches with doors – 44" H



84" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Clearance: 21¼". Grommet. Full-width wire access. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 44	2100 x 400 x 1099	**7_NN-E844416P**		**1,384**
78 x 16 x 44	1950 x 400 x 1099	**7_NN-E784416P**		**1,336**
72 x 16 x 44	1800 x 400 x 1099	**7_NN-E724416P**		**1,283**
66 x 16 x 44	1650 x 400 x 1099	**7_NN-E664416P**		**1,236**
60 x 16 x 44	1500 x 400 x 1099	**7_NN-E604416P**		**1,177**
54 x 16 x 44	1350 x 400 x 1099	**7_NN-E544416P**		**1,130**
48 x 16 x 44	1200 x 400 x 1099	**7_NN-E484416P**		**1,056**
42 x 16 x 44	1050 x 400 x 1099	**7_NN-E424416P**		**981**
36 x 16 x 44	900 x 400 x 1099	**7_NN-E364416P**		**912**

Specify the edge (N, 1, 2).

Hutches with doors – 36" H



84" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Clearance: 17⅜". Grommet. Full-width wire access. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 36	2100 x 400 x 900	**7_NN-E843616P**		**1,273**
78 x 16 x 36	1950 x 400 x 900	**7_NN-E783616P**		**1,230**
72 x 16 x 36	1800 x 400 x 900	**7_NN-E723616P**		**1,172**
66 x 16 x 36	1650 x 400 x 900	**7_NN-E663616P**		**1,124**
60 x 16 x 36	1500 x 400 x 900	**7_NN-E603616P**		**1,071**
54 x 16 x 36	1350 x 400 x 900	**7_NN-E543616P**		**1,024**
48 x 16 x 36	1200 x 400 x 900	**7_NN-E483616P**		**945**
42 x 16 x 36	1050 x 400 x 900	**7_NN-E423616P**		**875**
36 x 16 x 36	900 x 400 x 900	**7_NN-E363616P**		**801**

Specify the edge (N, 1, 2).

Open hutches – 44" H



Clearance: 21¼". Grommet. Full-width wire access. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 44	2100 x 400 x 1099	**7_NN-E844416**		**1,162**
78 x 16 x 44	1950 x 400 x 1099	**7_NN-E784416**		**1,119**
72 x 16 x 44	1800 x 400 x 1099	**7_NN-E724416**		**1,066**
66 x 16 x 44	1650 x 400 x 1099	**7_NN-E664416**		**1,018**
60 x 16 x 44	1500 x 400 x 1099	**7_NN-E604416**		**960**
54 x 16 x 44	1350 x 400 x 1099	**7_NN-E544416**		**912**
48 x 16 x 44	1200 x 400 x 1099	**7_NN-E484416**		**838**
42 x 16 x 44	1050 x 400 x 1099	**7_NN-E424416**		**764**
36 x 16 x 44	900 x 400 x 1099	**7_NN-E364416**		**695**



Specify the edge (N, 1, 2).

Open hutches – 36" H



Clearance: 17⅜". Grommet. Full-width wire access. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 36	2100 x 400 x 900	**7_NN-E843616**		**1,056**
78 x 16 x 36	1950 x 400 x 900	**7_NN-E783616**		**1,013**
72 x 16 x 36	1800 x 400 x 900	**7_NN-E723616**		**955**
66 x 16 x 36	1650 x 400 x 900	**7_NN-E663616**		**907**
60 x 16 x 36	1500 x 400 x 900	**7_NN-E603616**		**854**
54 x 16 x 36	1350 x 400 x 900	**7_NN-E543616**		**801**
48 x 16 x 36	1200 x 400 x 900	**7_NN-E483616**		**726**
42 x 16 x 36	1050 x 400 x 900	**7_NN-E423616**		**658**
36 x 16 x 36	900 x 400 x 900	**7_NN-E363616**		**583**

Specify the edge (N, 1, 2).

Wall-mounted hutches with doors – 22" H



84" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Hanger bar included for wall-mount installation. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 22	2100 x 400 x 550	**7_NN-EM842216P**		**1,299**
78 x 16 x 22	1950 x 400 x 550	**7_NN-EM782216P**		**1,257**
72 x 16 x 22	1800 x 400 x 550	**7_NN-EM722216P**		**1,204**
66 x 16 x 22	1650 x 400 x 550	**7_NN-EM662216P**		**1,151**
60 x 16 x 22	1500 x 400 x 550	**7_NN-EM602216P**		**1,098**
54 x 16 x 22	1350 x 400 x 550	**7_NN-EM542216P**		**1,051**
48 x 16 x 22	1200 x 400 x 550	**7_NN-EM482216P**		**971**
42 x 16 x 22	1050 x 400 x 550	**7_NN-EM422216P**		**902**
36 x 16 x 22	900 x 400 x 550	**7_NN-EM362216P**		**832**

Specify the edge (N, 1, 2).

Wall-mounted open hutches – 22" H



Hanger bar included for wall-mount installation. Can accomodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
84 x 16 x 22	2100 x 400 x 550	**7_NN-EM842216**		**1,082**
78 x 16 x 22	1950 x 400 x 550	**7_NN-EM782216**		**1,039**
72 x 16 x 22	1800 x 400 x 550	**7_NN-EM722216**		**981**
66 x 16 x 22	1650 x 400 x 550	**7_NN-EM662216**		**933**
60 x 16 x 22	1500 x 400 x 550	**7_NN-EM602216**		**880**
54 x 16 x 22	1350 x 400 x 550	**7_NN-EM542216**		**832**
48 x 16 x 22	1200 x 400 x 550	**7_NN-EM482216**		**753**
42 x 16 x 22	1050 x 400 x 550	**7_NN-EM422216**		**684**
36 x 16 x 22	900 x 400 x 550	**7_NN-EM362216**		**610**

Specify the edge (N, 1, 2).

Lateral file units

Suspension bars. Lock. Optional counterweights to meet BIFMA standards, refer to page 207.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
36 x 24 x 29½	900 x 600 x 748	**7_ _ _-2436LF**		**991**
30 x 24 x 29½	750 x 600 x 748	**7_ _ _-2430LF**		**955**
36 x 20 x 29½	900 x 500 x 748	**7_ _ _-2036LF**		**965**
30 x 20 x 29½	750 x 500 x 748	**7_ _ _-2030LF**		**923**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Bookcase units with doors

Adjustable shelf. Lock.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
36 x 24 x 29½	900 x 600 x 748	**7_ _ _-2436B**		**875**
30 x 24 x 29½	750 x 600 x 748	**7_ _ _-2430B**		**832**
36 x 20 x 29½	900 x 500 x 748	**7_ _ _-2036B**		**844**
30 x 20 x 29½	750 x 500 x 748	**7_ _ _-2030B**		**791**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Combined pedestals

2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
36 x 24 x 29½	900 x 600 x 748	**7_ _ _-2436CO**		**1,257**
36 x 20 x 29½	900 x 500 x 748	**7_ _ _-2036CO**		**1,220**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Combined pedestals

2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
36 x 24 x 29½	900 x 600 x 748	**7_ _ _-CO2436**		**1,257**
36 x 20 x 29½	900 x 500 x 748	**7_ _ _-CO2036**		**1,220**

Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).

Modular lateral files

2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code		Price ($)
36 x 18 x 28	900 x 448 x 711	**7N_ _-1836LFL**		**849**
30 x 18 x 28	750 x 448 x 711	**7N_ _-1830LFL**		**801**

Specify the handle code (D, K). Specify the accent color (A, B, N).

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Modular combined pedestal	*2 box drawers on left, 2 file drawers with suspension bars. Lock. Pencil tray. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**7N_ _-1836COL**	**1,087**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Modular combined pedestal	*2 box drawers on right, 2 file drawers with suspension bars. Lock. Pencil tray. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**7N_ _-CO1836L**	**1,087**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Modular bookcases with doors	*1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**7N_ _-1836BL**	**764**
	30 x 18 x 28	750 x 448 x 711	**7N_ _-1830BL**	**721**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Storage or wardrobe units	*3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	36 x 24 x 73½	900 x 600 x 1847	**7_ _ _-243673B**	**1,560**
	36 x 20 x 73½	900 x 500 x 1847	**7_ _ _-203673B**	**1,442**
	36 x 24 x 65½	900 x 600 x 1648	**7_ _ _-243665B**	**1,475**
	36 x 20 x 65½	900 x 500 x 1648	**7_ _ _-203665B**	**1,358**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Storage or wardrobe units	*Reversible door. 3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	24 x 24 x 73½	600 x 600 x 1847	**7_ _ _-242473B**	**1,188**
	24 x 20 x 73½	600 x 500 x 1847	**7_ _ _-202473B**	**1,130**
	24 x 24 x 65½	600 x 600 x 1648	**7_ _ _-242465B**	**1,130**
	24 x 20 x 65½	600 x 500 x 1648	**7_ _ _-202465B**	**1,077**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Storage units with lateral file	*2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawer. 73" H storage matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	36 x 24 x 73½	900 x 600 x 1847	**7_ _ _-243673LFB**	**1,893**
	36 x 20 x 73½	900 x 500 x 1847	**7_ _ _-203673LFB**	**1,782**
	36 x 24 x 65½	900 x 600 x 1648	**7_ _ _-243665LFB**	**1,825**
	36 x 20 x 65½	900 x 500 x 1648	**7_ _ _-203665LFB**	**1,714**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Storage units with lateral file	*Reversible door. 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	24 x 24 x 73½	600 x 600 x 1847	**7_ _ _-242473FB**	**1,581**
	24 x 20 x 73½	600 x 500 x 1847	**7_ _ _-202473FB**	**1,469**
	24 x 24 x 65½	600 x 600 x 1648	**7_ _ _-242465FB**	**1,517**
	24 x 20 x 65½	600 x 500 x 1648	**7_ _ _-202465FB**	**1,406**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Open bookcases	*4 adjustable shelves.*			
	36 x 14 x 73½	900 x 350 x 1847	**7_NN-B367314**	**880**
	36 x 14 x 65½	900 x 350 x 1648	**7_NN-B366514**	**827**
	Specify the edge (N, 1, 2).			
	*2 adjustable shelves.*			
	36 x 14 x 48½	900 x 350 x 1226	**7_NN-B364814**	**737**
	Specify the edge (N, 1, 2).			
	Additional shelf.			
	34 x 13 x 1	846 x 325 x 25	**7NNN-TB3614.1E**	**111**
Corner open bookcases	*4 adjustable shelves.*			
	24 x 24 x 73½	600 x 600 x 1847	**7_NN-B242473**	**960**
	20 x 20 x 73½	500 x 500 x 1847	**7_NN-B202073**	**902**
	24 x 24 x 65½	600 x 600 x 1648	**7_NN-B242465**	**902**
	20 x 20 x 65½	500 x 500 x 1648	**7_NN-B202065**	**854**
	Specify the edge (N, 1, 2).			
Corner open bookcases	*1 adjustable shelf.*			
	24 x 24 x 29½	600 x 600 x 748	**7_NN-B242429**	**620**
	20 x 20 x 29½	500 x 500 x 748	**7_NN-B202029**	**567**
	Specify the edge (N, 1, 2).			
Mobile pedestals	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27⅛	390 x 575 x 689	**7N_ _-MP1523UF**	**801**
	15 x 18 x 27⅛	390 x 450 x 689	**7N_ _-MP1518UF**	**748**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Mobile pedestal	*2 file drawers with suspension bars. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27⅛	390 x 575 x 689	**7N_ _-MP1523FF**	**764**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Mobile pedestals	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 21¼	390 x 575 x 521	**7N_ _-MP1523F**	**737**
	15 x 18 x 21¼	390 x 450 x 521	**7N_ _-MP1518F**	**711**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Modular pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 713	**7N_ _-P1518UFL**	**695**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Modular pedestal	*2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 713	**7N_ _-P1518FFL**	**668**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Hanging pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 17⅝ x 19¼	388 x 448 x 489	**7N_ _-F**	**610**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Metal pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Charcoal metal body and laminate drawer fronts. Lock. Must be installed under a work surface.*			
	15 x 22 x 28	372 x 540 x 698	**7N_ _-PM1522UFL**	**504**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal pedestal	*2 file drawers with suspension bars. Charcoal metal body and laminate drawer fronts. Lock. Must be installed under a work surface.*			
	15 x 22 x 28	372 x 540 x 698	**7N_ _-PM1522FFL**	**482**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Hanging metal pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*			
	15 x 22 x 19½	372 x 540 x 496	**7N_ _-MF**	**461**
	Specify the handle code (D, K). Specify the accent color (A, B, N).			
Round tops	*Conference tables.*			
	36 x 36 x 1½	900 x 900 x 38	**7_NN-R36**	**361**
	42 x 42 x 1½	1050 x 1050 x 38	**7_NN-R42**	**482**
	48 x 48 x 1½	1200 x 1200 x 38	**7_NN-R48**	**525**
	Specify the edge (N, 1, 2).			
Rectangular tops	*Conference tables.*			
	72 x 36 x 1½	1800 x 900 x 38	**7_NN-REC72**	**605**
	96 x 48 x 1½	2400 x 1200 x 38	**7_NN-REC96**	**854**
	Specify the edge (N, 1, 2).			
Boat-shape tops	*Conference tables. 120" and 144" tops are in two pieces.*			
	96 x 48 x 1½	2400 x 1200 x 38	**7_NN-B96**	**933**
	120 x 48 x 1½	3000 x 1200 x 38	**7_NN-B120**	**1,157**
	144 x 48 x 1½	3600 x 1200 x 38	**7_NN-B144**	**1,220**
144" to 120" : Packaged in 2 boxes.	**Specify the edge (N, 1, 2).**			
Racetrack tops	*Conference tables. 120" and 144" tops are in two pieces.*			
	72 x 36 x 1½	1800 x 900 x 38	**7_NN-RT72**	**690**
	96 x 48 x 1½	2400 x 1200 x 38	**7_NN-RT96**	**933**
	120 x 48 x 1½	3000 x 1200 x 38	**7_NN-RT120**	**1,157**
144" to 120" : Packaged in 2 boxes.	144 x 48 x 1½	3600 x 1200 x 38	**7_NN-RT144**	**1,220**
	Specify the edge (N, 1, 2).			
Cross bases	*1½" thermofused laminate.*			
	22 x 22 x 28	555 x 555 x 710	**LGC-CR22**	**350**
	27 x 27 x 28	680 x 680 x 710	**LGC-CR27**	**388**
	33 x 33 x 28	825 x 825 x 710	**LGC-CR33**	**441**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
V-bases	*1½" thermofused laminate.*			
	16 x 16 x 28	400 x 400 x 710	**LGC-2V14**	(pair) **509**
Drum base	18 x 18 x 28	460 x 460 x 710	**LGC-DB19**	**822**
Panel bases	*Panel bases and crosspieces packaged separately. For 72" and 96" tables.*			
	43⅜ x 24 x 28	1084 x 600 x 710	**LGC-P30.7296**	**408**
	For 120" and 144" tables.			
	85 x 24 x 28	2126 x 600 x 710	**LGC-P30.120144**	**642**
Cross base	*Metal. Specify the finish: GAN Anthracite Grey, BRA Brass (add $208) or NIC Nickel (add $208).*			
	33 x 33 x 28	830 x 830 x 710	**LGC-CH433**	(each) **562**
T-base	*Metal. Specify the finish: GAN Anthracite Grey, BRA Brass (add $208) or NIC Nickel (add $208).*			
	30 x 4 x 28	760 x 105 x 710	**LGC-CH233**	(each) **435**
Leg	*Metal. Specify the finish: GAN Anthracite Grey, BRA Brass (add $208) or NIC Nickel (add $208).*			
	6 x 6 x 28	150 x 150 x 710	**LGC-TL**	(each) **260**
Printer table	*1 height adjustable sliding shelf. Grommet on back.*			
	30 x 24 x 29½	750 x 600 x 748	**7_NN-2430PS**	**732**
	Specify the edge (N, 1, 2).			

For 72" and 96" tables.

For 120" and 144" tables.

BASE OPTIONS / QUANTITY

	Top Lengths	LGC-CR22	LGC-CR27	LGC-CR33	LGC-2V14	LGC-DB19	LGC-P30.7296	LGC-P30.120144	LGC-CH433	LGC-CH233	LGC-TL*
36" DEPTH	**36"**	**1**				**1**			**1**		**4**
	72"	**2**			**1**	**2**	**1**		**2**	**2**	**4**
42" DEPTH	**42"**		**1**						**1**		**4**
48" DEPTH	**48"**			**1**					**1**		**4**
	96"			**2**	**1**	**2**	**1**		**2**	**2**	**4**
	120"			**3**	**1+1 CR33**	**3**		**1**	**3**	**3**	**6**
	144"			**3**	**1+1 CR33**	**3**		**1**	**3**	**3**	**6**

* Not compatible with round tops.

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Coffee table	22 x 22 x 18½	550 x 550 x 463	**7_NN-ST222218**	**414**
	Specify the edge (N, 1, 2).			
Magazine table	48 x 22 x 18½	1200 x 550 x 463	**7_NN-ST224818**	**488**
	Specify the edge (N, 1, 2).			
Mobile serving carts	*1 sliding shelf, 1 box drawer. Pencil tray. 1 door. 1 shelf.*			
	20 x 21 x 36½	500 x 520 x 913	**7_ _ _-MS212036**	**986**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
	1 sliding shelf, 2 box drawers. Pencil tray. 2 doors. 2 shelves.			
	36 x 21 x 36½	900 x 520 x 913	**7_ _ _-MS213636**	**1,464**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Marker board	*Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork. Hooks for paper pad. 180º hinges.*			
	54 x 5 x 41	1368 x 130 x 1043	**7_ _ _-VBX4054**	**1,501**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Lectern	*1 fixed shelf. 1 grommet. 4 casters, 2 with brakes.*			
	24 x 18 x 44½	600 x 450 x 1125	**7_NN-LC181844**	**880**
	Specify the edge (N, 1, 2).			
Right reception desks	*Desk with pedestal on left, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel. Bow shaped transaction shelf.*			
	72 x 30 x 42½	1800 x 750 x 1075	**7_ _ _-GF3072S**	**1,560**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
	Right returns with pedestal on right, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.			
	48 x 24 x 41	1200 x 600 x 1037	**7_ _ _-GR2448F**	**1,044**
	42 x 24 x 41	1050 x 600 x 1037	**7_ _ _-GR2442F**	**1,024**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Left reception desks	*Desk with pedestal on right, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel. Bow shaped transaction shelf.*			
	72 x 30 x 42½	1800 x 750 x 1075	**7_ _ _-GS3072F**	**1,560**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
	Left returns with pedestal on left, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.			
	48 x 24 x 41	1200 x 600 x 1037	**7_ _ _-GF2448R**	**1,044**
	42 x 24 x 41	1050 x 600 x 1037	**7_ _ _-GF2442R**	**1,024**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Right reception desks – low profile	*Desk with pedestal on left, 2 box drawers and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel. Bow shaped transaction shelf.*			
	72 x 30 x 42½	1800 x 750 x 1075	**7_ _ _-GUF3072S**	**1,697**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
	Right returns with pedestal on right, 2 box drawers and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.			
	48 x 24 x 41	1200 x 600 x 1037	**7_ _ _-GR2448UF**	**1,177**
	42 x 24 x 41	1050 x 600 x 1037	**7_ _ _-GR2442UF**	**1,157**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Left reception desks – low profile	*Desk with pedestal on right, 2 box drawers and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel. Bow shaped transaction shelf.*			
	72 x 30 x 42½	1800 x 750 x 1075	**7_ _ _-GS3072UF**	**1,697**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
	Left returns with pedestal on left, 2 box drawers and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.			
	48 x 24 x 41	1200 x 600 x 1037	**7_ _ _-GUF2448R**	**1,177**
	42 x 24 x 41	1050 x 600 x 1037	**7_ _ _-GUF2442R**	**1,157**
	Specify the edge (N, 1, 2). Specify the handle code (D, K). Specify the accent color (A, B, N).			
Additional legs	*1 full width leg. For AT, DT and CM tables.*			
	30 x 1 x 27½	748 x 25 x 698	**7NNN-L30**	**143**
	24 x 1 x 27½	598 x 25 x 698	**7NNN-L24**	**133**
	20 x 1 x 27½	498 x 25 x 698	**7NNN-L20**	**122**
Additional legs	*1 recessed leg. For AT, DT and CM tables.*			
	13 x 1 x 27½	340 x 25 x 698	**7NNN-L12**	**111**

= ASSEMBLY REQUIRED = QUICKSHIP

SUGGESTIONS

7_ _ _-PLAN01



Plan shown in Concept 70 Flyer:

71KA-PLAN01	**$8,317**
1	71KA-UF3672S
1	71NN-DT2472A
1	7NKA-CO1836L
1	71NN-E724416P
2	71KA-243673LFB

Textured edge (1), Anthracite Grey pull (KA).

7_ _ _-PLAN02



Plan shown in Concept 70 Flyer:

QS72DN-PLAN02	**$5,962**
1	**QS**72DN-F4272SA
1	**QS**72NN-BR2448
1	**QS**72DN-S2072F
1	**QS**72NN-E723616P
1	**QS**72DN-203665LFB

Textured edge (2), Nickel pull (DN).

7_ _ _-PLAN03



Plan shown in Concept 70 Flyer:

72KN-PLAN03	**$6,779**
1	72NN-BT3672
1	72KN-R2048UF
1	72NN-E844416
1	72KN-202473FB
1	72NN-B367314
1	72NN-R36
1	LGC-CH433

Textured edge (2), Nickel pull (KN).

7_ _ _-PLAN04



Plan shown in Concept 70 Flyer:

71DN-PLAN04	**$8,142**
1	71DN-GS3072UF
1	71DN-GR2448UF
1	71NN-2430PS
1	71DN-LF2472B
1	M1NNN-EMDV7222
2	71NN-ST222218

Textured edge (1), Nickel pull (DN).

7_ _ _-PLAN05



Plan shown in Concept 70 Flyer:

72DB-PLAN05	**$6,073**
1	72DB-UF3684S
1	72NN-DT2060C
1	72NN-E844416P
1	M52NN-EB364416
1	72NN-DT2472A
1	7NDB-1836COL

Textured edge (2), Brass pull (DB).

7_ _ _-PLAN06



Plan shown in Concept 70 Flyer:

72DA-PLAN06	**$6,078**
1	72DA-UF4284SA
1	72DA-SLF2472
1	72DA-243673B
1	72NN-EM722216P

Textured edge (2), Anthracite Grey pull (DA).

7_ _ _-PLAN07



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN07	**$4,556**
1	**QS**7_ _ _-F4272FA
1	**QS**7_ _ _ -LF2072B
1	**QS**7_NN-E723616P

7_ _ _-PLAN08



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN08	**$7,956**
1	**QS**7_NN-CM367224B
1	**QS**7_NN-CM723624B
2	**QS**7_NN-DT2436B
2	**QS**7_NN-E723616P
1	**QS**7_NN-B366514
2	**QS**7_ _ _-MP1523UF

7_ _ _-PLAN09



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN09	**$4,721**
1	**QS**7_ _ _-GF3072S
1	**QS**7_NN-BR2448
1	**QS**7_ _ _-S2472LF
1	**QS**7_NN-E724416P

7_ _ _-PLAN10



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN10	**$7,787**
1	**QS**7_ _ _-F4272SA
1	**QS**7_ _ _-S2072LF
1	**QS**7_NN-E724416P
2	**QS**7_ _ _-203673LFB

= QUICKSHIP

USA – FEBRUARY 2015

SUGGESTIONS

7_ _ _-PLAN11



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN11	$3,660
1 **QS**7_ _ _-UF3072S	
1 **QS**7_ _ _-R2448UF	
1 **QS**7_NN-E783616P	

7_ _ _-PLAN12



Not shown in Concept 70 Flyer:

QS7_ _ _-PLAN12	$4,519
1 **QS**7_ _ _-F4272SA	
1 **QS**7_NN-BR2448	
1 **QS**7_ _ _-S2072LF	
1 **QS**7_NN-E723616P	

7_ _ _-PLAN13



Not shown in Concept 70 Flyer:

7_ _ _-PLAN13	$4,306
1 7_NA-PT3072	
1 7_ _ _-R2442F	
1 7_NN-E723616	
1 7_ _ _-242465FB	

Steel leg options: Change (A) to:
(B) Brass, add $208; (N) Nickel, add $208.

7_ _ _-PLAN14



Not shown in Concept 70 Flyer:

7_ _ _-PLAN14	$2,662
1 7_NA-BT3072	
1 7_ _ _-R2442F	
1 7_NN-E723616	

Steel leg options: Change (A) to:
(B) Brass, add $212; (N) Nickel, add $212.

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 70:



= QUICKSHIP

CONCEPT 400E

EDGEBANDING
Furniture with 1" (25 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

CODIFICATION

	Options		
Series	Thickness	Handles	Accent color
4	**1** Thermofused laminate 1"	**L** Black Linear **X** Stainless Steel **Y** Aluminum	**N/A**

HANDLES
Choices of straight pulls in thermoplastic polymer or metal available.

L – Black Linear

X – Stainless Steel

Y – Aluminum

N – Non applicable
Linear pull
on the interior side

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

Double pedestal desks



2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41_N-F3672F**	**1,326**
72 x 30 x 29	1800 x 750 x 735	**41_N-F3072F**	**1,278**
66 x 30 x 29	1650 x 750 x 735	**41_N-F3066F**	**1,230**
60 x 30 x 29	1500 x 750 x 735	**41_N-F3060F**	**1,177**

Specify the handle code (X, Y, N).

Double pedestal bow front desk



2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29	1800 x 1050 x 735	**41_N-F4272FA**	**1,565**

Specify the handle code (X, Y, N).

Left single pedestal desks



1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41_N-F3672S**	**1,066**
72 x 30 x 29	1800 x 750 x 735	**41_N-F3072S**	**1,018**
66 x 30 x 29	1650 x 750 x 735	**41_N-F3066S**	**965**
60 x 30 x 29	1500 x 750 x 735	**41_N-F3060S**	**918**
48 x 30 x 29	1200 x 750 x 735	**41_N-F3048S**	**849**

Specify the handle code (X, Y, N).

Right single pedestal desks



1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41_N-S3672F**	**1,066**
72 x 30 x 29	1800 x 750 x 735	**41_N-S3072F**	**1,018**
66 x 30 x 29	1650 x 750 x 735	**41_N-S3066F**	**965**
60 x 30 x 29	1500 x 750 x 735	**41_N-S3060F**	**918**
48 x 30 x 29	1200 x 750 x 735	**41_N-S3048F**	**849**

Specify the handle code (X, Y, N).

Left single pedestal bow front desk



1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29	1800 x 1050 x 735	**41_N-F4272SA**	**1,305**

Specify the handle code (X, Y, N).

Right single pedestal bow front desk



1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 42 x 29	1800 x 1050 x 735	**41_N-S4272FA**	**1,305**

Specify the handle code (X, Y, N).

Desk shells



Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41NN-TDM3672**	**706**
72 x 30 x 29	1800 x 750 x 735	**41NN-TDM3072**	**679**
66 x 30 x 29	1650 x 750 x 735	**41NN-TDM3066**	**653**
60 x 30 x 29	1500 x 750 x 735	**41NN-TDM3060**	**620**

Corner modules



Full-height modesty panel. Grommet. Must be attached to another surface.



Surface	48"/30"	42"/24"	36"/24"	36"/18"
R1	25 1/16" (637 mm)	25 1/16" (637 mm)	16 11/16" (424 mm)	25 1/16" (637 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
48 x 48 x 29	1200 x 1200 x 735	**41NN-CM4830S**	**779**
42 x 42 x 29	1050 x 1050 x 735	**41NN-CM4224S**	**690**
36 x 36 x 29	900 x 900 x 735	**41NN-CM3624S**	**620**
36 x 36 x 29	900 x 900 x 735	**41NN-CM3618S**	**620**

Diagonal wood grain: change S to D, add 10% to the price.

= ASSEMBLY REQUIRED = QUICKSHIP

Right extended corner modules – 24" D

1 grommet.





Surface	R1	R2
72"/36"	21⅛" (573 mm)	21⅛" (573 mm)
66"/36"	15¼" (387 mm)	28⅝" (727 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41NN-CM367224_**	**928**
66 x 36 x 29	1650 x 900 x 735	**41NN-CM366624_**	**870**

Specify panel legs (A, B).

Left extended corner modules – 24" D

1 grommet.





Surface	R1	R2
72"/36"	21⅛" (573 mm)	21⅛" (573 mm)
66"/36"	15¼" (387 mm)	28⅝" (727 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41NN-CM723624_**	**928**
66 x 36 x 29	1650 x 900 x 735	**41NN-CM663624_**	**870**

Specify panel legs (A, B).

Right extended corner modules – 20" D

1 grommet.





Surface	R1	R2
72"/36"	23 15/16" (608 mm)	31 7/16" (799 mm)
66"/36"	18 1/16" (459 mm)	31 7/16" (799 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41NN-CM367220_**	**928**
66 x 36 x 29	1650 x 900 x 735	**41NN-CM366620_**	**870**

Specify panel legs (A, B).

Left extended corner modules – 20" D

1 grommet.





Surface	R1	R2
72"/36"	23 15/16" (608 mm)	31 7/16" (799 mm)
66"/36"	18 1/16" (459 mm)	31 7/16" (799 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 36 x 29	1800 x 900 x 735	**41NN-CM723620_**	**928**
66 x 36 x 29	1650 x 900 x 735	**41NN-CM663620_**	**870**

Specify panel legs (A, B).

Rectangular tables – 30" D

Full-height modesty panel. 1 grommet.





W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 30 x 29	1800 x 750 x 735	**41NN-DT3072_**	**663**
66 x 30 x 29	1650 x 750 x 735	**41NN-DT3066_**	**631**
60 x 30 x 29	1500 x 750 x 735	**41NN-DT3060_**	**605**
54 x 30 x 29	1350 x 750 x 735	**41NN-DT3054_**	**578**
48 x 30 x 29	1200 x 750 x 735	**41NN-DT3048_**	**552**
42 x 30 x 29	1050 x 750 x 735	**41NN-DT3042_**	**525**
36 x 30 x 29	900 x 750 x 735	**41NN-DT3036_**	**499**
30 x 30 x 29	750 x 750 x 735	**41NN-DT3030_**	**472**
24 x 30 x 29	600 x 750 x 735	**41NN-DT3024_**	**441**

Specify panel legs (A, B, C).

Rectangular tables – 24" D

Full-height modesty panel. 1 grommet.





W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 24 x 29	1800 x 600 x 735	**41NN-DT2472_**	**642**
66 x 24 x 29	1650 x 600 x 735	**41NN-DT2466_**	**610**
60 x 24 x 29	1500 x 600 x 735	**41NN-DT2460_**	**583**
54 x 24 x 29	1350 x 600 x 735	**41NN-DT2454_**	**557**
48 x 24 x 29	1200 x 600 x 735	**41NN-DT2448_**	**530**
42 x 24 x 29	1050 x 600 x 735	**41NN-DT2442_**	**504**
36 x 24 x 29	900 x 600 x 735	**41NN-DT2436_**	**477**
30 x 24 x 29	750 x 600 x 735	**41NN-DT2430_**	**446**
24 x 24 x 29	600 x 600 x 735	**41NN-DT2424_**	**419**

Specify panel legs (A, B, C).

Rectangular tables – 20" D

Full-height modesty panel. 1 grommet.



W x D x H (in)	W x D x H (mm)	Code	Price ($)
72 x 20 x 29	1800 x 500 x 735	**41NN-DT2072_**	**615**
66 x 20 x 29	1650 x 500 x 735	**41NN-DT2066_**	**589**
60 x 20 x 29	1500 x 500 x 735	**41NN-DT2060_**	**562**
54 x 20 x 29	1350 x 500 x 735	**41NN-DT2054_**	**536**
48 x 20 x 29	1200 x 500 x 735	**41NN-DT2048_**	**509**
42 x 20 x 29	1050 x 500 x 735	**41NN-DT2042_**	**482**
36 x 20 x 29	900 x 500 x 735	**41NN-DT2036_**	**451**
30 x 20 x 29	750 x 500 x 735	**41NN-DT2030_**	**424**
24 x 20 x 29	600 x 500 x 735	**41NN-DT2024_**	**398**

Specify panel legs (A, B, C).

Asymmetrical tables – 30" D

Full-height modesty panel. 1 grommet.





Surface	R1
54"/30"	39 9/16" (992 mm)
48"/30"	33 3/16" (843 mm)
42"/30"	27¼" (692 mm)
36"/30"	21⅜" (543 mm)
30"/30"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 30 x 29	1350 x 750 x 735	**41NN-AT305424_**	**610**
48 x 30 x 29	1200 x 750 x 735	**41NN-AT304824_**	**583**
42 x 30 x 29	1050 x 750 x 735	**41NN-AT304224_**	**557**
36 x 30 x 29	900 x 750 x 735	**41NN-AT303624_**	**530**
30 x 30 x 29	750 x 750 x 735	**41NN-AT303024_**	**504**

Specify panel legs (B, C).

Asymmetrical tables – 30" D

Full-height modesty panel. 1 grommet.





Surface	R1
54"/30"	39 9/16" (992 mm)
48"/30"	33 3/16" (843 mm)
42"/30"	27¼" (692 mm)
36"/30"	21⅜" (543 mm)
30"/30"	15½" (394 mm)

W x D x H (in)	W x D x H (mm)	Code	Price ($)
54 x 30 x 29	1350 x 750 x 735	**41NN-AT245430_**	**610**
48 x 30 x 29	1200 x 750 x 735	**41NN-AT244830_**	**583**
42 x 30 x 29	1050 x 750 x 735	**41NN-AT244230_**	**557**
36 x 30 x 29	900 x 750 x 735	**41NN-AT243630_**	**530**
30 x 30 x 29	750 x 750 x 735	**41NN-AT243030_**	**504**

Specify panel legs (B, C).

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Asymmetrical tables – 24" D	*Full-height modesty panel. 1 grommet.*			
	54 x 24 x 29	1350 x 600 x 735	**41NN-AT245418_**	**589**
	48 x 24 x 29	1200 x 600 x 735	**41NN-AT244818_**	**562**
	42 x 24 x 29	1050 x 600 x 735	**41NN-AT244218_**	**536**
	36 x 24 x 29	900 x 600 x 735	**41NN-AT243618_**	**509**
	30 x 24 x 29	750 x 600 x 735	**41NN-AT243018_**	**482**
	Specify panel legs (B, C).			

Surface	R1
54"/24"	39 1/16" (992 mm)
48"/24"	33 3/16" (843 mm)
42"/24"	27¼" (692 mm)
36"/24"	21⅜" (543 mm)
30"/24"	15½" (394 mm)

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Asymmetrical tables – 24" D	*Full-height modesty panel. 1 grommet.*			
	54 x 24 x 29	1350 x 600 x 735	**41NN-AT185424_**	**589**
	48 x 24 x 29	1200 x 600 x 735	**41NN-AT184824_**	**562**
	42 x 24 x 29	1050 x 600 x 735	**41NN-AT184224_**	**536**
	36 x 24 x 29	900 x 600 x 735	**41NN-AT183624_**	**509**
	30 x 24 x 29	750 x 600 x 735	**41NN-AT183024_**	**482**
	Specify panel legs (B, C).			

Surface	R1
54"/24"	39 1/16" (992 mm)
48"/24"	33 3/16" (843 mm)
42"/24"	27¼" (692 mm)
36"/24"	21⅜" (543 mm)
30"/24"	15½" (394 mm)

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
D-shaped surfaces	*Black steel leg. Must be attached to a work surface. Order LGC-BAR for any surface wider than 60", refer to page 207.*			
	72 x 36 x 29	1800 x 900 x 735	**41NN-BU3672**	**658**
	72 x 30 x 29	1800 x 750 x 735	**41NN-BU3072**	**605**
	66 x 30 x 29	1650 x 750 x 735	**41NN-BU3066**	**573**
Packaged in 2 boxes.	60 x 30 x 29	1500 x 750 x 735	**41NN-BU3060**	**547**
	66 x 24 x 29	1650 x 600 x 735	**41NN-BU2466**	**525**
	60 x 24 x 29	1500 x 600 x 735	**41NN-BU2460**	**488**
	48 x 24 x 29	1200 x 600 x 735	**41NN-BU2448**	**461**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
D-shaped surfaces	*Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 36 x 29	1800 x 900 x 735	**41NN-BT3672**	**759**
	72 x 30 x 29	1800 x 750 x 735	**41NN-BT3072**	**716**
	66 x 30 x 29	1650 x 750 x 735	**41NN-BT3066**	**684**
	60 x 30 x 29	1500 x 750 x 735	**41NN-BT3060**	**658**
Packaged in 2 boxes.	66 x 24 x 29	1650 x 600 x 735	**41NN-BT2466**	**631**
	60 x 24 x 29	1500 x 600 x 735	**41NN-BT2460**	**594**
	48 x 24 x 29	1200 x 600 x 735	**41NN-BT2448**	**567**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
D-shaped surfaces	*Reversible modesty panel. Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 36 x 29	1800 x 900 x 735	**41NN-BTM3672**	**854**
	72 x 30 x 29	1800 x 750 x 735	**41NN-BTM3072**	**801**
	66 x 30 x 29	1650 x 750 x 735	**41NN-BTM3066**	**769**
Packaged in 2 boxes.	60 x 30 x 29	1500 x 750 x 735	**41NN-BTM3060**	**737**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Left P-shaped surfaces	*Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 42 x 29	1800 x 1050 x 735	**41NN-PT3072**	**859**
	66 x 42 x 29	1650 x 1050 x 735	**41NN-PT3066**	**838**
	60 x 42 x 29	1500 x 1050 x 735	**41NN-PT3060**	**812**
Packaged in 2 boxes.				

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Right P-shaped surfaces	*Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 42 x 29	1800 x 1050 x 735	**41NN-3072PT**	**859**
	66 x 42 x 29	1650 x 1050 x 735	**41NN-3066PT**	**838**
	60 x 42 x 29	1500 x 1050 x 735	**41NN-3060PT**	**812**
Packaged in 2 boxes.				

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Left P-shaped surfaces	*Modesty panel. Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 42 x 29	1800 x 1050 x 735	**41NN-PTM3072**	**912**
	66 x 42 x 29	1650 x 1050 x 735	**41NN-PTM3066**	**891**
	60 x 42 x 29	1500 x 1050 x 735	**41NN-PTM3060**	**870**
Packaged in 2 boxes.				

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Right P-shaped surfaces	*Modesty panel. Black steel leg. 1 grommet. Must be attached to another surface.*			
	72 x 42 x 29	1800 x 1050 x 735	**41NN-3072PTM**	**912**
	66 x 42 x 29	1650 x 1050 x 735	**41NN-3066PTM**	**891**
	60 x 42 x 29	1500 x 1050 x 735	**41NN-3060PTM**	**870**
Packaged in 2 boxes.				

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file / bookcase credenzas	*2 file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.*			
	72 x 24 x 29	1800 x 600 x 735	**41_N-LF2472B**	**1,586**
	72 x 20 x 29	1800 x 500 x 735	**41_N-LF2072B**	**1,475**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Bookcase credenzas	*Storage unit with doors and adjustable shelves. Locks.*			
	72 x 24 x 29	1800 x 600 x 735	**41_N-B2472B**	**1,437**
	72 x 20 x 29	1800 x 500 x 735	**41_N-B2072B**	**1,326**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file credenzas	*4 file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 207.*			
	72 x 24 x 29	1800 x 600 x 735	**41_N-LF2472LF**	**1,750**
	72 x 20 x 29	1800 x 500 x 735	**41_N-LF2072LF**	**1,639**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Left lateral file credenzas	*2 file drawers on left with suspension bars. Lock. Grommet on back.*			
	72 x 24 x 29	1800 x 600 x 735	**41_N-LF2472S**	**1,310**
	66 x 24 x 29	1650 x 600 x 735	**41_N-LF2466S**	**1,257**
	60 x 24 x 29	1500 x 600 x 735	**41_N-LF2460S**	**1,204**
	72 x 20 x 29	1800 x 500 x 735	**41_N-LF2072S**	**1,204**
	66 x 20 x 29	1650 x 500 x 735	**41_N-LF2066S**	**1,145**
	60 x 20 x 29	1500 x 500 x 735	**41_N-LF2060S**	**1,119**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Right lateral file credenzas	*2 file drawers on right with suspension bars. Lock. Grommet on back.*			
	72 x 24 x 29	1800 x 600 x 735	**41_N-S2472LF**	**1,310**
	66 x 24 x 29	1650 x 600 x 735	**41_N-S2466LF**	**1,257**
	60 x 24 x 29	1500 x 600 x 735	**41_N-S2460LF**	**1,204**
	72 x 20 x 29	1800 x 500 x 735	**41_N-S2072LF**	**1,204**
	66 x 20 x 29	1650 x 500 x 735	**41_N-S2066LF**	**1,145**
	60 x 20 x 29	1500 x 500 x 735	**41_N-S2060LF**	**1,119**
	Specify the handle code (X, Y, L).			

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Lateral file credenzas	*Open space on top and 2 file drawers on bottom with suspension bars. Locks. Grommet on back. Optional counterweights to meet BIFMA standards, refer to page 207.*				
	72 x 24 x 29	1800 x 600 x 735	**41_N-SLF2472**		**1,268**
	72 x 20 x 29	1800 x 500 x 735	**41_N-SLF2072**		**1,145**
	Specify the handle code (X, Y, L).				
Open bookcase credenzas	*1 adjustable shelf on each side.*				
	72 x 24 x 29	1800 x 600 x 735	**41NN-BE2472BE**		**1,098**
	72 x 20 x 29	1800 x 500 x 735	**41NN-BE2072BE**		**1,044**
Left open bookcase credenzas	*Adjustable shelf. Full-height modesty panel. Grommet on back.*				
	72 x 24 x 29	1800 x 600 x 735	**41NN-BE2472S**		**1,013**
	72 x 20 x 29	1800 x 500 x 735	**41NN-BE2072S**		**955**
Right open bookcase credenzas	*Adjustable shelf. Full-height modesty panel. Grommet on back.*				
	72 x 24 x 29	1800 x 600 x 735	**41NN-S2472BE**		**1,013**
	72 x 20 x 29	1800 x 500 x 735	**41NN-S2072BE**		**955**
Double pedestal credenzas	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Grommet on back.*				
	72 x 24 x 29	1800 x 600 x 735	**41_N-F2472F**		**1,257**
	66 x 24 x 29	1650 x 600 x 735	**41_N-F2466F**		**1,236**
	60 x 24 x 29	1500 x 600 x 735	**41_N-F2460F**		**1,215**
	72 x 20 x 29	1800 x 500 x 735	**41_N-F2072F**		**1,145**
	66 x 20 x 29	1650 x 500 x 735	**41_N-F2066F**		**1,124**
	60 x 20 x 29	1500 x 500 x 735	**41_N-F2060F**		**1,104**
	Specify the handle code (X, Y, N).				
Left single pedestal credenzas	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*				
	72 x 24 x 29	1800 x 600 x 735	**41_N-F2472S**		**960**
	66 x 24 x 29	1650 x 600 x 735	**41_N-F2466S**		**938**
	60 x 24 x 29	1500 x 600 x 735	**41_N-F2460S**		**918**
	72 x 20 x 29	1800 x 500 x 735	**41_N-F2072S**		**960**
	66 x 20 x 29	1650 x 500 x 735	**41_N-F2066S**		**938**
	60 x 20 x 29	1500 x 500 x 735	**41_N-F2060S**		**918**
	Specify the handle code (X, Y, N).				
Right single pedestal credenzas	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet on back.*				
	72 x 24 x 29	1800 x 600 x 735	**41_N-S2472F**		**960**
	66 x 24 x 29	1650 x 600 x 735	**41_N-S2466F**		**938**
	60 x 24 x 29	1500 x 600 x 735	**41_N-S2460F**		**918**
	72 x 20 x 29	1800 x 500 x 735	**41_N-S2072F**		**960**
	66 x 20 x 29	1650 x 500 x 735	**41_N-S2066F**		**938**
	60 x 20 x 29	1500 x 500 x 735	**41_N-S2060F**		**918**
	Specify the handle code (X, Y, N).				

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Bridge-returns	*Full-height modesty panel. 1 grommet.*				
	48 x 24 x 29	1200 x 600 x 735	**41NN-BR2448**		**355**
	42 x 24 x 29	1050 x 600 x 735	**41NN-BR2442**		**335**
	36 x 24 x 29	900 x 600 x 735	**41NN-BR2436**		**313**
	48 x 20 x 29	1200 x 500 x 735	**41NN-BR2048**		**323**
	42 x 20 x 29	1050 x 500 x 735	**41NN-BR2042**		**302**
	36 x 20 x 29	900 x 500 x 735	**41NN-BR2036**		**282**
Return shells	*Reversible. 1 grommet. Can accommodate 1 pedestal.*				
	48 x 24 x 29	1200 x 600 x 735	**41NN-R2448S**		**408**
	42 x 24 x 29	1050 x 600 x 735	**41NN-R2442S**		**381**
	48 x 20 x 29	1200 x 500 x 735	**41NN-R2048S**		**371**
	42 x 20 x 29	1050 x 500 x 735	**41NN-R2042S**		**345**
Left executive returns	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 735	**41_N-F2448R**		**785**
	42 x 24 x 29	1050 x 600 x 735	**41_N-F2442R**		**743**
	48 x 20 x 29	1200 x 500 x 735	**41_N-F2048R**		**748**
	42 x 20 x 29	1050 x 500 x 735	**41_N-F2042R**		**726**
	Specify the handle code (X, Y, N).				
Right executive returns	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*				
	48 x 24 x 29	1200 x 600 x 735	**41_N-R2448F**		**785**
	42 x 24 x 29	1050 x 600 x 735	**41_N-R2442F**		**743**
	48 x 20 x 29	1200 x 500 x 735	**41_N-R2048F**		**748**
	42 x 20 x 29	1050 x 500 x 735	**41_N-R2042F**		**726**
	Specify the handle code (X, Y, N).				
Hutches with doors – 44" H	*Clearance: 21½". Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	84 x 16 x 44	2100 x 400 x 1099	**41NN-E844416P**		**1,257**
84" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	78 x 16 x 44	1950 x 400 x 1099	**41NN-E784416P**		**1,204**
	72 x 16 x 44	1800 x 400 x 1099	**41NN-E724416P**		**1,145**
	66 x 16 x 44	1650 x 400 x 1099	**41NN-E664416P**		**1,092**
	60 x 16 x 44	1500 x 400 x 1099	**41NN-E604416P**		**1,039**
	54 x 16 x 44	1350 x 400 x 1099	**41NN-E544416P**		**981**
	48 x 16 x 44	1200 x 400 x 1099	**41NN-E484416P**		**928**
	42 x 16 x 44	1050 x 400 x 1099	**41NN-E424416P**		**875**
	36 x 16 x 44	900 x 400 x 1099	**41NN-E364416P**		**822**
Hutches with doors – 36" H	*Clearance: 17⅝". Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	84 x 16 x 36	2100 x 400 x 900	**41NN-E843616P**		**1,145**
84" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	78 x 16 x 36	1950 x 400 x 900	**41NN-E783616P**		**1,092**
	72 x 16 x 36	1800 x 400 x 900	**41NN-E723616P**		**1,039**
	66 x 16 x 36	1650 x 400 x 900	**41NN-E663616P**		**981**
	60 x 16 x 36	1500 x 400 x 900	**41NN-E603616P**		**928**
	54 x 16 x 36	1350 x 400 x 900	**41NN-E543616P**		**875**
	48 x 16 x 36	1200 x 400 x 900	**41NN-E483616P**		**822**
	42 x 16 x 36	1050 x 400 x 900	**41NN-E423616P**		**764**
	36 x 16 x 36	900 x 400 x 900	**41NN-E363616P**		**711**

= QUICKSHIP = ASSEMBLY REQUIRED

Open hutches – 44" H





Clearance: 21½". Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 16 x 44	2100 x 400 x 1099	**41NN-E844416**	**1,039**
78 x 16 x 44	1950 x 400 x 1099	**41NN-E784416**	**981**
72 x 16 x 44	1800 x 400 x 1099	**41NN-E724416**	**928**
66 x 16 x 44	1650 x 400 x 1099	**41NN-E664416**	**875**
60 x 16 x 44	1500 x 400 x 1099	**41NN-E604416**	**822**
54 x 16 x 44	1350 x 400 x 1099	**41NN-E544416**	**764**
48 x 16 x 44	1200 x 400 x 1099	**41NN-E484416**	**711**
42 x 16 x 44	1050 x 400 x 1099	**41NN-E424416**	**658**
36 x 16 x 44	900 x 400 x 1099	**41NN-E364416**	**600**

Open hutches – 36" H

Clearance: 17⅝". Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 16 x 36	2100 x 400 x 900	**41NN-E843616**	**928**
78 x 16 x 36	1950 x 400 x 900	**41NN-E783616**	**875**
72 x 16 x 36	1800 x 400 x 900	**41NN-E723616**	**822**
66 x 16 x 36	1650 x 400 x 900	**41NN-E663616**	**764**
60 x 16 x 36	1500 x 400 x 900	**41NN-E603616**	**711**
54 x 16 x 36	1350 x 400 x 900	**41NN-E543616**	**658**
48 x 16 x 36	1200 x 400 x 900	**41NN-E483616**	**600**
42 x 16 x 36	1050 x 400 x 900	**41NN-E423616**	**547**
36 x 16 x 36	900 x 400 x 900	**41NN-E363616**	**494**

Wall-mounted hutches with doors – 22" H



84" to 60": 4 doors
54" to 48": 3 doors
42" to 36": 2 doors

Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 16 x 22	2100 x 400 x 553	**41NN-EM842216P**	**1,172**
78 x 16 x 22	1950 x 400 x 553	**41NN-EM782216P**	**1,119**
72 x 16 x 22	1800 x 400 x 553	**41NN-EM722216P**	**1,066**
66 x 16 x 22	1650 x 400 x 553	**41NN-EM662216P**	**1,013**
60 x 16 x 22	1500 x 400 x 553	**41NN-EM602216P**	**955**
54 x 16 x 22	1350 x 400 x 553	**41NN-EM542216P**	**902**
48 x 16 x 22	1200 x 400 x 553	**41NN-EM482216P**	**849**
42 x 16 x 22	1050 x 400 x 553	**41NN-EM422216P**	**791**
36 x 16 x 22	900 x 400 x 553	**41NN-EM362216P**	**737**

Wall-mounted open hutches – 22" H



Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x 16 x 22	2100 x 400 x 553	**41NN-EM842216**	**955**
78 x 16 x 22	1950 x 400 x 553	**41NN-EM782216**	**902**
72 x 16 x 22	1800 x 400 x 553	**41NN-EM722216**	**849**
66 x 16 x 22	1650 x 400 x 553	**41NN-EM662216**	**791**
60 x 16 x 22	1500 x 400 x 553	**41NN-EM602216**	**737**
54 x 16 x 22	1350 x 400 x 553	**41NN-EM542216**	**684**
48 x 16 x 22	1200 x 400 x 553	**41NN-EM482216**	**626**
42 x 16 x 22	1050 x 400 x 553	**41NN-EM422216**	**573**
36 x 16 x 22	900 x 400 x 553	**41NN-EM362216**	**520**

Lateral file units

2 file drawers with suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 207.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 24 x 29	900 x 600 x 735	**41_N-2436LF**	**955**
30 x 24 x 29	750 x 600 x 735	**41_N-2430LF**	**912**
36 x 20 x 29	900 x 500 x 735	**41_N-2036LF**	**918**
30 x 20 x 29	750 x 500 x 735	**41_N-2030LF**	**875**

Specify the handle code (X, Y, L).

Bookcase units with doors

Adjustable shelf. Lock.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 24 x 29	900 x 600 x 735	**41_N-2436B**	**822**
30 x 24 x 29	750 x 600 x 735	**41_N-2430B**	**774**
36 x 20 x 29	900 x 500 x 735	**41_N-2036B**	**785**
30 x 20 x 29	750 x 500 x 735	**41_N-2030B**	**743**

Specify the handle code (X, Y, L).

Combined pedestals

2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 24 x 29	900 x 600 x 735	**41_N-2436CO**	**1,140**
36 x 20 x 29	900 x 500 x 735	**41_N-2036CO**	**1,109**

Specify the handle code (X, Y, L).

Combined pedestals

2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 24 x 29	900 x 600 x 735	**41_N-CO2436**	**1,140**
36 x 20 x 29	900 x 500 x 735	**41_N-CO2036**	**1,109**

Specify the handle code (X, Y, L).

Modular lateral files

2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 18 x 28	898 x 448 x 711	**4N_N-1836LFL**	**849**
30 x 18 x 28	748 x 448 x 711	**4N_N-1830LFL**	**801**

Specify the handle code (X, Y, L).

Modular combined pedestal

2 box drawers on left, 2 file drawers with suspension bars. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 18 x 28	898 x 448 x 711	**4N_N-1836COL**	**1,087**

Specify the handle code (X, Y, L).

Modular combined pedestal

2 box drawers on right, 2 file drawers with suspension bars. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 18 x 28	898 x 448 x 711	**4N_N-CO1836L**	**1,087**

Specify the handle code (X, Y, L).

Modular bookcases with doors

Adjustable shelf. Lock. Must be installed under a work surface. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 18 x 28	898 x 448 x 711	**4N_N-1836BL**	**764**
30 x 18 x 28	748 x 448 x 711	**4N_N-1830BL**	**721**

Specify the handle code (X, Y, L).

Storage or wardrobe units



3 adjustable shelves and 1 full-width fixed shelf. Full-width clothes hanger bar. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
36 x 24 x 73	900 x 600 x 1834	**41_N-243673B**	**1,448**
36 x 20 x 73	900 x 500 x 1834	**41_N-203673B**	**1,336**
36 x 24 x 65	900 x 600 x 1635	**41_N-243665B**	**1,336**
36 x 20 x 65	900 x 500 x 1635	**41_N-203665B**	**1,230**

Specify the handle code (X, Y, L).

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Storage or wardrobe units	*3 adjustable shelves and 1 full-width fixed shelf. Full-width clothes hanger bar. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	24 x 24 x 73	600 x 600 x 1834	**41_N-242473BR**	**1,172**
	24 x 24 x 73	600 x 600 x 1834	**41_N-242473BL**	**1,172**
	24 x 20 x 73	600 x 500 x 1834	**41_N-202473BR**	**1,119**
	24 x 20 x 73	600 x 500 x 1834	**41_N-202473BL**	**1,119**
	24 x 24 x 65	600 x 600 x 1635	**41_N-242465BR**	**1,119**
	24 x 24 x 65	600 x 600 x 1635	**41_N-242465BL**	**1,119**
	24 x 20 x 65	600 x 500 x 1635	**41_N-202465BR**	**1,066**
	24 x 20 x 65	600 x 500 x 1635	**41_N-202465BL**	**1,066**
	Specify the handle code (X, Y, L).			

Open right (BR)


Open left (BL)

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Storage units with lateral file	*2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. 73" H storage matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	36 x 24 x 73	900 x 600 x 1834	**41_N-243673LFB**	**1,750**
	36 x 20 x 73	900 x 500 x 1834	**41_N-203673LFB**	**1,639**
	36 x 24 x 65	900 x 600 x 1635	**41_N-243665LFB**	**1,681**
	36 x 20 x 65	900 x 500 x 1635	**41_N-203665LFB**	**1,575**
	Specify the handle code (X, Y, L).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Storage units with lateral file	*Reversible door. 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. 73" H storage unit matches the height of a credenza with a 44" H hutch. 65" H storage unit matches the height of a credenza with a 36" H hutch.*			
	24 x 24 x 73	600 x 600 x 1834	**41_N-242473FBR**	**1,485**
	24 x 24 x 73	600 x 600 x 1834	**41_N-242473FBL**	**1,485**
	24 x 20 x 73	600 x 500 x 1834	**41_N-202473FBR**	**1,379**
	24 x 20 x 73	600 x 600 x 1834	**41_N-202473FBL**	**1,379**
	24 x 24 x 65	600 x 600 x 1635	**41_N-242465FBR**	**1,432**
	24 x 24 x 65	600 x 600 x 1635	**41_N-242465FBL**	**1,432**
	24 x 20 x 65	600 x 500 x 1635	**41_N-202465FBR**	**1,321**
	24 x 20 x 65	600 x 600 x 1635	**41_N-202465FBL**	**1,321**
	Specify the handle code (X, Y, L).			


Open right (FBR)


Open left (FBL)

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Open bookcases	*4 adjustable shelves.*			
	36 x 14 x 73	900 x 350 x 1834	**41NN-B367314**	**822**
	36 x 14 x 65	900 x 350 x 1635	**41NN-B366514**	**737**
	2 adjustable shelves.			
	36 x 14 x 48	900 x 350 x 1200	**41NN-B364814**	**658**
	Additional shelf.			
	34 x 13 x 1	846 x 325 x 25	**41NN-TB3614.1E**	**111**





	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Corner open bookcases	*4 adjustable shelves.*			
	24 x 24 x 73	600 x 600 x 1834	**41NN-B242473**	**875**
	20 x 20 x 73	500 x 500 x 1834	**41NN-B202073**	**822**
	24 x 24 x 65	600 x 600 x 1635	**41NN-B242465**	**822**
	20 x 20 x 65	500 x 500 x 1635	**41NN-B202065**	**764**



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Corner open bookcases	*1 adjustable shelf.*			
	24 x 24 x 29	600 x 600 x 735	**41NN-B242429**	**547**
	20 x 20 x 29	500 x 500 x 735	**41NN-B202029**	**494**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Mobile pedestals	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27 1/8	390 x 575 x 689	**4N_N-MP1523UF**	**801**
	15 x 18 x 27 1/8	390 x 450 x 689	**4N_N-MP1518UF**	**748**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Mobile pedestal	*2 file drawers with suspension bars. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 27 1/8	390 x 575 x 689	**4N_N-MP1523FF**	**764**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Mobile pedestals	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 23 x 20¾	390 x 575 x 527	**4N_N-MP1523F**	**737**
	15 x 18 x 20¾	390 x 450 x 527	**4N_N-MP1518F**	**711**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Modular pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 711	**4N_N-P1518UFL**	**695**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Modular pedestal	*2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 711	**4N_N-P1518FFL**	**668**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hanging pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface de travail. 1 tone only.*			
	15 x 17½ x 19¼	388 x 448 x 489	**4N_N-F**	**610**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Charcoal metal body and laminate drawer fronts. Lock. Must be installed under work surface.*			
	15 x 22 x 28	372 x 540 x 713	**4N_N-PM1522UFL**	**504**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal pedestal	*2 file drawers with suspension bars. Charcoal metal body and laminate drawer fronts. Lock. Must be installed under a work surface.*			
	15 x 22 x 28	372 x 540 x 713	**4N_N-PM1522FFL**	**482**
	Specify the handle code (X, Y, L).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hanging metal pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body and laminate drawer fronts. Must be installed under a work surface.*			
	15 x 22 x 19½	372 x 540 x 496	**4N_N-MF**	**461**
	Specify the handle code (X, Y, L).			

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Round tops	*Conference tables.*				
	36 x 36 x 1½	900 x 900 x 38	**45NN-R36**		**328**
	42 x 42 x 1½	1050 x 1050 x 38	**45NN-R42**		**451**
	48 x 48 x 1½	1200 x 1200 x 38	**45NN-R48**		**499**
Rectangular tops	*Conference tables.*				
	72 x 36 x 1½	1800 x 900 x 38	**45NN-REC72**		**552**
	96 x 48 x 1½	2400 x 1200 x 38	**45NN-REC96**		**791**
Boat-shape tops	*Conference tables. 120" and 144" tops are in two pieces.*				
	96 x 48 x 1½	2400 x 1200 x 38	**45NN-B96**		**880**
	120 x 48 x 1½	3000 x 1200 x 38	**45NN-B120**		**1,104**
	144 x 48 x 1½	3600 x 1200 x 38	**45NN-B144**		**1,157**
Racetrack tops	*Conference tables. 120" and 144" tops are in two pieces.*				
	72 x 36 x 1½	1800 x 900 x 38	**45NN-RT72**		**642**
	96 x 48 x 1½	2400 x 1200 x 38	**45NN-RT96**		**880**
	120 x 48 x 1½	3000 x 1200 x 38	**45NN-RT120**		**1,104**
	144 x 48 x 1½	3600 x 1200 x 38	**45NN-RT144**		**1,157**
Cross bases	*1½" thermofused laminate.*				
	22 x 22 x 28	555 x 555 x 710	**LGC-CR22**		**350**
	27 x 27 x 28	680 x 680 x 710	**LGC-CR27**		**388**
	33 x 33 x 28	825 x 825 x 710	**LGC-CR33**		**441**
V-bases	*1½" thermofused laminate.*				
	16 x 16 x 28	400 x 400 x 710	**LGC-2V14**	(pair)	**509**
Drum base	18 x 18 x 28	460 x 460 x 710	**LGC-DB19**		**822**

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Panel bases	*Panel bases and crosspieces packaged separately. For 72" and 96" tables.*				
	43 3/8 x 24 x 28	1084 x 600 x 710	**LGC-P30.7296**		**408**
	For 120" and 144" tables.				
	85 x 24 x 28	2126 x 600 x 710	**LGC-P30.120144**		**642**
Cross base	*Black steel leg.*				
	33 x 33 x 28	830 x 830 x 710	**LGC-CH433 NNN**	(each)	**562**
T-base	*Black steel leg.*				
	30 x 4 x 28	760 x 105 x 710	**LGC-CH233 NNN**	(each)	**435**
Leg	*Black steel leg.*				
	6 x 6 x 28	150 x 150 x 710	**LGC-TL NNN**	(each)	**260**
Printer table	*1 height adjustable sliding shelf. Grommet on modesty panel.*				
	30 x 24 x 29	750 x 600 x 735	**41NN-2430PS**		**658**
Coffee table	22 x 22 x 18	550 x 550 x 450	**41NN-ST222218**		**355**
Magazine table	48 x 22 x 18	1200 x 550 x 450	**41NN-ST224818**		**381**

BASE OPTIONS / QUANTITY

	Top Lengths	LGC-CR22	LGC-CR27	LGC-CR33	LGC-2V14	LGC-DB19	LGC-P30.7296	LGC-P30.120144	LGC-CH433	LGC-CH233	LGC-TL*
36" DEPTH	**36"**	**1**				**1**			**1**		**4**
	72"	**2**			**1**	**2**	**1**		**2**	**2**	**4**
42" DEPTH	**42"**		**1**						**1**		**4**
48" DEPTH	**48"**			**1**					**1**		**4**
	96"			**2**	**1**	**2**	**1**		**2**	**2**	**4**
	120"			**3**	**1+1 CR33**	**3**		**1**	**3**	**3**	**6**
	144"			**3**	**1+1 CR33**	**3**		**1**	**3**	**3**	**6**

* Not compatible with round tops.

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Mobile serving carts	*1 sliding shelf, 1 box drawer. Pencil tray. 1 door. 1 shelf.*				
	20 x 21 x 36	500 x 520 x 900	**41_N-MS212036**		**854**
	Specify the handle code (X, Y, L).				
	1 sliding shelf, 2 box drawers. Pencil tray. 2 doors. 2 shelves.				
	36 x 21 x 36	900 x 520 x 900	**41_N-MS213636**		**1,326**
	Specify the handle code (X, Y, L).				
Marker board	*Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork. Hooks for paper pad. 180º hinges.*				
	54 x 5 x 41¼	1368 x 130 x 1049	**41_N-VBX4054**		**1,369**
	Specify the handle code (X, Y, L).				
Lectern	*1 fixed shelf. 1 grommet. 4 casters, 2 with brakes.*				
	24 x 18 x 44	600 x 450 x 1112	**41NN-LC181844**		**764**
Right reception desks	*Desk with pedestal on left, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel.*				
	72 x 30 x 42	1800 x 750 x 1050	**41_N-GF3072S**		**1,422**
	Specify the handle code (X, Y, N).				
	Right return with pedestal on right,1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.				
	48 x 24 x 42	1200 x 600 x 1050	**41_N-GR2448F**		**928**
	42 x 24 x 42	1050 x 600 x 1050	**41_N-GR2442F**		**907**
	Specify the handle code (X, Y, N).				
Left reception desks	*Desk with pedestal on right, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 2 grommets. Full-height modesty panel.*				
	72 x 30 x 42	1800 x 750 x 1050	**41_N-GS3072F**		**1,422**
	Specify the handle code (X, Y, N).				
	Left return with pedestal on left, 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. 1 grommet. Full-height modesty panel.				
	48 x 24 x 42	1200 x 600 x 1050	**41_N-GF2448R**		**928**
	42 x 24 x 42	1050 x 600 x 1050	**41_N-GF2442R**		**907**
	Specify the handle code (X, Y, N).				
Additional legs	*1 full leg. For AT, DT and CM tables.*				
	30 x 1 x 27½	750 x 25 x 698	**4NNN-L30**		**143**
	24 x 1 x 27½	600 x 25 x 698	**4NNN-L24**		**133**
	20 x 1 x 27½	500 x 25 x 698	**4NNN-L20**		**122**
Additional legs	*1 recessed leg. For AT, DT and CM tables.*				
	13 x 1 x 27½	340 x 25 x 698	**4NNN-L12**		**111**

= QUICKSHIP

USA – FEBRUARY 2015

SUGGESTIONS

41_N-PLAN01



Plan shown in Concept 400E Flyer:

41YN-PLAN01	**$5,118**
1	41YN-F3072S
1	41YN-LF2072LF
2	41YN-203665B

Imperia pull (Y).

41_N-PLAN02



Plan shown in Concept 400E Flyer:

41YN-PLAN02	**$4,567**
1	41NN-TDM3072
1	41NN-DT2472B
1	4NYN-1836BL
1	41YN-242473BL
2	41NN-EM422216
1	LGC-DR20M

Imperia pull (Y).

41_N-PLAN03



Plan shown in Concept 400E Flyer:

41LN-PLAN03	**$9,149**
1	41NN-CM367224A
1	41NN-CM723624A
2	4NLN-MP1518F
2	LGC-CU1518
1	41LN-242473FBR
1	41LN-242473FBL
1	41NN-B367314
2	LGC-SUP2ECPLS

Linear pull (L).

41_N-PLAN04



Plan shown in Concept 400E Flyer:

41LN-PLAN04	**$7,136**
1	41LN-F2442R
2	41NN-CM3624D
2	41NN-R2448S
1	41LN-R2442F
2	41NN-EM782216P
2	LGC-TK7821M
1	CNNN-SCT4818

Linear pull (L).

41_N-PLAN05



Plan shown in Concept 400E Flyer:

QS41LN-PLAN05	**$3,421**
1	**QS**41LN-F3672S
1	**QS**41NN-BR2448
1	**QS**41LN-S2072F
1	**QS**41NN-E723616P

Linear pull (L).

41_N-PLAN06



Plan shown in Concept 400E Flyer:

41XN-PLAN06	**$6,126**
1	41NN-BU3672
1	41NN-BE2472BE
2	41XN-2436LF
2	M1NNN-EB364416
1	41NN-E724416P

Suasa pull (X).

41_N-PLAN07



Not shown in Concept 400E Flyer:

QS41 _ N-PLAN07	**$6,900**
1	**QS**41_N-F4272FA
1	**QS**41_N-F2072F
1	**QS**41NN-E723616P
2	**QS**41_N-203665LFB

41_N-PLAN08



Not shown in Concept 400E Flyer:

QS41_N-PLAN08	**$4,689**
1	**QS**41NN-BT3672
1	**QS**41NN-BR2448
1	**QS**41_N-F2072S
1	**QS**41NN-E723616P
1	**QS**41_N-203665LFB

41_N-PLAN09



Not shown in Concept 400E Flyer:

QS41_N-PLAN09	**$4,996**
1	**QS**41_N-F3672S
1	**QS**41NN-BR2448
1	**QS**41_N-S2072F
1	**QS**41NN-E723616P
1	**QS**41_N-203665LFB

41_N-PLAN10



Not shown in Concept 400E Flyer:

QS41_N-PLAN10	**$6,577**
2	**QS**41NN-CM3618S
2	**QS**41NN-AT243618B
2	**QS**41NN-AT183624B
2	**QS**41NN-E723616P
2	**QS**4N_N-F

= QUICKSHIP

SUGGESTIONS

41_N-PLAN11



Not shown in Concept 400E Flyer:

QS41_N-PLAN11	**$4,233**
1	**QS**41_N-GS3072F
1	**QS**41NN-BR2448
1	**QS**41_N-LF2472S
1	**QS**41NN-E724416P

41_N-PLAN12



Not shown in Concept 400E Flyer:

QS41_N-PLAN12	**$5,087**
1	**QS**41_N-F3672F
1	**QS**41_N-F2072F
1	**QS**41NN-E723616P
1	**QS**41_N-203665LFB

41_N-PLAN13



Not shown in Concept 400E Flyer:

QS41_N-PLAN13	**$3,013**
1	**QS**41_N-S3672F
1	**QS**41_N-F2442R
1	**QS**41NN-E784416P

41_N-PLAN14



Not shown in Concept 400E Flyer:

41_N-PLAN14	**$6,577**
1	41NN-CM367224A
1	41NN-CM723624A
2	41NN-DT2436B
2	41NN-E724416
2	41_N-2436LF

41_N-PLAN15



Not shown in Concept 400E Flyer:

41_N-PLAN15	**$4,159**
1	41NN-PT3072
1	41NN-CM723624B
1	41NN-DT2436B
1	41NN-E724416P
1	4N_N-MP1518UF

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 400E:



= QUICKSHIP

USA – FEBRUARY 2015

CONCEPT 300

LACASSE'S CONCEPT 300 IS A FURNITURE COLLECTION OF OUTSTANDING VALUE

This collection combines function, quality and durability. Find everything you need to create a small touch-down office or any large high-performance work environments! The shapes and components of Concept 300 are true values and thanks to its design, Concept 300 will remain timeless over the years. Concept 300 offers a vast portfolio of products and is the best quality / price furniture solution built under the Lacasse seal of quality!

GENERAL SPECIFICATIONS

CONSTRUCTION
Casegoods are made of particleboard panels finished on both sides with mar-resistant high-performance thermofused laminate (45 lbs/ft^3), also called TFL.

EDGEBANDING
Most Concept 300 components are finished with a 1/8" (3 mm) ABS smooth edgebanding. All edges are finished.

DRAWERS AND DOORS
All drawers are built for trouble-free performance;
- Black full extension ball bearing suspensions.
- 100 lbs (45 kg) load capacity for box and file drawers.
- 150 lbs (68 kg) load capacity for lateral file drawers.
- PVC top rails on lateral file drawers for hanging folders.
- Standard interlock system where required.

Doors on storage furniture;
- 120° hinges on doors.

HANDLES
Two choices of metal handles available in Silver finish: Square (E) or Round (F).

LOCKS
Silver cam locks are standard on drawers and storage furniture. In case of a product with a multiple drawer configuration, the lock controls all drawers. A key-alike option is also available upon request (contact Groupe Lacasse Customer Service).

LEVELERS
Levelers allow up to 1" (25 mm) height adjustment.

UNASSEMBLED ITEMS
Products delivered unassembled are identified by a pictogram.

DIMENSIONS
Metric dimensions are exact; imperial dimensions are nominal (unless otherwise specified).

TECHNICAL FEATURES

- Most of the 29" H (735 mm) products from the Concept 300 collection have a 1" (27 mm) recessed back panel which allows the furniture to be installed against a wall with a power outlet.
- On low-profile credenzas, desks and returns, the recessed full-height back panel overlaps the exterior side panels.
- Drawer fronts of 29" H (735 mm) storage units and doors of hutches have a non-continuous horizontal wood grain direction.

PEDESTAL WITH INNER DRAWERS
Pedestal with full-height front concealing a box drawer with pencil tray and a file drawer with suspension bar.

DESKS
- Modesty panels on desks are recessed 6" (150 mm); except modesty panels on bow front desks with metal pedestals which are recessed 9" (225 mm).
- Desks have a 3/4 height modesty panel which overlaps the exterior side panels, except furniture with low-profile pedestals.
- To change to a full-height modesty panel, specify .4 at the end of the product code and add a $50 list upcharge.

TABLES AND CREDENZAS
- Back panels are recessed 1" (27 mm).
- Products have a 3/4 height modesty panel which overlaps the exterior side panels.
- Full-width or recessed leg panels on DT tables must be specified in left- or right-hand side version.
- To change to a full-height back panel, specify .4 at the end of the product code and add a $50 list upcharge.

CORNER MODELS
- Symmetrical corner module: Full-height side panels. The corner module must be attached to another work surface on each side.
- Extended corner module: The 3/4 height back panel overlaps the extended portion of the module and is recessed 1" (27 mm).

HUTCHES
- Hutches have a back panel which overlaps the exterior side panels.
- All hutches are equipped at work surface height with a full-width access to accommodate electrical wires.
- A regular grommet (round and black) is also provided on the back panel of the hutch to accommodate an optional task light unit.
- Clearance under hutches range from 18 5/8" to 26 1/2" (473 to 673 mm) depending on the model.









EDGEBANDING

Furniture with 1" (25 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

HANDLES

Two choices of metal handles available in Silver finish:

E – Square, Silver

F – Round, Silver

LEG

V – Round, Silver

CODIFICATION

	Options		
Series	Thickness	Edgebanding	Handles
3	**1** Thermofused laminate 1"	**N** Smooth edge	**E** Square, Silver **F** Round, Silver

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

DESKS

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Double pedestal desks	*2 pedestals with locks. 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-F3672F**	**1,263**
	72 x 30 x 29	1800 x 750 x 735	**31N_-F3072F**	**1,220**
	66 x 30 x 29	1650 x 750 x 735	**31N_-F3066F**	**1,167**
	60 x 30 x 29	1500 x 750 x 735	**31N_-F3060F**	**1,124**
	Specify the handle code (E, F).			
Double pedestal desks – inner drawers	*2 pedestals with locks. Pedestals with full-height fronts concealing 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-IF3672IF**	**1,151**
	72 x 30 x 29	1800 x 750 x 735	**31N_-IF3072IF**	**1,109**
	66 x 30 x 29	1650 x 750 x 735	**31N_-IF3066IF**	**1,061**
	60 x 30 x 29	1500 x 750 x 735	**31N_-IF3060IF**	**1,013**
	Specify the handle code (E, F).			
Double pedestal desks – low profile	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-UF3672FF**	**1,565**
	72 x 30 x 29	1800 x 750 x 735	**31N_-UF3072FF**	**1,512**
	66 x 30 x 29	1650 x 750 x 735	**31N_-UF3066FF**	**1,469**
	60 x 30 x 29	1500 x 750 x 735	**31N_-UF3060FF**	**1,427**
	Specify the handle code (E, F).			
Left single pedestal desks	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-F3672S**	**950**
	72 x 30 x 29	1800 x 750 x 735	**31N_-F3072S**	**897**
	66 x 30 x 29	1650 x 750 x 735	**31N_-F3066S**	**854**
	60 x 30 x 29	1500 x 750 x 735	**31N_-F3060S**	**812**
	48 x 30 x 29	1200 x 750 x 735	**31N_-F3048S**	**753**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right single pedestal desks	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-S3672F**	**950**
	72 x 30 x 29	1800 x 750 x 735	**31N_-S3072F**	**897**
	66 x 30 x 29	1650 x 750 x 735	**31N_-S3066F**	**854**
	60 x 30 x 29	1500 x 750 x 735	**31N_-S3060F**	**812**
	48 x 30 x 29	1200 x 750 x 735	**31N_-S3048F**	**753**
	Specify the handle code (E, F).			
Left single pedestal desks – inner drawers	*1 pedestal on left with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-IF3672S**	**844**
	72 x 30 x 29	1800 x 750 x 735	**31N_-IF3072S**	**796**
	66 x 30 x 29	1650 x 750 x 735	**31N_-IF3066S**	**759**
	60 x 30 x 29	1500 x 750 x 735	**31N_-IF3060S**	**716**
	48 x 30 x 29	1200 x 750 x 735	**31N_-IF3048S**	**658**
	Specify the handle code (E, F).			
Right single pedestal desks – inner drawers	*1 pedestal on right with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed 3/4 height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-S3672IF**	**844**
	72 x 30 x 29	1800 x 750 x 735	**31N_-S3072IF**	**796**
	66 x 30 x 29	1650 x 750 x 735	**31N_-S3066IF**	**759**
	60 x 30 x 29	1500 x 750 x 735	**31N_-S3060IF**	**716**
	48 x 30 x 29	1200 x 750 x 735	**31N_-S3048IF**	**658**
	Specify the handle code (E, F).			
Left single pedestal desks – low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-UF3672S**	**1,119**
	72 x 30 x 29	1800 x 750 x 735	**31N_-UF3072S**	**1,077**
	66 x 30 x 29	1650 x 750 x 735	**31N_-UF3066S**	**1,029**
	60 x 30 x 29	1500 x 750 x 735	**31N_-UF3060S**	**981**
	48 x 30 x 29	1200 x 750 x 735	**31N_-UF3048S**	**912**
	Specify the handle code (E, F).			

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right single pedestal desks – low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**31N_-S3672UF**	**1,119**
	72 x 30 x 29	1800 x 750 x 735	**31N_-S3072UF**	**1,077**
	66 x 30 x 29	1650 x 750 x 735	**31N_-S3066UF**	**1,029**
	60 x 30 x 29	1500 x 750 x 735	**31N_-S3060UF**	**981**
	48 x 30 x 29	1200 x 750 x 735	**31N_-S3048UF**	**912**
	Specify the handle code (E, F).			
Desk shells	*Recessed ¾ height modesty panel. Can accommodate 1 or 2 pedestals.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-S3672S**	**695**
	72 x 30 x 29	1800 x 750 x 735	**31NN-S3072S**	**668**
	66 x 30 x 29	1650 x 750 x 735	**31NN-S3066S**	**647**
	60 x 30 x 29	1500 x 750 x 735	**31NN-S3060S**	**615**
	48 x 30 x 29	1200 x 750 x 735	**31NN-S3048S**	**567**
Bow front desks	*Recessed ¾ height modesty panel. Can accommodate 1 or 2 pedestals.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-S3672SA**	**796**
	72 x 30 x 29	1800 x 750 x 735	**31NN-S3072SA**	**769**
	66 x 30 x 29	1650 x 750 x 735	**31NN-S3066SA**	**748**
	60 x 30 x 29	1500 x 750 x 735	**31NN-S3060SA**	**711**
	48 x 30 x 29	1200 x 750 x 735	**31NN-S3048SA**	**647**

DESKS WITH METAL PEDESTALS

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Double metal pedestal bow front desks	*2 pedestals with locks. 2 box drawers and 3 file drawers with suspension bars. Pedestals with charcoal metal body only and laminate drawer fronts. Pencil tray. Recessed ¾ height modesty panel. 1 tone only.*			
	72 x 30 x 29	1800 x 750 x 735	**31N_-UM3072FMA**	**1,554**
	60 x 30 x 29	1500 x 750 x 735	**31N_-UM3060FMA**	**1,528**
	Specify the handle code (E, F).			
Packaged in 3 boxes.				
Left single metal pedestal bow front desks	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pedestal with charcoal metal body only and laminate drawer fronts on left. Pencil tray. Recessed ¾ height modesty panel. 1 tone only.*			
	72 x 30 x 29	1800 x 750 x 735	**31N_-UM3072SA**	**1,374**
	60 x 30 x 29	1500 x 750 x 735	**31N_-UM3060SA**	**1,353**
	Specify the handle code (E, F).			
Packaged in 2 boxes.				
Right single metal pedestal bow front desks	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pedestal with charcoal metal body only and laminate drawer fronts on right. Pencil tray. Recessed ¾ height modesty panel. 1 tone only.*			
	72 x 30 x 29	1800 x 750 x 735	**31N_-S3072UMA**	**1,374**
	60 x 30 x 29	1500 x 750 x 735	**31N_-S3060UMA**	**1,353**
	Specify the handle code (E, F).			
Packaged in 2 boxes.				

CORNER MODULES

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Corner modules	*Full-height modesty panel. 1 grommet. Must be attached to another surface.*			
	48 x 48 x 29	1200 x 1200 x 735	**31NN-CM4830S**	**737**
	42 x 42 x 29	1050 x 1050 x 735	**31NN-CM4224S**	**647**
	36 x 36 x 29	900 x 900 x 735	**31NN-CM3624S**	**589**
	36 x 36 x 29	900 x 900 x 735	**31NN-CM3618S**	**589**



Surface	48"/30"	42"/24"	36"/24"	36"/18"
R1	25" (635 mm)	25" (635 mm)	16⅝" (424 mm)	25" (635 mm)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left extended corner modules – 24" D	*Recessed ¾ height modesty panel on extended side. 1 grommet.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-CM723624_**	**769**
	66 x 36 x 29	1650 x 900 x 735	**31NN-CM663624_**	**721**
	Specify panel legs (A, B).			



Surface	R1	R2
72"/36"	23¼" (591 mm)	25¾" (655 mm)
66"/36"	17⅜" (441 mm)	25¾" (655 mm)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right extended corner modules – 24" D	*Recessed ¾ height modesty panel on extended side. 1 grommet.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-CM367224_**	**769**
	66 x 36 x 29	1650 x 900 x 735	**31NN-CM366624_**	**721**
	Specify panel legs (A, B).			



Surface	R1	R2
72"/36"	23¼" (591 mm)	25¾" (655 mm)
66"/36"	17⅜" (441 mm)	25¾" (655 mm)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left extended corner modules – 20" D	*Recessed ¾ height modesty panel on extended side. 1 grommet.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-CM723620_**	**769**
	66 x 36 x 29	1650 x 900 x 735	**31NN-CM663620_**	**721**
	Specify panel legs (A, B).			



Surface	R1	R2
72"/36"	27" (687 mm)	27⅞" (709 mm)
66"/36"	21" (536 mm)	27⅞" (709 mm)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right extended corner modules – 20" D	*Recessed ¾ height modesty panel on extended side. 1 grommet.*			
	72 x 36 x 29	1800 x 900 x 735	**31NN-CM367220_**	**769**
	66 x 36 x 29	1650 x 900 x 735	**31NN-CM366620_**	**721**
	Specify panel legs (A, B).			



Surface	R1	R2
72"/36"	27" (687 mm)	27⅞" (709 mm)
66"/36"	21" (536 mm)	27⅞" (709 mm)

= ASSEMBLY REQUIRED = QUICKSHIP

TABLES

Rectangular tables



Steel leg, silver. Must be attached to another work surface.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 36 x 29	1800 x 900 x 735	**31NN-RT3672**	**573**
72 x 30 x 29	1800 x 750 x 735	**31NN-RT3072**	**541**
66 x 30 x 29	1650 x 750 x 735	**31NN-RT3066**	**514**
60 x 30 x 29	1500 x 750 x 735	**31NN-RT3060**	**494**
66 x 24 x 29	1650 x 600 x 735	**31NN-RT2466**	**472**
60 x 24 x 29	1500 x 600 x 735	**31NN-RT2460**	**451**
48 x 24 x 29	1200 x 600 x 735	**31NN-RT2448**	**424**

Packaged in 2 boxes.

Rectangular tables with laminate modesty panel



Reversible. Half-height laminate modesty panel. Steel leg, silver. Must be attached to another work surface.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 36 x 29	1800 x 900 x 735	**31NN-RTM3672**	**658**
72 x 30 x 29	1800 x 750 x 735	**31NN-RTM3072**	**626**
66 x 30 x 29	1650 x 750 x 735	**31NN-RTM3066**	**605**
60 x 30 x 29	1500 x 750 x 735	**31NN-RTM3060**	**583**

Packaged in 2 boxes.

D-shaped tables

Steel leg, silver. Must be attached to another work surface.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 36 x 29	1800 x 900 x 735	**31NN-BT3672**	**663**
72 x 30 x 29	1800 x 750 x 735	**31NN-BT3072**	**620**
66 x 30 x 29	1650 x 750 x 735	**31NN-BT3066**	**589**
60 x 30 x 29	1500 x 750 x 735	**31NN-BT3060**	**557**
66 x 24 x 29	1650 x 600 x 735	**31NN-BT2466**	**514**
60 x 24 x 29	1500 x 600 x 735	**31NN-BT2460**	**488**
48 x 24 x 29	1200 x 600 x 735	**31NN-BT2448**	**461**

Packaged in 2 boxes.

D-shaped tables with laminate modesty panel

Reversible. Half-height laminate modesty panel. Steel leg, silver. Must be attached to another work surface.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 36 x 29	1800 x 900 x 735	**31NN-BTM3672**	**753**
72 x 30 x 29	1800 x 750 x 735	**31NN-BTM3072**	**711**
66 x 30 x 29	1650 x 750 x 735	**31NN-BTM3066**	**673**
60 x 30 x 29	1500 x 750 x 735	**31NN-BTM3060**	**642**

Packaged in 2 boxes.

Rectangular tables – 30" D



¾ height modesty panel. 1 grommet. Can accommodate 1 or 2 pedestals.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 30 x 29	1800 x 750 x 735	**31NN-DT3072_**	**605**
66 x 30 x 29	1650 x 750 x 735	**31NN-DT3066_**	**573**
60 x 30 x 29	1500 x 750 x 735	**31NN-DT3060_**	**541**
54 x 30 x 29	1350 x 750 x 735	**31NN-DT3054_**	**509**
48 x 30 x 29	1200 x 750 x 735	**31NN-DT3048_**	**482**
42 x 30 x 29	1050 x 750 x 735	**31NN-DT3042_**	**461**
36 x 30 x 29	900 x 750 x 735	**31NN-DT3036_**	**435**
30 x 30 x 29	750 x 750 x 735	**31NN-DT3030_**	**408**
24 x 30 x 29	600 x 750 x 735	**31NN-DT3024_**	**388**

Specify panel legs (A, BL, BR, C).

Rectangular tables – 24" D



¾ height modesty panel. 1 grommet. Can accommodate 1 or 2 pedestals.



W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
72 x 24 x 29	1800 x 600 x 735	**31NN-DT2472_**	**583**
66 x 24 x 29	1650 x 600 x 735	**31NN-DT2466_**	**547**
60 x 24 x 29	1500 x 600 x 735	**31NN-DT2460_**	**514**
54 x 24 x 29	1350 x 600 x 735	**31NN-DT2454_**	**488**
48 x 24 x 29	1200 x 600 x 735	**31NN-DT2448_**	**461**
42 x 24 x 29	1050 x 600 x 735	**31NN-DT2442_**	**435**
36 x 24 x 29	900 x 600 x 735	**31NN-DT2436_**	**408**
30 x 24 x 29	750 x 600 x 735	**31NN-DT2430_**	**388**
24 x 24 x 29	600 x 600 x 735	**31NN-DT2424_**	**366**

Specify panel legs (A, BL, BR, C).

Left asymmetrical tables – 30" D



Recessed ¾ height modesty panel. 1 grommet. 42" to 54" (1050 to 1350 mm) tables can accommodate 1 pedestal.



Surface	R1
54"/30"	33" (836 mm)
48"/30"	27" (686 mm)
42"/30"	21⅛" (536 mm)
36"/30"	15¼" (386 mm)
30"/30"	9¼" (236 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
54 x 30 x 29	1350 x 750 x 735	**31NN-AT245430_**	**557**
48 x 30 x 29	1200 x 750 x 735	**31NN-AT244830_**	**525**
42 x 30 x 29	1050 x 750 x 735	**31NN-AT244230_**	**504**
36 x 30 x 29	900 x 750 x 735	**31NN-AT243630_**	**482**
30 x 30 x 29	750 x 750 x 735	**31NN-AT243030_**	**461**

Specify panel legs (B, C).

Right asymmetrical tables – 30" D



Recessed ¾ height modesty panel. 1 grommet. 42" to 54" (1050 to 1350 mm) tables can accommodate 1 pedestal.



Surface	R1
54"/30"	33" (836 mm)
48"/30"	27" (686 mm)
42"/30"	21⅛" (536 mm)
36"/30"	15¼" (386 mm)
30"/30"	9¼" (236 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
54 x 30 x 29	1350 x 750 x 735	**31NN-AT305424_**	**557**
48 x 30 x 29	1200 x 750 x 735	**31NN-AT304824_**	**525**
42 x 30 x 29	1050 x 750 x 735	**31NN-AT304224_**	**504**
36 x 30 x 29	900 x 750 x 735	**31NN-AT303624_**	**482**
30 x 30 x 29	750 x 750 x 735	**31NN-AT303024_**	**461**

Specify panel legs (B, C).

Left asymmetrical tables – 24" D



Recessed ¾ height modesty panel. 1 grommet. 42" to 54" (1050 to 1350 mm) tables can accommodate 1 pedestal.



Surface	R1
54"/24"	33" (836 mm)
48"/24"	27" (686 mm)
42"/24"	21⅛" (536 mm)
36"/24"	15¼" (386 mm)
30"/24"	9¼" (236 mm)

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
54 x 24 x 29	1350 x 600 x 735	**31NN-AT185424_**	**525**
48 x 24 x 29	1200 x 600 x 735	**31NN-AT184824_**	**504**
42 x 24 x 29	1050 x 600 x 735	**31NN-AT184224_**	**482**
36 x 24 x 29	900 x 600 x 735	**31NN-AT183624_**	**461**
30 x 24 x 29	750 x 600 x 735	**31NN-AT183024_**	**435**

Specify panel legs (B, C).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right asymmetrical tables – 24" D	*Recessed ¾ height modesty panel. 1 grommet. 42" to 54" (1050 to 1350 mm) tables can accommodate 1 pedestal.*			
	54 x 24 x 29	1350 x 600 x 735	**31NN-AT245418_**	**525**
	48 x 24 x 29	1200 x 600 x 735	**31NN-AT244818_**	**504**
	42 x 24 x 29	1050 x 600 x 735	**31NN-AT244218_**	**482**
	36 x 24 x 29	900 x 600 x 735	**31NN-AT243618_**	**461**
	30 x 24 x 29	750 x 600 x 735	**31NN-AT243018_**	**435**
	Specify panel legs (B, C).			





Surface	R1
54"/24"	33" (836 mm)
48"/24"	27" (686 mm)
42"/24"	21⅛" (536 mm)
36"/24"	15¼" (386 mm)
30"/24"	9¼" (236 mm)

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Additional full width legs	*1 tone only. L at the end of the code: left leg; R at the end of the code: right leg.*			
	30 x 1 x 27½	706 x 25 x 698	**3NNN-L30L**	**143**
	30 x 1 x 27½	706 x 25 x 698	**3NNN-L30R**	**143**
	24 x 1 x 27½	556 x 25 x 698	**3NNN-L24L**	**133**
	24 x 1 x 27½	556 x 25 x 698	**3NNN-L24R**	**133**
	20 x 1 x 27½	456 x 25 x 698	**3NNN-L20L**	**122**
	20 x 1 x 27½	456 x 25 x 698	**3NNN-L20R**	**122**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Additional recessed legs	*1 tone only. L at the end of the code: left leg; R at the end of the code: right leg.*			
	12 x 1 x 27½	300 x 25 x 698	**3NNN-L12L**	**111**
	12 x 1 x 27½	300 x 25 x 698	**3NNN-L12R**	**111**

CREDENZAS

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left lateral file credenzas	*2 file drawers on left with suspension bars. Lock. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-LF2472S**	**1,177**
	66 x 24 x 29	1650 x 600 x 735	**31N_-LF2466S**	**1,114**
	60 x 24 x 29	1500 x 600 x 735	**31N_-LF2460S**	**1,066**
	72 x 20 x 29	1800 x 500 x 735	**31N_-LF2072S**	**1,092**
	66 x 20 x 29	1650 x 500 x 735	**31N_-LF2066S**	**1,039**
	60 x 20 x 29	1500 x 500 x 735	**31N_-LF2060S**	**986**
	Specify the handle code (E, F).			



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right lateral file credenzas	*2 file drawers on right with suspension bars. Lock. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472LF**	**1,177**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466LF**	**1,114**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460LF**	**1,066**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072LF**	**1,092**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066LF**	**1,039**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060LF**	**986**
	Specify the handle code (E, F).			



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left lateral file credenzas with open storage	*Open space and 1 file drawer with suspension bar on left. Lock. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-SLF2472S**	**981**
	66 x 24 x 29	1650 x 600 x 735	**31N_-SLF2466S**	**945**
	60 x 24 x 29	1500 x 600 x 735	**31N_-SLF2460S**	**897**
	72 x 20 x 29	1800 x 500 x 735	**31N_-SLF2072S**	**918**
	66 x 20 x 29	1650 x 500 x 735	**31N_-SLF2066S**	**897**
	60 x 20 x 29	1500 x 500 x 735	**31N_-SLF2060S**	**875**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right lateral file credenzas with open storage	*Open space and 1 file drawer with suspension bar on right. Lock. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472SLF**	**981**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466SLF**	**945**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460SLF**	**897**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072SLF**	**918**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066SLF**	**897**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060SLF**	**875**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left open bookcase crendenzas	*Adjustable shelf. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31NN-BE2472S**	**971**
	66 x 24 x 29	1650 x 600 x 735	**31NN-BE2466S**	**950**
	60 x 24 x 29	1500 x 600 x 735	**31NN-BE2460S**	**928**
	72 x 20 x 29	1800 x 500 x 735	**31NN-BE2072S**	**912**
	66 x 20 x 29	1650 x 500 x 735	**31NN-BE2066S**	**891**
	60 x 20 x 29	1500 x 500 x 735	**31NN-BE2060S**	**870**



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right open bookcase crendenzas	*Adjustable shelf. Recessed full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31NN-S2472BE**	**971**
	66 x 24 x 29	1650 x 600 x 735	**31NN-S2466BE**	**950**
	60 x 24 x 29	1500 x 600 x 735	**31NN-S2460BE**	**928**
	72 x 20 x 29	1800 x 500 x 735	**31NN-S2072BE**	**912**
	66 x 20 x 29	1650 x 500 x 735	**31NN-S2066BE**	**891**
	60 x 20 x 29	1500 x 500 x 735	**31NN-S2060BE**	**870**



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left pedestal credenzas	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-F2472S**	**838**
	66 x 24 x 29	1650 x 600 x 735	**31N_-F2466S**	**817**
	60 x 24 x 29	1500 x 600 x 735	**31N_-F2460S**	**796**
	72 x 20 x 29	1800 x 500 x 735	**31N_-F2072S**	**812**
	66 x 20 x 29	1650 x 500 x 735	**31N_-F2066S**	**791**
	60 x 20 x 29	1500 x 500 x 735	**31N_-F2060S**	**774**
	Specify the handle code (E, F).			



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right pedestal credenzas	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472F**	**838**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466F**	**817**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460F**	**796**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072F**	**812**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066F**	**791**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060F**	**774**
	Specify the handle code (E, F).			



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Left single pedestal credenzas – inner drawers	*1 pedestal on left with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-IF2472S**	**759**
	66 x 24 x 29	1650 x 600 x 735	**31N_-IF2466S**	**743**
	60 x 24 x 29	1500 x 600 x 735	**31N_-IF2460S**	**721**
	72 x 20 x 29	1800 x 500 x 735	**31N_-IF2072S**	**737**
	66 x 20 x 29	1650 x 500 x 735	**31N_-IF2066S**	**716**
	60 x 20 x 29	1500 x 500 x 735	**31N_-IF2060S**	**706**
	Specify the handle code (E, F).			



= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right single pedestal credenzas – inner drawers	*1 pedestal on right with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472IF**	**759**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466IF**	**743**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460IF**	**721**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072IF**	**737**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066IF**	**716**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060IF**	**706**
	Specify the handle code (E, F).			
Left pedestal credenzas – low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-UF2472S**	**1,051**
	66 x 24 x 29	1650 x 600 x 735	**31N_-UF2466S**	**1,018**
	60 x 24 x 29	1500 x 600 x 735	**31N_-UF2460S**	**998**
	72 x 20 x 29	1800 x 500 x 735	**31N_-UF2072S**	**1,018**
	66 x 20 x 29	1650 x 500 x 735	**31N_-UF2066S**	**998**
	60 x 20 x 29	1500 x 500 x 735	**31N_-UF2060S**	**976**
	Specify the handle code (E, F).			
Right pedestal credenzas – low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472UF**	**1,051**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466UF**	**1,018**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460UF**	**998**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072UF**	**1,018**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066UF**	**998**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060UF**	**976**
	Specify the handle code (E, F).			
Left pedestal credenzas – low profile	*1 pedestal on left with lock. 2 file drawers with suspension bars. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-FF2472S**	**981**
	66 x 24 x 29	1650 x 600 x 735	**31N_-FF2466S**	**965**
	60 x 24 x 29	1500 x 600 x 735	**31N_-FF2460S**	**950**
	72 x 20 x 29	1800 x 500 x 735	**31N_-FF2072S**	**960**
	66 x 20 x 29	1650 x 500 x 735	**31N_-FF2066S**	**945**
	60 x 20 x 29	1500 x 500 x 735	**31N_-FF2060S**	**918**
	Specify the handle code (E, F).			
Right pedestal credenzas – low profile	*1 pedestal on right with lock. 2 file drawers with suspension bars. Recessed, full-height modesty panel.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-S2472FF**	**981**
	66 x 24 x 29	1650 x 600 x 735	**31N_-S2466FF**	**965**
	60 x 24 x 29	1500 x 600 x 735	**31N_-S2460FF**	**950**
	72 x 20 x 29	1800 x 500 x 735	**31N_-S2072FF**	**960**
	66 x 20 x 29	1650 x 500 x 735	**31N_-S2066FF**	**945**
	60 x 20 x 29	1500 x 500 x 735	**31N_-S2060FF**	**918**
	Specify the handle code (E, F).			
Lateral file credenza	*4 file drawers with suspension bars. Locks.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-LF2472LF**	**1,687**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Lateral file/ bookcase credenzas	*2 file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-LF2472B**	**1,369**
	72 x 20 x 29	1800 x 500 x 735	**31N_-LF2072B**	**1,263**
	Specify the handle code (E, F).			
Bookcase credenzas	*2 bookcase units with doors. 1 adjustable shelf on each side. Locks.*			
	72 x 24 x 29	1800 x 600 x 735	**31N_-B2472B**	**1,236**
	72 x 20 x 29	1800 x 500 x 735	**31N_-B2072B**	**1,135**
	Specify the handle code (E, F).			

RETURNS

Left executive returns	*1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-F2448R**	**706**
	42 x 24 x 29	1050 x 600 x 735	**31N_-F2442R**	**663**
	48 x 20 x 29	1200 x 500 x 735	**31N_-F2048R**	**668**
	42 x 20 x 29	1050 x 500 x 735	**31N_-F2042R**	**647**
	Specify the handle code (E, F).			
Right executive returns	*1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-R2448F**	**706**
	42 x 24 x 29	1050 x 600 x 735	**31N_-R2442F**	**663**
	48 x 20 x 29	1200 x 500 x 735	**31N_-R2048F**	**668**
	42 x 20 x 29	1050 x 500 x 735	**31N_-R2042F**	**647**
	Specify the handle code (E, F).			
Left executive returns – inner drawers	*1 pedestal on left with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-IF2448R**	**653**
	42 x 24 x 29	1050 x 600 x 735	**31N_-IF2442R**	**610**
	48 x 20 x 29	1200 x 500 x 735	**31N_-IF2048R**	**615**
	42 x 20 x 29	1050 x 500 x 735	**31N_-IF2042R**	**600**
	Specify the handle code (E, F).			
Right executive returns – inner drawers	*1 pedestal on right with lock. Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed ¾ height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-R2448IF**	**653**
	42 x 24 x 29	1050 x 600 x 735	**31N_-R2442IF**	**610**
	48 x 20 x 29	1200 x 500 x 735	**31N_-R2048IF**	**615**
	42 x 20 x 29	1050 x 500 x 735	**31N_-R2042IF**	**600**
	Specify the handle code (E, F).			
Left executive returns – low profile	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-UF2448R**	**945**
	42 x 24 x 29	1050 x 600 x 735	**31N_-UF2442R**	**885**
	48 x 20 x 29	1200 x 500 x 735	**31N_-UF2048R**	**891**
	42 x 20 x 29	1050 x 500 x 735	**31N_-UF2042R**	**865**
	Specify the handle code (E, F).			

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Right executive returns – low profile	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31N_-R2448UF**	**945**
	42 x 24 x 29	1050 x 600 x 735	**31N_-R2442UF**	**885**
	48 x 20 x 29	1200 x 500 x 735	**31N_-R2048UF**	**891**
	42 x 20 x 29	1050 x 500 x 735	**31N_-R2042UF**	**865**
	Specify the handle code (E, F).			
Bridge-returns	*Recessed, full-height modesty panel. Grommet.*			
	48 x 24 x 29	1200 x 600 x 735	**31NN-BR2448**	**292**
	42 x 24 x 29	1050 x 600 x 735	**31NN-BR2442**	**282**
	36 x 24 x 29	900 x 600 x 735	**31NN-BR2436**	**270**
	48 x 20 x 29	1200 x 500 x 735	**31NN-BR2048**	**265**
	42 x 20 x 29	1050 x 500 x 735	**31NN-BR2042**	**255**
	36 x 20 x 29	900 x 500 x 735	**31NN-BR2036**	**239**

HUTCHES

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with laminate doors – 44" H	*Clearance: 26½" (673 mm). Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 44	2100 x 400 x 1099	**3NNN-E844416P**	**1,051**
	78 x 16 x 44	1950 x 400 x 1099	**3NNN-E784416P**	**1,003**
	72 x 16 x 44	1800 x 400 x 1099	**3NNN-E724416P**	**965**
	66 x 16 x 44	1650 x 400 x 1099	**3NNN-E664416P**	**928**
	60 x 16 x 44	1500 x 400 x 1099	**3NNN-E604416P**	**885**
84" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	54 x 16 x 44	1350 x 400 x 1099	**3NNN-E544416P**	**849**
	48 x 16 x 44	1200 x 400 x 1099	**3NNN-E484416P**	**806**
	42 x 16 x 44	1050 x 400 x 1099	**3NNN-E424416P**	**753**
	36 x 16 x 44	900 x 400 x 1099	**3NNN-E364416P**	**695**
Hutches with laminate doors – 36" H	*Clearance: 18⅝" (473 mm). Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 36	2100 x 400 x 900	**3NNN-E843616P**	**971**
	78 x 16 x 36	1950 x 400 x 900	**3NNN-E783616P**	**918**
	72 x 16 x 36	1800 x 400 x 900	**3NNN-E723616P**	**875**
	66 x 16 x 36	1650 x 400 x 900	**3NNN-E663616P**	**827**
	60 x 16 x 36	1500 x 400 x 900	**3NNN-E603616P**	**779**
84" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	54 x 16 x 36	1350 x 400 x 900	**3NNN-E543616P**	**743**
	48 x 16 x 36	1200 x 400 x 900	**3NNN-E483616P**	**695**
	42 x 16 x 36	1050 x 400 x 900	**3NNN-E423616P**	**631**
	36 x 16 x 36	900 x 400 x 900	**3NNN-E363616P**	**578**
Hutches with 2 doors on left – 44" H	*Clearance: 26½" (673 mm). 2 doors on left. Open storage on right. Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 44	2100 x 400 x 1099	**3NNN-E844416PL**	**902**
	78 x 16 x 44	1950 x 400 x 1099	**3NNN-E784416PL**	**859**
	72 x 16 x 44	1800 x 400 x 1099	**3NNN-E724416PL**	**812**
	66 x 16 x 44	1650 x 400 x 1099	**3NNN-E664416PL**	**769**
	60 x 16 x 44	1500 x 400 x 1099	**3NNN-E604416PL**	**721**
	54 x 16 x 44	1350 x 400 x 1099	**3NNN-E544416PL**	**673**
	48 x 16 x 44	1200 x 400 x 1099	**3NNN-E484416PL**	**626**

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hutches with 2 doors on right – 44" H	*Clearance: 26½" (673 mm). 2 doors on right. Open storage on left. Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 44	2100 x 400 x 1099	**3NNN-E844416PR**	**902**
	78 x 16 x 44	1950 x 400 x 1099	**3NNN-E784416PR**	**859**
	72 x 16 x 44	1800 x 400 x 1099	**3NNN-E724416PR**	**812**
	66 x 16 x 44	1650 x 400 x 1099	**3NNN-E664416PR**	**769**
	60 x 16 x 44	1500 x 400 x 1099	**3NNN-E604416PR**	**721**
	54 x 16 x 44	1350 x 400 x 1099	**3NNN-E544416PR**	**673**
	48 x 16 x 44	1200 x 400 x 1099	**3NNN-E484416PR**	**626**
Hutches with 2 doors on left – 36" H	*Clearance: 18⅝" (473 mm). 2 doors on left. Open storage on right. Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 36	2100 x 400 x 900	**3NNN-E843616PL**	**817**
	78 x 16 x 36	1950 x 400 x 900	**3NNN-E783616PL**	**774**
	72 x 16 x 36	1800 x 400 x 900	**3NNN-E723616PL**	**737**
	66 x 16 x 36	1650 x 400 x 900	**3NNN-E663616PL**	**700**
	60 x 16 x 36	1500 x 400 x 900	**3NNN-E603616PL**	**658**
	54 x 16 x 36	1350 x 400 x 900	**3NNN-E543616PL**	**615**
	48 x 16 x 36	1200 x 400 x 900	**3NNN-E483616PL**	**578**
Hutches with 2 doors on right – 36" H	*Clearance: 18⅝" (473 mm). 2 doors on right. Open storage on left. Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 36	2100 x 400 x 900	**3NNN-E843616PR**	**817**
	78 x 16 x 36	1950 x 400 x 900	**3NNN-E783616PR**	**774**
	72 x 16 x 36	1800 x 400 x 900	**3NNN-E723616PR**	**737**
	66 x 16 x 36	1650 x 400 x 900	**3NNN-E663616PR**	**700**
	60 x 16 x 36	1500 x 400 x 900	**3NNN-E603616PR**	**658**
	54 x 16 x 36	1350 x 400 x 900	**3NNN-E543616PR**	**615**
	48 x 16 x 36	1200 x 400 x 900	**3NNN-E483616PR**	**578**
Open hutches – 44" H	*Clearance: 26½" (673 mm). Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 44	2100 x 400 x 1099	**3NNN-E844416**	**812**
	78 x 16 x 44	1950 x 400 x 1099	**3NNN-E784416**	**769**
	72 x 16 x 44	1800 x 400 x 1099	**3NNN-E724416**	**726**
	66 x 16 x 44	1650 x 400 x 1099	**3NNN-E664416**	**695**
	60 x 16 x 44	1500 x 400 x 1099	**3NNN-E604416**	**653**
	54 x 16 x 44	1350 x 400 x 1099	**3NNN-E544416**	**610**
	48 x 16 x 44	1200 x 400 x 1099	**3NNN-E484416**	**573**
	42 x 16 x 44	1050 x 400 x 1099	**3NNN-E424416**	**530**
	36 x 16 x 44	900 x 400 x 1099	**3NNN-E364416**	**504**
Open hutches – 36" H	*Clearance: 18⅝" (473 mm). Grommet on back. Full width wire access. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 36	2100 x 400 x 900	**3NNN-E843616**	**690**
	78 x 16 x 36	1950 x 400 x 900	**3NNN-E783616**	**647**
	72 x 16 x 36	1800 x 400 x 900	**3NNN-E723616**	**605**
	66 x 16 x 36	1650 x 400 x 900	**3NNN-E663616**	**567**
	60 x 16 x 36	1500 x 400 x 900	**3NNN-E603616**	**525**
	54 x 16 x 36	1350 x 400 x 900	**3NNN-E543616**	**488**
	48 x 16 x 36	1200 x 400 x 900	**3NNN-E483616**	**451**
	42 x 16 x 36	1050 x 400 x 900	**3NNN-E423616**	**403**
	36 x 16 x 36	900 x 400 x 900	**3NNN-E363616**	**376**

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Wall-mounted hutches with doors – 17" H	*Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 17	2100 x 400 x 427	**3NNN-EM841716P**	**960**
	78 x 16 x 17	1950 x 400 x 427	**3NNN-EM781716P**	**907**
	72 x 16 x 17	1800 x 400 x 427	**3NNN-EM721716P**	**870**
	66 x 16 x 17	1650 x 400 x 427	**3NNN-EM661716P**	**822**
84" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	60 x 16 x 17	1500 x 400 x 427	**3NNN-EM601716P**	**774**
	54 x 16 x 17	1350 x 400 x 427	**3NNN-EM541716P**	**737**
	48 x 16 x 17	1200 x 400 x 427	**3NNN-EM481716P**	**690**
	42 x 16 x 17	1050 x 400 x 427	**3NNN-EM421716P**	**626**
	36 x 16 x 17	900 x 400 x 427	**3NNN-EM361716P**	**573**
Wall-mounted hutches with 2 doors on left – 17" H	*2 doors on left. Open storage on right. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 17	2100 x 400 x 427	**3NNN-EM841716L**	**812**
	78 x 16 x 17	1950 x 400 x 427	**3NNN-EM781716L**	**769**
	72 x 16 x 17	1800 x 400 x 427	**3NNN-EM721716L**	**726**
	66 x 16 x 17	1650 x 400 x 427	**3NNN-EM661716L**	**695**
	60 x 16 x 17	1500 x 400 x 427	**3NNN-EM601716L**	**653**
	54 x 16 x 17	1350 x 400 x 427	**3NNN-EM541716L**	**610**
	48 x 16 x 17	1200 x 400 x 427	**3NNN-EM481716L**	**573**
Wall-mounted hutches with 2 doors on right – 17" H	*2 doors on right. Open storage on left. Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 17	2100 x 400 x 427	**3NNN-EM841716R**	**812**
	78 x 16 x 17	1950 x 400 x 427	**3NNN-EM781716R**	**769**
	72 x 16 x 17	1800 x 400 x 427	**3NNN-EM721716R**	**726**
	66 x 16 x 17	1650 x 400 x 427	**3NNN-EM661716R**	**695**
	60 x 16 x 17	1500 x 400 x 427	**3NNN-EM601716R**	**653**
	54 x 16 x 17	1350 x 400 x 427	**3NNN-EM541716R**	**610**
	48 x 16 x 17	1200 x 400 x 427	**3NNN-EM481716R**	**573**
Wall-mounted open hutches – 17" H	*Hanger bar included for wall-mount installation. Can accommodate a tackboard, refer to page 205. 1 tone only.*			
	84 x 16 x 17	2100 x 400 x 427	**3NNN-EM841716**	**684**
	78 x 16 x 17	1950 x 400 x 427	**3NNN-EM781716**	**642**
	72 x 16 x 17	1800 x 400 x 427	**3NNN-EM721716**	**600**
	66 x 16 x 17	1650 x 400 x 427	**3NNN-EM661716**	**562**
	60 x 16 x 17	1500 x 400 x 427	**3NNN-EM601716**	**520**
	54 x 16 x 17	1350 x 400 x 427	**3NNN-EM541716**	**482**
	48 x 16 x 17	1200 x 400 x 427	**3NNN-EM481716**	**446**
	42 x 16 x 17	1050 x 400 x 427	**3NNN-EM421716**	**398**
	36 x 16 x 17	900 x 400 x 427	**3NNN-EM361716**	**371**
Modular lateral files	*2 file drawers with suspension bars. Lock. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**3NN_-1836LFL**	**817**
	30 x 18 x 28	750 x 448 x 711	**3NN_-1830LFL**	**774**
	Specify the handle code (E, F).			
Modular combined pedestals	*2 box drawers on left, 2 file drawers with suspension bars. Lock. Pencil tray. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**3NN_-1836COL**	**1,051**
	30 x 18 x 28	750 x 448 x 711	**3NN_-1830COL**	**1,013**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Modular combined pedestals	*2 box drawers on right, 2 file drawers with suspension bars. Lock. Pencil tray. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**3NN_-CO1836L**	**1,051**
	30 x 18 x 28	750 x 448 x 711	**3NN_-CO1830L**	**1,013**
	Specify the handle code (E, F).			
Modular bookcases with doors	*1 adjustable shelf. Lock. Goes under a work surface. 1 tone only.*			
	36 x 18 x 28	900 x 448 x 711	**3NN_-1836BL**	**636**
	30 x 18 x 28	750 x 448 x 711	**3NN_-1830BL**	**567**
	Specify the handle code (E, F).			

STORAGE FURNITURE

Lateral file units	*2 file drawers with suspension bars. Lock.*			
	36 x 24 x 29	900 x 600 x 735	**31N_-2436LF**	**875**
	30 x 24 x 29	750 x 600 x 735	**31N_-2430LF**	**832**
	36 x 20 x 29	900 x 500 x 735	**31N_-2036LF**	**838**
	30 x 20 x 29	750 x 500 x 735	**31N_-2030LF**	**796**
	Specify the handle code (E, F).			
Combined pedestals	*2 box drawers on left, 2 file drawers with suspension bars. One lock for two file drawers.*			
	36 x 24 x 29	900 x 600 x 736	**31N_-2436CO**	**1,104**
	36 x 20 x 29	900 x 500 x 736	**31N_-2036CO**	**1,071**
	Specify the handle code (E, F).			
Combined pedestals	*2 box drawers on right, 2 file drawers with suspension bars. One lock for two file drawers.*			
	36 x 24 x 29	900 x 600 x 736	**31N_-CO2436**	**1,104**
	36 x 20 x 29	900 x 500 x 736	**31N_-CO2036**	**1,071**
	Specify the handle code (E, F).			
Bookcase units	*Bookcase with doors and adjustable shelf. Lock.*			
	36 x 24 x 29	900 x 600 x 735	**31N_-2436B**	**695**
	30 x 24 x 29	750 x 600 x 735	**31N_-2430B**	**653**
	36 x 20 x 29	900 x 500 x 735	**31N_-2036B**	**663**
	30 x 20 x 29	750 x 500 x 735	**31N_-2030B**	**620**
	Specify the handle code (E, F).			
Open bookcase units	*Adjustable shelf.*			
	36 x 24 x 29	900 x 600 x 735	**31NN-2436BE**	**631**
	30 x 24 x 29	750 x 600 x 735	**31NN-2430BE**	**600**
	36 x 20 x 29	900 x 500 x 735	**31NN-2036BE**	**610**
	30 x 20 x 29	750 x 500 x 735	**31NN-2030BE**	**578**
Bookcase with doors/ lateral file units	*Bookcase with doors, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. 1 tone only.*			
	36 x 24 x 73	900 x 600 x 1834	**3NN_-243673LFB**	**1,406**
	36 x 20 x 73	900 x 500 x 1834	**3NN_-203673LFB**	**1,353**
	36 x 24 x 65	900 x 600 x 1635	**3NN_-243665LFB**	**1,363**
	36 x 20 x 65	900 x 500 x 1635	**3NN_-203665LFB**	**1,310**
	Specify the handle code (E, F).			

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Open bookcase/ lateral file units	*Open bookcase, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. 1 tone only.*			
	36 x 24 x 73	900 x 600 x 1834	**3NN_-243673LFE**	**1,252**
	36 x 20 x 73	900 x 500 x 1834	**3NN_-203673LFE**	**1,199**
	36 x 24 x 65	900 x 600 x 1635	**3NN_-243665LFE**	**1,210**
	36 x 20 x 65	900 x 500 x 1635	**3NN_-203665LFE**	**1,162**
	Specify the handle code (E, F).			
Storage with door/ lateral file units	*Bookcase with door, 2 adjustable shelves. 2 file drawers with suspension bars. Lock on drawers. Reversible door. 1 tone only.*			
	24 x 24 x 73	600 x 600 x 1834	**3NN_-242473FB**	**1,140**
	24 x 20 x 73	600 x 500 x 1834	**3NN_-202473FB**	**1,092**
	24 x 24 x 65	600 x 600 x 1635	**3NN_-242465FB**	**1,104**
	24 x 20 x 65	600 x 500 x 1635	**3NN_-202465FB**	**1,066**
	Specify the handle code (E, F).			
Storage/wardrobe units with doors	*3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. 1 tone only.*			
	36 x 24 x 73	900 x 600 x 1834	**3NN_-243673B**	**1,278**
	36 x 20 x 73	900 x 500 x 1834	**3NN_-203673B**	**1,183**
	36 x 24 x 65	900 x 600 x 1635	**3NN_-243665B**	**1,210**
	36 x 20 x 65	900 x 500 x 1635	**3NN_-203665B**	**1,104**
	Specify the handle code (E, F).			
Storage/wardrobe units with door	*3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. Reversible door. 1 tone only.*			
	24 x 24 x 73	600 x 600 x 1834	**3NN_-242473B**	**981**
	24 x 20 x 73	600 x 500 x 1834	**3NN_-202473B**	**928**
	24 x 24 x 65	600 x 600 x 1635	**3NN_-242465B**	**928**
	24 x 20 x 65	600 x 500 x 1635	**3NN_-202465B**	**880**
	Specify the handle code (E, F).			
Open bookcases	*73" to 65": 3 adjustable shelves, 1 fixed shelf. 48": 2 adjustable shelves. 1 tone only.*			
	36 x 14 x 73	900 x 350 x 1834	**3NNN-B367314**	**631**
	36 x 14 x 65	900 x 350 x 1635	**3NNN-B366514**	**589**
	36 x 14 x 48	900 x 350 x 1212	**3NNN-B364814**	**525**
Additional shelf	*1 tone only.*			
	34 x 13 x 5/8	864 x 330 x 16	**3NNN-TB3614**	**101**

PEDESTALS

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Modular pedestal	*2 box drawers, 1 file drawer with suspension bar. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 711	**3NN_-P1518UFL**	**684**
	Specify the handle code (E, F).			
Modular pedestal	*2 file drawers with suspension bars. Lock. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 28	388 x 448 x 711	**3NN_-P1518FFL**	**658**
	Specify the handle code (E, F).			
Hanging pedestal	*1 box drawer, 1 file drawer with suspension bar. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 19 1/4	388 x 448 x 489	**3NN_-F**	**605**
	Specify the handle code (E, F).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)
Hanging pedestal – inner drawers	*Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. Must be installed under a work surface. 1 tone only.*			
	15 x 18 x 19 1/4	388 x 448 x 489	**3NN_-IF**	**494**
	Specify the handle code (E, F).			
Metal pedestal	*2 box drawers, 1 file drawer with suspension bar. Pedestal with charcoal metal body only and laminate drawer fronts. Lock. Pencil tray. Must be installed under a work surface.*			
	15 x 22 x 28	372 x 540 x 711	**3NN_-PM1522UFL**	**504**
	Specify the handle code (E, F).			
Metal pedestal	*2 file drawers with suspension bars. Pedestal with charcoal metal body only and laminate drawer fronts. Lock. Must be installed under a work surface.*			
	15 x 22 x 28	372 x 540 x 711	**3NN_-PM1522FFL**	**482**
	Specify the handle code (E, F).			
Hanging metal pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Lock. Charcoal metal body only and laminate drawer front. Must be installed under a work surface. 1 tone only.*			
	15 x 22 x 19 1/2	372 x 540 x 496	**3NN_-MF**	**461**
	Specify the handle code (E, F).			
Mobile pedestal	*2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 18 x 27 1/8	390 x 450 x 689	**3NN_-MP1518UF**	**743**
	Specify the handle code (E, F).			
Mobile pedestal	*2 box drawers, 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 22 x 27 1/8	390 x 550 x 689	**3NN_-MP1522UF**	**796**
	Specify the handle code (E, F).			
Mobile pedestal	*2 file drawers with suspension bars. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 22 x 27 1/8	390 x 550 x 689	**3NN_-MP1522FF**	**769**
	Specify the handle code (E, F).			
Mobile pedestal	*1 box drawer, 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 18 x 20 3/4	390 x 450 x 527	**3NN_-MP1518F**	**700**
	Specify the handle code (E, F).			
Mobile pedestal	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.*			
	15 x 22 x 20 3/4	390 x 550 x 527	**3NN_-MP1522F**	**684**
	Specify the handle code (E, F).			
Mobile pedestal – inner drawers	*Pedestal with full-height front concealing 1 box drawer and 1 file drawer with suspension bar. Brakes on front casters. Lock. Pencil tray. Fits under a work surface. 1 tone only.*			
	15 x 18 x 20 3/4	390 x 450 x 527	**3NN_-MP1518IF**	**583**
	Specify the handle code (E, F).			

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = QUICKSHIP

SUGGESTIONS

31NE-PLAN01



Plan shown in Concept 300 Flyer:

31NE-PLAN01	**$3,549**
1	31NN-RTM3672
1	31NN-BR2042
1	31NE-IF2072S
1	3NNN-E723616PR
1	3NNE-203665LFE

Square pull (E).

31NF-PLAN03



Plan shown in Concept 300 Flyer:

31NF-PLAN03	**$2,758**
1	31NF-S3072F
1	31NF-IF2042R
1	31NF-LF2072B

Round pull (F).

31NF-PLAN02



Plan shown in Concept 300 Flyer:

31NF-PLAN02	**$11,440**
2	31NN-CM723624A
2	31NN-CM367224A
2	31NF-F2448R
2	31NF-R2448F
4	3NNN-E724416P
1	31NF-2036CO
1	31NN-2036BE

Round pull (F).

Options	**$12,884**
4	LGC-TK7019E

31NE-PLAN04



Plan shown in Concept 300 Flyer:

31NE-PLAN04	**$1,745**
1	31NN-RT3072
1	31NE-IF2042R
1	3NNN-E723616

Square pull (E).

Options	**$2,095**
1	LGC-TK7015E

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 300:



2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= QUICKSHIP = ASSEMBLY REQUIRED

USA – FEBRUARY 2015

C.A.

READY TO SHIP IN 5 DAYS!

All C.A. products and suggested layouts are part of the **Lacasse quick delivery program**.
For complete program details, please refer to page 3 of the February 2015 Lacasse Price Book.

EDGEBANDING
Furniture with 1" (25 mm) thick tops.

N EDGE

Smooth 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface**.

HANDLE
Metal handle.

E – Square, Silver



REVERSIBLE

All C.A. storage and work surfaces are reversible and fit together left or right. A big plus if you change your space... or change your mind!

CODIFICATION

Series	Options		
	Thickness	Handle	Accent color
CA	**1** Thermofused laminate 1"	**E** Square	**S** Silver

IMPORTANT

All LACASSE laminate colors are available except for the modular pedestal and the lateral file unit which come in Snow (SNO) finish only. All furniture is shipped ready-to-assemble, except the modular pedestal and the lateral file unit which ship assembled.

Casegoods are made of particleboard panels finished on both sides with mar-resistant high-performance thermofused laminate (45 lbs/ft³). The black full extension ball bearing suspensions have a load capacity of 100 lbs to 150 lbs depending on the type of drawer. The lateral file unit has an anti-tipping system. All door hinges are 110°. Levelers allow up to 1 ½" (38 mm) height adjusment.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Desk shell	*Recessed half-height modesty panel.*			
	72 x 30 x 29	1800 x 750 x 735	**CA1NN-TDM3072**	**541**
Rectangular table with modesty panel	*Reversible. Half-height laminate modesty panel.*			
	72 x 30 x 29	1800 x 750 x 735	**CA1NN-RTM3072**	**509**
Rectangular surface-return with modesty panel	*Reversible. Recessed half-height modesty panel. Can accommodate 1 modular pedestal or 1 lateral file unit.*			
	60 x 30 x 29	1500 x 750 x 735	**CA1NN-RTS3060**	**398**
Rectangular surface with modesty panel	*Recessed half-half-height modesty panel. Can accommodate 2 modular pedestals or 2 lateral file units.*			
	60 x 30 x 29	1500 x 750 x 735	**CA1NN-BD3060**	**323**
Return shells	*Reversible. Recessed half-height modesty panel. Can accommodate 1 modular pedestal or 1 lateral file unit. Grommet.*			
	72 x 24 x 29	1800 x 600 x 735	**CA1NS-R2472S**	**381**
	60 x 24 x 29	1500 x 600 x 735	**CA1NS-R2460S**	**371**
	48 x 24 x 29	1200 x 600 x 735	**CA1NS-R2448S**	**355**
Bridge-return	*Reversible. Recessed half-height modesty panel. Grommet.*			
	42 x 24 x 29	1050 x 600 x 735	**CA1NS-BR2442**	**244**
Modular pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a surface. Snow (SNO) finish only.*			
	16 x 23 x 28	400 x 598 x 713	**CANES-P1623UFL**	**658**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Lateral file unit	*2 file drawers with suspension bar. Lock. Can be used freestanding or can be installed under a surface. Snow (SNO) finish only.*			
	36 x 23 x 28	900 x 598 x 713	**CANES-2336LFL**	**844**
Hutches with open back, adjustable sides – 36" H	*Clearance: 19 3/16" (488 mm). Side panels allow up to 1" (25 mm) height adjustment. Can accommodate a set of 2 or 4 doors.*			
	72 x 16 x 36	1800 x 400 x 900	**CANNN-EA723616**	**531**
	60 x 16 x 36	1500 x 400 x 900	**CANNN-EA603616**	**509**
Hutches with closed back – 36" H	*Clearance: 19 3/16" (488 mm). Grommet on the back. Can accommodate a set of 2 or 4 doors.*			
	72 x 16 x 36	1800 x 400 x 900	**CANNN-E723616**	**531**
	60 x 16 x 36	1800 x 400 x 900	**CANNN-E603616**	**509**
Sets of 4 doors for hutches	*Hardware included.*			
	*For hutches with open back.*			
	72 x 16 x 5/8	1800 x 400 x 16	**CANNN-EA72P4**	**222**
	60 x 16 x 5/8	1500 x 400 x 16	**CANNN-EA60P4**	**212**
	For hutches with closed back.			
	72x 16 x 5/8	1800 x 400 x 16	**CANNN-E72P4**	**222**
	60 x 16 x 5/8	1500 x 400 x 16	**CANNN-E60P4**	**212**
Sets of 2 doors for hutches	*Hardware included.*			
	For hutches with open back.			
	36 x 16 x 5/8	900 x 400 x 16	**CANNN-EA72P2**	**111**
	30 x 16 x 5/8	750 x 400 x 16	**CANNN-EA60P2**	**106**
	For hutches with closed back.			
	36 x 16 x 5/8	900 x 400 x 16	**CANNN-E72P2**	**111**
	30 x 16 x 5/8	750 x 400 x 16	**CANNN-E60P2**	**106**

= ASSEMBLY REQUIRED = QUICKSHIP PROGRAM

SUGGESTIONS

CA-PLAN01



QSCA1ES-PLAN01	$2,424
1	**QS**CA1NN-RTM3072
1	**QS**CA1NS-BR2442
1	**QS**CA1NS-R2472S
1	**QS**CANES-P1623UFL
1	**QS**CANNN-EA723616
1	**QS**CANNN-EA72P2

CA-PLAN03



QSCA1ES-PLAN03	$3,575
1	**QS**CA1NN-BD3060
2	**QS**CANES-P1623UFL
1	**QS**CA1NS-R2472S
1	**QS**CANES-2336LFL
1	**QS**CANNN-E603616
1	**QS**CANNN-E60P4

CA-PLAN02



QSCA1ES-PLAN02	$2,886
1	**QS**CA1NN-RTS3060
1	**QS**CANES-P1623UFL
1	**QS**CA1NS-R2472S
1	**QS**CANES-2336LFL
1	**QS**CANNN-E603616
1	**QS**CANNN-E60P2

CA-PLAN04



QSCA1ES-PLAN04	$2,079
1	**QS**CA1NN-RTS3060
1	**QS**CANES-P1623UFL
1	**QS**CA1NS-R2472S
1	**QS**CANNN-EA723616
1	**QS**CANNN-EA72P2

= QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

PANGRAM IS THE PERFECT SOLUTION FOR WORKSPACE DIVISION NEEDS

Panels provide affordable privacy and support for work surfaces and accessories. This well-designed laminate panel system focuses on ease of use, flexibility and modularity. Compatible with PanGram surfaces and all other Lacasse laminate series.

SPECIFICATIONS AND CONSTRUCTION

PANEL CONSTRUCTION





PANEL & STACKABLE PANEL HEIGHT COMBINATIONS

Base panels are available in heights of 33" to 65" (837 to 1650 mm) and are available in all Lacasse laminate finishes.

Stackable panels are available in a choice of laminate, fabric or translucent material.



Dimensions
8" = 203 mm
12" = 304 mm
16" = 406 mm
33" = 842 mm
41" = 1046 mm
45" = 1149 mm
49" = 1250 mm
53" = 1351 mm
57" = 1452 mm
65" = 1655 mm
69" = 1757 mm
73" = 1859 mm
81" = 2062 mm

180º PVC connectors fit snugly in the grooves of the panel end moldings for a tight link between panels in a straight line.

The end molding and the top cap have inverted slots that self-align the panels.



A 90º PVC connecting strip is used to attach two, three or four panels together, for corner, T plan or cluster application.

Accent translucent panels are easily installed.

Install accessories with metal support (pencil tray, rail, shelf) at the right height before installing the next stackable panel.

An adhesive channel is available to manage power and communication cables.

Replace a leveler by a stabilizer foot at the end of an unattached run of panels.



Start a panel run from a wall, a pillar... Screw the wall-starter, snap a 180º connector between the starter and the panel, *et voilà!* Really simple, isn't it?

SURFACES

Surfaces without GR in their product code are neither equipped with grommets nor pre-drilled along the edges.

Metal-on-metal assembly.



GR SURFACES

When GR is specified in the surface product code, one or more grommets are added. In addition, pre-drillings along the edges enables compatibility with SC screens.



SC SCREENS

SC screens may be installed and positioned as modesty panels or as privacy screens, according to needs.



SH SHELVES

SH shelves are used jointly with SC screens.



HOW TO SPECIFY

1. Order panels and stackables.



2. Order surfaces.



Surface types:

- Rectangular
- Asymmetrical
- Extended corners
- 120° corners

3. Order supports.



- 2 surface supports per panel side (PNNN-SB sold separately, 10/pack)
- 2 connection plates per surface joint (LGC-FLP sold separately, 10/pack)

4. Add complementary parts.

- Metal legs
- Storage units, pedestals
- Accessories

NOTES:





Panel connectors supplied with panels.

Stackable panel connectors included.

RECOMMENDATIONS AND GOOD PRACTICES



It is recommended that panel arrangements be stabilized by fastening them to the surfaces and by pressing other furniture against them if possible.

GENERAL RULES

Maximum monolith height: 65"
with stackables: 81"
available in 8" H (203 mm), 12" H (304 mm) and 16" H (406 mm)

Maximum number of stackable panels that can be stacked: 3 (including glass panels)



RECOMMENDATIONS AND GOOD PRACTICES (CONT'D)

STAND-ALONE PANELS



SURFACES



When the span exceeds 72", it is recommended that a metal leg or a storage unit be added to support the surface.



All arrangements of panels, surfaces and metal legs must include at least 1 return panel positioned at a 90° angle.

ACCORDION PANEL



TRANSACTION SHELVES



- Fits only on 41"-tall panels.
- Must have a surface on 1 side of panel.

* For electrification and communication, refer to ELECTRICOM II on page 200.

Other uses:
PanGram panels may be used in conjunction with any other Lacasse collection. The highly effective Velcro strip supplied with the panels enables the latter to be properly secured to the units.

EDGEBANDING
Furniture with 1" (25 mm) thick tops.

N Edge – 1" (25 mm)

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

HANDLES AND LEGS
Choices of 2 molded metal handles and 2 types of legs: square 2" (50 mm) or round 2½" (63,5 mm) in diameter. All are offered finished Anthracite Grey or Silver.



QA – Square, Anthracite Grey



QS – Square, Silver



Q – Square



VA – Round, Anthracite Grey

VS – Round, Silver

V – Round

CODIFICATION

	Options		
Series	Thickness	Handles / Legs	Accent color
P	**1** Thermofused laminate 1"	**Q** Square **V** Round	**A** Anthracite Grey **S** Silver

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

LAMINATE PANELS

Metal base. Levelers allow 1¼" height adjustment. Supports for surfaces can be installed on both sides of the panel. 90° and 180° connectors included.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
33" H panels	20 x 1 x 33	500 x 25 x 837	**PNN_-SFLX3320**	**308**
	24 x 1 x 33	600 x 25 x 837	**PNN_-SFLX3324**	**328**
	30 x 1 x 33	750 x 25 x 837	**PNN_-SFLX3330**	**355**
	36 x 1 x 33	900 x 25 x 837	**PNN_-SFLX3336**	**376**
	42 x 1 x 33	1050 x 25 x 837	**PNN_-SFLX3342**	**393**
	48 x 1 x 33	1200 x 25 x 837	**PNN_-SFLX3348**	**414**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
41" H panels	20 x 1 x 41	500 x 25 x 1040	**PNN_-SFLX4120**	**328**
	24 x 1 x 41	600 x 25 x 1040	**PNN_-SFLX4124**	**355**
	30 x 1 x 41	750 x 25 x 1040	**PNN_-SFLX4130**	**376**
	36 x 1 x 41	900 x 25 x 1040	**PNN_-SFLX4136**	**393**
	42 x 1 x 41	1050 x 25 x 1040	**PNN_-SFLX4142**	**414**
	48 x 1 x 41	1200 x 25 x 1040	**PNN_-SFLX4148**	**441**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
57" H panels	20 x 1 x 57	500 x 25 x 1446	**PNN_-SFLX5720**	**355**
	24 x 1 x 57	600 x 25 x 1446	**PNN_-SFLX5724**	**376**
	30 x 1 x 57	750 x 25 x 1446	**PNN_-SFLX5730**	**393**
	36 x 1 x 57	900 x 25 x 1446	**PNN_-SFLX5736**	**414**
	42 x 1 x 57	1050 x 25 x 1446	**PNN_-SFLX5742**	**441**
	48 x 1 x 57	1200 x 25 x 1446	**PNN_-SFLX5748**	**467**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
65" H panels	20 x 1 x 65	500 x 25 x 1650	**PNN_-SFLX6520**	**376**
	24 x 1 x 65	600 x 25 x 1650	**PNN_-SFLX6524**	**393**
	30 x 1 x 65	750 x 25 x 1650	**PNN_-SFLX6530**	**414**
	36 x 1 x 65	900 x 25 x 1650	**PNN_-SFLX6536**	**441**
	42 x 1 x 65	1050 x 25 x 1650	**PNN_-SFLX6542**	**467**
	48 x 1 x 65	1200 x 25 x 1650	**PNN_-SFLX6548**	**488**
	Specify the accent color (A, S).			



STACKABLE LAMINATE PANELS

90° and 180° connectors included.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
8" H panels	20 x 1 x 8	500 x 25 x 203	**PNN_-SOLX0820**	**217**
	24 x 1 x 8	600 x 25 x 203	**PNN_-SOLX0824**	**228**
	30 x 1 x 8	750 x 25 x 203	**PNN_-SOLX0830**	**239**
	36 x 1 x 8	900 x 25 x 203	**PNN_-SOLX0836**	**249**
	42 x 1 x 8	1050 x 25 x 203	**PNN_-SOLX0842**	**260**
	48 x 1 x 8	1200 x 25 x 203	**PNN_-SOLX0848**	**275**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" H panels	20 x 1 x 12	500 x 25 x 304	**PNN_-SOLX1220**	**222**
	24 x 1 x 12	600 x 25 x 304	**PNN_-SOLX1224**	**234**
	30 x 1 x 12	750 x 25 x 304	**PNN_-SOLX1230**	**244**
	36 x 1 x 12	900 x 25 x 304	**PNN_-SOLX1236**	**255**
	42 x 1 x 12	1050 x 25 x 304	**PNN_-SOLX1242**	**265**
	48 x 1 x 12	1200 x 25 x 304	**PNN_-SOLX1248**	**282**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
16" H panels	20 x 1 x 16	500 x 25 x 406	**PNN_-SOLX1620**	**228**
	24 x 1 x 16	600 x 25 x 406	**PNN_-SOLX1624**	**239**
	30 x 1 x 16	750 x 25 x 406	**PNN_-SOLX1630**	**249**
	36 x 1 x 16	900 x 25 x 406	**PNN_-SOLX1636**	**260**
	42 x 1 x 16	1050 x 25 x 406	**PNN_-SOLX1642**	**275**
	48 x 1 x 16	1200 x 25 x 406	**PNN_-SOLX1648**	**287**
	Specify the accent color (A, S).			



CURVED STACKABLE LAMINATE PANELS

90° and 180° connectors included.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
16" H panels	20 x 1 x 16	500 x 25 x 406	**PNN_-SOLX1620C**	**234**
	24 x 1 x 16	600 x 25 x 406	**PNN_-SOLX1624C**	**244**
	30 x 1 x 16	750 x 25 x 406	**PNN_-SOLX1630C**	**255**
	36 x 1 x 16	900 x 25 x 406	**PNN_-SOLX1636C**	**265**
	42 x 1 x 16	1050 x 25 x 406	**PNN_-SOLX1642C**	**282**
	48 x 1 x 16	1200 x 25 x 406	**PNN_-SOLX1648C**	**292**

Specify the accent color (A, S).

OPEN STACKABLE LAMINATE PANELS

90° and 180° connectors included.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
8" H panels	20 x 1 x 8	500 x 25 x 203	**PNN_-SOLX0820O**	**249**
	24 x 1 x 8	600 x 25 x 203	**PNN_-SOLX0824O**	**260**
	30 x 1 x 8	750 x 25 x 203	**PNN_-SOLX0830O**	**275**
	36 x 1 x 8	900 x 25 x 203	**PNN_-SOLX0836O**	**292**
	42 x 1 x 8	1050 x 25 x 203	**PNN_-SOLX0842O**	**308**
	48 x 1 x 8	1200 x 25 x 203	**PNN_-SOLX0848O**	**323**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" H panels	20 x 1 x 12	500 x 25 x 304	**PNN_-SOLX1220O**	**255**
	24 x 1 x 12	600 x 25 x 304	**PNN_-SOLX1224O**	**265**
	30 x 1 x 12	750 x 25 x 304	**PNN_-SOLX1230O**	**282**
	36 x 1 x 12	900 x 25 x 304	**PNN_-SOLX1236O**	**297**
	42 x 1 x 12	1050 x 25 x 304	**PNN_-SOLX1242O**	**313**
	48 x 1 x 12	1200 x 25 x 304	**PNN_-SOLX1248O**	**328**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
16" H panels	20 x 1 x 16	500 x 25 x 406	**PNN_-SOLX1620O**	**260**
	24 x 1 x 16	600 x 25 x 406	**PNN_-SOLX1624O**	**275**
	30 x 1 x 16	750 x 25 x 406	**PNN_-SOLX1630O**	**287**
	36 x 1 x 16	900 x 25 x 406	**PNN_-SOLX1636O**	**302**
	42 x 1 x 16	1050 x 25 x 406	**PNN_-SOLX1642O**	**318**
	48 x 1 x 16	1200 x 25 x 406	**PNN_-SOLX1648O**	**340**

Specify the accent color (A, S).

STACKABLE FABRIC PANELS

90° and 180° connectors included. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
8" H panels	20 x 1 x 8	500 x 25 x 203	**PNN_-SOFX0820**	**287**
	24 x 1 x 8	600 x 25 x 203	**PNN_-SOFX0824**	**297**
	30 x 1 x 8	750 x 25 x 203	**PNN_-SOFX0830**	**308**
	36 x 1 x 8	900 x 25 x 203	**PNN_-SOFX0836**	**318**
	42 x 1 x 8	1050 x 25 x 203	**PNN_-SOFX0842**	**328**
	48 x 1 x 8	1200 x 25 x 203	**PNN_-SOFX0848**	**340**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" H panels	20 x 1 x 12	500 x 25 x 304	**PNN_-SOFX1220**	**292**
	24 x 1 x 12	600 x 25 x 304	**PNN_-SOFX1224**	**302**
	30 x 1 x 12	750 x 25 x 304	**PNN_-SOFX1230**	**313**
	36 x 1 x 12	900 x 25 x 304	**PNN_-SOFX1236**	**323**
	42 x 1 x 12	1050 x 25 x 304	**PNN_-SOFX1242**	**340**
	48 x 1 x 12	1200 x 25 x 304	**PNN_-SOFX1248**	**350**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
16" H panels	20 x 1 x 16	500 x 25 x 406	**PNN_-SOFX1620**	**297**
	24 x 1 x 16	600 x 25 x 406	**PNN_-SOFX1624**	**308**
	30 x 1 x 16	750 x 25 x 406	**PNN_-SOFX1630**	**318**
	36 x 1 x 16	900 x 25 x 406	**PNN_-SOFX1636**	**328**
	42 x 1 x 16	1050 x 25 x 406	**PNN_-SOFX1642**	**350**
	48 x 1 x 16	1200 x 25 x 406	**PNN_-SOFX1648**	**361**

Specify the accent color (A, S).

TRANSLUCENT SCREENS

Required assembly hardware included.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
8" H screens	20 x ¼ x 8	461 x 6 x 203	**PNN_-SAGX0820**	**196**
	24 x ¼ x 8	561 x 6 x 203	**PNN_-SAGX0824**	**207**
	30 x ¼ x 8	711 x 6 x 203	**PNN_-SAGX0830**	**217**
	36 x ¼ x 8	861 x 6 x 203	**PNN_-SAGX0836**	**228**
	42 x ¼ x 8	1011 x 6 x 203	**PNN_-SAGX0842**	**239**
	48 x ¼ x 8	1161 x 6 x 203	**PNN_-SAGX0848**	**249**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
12" H screens	20 x ¼ x 12	461 x 6 x 304	**PNN_-SAGX1220**	**217**
	24 x ¼ x 12	561 x 6 x 304	**PNN_-SAGX1224**	**228**
	30 x ¼ x 12	711 x 6 x 304	**PNN_-SAGX1230**	**239**
	36 x ¼ x 12	861 x 6 x 304	**PNN_-SAGX1236**	**249**
	42 x ¼ x 12	1011 x 6 x 304	**PNN_-SAGX1242**	**260**
	48 x ¼ x 12	1161 x 6 x 304	**PNN_-SAGX1248**	**282**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
16" H screens	20 x ¼ x 16	461 x 6 x 406	**PNN_-SAGX1620**	**239**
	24 x ¼ x 16	561 x 6 x 406	**PNN_-SAGX1624**	**249**
	30 x ¼ x 16	711 x 6 x 406	**PNN_-SAGX1630**	**260**
	36 x ¼ x 16	861 x 6 x 406	**PNN_-SAGX1636**	**282**
	42 x ¼ x 16	1011 x 6 x 406	**PNN_-SAGX1642**	**292**
	48 x ¼ x 16	1161 x 6 x 406	**PNN_-SAGX1648**	**308**

Specify the accent color (A, S).

MOBILE LAMINATE FOLDING SCREENS

Four sections 20" wide. Note: Must be attached to a wall, furniture or fixed panel. Total height of panels must not exceed 65" H.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
20 x 5 x 41	500 x 127 x 1040	**PNN_-MSFL44120**	**981**
20 x 5 x 57	500 x 127 x 1446	**PNN_-MSFL45720**	**1,092**
20 x 5 x 65	500 x 127 x 1650	**PNN_-MSFL46520**	**1,204**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Wall starter	1 x ⅞ x 30	25 x 22 x 728	**PNN_-WF33**	**101**
	1 x ⅞ x 38	25 x 22 x 931	**PNN_-WF41**	**111**
	1 x ⅞ x 54	25 x 22 x 1337	**PNN_-WF57**	**122**
	1 x ⅞ x 63	25 x 22 x 1542	**PNN_-WF65**	**133**

Specify the accent color (A, S).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hardware for fastening panel to furniture (plastic)	1½ x ⅜ x 70	37 x 9 x 1773	**PNN_-FPBP73**	**96**

Specify the accent color (A, S).

90º connection

180º connection

Stabilizer foot

Total height of panels must not exceed 65" H.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
22 x 2 x 8	550 x 50 x 220	**PNN_-PS22**	**164**

Specify the accent color (A, S).

SURFACES EQUIPPED WITH GROMMET AND PRE-DRILLED FOR SC SCREENS

Order a LGC-BAR for all surfaces wider than 60" not supported by a pedestal or other storage unit, refer to page 138. Required assembly hardware for panel (PNNN-SB) sold separately, refer to page 135. Shapes and sizes of the modular surfaces coordinate with those of freestanding furniture. Use tubular legs (with or without casters), storage units, lateral files, etc. as supports.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Rectangular surfaces  72" to 60": 2 grommets 48" to 36": 1 grommet	*Compatible with PanGram privacy screens.*			
	72 x 24 x 1	1800 x 600 x 25	**P1N_-TR2472GR**	**350**
	66 x 24 x 1	1650 x 600 x 25	**P1N_-TR2466GR**	**335**
	60 x 24 x 1	1500 x 600 x 25	**P1N_-TR2460GR**	**318**
	54 x 24 x 1	1350 x 600 x 25	**P1N_-TR2454GR**	**302**
	48 x 24 x 1	1250 x 600 x 25	**P1N_-TR2448GR**	**287**
	42 x 24 x 1	1050 x 600 x 25	**P1N_-TR2442GR**	**265**
	36 x 24 x 1	900 x 600 x 25	**P1N_-TR2436GR**	**249**
	Specify the accent color (A, S).			
D-shaped surfaces	*Compatible with PanGram privacy screens.*			
	78 x 36 x 1	1950 x 900 x 25	**P1N_-TD3678GR**	**435**
	78 x 30 x 1	1950 x 750 x 25	**P1N_-TD3078GR**	**408**
	60 x 30 x 1	1500 x 750 x 25	**P1N_-TD3060GR**	**355**
	Specify the accent color (A, S).			
Left extended corner surfaces, 24" D  72": 2 grommets 54": 1 grommet	*Compatible with PanGram privacy screens.*			
	72 x 36 x 1	1800 x 900 x 25	**P1N_-TC723624GR**	**419**
	54 x 36 x 1	1350 x 900 x 25	**P1N_-TC543624GR**	**376**
	Specify the accent color (A, S).			
Right extended corner surfaces, 24" D  72": 2 grommets 54": 1 grommet	*Compatible with PanGram privacy screens.*			
	72 x 36 x 1	1800 x 900 x 25	**P1N_-TC367224GR**	**419**
	54 x 36 x 1	1350 x 900 x 25	**P1N_-TC365424GR**	**376**
	Specify the accent color (A, S).			
Asymmetrical surfaces, 24" on left, 30" on right  72" to 60": 2 grommets 54" to 36": 1 grommet	*Compatible with PanGram privacy screens.*			
	72 x 30 x 1	1800 x 750 x 25	**P1N_-TA247230GR**	**408**
	66 x 30 x 1	1650 x 750 x 25	**P1N_-TA246630GR**	**398**
	60 x 30 x 1	1500 x 750 x 25	**P1N_-TA246030GR**	**388**
	54 x 30 x 1	1350 x 750 x 25	**P1N_-TA245430GR**	**376**
	36 x 30 x 1	900 x 750 x 25	**P1N_-TA243630GR**	**366**
	Specify the accent color (A, S).			
Asymmetrical surfaces, 30" on left, 24" on right  72" to 60": 2 grommets 54" to 36": 1 grommet	*Compatible with PanGram privacy screens.*			
	72 x 30 x 1	1800 x 750 x 25	**P1N_-TA307224GR**	**408**
	66 x 30 x 1	1650 x 750 x 25	**P1N_-TA306624GR**	**398**
	60 x 30 x 1	1500 x 750 x 25	**P1N_-TA306024GR**	**388**
	54 x 30 x 1	1350 x 750 x 25	**P1N_-TA305424GR**	**376**
	36 x 30 x 1	900 x 750 x 25	**P1N_-TA303624GR**	**366**
	Specify the accent color (A, S).			
120° surfaces, 30" D	*Not compatible with PanGram privacy screens. Can accommodate 5 legs.*			
	48 x 30 x 1	1200 x 750 x 25	**P1N_-TCA3048GR**	**726**
	42 x 30 x 1	1050 x 750 x 25	**P1N_-TCA3042GR**	**668**
	36 x 30 x 1	900 x 750 x 25	**P1N_-TCA3036GR**	**610**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
120° surfaces, 24" D	*Not compatible with PanGram privacy screens. Can accommodate 5 legs.*			
	48 x 24 x 1	1200 x 600 x 25	**P1N_-TCA2448GR**	**690**
	42 x 24 x 1	1050 x 600 x 25	**P1N_-TCA2442GR**	**631**
	36 x 24 x 1	900 x 600 x 25	**P1N_-TCA2436GR**	**578**
	Specify the accent color (A, S).			
Panel bracket kit	*Kit of 10 brackets with hardware to mount surfaces on laminate panels. Panel can receive 2 brackets on each side.*			
	2 x 1¼ x 1½	50 x 33 x 38	**PNNN-SB**	**53**

SURFACES

Order a LGC-BAR for all surfaces wider than 60" not supported by a pedestal or other storage unit, refer to page 138. Required assembly hardware for panel (PNNN-SB) sold separately, refer to page 135. Shapes and sizes of the modular surfaces coordinate with those of freestanding furniture. Use tubular legs (with or without casters), storage units, lateral files, etc. as supports.

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Rectangular surfaces	*Not compatible with PanGram privacy screens.*				
	72 x 24 x 1	1800 x 600 x 25	**P1NN-TR2472**		**328**
	66 x 24 x 1	1650 x 600 x 25	**P1NN-TR2466**		**313**
	60 x 24 x 1	1500 x 600 x 25	**P1NN-TR2460**		**297**
	54 x 24 x 1	1350 x 600 x 25	**P1NN-TR2454**		**282**
	48 x 24 x 1	1200 x 600 x 25	**P1NN-TR2448**		**275**
	42 x 24 x 1	1050 x 600 x 25	**P1NN-TR2442**		**255**
	36 x 24 x 1	900 x 600 x 25	**P1NN-TR2436**		**239**
	18 x 24 x 1	450 x 600 x 25	**P1NN-TR2418**		**207**
D-shaped surfaces 	*Not compatible with PanGram privacy screens.*				
	78 x 36 x 1	1950 x 900 x 25	**P1NN-TD3678**		**424**
	78 x 30 x 1	1950 x 750 x 25	**P1NN-TD3078**		**398**
	60 x 30 x 1	1500 x 750 x 25	**P1NN-TD3060**		**345**
Left extended corner surfaces, 24" D	*Not compatible with PanGram privacy screens.*				
	72 x 36 x 1	1800 x 900 x 25	**P1NN-TC723624**		**398**
	54 x 36 x 1	1350 x 900 x 25	**P1NN-TC543624**		**355**
Right extended corner surfaces, 24" D 	*Not compatible with PanGram privacy screens.*				
	72 x 36 x 1	1800 x 900 x 25	**P1NN-TC367224**		**398**
	54 x 36 x 1	1350 x 900 x 25	**P1NN-TC365424**		**355**
Asymmetrical surfaces, 24" on left, 30" on right 	*Not compatible with PanGram privacy screens.*				
	72 x 30 x 1	1800 x 750 x 25	**P1NN-TA247230**		**388**
	66 x 30 x 1	1650 x 750 x 25	**P1NN-TA246630**		**376**
	60 x 30 x 1	1500 x 750 x 25	**P1NN-TA246030**		**366**
	54 x 30 x 1	1350 x 750 x 25	**P1NN-TA245430**		**355**
	36 x 30 x 1	900 x 750 x 25	**P1NN-TA243630**		**345**
Asymmetrical surfaces, 30" on left, 24" on right 	*Not compatible with PanGram privacy screens.*				
	72 x 30 x 1	1800 x 750 x 25	**P1NN-TA307224**		**388**
	66 x 30 x 1	1650 x 750 x 25	**P1NN-TA306624**		**376**
	60 x 30 x 1	1500 x 750 x 25	**P1NN-TA306024**		**366**
	54 x 30 x 1	1350 x 750 x 25	**P1NN-TA305424**		**355**
	36 x 30 x 1	900 x 750 x 25	**P1NN-TA303624**		**345**
120° surfaces, 30" D 	*Not compatible with PanGram privacy screens. Can accommodate 5 legs.*				
	48 x 30 x 1	1200 x 750 x 25	**P1NN-TCA3048**		**716**
	42 x 30 x 1	1050 x 750 x 25	**P1NN-TCA3042**		**658**
	36 x 30 x 1	900 x 750 x 25	**P1NN-TCA3036**		**600**

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
120° surfaces, 24" D	*Not compatible with PanGram privacy screens. Can accommodate 5 legs.*			
	48 x 24 x 1	1200 x 600 x 25	**P1NN-TCA2448**	**679**
	42 x 24 x 1	1050 x 600 x 25	**P1NN-TCA2442**	**620**
	36 x 24 x 1	900 x 600 x 25	**P1NN-TCA2436**	**567**
Metal fixed legs	*Round leg.*			
	2 x 2 x 28	51 x 51 x 713	**TNN_-VTL**	**111**
	Specify the accent color (A, S).			
	Square leg.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL**	**111**
	Specify the accent color (A, S).			
	2 round legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-VTL2**	**217**
	Specify the accent color (A, S).			
	2 square legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL2**	**217**
	Specify the accent color (A, S).			
Metal mobile legs	*Round leg.*			
	2 x 2 x 28	51 x 51 x 713	**TNN_-MVTL**	**111**
	Specify the accent color (A, S).			
	Square leg.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-MQTL**	**111**
	Specify the accent color (A, S).			
	2 round legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-MVTL2**	**217**
	Specify the accent color (A, S).			
	2 square legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-MQTL2**	**217**
	Specify the accent color (A, S).			
Double pedestal desks	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**P1_ _-F3672F**	**1,475**
	60 x 30 x 29	1500 x 750 x 735	**P1_ _-F3060F**	**1,310**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Left single pedestal desks	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**P1_ _-F3672S**	**1,162**
	66 x 30 x 29	1650 x 750 x 735	**P1_ _-F3066S**	**1,056**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Right single pedestal desks	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full-height modesty panel.*			
	72 x 36 x 29	1800 x 900 x 735	**P1_ _-S3672F**	**1,162**
	66 x 30 x 29	1650 x 750 x 735	**P1_ _-S3066F**	**1,056**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Left executive return	*1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	42 x 24 x 29	1050 x 600 x 735	**P1_ _-F2442R**	**827**
	Specify the handle code (Q, V). Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Right executive return	*1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Grommet.*			
	42 x 24 x 29	1050 x 600 x 735	**P1_ _-R2442F**	**827**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
D-shaped work surface	*Grommet. Legs included.*			
	78 x 36 x 29	1950 x 900 x 735	**P1_ _-BT3678**	**769**
	Specify the leg code (Q, V). Specify the accent color (A, S).			
Packaged in 2 boxes.				
Right extended corner modules – 24" D	*Full-height modesty panel. 1 grommet.*			
A 	72 x 36 x 29	1800 x 900 x 735	**P1N_-CM367224_**	**907**
B 	**Specify the accent color (A, S). Specify panel legs (A, B).**			
Left extended corner modules – 24" D	*Full-height modesty panel. 1 grommet.*			
A 	72 x 36 x 29	1800 x 900 x 735	**P1N_-CM723624_**	**907**
B 	**Specify the accent color (A, S). Specify panel legs (A, B).**			
Open credenza	*2 pedestals with locks, 2 box drawers and 2 file drawers with suspension bars. Pencil tray. Grommet on back.*			
	72 x 24 x 29	1800 x 600 x 735	**P1_ _-F2472F**	**1,379**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Mobile EDP tables	*Reversible integrated CPU stand. Casters. 2 grommets. The top part is removable and can be replaced with a privacy screen 02-SC48 or 02-SC36.*			
	54 x 24 x 29	1350 x 600 x 735	**P1N _-MDT2454**	**907**
	42 x 24 x 29	1050 x 600 x 735	**P1N _-MDT2442**	**854**
	Specify the accent color (A, S).			
Hutches with doors – 36" H	*Clearance: 19". No back on the bottom. 1 tone only.*			
	72 x 16 x 36	1800 x 400 x 900	**P1_ _-E723616P**	**976**
	66 x 16 x 36	1650 x 400 x 900	**P1_ _-E663616P**	**933**
	60 x 16 x 36	1500 x 400 x 900	**P1_ _-E603616P**	**880**
	54 x 16 x 36	1350 x 400 x 900	**P1_ _-E543616P**	**844**
	48 x 16 x 36	1200 x 400 x 900	**P1_ _-E483616P**	**785**
	42 x 16 x 36	1050 x 400 x 900	**P1_ _-E423616P**	**726**
	36 x 16 x 36	900 x 400 x 900	**P1_ _-E363616P**	**658**
72" to 60": 4 doors 54" to 48": 3 doors 42" to 36": 2 doors	**Specify the handle code (Q, V). Specify the accent color (A, S).**			

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Open hutches – 28" H	*Clearance: 17⅝". Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*			
	72 x 16 x 28	1800 x 380 x 710	**PNN _-E722816**	**589**
	66 x 16 x 28	1650 x 380 x 710	**PNN _-E662816**	**562**
	60 x 16 x 28	1500 x 380 x 710	**PNN _-E602816**	**525**
72" to 60": 6 wire dividers.	54 x 16 x 28	1350 x 380 x 710	**PNN _-E542816**	**494**
54" to 48": 4 wire dividers.	48 x 16 x 28	1200 x 380 x 710	**PNN _-E482816**	**461**
	Specify the accent color (A, S).			
Lateral file unit	*2 file drawers with suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 207.*			
	36 x 24 x 29	900 x 600 x 735	**P1_ _-2436LF**	**955**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Bookcase unit with doors	*Adjustable shelf. Lock.*			
	36 x 24 x 29	900 x 600 x 735	**P1_ _-2436B**	**779**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Combination unit	*1 box drawer and 1 file drawer with suspension bar. Lock. Pencil tray. Optional counterweight to meet BIFMA standards, refer to page 207.*			
	36 x 24 x 29	900 x 600 x 735	**P1_ _-2436W**	**991**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Support / lateral file unit	*2 file drawers with suspension bars. Lock. 1 tone only.*			
	36 x 24 x 28	900 x 600 x 710	**PN_ _-2436LFL**	**854**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Support / lateral file unit	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Lock. 1 tone only.*			
	36 x 24 x 28	900 x 600 x 710	**PN_ _-2436WL**	**832**
	Specify the handle code (Q, V). Specify the accent color (A, S).			

MOBILE COMPONENTS

The top part of the 41" H is removable and can be replaced with a screen (02-SC36 or 02-SC24).

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Utility units – 41" H	*1 box drawer. 1 adjustable shelf. Casters. Grommet. Lock. 6 wire dividers included.*			
	36 x 21 x 41	900 x 525 x 1037	**P1_ _-ME213641U**	**933**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
	4 wire dividers included.			
	24 x 21 x 41	600 x 525 x 1037	**P1_ _-ME212441U**	**827**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Utility units – 25" H	*1 box drawer. Casters. Grommet. Lock. 3 wire dividers included.*			
	36 x 21 x 25	900 x 525 x 628	**P1_ _-ME213625U**	**764**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
	2 wire dividers included.			
	24 x 21 x 25	600 x 525 x 628	**P1_ _-ME212425U**	**653**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Storage units with doors – 41" H	*2 adjustable shelves. Casters. Grommet. 9 wire dividers included.*			
	36 x 21 x 41	900 x 525 x 1037	**P1_ _-ME213641B**	**965**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
	6 wire dividers included.			
	24 x 21 x 41	600 x 525 x 1037	**P1_ _-ME212441B**	**854**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Storage units with doors – 25" H	*1 adjustable shelf. Casters. Grommet. 6 wire dividers included.*			
	36 x 21 x 25	900 x 525 x 628	**P1_ _-ME213625B**	**796**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
	4 wire dividers included.			
	24 x 21 x 25	600 x 525 x 628	**P1_ _-ME212425B**	**684**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Flip extension surface	*For mobile storage units.*			
	12 x 20 x 1	300 x 509 x 25	**P1NN-WS12**	**228**
Handle	*For mobile storage units.*			
	21 x 6½ x 1½	499 x 161 x 38	**PN_ _-HD21**	**80**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Storage or wardrobe unit	*Reversible door. 3 adjustable shelves, 1 full-width fixed shelf. 1 clothes hanger bar. Lock. 1 tone only.*			
	24 x 24 x 65	600 x 600 x 1635	**PN_ _-242465B**	**1,082**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Storage with lateral file	*Reversible door. 2 adjustable shelves. 2 file drawers with suspension bars. Lock on box drawers. 1 tone only.*			
	24 x 24 x 65	600 x 600 x 1635	**PN_ _-242465FB**	**1,416**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Open bookcases	*4 adjustable shelves. 1 tone only.*			
	36 x 14 x 65	900 x 350 x 1635	**PNNN-B366514**	**743**
	3 adjustable shelves. 1 tone only.			
	36 x 14 x 57	900 x 350 x 1445	**PNNN-B365714**	**679**
Supports / storage	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. 1 tone only.*			
	18 x 24 x 28	450 x 600 x 710	**PN_ _-P1824UFL**	**796**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Supports / storage	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Lock. 1 tone only.*			
	18 x 24 x 28	450 x 600 x 710	**PN_ _-P1824FL**	**711**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Mobile pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Goes under a work surface. 1 tone only.*			
	15 x 18 x 27	390 x 450 x 689	**PN_ _-MP1518UF**	**769**
	Specify the handle code (Q, V). Specify the accent color (A, S).			

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Mobile pedestal	*1 box drawer and 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Goes under a work surface. 1 tone only.*			
	15 x 18 x 20¾	390 x 450 x 527	**PN_ _-MP1518F**	**716**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Mobiles pedestal	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Brakes on front casters. Lock. Goes under a work surface. 1 tone only.*			
	15 x 23 x 20¾	390 x 575 x 527	**PN_ _-MP1523F**	**743**
	Specify the handle code (Q, V). Specify the accent color (A, S).			
Mobile table	*Height adjustable, black base on casters.*			
	30 x 30 x 22-33	750 x 750 x 550-850	**P1NN-MT30**	**796**
Pigeonholes	*4 shelves.*			
	18 x 10 x 11	450 x 265 x 274	**PNNN-DV1811**	**313**

ACCESSORIES FOR PANGRAM PANELS

Shelves	*Supports included.*			
	21 x 7½ x 2¾	496 x 190 x 70	**PNN_-SH721**	**181**
	33 x 7½ x 2¾	796 x 190 x 70	**PNN_-SH733**	**186**
	Specify the accent color (A, S).			
Pencil tray	12 x 3½ x 2	300 x 90 x 50	**PNN_-PH12**	**74**
	Specify the accent color (A, S).			
Metal accessory rails	*For rail accessories, refer to page 206.*			
	21 x 1½ x 4	496 x 38 x 100	**PNN_-RA21**	**138**
	33 x 1½ x 4	796 x 38 x 100	**PNN_-RA33**	**149**
	Specify the accent color (A, S).			
Adhesive wire channel	*Self-adhesive. Can hold most power bars.*			
	68 x 2¼ x 3¼	1700 x 60 x 80	**LGC-HWMC72_**	**106**
	44 x 2¼ x 3¼	1100 x 60 x 80	**LGC-HWMC48_**	**85**
	20 x 2¼ x 3¼	500 x 60 x 80	**LGC-HWMC24_**	**74**
	Specify the accent color (A, S).			
Additional legs	*For workstation reconfiguration. For corner modules only.*			
Full width leg	30 x 1 x 27½	750 x 25 x 698	**PNNN-L30**	**143**
	24 x 1 x 27½	600 x 25 x 698	**PNNN-L24**	**133**
	20 x 1 x 27½	500 x 25 x 698	**PNNN-L20**	**122**
Additional legs	*Recessed leg. For corner modules only.*			
	13 x 1 x 27½	330 x 25 x 698	**PNNN-L12**	**111**
Work surface reinforcement bar	*Black metal.*			
	54 x 2 x 1	1372 x 51 x 25	**LGC-BAR**	**74**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
42" top	*Use with 4 legs.*			
	42 x 42 x 1	1050 x 1050 x 25	**P1NN-SQ42**	**345**
Metal fixed legs	*Round leg.*			
	2 x 2 x 28	51 x 51 x 713	**TNN_-VTL**	**111**
	Specify the accent color (A, S).			
	Square leg.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL**	**111**
	Specify the accent color (A, S).			
	2 round legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-VTL2**	**217**
	Specify the accent color (A, S).			
	2 square legs.			
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL2**	**217**
	Specify the accent color (A, S).			

ACCESSORIES

Privacy screens / modesty panels	*May be used as a privacy screen or modesty panel. Can accommodate a 8" H tackboard. Perforations to accommodate a shelf with wire dividers. Compatible with surfaces with grommet and mobile storage units when specified only.*			
	72 x ⅝ x 12	1800 x 16 x 300	**PNNN-SC72**	**217**
	66 x ⅝ x 12	1650 x 16 x 300	**PNNN-SC66**	**212**
	60 x ⅝ x 12	1500 x 16 x 300	**PNNN-SC60**	**207**
	54 x ⅝ x 12	1350 x 16 x 300	**PNNN-SC54**	**202**
	48 x ⅝ x 12	1200 x 16 x 300	**PNNN-SC48**	**196**
	42 x ⅝ x 12	1050 x 16 x 300	**PNNN-SC42**	**191**
	36 x ⅝ x 12	900 x 16 x 300	**PNNN-SC36**	**186**
	30 x ⅝ x 12	750 x 16 x 300	**PNNN-SC30**	**181**
	24 x ⅝ x 12	600 x 16 x 300	**PNNN-SC24**	**175**
Tackboard for panels	*To be fixed on laminate panels. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
	18 x ½ x 15	437 x 13 x 378	**PNNN-TK1815P**	**217**
	22 x ½ x 15	537 x 13 x 378	**PNNN-TK2215P**	**228**
	28 x ½ x 15	687 x 13 x 378	**PNNN-TK2815P**	**239**
	34 x ½ x 15	837 x 13 x 378	**PNNN-TK3415P**	**249**
	40 x ½ x 15	987 x 13 x 378	**PNNN-TK4015P**	**260**
	46 x ½ x 15	1137 x 13 x 378	**PNNN-TK4615P**	**275**
	Specify the fabric code after the product code.			
Tackboard for panels	*To be fixed on laminate panels. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
	18 x ½ x 11	437 x 13 x 276	**PNNN-TK1811P**	**207**
	22 x ½ x 11	537 x 13 x 276	**PNNN-TK2211P**	**217**
	28 x ½ x 11	687 x 13 x 276	**PNNN-TK2811P**	**228**
	34 x ½ x 11	837 x 13 x 276	**PNNN-TK3411P**	**239**
	40 x ½ x 11	987 x 13 x 276	**PNNN-TK4011P**	**249**
	46 x ½ x 11	1137 x 13 x 276	**PNNN-TK4611P**	**260**
	Specify the fabric code after the product code.			

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Shelves with wire dividers	*Mount on SC screen.*				
	42 x 10 x 3⅝	1050 x 265 x 91	**PN_ _-SH42**		**228**
	36 x 10 x 3⅝	900 x 265 x 91	**PN_ _-SH36**		**217**
	30 x 10 x 3⅝	750 x 265 x 91	**PN_ _-SH30**		**207**
	24 x 10 x 3⅝	600 x 265 x 91	**PN_ _-SH24**		**196**
	18 x 10 x 3⅝	450 x 265 x 91	**PN_ _-SH18**		**186**
	Specify the leg code (Q, V). Specify the accent color (A, S).				



42" to 36": 2 feet and 5 wire dividers.
30" to 24": 2 feet and 4 wire dividers.
18": 2 feet and 3 wire dividers.

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Rectangular transaction shelves	*Supports included for installation under the shelf. Compatible with 41" H (1040 mm) PanGram laminate panels.*				
	54 x 12 x 14⅛	1350 x 300 x 353	**P1NN-TS1254**		**85**
	48 x 12 x 14⅛	1200 x 300 x 353	**P1NN-TS1248**		**80**
	42 x 12 x 14⅛	1050 x 300 x 353	**P1NN-TS1242**		**74**
	36 x 12 x 14⅛	900 x 300 x 353	**P1NN-TS1236**		**69**
	30 x 12 x 14⅛	750 x 300 x 353	**P1NN-TS1230**		**63**

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Mobile board	*Non-magnetic surface for use with dry-erase markers on both sides. Accepts accessory tray.*				
	55 x 25 x 65	1375 x 605 x 1600	**PNN_-MWB542465**		**1,082**
	Specify the accent color (A, S).				



	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Accessory tray	*For mobile board. One tray per mobile board.*				
	54 x 2 11/16 x 2⅞	1343 x 68 x 72	**PNN_-PH54**		**128**
	Specify the accent color (A, S).				



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Computer stand	*Height adjustable. Integrated CPU stand. Casters. 1 grommet.*			
	24 x 25 x 41	600 x 614 x 899	**PNN_-MDT252441**	**875**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
CPU stand	*Thermofused laminate. Casters. 1 tone only.*			
	12 x 21 x 19	300 x 525 x 590	**PNNN-MPU211219**	**408**

TYPICAL WOOD GRAIN DIRECTION FOR PANGRAM:



= QUICKSHIP = ASSEMBLY REQUIRED

SUGGESTIONS

P_ _ _-PLAN01



Plan shown in PanGram Flyer:

PNQS-PLAN01	$9,557
1	P1QS-S3672F
1	P1QS-R2442F
1	P1QS-2436W
1	ONNN-EM661716D
2	P1QS-ME213625U
1	PNNS-WF65
5	PNNS-SFLX4136
5	PNNS-SOFX1636
1	PNNS-SOLX1636
1	PNNS-PS22

Straight pull (Q), Silver accent (S).

P_ _ _-PLAN02



Plan shown in PanGram Flyer:

P1VA-PLAN02	$15,180
5	PNVA-MP1518UF
2	P1NA-TR2460GR
3	P1NA-TCA2448GR
8	PNNA-SFLX4124
3	PNNA-SFLX4148
2	PNNA-SFLX4130
8	PNNA-SAGX1224
2	PNNA-SOFX1230
3	PNNA-SOFX1248
4	PNNN-SB

Round pull (V), Anthracite Grey accent (A).

P_ _ _-PLAN03



Plan shown in PanGram Flyer:

P1VS-PLAN03	$13,122
2	P1NS-TR2448GR
1	P1NS-TC367224GR
1	P1NS-TC723624GR
2	PNNS-E722816
2	PNVS-MP1518F
2	LGC-CU1518
9	PNNS-SFLX4124
2	PNNS-SFLX4130
2	PNNS-SFLX5736
1	PNNS-MSFL45720
7	PNNS-SOLX1624
2	PNNS-SAGX1624
2	PNNS-SAGX1630
2	PNNN-SB

Round pull (V), Silver accent (S).

P_ _ _-PLAN04



Not shown in PanGram Flyer:

P_ _ _-PLAN04	$6,683
2	P1N_-TC367224GR
2	P1N_-TC723624GR
4	P1N_-TR2436GR
4	TNN _-VTL2
8	PNN_-SFLX4136

P_ _ _-PLAN05



Not shown in PanGram Flyer:

P_ _ _-PLAN05	$14,374
6	P1N_-TR2460GR
6	PN_ _-MP1518F
8	PNN_-SFLX3324
6	PNN_-SFLX3330
8	PNN_-SOLX1624
6	PNN_-SOLX1630

P_ _ _-PLAN06



Not shown in PanGram Flyer:

P_ _ _-PLAN06	$7,351
1	P1N_-TC367224GR
1	P1N_-TC723624GR
2	P1N_-TR2436GR
2	PN_ _-P1824FL
6	PNN_-SFLX4136
2	PNN_-SFLX4124
2	PNN_-SAGX1636
1	PNN_-SOFX1636
2	PNN_-SOLX1636C
2	PNNN-SB

Straight pull (Q), Silver accent (S).

P_ _ _-PLAN07



Not shown in PanGram Flyer:

P_ _ _-PLAN07	$9,865
2	C3-TD3672
2	C3-201849UF
1	C3-207233LFB
5	PNN_-SFLX4136
2	PNN_-SFLX4124
5	PNN_-SAGX0836

P_ _ _-PLAN08



Not shown in PanGram Flyer:

P_ _ _-PLAN08	$10,852
1	41NN-CM367224B
1	41NN-CM723624B
2	41NN-DT2436B
2	41NN-E724416P
2	4N_N-MP1518UF
2	PNN_-SFLX4124
4	PNN_-SFLX4136
2	PNN_-SOFX0824
4	PNN_-SOFX0836
2	PNNN-SB

P_ _ _-PLAN09



Not shown in PanGram Flyer:

P_ _ _-PLAN09	$3,575
1	P1N_-TD3678GR
1	P1NN-TR2448
2	TNN _-VTL2
1	PNNN-SC72
1	PN_ _-P1824UFL
1	PN_ _-242465FB

P_ _ _-PLAN10



Not shown in PanGram Flyer:

P_ _ _-PLAN10	$6,216
2	P1N_-TA247230GR
2	P1N_-TA307224GR
4	TNN _-VTL2
4	PNNN-SC72
4	PN_ _-P1824FL



GENERAL SPECIFICATIONS:

1 1½" (38 mm) thick surface with smooth edge.

2 Privacy translucent divider screens help define individual workspaces and are fixed to the surface with an adjustable bracket.

3 Surface storage units create visual privacy available with laminate, translucent (T, Y) or white board back. Comes with 4" H (100 mm) aluminum legs.

4 Simple-or double-sided accessory rails in Silver aluminum finish.

5 Angled return units with 6" H (150 mm) modesty panel. Compatible with mobile pedestal.

6 Storage cushions comply with Cal. 117 requirements. 2" (51 mm) thick foam. To be installed on 20" H storage units with Velcro.

7 20" H (508 mm) shared storage unit with double-sided lateral file drawers on both sides.

8 Central wire management base with 6" H (150 mm) recessed bottom that can be positioned above a floor power source.

9 Power and data cables are discreetly managed in the central wire management raceway. Closed with translucent acrylic covers (T, Y).

10 Full-depth base for table extremities with laminate contour. Panel inserts are available in ⅝" (16 mm) thick laminate or ¼" (6 mm) thick acrylic insert (T, Y).

HOW TO SPECIFY:

1 – SURFACES



- Determine the length required based on the space requirements and the number of users.
- Choose between single-sided or double-sided surfaces.
- Wire management raceway is always included along with acrylic covers (T, Y).
- A maximum of 24' (7.32 m) for double-sided surfaces and 16' (4.88 m) for single-sided surfaces can be used, regardless of the number of sections.
- Two communication plates are included with double-sided surfaces and one communication plate is included with single-sided surfaces. Additional plates (LGC-COM) can be ordered separately, refer to the Electrification section on page 148.

EXAMPLES OF WORKSTATIONS:



- 2 double-sided sections of 60" D x 96" W (1500 mm x 2400 mm) allow for four 8' W (2400 mm) workstations.



- 3 double-sided sections of 54" D x 48" W (1350 mm x 1200 mm) allow for six 4' W (1200 mm) workstations.

2 – SURFACE EXTENSIONS



- Compatible with double-sided surfaces.
- Designed to extend a work surface or create a conference table. Must be used with double-sided surfaces.
- Base included.

3 – BASES



Mixed

- 1½" (38 mm) thick laminate contour.
- Choice of laminate core or translucent acrylic inserts (T, Y).
- 1 base is required per end of table.
- ⅜" (8 mm) spacers.
- 6" (150 mm) wide laminate contour.
- Reversible.



Metal

- 1 base required per end of table.
- Silver finish.
- Reversible.



Junction

- Single or double-sided laminate wire management base is required for surface junctions.
- 4 cantilevers included for double-sided surfaces and 2 for single-sided surfaces.
- When specifying multiple tables, always use a wire management base with cantilevers as the junction to join the surfaces together.

4 – RETURN SURFACES



Left return surface



Double-sided return surface



Right return surface

- Return surfaces come in single-sided or double-sided asymmetrical designs.
- 1½" (38 mm) thick surface and end panel with ⅜" (8 mm) spacers.
- Can accommodate a mobile pedestal.
- Angled design for maximum use of space.
- 6" H (150 mm) laminate modesty panel.

5 – SURFACE STORAGE ELEMENTS



- ⅝" (16 mm) thick laminate construction. 4" H (100 mm) anodized aluminum leg.
- Back comes in laminate, translucent acrylic (T, Y) or white board. It can also accommodate a tackboard.





- Creates visual privacy and designed to be positioned over the surface raceway.
- Available in 11" H (285 mm), 18" H (450 mm), 24" H (610 mm) or 30" H (762 mm).

6 – PRIVACY SCREENS

- ¼" (6 mm) thick acrylic or ⅖" (10 mm) thick fabric lateral and central screens to help divide individual workspaces.
- Available with a choice of 2 translucent acrylic inserts (T, Y) or United Chair® fabrics.
- Choice of 11" H (285 mm) or 18" H (450 mm).



7 – ACCESSORY RAILS



- Choice of single-or double-sided accessory rail.
- Compatible with metal accessories utilisation (refer to page 206).
- Divides workspaces.
- Designed to be positioned over Anodized Aluminum raceway.
- Laminate construction with aluminum rail in Silver finish.
- 11" H (285 mm).

8 – STORAGE UNITS



- 1½" (38 mm) thick top.
- Many different drawer configurations to choose from.
- Single-sided or double-sided units.
- Use to complete workstations.
- Available in 20" H (508 mm) or 29⅞" H (757 mm).
- 29⅞" H (757 mm) storage units come with ⅜" (8 mm) spacers.

9 – CUSHIONS



- 20" H (508 mm) storage units are compatible with CNNN-CU2024, CNNN-CU2036, CNNN-CUB2024, CNNN-CUB2036, CNNN-2024CUB, CNNN-2036CUB cushions. 2" (51 mm) thick foam.
- Mobile pedestal is compatible with CNNN-CU1518.
- Cal. 117.

= NOT PART OF THE QUICKSHIP PROGRAM

ELECTRICITY

4-Trac system features

- 4-wires, 2 circuits, 20 AMP each.
- 13 duplex receptacles per circuit. Maximum of 26 duplex receptacles of 15 AMP per power infeed.
- Easy to specify, install and reconfigure.
- UL Listed as a Manufactured Wiring System.
- RoHS Compliancy available upon request; Cradle to Cradle.
- For installation in wire management raceway.
- Will work in all locations except for Chicago. Manufactured Wiring Systems are not permitted in Chicago.
- So simple that there are only 4 kits to choose from to electrify the single-sided or double-sided surfaces.

HOW TO SPECIFY:



RCST3496 with LGC-4TRAC296C1



RCDT6684 with LGC-4TRAC496C2



LGC-PASS36

STEP 1
Determine the number of users.

STEP 2
Determine the electrical requirements of users (1 or 2 duplex receptacles per workstation are usually sufficient) and then choose from the predefined kits.

Each kit must be ordered in function of the length of the surface and the required number of duplex receptacles.

STEP 3
Determine whether 1 or 2 circuits are needed and order the kits accordingly.

The kits are composed of duplex receptacles and cables. The hardware required to fix the cables in the raceway is included.

STEP 4
Each added surface must be connected to the adjacent surface using a pass cable (LGC-PASS36).

ELECTRICAL INFEED:

There are 2 ways to bring power to the tables. By using a floor mounted power module or by using a ceiling feed.



FLOOR FEED:

The floor feed cable is 60" (1524 mm) or 72" (1829 mm) long – assuming a table height of 29⅞" (757 mm) and the first duplex is always positioned at 18" (450 mm) from the side of the surface.

The wire management base comes with a lockable door and with 2 or 4 cantilevers depending on the base type.

Electricity can come from the extremity of the table or through the center via the wire management base.

Each electrical entry can power 2 circuits for a maximum of 26 duplex receptacles (13 per circuit).

The electrical installation of the entry must be made by a professional electrician.



CEILING FEED:

The electricity for the ceiling infeed can only come through the extremity of the table. The CFEED comes with a 120" H (3000 mm) column and with the necessary hardware to mount it to the end of the table.

The cable is 132" (3353 mm) long – assuming a table height of 29⅞" H (757 mm) and the first duplex is always positioned at 18" (450 mm) from the side of the surface.

A communication plate can be installed on the aluminum rail in the surface raceway and can accommodate up to 4 connections per plate. The adaptors are included.

The installation of the cabling and jacks (not included) must be made by a professional electrician.

EDGEBANDING
Furniture with 1½" (38 mm) thick tops.

N Edge

Smooth, ⅛" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

ACRYLIC OPTIONS

T – Translucent

Y – Sky

HANDLE

Silver painted aluminum

CODIFICATION

	Options		
Series	Thickness	Edgebanding	Acrylic options
C	**5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge	**T** Translucide **Y** Sky

= NOT PART OF THE QUICKSHIP PROGRAM

Double-sided surfaces



Channel cover option, change T to: Y Sky, add $63.

96" to 84": Packaged in 2 boxes.

1½" (38 mm) thick double-sided surface with wire management raceway. Translucent acrylic channel covers. Can accommodate 1 or 2 pedestals. 2 LGC-COM included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 66 x 1½	2400 x 1650 x 38	**C_NN-RCDT6696**	**2,074**	**2,488**
84 x 66 x 1½	2100 x 1650 x 38	**C_NN-RCDT6684**	**1,883**	**2,259**
72 x 66 x 1½	1800 x 1650 x 38	**C_NN-RCDT6672**	**1,707**	**2,042**
60 x 66 x 1½	1500 x 1650 x 38	**C_NN-RCDT6660**	**1,533**	**1,835**
48 x 66 x 1½	1200 x 1650 x 38	**C_NN-RCDT6648**	**1,374**	**1,649**
96 x 60 x 1½	2400 x 1500 x 38	**C_NN-RCDT6096**	**2,026**	**2,430**
84 x 60 x 1½	2100 x 1500 x 38	**C_NN-RCDT6084**	**1,840**	**2,201**
72 x 60 x 1½	1800 x 1500 x 38	**C_NN-RCDT6072**	**1,661**	**1,994**
60 x 60 x 1½	1500 x 1500 x 38	**C_NN-RCDT6060**	**1,490**	**1,787**
48 x 60 x 1½	1200 x 1500 x 38	**C_NN-RCDT6048**	**1,342**	**1,613**
96 x 54 x 1½	2400 x 1350 x 38	**C_NN-RCDT5496**	**1,973**	**2,370**
84 x 54 x 1½	2100 x 1350 x 38	**C_NN-RCDT5484**	**1,793**	**2,153**
72 x 54 x 1½	1800 x 1350 x 38	**C_NN-RCDT5472**	**1,618**	**1,941**
60 x 54 x 1½	1500 x 1350 x 38	**C_NN-RCDT5460**	**1,454**	**1,745**
48 x 54 x 1½	1200 x 1350 x 38	**C_NN-RCDT5448**	**1,316**	**1,570**

Specify the surface type (5, 6).

Surface extensions



Packaged in 2 boxes.

Rectangular top with laminate base. Compatible with double-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
66 x 24 x 29⅞	1650 x 600 x 757	**C_NN-CEM2466**	**875**	**1,051**
60 x 24 x 29⅞	1500 x 600 x 757	**C_NN-CEM2460**	**849**	**1,018**
54 x 24 x 29⅞	1350 x 600 x 757	**C_NN-CEM2454**	**817**	**981**

Specify the surface type (5, 6).

Surface extensions



Insert option, change T to: Y Sky, add $85.

Packaged in 2 boxes.

Rectangular top with combined base. Translucent insert. Compatible with double-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
66 x 24 x 29⅞	1650 x 600 x 757	**C_NN-CET2466**	**1,051**	**1,263**
60 x 24 x 29⅞	1500 x 600 x 757	**C_NN-CET2460**	**1,024**	**1,225**
54 x 24 x 29⅞	1350 x 600 x 757	**C_NN-CET2454**	**991**	**1,193**

Specify the surface type (5, 6).

Single-sided surfaces



Channel cover option, change T to: Y Sky, add $63.

96" to 84": Packaged in 2 boxes.

1½" (38 mm) thick single-sided surface with wire management raceway. Translucent acrylic channel covers. Can accommodate 1 or 2 pedestals. 1 LGC-COM included. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 37 x 29⅞	2400 x 947 x 757	**C_NN-RCST3796**	**1,427**	**1,714**
84 x 37 x 29⅞	2100 x 947 x 757	**C_NN-RCST3784**	**1,273**	**1,533**
72 x 37 x 29⅞	1800 x 947 x 757	**C_NN-RCST3772**	**1,167**	**1,406**
60 x 37 x 29⅞	1500 x 947 x 757	**C_NN-RCST3760**	**1,071**	**1,283**
48 x 37 x 29⅞	1200 x 947 x 757	**C_NN-RCST3748**	**986**	**1,177**
96 x 34 x 29⅞	2400 x 872 x 757	**C_NN-RCST3496**	**1,384**	**1,666**
84 x 34 x 29⅞	2100 x 872 x 757	**C_NN-RCST3484**	**1,246**	**1,490**
72 x 34 x 29⅞	1800 x 872 x 757	**C_NN-RCST3472**	**1,140**	**1,369**
60 x 34 x 29⅞	1500 x 872 x 757	**C_NN-RCST3460**	**1,044**	**1,257**
48 x 34 x 29⅞	1200 x 872 x 757	**C_NN-RCST3448**	**960**	**1,151**
96 x 31 x 29⅞	2400 x 797 x 757	**C_NN-RCST3196**	**1,358**	**1,628**
84 x 31 x 29⅞	2100 x 797 x 757	**C_NN-RCST3184**	**1,215**	**1,454**
72 x 31 x 29⅞	1800 x 797 x 757	**C_NN-RCST3172**	**1,114**	**1,336**
60 x 31 x 29⅞	1500 x 797 x 757	**C_NN-RCST3160**	**1,024**	**1,225**
48 x 31 x 29⅞	1200 x 797 x 757	**C_NN-RCST3148**	**933**	**1,119**

Specify the surface type (5, 6).

Double-sided return surfaces



1½" (38 mm) thick surface. 6" (150 mm) central modesty panel. Can accommodate 1 mobile pedestal CNNN-MP1518F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 30 x 29⅞	1200 x 750 x 757	**C_NN-RD304824S**	**610**	**732**
36 x 30 x 29⅞	900 x 750 x 757	**C_NN-RD303624S**	**536**	**642**

Specify the surface type (5, 6).

Left return surfaces



1½" (38 mm) thick surface. 6" (150 mm) modesty panel. Can accommodate 1 mobile pedestal CNNN-MP1518F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 24 x 29⅞	1200 x 600 x 757	**C_NN-S204824R**	**557**	**668**
36 x 24 x 29⅞	900 x 600 x 757	**C_NN-S203624R**	**494**	**589**

Specify the surface type (5, 6).

Right return surfaces



1½" (38 mm) thick surface. 6" (150 mm) modesty panel. Can accommodate 1 mobile pedestal CNNN-MP1518F.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 24 x 29⅞	1200 x 600 x 757	**C_NN-R244820S**	**557**	**668**
36 x 24 x 29⅞	900 x 600 x 757	**C_NN-R243620S**	**494**	**589**

Specify the surface type (5, 6).

Double-sided laminate bases



1 end base, goes under double-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
66 x 6 x 28	1650 x 150 x 711	**CNNN-CBDM66**	**938**	–
60 x 6 x 28	1500 x 150 x 711	**CNNN-CBDM60**	**928**	–
54 x 6 x 28	1350 x 150 x 711	**CNNN-CBDM54**	**918**	–

Double-sided combined bases



Insert option, change T to: Y Sky, add $128.

1 end base, goes under double-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
66 x 6 x 28	1650 x 150 x 711	**CNNN-CBDT66**	**1,442**	–
60 x 6 x 28	1500 x 150 x 711	**CNNN-CBDT60**	**1,427**	–
54 x 6 x 28	1350 x 150 x 711	**CNNN-CBDT54**	**1,406**	–

Metal U-shaped double-sided bases



Silver end base. Goes under double-sided surfaces.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
66 x 6 x 28	1650 x 150 x 711	**CNNN-QBD66**	**875**	–
60 x 6 x 28	1500 x 150 x 711	**CNNN-QBD60**	**849**	–
54 x 6 x 28	1350 x 150 x 711	**CNNN-QBD54**	**817**	–

Wire management double-sided laminate base



Junction to join 2 double-sided surfaces. This base allows the connection of electric cables to a floor outlet. Includes door with 110º hinges and a lockable storage unit. 6" (150 mm) recessed bottom. Includes 2 cantilevers kits. 1 tone only.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
12 x 12 x 28	300 x 300 x 719	**CNNN-LBD1212WM**	**859**	–

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Single-sided laminate bases	*1 end base, goes under single-sided surfaces.*				
	36 x 6 x 28	900 x 150 x 711	**CNNN-CBSM36**	**832**	–
	33 x 6 x 28	825 x 150 x 711	**CNNN-CBSM33**	**827**	–
	30 x 6 x 28	750 x 150 x 711	**CNNN-CBSM30**	**822**	–
Single-sided combined bases	*1 end base, goes under single-sided surfaces. Translucent acrylic insert with Silver anodized aluminum frame. 1 tone only.*				
	36 x 6 x 28	900 x 150 x 711	**CNNN-CBST36**	**1,162**	–
	33 x 6 x 28	825 x 150 x 711	**CNNN-CBST33**	**1,130**	–
	30 x 6 x 28	750 x 150 x 711	**CNNN-CBST30**	**1,092**	–
Insert option, change T to: Y Sky, add $85.					
Metal U-shaped single-sided bases	*Silver end base. Goes under single-sided surfaces.*				
	36 x 6 x 28	900 x 150 x 711	**CNNN-QBS36**	**759**	–
	33 x 6 x 28	825 x 150 x 711	**CNNN-QBS33**	**732**	–
	30 x 6 x 28	750 x 150 x 711	**CNNN-QBS30**	**700**	–
Wire management single-sided laminate base	*Junction to join 2 single-sided surfaces. This base allows the connection of electric cables to a floor outlet. Includes door with 110º hinges and a lockable storage unit. 6" (150 mm) recessed bottom. Includes 1 cantilever kit. 1 tone only.*				
	12 x 9 x 28	300 x 234 x 719	**CNNN-LBS912WM**	**631**	–
Shelves	*Silver anodized aluminum feet.*				
	30 x 13 x 5	750 x 325 x 116	**CNNN-SH3013**	**239**	–
	24 x 13 x 5	600 x 325 x 116	**CNNN-SH2413**	**234**	–
	18 x 13 x 5	450 x 325 x 116	**CNNN-SH1813**	**228**	–
Privacy screens – 18" H	*Acrylic translucent screen supported by stabilizer feet in a Silver finish. Divides face-to-face individual workspaces.*				
	48 x 1/4 x 18	1200 x 6 x 450	**CNNN-SCT4818**	**467**	–
	36 x 1/4 x 18	900 x 6 x 450	**CNNN-SCT3618**	**446**	–
	30 x 1/4 x 18	750 x 6 x 450	**CNNN-SCT3018**	**419**	–
	24 x 1/4 x 18	600 x 6 x 450	**CNNN-SCT2418**	**398**	–
Acrylic option, change T to: Y Sky, add $63.	18 x 1/4 x 18	450 x 6 x 450	**CNNN-SCT1818**	**371**	–
Privacy screens – 11" H	*Acrylic translucent screen supported by stabilizer feet in a Silver finish. Divides face-to-face individual workspaces.*				
	48 x 1/4 x 11	1200 x 6 x 285	**CNNN-SCT4811**	**408**	–
	36 x 1/4 x 11	900 x 6 x 285	**CNNN-SCT3611**	**388**	–
	30 x 1/4 x 11	750 x 6 x 285	**CNNN-SCT3011**	**361**	–
	24 x 1/4 x 11	600 x 6 x 285	**CNNN-SCT2411**	**340**	–
Acrylic option, change T to: Y Sky, add $63.	18 x 1/4 x 11	450 x 6 x 285	**CNNN-SCT1811**	**313**	–
Privacy screens – 18" H	*Fabric screen supported by stabilizer feet in Silver finish. Divides face-to-face individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*				
	48 x 2/5 x 18	1200 x 10 x 450	**CNNN-SCF4818**	**482**	–
	36 x 2/5 x 18	900 x 10 x 450	**CNNN-SCF3618**	**461**	–
	30 x 2/5 x 18	750 x 10 x 450	**CNNN-SCF3018**	**441**	–
	24 x 2/5 x 18	600 x 10 x 450	**CNNN-SCF2418**	**414**	–
	18 x 2/5 x 18	450 x 10 x 450	**CNNN-SCF1818**	**393**	–
	Specify the fabric code after the product code.				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Privacy screens – 11" H	*Fabric screen supported by stabilizer feet in Silver finish. Divides face-to-face individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*				
	48 x 2/5 x 11	1200 x 10 x 285	**CNNN-SCF4811**	**424**	–
	36 x 2/5 x 11	900 x 10 x 285	**CNNN-SCF3611**	**403**	–
	30 x 2/5 x 11	750 x 10 x 285	**CNNN-SCF3011**	**381**	–
	24 x 2/5 x 11	600 x 10 x 285	**CNNN-SCF2411**	**355**	–
	18 x 2/5 x 11	450 x 10 x 285	**CNNN-SCF1811**	**335**	–
	Specify the fabric code after the product code.				
Privacy lateral screens – 18" H	*Acrylic translucent screen supported by stabilizer feet and metal clip in a Silver finish. Divides side-to-side individual workspaces.*				
	24 x 1/4 x 18	600 x 6 x 450	**CNNN-SCCT2418**	**414**	–
	21 x 1/4 x 18	525 x 6 x 450	**CNNN-SCCT2118**	**403**	–
	18 x 1/4 x 18	450 x 6 x 450	**CNNN-SCCT1818**	**393**	–
Acrylic option, change T to: Y Sky, add $63.					
Privacy lateral screens – 11" H	*Acrylic translucent screen supported by stabilizer feet and metal clip in a Silver finish. Divides side-to-side individual workspaces.*				
	24 x 1/4 x 11	600 x 6 x 285	**CNNN-SCCT2411**	**355**	–
	21 x 1/4 x 11	525 x 6 x 285	**CNNN-SCCT2111**	**345**	–
	18 x 1/4 x 11	450 x 6 x 285	**CNNN-SCCT1811**	**335**	–
Acrylic option, change T to: Y Sky, add $63.					
Privacy lateral screens – 18" H	*Fabric screen supported by stabilizer feet in Silver finish. Divides side-to-side individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*				
	24 x 2/5 x 18	600 x 10 x 450	**CNNN-SCCF2418**	**435**	–
	21 x 2/5 x 18	525 x 10 x 450	**CNNN-SCCF2118**	**419**	–
	18 x 2/5 x 18	450 x 10 x 450	**CNNN-SCCF1818**	**408**	–
	Specify the fabric code after the product code.				
Privacy screens – 11" H	*Fabric screen supported by stabilizer feet in Silver finish. Divides face-to-face individual workspaces. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*				
	24 x 2/5 x 11	600 x 10 x 285	**CNNN-SCCF2411**	**371**	–
	21 x 2/5 x 11	525 x 10 x 285	**CNNN-SCCF2111**	**361**	–
	18 x 2/5 x 11	450 x 10 x 285	**CNNN-SCCF1811**	**350**	–
	Specify the fabric code after the product code.				
Double-sided accessory rails	*Silver aluminum finish and laminate ends. Allows accessories utilisation on both sides of a double-sided surface and creates visual privacy. Refer to page 206 for accessories. 1 tone only.*				
	72 x 13 x 11	1800 x 325 x 285	**CNNN-RAD7211**	**875**	–
	66 x 13 x 11	1650 x 325 x 285	**CNNN-RAD6611**	**849**	–
	60 x 13 x 11	1500 x 325 x 285	**CNNN-RAD6011**	**822**	–
	54 x 13 x 11	1350 x 325 x 285	**CNNN-RAD5411**	**801**	–
	48 x 13 x 11	1200 x 325 x 285	**CNNN-RAD4811**	**774**	–
	42 x 13 x 11	1050 x 325 x 285	**CNNN-RAD4211**	**753**	–
	36 x 13 x 11	900 x 325 x 285	**CNNN-RAD3611**	**732**	–
	30 x 13 x 11	750 x 325 x 285	**CNNN-RAD3011**	**706**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-RAD2411**	**684**	–

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

X = NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Single-sided accessory rails	*Silver aluminum finish and laminate ends. Allows accessories utilisation on single-sided surfaces. Refer to page 206 for accessories. 1 tone only.*				
	72 x 11 x 11	1800 x 285 x 285	**CNNN-RAS7211**	**642**	–
	66 x 11 x 11	1650 x 285 x 285	**CNNN-RAS6611**	**615**	–
	60 x 11 x 11	1500 x 285 x 285	**CNNN-RAS6011**	**589**	–
	54 x 11 x 11	1350 x 285 x 285	**CNNN-RAS5411**	**567**	–
	48 x 11 x 11	1200 x 285 x 285	**CNNN-RAS4811**	**541**	–
	42 x 11 x 11	1050 x 285 x 285	**CNNN-RAS4211**	**520**	–
	36 x 11 x 11	900 x 285 x 285	**CNNN-RAS3611**	**499**	–
	30 x 11 x 11	750 x 285 x 285	**CNNN-RAS3011**	**472**	–
	24 x 11 x 11	600 x 285 x 285	**CNNN-RAS2411**	**451**	–
Surface height bookcases – 30" H	**Laminate back**				
	Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.				
	18 x 13 x 30	450 x 325 x 762	**CNNN-EBM3018**	**562**	–
	White board on back				
	Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.				
	18 x 13 x 30	450 x 325 x 762	**CNNN-EBW3018**	**620**	–
Surface height bookcases – 30" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. 1 fixed shelf. Storage space for 2 binders high.*				
	18 x 13 x 30	450 x 325 x 762	**CNNN-EBT3018**	**658**	–
Acrylic option, change T to: Y Sky, add $63					
Surface height bookcases / pigeonholes – 24" H	**Laminate back**				
	Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.				
	18 x 13 x 24	450 x 325 x 610	**CNNN-EBM2418**	**552**	–
	White board on back				
	Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.				
	18 x 13 x 24	450 x 325 x 610	**CNNN-EBW2418**	**594**	–
Surface height bookcases / pigeonholes – 24" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only. Top portion allows 1 high binder storage. Pigeonhole at bottom.*				
	18 x 13 x 24	450 x 325 x 610	**CNNN-EBT2418**	**647**	–
Acrylic option, change T to: Y Sky, add $63					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Surface height bookcases – 18" H	**Laminate back**				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 18	750 x 325 x 450	**CNNN-EBM1830**	**562**	–
	24 x 13 x 18	600 x 325 x 450	**CNNN-EBM1824**	**552**	–
	18 x 13 x 18	450 x 325 x 450	**CNNN-EBM1818**	**536**	–
	White board on back				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 18	750 x 325 x 450	**CNNN-EBW1830**	**620**	–
	24 x 13 x 18	600 x 325 x 450	**CNNN-EBW1824**	**594**	–
	18 x 13 x 18	450 x 325 x 450	**CNNN-EBW1818**	**573**	–
Surface height bookcases – 18" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 18	750 x 325 x 450	**CNNN-EBT1830**	**658**	–
	24 x 13 x 18	600 x 325 x 450	**CNNN-EBT1824**	**647**	–
	18 x 13 x 18	450 x 325 x 450	**CNNN-EBT1818**	**636**	–
Acrylic option, change T to: Y Sky, add $63.					
Surface height bookcases – 11" H	**Laminate back**				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 11	750 x 325 x 285	**CNNN-EBM1130**	**525**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-EBM1124**	**514**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-EBM1118**	**504**	–
	White board on back				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 11	750 x 325 x 285	**CNNN-EBW1130**	**583**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-EBW1124**	**557**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-EBW1118**	**530**	–
Surface height bookcases – 11" H	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 11	750 x 325 x 285	**CNNN-EBT1130**	**600**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-EBT1124**	**589**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-EBT1118**	**578**	–
Acrylic option, change T to: Y Sky, add $43.					
Surface height pigeonholes	**Laminate back**				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 11	750 x 325 x 285	**CNNN-DVM1130**	**557**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-DVM1124**	**541**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-DVM1118**	**530**	–
	White board on back				
	Silver anodized aluminum feet. 1 tone only.				
	30 x 13 x 11	750 x 325 x 285	**CNNN-DVW1130**	**594**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-DVW1124**	**573**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-DVM1118**	**541**	–

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Surface height pigeonholes	*Translucent insert with Silver anodized aluminum framed. Silver anodized aluminum feet. 1 tone only.*				
	30 x 13 x 11	750 x 325 x 285	**CNNN-DVT1130**	**620**	–
	24 x 13 x 11	600 x 325 x 285	**CNNN-DVT1124**	**594**	–
	18 x 13 x 11	450 x 325 x 285	**CNNN-DVT1118**	**573**	–



Acrylic option, change T to: Y Sky, add $43.

SHARED STORAGES (DOUBLE-SIDED) – 29⅞" H

Shared box and file storage

2 box drawers and 1 file drawer with suspension bar on both sides. Pencil tray. Locks.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-DUM2048MF**	**2,233**	**2,673**

Specify the surface type (5, 6).



Shared lateral file storage

2 file drawers with suspension bars on both sides. Locks.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-DFM2048MF**	**1,946**	**2,339**

Specify the surface type (5, 6).



Shared open lateral file storage

1 open space and 1 file drawer with suspension bar on both sides. Locks.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-DSF2048M**	**1,608**	**1,926**

Specify the surface type (5, 6).



Shared open bookcase storage

1 open space on both sides. Adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-DS2048M**	**991**	**1,193**

Specify the surface type (5, 6).



Shared open unit

1 open space on both sides.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 20 x 29⅞	900 x 500 x 757	**C_NN-DSM2036**	**832**	**1,003**

Specify the surface type (5, 6).



SHARED STORAGES (DOUBLE-SIDED) – 20" H

Shared lateral file storage – 20" H

1 fixed shelf and 1 file drawer with suspension bar on both sides. Locks. Can accommodate 1 or 2 cushions. Refer to page 149.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 20	1200 x 500 x 508	**C_NN-DF204820M**	**1,533**	**1,835**

Specify the surface type (5, 6).



Shared storage with laminate sliding door – 20" H

Storage on both sides. Adjustable shelves. Can accommodate 1 or 2 cushions. Refer to page 149.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 20	1200 x 500 x 508	**C_NN-DC204820M**	**1,846**	**2,211**

Specify the surface type (5, 6).



Shared open storage – 20" H

1 open space on both sides. Adjustable shelves. Can accommodate 1 or 2 cushions. Refer to page 149.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 20	1200 x 500 x 508	**C_NN-DS204820M**	**849**	**1,018**

Specify the surface type (5, 6).



INDIVIDUAL STORAGES (SINGLE-SIDED) – 29⅞" H

Lateral box and file storage

4 box drawers and 2 file drawers with suspension bars. Pencil tray. Locks controls file drawers and box drawers above. Optional counterweight to meet BIFMA standards. Refer to page 207.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-UF2048UF**	**1,999**	**2,403**

Specify the surface type (5, 6).



Lateral file storage

4 file drawers with suspension bars. Locks. Optional counterweight to meet BIFMA standards. Refer to page 207.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-LF2048LF**	**1,761**	**2,111**

Specify the surface type (5, 6).



Open lateral file storage

1 open space and 2 file drawers with suspension bars. Locks.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-SLF2048**	**1,140**	**1,369**

Specify the surface type (5, 6).



Open Bookcase storage

Adjustable shelves.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 20 x 29⅞	1200 x 500 x 757	**C_NN-S2048S**	**902**	**1,077**

Specify the surface type (5, 6).



2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

X = NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral box and file unit	*2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock. Optional counterweight to meet BIFMA standards. Refer to page 207.*				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_NN-2036UF**	**1,172**	**1,416**
	Specify the surface type (5, 6).				
Lateral file unit	*2 file drawers with suspension bars. Lock. Optional counterweight to meet BIFMA standards. Refer to page 207.*				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_NN-2036LF**	**1,114**	**1,336**
	Specify the surface type (5, 6).				
Open lateral file unit	*1 open space and 1 file drawer with suspension bar. Lock.*				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_NN-SLF2036**	**897**	**1,071**
	Specify the surface type (5, 6).				
Open bookcase unit	*Adjustable shelf.*				
	36 x 20 x 29 7/8	900 x 500 x 757	**C_NN-2036S**	**743**	**897**
	Specify the surface type (5, 6).				

INDIVIDUAL STORAGES (SINGLE-SIDED) – 20" H

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Lateral file storage – 20" H	*2 fixed shelves and 2 file drawers with suspension bars. Locks. Can accommodate 1 or 2 cushions. Refer to page 149.*				
	48 x 20 x 20	1200 x 500 x 508	**C_NN-F204820F**	**1,459**	**1,750**
	Specify the surface type (5, 6).				
Left lateral file with open storage – 20" H	*1 open space with adjustable shelf. 1 fixed shelf and 1 file drawer with suspension bar. Lock. Can accommodate 1 or 2 cushions. Refer to page 149.*				
	48 x 20 x 20	1200 x 500 x 508	**C_NN-F204820S**	**1,177**	**1,422**
	Specify the surface type (5, 6).				
Right lateral file with open storage – 20" H	*1 open space with adjustable shelf. 1 fixed shelf and 1 file drawer with suspension bar. Lock. Can accommodate 1 or 2 cushions. Refer to page 149.*				
	48 x 20 x 20	1200 x 500 x 508	**C_NN-S204820F**	**1,177**	**1,422**
	Specify the surface type (5, 6).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Open space storage – 20" H	*Adjustable shelves. Can accommodate 1 or 2 cushions. Refer to page 149.*				
	48 x 20 x 20	1200 x 500 x 508	**C_NN-S204820S**	**796**	**955**
	Specify the surface type (5, 6).				
Open space unit – 20" H	*Adjustable shelves. Can accommodate 1 cushion.*				
	36 x 20 x 20	900 x 500 x 508	**C_NN-S203620S**	**774**	**928**
	Specify the surface type (5, 6).				
Mobile pedestal – 20" H	*1 box drawer, 1 file drawer with suspension bar. Pencil tray. Lock. Brakes on front casters. Fits under a work surface. 1 tone only. Can accommodate 1 cushion.*				
	15 x 18 x 20	388 x 450 x 508	**CNNN-MP1518F**	**897**	–

	Code	Price ($)
ELECTRIFICATION		
Electrical table kit	*4 duplex receptacles with cables. Black. Compatible with surfaces 96"/84"/72" W.*	
	**LGC-4TRAC496C_**	**424**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cables. Black. Compatible with surfaces 96"/84" W.*	
	**LGC-4TRAC296C_**	**249**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cables. Black. Compatible with surfaces 72" W.*	
	**LGC-4TRAC272C_**	**239**
	Specify circuit number at the end of the code (1, 2).	
Electrical table kit	*2 duplex receptacles with cables. Black. Compatible with surfaces 60"/48" W.*	
	**LGC-4TRAC260C_**	**228**
	Specify circuit number at the end of the code (1, 2).	
Universal pass cable, 36" L	*Connects 2 adjacents surfaces. 36" (914 mm) in length.*	
	**LGC-PASS36**	**138**

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED. SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	Code	Price ($)
Electrical feed, from floor	*72" (1828 mm) cable or 60" (1524 mm) cable. Must be installed by an electrician.*	
	LGC-FFEED60	**207**
	LGC-FFEED72	**217**



Electrical feed, from ceiling	*120" (3000 mm) tall aluminum post, silver. 132" (3353 mm) long cable. Screws and support included. Must be installed by an electrician.*	
	CNNN-CFEED120	**525**
	120" (3000 mm) tall aluminum post, silver.	
	CNNN-POLE120	**408**

Packaged in 2 boxes.

Communication plate	*Communication plate for single-sided or double-sided surfaces. Silver finish. Adaptors included.*	
	LGC-COM	**32**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Cushions	*2" (51 mm) foam. Installs on 20" H (500 mm) storage units or mobile pedestal with velcro. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
Cushion for storage units and pedestal	36 x 20 x 2	900 x 500 x 51	**CNNN-CU2036**	**408**
	24 x 20 x 2	600 x 500 x 51	**CNNN-CU2024**	**323**
	15 x 18 x 2	388 x 450 x 51	**CNNN-CU1518**	**234**
	Specify the fabric code after the product code.			



All United Chair® standard fabrics, vinyls and leathers are available to coordinate on cushions.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Cushions with backrest for storage units	*Backrest on left.*			
	36 x 20 x 8	900 x 500 x 200	**CNNN-CUB2036**	**610**
	24 x 20 x 8	600 x 500 x 200	**CNNN-CUB2024**	**494**
	Specify the fabric code after the product code.			
	Backrest on right.			
	36 x 20 x 8	900 x 500 x 200	**CNNN-2036CUB**	**610**
	24 x 20 x 8	600 x 500 x 200	**CNNN-2024CUB**	**494**
	Specify the fabric code after the product code.			





All United Chair® standard fabrics and vinyls **(except leathers)** are available to coordinate on cushions.

Tackboards for surface height bookcases and pigeonholes	*Mounts to surface height bookcases and pigeonholes back panel. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
	16 x ½ x 25	408 x 13 x 611	**CNNN-TK1625**	**292**
	16 x ½ x 19	408 x 13 x 467	**CNNN-TK1619**	**234**
	16 x ½ x 12¼	408 x 13 x 340	**CNNN-TK1613**	**265**
	22 x ½ x 12¼	558 x 13 x 340	**CNNN-TK2213**	**270**
	28 x ½ x 12¼	708 x 13 x 340	**CNNN-TK2813**	**275**
	16 x ½ x 5¾	408 x 13 x 143	**CNNN-TK1606**	**239**
	22 x ½ x 5¾	558 x 13 x 143	**CNNN-TK2206**	**244**
	28 x ½ x 5¾	708 x 13 x 143	**CNNN-TK2806**	**249**
	Specify the fabric code after the product code.			

All United Chair® standard fabrics **(except vinyls and leathers)** are available to coordinate on tackboard.

C.I.T.É.'S 2-TONE APPLICATION

Return surfaces



Storage modules and laminate bases



Surface extensions



Surface height bookcases



First laminate code specified will apply to the work surface; on storage modules and laminate bases, it will apply to the top, the sides and the bottom of the unit (refer to the shaded area on the pictograms).

The second laminate code specified will apply to the rest of the product; on storage modules and laminate bases, it will apply to the front and the back of the unit (white area on the pictograms).

2-TONE LAMINATE APPLICATION: SHADED AREA CORRESPONDS TO THE FIRST CODE TO BE SPECIFIED.
SECOND LAMINATE CODE WILL BE APPLIED TO THE REST OF THE PRODUCT.

X = NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

SUGGESTIONS

C5NN-PLAN01



Plan shown in C.I.T.É Flyer:

C5NN-PLAN01	$8,455
1	C5NN-RCDT5496
2	C5NN-CET2454
2	C5NN-F204820F
1	TNNS-VBX4860C

1½" thick laminate (5). Bases, privacy screens and upper storage units with Translucent acrylic (T).

Electrify it for	$631
1	LGC-4TRAC496C1
1	LGC-FFEED60

C5NN-PLAN02



Plan shown in C.I.T.É Flyer:

C5NN-PLAN02	$16,103
2	C5NN-RCDT6072
2	C5NN-CET2460
1	CNNN-LBD1212WM
2	C5NN-DF204820M
2	CNNN-CU2024
2	CNNN-RAD5411
2	CNNN-EBT1118
4	LGC-RAS12S
4	LGC-RPT11S
2	C5NN-S2048S
2	CNNN-SCF4818

1½" thick laminate (5). Bases, privacy screens and upper storage units with Translucent acrylic (T).

Electrify it for	$853
1	LGC-FFEED60
2	LGC-4TRAC272C1
1	LGC-PASS36

C5NN-PLAN03



Plan shown in C.I.T.É Flyer:

C5NN-PLAN03	$14,119
2	C5NN-RCDY6060
2	CNNN-CBDY60
1	CNNN-LBD1212WM
2	C5NN-R244820S
2	C5NN-S204820S
2	CNNN-EBY1824
2	CNNN-CU2024
2	CNNN-MP1518F
2	CNNN-CU1518

1½" thick laminate (5). Bases, privacy screens and upper storage units with Sky acrylic (Y).

Electrify it for	$801
1	LGC-FFEED60
1	LGC-PASS36
2	LGC-4TRAC260C1

C5NN-PLAN04



Plan shown in C.I.T.É Flyer:

C5NN-PLAN04	$21,635
3	C5NN-RCDT6072
2	CNNN-LBD1212WM
2	CNNN-QBD60
6	CNNN-MP1518F
6	CNNN-CU1518
6	CNNN-EBM1830
6	CNNN-TK1625
3	CNNN-SCT3618

1½" thick laminate (5). Metal end bases, central bases and laminate storage units. Privacy screens with Translucent acrylic (T).

Electrify it for	$1,199
1	LGC-FFEED60
3	LGC-4TRAC272C1
2	LGC-PASS36

C5NN-PLAN05



Plan shown in C.I.T.É Flyer:

C5NN-PLAN05	$19,678
2	C5NN-RCDT6096
2	CNNN-CBDT60
1	CNNN-LBD1212WM
2	C5NN-DF204820M
4	CNNN-EBT2418
2	CNNN-EBT1818
4	CNNN-2024CUB
2	CNNN-SCCT2118
4	LGC-SUP2ECPLS

1½" thick laminate (5). Bases, privacy screens and upper storage units with Translucent acrylic (T).

Electrify it for	$1,193
1	LGC-FFEED60
1	LGC-PASS36
2	LGC-4TRAC496C1

C5NN-PLAN06



Not shown in C.I.T.É Flyer:

C5NN-PLAN06	$28,174
4	C5NN-RCDT6060
2	CNNN-CBDT60
3	CNNN-LBD1212WM
8	CNNN-MP1518F
8	CNNN-DVM1118
4	CNNN-SCT2418
8	CNNN-CU1518
8	CNNN-TK1606

1½" thick laminate (5). Bases, privacy screens and upper storage units with Translucent acrylic (T).

Electrify it for	$1,533
1	LGC-FFEED60
3	LGC-PASS36
4	LGC-4TRAC260C1

X = NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

C5NN-PLAN07



Not shown in C.I.T.É Flyer:

C5NN-PLAN07	**$11,186**
2	C5NN-RCST3496
2	CNNN-CBST33
1	CNNN-LBS912WM
1	C5NN-R244820S
1	C5NN-S204824R
1	C5NN-DC204820M
2	CNNN-EBT1130
2	CNNN-SCT3011
2	CNNN-CU2024

1½" thick laminate (5). Bases, privacy screens and upper storage units with Translucent acrylic (T).

Electrify it for	**$844**
1	LGC-FFEED60
1	LGC-PASS36
2	LGC-4TRAC296C1

TYPICAL WOOD GRAIN DIRECTION FOR C.I.T.É.:



= NOT PART OF THE QUICKSHIP PROGRAM

GENERAL CHARACTERISTICS

MORPHEO STYLE, 43'' H





1. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
2. Aluminum spacers.
3. Panel, 1" (25 mm) or 1½" (38 mm) thick.
4. Anodized aluminum kickplate (optional).
5. Front acrylic panel option: T Translucent or X Matrix (optional).
6. Recessed modesty panel. Available space to accommodate a lighting unit: 4½" (115 mm) deep, 2½" (64 mm) high. Lighting unit sold separately (LGC-LED_ _).
7. 2 grommets at both ends.
8. Pigeonholes accommodate legal size documents.
9. Clearance under shelf: 9⅛" (233 mm) under a 1" (25 mm) shelf, 8⅝" (220 mm) under a 1½" (38 mm) shelf. Space can accommodate a LGC-TK4809H tackboard.

MORPHEO STYLE, 29'' H





1. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
2. Anodized aluminum kickplate (optional).
3. Front acrylic panel option: T Translucent or X Matrix (optional).
4. Recessed modesty panel. Available space to accommodate a lighting unit: 5¼" (134 mm) deep. Lighting unit sold separately (LGC-LED_ _).
5. Aluminum spacers.
6. Panel, 1" (25 mm) or 1½" (38 mm) thick.
7. 2 grommets at both ends.
8. Modular countertop has pigeonholes to accommodate legal size documents.
9. Clearance under shelf: 12½" (318 mm) under a 1" (25 mm) shelf, 12" (306 mm) under a 1½" (38 mm) shelf.
10. Ability to convert a standard rectangular desk into a reception station by adding a modular countertop.

MORPHEO STYLE, 60° AND 90°





1. Modular countertops.
2. High-pressure laminate recessed front and modesty panel.
3. Thermofused or high-pressure laminate surfaces, 1" (25 mm) or 1½" (38 mm) thick.
4. Aluminum spacers.
5. Clearance under shelf: 12½" (318 mm).
6. Can accommodate a suspended pedestal MNN_-F or 18" (448 mm) deep modular pedestals (sold separately).

X = NOT PART OF THE QUICKSHIP PROGRAM

QUAD STYLE





1. Thermofused or high-pressure laminate surfaces, 1½" (38 mm) thick.
2. Panels, 1" (25 mm) thick.
3. Front acrylic panel (optional).
4. 1½" (38 mm) thick panel juxtaposed on a 1" (25 mm) thick panel.
5. Metal legs in accent color Silver (S) or Anthracite Grey (A).
6. 2 grommets at both ends.
7. Clearance under shelf: 12¼" (311 mm).
8. Panels, 1½" (38 mm) thick.
9. Reception returns available to match with desks.

CONCEPT 3 STYLE





1. Thermofused laminate surfaces, 1" (25 mm).
2. Reversible return shell (sold separately) accommodates a C3-UF18 modular pedestal (sold separately).
3. ⅝" (16 mm) panel between two 1" (25 mm) panels.
4. Anodized aluminum legs.
5. Anodized aluminum frame with translucent acrylic insert.
6. 2 grommets at both ends.
7. Clearance under shelf: 12½" (318 mm).
8. Desk accommodates C3-FF24 or C3-UF24 modular pedestals (sold separately).

PANGRAM STYLE – TRANSACTION COUNTERTOP AND 120° SURFACE FOR 41" H PANGRAM PANELS







1. 1" (25 mm) thermofused laminate shelves installed on 41" H (1040 mm) PanGram panels.
2. Shelf assembly hardware installs under the work surface. Clearance under shelf: 12⅞" (327 mm).
3. 1" (25 mm) 120° thermofused laminate surface.
4. 1 grommet in the center.
5. The transaction shelf can only be installed under the work surface which is attached to a 41" H (1040 mm) panel.
6. The length of the transaction shelf can be the same or different than the length of PanGram panel.

Refer to the PanGram section, page 130, for selection of required elements.

EDGEBANDING

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

Furniture with 1½" (38 mm) thick tops.

N Edge

Smooth, ⅛" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

Textured 1 Edge

Textured 2 Edge

Textured, 5/32" (4mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

HANDLES

A – Arcade



C – Cubic

K – Classic

W – Waterfall



Z – Straight

LEGS

Q – Square

V – Round

ALUMINUM KICKPLATE

M – Anodized Aluminum

MODESTY PANELS / DOOR INSERTS

T – Translucent

X – Matrix

ACCENT COLORS



S – Silver

A – Anthracite Grey

Exception: Furniture with aluminum doors or kickplate are available in Silver anodized aluminum only.

CODIFICATION

	Options			
Series	Thickness	Edgebanding	Handles / Legs	Accent color
M	**1** Thermofused laminate 1" **2** High-pressure laminate 1" **5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge **1** Textured edge **2** Textured edge	**A** Arcade **C** Cubic **K** Classic **W** Waterfall **Z** Straight **Q** Square leg **V** Round leg	**A** Anthracite Grey **S** Silver

Reception desks with transaction countertop, 43" H





96": 6 pigeonholes.
84": 5 pigeonholes.
72": 4 pigeonholes.

Aluminum kickplate option: specify S at the accent option, M at the end of the code and add $159. Ex.: M _ _ NS-GC489743M.

Packaged in 2 boxes.

Transaction countertop with pigeonholes. Full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 36 x 42¾	2400 x 900 x 1087	**M_NN_-GS369643S**	**2,148**	**2,583**
84 x 36 x 42¾	2100 x 900 x 1087	**M_NN_-GS368443S**	**2,047**	**2,450**
72 x 36 x 42¾	1800 x 900 x 1087	**M_NN_-GS367243S**	**1,946**	**2,339**

1" (25 mm) surfaces: Clearance of 9 ⅛" (233 mm) under the countertop.
Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
97 x 36 x 43 5/16	2425 x 900 x 1100	**M_ _N_-GS369743S**	**2,360**	**2,838**
85 x 36 x 43 5/16	2125 x 900 x 1100	**M_ _N_-GS368543S**	**2,244**	**2,700**
73 x 36 x 43 5/16	1825 x 900 x 1100	**M_ _N_-GS367343S**	**2,138**	**2,562**

1½" (38 mm) surfaces: Clearance of 8 5/8" (220 mm) under the countertop.
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

Right extended corner reception desks, 43" H





96": 6 pigeonholes.
84": 5 pigeonholes.
72": 4 pigeonholes.

Aluminum kickplate option: specify S at the accent option, M at the end of the code and add $159. Ex.: M _ _ NS-GC489743M.

Packaged in 3 boxes.

Transaction countertop with pigeonholes. Full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
96 x 48 x 42¾	2400 x 1200 x 1087	**M_NN_-GC489643**	**2,488**	**2,980**
84 x 48 x 42¾	2100 x 1200 x 1087	**M_NN_-GC488443**	**2,360**	**2,838**
72 x 48 x 42¾	1800 x 1200 x 1087	**M_NN_-GC487243**	**2,244**	**2,700**

1" (25 mm) surfaces: Clearance of 9 ⅛" (233 mm) under the countertop.
Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
97 x 48 x 43 5/16	2425 x 1200 x 1100	**M_ _N_-GC489743**	**2,732**	**3,278**
85 x 48 x 43 5/16	2125 x 1200 x 1100	**M_ _N_-GC488543**	**2,599**	**3,124**
73 x 48 x 43 5/16	1825 x 1200 x 1100	**M_ _N_-GC487343**	**2,466**	**2,960**

1½" (38 mm) surfaces: Clearance of 8 5/8" (220 mm) under the countertop.
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left extended corner reception desks, 43" H	*Transaction countertop with pigeonholes. Full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets on the work surface and 2 wiring accesses allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _).*				
	96 x 48 x 42 3/4	2400 x 1200 x 1087	**M_NN_-GC964843**	**2,488**	**2,980**
	84 x 48 x 42 3/4	2100 x 1200 x 1087	**M_NN_-GC844843**	**2,360**	**2,838**
	72 x 48 x 42 3/4	1800 x 1200 x 1087	**M_NN_-GC724843**	**2,244**	**2,700**
	1" (25 mm) surfaces: Clearance of 9 1/8" (233 mm) under the countertop. **Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).**				
	97 x 48 x 43 5/16	2425 x 1200 x 1100	**M_ _N_-GC974843**	**2,732**	**3,278**
	85 x 48 x 43 5/16	2125 x 1200 x 1100	**M_ _N_-GC854843**	**2,599**	**3,124**
	73 x 48 x 43 5/16	1825 x 1200 x 1100	**M_ _N_-GC734843**	**2,466**	**2,960**
	1 1/2" (38 mm) surfaces: Clearance of 8 5/8" (220 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).**				





96": 6 pigeonholes.
84": 5 pigeonholes.
72": 4 pigeonholes.

Aluminum kickplate option: specify S at the accent option, M at the end of the code and add $159. Ex.: M _ _ NS-GC489743M.

Packaged in 3 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular desks, 36" D	*Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets.*				
	96 x 36 x 29 3/8	2400 x 900 x 744	**M_NN_-GS3696S**	**981**	**1,172**
	84 x 36 x 29 3/8	2100 x 900 x 744	**M_NN_-GS3684S**	**928**	**1,119**
	72 x 36 x 29 3/8	1800 x 900 x 744	**M_NN_-GS3672S**	**885**	**1,066**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S).				
	96 x 36 x 29 7/8	2400 x 900 x 757	**M_ _N_-GS3696S**	**1,077**	**1,289**
	84 x 36 x 29 7/8	2100 x 900 x 757	**M_ _N_-GS3684S**	**1,024**	**1,230**
	72 x 36 x 29 7/8	1800 x 900 x 757	**M_ _N_-GS3672S**	**981**	**1,172**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S).				



Aluminum kickplate option: specify S at the accent option, M at the end of the code and add $159. Ex.: M _ _ NS-GC489743M.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular desks, 30" D	*Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. 2 grommets.*				
	72 x 30 x 29 3/8	1800 x 750 x 744	**M_NN_-GS3072S_**	**832**	**998**
	60 x 30 x 29 3/8	1500 x 750 x 744	**M_NN_-GS3060S_**	**791**	**945**
	48 x 30 x 29 3/8	1200 x 750 x 744	**M_NN_-GS3048S_**	**748**	**907**
	36 x 30 x 29 3/8	900 x 750 x 744	**M_NN_-GS3036S_**	**716**	**865**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				
	72 x 30 x 29 7/8	1800 x 750 x 757	**M_ _N_-GS3072S_**	**912**	**1,092**
	60 x 30 x 29 7/8	1500 x 750 x 757	**M_ _N_-GS3060S_**	**870**	**1,044**
	48 x 30 x 29 7/8	1200 x 750 x 757	**M_ _N_-GS3048S_**	**827**	**991**
	36 x 30 x 29 7/8	900 x 750 x 757	**M_ _N_-GS3036S_**	**791**	**945**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				



72" to 60": 2 grommets.
48" to 36": 1 grommet.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add $159. Ex.: M _ _ NS-GC9648MA.

AVAILABLE LEG OPTIONS

(A) 2 full-width legs

(B) 1 full, 1 recessed

(B) 1 recessed, 1 full

(C) 2 recessed legs

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right extended corner desks	*Recessed, full-height modesty panel. Can accommodate 1 pedestal. 2 grommets.*				
	96 x 48 x 29 3/8	2400 x 1200 x 744	**M_NN_-GC4896_**	**1,400**	**1,676**
	84 x 48 x 29 3/8	2100 x 1200 x 744	**M_NN_-GC4884_**	**1,336**	**1,601**
	72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-GC4872_**	**1,278**	**1,528**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).				
	96 x 48 x 29 7/8	2400 x 1200 x 757	**M_ _N_-GC4896_**	**1,533**	**1,846**
	84 x 48 x 29 7/8	2100 x 1200 x 757	**M_ _N_-GC4884_**	**1,475**	**1,761**
	72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-GC4872_**	**1,406**	**1,687**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).				





96" to 84": Packaged in 2 boxes.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add $159. Ex.: M _ _ NS-GC9648MA.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left extended corner desks	*Recessed, full-height modesty panel. Can accommodate 1 pedestal. Pedestal sold separately. 2 grommets.*				
	96 x 48 x 29 3/8	2400 x 1200 x 744	**M_NN_-GC9648_**	**1,400**	**1,676**
	84 x 48 x 29 3/8	2100 x 1200 x 744	**M_NN_-GC8448_**	**1,336**	**1,601**
	72 x 48 x 29 3/8	1800 x 1200 x 744	**M_NN_-GC7248_**	**1,278**	**1,528**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).				
	96 x 48 x 29 7/8	2400 x 1200 x 757	**M_ _N_-GC9648_**	**1,533**	**1,846**
	84 x 48 x 29 7/8	2100 x 1200 x 757	**M_ _N_-GC8448_**	**1,475**	**1,761**
	72 x 48 x 29 7/8	1800 x 1200 x 757	**M_ _N_-GC7248_**	**1,406**	**1,687**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B).				





96" to 84": Packaged in 2 boxes.

Aluminum kickplate option: specify S at the accent option, M before leg choice and add $159. Ex.: M _ _ NS-GC9648MA.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Curved desks, 90°	*Recessed, full-height curved modesty panel. 30" (750 mm) deep. Can accommodate 1 hanging pedestal MNN_ _-F or a modular 18" deep pedestal. 1 grommet.*				
	54 x 54 x 29 3/8	1350 x 1350 x 744	**M_NN_-GRD90_**	**2,795**	**3,352**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				
	54 x 54 x 29 7/8	1350 x 1350 x 757	**M_ _N_-GRD90_**	**3,071**	**3,681**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				





Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Curved desks, 60°	*Recessed, full-height curved modesty panel. 30" (750 mm) deep. Can accommodate 1 hanging pedestal MNN_ _-F or a modular 18" deep pedestal. Pedestal sold separately. 1 grommet.*				
	42 x 47 x 29 3/8	1049 x 1168 x 744	**M_NN_-GRD60_**	**2,551**	**3,060**
	Specify the surface type (1, 2). Edge N. Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				
	42 x 47 x 29 7/8	1049 x 1168 x 757	**M_ _N_-GRD60_**	**2,795**	**3,352**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the accent color (A, S). Specify leg panel choice at the end of the code (A, B, C).				





Packaged in 2 boxes.

= NOT PART OF THE QUICKSHIP PROGRAM = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
ADA counters	*Clearance of 30" (764 mm) under the countertop. Kneespace of 18⅞" (480 mm). Half-height modesty panel.*				
	36 x 35 x 31	900 x 883 x 777	**M_NNN-G303632**	**631**	**764**
	36 x 29 x 31	900 x 733 x 777	**M_NNN-G243632**	**600**	**721**
	Specify the surface type (1, 2). Edge N.				
	36 x 35 x 32	900 x 883 x 802	**M_ _NN-G303632**	**695**	**832**
	36 x 29 x 32	900 x 733 x 802	**M_ _NN-G243632**	**663**	**796**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				
Modular countertops, 43" H	*Recessed, full-height modesty panel. 4 pigeonholes. 1 wiring access allowing the passage of electrical cables for a lighting unit on the front of the modesty panel. Lighting sold separately (LGC-LED_ _). Can be use on all standard 72" (1800 mm) Lacasse desk. Can not be used with a table with metal legs.*				
	73 x 12 x 42¾	1857 x 300 x 1087	**M_NNN-MC7343**	**1,157**	**1,389**
	Specify the surface type (1, 2). Edge N.				
	74 x 12 x 43 5/16	1880 x 300 x 1100	**M_ _NN-MC7443**	**1,278**	**1,528**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				
Aluminum kickplate option: change M _ _N to: M _ _ M, add $159.					
Modular countertops / shelves, 14" H	*Removable shelves. 1 tone only.*				
	72 x 12 x 13½	1800 x 300 x 344	**M_NNN-MC7214DV**	**1,008**	**1,210**
	66 x 12 x 13½	1650 x 300 x 344	**M_NNN-MC6614DV**	**955**	**1,151**
	60 x 12 x 13½	1500 x 300 x 344	**M_NNN-MC6014DV**	**912**	**1,092**
	54 x 12 x 13½	1350 x 300 x 344	**M_NNN-MC5414DV**	**870**	**1,044**
	48 x 12 x 13½	1200 x 300 x 344	**M_NNN-MC4814DV**	**827**	**991**
	42 x 12 x 13½	1050 x 300 x 344	**M_NNN-MC4214DV**	**785**	**938**
	36 x 12 x 13½	900 x 300 x 344	**M_NNN-MC3614DV**	**743**	**902**
	1" (25 mm) surfaces: Clearance of 12½" (318 mm) under the countertop. **Specify the surface type (1, 2). Edge N.**				
72": 6 pigeonholes. 66" to 60": 4 pigeonholes. 54" to 36": 2 pigeonholes.	72 x 12 x 13½	1800 x 300 x 344	**M_ _NN-MC7214DV**	**1,104**	**1,321**
	66 x 12 x 13½	1650 x 300 x 344	**M_ _NN-MC6614DV**	**1,051**	**1,263**
	60 x 12 x 13½	1500 x 300 x 344	**M_ _NN-MC6014DV**	**998**	**1,199**
	54 x 12 x 13½	1350 x 300 x 344	**M_ _NN-MC5414DV**	**945**	**1,135**
	48 x 12 x 13½	1200 x 300 x 344	**M_ _NN-MC4814DV**	**902**	**1,082**
	42 x 12 x 13½	1050 x 300 x 344	**M_ _NN-MC4214DV**	**854**	**1,024**
	36 x 12 x 13½	900 x 300 x 344	**M_ _NN-MC3614DV**	**812**	**981**
	1½" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2).**				
Modular countertops / shelves, 8" H	*Removable shelves. 1 tone only.*				
	72 x 12 x 8½	1800 x 300 x 214	**M_NNN-MC7208DV**	**806**	**976**
	66 x 12 x 8½	1650 x 300 x 214	**M_NNN-MC6608DV**	**769**	**918**
	60 x 12 x 8½	1500 x 300 x 214	**M_NNN-MC6008DV**	**726**	**875**
	54 x 12 x 8½	1350 x 300 x 214	**M_NNN-MC5408DV**	**695**	**832**
	48 x 12 x 8½	1200 x 300 x 214	**M_NNN-MC4808DV**	**663**	**796**
	42 x 12 x 8½	1050 x 300 x 214	**M_NNN-MC4208DV**	**626**	**748**
	36 x 12 x 8½	900 x 300 x 214	**M_NNN-MC3608DV**	**594**	**716**
	1" (25 mm) surfaces: Clearance of 7⅜" (188 mm) under the countertop. **Specify the surface type (1, 2). Edge N.**				
72": 3 pigeonholes. 66" to 60": 2 pigeonholes. 54" to 36": 1 pigeonhole.					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular countertops / shelves, 8" H (con't)	72 x 12 x 8½	1800 x 300 x 214	**M_ _NN-MC7208DV**	**885**	**1,066**
	66 x 12 x 8½	1650 x 300 x 214	**M_ _NN-MC6608DV**	**844**	**1,013**
	60 x 12 x 8½	1500 x 300 x 214	**M_ _NN-MC6008DV**	**801**	**955**
	54 x 12 x 8½	1350 x 300 x 214	**M_ _NN-MC5408DV**	**764**	**912**
	48 x 12 x 8½	1200 x 300 x 214	**M_ _NN-MC4808DV**	**726**	**875**
	42 x 12 x 8½	1050 x 300 x 214	**M_ _NN-MC4208DV**	**690**	**827**
	36 x 12 x 8½	900 x 300 x 214	**M_ _NN-MC3608DV**	**653**	**791**
	1½" (38 mm) surfaces: Clearance of 6⅞" (176 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2).**				
Modular countertops, 14" H	*Countertops for rectangular desks. Can accommodate a tackboard, refer to page 205.*				
	72 x 12 x 13½	1800 x 300 x 344	**M_NNN-MC7214**	**408**	**488**
	60 x 12 x 13½	1500 x 300 x 344	**M_NNN-MC6014**	**388**	**472**
	48 x 12 x 13½	1200 x 300 x 344	**M_NNN-MC4814**	**371**	**441**
	36 x 12 x 13½	900 x 300 x 344	**M_NNN-MC3614**	**350**	**424**
	1" (25 mm) surfaces: Clearance of 12½" (318 mm) under the countertop. **Specify the surface type (1, 2). Edge N.**				
	72 x 12 x 13½	1800 x 300 x 344	**M_ _NN-MC7214**	**446**	**541**
	60 x 12 x 13½	1500 x 300 x 344	**M_ _NN-MC6014**	**424**	**509**
	48 x 12 x 13½	1200 x 300 x 344	**M_ _NN-MC4814**	**408**	**488**
	36 x 12 x 13½	900 x 300 x 344	**M_ _NN-MC3614**	**388**	**472**
	1½" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2).**				
Curved modular countertops, 90°	*For 90° curved desks.*				
	54 x 54 x 13½	1350 x 1350 x 344	**M_NNN-MCRD90**	**1,984**	**2,370**
	1" (25 mm) surfaces: Clearance of 12½" (318 mm) under the countertop. **Specify the surface type (1, 2). Edge N.**				
	54 x 54 x 13½	1350 x 1350 x 344	**M_ _NN-MCRD90**	**2,201**	**2,636**
Packaged in 2 boxes.	Surfaces 1½" (38 mm): Clearance of 12" (306 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2).**				
Curved modular countertops, 60°	*For 60° curved desks.*				
	42 x 47 x 13½	1049 x 1168 x 344	**M_NNN-MCRD60**	**1,888**	**2,264**
	1" (25 mm) surfaces: Clearance of 12½" (318 mm) under the countertop. **Specify the surface type (1, 2). Edge N.**				
	42 x 47 x 13½	1049 x 1168 x 344	**M_ _NN-MCRD60**	**2,095**	**2,514**
Packaged in 2 boxes.	1½" (38 mm) surfaces: Clearance of 12" (306 mm) under the countertop. **Specify the surface type (5, 6). Specify the edge (N, 1, 2).**				
Hutches with pigeonholes, 44" H	*Clearance: 20½". Removable shelves. Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 44	1800 x 400 x 1099	**M1NN_-EDV7244**	**1,862**	–
	36 x 16 x 44	900 x 400 x 1099	**M1NN_-EDV3644**	**1,400**	–
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 44	1800 x 400 x 1099	**M5_N_-EDV7244**	**2,052**	–
	36 x 16 x 44	900 x 400 x 1099	**M5_N_-EDV3644**	**1,543**	–
72": 30 pigeonholes. 36": 15 pigeonholes.	**Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.**				

= ASSEMBLY REQUIRED = NOT PART OF THE QUICKSHIP PROGRAM

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hutches with pigeonholes, 36" H	*Clearance 17" (432 mm). Removable shelves. Grommet. Full-width wire access. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 36	1800 x 400 x 900	**M1NN_-EDV7236**	**1,745**	–
	36 x 16 x 36	900 x 400 x 900	**M1NN_-EDV3636**	**1,283**	–
	Edge N. Specify the accent color (A, S). To be used with 1" surfaces.				
	72 x 16 x 36	1800 x 400 x 900	**M5_N_-EDV7236**	**1,936**	–
	36 x 16 x 36	900 x 400 x 900	**M5_N_-EDV3636**	**1,427**	–
	Specify the edge (N, 1, 2). Specify the accent color (A, S). To be used with 1½" surfaces.				
Vertical pigeonholes, 44" H	*33 pigeonholes with removable shelves.*				
	36 x 16 x 44	900 x 400 x 1099	**M1NNN-DV3644**	**1,618**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 44	900 x 400 x 1099	**M5_NN-DV3644**	**1,782**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Vertical pigeonholes, 36" H	*24 pigeonholes with removable shelves.*				
	36 x 16 x 36	900 x 400 x 900	**M1NNN-DV3636**	**1,528**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 36	900 x 400 x 900	**M5_NN-DV3636**	**1,697**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Open bookcase hutches with pigeonholes, 44" H	*1 adjustable shelf. 18 pigeonholes with removable shelves.*				
	36 x 16 x 44	900 x 400 x 1099	**M1NNN-EBDV3644**	**1,400**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 44	900 x 400 x 1099	**M5_NN-EBDV3644**	**1,533**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Open bookcase hutches with pigeonholes, 36" H	*12 pigeonholes with removable shelves.*				
	36 x 16 x 36	900 x 400 x 900	**M1NNN-EBDV3636**	**1,310**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 36	900 x 400 x 900	**M5_NN-EBDV3636**	**1,448**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Bookcase hutches with doors and pigeonholes, 44" H	*1 adjustable shelf. 18 pigeonholes with removable shelves.*				
	36 x 16 x 44	900 x 400 x 1099	**M1NNN-EBDV3644P**	**1,639**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 44	900 x 400 x 1099	**M5_NN-EBDV3644P**	**1,803**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
					
Door insert options, change P Laminate for: T Translucent, add $265: X Matrix, add $477					
Bookcase hutches with doors and pigeonholes, 36" H	*12 pigeonholes with removable shelves.*				
	36 x 16 x 36	900 x 400 x 900	**M1NNN-EBDV3636P**	**1,554**	–
	Edge N. To be used with 1" surfaces.				
	36 x 16 x 36	900 x 400 x 900	**M5_NN-EBDV3636P**	**1,719**	–
	Specify the edge (N, 1, 2). To be used with 1½" surfaces.				
Door insert options, change P Laminate for: T Translucent, add $265: X Matrix, add $477					

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Wall-mounted hutches with pigeonholes	*Removable shelves. Can accommodate a tackboard, refer to page 205.*				
	72 x 16 x 22½	1800 x 400 x 567	**M1NNN-EMDV7222**	**2,010**	–
	36 x 16 x 22½	900 x 400 x 567	**M1NNN-EMDV3622**	**1,639**	–
	Edge N.				
	72 x 16 x 22½	1800 x 400 x 567	**M5_NN-EMDV7222**	**2,211**	–
	36 x 16 x 22½	900 x 400 x 567	**M5_NN-EMDV3622**	**1,787**	–
72": 30 pigeonholes. 36": 15 pigeonholes.	**Specify the edge (N, 1, 2).**				
Lateral file units with pigeonholes	*1 file drawer with suspension bar. Lock. 9 pigeonholes with removable shelves.*				
	36 x 24 x 29⅜	900 x 600 x 757	**M_N_ _-2436DVLF**	**1,454**	**1,745**
	36 x 20 x 29⅜	900 x 500 x 757	**M_N_ _-2036DVLF**	**1,384**	**1,661**
	Specify the surface type (1, 2). Edge N. Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				
	36 x 24 x 29⅞	900 x 600 x 744	**M_ _ _ _-2436DVLF**	**1,601**	**1,926**
	36 x 20 x 29⅞	900 x 500 x 744	**M_ _ _ _-2036DVLF**	**1,522**	**1,830**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Modular pedestal with pigeonholes	*3 pigeonholes with removable shelves. 1 file drawer with suspension bar. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 18 x 28	388 x 466 x 721	**MNN_ _-P1518DVFL**	**806**	–
	Specify handle code (A, C, K, W, Z). Specify the accent color (A, S).				
Front screens, 27" H	*Translucent acrylic screen with silver metal supports. For 43" H reception desks.*				
	81 x ¼ x 27 5/16	2047 x 6 x 694	**MNNNN-SC8127T**	**1,581**	–
	69 x ¼ x 27 5/16	1747 x 6 x 694	**MNNNN-SC6927T**	**1,400**	–
	57 x ¼ x 27 5/16	1447 x 6 x 694	**MNNNN-SC5727T**	**1,215**	–
Screen option, change T Translucent to: X Matrix, add $318.					
Front screens, 14" H	*Translucent acrylic screen with silver metal supports. For 29" H reception desks.*				
	81 x ¼ x 13 ¾	2047 x 6 x 350	**MNNNN-SC8114T**	**1,066**	–
	69 x ¼ x 13 ¾	1747 x 6 x 350	**MNNNN-SC6914T**	**938**	–
	57 x ¼ x 13 ¾	1447 x 6 x 350	**MNNNN-SC5714T**	**817**	–
Screen option, change T Translucent to: X Matrix, add $212.					
Tackboard	*Mounts to 43" H reception desks. The price shown is applicable for United Chair® Grade 1 fabrics. For other grades add: Grade 2: 10%, Grade 3: 15%, Grade 4: 20%, Grade 5: 25%. Specify the fabric code after the product code.*				
	48 x ½ x 8 ¼	1200 x 13 x 210	**MNNNN-TK4809**	**398**	–
All United Chair® standard fabrics (except vinyls and leathers) are available.	**Specify the fabric code after the product code.**				

X = NOT PART OF THE QUICKSHIP PROGRAM

RECEPTION FURNITURE – QUAD

CODIFICATION

Series	Options: Thickness	Options: Accent color
Q	**5** Thermofused laminate 1½" top	**A** Anthracite Grey
	6 High-pressure laminate 1½" top	**S** Silver
	N N/A	**N** N/A

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left reception desks with transaction shelf, 43" H	*Full-height modesty panel with 1½" thick juxtaposed panel and 1" thick straight panel. 2 grommets. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate 1 QNN_-P1518UFL or QNN_-P1518FFL modular pedestal.*				
	96 x 30 x 43 5/16	2400 x 750 x 1100	**Q_N_-GS3096S**	**2,244**	**2,700**
	84 x 30 x 43 5/16	2100 x 750 x 1100	**Q_N_-GS3084S**	**2,138**	**2,562**
	72 x 30 x 43 5/16	1800 x 750 x 1100	**Q_N_-GS3072S**	**2,026**	**2,435**
	Specify the surface type (5, 6). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right reception desks with transaction shelf, 43" H	*Full-height modesty panel with 1½" thick juxtaposed panel and 1" thick straight panel. 2 grommets. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate 1 QNN_-P1518UFL or QNN_-P1518FFL modular pedestal.*				
	96 x 30 x 43 5/16	2400 x 750 x 1100	**Q_N_-S3096GS**	**2,244**	**2,700**
	84 x 30 x 43 5/16	2100 x 750 x 1100	**Q_N_-S3084GS**	**2,138**	**2,562**
	72 x 30 x 43 5/16	1800 x 750 x 1100	**Q_N_-S3072GS**	**2,026**	**2,435**
	Specify the surface type (5, 6). Specify the accent color (A, S).				



Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Front screens, 32" H	*Translucent acrylic screen with silver metal supports. For 43" H reception desks.*				
	40 x 1/4 x 31 1/2	1000 x 6 x 800	**QNNN-SC4032T**	**1,092**	–
	34 x 1/4 x 31 1/2	850 x 6 x 800	**QNNN-SC3432T**	**976**	–
	28 x 1/4 x 31 1/2	700 x 6 x 800	**QNNN-SC2832T**	**849**	–

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Return-shells with transaction shelf – left	*Full-height modesty panel. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate a pedestal.*				
	48 x 24 x 43 5/16	1200 x 600 x 1100	**Q_N_-GS244843R**	**1,601**	**1,926**
	42 x 24 x 43 5/16	1050 x 600 x 1100	**Q_N_-GS244243R**	**1,490**	**1,787**
	Specify the surface type (5, 6). Specify the accent color (A, S).				



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Return-shells with transaction shelf – right	*Full-height modesty panel. Clearance of 12¼" (311 mm) under the transaction shelf. Can accommodate a pedestal.*				
	48 x 24 x 43 5/16	1200 x 600 x 1100	**Q_N_-GR244843S**	**1,601**	**1,926**
	42 x 24 x 43 5/16	1050 x 600 x 1100	**Q_N_-GR244243S**	**1,490**	**1,787**
	Specify the surface type (5, 6). Specify the accent color (A, S).				

RECEPTION FURNITURE – CONCEPT 3

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Reception desks with transaction shelf, 43" H	*Full-height modesty panel. 2 grommets. Clearance of 12 1/2" (318 mm) under the transaction shelf. Can accommodate 1 C3-UF18, C3-UF24 or C3-FF24 pedestal.*				
	96 x 30 x 42 1/2	2400 x 750 x 1079	**C3-GS3096S**	**1,745**	–
	84 x 30 x 42 1/2	2100 x 750 x 1079	**C3-GS3084S**	**1,661**	–
	72 x 30 x 42 1/2	1800 x 750 x 1079	**C3-GS3072S**	**1,581**	–



96" to 84": Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular countertops, 14" H	*Can be used on all standard 72" (1800 mm) Lacasse desks. Clearance of 12 1/2" (318 mm) under the countertop.*				
	72 x 12 x 13 1/2	1800 x 300 x 344	**C3-MC7214**	**1,044**	–
	66 x 12 x 13 1/2	1650 x 300 x 344	**C3-MC6614**	**991**	–

Translucent insert with aluminum frame option, specify at the end of the code: T Translucent, add $208.



	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Translucent front reception desks with transaction shelf, 43" H	*Full-height modesty panel includes translucent insert with aluminum frame. 2 grommets. Clearance of 12 1/2" (318 mm) under the transaction shelf. Can accommodate 1 C3-UF18, C3-UF24 or C3-FF24 pedestal.*				
	96 x 30 x 42 1/2	2400 x 750 x 1079	**C3-GS3096ST**	**1,994**	–
	84 x 30 x 42 1/2	2100 x 750 x 1079	**C3-GS3084ST**	**1,909**	–
	72 x 30 x 42 1/2	1800 x 750 x 1079	**C3-GS3072ST**	**1,820**	–



96" to 84": Packaged in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Return shells	*Reversible. 1 grommet. Can accommodate a hanging pedestal C3-UF18.*				
	48 x 24 x 42 1/2	1200 x 600 x 1079	**C3-GR2448S**	**933**	–
	42 x 24 x 42 1/2	1050 x 600 x 1079	**C3-GR2442S**	**885**	–

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Hanging combination pedestal	*2 box drawers, 1 file drawer with suspension bar. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.*				
	15 x 18 x 26	388 x 448 x 628	**C3-UF18**	**764**	–

= NOT PART OF THE QUICKSHIP PROGRAM

SUGGESTIONS

M_ _ _ _-PLAN15



Plan shown in Reception Furniture Flyer:

M5NCS-PLAN15	**$12,411**
1	M5NNS-GS369743SM
1	M5NCS-S2460LF
1	QNNN-E601616
2	M5NCS-243673BT
1	MNNNN-SC8127T
2	LGC-LED37

1½" Laminate thick (5), Smooth edge (N), Cubic pull (C), Anodized Aluminum kickplate (M), hutches with Translucent doors (T).

Q_ _ _-PLAN10



Plan shown in Reception Furniture Flyer:

Q5TS-PLAN10	**$10,391**
1	Q5NS-S3096GS
1	Q5NS-GS244243R
1	Q5NS-2436LF
1	Q5NS-2436B
1	Q5NS-2436CO
2	QNTS-EM601616C

1½" Laminate thick (5), Translucent (T) and Laminate (N) doors, Silver accent (S).

M_ _ _ _-PLAN16



Plan shown in Reception Furniture Flyer:

M1NKS-PLAN19	**$7,023**
1	M1NNS-GS3672SM
2	M1NNS-DT2472A
1	M1NNN-MC4814DV
2	M1NNN-MC4808DV
1	M1NKS-LF2072B
1	MNNKS-P1518UFL

1" Laminate thick (1), Smooth edge (N), Classic pull (K), Anodized Aluminum kickplate (M), Silver accent (S).

C3-PLAN14



Plan shown in Reception Furniture Flyer:

C3-PLAN14	**$6,439**
1	C3-GS3096ST
1	C3-GR2448S
1	C3-203649B
1	C3-203649BT
1	C3-UF18

Translucent insert (T) with Anodized Aluminum frame, Translucent (T) and Laminate (N) doors.

M_ _ _ _-PLAN17



Plan shown in Reception Furniture Flyer:

M1NWS-PLAN17	**$20,505**
2	M1NNS-GRD90B
2	M1NNS-GRD90C
1	M1NNS-GS3048SC
4	M1NNN-MCRD90
1	MNNWS-F

1" Laminate thick (1), Smooth edge (N), Waterfall pull (W), Silver accent (S).

P_ _ _-PLAN11



Plan shown in Reception Furniture Flyer:

P1QS-PLAN11	**$10,645**
3	P1NS-SFLX3336
2	P1NS-SFLX3324
2	P1NS-SFLX3330
3	P1NS-SOFX0836
3	P1NS-SOLX0836
2	P1NS-SOFX0824
2	P1NS-SOLX0824
2	P1NS-SOFX0830
2	P1NS-TR2466GR
1	P1NN-TR2436
1	P1NS-TS1254
1	TNNS-QTL2
2	P1QS-2436B
1	M1NNN-EMDV7222

Straight pull (Q), Silver accent (S).

TYPICAL WOOD GRAIN DIRECTION FOR RECEPTION FURNITURE:

MORPHEO



QUAD



CONCEPT 3



PANGRAM



X = NOT PART OF THE QUICKSHIP PROGRAM

CONFERENCE TABLES

With its sophisticated, contemporary look and its ingenious and versatile design, the QUORUM MULTICONFERENCE™ collection offers absolute freedom of expression. Whether your needs include impromptu meetings between two colleagues or gatherings of 16 to 24 people, our conference tables can be adapted to a multitude of applications, with technology integration features and a wide choice of finishes, shapes and sizes.

TOPS



BASES



TECHNOLOGY INTEGRATION



CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft^3) tops are 1½" (38 mm) thick and are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.

Table surfaces are pre-drilled and the position of the bases is assured with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 28" (700 mm) is the minimum space required for people to work comfortably seated next to each other.

TABLE SURFACES

Most surfaces are offered in increments of 12" (300 mm):

- Depths: 36" to 60" (900 to 1500 mm)
- Widths: 36" to 252" (900 to 6300 mm)
- Can be ordered by the inch at no up charge.
  Refer to next highest dimension for price.

One-piece surfaces: 96" (2400 mm) and less
Two-piece surfaces: 108" to 192" (2700 to 4800 mm)
Three-piece surfaces: 204" to 252" (5100 to 6300 mm)

EDGEBANDING

1½" (38 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface**.

S Edge

Silver edge.

Textured 1 Edge



Textured 2 Edge

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

Knife Edge

The knife edge **K** is **available (and in matching color) ONLY when a wood grain finish or Snow (SNO) is specified** for the surface.

ACCENT COLORS



S – Silver

A – Anthracite Grey

The accent color applies to non-laminate components such as bases and grommets.

Exceptions: Power units and CB base are available in Silver anodized aluminum only.

EDGEBANDING POSITION

Smooth N & S edgebanding



Textured 1 & 2 edgebanding



Knife edgebanding (K)



Knife edgebanding applies to square, rectangular and A-shape tops only (same position as N & S edgebandings on rectangular and square tops only).

TWO-TONE APPLICATION

Surfaces that are available in two or three pieces can be ordered in a combination of two finishes, when N or S edgebanding is specified. In the case of a two-tone application, the first finish specified will be applied to the grey area and the second finish specified will be applied to the rest of the unit.

* The woodgrain is non-continuous on 3 section tables.

TECHNOLOGY INTEGRATION

All tables can be ordered with grommets or electrical / communication modules.



GC grommet

At the end of the surface code, specify the code for the desired grommet or electrical / communication module. Holes for **G** grommets or **P** modules are pre-drilled in a set position by the manufacturer. After the **G** or **P** code, please add the code corresponding to the number of units:

PC Electrical / communication module

GC: 1 grommet (center)
G2: 2 grommets (both ends)
G3: 3 grommets (2 at the ends and 1 in the center)

PC: 1 electrical / communication module (center)
P2: 2 electrical / communication modules (both ends)
P3: 3 electrical / communication modules (2 at the ends and 1 in the center)

(Available in Silver anodized aluminum finish only)

Refer to the Accessories section, page 193, for more electrical / communication modules.
Cut-out to be made on-site or special-ordered.



GC/PC All work surfaces



G2/P2 72" (1800 mm) and wider work surfaces



G3/P3 108" (2700 mm) and wider work surfaces

WIRE MANAGEMENT SYSTEMS

The **LB__WM** thermofused laminate base offers a vertical wire management system with a lockable storage unit. It is designed with a 6" (150 mm) recessed bottom that can be positioned above a floor plug. The hinges of the storage unit easily open up to 110°.



It is possible to add horizontal PVC wire management channels (LGC-HWMC__(A, S)) under the table's surface or vertical PVC wire management channels (LGC-VWMC20(A, S)) on CB, ATL2, STL2, QTL2, VTL2 and TB bases. **Please refer to the Accessories section, page 193.**

Refer to the Electricom II section, page 200, for a complete electrification solution.

CONFERENCE TABLE BASES

Refer to the Compatibility Table, page 162, for the number of bases required for the dimensions of the table's surface. It is possible to order different types of bases for the same surface. CB and UCB combined bases are made of thermofused laminate with Silver anodized aluminum extrusions. Metal legs are finished with a Silver or Anthracite Grey ultra-resistant, electrostatic paint.

LEVELERS

All bases are equipped with levelers that can be adjusted to a height of 1¼" (31 mm), except for spider legs, which can be adjusted to a height of ½" (12 mm).

LB

LB__WM

CB

UCB

TB

XB33

STL2

ATL2

QTL2

VTL2

DC

CODIFICATION

	Options			
Series	Finish / Thickness	Edgebanding	Accent color	Electrical integration / Quantity
T	**5** Thermofused laminate tops 1½" **6** High-pressure laminate tops 1½"	**N** Smooth edge **S** Silver edge **1** Textured 1 edge **2** Textured 2 edge **K** Knife edge	**A** Anthracite Grey **S** Silver	**_** No grommet / No module **GC** 1 grommet **G2** 2 grommets **G3** 3 grommets **PC** 1 electrical / communication module **P2** 2 electrical / communication modules **P3** 3 electrical / communication modules

ORDERING EXAMPLES

Rectangular top, 48" x 96", 1½" thick thermofused laminate, Silver edgebanding, Anthracite Grey accent color, 1 grommet. Finish: One-tone in Tuscany Walnut.
T5SA-RC4896 GC TWT

Oval top, 48" x 204" (3 pieces), 1½" thick thermofused laminate, #2 textured edgebanding, 3 electrical / communication modules. Finish: One-tone in Dark Chocolate.
T52N-048204 P3 DCH

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

COMPATIBILITY CHART – CONFERENCE TABLES

			BASE OPTIONS														
			Thermofused laminate base with or without wire management		Combined base		U-shape combined base		Metal T-base		Metal X-base	 Metal disc base		Metal spider legs	Metal angled legs	 Metal square legs	 Metal round legs
	TOP LENGTHS	NO. OF BASES	**LB20__**	**LB24__**	**CB20**	**CB24**	**UCB20**	**UCB24**	**TB26**	**TB33**	**XB33**	**DC22**	**DC27**	**STL2**	**ATL2**	**QTL2**	**VTL2**
36" DEPTH	36" R - SQ - B	1									•	•					
	48"	2												•	•	•	•
	60" to 96"	2							•			•		•	•	•	•
42" DEPTH	42" R - SQ - B	1									•		•				
	42" to 48"	2												•	•	•	•
	60"	2							•			•		•	•	•	•
	72" to 96"	2	•		•		•		•			•	•	•	•	•	•
48" DEPTH	48" R	1									•		•				
	48"	2												•	•	•	•
	60"	2								•				•	•	•	•
	72" to 96"	2		•	•		•		•					•	•	•	•
	108" to 192"	3		•	•		•		•					•	•	•	•
	204" to 252"	4		•	•		•		•					•	•	•	•
54" DEPTH	54"	2												•	•	•	•
	60"	2								•				•	•	•	•
	72" to 96"	2		•		•		•		•				•	•	•	•
	108" to 192"	3		•		•		•		•				•	•	•	•
	204" to 252"	4		•		•		•		•				•	•	•	•
60" DEPTH	60"	2												•	•	•	•

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Round tops	4	1	36 x 36			900 x 900			**T___-R36**	**446**	**567**
	4	1	42 x 42			1050 x 1050			**T___-R42**	**504**	**673**
	4	1	48 x 48			1200 x 1200			**T___-R48**	**583**	**801**
	6	1	54 x 54			1350 x 1350			**T___-R54**	**726**	**991**
	6	1	60 x 60			1500 x 1500			**T___-R60**	**791**	**1,135**



1½" thick.
Grommet option, add: GC: $53.
Module option, add: PC: $371.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Square tops	4	1	36 x 36			900 x 900			**T___-SQ36**	**371**	**494**
	4	1	42 x 42			1050 x 1050			**T___-SQ42**	**424**	**589**
	4	1	48 x 48			1200 x 1200			**T___-SQ48**	**509**	**711**
	8	1	54 x 54			1350 x 1350			**T___-SQ54**	**610**	**859**
	8	1	60 x 60			1500 x 1500			**T___-SQ60**	**726**	**1,018**



1½" thick.
Grommet option, add: GC: $53.
Module option, add: PC: $371.
Knife edge **(K)**, add 25% to list price.

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Boatshape tops	4	1	36 x 36		30	900 x 900		750	**T___-B36**	**398**	**525**
	4	1	42 x 42		36	1050 x 1050		900	**T___-B42**	**461**	**620**
	4	1	48 x 48		36	1200 x 1200		900	**T___-B48**	**547**	**764**
	8	1	54 x 54		42	1350 x 1350		1050	**T___-B54**	**658**	**938**
	8	1	60 x 60		48	1500 x 1500		1200	**T___-B60**	**753**	**1,087**



1½" thick.
Grommet option, add: GC: $53.
Module option, add: PC: $371.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

A-shape tops	4	1	36 x 36		30	900 x 900		750	**T___-A36**	**403**	**536**
	4	1	42 x 42		36	1050 x 1050		900	**T___-A42**	**467**	**620**
	4	1	48 x 48		36	1200 x 1200		900	**T___-A48**	**552**	**737**
	8	1	54 x 54		42	1350 x 1350		1050	**T___-A54**	**658**	**875**
	8	1	60 x 60		48	1500 x 1500		1200	**T___-A60**	**737**	**1,056**



1½" thick.
Grommet option, add: GC: $53.
Module option, add: PC: $371.
Knife edge **(K)**, add 25% to list price.

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Wave tops	4	1	36 x 36		33	900 x 900		825	**T___-W36**	**398**	**525**
	4	1	42 x 42		39	1050 x 1050		975	**T___-W42**	**461**	**620**
	4	1	48 x 48		42	1200 x 1200		1050	**T___-W48**	**547**	**764**
	8	1	54 x 54		48	1350 x 1350		1200	**T___-W54**	**658**	**933**
	8	1	60 x 60		54	1500 x 1500		1350	**T___-W60**	**753**	**1,087**



1½" thick.
Grommet option, add: GC: $53.
Module option, add: PC: $371.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Racetrack tops	4	1	48 x 36			1200 x 900			**T___-RT3648**	**547**	**653**
	6	1	60 x 36			1500 x 900			**T___-RT3660**	**600**	**748**
	6	1	72 x 36			1800 x 900			**T___-RT3672**	**673**	**870**
	8	1	84 x 36			2100 x 900			**T___-RT3684**	**737**	**986**
	8	1	96 x 36			2400 x 900			**T___-RT3696**	**791**	**1,114**
	6	1	48 x 42			1200 x 1050			**T___-RT4248**	**552**	**759**
	6	1	60 x 42			1500 x 1050			**T___-RT4260**	**647**	**870**
	8	1	72 x 42			1800 x 1050			**T___-RT4272**	**732**	**998**
	8	1	84 x 42			2100 x 1050			**T___-RT4284**	**832**	**1,151**
	9	1	96 x 42			2400 x 1050			**T___-RT4296**	**923**	**1,305**

1½" thick.
Grommet option, add:
GC: $53 / G2*: $106.
Module option, add:
PC: $371 / P2*: $743.
* Tops starting at 72" wide.

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Racetrack tops (cont'd)	7	1	60 x 48			1500 x 1200			**T___-RT4860**	**743**	**955**
	8	1	72 x 48			1800 x 1200			**T___-RT4872**	**832**	**1,087**
	9	1	84 x 48			2100 x 1200			**T___-RT4884**	**923**	**1,241**
	10	1	96 x 48			2400 x 1200			**T___-RT4896**	**1,024**	**1,389**
	8	1	60 x 54			1500 x 1350			**T___-RT5460**	**812**	**1,177**
	8	1	72 x 54			1800 x 1350			**T___-RT5472**	**902**	**1,283**
	9	1	84 x 54			2100 x 1350			**T___-RT5484**	**998**	**1,384**
	10	1	96 x 54			2400 x 1350			**T___-RT5496**	**1,098**	**1,480**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.										
Racetrack tops	11	2	108 x 48			2700 x 1200			**T___-RT48108**	**1,273**	**1,671**
	12	2	120 x 48			3000 x 1200			**T___-RT48120**	**1,374**	**1,798**
	12	2	132 x 48			3300 x 1200			**T___-RT48132**	**1,469**	**1,926**
	13	2	144 x 48			3600 x 1200			**T___-RT48144**	**1,570**	**2,042**
	14	2	156 x 48			3900 x 1200			**T___-RT48156**	**1,666**	**2,175**
	15	2	168 x 48			4200 x 1200			**T___-RT48168**	**1,767**	**2,297**
	16	2	180 x 48			4500 x 1200			**T___-RT48180**	**1,862**	**2,413**
	17	2	192 x 48			4800 x 1200			**T___-RT48192**	**1,968**	**2,541**
	11	2	108 x 54			2700 x 1350			**T___-RT54108**	**1,389**	**1,793**
	12	2	120 x 54			3000 x 1350			**T___-RT54120**	**1,512**	**1,920**
	13	2	132 x 54			3300 x 1350			**T___-RT54132**	**1,634**	**2,037**
	14	2	144 x 54			3600 x 1350			**T___-RT54144**	**1,761**	**2,180**
	15	2	156 x 54			3900 x 1350			**T___-RT54156**	**1,888**	**2,324**
	15	2	168 x 54			4200 x 1350			**T___-RT54168**	**2,010**	**2,477**
	16	2	180 x 54			4500 x 1350			**T___-RT54180**	**2,132**	**2,620**
	17	2	192 x 54			4800 x 1350			**T___-RT54192**	**2,244**	**2,774**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.										
Racetrack tops	18	3	204 x 48	60		5100 x 1200	1500		**T___-RT48204**	**2,259**	**2,886**
	20	3	216 x 48	60		5400 x 1200	1500		**T___-RT48216**	**2,408**	**3,066**
	22	3	228 x 48	60		5700 x 1200	1500		**T___-RT48228**	**2,567**	**3,257**
	24	3	240 x 48	60		6000 x 1200	1500		**T___-RT48240**	**2,710**	**3,443**
	24	3	252 x 48	60		6300 x 1200	1500		**T___-RT48252**	**2,843**	**3,628**
	20	3	204 x 54	60		5100 x 1350	1500		**T___-RT54204**	**2,477**	**3,129**
	22	3	216 x 54	60		5400 x 1350	1500		**T___-RT54216**	**2,599**	**3,305**
	22	3	228 x 54	60		5700 x 1350	1500		**T___-RT54228**	**2,721**	**3,474**
	24	3	240 x 54	60		6000 x 1350	1500		**T___-RT54240**	**2,843**	**3,650**
	24	3	252 x 54	60		6300 x 1350	1500		**T___-RT54252**	**2,965**	**3,829**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.										
Rectangular tops	4	1	48 x 36			1200 x 900			**T___-RC3648**	**441**	**600**
	6	1	60 x 36			1500 x 900			**T___-RC3660**	**499**	**726**
	6	1	72 x 36			1800 x 900			**T___-RC3672**	**562**	**812**
	8	1	84 x 36			2100 x 900			**T___-RC3684**	**620**	**923**
	8	1	96 x 36			2400 x 900			**T___-RC3696**	**695**	**1,024**
	4	1	48 x 42			1200 x 1050			**T___-RC4248**	**477**	**700**
	6	1	60 x 42			1500 x 1050			**T___-RC4260**	**552**	**832**
	6	1	72 x 42			1800 x 1050			**T___-RC4272**	**647**	**950**
	8	1	84 x 42			2100 x 1050			**T___-RC4284**	**743**	**1,071**
	8	1	96 x 42			2400 x 1050			**T___-RC4296**	**844**	**1,193**



1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.





1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.



1½" thick.
Grommet option, add:
GC: $53 / G2*: $106.
Module option, add:
PC: $371 / P2*: $743. s
*Tops starting at 72" wide.
Knife edge **(K)**, add 25% to list price.

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

= ASSEMBLY REQUIRED = QUICKSHIP

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tops (cont'd)	6	1	60 x 48			1500 x 1200			**T___-RC4860**	**583**	**870**
	6	1	72 x 48			1800 x 1200			**T___-RC4872**	**679**	**986**
	8	1	84 x 48			2100 x 1200			**T___-RC4884**	**774**	**1,114**
	8	1	96 x 48			2400 x 1200			**T___-RC4896**	**875**	**1,241**
	8	1	60 x 54			1500 x 1350			**T___-RC5460**	**711**	**960**
	8	1	72 x 54			1800 x 1350			**T___-RC5472**	**796**	**1,082**
	10	1	84 x 54			2100 x 1350			**T___-RC5484**	**897**	**1,204**
	10	1	96 x 54			2400 x 1350			**T___-RC5496**	**991**	**1,336**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Rectangular tops



1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.
Knife edge **(K)**, add 25% to list price.

10	2	108 x 48			2700 x 1200			**T___-RC48108**	**1,119**	**1,485**
10	2	120 x 48			3000 x 1200			**T___-RC48120**	**1,220**	**1,586**
10	2	132 x 48			3300 x 1200			**T___-RC48132**	**1,321**	**1,681**
12	2	144 x 48			3600 x 1200			**T___-RC48144**	**1,422**	**1,808**
12	2	156 x 48			3900 x 1200			**T___-RC48156**	**1,517**	**1,962**
14	2	168 x 48			4200 x 1200			**T___-RC48168**	**1,618**	**2,111**
14	2	180 x 48			4500 x 1200			**T___-RC48180**	**1,714**	**2,254**
16	2	192 x 48			4800 x 1200			**T___-RC48192**	**1,814**	**2,403**
12	2	108 x 54			2700 x 1350			**T___-RC54108**	**1,246**	**1,644**
12	2	120 x 54			3000 x 1350			**T___-RC54120**	**1,347**	**1,767**
12	2	132 x 54			3300 x 1350			**T___-RC54132**	**1,448**	**1,893**
14	2	144 x 54			3600 x 1350			**T___-RC54144**	**1,543**	**2,016**
14	2	156 x 54			3900 x 1350			**T___-RC54156**	**1,644**	**2,138**
16	2	168 x 54			4200 x 1350			**T___-RC54168**	**1,740**	**2,259**
16	2	180 x 54			4500 x 1350			**T___-RC54180**	**1,835**	**2,387**
18	2	192 x 54			4800 x 1350			**T___-RC54192**	**1,941**	**2,514**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Rectangular tops



1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.
Knife edge **(K)**, add 25% to list price.

16	3	204 x 48	60		5100 x 1200	1500		**T___-RC48204**	**2,042**	**2,874**
16	3	216 x 48	60		5400 x 1200	1500		**T___-RC48216**	**2,185**	**3,055**
18	3	228 x 48	60		5700 x 1200	1500		**T___-RC48228**	**2,317**	**3,246**
18	3	240 x 48	60		6000 x 1200	1500		**T___-RC48240**	**2,445**	**3,431**
20	3	252 x 48	60		6300 x 1200	1500		**T___-RC48252**	**2,594**	**3,612**
18	3	204 x 54	60		5100 x 1350	1500		**T___-RC54204**	**2,158**	**2,975**
18	3	216 x 54	60		5400 x 1350	1500		**T___-RC54216**	**2,271**	**3,161**
20	3	228 x 54	60		5700 x 1350	1500		**T___-RC54228**	**2,382**	**3,347**
20	3	240 x 54	60		6000 x 1350	1500		**T___-RC54240**	**2,498**	**3,532**
22	3	252 x 54	60		6300 x 1350	1500		**T___-RC54252**	**2,604**	**3,718**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Boatshape tops



1½" thick.
Grommet option, add: GC: $53 / G2*: $106.
Module option, add: PC: $371 / P2*: $743.
*Tops starting at 72" wide.

4	1	48 x 36	30	1200 x 900	750		**T___-B3648**	**488**	**668**
6	1	60 x 36	30	1500 x 900	750		**T___-B3660**	**562**	**774**
6	1	72 x 36	30	1800 x 900	750		**T___-B3672**	**647**	**885**
8	1	84 x 36	30	2100 x 900	750		**T___-B3684**	**711**	**991**
8	1	96 x 36	30	2400 x 900	750		**T___-B3696**	**785**	**1,104**
6	1	48 x 42	36	1200 x 1050	900		**T___-B4248**	**520**	**711**
6	1	60 x 42	36	1500 x 1050	900		**T___-B4260**	**610**	**854**
6	1	72 x 42	36	1800 x 1050	900		**T___-B4272**	**748**	**1,008**
8	1	84 x 42	36	2100 x 1050	900		**T___-B4284**	**870**	**1,167**
8	1	96 x 42	36	2400 x 1050	900		**T___-B4296**	**986**	**1,336**

= ASSEMBLY REQUIRED

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Boatshape tops (cont'd)	6	1	60 x 48		36	1500 x 1200		900	**T___-B4860**	**647**	**912**
	6	1	72 x 48		36	1800 x 1200		900	**T___-B4872**	**769**	**1,077**
	8	1	84 x 48		36	2100 x 1200		900	**T___-B4884**	**891**	**1,241**
	8	1	96 x 48		36	2400 x 1200		900	**T___-B4896**	**1,008**	**1,384**
	8	1	60 x 54		42	1500 x 1350		1050	**T___-B5460**	**732**	**1,008**
	8	1	72 x 54		42	1800 x 1350		1050	**T___-B5472**	**806**	**1,135**
	10	1	84 x 54		42	2100 x 1350		1050	**T___-B5484**	**907**	**1,263**
	10	1	96 x 54		42	2400 x 1350		1050	**T___-B5496**	**1,018**	**1,406**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Boatshape tops





1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

10	2	108 x 48		36	2700 x 1200		900	**T___-B48108**	**1,246**	**1,707**
10	2	120 x 48		36	3000 x 1200		900	**T___-B48120**	**1,347**	**1,808**
10	2	132 x 48		36	3300 x 1200		900	**T___-B48132**	**1,448**	**1,915**
12	2	144 x 48		36	3600 x 1200		900	**T___-B48144**	**1,543**	**2,032**
12	2	156 x 48		36	3900 x 1200		900	**T___-B48156**	**1,644**	**2,185**
14	2	168 x 48		36	4200 x 1200		900	**T___-B48168**	**1,740**	**2,329**
14	2	180 x 48		36	4500 x 1200		900	**T___-B48180**	**1,835**	**2,483**
16	2	192 x 48		36	4800 x 1200		900	**T___-B48192**	**1,941**	**2,625**
12	2	108 x 54		42	2700 x 1350		1050	**T___-B54108**	**1,316**	**1,755**
12	2	120 x 54		42	3000 x 1350		1050	**T___-B54120**	**1,427**	**1,883**
12	2	132 x 54		42	3300 x 1350		1050	**T___-B54132**	**1,543**	**2,005**
14	2	144 x 54		42	3600 x 1350		1050	**T___-B54144**	**1,666**	**2,127**
14	2	156 x 54		42	3900 x 1350		1050	**T___-B54156**	**1,793**	**2,244**
16	2	168 x 54		42	4200 x 1350		1050	**T___-B54168**	**1,920**	**2,377**
16	2	180 x 54		42	4500 x 1350		1050	**T___-B54180**	**2,037**	**2,503**
18	2	192 x 54		42	4800 x 1350		1050	**T___-B54192**	**2,164**	**2,620**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Boatshape tops





1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

16	3	204 x 48	60	36	5100 x 1200	1500	900	**T___-B48204**	**2,244**	**3,146**
16	3	216 x 48	60	36	5400 x 1200	1500	900	**T___-B48216**	**2,397**	**3,352**
18	3	228 x 48	60	36	5700 x 1200	1500	900	**T___-B48228**	**2,546**	**3,564**
18	3	240 x 48	60	36	6000 x 1200	1500	900	**T___-B48240**	**2,700**	**3,776**
20	3	252 x 48	60	36	6300 x 1200	1500	900	**T___-B48252**	**2,843**	**3,983**
18	3	204 x 54	60	42	5100 x 1350	1500	1050	**T___-B54204**	**2,403**	**3,225**
18	3	216 x 54	60	42	5400 x 1350	1500	1050	**T___-B54216**	**2,519**	**3,437**
20	3	228 x 54	60	42	5700 x 1350	1500	1050	**T___-B54228**	**2,625**	**3,643**
20	3	240 x 54	60	42	6000 x 1350	1500	1050	**T___-B54240**	**2,737**	**3,856**
22	3	252 x 54	60	42	6300 x 1350	1500	1050	**T___-B54252**	**2,854**	**4,063**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

A-shape tops



1½" thick.
Grommet option, add: GC: $53 / G2*: $106. Module option, add: PC: $371 / P2*: $743.
*Tops starting at 72" wide.
Knife edge **(K)**, add 25% to list price.

4	1	48 x 36		30	1200 x 900		750	**T___-A3648**	**482**	**653**
6	1	60 x 36		30	1500 x 900		750	**T___-A3660**	**557**	**769**
6	1	72 x 36		30	1800 x 900		750	**T___-A3672**	**642**	**891**
8	1	84 x 36		30	2100 x 900		750	**T___-A3684**	**706**	**1,018**
8	1	96 x 36		30	2400 x 900		750	**T___-A3696**	**779**	**1,140**
4	1	48 x 42		36	1200 x 1050		900	**T___-A4248**	**536**	**711**
6	1	60 x 42		36	1500 x 1050		900	**T___-A4260**	**610**	**854**
6	1	72 x 42		36	1800 x 1050		900	**T___-A4272**	**737**	**1,008**
8	1	84 x 42		36	2100 x 1050		900	**T___-A4284**	**849**	**1,167**
8	1	96 x 42		36	2400 x 1050		900	**T___-A4296**	**955**	**1,336**

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

= ASSEMBLY REQUIRED

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
A-shape tops (cont'd)	6	1	60 x 48		36	1500 x 1200		900	**T___-A4860**	**653**	**912**
	6	1	72 x 48		36	1800 x 1200		900	**T___-A4872**	**748**	**1,077**
	8	1	84 x 48		36	2100 x 1200		900	**T___-A4884**	**859**	**1,241**
	8	1	96 x 48		36	2400 x 1200		900	**T___-A4896**	**965**	**1,406**
	8	1	60 x 54		42	1500 x 1350		1050	**T___-A5460**	**753**	**981**
	8	1	72 x 54		42	1800 x 1350		1050	**T___-A5472**	**844**	**1,104**
	10	1	84 x 54		42	2100 x 1350		1050	**T___-A5484**	**938**	**1,230**
	10	1	96 x 54		42	2400 x 1350		1050	**T___-A5496**	**1,039**	**1,358**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

A-shape tops



1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.
Knife edge **(K)**, add 25% to list price.

10	2	108 x 48		36	2700 x 1200		900	**T___-A48108**	**1,241**	**1,697**
10	2	120 x 48		36	3000 x 1200		900	**T___-A48120**	**1,342**	**1,798**
10	2	132 x 48		36	3300 x 1200		900	**T___-A48132**	**1,442**	**1,899**
12	2	144 x 48		36	3600 x 1200		900	**T___-A48144**	**1,533**	**2,021**
12	2	156 x 48		36	3900 x 1200		900	**T___-A48156**	**1,634**	**2,175**
14	2	168 x 48		36	4200 x 1200		900	**T___-A48168**	**1,734**	**2,317**
14	2	180 x 48		36	4500 x 1200		900	**T___-A48180**	**1,830**	**2,471**
16	2	192 x 48		36	4800 x 1200		900	**T___-A48192**	**1,936**	**2,615**
12	2	108 x 54		42	2700 x 1350		1050	**T___-A54108**	**1,342**	**1,719**
12	2	120 x 54		42	3000 x 1350		1050	**T___-A54120**	**1,454**	**1,814**
12	2	132 x 54		42	3300 x 1350		1050	**T___-A54132**	**1,565**	**1,941**
14	2	144 x 54		42	3600 x 1350		1050	**T___-A54144**	**1,671**	**2,063**
14	2	156 x 54		42	3900 x 1350		1050	**T___-A54156**	**1,782**	**2,191**
16	2	168 x 54		42	4200 x 1350		1050	**T___-A54168**	**1,899**	**2,312**
16	2	180 x 54		42	4500 x 1350		1050	**T___-A54180**	**2,010**	**2,430**
18	2	192 x 54		42	4800 x 1350		1050	**T___-A54192**	**2,122**	**2,567**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

A-shape tops



1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.
Knife edge **(K)**, add 25% to list price.

16	3	204 x 48	60	36	5100 x 1200	1500	900	**T___-A48204**	**2,164**	**3,081**
16	3	216 x 48	60	36	5400 x 1200	1500	900	**T___-A48216**	**2,302**	**3,267**
18	3	228 x 48	60	36	5700 x 1200	1500	900	**T___-A48228**	**2,430**	**3,453**
18	3	240 x 48	60	36	6000 x 1200	1500	900	**T___-A48240**	**2,578**	**3,638**
20	3	252 x 48	60	36	6300 x 1200	1500	900	**T___-A48252**	**2,710**	**3,829**
18	3	204 x 54	60	42	5100 x 1350	1500	1050	**T___-A54204**	**2,360**	**3,129**
18	3	216 x 54	60	42	5400 x 1350	1500	1050	**T___-A54216**	**2,477**	**3,299**
20	3	228 x 54	60	42	5700 x 1350	1500	1050	**T___-A54228**	**2,589**	**3,484**
20	3	240 x 54	60	42	6000 x 1350	1500	1050	**T___-A54240**	**2,700**	**3,691**
22	3	252 x 54	60	42	6300 x 1350	1500	1050	**T___-A54252**	**2,806**	**3,909**

Specify the finish (5, 6). Specify the edge (N, S, K, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Wave tops



1½" thick.
Grommet option, add: GC: $53 / G2*: $106.
Module option, add: PC: $371 / P2*: $743.
*Tops starting at 72" wide.

4	1	48 x 36		33	1200 x 900		825	**T___-W3648**	**477**	**647**
6	1	60 x 36		33	1500 x 900		825	**T___-W3660**	**552**	**753**
6	1	72 x 36		33	1800 x 900		825	**T___-W3672**	**620**	**870**
8	1	84 x 36		33	2100 x 900		825	**T___-W3684**	**700**	**986**
8	1	96 x 36		33	2400 x 900		825	**T___-W3696**	**774**	**1,114**
4	1	48 x 42		39	1200 x 1050		975	**T___-W4248**	**504**	**700**
6	1	60 x 42		39	1500 x 1050		975	**T___-W4260**	**600**	**844**
6	1	72 x 42		39	1800 x 1050		975	**T___-W4272**	**737**	**991**
8	1	84 x 42		39	2100 x 1050		975	**T___-W4284**	**859**	**1,157**
8	1	96 x 42		39	2400 x 1050		975	**T___-W4296**	**976**	**1,321**

= ASSEMBLY REQUIRED

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Wave tops (cont'd)	6	1	60 x 48		42	1500 x 1200		1050	**T___-W4860**	**658**	**933**
	6	1	72 x 48		42	1800 x 1200		1050	**T___-W4872**	**753**	**1,087**
	8	1	84 x 48		42	2100 x 1200		1050	**T___-W4884**	**865**	**1,257**
	8	1	96 x 48		42	2400 x 1200		1050	**T___-W4896**	**971**	**1,416**
	8	1	60 x 54		48	1500 x 1350		1200	**T___-W5460**	**737**	**1,056**
	8	1	72 x 54		48	1800 x 1350		1200	**T___-W5472**	**832**	**1,172**
	10	1	84 x 54		48	2100 x 1350		1200	**T___-W5484**	**938**	**1,305**
	10	1	96 x 54		48	2400 x 1350		1200	**T___-W5496**	**1,044**	**1,427**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Wave tops



1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

10	2	108 x 48		42	2700 x 1200		1050	**T___-W48108**	**1,263**	**1,719**
10	2	120 x 48		42	3000 x 1200		1050	**T___-W48120**	**1,358**	**1,820**
12	2	132 x 48		42	3300 x 1200		1050	**T___-W48132**	**1,459**	**1,926**
12	2	144 x 48		42	3600 x 1200		1050	**T___-W48144**	**1,560**	**2,042**
12	2	156 x 48		42	3900 x 1200		1050	**T___-W48156**	**1,654**	**2,196**
14	2	168 x 48		42	4200 x 1200		1050	**T___-W48168**	**1,755**	**2,339**
14	2	180 x 48		42	4500 x 1200		1050	**T___-W48180**	**1,851**	**2,498**
16	2	192 x 48		42	4800 x 1200		1050	**T___-W48192**	**1,957**	**2,636**
12	2	108 x 54		48	2700 x 1350		1200	**T___-W54108**	**1,347**	**1,798**
12	2	120 x 54		48	3000 x 1350		1200	**T___-W54120**	**1,459**	**1,926**
14	2	132 x 54		48	3300 x 1350		1200	**T___-W54132**	**1,575**	**2,042**
14	2	144 x 54		48	3600 x 1350		1200	**T___-W54144**	**1,697**	**2,175**
14	2	156 x 54		48	3900 x 1350		1200	**T___-W54156**	**1,820**	**2,297**
16	2	168 x 54		48	4200 x 1350		1200	**T___-W54168**	**1,952**	**2,413**
16	2	180 x 54		48	4500 x 1350		1200	**T___-W54180**	**2,069**	**2,541**
18	2	192 x 54		48	4800 x 1350		1200	**T___-W54192**	**2,196**	**2,673**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Wave tops



1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

16	3	204 x 48	60	42	5100 x 1200	1500	1050	**T___-W48204**	**2,259**	**3,156**
16	3	216 x 48	60	42	5400 x 1200	1500	1050	**T___-W48216**	**2,408**	**3,363**
18	3	228 x 48	60	42	5700 x 1200	1500	1050	**T___-W48228**	**2,567**	**3,575**
18	3	240 x 48	60	42	6000 x 1200	1500	1050	**T___-W48240**	**2,710**	**3,792**
20	3	252 x 48	60	42	6300 x 1200	1500	1050	**T___-W48252**	**2,859**	**3,999**
18	3	204 x 54	60	48	5100 x 1350	1500	1200	**T___-W54204**	**2,430**	**3,209**
18	3	216 x 54	60	48	5400 x 1350	1500	1200	**T___-W54216**	**2,546**	**3,416**
20	3	228 x 54	60	48	5700 x 1350	1500	1200	**T___-W54228**	**2,652**	**3,628**
20	3	240 x 54	60	48	6000 x 1350	1500	1200	**T___-W54240**	**2,753**	**3,840**
22	3	252 x 54	60	48	6300 x 1350	1500	1200	**T___-W54252**	**2,854**	**4,047**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Oval tops

1½" thick.
Grommet option, add: GC: $53 / G2*: $106.
Module option, add: PC: $371 / P2*: $743.
*Tops starting at 72" wide.

8	1	72 x 42		1800 x 1050			**T___-O4272**	**791**	**1,082**
8	1	84 x 42		2100 x 1050			**T___-O4284**	**933**	**1,246**
9	1	96 x 42		2400 x 1050			**T___-O4296**	**1,066**	**1,411**
8	1	72 x 48		1800 x 1200			**T___-O4872**	**854**	**1,177**
8	1	84 x 48		2100 x 1200			**T___-O4884**	**960**	**1,347**
10	1	96 x 48		2400 x 1200			**T___-O4896**	**1,071**	**1,507**
8	1	72 x 54		1800 x 1350			**T___-O5472**	**897**	**1,220**
9	1	84 x 54		2100 x 1350			**T___-O5484**	**1,008**	**1,347**
10	1	96 x 54		2400 x 1350			**T___-O5496**	**1,119**	**1,469**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

= ASSEMBLY REQUIRED

	Approx. number of places	Section	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Oval tops	11	2	108 x 48			2700 x 1200			**T___-048108**	**1,369**	**1,814**
	12	2	120 x 48			3000 x 1200			**T___-048120**	**1,475**	**1,920**
	12	2	132 x 48			3300 x 1200			**T___-048132**	**1,586**	**2,016**
	13	2	144 x 48			3600 x 1200			**T___-048144**	**1,692**	**2,138**
	14	2	156 x 48			3900 x 1200			**T___-048156**	**1,793**	**2,291**
	15	2	168 x 48			4200 x 1200			**T___-048168**	**1,904**	**2,430**
	16	2	180 x 48			4500 x 1200			**T___-048180**	**2,010**	**2,589**
	17	2	192 x 48			4800 x 1200			**T___-048192**	**2,111**	**2,732**
	11	2	108 x 54			2700 x 1350			**T___-054108**	**1,469**	**1,883**
	12	2	120 x 54			3000 x 1350			**T___-054120**	**1,596**	**2,005**
	13	2	132 x 54			3300 x 1350			**T___-054132**	**1,719**	**2,127**
	14	2	144 x 54			3600 x 1350			**T___-054144**	**1,856**	**2,244**
	15	2	156 x 54			3900 x 1350			**T___-054156**	**1,999**	**2,377**
	15	2	168 x 54			4200 x 1350			**T___-054168**	**2,132**	**2,503**
	16	2	180 x 54			4500 x 1350			**T___-054180**	**2,271**	**2,620**
	17	2	192 x 54			4800 x 1350			**T___-054192**	**2,403**	**2,742**



1½" thick. Packed in 2 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Oval tops	18	3	204 x 48	60		5100 x 1200	1500		**T___-048204**	**2,435**	**3,225**
	20	3	216 x 48	60		5400 x 1200	1500		**T___-048216**	**2,594**	**3,437**
	22	3	228 x 48	60		5700 x 1200	1500		**T___-048228**	**2,737**	**3,643**
	24	3	240 x 48	60		6000 x 1200	1500		**T___-048240**	**2,891**	**3,856**
	24	3	252 x 48	60		6300 x 1200	1500		**T___-048252**	**3,033**	**4,063**
	20	3	204 x 54	60		5100 x 1350	1500		**T___-054204**	**2,636**	**3,299**
	22	3	216 x 54	60		5400 x 1350	1500		**T___-054216**	**2,737**	**3,532**
	22	3	228 x 54	60		5700 x 1350	1500		**T___-054228**	**2,838**	**3,771**
	24	3	240 x 54	60		6000 x 1350	1500		**T___-054240**	**2,939**	**3,988**
	24	3	252 x 54	60		6300 x 1350	1500		**T___-054252**	**3,045**	**4,206**



1½" thick. Packed in 3 boxes.
Grommet option, add: GC: $53 / G2: $106 / G3: $159.
Module option, add: PC: $371 / P2: $743 / P3: $1,114.
Two-tone combination, specify N or S edge only.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

BASES

Thermofused laminate bases



This base allows you to connect electric cables to a floor plug. WM at the end of the code indicates a base with 110° hinges and a locked storage unit. Specify the laminate finish.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
20 x 8 x 28	518 x 200 x 713	**TNNN-LB20**	**482**
20 x 8 x 28	518 x 200 x 713	**TNNN-LB20WM**	**605**
24 x 8 x 28	618 x 200 x 713	**TNNN-LB24**	**504**
24 x 8 x 28	618 x 200 x 713	**TNNN-LB24WM**	**642**

Combined bases



Laminate with Silver anodized aluminum extrusions. Specify the laminate finish. Available in Silver only.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
20 x 6 x 28	530 x 150 x 713	**TNNS-CB20**	**381**
24 x 6 x 28	630 x 150 x 713	**TNNS-CB24**	**398**

U-shaped combined bases



Laminate with Silver anodized aluminum contour. Specify the laminate finish.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
20 x 6 x 28	530 x 150 x 713	**TNNS-UCB20**	**467**
24 x 6 x 28	630 x 150 x 713	**TNNS-UCB24**	**482**

Metal T-bases



The top plate allows the mounting of a LGC-PC.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
30 x 3 x 28	760 x 75 x 713	**TNN_-TB26**	**287**
35 x 3 x 28	888 x 75 x 713	**TNN_-TB33**	**292**

Specify the accent color (A, S).

= QUICKSHIP = ASSEMBLY REQUIRED

PLEASE REFER TO PAGE 169 FOR BASES AND PAGE 193 FOR GROMMETS AND ELECTRICAL / COMMUNICATION MODULE OPTIONS.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal X-base	*The top plate allows the mounting of a LGC-PC.*			
	35 x 35 x 28	888 x 888 x 713	**TNN_-XB33**	**578**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal disc bases	*The top plate allows the mounting of a LGC-PC.*			
	22 x 4 x 28	559 x 101 x 713	**TNN_-DC22**	**536**
	27 x 4 x 28	691 x 101 x 713	**TNN_-DC27**	**653**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal spider legs	*2 legs.*			
	8 x 2 x 28	212 x 51 x 713	**TNN_-STL2**	**371**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal angled legs	*2 legs.*			
	9 x 2 x 28	228 x 51 x 713	**TNN_-ATL2**	**388**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal square legs	*2 legs.*			
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL2**	**217**
	Specify the accent color (A, S).			



	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Metal round legs	*2 legs.*			
	2½ x 2½ x 28	64 x 64 x 713	**TNN_-VTL2**	**217**
	Specify the accent color (A, S).			



= ASSEMBLY REQUIRED = QUICKSHIP

MODULAR TABLES

Try a modular table and you'll never want to use anything else. Highly original and adaptable, our freestanding modular tables can be easily configured to your needs and requirements, allowing you to organize all kinds of presentations, training sessions and meetings.

Explore their potential and multiple functionalities to help you find the ideal solution.

TOPS



Rectangular top | Rectangular top with modesty panel | Fantail top | Fantail top with modesty panel | 10° Pentagonal top | 15° Pentagonal top | Half-moon

BASES



Thermofused laminate base | Thermofused laminate base with cable management | Metal T-base | Metal T-base with casters | Metal spider legs | Metal spider legs with casters | Metal angled legs | Metal angled legs with casters | Metal round legs | Metal round legs with casters

TECHNOLOGY INTEGRATION



Metal square legs | Metal square legs with casters | Grommet | Electrical / communication module | Interlink connectable electrical / communication module | Interlink bypass cables | Double electrical / communication module | Half electrical module | Electrical / Ipod module

CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft³) tops are 1½" (38 mm) thick and are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.

Table surfaces are pre-drilled and position of the bases is assured with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

Connectors are available to attach two modular tables together, offering a quick and practical way to reconfigure your furniture, without the use of tools. Surfaces with a depth of 24" and 30" (600 and 750 mm) are perforated, ready to receive the connector. **Refer to the Accessories section, page 193**.

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 28" (700 mm) is the minimum space required for people to work comfortably seated next to each other.

TABLE SURFACES

- Depths: 24" and 30" (600 and 750 mm)
- Widths (depending on shapes): 36" to 96" (900 to 2400 mm), in increments of 6" (150 mm)

ACCENT COLORS



S – Silver | **A – Anthracite Grey**

The accent color applies to non-laminate components such as bases, grommets, and modesty supports.

Exceptions: Power units and Interlink modules are in Silver anodized aluminum.

EDGEBANDING

1½" (38 mm) thick tops.

N edge | **S edge** | **Textured 1 edge** | **Textured 2 edge**



Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface**.

Silver edge.

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

EDGEBANDING POSITION

Smooth N & S edgebanding

Textured 1 & 2 edgebanding



MODESTY PANEL

It is possible to order rectangular or fantail tops with or without a half-height modesty panel. Modesty panels are made of 5/8" (16 mm) thick thermofused laminate panels finished on both sides. A 1½" (38 mm) space between the work surface and the panel allows wires to pass through. Modesty panels are not available for 10° and 15° pentagonal tops.

TWO-TONE APPLICATION

Rectangular or fantail tops for modular tables with optional modesty panel can be ordered in a combination of two finishes. For two-tone applications, the first finish specified will be applied to the surface (grey area) and the second finish specified will be applied to the modesty panel.

TECHNOLOGY INTEGRATION

All tables can be ordered with grommets or electrical / communication modules. At the end of the table code, specify the code for the desired cut-out type. Cut-outs for **G** grommets or **P** modules are manufactured in a preset position at the factory.

P modules are available with single cord option or with Interlink system which allows multiple units to be connected together in a sequence. Refer to Interlink electrical / communication module section on page 177 for more information.

Modules need to be ordered separately when **P** option is specified. Please see page 193. **G** grommet is included with the surface.



G grommet

P Electrical / communication module

Refer to the Accessories section, page 193 for more electrical / communication modules. Cut-out to be made on-site or special-ordered.

Please refer to the illustrations below for the two-tone application, the wood grain direction and the preset cut-out position for G grommets or P modules.



Rectangular top with modesty panel



Fantail top with modesty panel



10° or 15° pentagonal top



Half-moon

WIRE MANAGEMENT SYSTEMS

The **LB__WM** thermofused laminate base offers a vertical wire management system with a lockable storage unit. It is designed with a 6" (150 mm) recessed bottom that can be positioned above a floor plug. The hinges of the storage unit easily open up to 110°. It is possible to add horizontal PVC wire management channels (LGC-HWMCxx_(A, S)) under the table's work surface or vertical PVC wire management channels (LGC-VWMC20_(A, S)) on legs. **Please refer to the Accessories section, page 193.**



MODULAR TABLE BASES

Refer to the Compatibility Table, on page 162, for the number of bases required for the dimensions of the table's work surface. It is possible to order different types of bases for the same surface. Metal legs are finished with a Silver or Anthracite Grey ultra-resistant, electrostatic paint.

LEVELERS

Fixed bases are equipped with levelers that can be be adjusted to a height of 1¼" (31 mm), except for spider legs, which can be adjusted to a height of ½" (12 mm), and 24" (600 mm) T-bases, which can be adjusted to a height of ¾" (19 mm).

LB20/LB30

LB20WM/LB30WM

TB24

STL2

ATL2

VTL2

QTL2

MTB24

MSTL2

MATL2

MVTL2

MQTL2

CODIFICATION

	Options			
Series	Finish / Thickness	Edgebanding	Accent color	Electrical integration / Quantity
T	**5** Thermofused laminate 1½" **6** High-pressure laminate 1½"	**N** Smooth edge **S** Silver edge **1** Textured 1 edge **2** Textured 2 edge	**N** N/A **A** Anthracite Grey **S** Silver	**_** No grommet / No module **G** Grommet **P** Cut-out for electrical / communication module

ORDERING EXAMPLES

Rectangular top, 30" x 60", 1½" thick thermofused laminate, smooth edgebanding, modesty panel, cut-out with grommet, Silver. Finish: One-tone in Tuscany Walnut.
T5NS-RCMM3060 G TWT

10° pentagonal top, 24" x 60", 1½" thick thermofused laminate, #1 textured edgebanding, cut-out for 1 electrical / communication module. Finish: One-tone in Natural Cherry.
T51N-PM2460 P NTL

Fantail top, 24" x 48", 1½" thick high-pressure laminate, smooth edgebanding, modesty panel. Finish: Two-tone in Tuscany Walnut and Willow Grey.
T6NN-FTMM2448 TWT/WGR

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

COMPATIBILITY CHART – MODULAR TABLES

			BASE OPTIONS						
									
	SURFACE DEPTHS	SURFACE WIDTHS	TB24 + LB20	STL2 + LB20 ATL2 + LB20 QTL2 + LB20 VTL2 + LB20	STL2 + LB30 ATL2 + LB30 QTL2 + LB30 VTL2 + LB30 TB24 + LB30	TB24	STL2 ATL2 QTL2 VTL2	MTB24	MSTL2 MATL2 MQTL2 MVTL2
RECTANGULAR PENTAGONAL	24"	48" à 72"	•	•		•	•	•	•
		78" à 96"	•			•	•		
	30"	48" à 72"	•	•		•	•	•	•
		78" à 96"	•			•	•		
FANTAIL	24"	36" à 42"				•	•	•	•
		48" à 60"	•	•		•	•	•	•
	30"	42"				•	•	•	•
		48" à 60"	•	•		•	•	•	•
HALF-MOON	30"	60"			•	•	•	•	•

Rectangular tops



1½" thick.
Grommet option, add: G: $53.
Specify the accent color (A, S).
Module cut-out option, add: P at the end of the code.

Approx. number of places	W x D (in)	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate ($)	HPL Surfaces ($)
1	48 x 24				1200 x 600				**T___-RCM2448**	**403**	**525**
2	54 x 24				1350 x 600				**T___-RCM2454**	**441**	**562**
2	60 x 24				1500 x 600				**T___-RCM2460**	**472**	**600**
2	66 x 24				1650 x 600				**T___-RCM2466**	**499**	**653**
2	72 x 24				1800 x 600				**T___-RCM2472**	**536**	**690**
3	78 x 24				1950 x 600				**T___-RCM2478**	**562**	**732**
3	84 x 24				2100 x 600				**T___-RCM2484**	**594**	**779**
3	90 x 24				2250 x 600				**T___-RCM2490**	**642**	**838**
3	96 x 24				2400 x 600				**T___-RCM2496**	**673**	**880**
1	48 x 30				1200 x 750				**T___-RCM3048**	**451**	**594**
2	54 x 30				1350 x 750				**T___-RCM3054**	**482**	**642**
2	60 x 30				1500 x 750				**T___-RCM3060**	**509**	**679**
2	66 x 30				1650 x 750				**T___-RCM3066**	**547**	**732**
2	72 x 30				1800 x 750				**T___-RCM3072**	**578**	**774**
3	78 x 30				1950 x 750				**T___-RCM3078**	**620**	**838**
3	84 x 30				2100 x 750				**T___-RCM3084**	**668**	**885**
3	90 x 30				2250 x 750				**T___-RCM3090**	**706**	**945**
3	96 x 30				2400 x 750				**T___-RCM3096**	**753**	**991**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

FOR **P** OPTION: REFER TO PAGE 193 FOR PC MODULE OR PAGE 178 FOR INTERLINK CONNECTION MODULE. SOME RESTRICTIONS APPLY. SEE INSTRUCTIONS BEFORE PLACING ORDER.

	Approx. number of places	W x D (in)	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tops with modesty panel	1	48 x 24				1200 x 600				**T___-RCMM2448**	**567**	**673**
	2	54 x 24				1350 x 600				**T___-RCMM2454**	**594**	**711**
	2	60 x 24				1500 x 600				**T___-RCMM2460**	**631**	**764**
	2	66 x 24				1650 x 600				**T___-RCMM2466**	**668**	**806**
	2	72 x 24				1800 x 600				**T___-RCMM2472**	**700**	**865**
	3	78 x 24				1950 x 600				**T___-RCMM2478**	**753**	**912**
	3	84 x 24				2100 x 600				**T___-RCMM2484**	**791**	**971**
	3	90 x 24				2250 x 600				**T___-RCMM2490**	**844**	**1,034**
	3	96 x 24				2400 x 600				**T___-RCMM2496**	**880**	**1,082**
	1	48 x 30				1200 x 750				**T___-RCMM3048**	**594**	**753**
	2	54 x 30				1350 x 750				**T___-RCMM3054**	**642**	**791**
	2	60 x 30				1500 x 750				**T___-RCMM3060**	**679**	**849**
	2	66 x 30				1650 x 750				**T___-RCMM3066**	**726**	**897**
	2	72 x 30				1800 x 750				**T___-RCMM3072**	**764**	**955**
	3	78 x 30				1950 x 750				**T___-RCMM3078**	**806**	**1,018**
	3	84 x 30				2100 x 750				**T___-RCMM3084**	**865**	**1,077**
	3	90 x 30				2250 x 750				**T___-RCMM3090**	**907**	**1,140**
	3	96 x 30				2400 x 750				**T___-RCMM3096**	**960**	**1,199**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).



1½" thick. Laminate modesty panel ⅝" thick. 2 supports included.
Grommet option, add: G: $53.
Specify the accent color (A, S).
Module cut-out option, add: P at the end of the code.

Fantail tops	1	50 x 24	36	36	13⅛	1273 x 610	900	900	335	**T___-FTM2436**	**446**	**557**
	1	58 x 24	42	42	21½	1485 x 610	1050	1050	547	**T___-FTM2442**	**472**	**583**
	2	67 x 24	48	48	29⅞	1697 x 610	1200	1200	759	**T___-FTM2448**	**488**	**620**
	2	75 x 24	54	54	38¼	1909 x 610	1350	1350	971	**T___-FTM2454**	**509**	**658**
	2	83 x 24	60	60	46½	2121 x 610	1500	1500	1183	**T___-FTM2460**	**536**	**690**
	1	58 x 28	42	42	13⅛	1485 x 715	1050	1050	335	**T___-FTM3042**	**504**	**658**
	2	67 x 28	48	48	21½	1697 x 715	1200	1200	541	**T___-FTM3048**	**541**	**700**
	2	75 x 28	54	54	29⅞	1909 x 715	1350	1350	759	**T___-FTM3054**	**562**	**753**
	2	83 x 28	60	60	46½	2121 x 715	1500	1500	971	**T___-FTM3060**	**600**	**812**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.





1½" thick.
Grommet option, add: G: $53.
Specify the accent color (A, S).
Module cut-out option, add: P at the end of the code.

Fantail tops with modesty panel	1	50 x 24	36	36	13⅛	1273 x 610	900	900	335	**T___-FTMM2436**	**605**	**726**
	2	58 x 24	42	42	21½	1485 x 610	1050	1050	547	**T___-FTMM2442**	**647**	**759**
	2	67 x 24	48	48	29⅞	1697 x 610	1200	1200	759	**T___-FTMM2448**	**668**	**796**
	2	75 x 24	54	54	38¼	1909 x 610	1350	1350	971	**T___-FTMM2454**	**690**	**844**
	3	83 x 24	60	60	46½	2121 x 610	1500	1500	1183	**T___-FTMM2460**	**726**	**880**
	2	58 x 28	42	42	13⅛	1485 x 715	1050	1050	335	**T___-FTMM3042**	**684**	**838**
	2	67 x 28	48	48	21½	1697 x 715	1200	1200	541	**T___-FTMM3048**	**726**	**885**
	2	75 x 28	54	54	29⅞	1909 x 715	1350	1350	759	**T___-FTMM3054**	**753**	**945**
	3	83 x 28	60	60	46½	2121 x 715	1500	1500	971	**T___-FTMM3060**	**791**	**1,008**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).





1½" thick. Laminate modesty panel ⅝" thick. 2 supports included.
Grommet option, add: G: $53.
Specify the accent color (A, S).
Module cut-out option, add: P at the end of the code.

FOR **P** OPTION: REFER TO PAGE 193 FOR PC MODULE OR PAGE 178 FOR INTERLINK CONNECTION MODULE.
SOME RESTRICTIONS APPLY. SEE INSTRUCTIONS BEFORE PLACING ORDER.

= ASSEMBLY REQUIRED = QUICKSHIP

	Approx. number of places	W x D (in)	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate ($)	HPL Surfaces ($)
10° Pentagonal tops	2	51 3/8 x 25 7/8	48	25½		1304 x 654	1200	648		**T___-PM2448**	**477**	**605**
	2	57 3/8 x 26	54	28½		1454 x 661	1350	724		**T___-PM2454**	**499**	**653**
	2	63½ x 26 3/8	60	31½		1604 x 667	1500	799		**T___-PM2460**	**525**	**690**
	2	69 x 26½	66	34½		1754 x 674	1650	874		**T___-PM2466**	**557**	**737**
	2	75 x 26 7/8	72	37 3/8		1904 x 681	1800	949		**T___-PM2472**	**583**	**774**
	3	81 x 27	78	40 3/8		2054 x 687	1950	1025		**T___-PM2478**	**620**	**832**
	3	86 7/8 x 27 3/8	84	43 3/8		2204 x 694	2100	1100		**T___-PM2484**	**668**	**880**
	2	64 3/8 x 32¼	60	32		1630 x 818	1500	812		**T___-PM3060**	**589**	**801**
	2	70 x 31½	66	35		1780 x 825	1650	887		**T___-PM3066**	**620**	**854**
	2	76 x 32¾	72	38		1930 x 831	1800	963		**T___-PM3072**	**658**	**891**
	3	82 x 33	78	40 7/8		2080 x 838	1950	1038		**T___-PM3078**	**690**	**945**
	3	87 7/8 x 32¼	84	43 7/8		2230 x 844	2100	1113		**T___-PM3084**	**737**	**986**





1½" thick.
Grommet option, add: G: $53.
Module cut-out option, add: P at the end of the code.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

15° Pentagonal tops	2	53 3/8 x 27	48	26½		1356 x 683	1200	674		**T___-PM24485**	**477**	**605**
	2	59 5/16 x 27 5/16	54	29½		1506 x 693	1350	750		**T___-PM24545**	**499**	**653**
	2	65¼ x 27¾	60	32½		1656 x 703	1500	826		**T___-PM24605**	**525**	**690**
	2	71 x 28	66	35½		1806 x 713	1650	901		**T___-PM24665**	**557**	**737**
	2	77 x 28 3/8	72	38½		1956 x 722	1800	977		**T___-PM24725**	**583**	**774**
	3	83 x 28 7/8	78	41½		2106 x 732	1950	1053		**T___-PM24785**	**620**	**832**
	3	88 7/8 x 29¼	84	44½		2256 x 742	2100	1128		**T___-PM24845**	**668**	**880**
	2	66¾ x 33 5/8	60	33¼		1695 x 854	1500	845		**T___-PM30605**	**589**	**801**
	2	72 5/8 x 34	66	36¼		1845 x 864	1650	920		**T___-PM30665**	**620**	**854**
	2	78½ x 34 3/8	72	39¼		1995 x 874	1800	997		**T___-PM30725**	**658**	**891**
	3	84½ x 34 7/8	78	42¼		2145 x 884	1950	1072		**T___-PM30785**	**690**	**945**
	3	90 3/8 x 35¼	84	45 1/8		2295 x 893	1200	1148		**T___-PM30845**	**737**	**986**





1½" thick.
Grommet option, add: G: $53.
Module cut-out option, add: P at the end of the code.

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Half-moon tops	2	60 x 30				1500 x 750				**T___-HRM3060**	**567**	**726**

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.



1½" thick.
Grommet option, add: G: $53.
Specify the finish (A, S).
Module cut-out option, add: P at the end of the code.

= QUICKSHIP

FOR **P** OPTION: REFER TO PAGE 193 FOR PC MODULE OR PAGE 178 FOR INTERLINK CONNECTION MODULE.
SOME RESTRICTIONS APPLY. SEE INSTRUCTIONS BEFORE PLACING ORDER.

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Thermofused laminate bases	*This base allows you to connect electric cables to a floor plug. **WM** at the end of the code indicates a base with 110° hinges and a locked storage unit. Specify the laminate finish.*				
	20 x 8 x 28	518 x 200 x 713	**TNNN-LB20**		**482**
	20 x 8 x 28	518 x 200 x 713	**TNNN-LB20WM**		**605**
	30 x 8 x 28	768 x 200 x 713	**TNNN-LB30**		**541**
	30 x 8 x 28	768 x 200 x 713	**TNNN-LB30WM**		**668**
Metal square legs	*2 legs.*				
	2 x 2 x 28	51 x 51 x 713	**TNN_-QTL2**		**217**
	Specify the accent color (A, S).				
Metal square legs with casters	*2 legs. Casters with brakes.*				
	2 x 2 x 28	51 x 51 x 713	**TNN_-MQTL2**		**217**
	Specify the accent color (A, S).				
Metal round legs	*2 legs.*				
	2½ x 2½ x 28	64 x 64 x 713	**TNN_-VTL2**		**217**
	Specify the accent color (A, S).				
Metal round legs with casters	*2 legs. Casters with brakes.*				
	2½ x 2½ x 28	64 x 64 x 713	**TNN_-MVTL2**		**217**
	Specify the accent color (A, S).				
Metal T-bases	*2 legs.*				
	23 x 2 x 28	588 x 51 x 713	**TNN_-TB24**		**435**
	Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Metal T-bases with casters	*2 legs. Casters with brakes.*				
	21 x 2 x 28	531 x 51 x 713	**TNN_-MTB24**		**435**
	Specify the accent color (A, S).				
Metal spider legs	*2 legs. Aluminum levelers.*				
	8 x 2 x 28	212 x 51 x 713	**TNN_-STL2**		**371**
	Specify the accent color (A, S).				
Metal spider legs with casters	*2 legs. Casters with brakes.*				
	8 x 2 x 28	212 x 51 x 713	**TNN_-MSTL2**		**371**
	Specify the accent color (A, S).				
Metal angled legs	*2 legs.*				
	9 x 2 x 28	228 x 51 x 713	**TNN_-ATL2**		**388**
	Specify the accent color (A, S).				
Metal angled legs with casters	*2 legs. Casters with brakes.*				
	9 x 2 x 28	228 x 51 x 713	**TNN_-MATL2**		**388**
	Specify the accent color (A, S).				

= QUICKSHIP

INTERLINK ELECTRICAL & COMMUNICATION MODULES

- When multiple power modules are needed for modular tables, but there is not necessary power supply to do so, then Interlink Electrical and Communication modules are the solution. Interlink allows the connection of one power module to the next, providing power for all of them in the series. Designed specifically for movable furniture, Interlink allows you to configure your workspace exactly how you want it.
- Single circuit power.
- Interlink Electrical and Communication module allows the possibility to add two outlets for fax, phone, or computer.
- Up to 8 duplex devices, 40 ft maximum total length.

To have 8 tables connected on-line, they must be smaller or equal to 60" (1500 mm) in length. If the tables measure more than 60" in length, the links must be connected with a bypass link.

- Links are numbered and color-coded and must be connected in sequence, for example, black with black, red with red. It is an electrical system easy to connect and disconnect.
- Bypass Links: required for tables over 60" (1500 mm) in length, are color and number coded exactly like the links, must be connected in sequence. For each bypass link included in the connection, one link must be deducted to have a maximum of 8 units overall.
- Anodized aluminum finish.
- UL recognized electrical power module component per UL 962.

*Remember to use adhesive wire channel LGC-HWMC__ to manage wires. Refer to the Accessories section, page 193.

COMPONENTS OF THE INTERLINK SYSTEM: STARTER AND ADD-ON



HOW TO CONNECT THE INTERLINK UNITS WITH EACH OTHER

Links and Bypass Links must be connected in sequence:

- Example with 8 tables of 60": 8 Links, no Bypass Links



- Example with 4 tables of 96": 4 Links, 3 Bypass Links



- Example with 4 tables of 72": 4 Links. Since the first Link is placed at more than 10 ft from the power source, the connection starts with the starter Bypass #1.



	Description	Color	Code	Price ($)
Starter electrical link module #1	*2 electrical outlets. Can accommodate 2 computer jack models for AMP or Panduit, fax, telephone. 10' cord with wall outlet. Anodized aluminum.*			
 8¼ x 4³⁄₈ x 3" 212 x 110 x 75 mm	Starter link #1	Black	**LGC-PCINTS1**	**467**
Electrical link modules	*2 electrical outlets. Can accommodate 2 computer jack models for AMP or Panduit, fax, telephone. 5' cord. Anodized aluminum.*			
 8¼ x 4³⁄₈ x 3" 212 x 110 x 75 mm	Add-on Link #2	Black/Red	**LGC-PCINT2**	**403**
	Add-on Link #3	Red/Blue	**LGC-PCINT3**	**403**
	Add-on Link #4	Blue/Orange	**LGC-PCINT4**	**403**
	Add-on Link #5	Orange/Yellow	**LGC-PCINT5**	**403**
	Add-on Link #6	Yellow/Green	**LGC-PCINT6**	**403**
	Add-on Link #7	Green/White	**LGC-PCINT7**	**403**
	Add-on Link #8	White	**LGC-PCINT8**	**403**

	Description	Color	Code	Price ($)
Starter bypass cable #1	*Used when modular table is farther than 5' from power supply. 10' cord with wall outlet.*			
	Bypass Starter #1	Black	**LGC-BYPASS1**	**175**
Bypass cables	*To connect electrical link modules to each other, when modular tables are 66" (1650 mm) or longer. 5' cord.*			
	Bypass Link #2	Black/Red	**LGC-BYPASS2**	**116**
	Bypass Link #3	Red/Blue	**LGC-BYPASS3**	**116**
	Bypass Link #4	Blue/Orange	**LGC-BYPASS4**	**116**
	Bypass Link #5	Orange/Yellow	**LGC-BYPASS5**	**116**
	Bypass Link #6	Yellow/Green	**LGC-BYPASS6**	**116**
	Bypass Link #7	Green/White	**LGC-BYPASS7**	**116**

TRAINING TABLES

Coordinate shapes and sizes in record times as your needs change. With four locking casters and an optional Flip-Top mechanism that allows you to fold the top down, our training tables can be nested together, moved and stored away, depending on your daily activities.

Finally, a training table that truly makes your life easier!

TOPS

Rectangular top | Rectangular top with modesty panel | Hexagonal top | Hexagonal top with modesty panel | Wave top | Wave top with modesty panel | Trapezoidal top | Trapezoidal top with modesty panel | Half-moon

BASES



T-base with casters



T-base with casters and Flip-Top mechanism



T-base with casters, Flip-Top mechanism and handle



L-base with casters



L-base with casters and Flip-Top mechanism



L-base with casters, Flip-Top mechanism and handle

TECHNOLOGY INTEGRATION



Removable electrical / communication module

CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft^3) tops are 1" (25 mm) thick and are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.

Table surfaces are pre-drilled and bases are easy to position with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

Connectors are available to attach two training tables together, offering a quick and practical way to reconfigure your workspace, without the use of tools. Surfaces with a depth of 24" and 30" (600 and 750 mm) are perforated, ready to receive the connector. **Refer to the Accessories section, page 193.**

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 28" (700 mm) is the minimum space required for people to work comfortably seated next to each other.

SURFACES

- Depths: 24" and 30" (600 and 750 mm)
- Widths: 48" to 72" (1200 to 1800 mm), in increments of 6" (150 mm)

EDGEBANDING

1" (25 mm) thick tops.

N Edge

S Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface**.

Silver edge

ACCENT COLORS



S – Silver

A – Anthracite Grey

The accent color applies to non-laminate components such as bases and modesty supports.

Exceptions: Flip-Top mechanisms and electrical modules.

EDGEBANDING POSITION

Smooth N & S edgebanding



TECHNOLOGY INTEGRATION AND WIRE MANAGEMENT SYSTEMS

An LGC-PCS (available in Silver only) electrical / communication module is available. This removable module can be quickly installed on the work surface, without the use of tools.

It is possible to add horizontal PVC wire management channels (LGC-HWMCxx_(A, S)) under the table's work surface or vertical PVC wire management channels (LGC-VWMC20_(A, S)) on L- or T-bases. **Please refer to the Accessories section, page 193.**



MODESTY PANEL OPTION

- Folds by gravity and allows tables to be nestled
- Translucent acrylic
- Support brackets are finished in Silver (S) or Anthracite Grey (A)



BASES FOR TRAINING TABLES

Metal L- and T-bases are available for all work surfaces and are finished with Silver or Anthracite Grey ultra-resistant, electrostatic paint. All bases feature 3" (75 mm) diameter casters with brakes. Capacity: 100 lb (45 kg) per caster.

With L- or T-bases with locking casters and an optional Flip-Top mechanism (available with or without a handle) that allows you to fold the top down, our training tables can be nested to help you move and store them away easily.

Examples of the space required to store three tables:

L-Bases



T-Bases



CODIFICATION

	Options		
Series	Finish / Thickness	Edgebanding	Accent color
T	**1** Thermofused laminate 1" **2** High-pressure laminate 1"	**N** Smooth edge **S** Silver edge	**N** No accent **A** Anthracite Grey **S** Silver

ORDERING EXAMPLES

Rectangular top, 24" x 60", 1" thick thermofused laminate, smooth edgebanding. Finish: Tuscany Walnut.
T1NN-RCT2460 TWT

Wave top, 24" x 48", 1" thick high-pressure laminate, Silver edgebanding. Finish: Natural Cherry.
T2SN-WT2448 NTL

	Approx. number of places	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tops	1	48 x 24			1200 x 600			**T__N-RCT2448**	**260**	**376**
	2	54 x 24			1350 x 600			**T__N-RCT2454**	**292**	**414**
	2	60 x 24			1500 x 600			**T__N-RCT2460**	**328**	**461**
	2	66 x 24			1650 x 600			**T__N-RCT2466**	**371**	**504**
	2	72 x 24			1800 x 600			**T__N-RCT2472**	**414**	**562**
	1	48 x 30			1200 x 750			**T__N-RCT3048**	**287**	**441**
	2	54 x 30			1350 x 750			**T__N-RCT3054**	**318**	**477**
	2	60 x 30			1500 x 750			**T__N-RCT3060**	**355**	**520**
	2	66 x 30			1650 x 750			**T__N-RCT3066**	**393**	**567**
	2	72 x 30			1800 x 750			**T__N-RCT3072**	**441**	**620**



1" thick.

Specify the finish (1, 2). Specify the edge (N, S).

= QUICKSHIP

	Approx. number of places	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tops with modesty panel	1	48 x 24			1200 x 600			**T___-RCTT2448**	**605**	**726**
	2	54 x 24			1350 x 600			**T___-RCTT2454**	**642**	**764**
	2	60 x 24			1500 x 600			**T___-RCTT2460**	**679**	**801**
	2	66 x 24			1650 x 600			**T___-RCTT2466**	**716**	**854**
	2	72 x 24			1800 x 600			**T___-RCTT2472**	**764**	**907**
	1	48 x 30			1200 x 750			**T___-RCTT3048**	**631**	**785**
	2	54 x 30			1350 x 750			**T___-RCTT3054**	**668**	**827**
	2	60 x 30			1500 x 750			**T___-RCTT3060**	**700**	**870**
	2	66 x 30			1650 x 750			**T___-RCTT3066**	**743**	**912**
	2	72 x 30			1800 x 750			**T___-RCTT3072**	**785**	**971**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).									
Hexagonal tops	1	48 x 24	36		1200 x 600	900		**T__N-HT2448**	**302**	**419**
	2	54 x 24	42		1350 x 600	1050		**T__N-HT2454**	**335**	**461**
	2	60 x 24	48		1500 x 600	1200		**T__N-HT2460**	**371**	**499**
	2	66 x 24	54		1650 x 600	1350		**T__N-HT2466**	**414**	**552**
	2	72 x 24	60		1800 x 600	1500		**T__N-HT2472**	**461**	**600**
	1	48 x 30	36		1200 x 750	900		**T__N-HT3048**	**328**	**477**
	1	54 x 30	42		1350 x 750	1050		**T__N-HT3054**	**361**	**509**
	2	60 x 30	48		1500 x 750	1200		**T__N-HT3060**	**393**	**557**
	2	66 x 30	54		1650 x 750	1350		**T__N-HT3066**	**441**	**600**
	2	72 x 30	60		1800 x 750	1500		**T__N-HT3072**	**482**	**663**
	Specify the finish (1, 2). Specify the edge (N, S).									
Hexagonal tops with modesty panel	1	48 x 24			1200 x 600			**T___-HTT2448**	**653**	**769**
	1	54 x 24			1350 x 600			**T___-HTT2454**	**684**	**801**
	2	60 x 24			1500 x 600			**T___-HTT2460**	**716**	**849**
	2	66 x 24			1650 x 600			**T___-HTT2466**	**764**	**897**
	2	72 x 24			1800 x 600			**T___-HTT2472**	**801**	**950**
	1	48 x 30			1200 x 750			**T___-HTT3048**	**679**	**827**
	1	54 x 30			1350 x 750			**T___-HTT3054**	**706**	**859**
	2	60 x 30			1500 x 750			**T___-HTT3060**	**743**	**902**
	2	66 x 30			1650 x 750			**T___-HTT3066**	**785**	**950**
	2	72 x 30			1800 x 750			**T___-HTT3072**	**832**	**1,008**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).									
Wave tops	1	48 x 24		13¾	1200 x 600		350	**T__N-WT2448**	**302**	**419**
	2	54 x 24		13¾	1350 x 600		350	**T__N-WT2454**	**335**	**461**
	2	60 x 24		13¾	1500 x 600		350	**T__N-WT2460**	**371**	**499**
	2	66 x 24		13¾	1650 x 600		350	**T__N-WT2466**	**414**	**552**
	2	72 x 24		13¾	1800 x 600		350	**T__N-WT2472**	**461**	**600**
	1	48 x 30		19⅝	1200 x 750		500	**T__N-WT3048**	**328**	**477**
	2	54 x 30		19⅝	1350 x 750		500	**T__N-WT3054**	**361**	**509**
	2	60 x 30		19⅝	1500 x 750		500	**T__N-WT3060**	**393**	**557**
	2	66 x 30		19⅝	1650 x 750		500	**T__N-WT3066**	**441**	**600**
	2	72 x 30		19⅝	1800 x 750		500	**T__N-WT3072**	**482**	**663**
	Specify the finish (1, 2). Specify the edge (N, S).									



1" thick.
Translucent modesty panel ¼" thick.





1" thick.



1" thick.
Translucent modesty panel ¼" thick.



1" thick.

= ASSEMBLY REQUIRED

	Approx. number of places	W x D (in)	X	Y	W x D (mm)	X	Y	Code	All Laminate ($)	HPL Surfaces ($)
Wave tops with modesty panel	1	48 x 24			1200 x 600			**T___-WTT2448**	**653**	**769**
	2	54 x 24			1350 x 600			**T___-WTT2454**	**684**	**801**
	2	60 x 24			1500 x 600			**T___-WTT2460**	**716**	**849**
	2	66 x 24			1650 x 600			**T___-WTT2466**	**764**	**897**
	2	72 x 24			1800 x 600			**T___-WTT2472**	**801**	**950**
	1	48 x 30			1200 x 750			**T___-WTT3048**	**679**	**827**
	2	54 x 30			1350 x 750			**T___-WTT3054**	**706**	**859**
	2	60 x 30			1500 x 750			**T___-WTT3060**	**743**	**902**
	2	66 x 30			1650 x 750			**T___-WTT3066**	**785**	**950**
	2	72 x 30			1800 x 750			**T___-WTT3072**	**832**	**1,008**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).									
Trapezoidal tops	1	48 x 22	29⅛		1200 x 554	740		**T__N-TZT2448**	**398**	**525**
	2	54 x 22	35		1350 x 554	890		**T__N-TZT2454**	**435**	**562**
	2	60 x 22	41		1500 x 554	1040		**T__N-TZT2460**	**472**	**600**
	2	66 x 22	46⅞		1650 x 554	1190		**T__N-TZT2466**	**509**	**658**
	2	72 x 22	52¾		1800 x 554	1340		**T__N-TZT2472**	**557**	**706**
	1	48 x 27¼	24½		1200 x 693	625		**T__N-TZT3048**	**424**	**573**
	2	54 x 27¼	30½		1350 x 693	775		**T__N-TZT3054**	**461**	**605**
	2	60 x 27¼	36½		1500 x 693	925		**T__N-TZT3060**	**494**	**658**
	2	66 x 27¼	42¼		1650 x 693	1075		**T__N-TZT3066**	**541**	**700**
	2	72 x 27¼	48¼		1800 x 693	1225		**T__N-TZT3072**	**583**	**759**
	Specify the finish (1, 2). Specify the edge (N, S).									
Trapezoidal tops with modesty panel	1	48 x 22			1200 x 554			**T___-TZTT2448**	**748**	**875**
	2	54 x 22			1350 x 554			**T___-TZTT2454**	**779**	**907**
	2	60 x 22			1500 x 554			**T___-TZTT2460**	**812**	**950**
	2	66 x 22			1650 x 554			**T___-TZTT2466**	**859**	**998**
	2	72 x 22			1800 x 554			**T___-TZTT2472**	**902**	**1,056**
	1	48 x 27¼			1200 x 693			**T___-TZTT3048**	**774**	**923**
	2	54 x 27¼			1350 x 693			**T___-TZTT3054**	**801**	**955**
	2	60 x 27¼			1500 x 693			**T___-TZTT3060**	**844**	**998**
	2	66 x 27¼			1650 x 693			**T___-TZTT3066**	**885**	**1,051**
	2	72 x 27¼			1800 x 693			**T___-TZTT3072**	**933**	**1,104**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).									
Half-moon tops	2	60 x 30			1500 x 750			**T__N-HRT3060**	**446**	**620**
	Specify the finish (1, 2). Specify the edge (N, S).									



1" thick.
Translucent modesty panel ¼" thick.





1" thick.



1" thick.
Translucent modesty panel ¼" thick.



1" thick.

= ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
T-bases with casters	*2 bases. Casters with brakes.*				
	21 x 2 x 28	531 x 51 x 713	**TNN_-MTB24**		**435**
	Specify the accent color (A, S).				
T-bases with casters and Flip-Top mechanism	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 2 x 28	531 x 51 x 713	**TNN_-MTBF24**		**732**
	Specify the accent color (A, S).				
T-bases with casters, Flip-Top mechanism and handle	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 2 x 28	531 x 51 x 713	**TNN_-MTBFH24**		**891**
	Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
L-bases with casters	*2 bases. Casters with brakes.*				
	21 x 7 x 28	531 x 172 x 713	**TNN_-MLB24**		**668**
	Specify the accent color (A, S).				
L-bases with casters and Flip-Top mechanism	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 7 x 28	531 x 172 x 713	**TNN_-MLBF24**		**933**
	Specify the accent color (A, S).				
L-bases with casters, Flip-Top mechanism and handle	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 7 x 28	531 x 172 x 713	**TNN_-MLBFH24**		**1,092**
	Specify the accent color (A, S).				

= QUICKSHIP = ASSEMBLY REQUIRED

HEIGHT ADJUSTABLE TABLES

- Complete base offer featuring adjustable and fixed height bases with same look and design throughout the whole table family.
- Different mechanisms to choose from to satisfy all user needs.
- Depending on the mechanism type, surface dimensions are reduced by 1" in depth and 2" in length. This is done in accordance with ergonomic standards, helps for wire management and minimizes the probability of pinching fingers during adjustments.
- No horizontal crossbar allows full clearance for knees and mobile pedestals.
- High quality, German engineered mechanical components. Steel gears in the gear boxes of the crank and electric drives.

TOPS

Rectangular top

Right asymmetrical top

Left asymmetrical top

Corner double surface top

Corner top

BASE


C base with 2¾" (70 mm) square tube

3 ADJUSTMENT MECHANISMS


Incremental


Hand crank


Electrical

CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished both sides. Scratch-resistant (45 lb/ft³) tops are 1" (25 mm) or 1½" (38 mm) thick and are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.

Work surfaces are pre-drilled and the position of the bases is assured with wood screws for height adjustable tables and with metal-on-metal hardware assembly and metal screws for fixed height tables. Easy to assemble, all tables meet BIFMA standards.

SURFACES with hand crank and electrical mechanism

- Depth: 23" and 29" (575 and 725 mm)
- Widths (depending on shapes): 28" to 70" (700 to 1750 mm)

SURFACES with fixed height base and incremental mechanism

- Depths: 24" and 30" (600 and 750 mm)
- Widths (depending on shapes): 30" to 72" (750 to 1800 mm)

LEVELERS

All bases are equipped with levelers that offer 1" (25 mm) of adjustment.

MODESTY PANELS

It is possible to order a half-height modesty panel for all shapes of surface. Modesty panels are made of 5/8" (16 mm) thick thermofused laminate panels finished both sides.

ACCENT COLORS


S – Silver

A – Anthracite Grey

The accent color applies to non-laminate components such as bases and modesty supports.

Exceptions: components such as top supports and crank remain black.

EDGEBANDING

Furniture with 1" and 1½ (25 and 38 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface**.

S Edge

Silver edge.

Furniture with 1½ (38 mm) thick tops.

Textured 1 Edge



Textured 2 Edge

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

EDGEBANDING POSITION

Textured 1 & 2 edgebanding



CODIFICATION

	Options			
Series	Finish / Thickness	Edgebanding	Accent color	Mechanism
T	**1** Thermofused laminate 1"	**N** Smooth edge	**A** Anthracite Grey	**G** Electrical
	2 High-pressure laminate 1"	**S** Silver edge	**S** Silver	**H** Crank
	5 Thermofused laminate 1½"	**1** Textured 1 edge		**I** Incremental
	6 High-pressure laminate 1½"	**2** Textured 2 edge		**J** Fixed

CHARACTERISTICS

MECHANISM	CODE	HEIGHT RANGE	MINIMUM HEIGHT	MAXIMUM HEIGHT
		A	B	C
Fixed	J	–	–	–
Incremental Pin mechanism.	I	11¾" (298 mm) 1" (25 mm) increments	With 1" (25 mm) top; 23" (584 mm) With 1½" (38 mm) top; 23½" (597 mm)	34¾" (883 mm) 35¼" (896 mm)
Crank Precise and easy to operate crank mechanism. The handle is installed to the left or right under rectangular work surfaces and under the smaller side under asymmetrical work surfaces. The handle is installed on the work surface for corner tables and is removable.	H	16" (406 mm) 6 turns per 1" (25 mm)	With 1" (25 mm) top; 25" (635 mm) With 1½" (38 mm) top; 25½" (648 mm)	41" (1041 mm) 41½" (1054 mm)
Electrical The electrical command button is installed under the surface.	G	18" (457 mm) 1.6" (40 mm) per second	With 1" (25 mm) top; 26½" (673 mm) With 1½" (38 mm) top; 27" (686 mm)	45½" (1156 mm) 46" (1168 mm)

SIT APPLICATION

Incremental



SIT & STAND APPLICATIONS

Crank



Electrical



ELECTRICAL ADJUSTABLE TABLE

Height range of 18" (457 mm). With 1" (25 mm) thick top: lowest position is 26½" (673 mm). Highest position is 45½" (1156 mm). With 1½" (38 mm) thick top: lowest position is 27" (686 mm). Highest position is 46" (1168 mm). The switch can be mounted left or right, under the top. 1.6" (40 mm) per second height adjustment.

Rectangular tables – electric height adjustment



Laminate modesty panel option, add M after RC in the code and add $159. Example: RCMxxxxG

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 23 x 28-46	700 x 585 x 711-1168	T___-RC2328G	2,117	2,185
34 x 23 x 28-46	850 x 585 x 711-1168	T___-RC2334G	2,122	2,206
40 x 23 x 28-46	1000 x 585 x 711-1168	T___-RC2340G	2,143	2,238
46 x 23 x 28-46	1150 x 585 x 711-1168	T___-RC2346G	2,164	2,286
52 x 23 x 28-46	1300 x 585 x 711-1168	T___-RC2352G	2,180	2,307
58 x 23 x 28-46	1450 x 585 x 711-1168	T___-RC2358G	2,191	2,329
64 x 23 x 28-46	1600 x 585 x 711-1168	T___-RC2364G	2,206	2,360
70 x 23 x 28-46	1750 x 585 x 711-1168	T___-RC2370G	2,291	2,466

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

28 x 23 x 28½-46½	700 x 585 x 724-1181	T___-RC2328G	2,138	2,196
34 x 23 x 28½-46½	850 x 585 x 724-1181	T___-RC2334G	2,148	2,217
40 x 23 x 28½-46½	1000 x 585 x 724-1181	T___-RC2340G	2,175	2,249
46 x 23 x 28½-46½	1150 x 585 x 724-1181	T___-RC2346G	2,201	2,302
52 x 23 x 28½-46½	1300 x 585 x 724-1181	T___-RC2352G	2,217	2,324
58 x 23 x 28½-46½	1450 x 585 x 724-1181	T___-RC2358G	2,233	2,350
64 x 23 x 28½-46½	1600 x 585 x 724-1181	T___-RC2364G	2,254	2,387
70 x 23 x 28½-46½	1750 x 585 x 724-1181	T___-RC2370G	2,344	2,488

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

28 x 29 x 28-46	700 x 725 x 711-1168	T___-RC2928G	2,158	2,244
34 x 29 x 28-46	850 x 725 x 711-1168	T___-RC2934G	2,175	2,281
40 x 29 x 28-46	1000 x 725 x 711-1168	T___-RC2940G	2,196	2,317
46 x 29 x 28-46	1150 x 725 x 711-1168	T___-RC2946G	2,217	2,360
52 x 29 x 28-46	1300 x 725 x 711-1168	T___-RC2952G	2,233	2,392
58 x 29 x 28-46	1450 x 725 x 711-1168	T___-RC2958G	2,244	2,418
64 x 29 x 28-46	1600 x 725 x 711-1168	T___-RC2964G	2,259	2,466
70 x 29 x 28-46	1750 x 725 x 711-1168	T___-RC2970G	2,350	2,567

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

28 x 29 x 28½-46½	700 x 725 x 724-1181	T___-RC2928G	2,191	2,259
34 x 29 x 28½-46½	850 x 725 x 724-1181	T___-RC2934G	2,206	2,297
40 x 29 x 28½-46½	1000 x 725 x 724-1181	T___-RC2940G	2,233	2,334
46 x 29 x 28½-46½	1150 x 725 x 724-1181	T___-RC2946G	2,259	2,387
52 x 29 x 28½-46½	1300 x 725 x 724-1181	T___-RC2952G	2,291	2,418
58 x 29 x 28½-46½	1450 x 725 x 724-1181	T___-RC2958G	2,307	2,445
64 x 29 x 28½-46½	1600 x 725 x 724-1181	T___-RC2964G	2,329	2,493
70 x 29 x 28½-46½	1750 x 725 x 724-1181	T___-RC2970G	2,418	2,599

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Left asymmetrical tables – electric height adjustment



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxG

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 29 x 28-46	700 x 725 x 711-1168	T___-A232829G	2,191	2,281
34 x 29 x 28-46	850 x 725 x 711-1168	T___-A233429G	2,201	2,307
40 x 29 x 28-46	1000 x 725 x 711-1168	T___-A234029G	2,223	2,344
46 x 29 x 28-46	1150 x 725 x 711-1168	T___-A234629G	2,244	2,392
52 x 29 x 28-46	1300 x 725 x 711-1168	T___-A235229G	2,259	2,418

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

28 x 29 x 28½-46½	700 x 725 x 724-1181	T___-A232829G	2,217	2,297
34 x 29 x 28½-46½	850 x 725 x 724-1181	T___-A233429G	2,233	2,324
40 x 29 x 28½-46½	1000 x 725 x 724-1181	T___-A234029G	2,259	2,360
46 x 29 x 28½-46½	1150 x 725 x 724-1181	T___-A234629G	2,297	2,413
52 x 29 x 28½-46½	1300 x 725 x 724-1181	T___-A235229G	2,317	2,445

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Right asymmetrical tables – electric height adjustment



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxG

Packed in 2 boxes.

28 x 29 x 28-46	700 x 725 x 711-1168	T___-A292823G	2,191	2,281
34 x 29 x 28-46	850 x 725 x 711-1168	T___-A293423G	2,201	2,307
40 x 29 x 28-46	1000 x 725 x 711-1168	T___-A294023G	2,223	2,344
46 x 29 x 28-46	1150 x 725 x 711-1168	T___-A294623G	2,244	2,392
52 x 29 x 28-46	1300 x 725 x 711-1168	T___-A295223G	2,259	2,418

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

28 x 29 x 28½-46½	700 x 725 x 724-1181	T___-A292823G	2,217	2,297
34 x 29 x 28½-46½	850 x 725 x 724-1181	T___-A293423G	2,233	2,324
40 x 29 x 28½-46½	1000 x 725 x 724-1181	T___-A294023G	2,259	2,360
46 x 29 x 28½-46½	1150 x 725 x 724-1181	T___-A294623G	2,297	2,413
52 x 29 x 28½-46½	1300 x 725 x 724-1181	T___-A295223G	2,317	2,445

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Corner modules – electric height adjustment



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMSxxxxG. Diagonal wood grain.

Packed in 3 boxes.

For 40" (1000 mm) corner modules, the keyboard surface adjusts from 8¾" below surface to 6⅞" above surface. For a 46" (1150 mm) corner modules, the keyboard surface adjusts from 6½" below surface to 7" above surface. Adjustable keyboard adjusts with a tilt angle of +/- 15 degrees and is 1" thick.

40 x 23 x 28-46	1010 x 585 x 711-1168	T___-CMS4023G	3,411	3,602
46 x 29 x 28-46	1160 x 725 x 711-1168	T___-CMS4629G	3,458	3,643

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

40 x 23 x 28½-46½	1010 x 585 x 724-1181	T___-CMS4023G	3,474	3,633
46 x 29 x 28½-46½	1160 x 725 x 724-1181	T___-CMS4629G	3,511	3,670

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMxxxxG. Diagonal wood grain.

Packed in 2 boxes.

34 x 23 x 28-46	860 x 585 x 711-1168	T___-CM3423G	2,244	2,418
40 x 23 x 28-46	1010 x 585 x 711-1168	T___-CM4023G	2,249	2,440
46 x 29 x 28-46	1160 x 725 x 711-1168	T___-CM4629G	2,302	2,488

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

34 x 23 x 28½-46½	860 x 585 x 724-1181	T___-CM3423G	2,307	2,445
40 x 23 x 28½-46½	1010 x 585 x 724-1181	T___-CM4023G	2,317	2,477
46 x 29 x 28½-46½	1160 x 725 x 724-1181	T___-CM4629G	2,355	2,514

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

= ASSEMBLY REQUIRED

CRANK ADJUSTABLE TABLE

Height range of 16" (406 mm). With 1" (25 mm) thick top: lowest position is 25" (635 mm). Highest position is 41" (1041 mm). With 1½" (38 mm) thick top: lowest position is 25½" (648 mm). Highest position is 41½" (1054 mm). 6 turns of crank for 1" (25 mm) height adjustment.

Rectangular tables – crank height adjustment



Laminate modesty panel option, add M after RC in the code and add $159. Example: RCMxxxxH.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 23 x 25-41	700 x 585 x 635-1041	**T___-RC2328H**	**1,538**	**1,608**
34 x 23 x 25-41	850 x 585 x 635-1041	**T___-RC2334H**	**1,543**	**1,628**
40 x 23 x 25-41	1000 x 585 x 635-1041	**T___-RC2340H**	**1,565**	**1,661**
46 x 23 x 25-41	1150 x 585 x 635-1041	**T___-RC2346H**	**1,601**	**1,714**
52 x 23 x 25-41	1300 x 585 x 635-1041	**T___-RC2352H**	**1,613**	**1,740**
58 x 23 x 25-41	1450 x 585 x 635-1041	**T___-RC2358H**	**1,623**	**1,767**
64 x 23 x 25-41	1600 x 585 x 635-1041	**T___-RC2364H**	**1,639**	**1,798**
70 x 23 x 25-41	1750 x 585 x 635-1041	**T___-RC2370H**	**1,719**	**1,893**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
28 x 23 x 25½-41½	700 x 585 x 648-1054	**T___-RC2328H**	**1,560**	**1,618**
34 x 23 x 25½-41½	850 x 585 x 648-1054	**T___-RC2334H**	**1,575**	**1,644**
40 x 23 x 25½-41½	1000 x 585 x 648-1054	**T___-RC2340H**	**1,601**	**1,676**
46 x 23 x 25½-41½	1150 x 585 x 648-1054	**T___-RC2346H**	**1,639**	**1,734**
52 x 23 x 25½-41½	1300 x 585 x 648-1054	**T___-RC2352H**	**1,649**	**1,761**
58 x 23 x 25½-41½	1450 x 585 x 648-1054	**T___-RC2358H**	**1,666**	**1,782**
64 x 23 x 25½-41½	1600 x 585 x 648-1054	**T___-RC2364H**	**1,692**	**1,820**
70 x 23 x 25½-41½	1750 x 585 x 648-1054	**T___-RC2370H**	**1,777**	**1,926**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				
28 x 29 x 25-41	700 x 725 x 635-1041	**T___-RC2928H**	**1,596**	**1,676**
34 x 29 x 25-41	850 x 725 x 635-1041	**T___-RC2934H**	**1,608**	**1,707**
40 x 29 x 25-41	1000 x 725 x 635-1041	**T___-RC2940H**	**1,623**	**1,750**
46 x 29 x 25-41	1150 x 725 x 635-1041	**T___-RC2946H**	**1,661**	**1,803**
52 x 29 x 25-41	1300 x 725 x 635-1041	**T___-RC2952H**	**1,671**	**1,835**
58 x 29 x 25-41	1450 x 725 x 635-1041	**T___-RC2958H**	**1,681**	**1,862**
64 x 29 x 25-41	1600 x 725 x 635-1041	**T___-RC2964H**	**1,702**	**1,899**
70 x 29 x 25-41	1750 x 725 x 635-1041	**T___-RC2970H**	**1,793**	**2,005**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
28 x 29 x 25½-41½	700 x 725 x 648-1054	**T___-RC2928H**	**1,623**	**1,692**
34 x 29 x 25½-41½	850 x 725 x 648-1054	**T___-RC2934H**	**1,639**	**1,724**
40 x 29 x 25½-41½	1000 x 725 x 648-1054	**T___-RC2940H**	**1,661**	**1,767**
46 x 29 x 25½-41½	1150 x 725 x 648-1054	**T___-RC2946H**	**1,707**	**1,825**
52 x 29 x 25½-41½	1300 x 725 x 648-1054	**T___-RC2952H**	**1,724**	**1,856**
58 x 29 x 25½-41½	1450 x 725 x 648-1054	**T___-RC2958H**	**1,745**	**1,893**
64 x 29 x 25½-41½	1600 x 725 x 648-1054	**T___-RC2964H**	**1,767**	**1,931**
70 x 29 x 25½-41½	1750 x 725 x 648-1054	**T___-RC2970H**	**1,856**	**2,037**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Left asymmetrical tables – crank height adjustment



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxH.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 29 x 25-41	700 x 725 x 635-1041	**T___-A232829H**	**1,623**	**1,707**
34 x 29 x 25-41	850 x 725 x 635-1041	**T___-A233429H**	**1,634**	**1,740**
40 x 29 x 25-41	1000 x 725 x 635-1041	**T___-A234029H**	**1,649**	**1,777**
46 x 29 x 25-41	1150 x 725 x 635-1041	**T___-A234629H**	**1,692**	**1,830**
52 x 29 x 25-41	1300 x 725 x 635-1041	**T___-A235229H**	**1,702**	**1,862**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
28 x 29 x 25½-41½	700 x 725 x 648-1054	**T___-A232829H**	**1,649**	**1,719**
34 x 29 x 25½-41½	850 x 725 x 648-1054	**T___-A233429H**	**1,666**	**1,755**
40 x 29 x 25½-41½	1000 x 725 x 648-1054	**T___-A234029H**	**1,692**	**1,798**
46 x 29 x 25½-41½	1150 x 725 x 648-1054	**T___-A234629H**	**1,740**	**1,851**
52 x 29 x 25½-41½	1300 x 725 x 648-1054	**T___-A235229H**	**1,755**	**1,888**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Right asymmetrical tables – crank height adjustment



Laminate modesty panel option, add M after A in the code and add $159 Example: AMxxxxxxH.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
28 x 29 x 25-41	700 x 725 x 635-1041	**T___-A292823H**	**1,623**	**1,707**
34 x 29 x 25-41	850 x 725 x 635-1041	**T___-A293423H**	**1,634**	**1,740**
40 x 29 x 25-41	1000 x 725 x 635-1041	**T___-A294023H**	**1,649**	**1,777**
46 x 29 x 25-41	1150 x 725 x 635-1041	**T___-A294623H**	**1,692**	**1,830**
52 x 29 x 25-41	1300 x 725 x 635-1041	**T___-A295223H**	**1,702**	**1,862**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
28 x 29 x 25½-41½	700 x 725 x 648-1054	**T___-A292823H**	**1,649**	**1,719**
34 x 29 x 25½-41½	850 x 725 x 648-1054	**T___-A293423H**	**1,666**	**1,755**
40 x 29 x 25½-41½	1000 x 725 x 648-1054	**T___-A294023H**	**1,692**	**1,798**
46 x 29 x 25½-41½	1150 x 725 x 648-1054	**T___-A294623H**	**1,740**	**1,851**
52 x 29 x 25½-41½	1300 x 725 x 648-1054	**T___-A295223H**	**1,755**	**1,888**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Corner modules – crank height adjustment

For 40" (1000 mm) corner modules, the keyboard surface adjusts from 8¾" below surface to 6⅞" above surface. For 46" (1150 mm) corner modules, the keyboard surface adjusts from 6½" below surface to 7" above surface. Adjustable keyboard adjusts with a tilt angle of +/- 15 degrees and is 1" thick.



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMSxxxxH. Diagonal wood grain.

Packed in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
40 x 23 x 25-41	1010 x 585 x 635-1041	**T___-CMS4023H**	**2,838**	**3,145**
46 x 29 x 25-41	1160 x 725 x 635-1041	**T___-CMS4629H**	**2,886**	**3,200**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
40 x 23 x 25½-41½	1010 x 585 x 648-1054	**T___-CMS4023H**	**2,901**	**3,177**
46 x 29 x 25½-41½	1160 x 725 x 648-1054	**T___-CMS4629H**	**2,949**	**3,227**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMxxxxH. Diagonal wood grain.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
34 x 23 x 25-41	860 x 585 x 635-1041	**T___-CM3423H**	**1,666**	**1,846**
40 x 23 x 25-41	1010 x 585 x 635-1041	**T___-CM4023H**	**1,676**	**1,862**
46 x 29 x 25-41	1160 x 725 x 635-1041	**T___-CM4629H**	**1,724**	**1,920**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
34 x 23 x 25½-41½	860 x 585 x 648-1054	**T___-CM3423H**	**1,724**	**1,873**
40 x 23 x 25½-41½	1010 x 585 x 648-1054	**T___-CM4023H**	**1,745**	**1,893**
46 x 29 x 25½-41½	1160 x 725 x 648-1054	**T___-CM4629H**	**1,793**	**1,946**
Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

INCREMENTAL ADJUSTABLE TABLE

Height range of 11¾" (299 mm). With 1" (25 mm) thick top: lowest position is 23" (584 mm). Highest position is 34¾" (883 mm). With 1½" (38 mm) thick top: lowest position is 23½" (597 mm). Highest position is 35¼" (896 mm). 1" (25 mm) increment height adjustment.

Rectangular tables – incremental height adjustment



Laminate modesty panel option, add M after RC in the code and add $159. Example: RCMxxxxI.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
30 x 24 x 23-34¾	750 x 600 x 604-883	T___-RC2430I	1,157	1,225
36 x 24 x 23-34¾	900 x 600 x 604-883	T___-RC2436I	1,162	1,246
42 x 24 x 23-34¾	1050 x 600 x 604-883	T___-RC2442I	1,230	1,374
48 x 24 x 23-34¾	1200 x 600 x 604-883	T___-RC2448I	1,246	1,406
54 x 24 x 23-34¾	1350 x 600 x 604-883	T___-RC2454I	1,225	1,347
60 x 24 x 23-34¾	1500 x 600 x 604-883	T___-RC2460I	1,230	1,374
66 x 24 x 23-34¾	1650 x 600 x 604-883	T___-RC2466I	1,246	1,406
72 x 24 x 23-34¾	1800 x 600 x 604-883	T___-RC2472I	1,331	1,501

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

30 x 24 x 23½-35¼	750 x 600 x 597-896	T___-RC2430I	1,172	1,236
36 x 24 x 23½-35¼	900 x 600 x 597-896	T___-RC2436I	1,193	1,257
42 x 24 x 23½-35¼	1050 x 600 x 597-896	T___-RC2442I	1,273	1,395
48 x 24 x 23½-35¼	1200 x 600 x 597-896	T___-RC2448I	1,294	1,432
54 x 24 x 23½-35¼	1350 x 600 x 597-896	T___-RC2454I	1,263	1,369
60 x 24 x 23½-35¼	1500 x 600 x 597-896	T___-RC2460I	1,273	1,395
66 x 24 x 23½-35¼	1650 x 600 x 597-896	T___-RC2466I	1,294	1,432
72 x 24 x 23½-35¼	1800 x 600 x 597-896	T___-RC2472I	1,384	1,528

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

30 x 30 x 23-34¾	750 x 750 x 604-883	T___-RC3030I	1,204	1,289
36 x 30 x 23-34¾	900 x 750 x 604-883	T___-RC3036I	1,220	1,321
42 x 30 x 23-34¾	1050 x 750 x 604-883	T___-RC3042I	1,236	1,358
48 x 30 x 23-34¾	1200 x 750 x 604-883	T___-RC3048I	1,263	1,406
54 x 30 x 23-34¾	1350 x 750 x 604-883	T___-RC3054I	1,273	1,437
60 x 30 x 23-34¾	1500 x 750 x 604-883	T___-RC3060I	1,283	1,464
66 x 30 x 23-34¾	1650 x 750 x 604-883	T___-RC3066I	1,310	1,507
72 x 30 x 23-34¾	1800 x 750 x 604-883	T___-RC3072I	1,389	1,613

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

30 x 30 x 23½-35¼	750 x 750 x 597-896	T___-RC3030I	1,236	1,305
36 x 30 x 23½-35¼	900 x 750 x 597-896	T___-RC3036I	1,252	1,331
42 x 30 x 23½-35¼	1050 x 750 x 597-896	T___-RC3042I	1,273	1,379
48 x 30 x 23½-35¼	1200 x 750 x 597-896	T___-RC3048I	1,310	1,427
54 x 30 x 23½-35¼	1350 x 750 x 597-896	T___-RC3054I	1,326	1,459
60 x 30 x 23½-35¼	1500 x 750 x 597-896	T___-RC3060I	1,342	1,490
66 x 30 x 23½-35¼	1650 x 750 x 597-896	T___-RC3066I	1,374	1,533
72 x 30 x 23½-35¼	1800 x 750 x 597-896	T___-RC3072I	1,459	1,639

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Left asymmetrical tables – incremental height adjustment



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxI.

Packed in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
30 x 30 x 23-34¾	750 x 750 x 604-883	T___-A243030I	1,236	1,321
36 x 30 x 23-34¾	900 x 750 x 604-883	T___-A243630I	1,246	1,347
42 x 30 x 23-34¾	1050 x 750 x 604-883	T___-A244230I	1,263	1,389
48 x 30 x 23-34¾	1200 x 750 x 604-883	T___-A244830I	1,289	1,432
54 x 30 x 23-34¾	1350 x 750 x 604-883	T___-A245430I	1,305	1,464

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

30 x 30 x 23½-35¼	750 x 750 x 597-896	T___-A243030I	1,263	1,331
36 x 30 x 23½-35¼	900 x 750 x 597-896	T___-A243630I	1,278	1,358
42 x 30 x 23½-35¼	1050 x 750 x 597-896	T___-A244230I	1,305	1,411
48 x 30 x 23½-35¼	1200 x 750 x 597-896	T___-A244830I	1,336	1,454
54 x 30 x 23½-35¼	1350 x 750 x 597-896	T___-A245430I	1,353	1,485

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Right asymmetrical tables – incremental height adjustment



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxI.

Packed in 2 boxes.

30 x 30 x 23-34¾	750 x 750 x 604-883	T___-A303024I	1,236	1,321
36 x 30 x 23-34¾	900 x 750 x 604-883	T___-A303624I	1,246	1,347
42 x 30 x 23-34¾	1050 x 750 x 604-883	T___-A304224I	1,263	1,389
48 x 30 x 23-34¾	1200 x 750 x 604-883	T___-A304824I	1,289	1,432
54 x 30 x 23-34¾	1350 x 750 x 604-883	T___-A305424I	1,305	1,464

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

30 x 30 x 23½-35¼	750 x 750 x 597-896	T___-A303024I	1,263	1,331
36 x 30 x 23½-35¼	900 x 750 x 597-896	T___-A303624I	1,278	1,358
42 x 30 x 23½-35¼	1050 x 750 x 597-896	T___-A304224I	1,305	1,411
48 x 30 x 23½-35¼	1200 x 750 x 597-896	T___-A304824I	1,336	1,454
54 x 30 x 23½-35¼	1350 x 750 x 597-896	T___-A305424I	1,353	1,485

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

Corner modules – incremental height adjustment

For 42" (1050 mm) corner modules, the keyboard surface adjusts from 8¾" below surface to 6⅞" above surface. For 48" (1200 mm) corner modules, the keyboard surface adjusts from 6½" below surface to 7" above surface. Adjustable keyboard adjusts with a tilt angle of +/- 15 degrees and is 1" thick.



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMSxxxxI. Diagonal wood grain.

Packed in 3 boxes.

42 x 24 x 23-34¾	1050 x 600 x 604-883	T___-CMS4224I	2,572	2,758
48 x 30 x 23-34¾	1200 x 750 x 604-883	T___-CMS4830I	2,609	2,801

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

42 x 24 x 23½-35¼	1050 x 600 x 597-896	T___-CMS4224I	2,625	2,785
48 x 30 x 23½-35¼	1200 x 750 x 597-896	T___-CMS4830I	2,679	2,833

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMxxxxI. Diagonal wood grain.

Packed in 2 boxes.

36 x 24 x 23-34¾	900 x 600 x 604-883	T___-CM3624I	1,167	1,347
42 x 24 x 23-34¾	1050 x 600 x 604-883	T___-CM4224I	1,416	1,601
48 x 30 x 23-34¾	1200 x 750 x 604-883	T___-CM4830I	1,454	1,644

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).

36 x 24 x 23½-35¼	900 x 600 x 597-896	T___-CM3624I	1,230	1,379
42 x 24 x 23½-35¼	1050 x 600 x 597-896	T___-CM4224I	1,469	1,628
48 x 30 x 23½-35¼	1200 x 750 x 597-896	T___-CM4830I	1,517	1,671

Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).

= ASSEMBLY REQUIRED

FIXED HEIGHT TABLES

Rectangular tables



Laminate modesty panel option, add M after RC in the code and add $159. Example: RCMxxxxJ.

Packed in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	30 x 24 x 29	750 x 600 x 738	**T___-RC2430J**	**960**	**1,044**
	36 x 24 x 29	900 x 600 x 738	**T___-RC2436J**	**971**	**1,066**
	42 x 24 x 29	1050 x 600 x 738	**T___-RC2442J**	**976**	**1,087**
	48 x 24 x 29	1200 x 600 x 738	**T___-RC2448J**	**986**	**1,114**
	54 x 24 x 29	1350 x 600 x 738	**T___-RC2454J**	**991**	**1,135**
	60 x 24 x 29	1500 x 600 x 738	**T___-RC2460J**	**1,008**	**1,157**
	66 x 24 x 29	1650 x 600 x 738	**T___-RC2466J**	**1,018**	**1,177**
	72 x 24 x 29	1800 x 600 x 738	**T___-RC2472J**	**1,024**	**1,204**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	30 x 24 x 29½	750 x 600 x 751	**T___-RC2430J**	**960**	**1,044**
	36 x 24 x 29½	900 x 600 x 751	**T___-RC2436J**	**971**	**1,066**
	42 x 24 x 29½	1050 x 600 x 751	**T___-RC2442J**	**976**	**1,087**
	48 x 24 x 29½	1200 x 600 x 751	**T___-RC2448J**	**1,034**	**1,130**
	54 x 24 x 29½	1350 x 600 x 751	**T___-RC2454J**	**1,044**	**1,157**
	60 x 24 x 29½	1500 x 600 x 751	**T___-RC2460J**	**1,056**	**1,177**
	66 x 24 x 29½	1650 x 600 x 751	**T___-RC2466J**	**1,066**	**1,215**
	72 x 24 x 29½	1800 x 600 x 751	**T___-RC2472J**	**1,082**	**1,236**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				
	30 x 30 x 29	750 x 750 x 738	**T___-RC3030J**	**960**	**1,044**
	36 x 30 x 29	900 x 750 x 738	**T___-RC3036J**	**971**	**1,066**
	42 x 30 x 29	1050 x 750 x 738	**T___-RC3042J**	**976**	**1,087**
	48 x 30 x 29	1200 x 750 x 738	**T___-RC3048J**	**998**	**1,157**
	54 x 30 x 29	1350 x 750 x 738	**T___-RC3054J**	**1,018**	**1,188**
	60 x 30 x 29	1500 x 750 x 738	**T___-RC3060J**	**1,029**	**1,220**
	66 x 30 x 29	1650 x 750 x 738	**T___-RC3066J**	**1,034**	**1,246**
	72 x 30 x 29	1800 x 750 x 738	**T___-RC3072J**	**1,044**	**1,273**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	30 x 30 x 29½	750 x 750 x 751	**T___-RC3030J**	**960**	**1,044**
	36 x 30 x 29½	900 x 750 x 751	**T___-RC3036J**	**971**	**1,066**
	42 x 30 x 29½	1050 x 750 x 751	**T___-RC3042J**	**976**	**1,087**
	48 x 30 x 29½	1200 x 750 x 751	**T___-RC3048J**	**1,056**	**1,177**
	54 x 30 x 29½	1350 x 750 x 751	**T___-RC3054J**	**1,071**	**1,215**
	60 x 30 x 29½	1500 x 750 x 751	**T___-RC3060J**	**1,087**	**1,246**
	66 x 30 x 29½	1650 x 750 x 751	**T___-RC3066J**	**1,098**	**1,273**
	72 x 30 x 29½	1800 x 750 x 751	**T___-RC3072J**	**1,119**	**1,310**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Left asymmetrical tables



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxJ.

Packed in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	30 x 30 x 29	750 x 750 x 738	**T___-A243030J**	**960**	**1,044**
	36 x 30 x 29	900 x 750 x 738	**T___-A243630J**	**971**	**1,066**
	42 x 30 x 29	1050 x 750 x 738	**T___-A244230J**	**976**	**1,087**
	48 x 30 x 29	1200 x 750 x 738	**T___-A244830J**	**1,034**	**1,188**
	54 x 30 x 29	1350 x 750 x 738	**T___-A245430J**	**1,044**	**1,220**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	30 x 30 x 29½	750 x 750 x 751	**T___-A243030J**	**960**	**1,044**
	36 x 30 x 29½	900 x 750 x 751	**T___-A243630J**	**971**	**1,066**
	42 x 30 x 29½	1050 x 750 x 751	**T___-A244230J**	**976**	**1,087**
	48 x 30 x 29½	1200 x 750 x 751	**T___-A244830J**	**1,082**	**1,215**
	54 x 30 x 29½	1350 x 750 x 751	**T___-A245430J**	**1,098**	**1,241**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Right asymmetrical tables



Laminate modesty panel option, add M after A in the code and add $159. Example: AMxxxxxxJ.

Packed in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	30 x 30 x 29	750 x 750 x 738	**T___-A303024J**	**960**	**1,044**
	36 x 30 x 29	900 x 750 x 738	**T___-A303624J**	**971**	**1,066**
	42 x 30 x 29	1050 x 750 x 738	**T___-A304224J**	**976**	**1,087**
	48 x 30 x 29	1200 x 750 x 738	**T___-A304824J**	**1,034**	**1,188**
	54 x 30 x 29	1350 x 750 x 738	**T___-A305424J**	**1,044**	**1,220**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	30 x 30 x 29½	750 x 750 x 751	**T___-A303024J**	**960**	**1,044**
	36 x 30 x 29½	900 x 750 x 751	**T___-A303624J**	**971**	**1,066**
	42 x 30 x 29½	1050 x 750 x 751	**T___-A304224J**	**976**	**1,087**
	48 x 30 x 29½	1200 x 750 x 751	**T___-A304824J**	**1,082**	**1,215**
	54 x 30 x 29½	1350 x 750 x 751	**T___-A305424J**	**1,098**	**1,241**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Corner modules



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMSxxxxJ. Diagonal wood grain.

Packed in 3 boxes.

For corner modules, the keyboard surface adjusts from 8½" below surface to 5" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	42 x 24 x 29	1050 x 600 x 738	**T___-CMS4224J**	**2,254**	**2,445**
	48 x 30 x 29	1200 x 750 x 738	**T___-CMS4830J**	**2,259**	**2,466**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	42 x 24 x 29½	1050 x 600 x 751	**T___-CMS4224J**	**2,324**	**2,488**
	48 x 30 x 29½	1200 x 750 x 751	**T___-CMS4830J**	**2,339**	**2,498**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				



Laminate modesty panel option, add M after CM in the code, and add $159. Example: CMMxxxxI. Diagonal wood grain.

Packed in 2 boxes.

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
	36 x 18 x 29	900 x 450 x 738	**T___-CM3624J**	**1,092**	**1,268**
	42 x 24 x 29	1050 x 600 x 738	**T___-CM4224J**	**1,098**	**1,289**
	48 x 30 x 29	1200 x 750 x 738	**T___-CM4830J**	**1,104**	**1,305**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	36 x 18 x 29½	900 x 450 x 751	**T___-CM3624J**	**1,151**	**1,316**
	42 x 24 x 29½	1050 x 600 x 751	**T___-CM4224J**	**1,162**	**1,326**
	48 x 30 x 29½	1200 x 750 x 751	**T___-CM4830J**	**1,177**	**1,336**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

COMPLEMENTARY FURNITURE

Lectern, marker boards with sliding or hinged doors, mobile board with integrated storage modules, magazine tables and more, our selection of occasional furniture will seduce you. We also offer you a selection of sophisticated bookcase credenzas with rear-mounted grommets or translucent doors, perfect for use with remote controls.

Say "Goodbye" to storage problems!



Bookcase credenzas



Mobile serving cart



Storage cabinet



Phone table



Magazine tables



Marker board with sliding doors



Marker board with doors



Lectern



Mobile board with storage module

Café height table with cross-base

Café height table with disc base

CONSTRUCTION

Complementary furniture is made of thermofused laminate panels finished on both sides. Tops are available in thicknesses of 1" or 1½" (25 or 38 mm) and are scratch-resistant (45 lb/ft^3). Sides are made of 1" (25 mm) thick thermofused laminate panels. The bookcase credenzas and mobile serving carts are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm) to the tops.

Furniture is delivered knockdown, includes metal-on-metal hardware assemblies for ease of assembly and to help maintain the integrity of the product. All furniture meets BIFMA Standards.

EDGEBANDING

All components are finished with thick thermoplastic polymer edgebanding.

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

N Edge

Smooth, 1/8" (3 mm).

Thick edge. The **N** edge is **matched with the finish specified for the surface**.

S Edge

Silver edge.

Furniture with 1½" (38 mm) thick tops.

Textured 1 Edge



Textured 2 Edge

Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY when a wood grain finish is specified** for the surface.

EDGEBANDING POSITION

Smooth N & S Edges:
On all four edges of the top for bookcase credenzas, storage cabinets, serving carts and other small occasional tables. On all four edges of the the top and bottom for the marker board with doors.



Textured 1 & 2 Edges:
On the front edge of the top for bookcase credenzas and storage cabinets. On the front and back edges of the top for serving carts and other small occasional tables. On the front edge of the top and bottom for marker board with doors.





ACCENT COLORS



S – Silver

A – Anthracite Grey

The accent color applies to non-laminate components such as bases, handles, modesty supports, etc.

Exceptions: Aluminum doors are available in Silver anodized aluminum only.

TWO-TONE APPLICATIONS
Furniture can be ordered in a combination of two finishes, unless otherwise indicated in the price list. In the case of a two-tone application, the first finish specified will be applied to the top and the second finish specified will be applied to the rest of the piece.

TECHNOLOGY INTEGRATION
Bookcase credenzas include a rear-mounted grommet and the shelves have a clearance at the back to allow wires to pass through. The lectern is designed to allow cables for computers or other multimedia devices to pass through.

CASTERS
Serving carts and mobile marker boards are equipped with 3" (75 mm) diameter casters which some have brakes. Capacity of 100 lb (45 kg) per caster. The lectern is equipped with four, 2" (50 mm) black, hidden casters, including two with brakes. Capacity of 88 lb (40 kg) per caster.

DOORS
Hinged doors allow for a 135˚ opening and include a lock and bumpers. Doors with anodized aluminum frame and transluscent insert (optional) allow the use of infrared remote controls to activate electronic devices stored inside, with the doors closed.

Aluminum doors available in Silver anodized aluminum only.


Bookcase credenza

Bookcase credenza


Mobile serving cart

Storage cabinet

LEVELERS
Levelers can be adjusted to a height of 1¼" (31 mm).

HANDLES

C – Cubic, Anodized Aluminum


C – Cubic, Anthracite Grey

CODIFICATION

	Options		
Series	Finish / Thickness	Edgebanding	Accent color
T	**1** Thermofused laminate 1"	**N** Smooth edge	**A** Anthracite Grey
	2 High-pressure laminate top 1"	**S** Silver edge	**S** Silver
	5 Thermofused laminate 1½"	**1** Textured 1 edge	
	6 High-pressure laminate top 1½"	**2** Textured 2 edge	

EXAMPLES OF ORDERS
Bookcase credenza, 1½" thick laminate top, #2 textured edgebanding, Silver handle, doors with aluminum frame and translucent insert. Finish: One-tone in Natural Cherry.
T52N-B207236BT NTL

Bookcase credenzas, 1" thick high-pressure laminate top, Silver edgebanding, Silver handle, laminate doors. Finish: One-tone in Tuscany Walnut.
T2SS-203636B TWT

Marker board with sliding doors, Anthracite Grey handle. Finish: One-tone in Dark Chocolate.
TNNA-VBX4860C DCH

Magazine table, 1" thick laminate top, smooth edgebanding. Finish: Two-tone in Tuscany Walnut and Willow Grey.
T1NN-ST244818 TWT/WGR

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase credenzas 	*Bookcase credenzas with doors. Adjustable shelves. Locks. 1 36" bookcase with doors in the center. Grommet on the back. Specify **T** at the end of the code for center doors with anodized aluminum frame and translucent insert.*				
	72 x 20 x 36	1800 x 500 x 914	**T___-B207236B**	**2,058**	**2,567**
	72 x 20 x 36	1800 x 500 x 914	**T__S-B207236BT**	**2,509**	**2,949**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	72 x 20 x 36½	1800 x 500 x 927	**T___-B207236B**	**2,180**	**2,689**
	72 x 20 x 36½	1800 x 500 x 927	**T__S-B207236BT**	**2,615**	**3,081**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				
Bookcase credenzas 	*1 adjustable shelf. Lock. Grommet on the back. Specify **T** at the end of the code for doors with anodized aluminum frame and translucent insert.*				
	36 x 20 x 36	900 x 500 x 914	**T___-203636B**	**1,336**	**1,634**
	36 x 20 x 36	900 x 500 x 914	**T__S-203636BT**	**1,793**	**2,058**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	36 x 20 x 36½	900 x 500 x 927	**T___-203636B**	**1,395**	**1,697**
	36 x 20 x 36½	900 x 500 x 927	**T__S-203636BT**	**1,851**	**2,122**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Mobile serving carts	*Open storage space. Bookcase with doors. 1 adjustable shelf. Lock. 4 casters, 2 with brakes. Specify **T** at the end of the code for doors with anodized aluminum frame and translucent insert. Handles on top for ease of moving.*				
	36 x 20 x 36	900 x 500 x 914	**T___-MS203636**	**1,485**	**1,808**
	36 x 20 x 36	900 x 500 x 914	**T__S-MS203636T**	**1,989**	**2,382**
	Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (A, S).				
	36 x 20 x 36½	900 x 500 x 927	**T___-MS203636**	**1,554**	**1,867**
	36 x 20 x 36½	900 x 500 x 927	**T__S-MS203636T**	**2,037**	**2,435**
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				
Storage cabinets 	*3 adjustable shelves. 1 fixed shelf. Lock. Specify **T** at the end of the code for doors with anodized aluminum frame and translucent insert.*				
	36 x 20 x 77	900 x 500 x 1930	**T1__-203677B**	**1,968**	–
	36 x 20 x 77	900 x 500 x 1930	**T1_S-203677BT**	**2,700**	–
	Specify the edge (N, S). Specify the accent color (A, S).				
	36 x 20 x 77½	900 x 500 x 1943	**T5__-203677B**	**2,111**	–
	36 x 20 x 77½	900 x 500 x 1943	**T5_S-203677BT**	**3,023**	–
	Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Phone tables	*Open storage space.*			
	20 x 20 x 36	500 x 500 x 914	**T1_N-PH202036**	**573**
	1" thick top. Specify the edge (N, S).			
	20 x 20 x 36½	500 x 500 x 927	**T5_N-PH202036**	**594**
	1½" thick top. Specify the edge (N, S, 1, 2).			
Magazine tables	*Open storage space.*			
	24 x 24 x 18	600 x 600 x 450	**T1_N-ST242418**	**562**
	1" thick top. Specify the edge (N, S).			
	24 x 24 x 18½	600 x 600 x 463	**T5_N-ST242418**	**605**
	1½" thick top. Specify the edge (N, S, 1, 2).			
Magazine tables	*Open storage space.*			
	48 x 24 x 18	1200 x 600 x 450	**T1_N-ST244818**	**668**
	1" thick top. Specify the edge (N, S).			
	48 x 24 x 18½	1200 x 600 x 463	**T5_N-ST244818**	**743**
	1½" thick top. Specify the edge (N, S, 1, 2).			
Magazine tables	*Open storage space.*			
	24 x 24 x 18	600 x 600 x 450	**T1_N-STB242418**	**600**
	1" thick top. Specify the edge (N, S).			
	24 x 24 x 18½	600 x 600 x 463	**T5_N-STB242418**	**663**
	1½" thick top. Specify the edge (N, S, 1, 2).			
Magazine tables	*Open storage space.*			
	48 x 24 x 18	1200 x 600 x 450	**T1_N-STB244818**	**706**
	1" thick top. Specify the edge (N, S).			
	48 x 24 x 18½	1200 x 600 x 463	**T5_N-STB244818**	**785**
	1½" thick top. Specify the edge (N, S, 1, 2).			

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Café height tables with cross base	*Round top, 30" (750 mm) diameter.*				
	30 x 30 x 42½	750 x 750 x 1080	**T___-R3042XB**	**849**	**1,024**
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Packed in 2 boxes.

Café height table with disc base	*Café height table with a disc base. Round top, 30" (750 mm) diameter.*				
	30 x 30 x 42½	750 x 750 x 1080	**T___-R3042DC**	**928**	**1,029**
	36 x 36 x 42½	900 x 900 x 1080	**T___-R3642DC**	**960**	**1,104**
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2). Specify the accent color (A, S).				

Packed in 3 boxes.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Marker board with sliding doors	*High-pressure laminate surface for dry-erase marker. Accessory tray along bottom of board. Non-magnetic surface. 1 tone finish only. Open board overall width: 117½" (2938 mm).*			
	60 x 4 x 48	1500 x 105 x 1200	**TNN_-VBX4860C**	**1,581**
	Specify the accent color (A, S).			
Marker boards with doors	*Laminate surface for dry-erase marker. Accessory tray along bottom of board. Non-magnetic surface. Inside face of doors covered in natural cork. Hooks for paper pad. 180° hinges. Open board overall width: 107¼" (2725 mm).*			
	54 x 5 x 41¼	1368 x 130 x 1049	**T1__-VBX4054**	**1,369**
	Specify the edge (N, S). Specify the accent color (A, S).			
	54 x 5 x 42½	1368 x 130 x 1081	**T5__-VBX4054**	**1,501**
	Specify the edge (N, S, 1, 2). Specify the accent color (A, S).			
Lectern	*1 fixed shelf. 1 adjustable shelf. 1 storage space. Wiring access. 4 casters, 2 with brakes. 1 tone finish only.*			
	24 x 18 x 47	600 x 448 x 1177	**TNNN-LC241846**	**933**
Mobile board with storage module	*Double-sided high-pressure laminate surface for dry-erase marker. Non-magnetic surface. 1 accessory tray included. 4 storage spaces. 2 fixed shelves. Casters with brakes. 1 tone finish only.*			
	54 x 25 x 65	1350 x 622 x 1629	**TNN_-MWB5465**	**1,416**
	Specify the accent color (A, S).			

= ASSEMBLY REQUIRED

ACCESSORIES

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Electrical / communication module	*2 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Silver anodized aluminum.*			
	8¼ x 4 3/8 x 3	212 x 110 x 75	**LGC-PC**	**371**
Double Electrical / communication module	*Double-sided electrical module including 2 electrical outlets on each side. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Silver anodized aluminum.*			
	8¼ x 8 1/16 x 3	206 x 200 x 75	**LGC-DPC**	**658**
Removable electrical / communication module	*3 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Silver anodized aluminum. Installs on a 1" thick surface only..*			
	10 x 5½ x 3	255 x 140 x 75	**LGC-PCS**	**328**
Half electrical module	*2 electrical outlets. 72" cord included. Silver anodized aluminum.*			
	4 7/8 x 4¼ x 3	120 x 106 x 75	**LGC-HPC**	**217**
Electrical / Ipod module	*2 electrical outlets and 1 Ipod or Iphone dock. 72" cord included. Silver anodized aluminum.*			
	8¼ x 4 3/8 x 3	212 x 110 x 75	**LGC-IPC**	**547**
Rectangular grommets	*Silver or Anthracite Grey plastic.*			
	3½ x 2 3/16 x 1	90 x 55 x 25	**LGC-GRQ25_**	**27**
	3½ x 2 3/16 x 1	90 x 55 x 25	**LGC-GRQ38_**	**27**
	Specify the accent color (A, S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Table connector	*To link two modular or training tables. 2 per package. Zinc-finish metal.*			
	6 x 2¼ x ¼	150 x 60 x 6	**LGC-UP**	**116**
Flush plate	*To link and level two surfaces. 10 per package. Black metal.*			
	7 x 1½ x 1/8	175 x 38 x 3	**LGC-FLP**	**58**
Horizontal wire channels	*Self-adhesive. Installs under the surface. Supports most power bars. Silver or Anthracite Grey plastic.*			
	20 x 2¼ x 3¼	500 x 60 x 80	**LGC-HWMC24_**	**74**
	44 x 2¼ x 3¼	1100 x 60 x 80	**LGC-HWMC48_**	**85**
	68 x 2¼ x 3¼	1700 x 60 x 80	**LGC-HWMC72_**	**106**
	Specify the accent color (A, S).			
Vertical wire channel	*Self-adhesive. Installs to base or leg. 2 lengths of 20" each. Silver or Anthracite Grey plastic.*			
	20 x 5/8 x 1	500 x 6 x 27	**LGC-VWMC20_**	**74**
	Specify the accent color (A, S).			
Plastic drawer	*Black.*			
	20 x 16½ x 2½	500 x 419 x 64	**LGC-DR20P**	**149**

= QUICKSHIP

SUGGESTIONS

T_ _ _-PLAN01



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5KS-PLAN01	$9,406
1	T5KN-A48228
1	LGC-DPC
4	TNNS-UCB20
2	T1NN-ST244818
1	T1NS-B207236BT

1½" thick laminate (5), edge (K), Silver accent (S), 1 double electrical / communication module.

T_ _ _-PLAN02



Plan shown in QUORUM MULTICONFERENCE Brochure:

T52S-PLAN02	$9,197
1	T52N-B48192P2
2	TNNS-CB20
1	TNNS-LB20WM
2	C5NN-F204820F
2	CNNN-CU2024
1	TNNS-VBX4860C

1½" thick laminate (5), edge (N), Silver accent (S), 2 electrical / communication modules at the ends (P2).

T_ _ _-PLAN03



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN03	$8,258
1	T5NN-O4284P2
2	TNNS-STL2
1	41YN-LF2072LF
1	41YN-202473BR
3	PNNS-SFLX4130
3	PNNS-SOFX1230
3	PNNS-SAGX1230
1	PNNS-WF65
1	PNNS-PS22

1½" thick laminate (5), edge (N), Silver accent (S), 2 electrical / communication modules (P2).

T_ _ _-PLAN04



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN04	$8,783
3	T5NN-R36
3	TNNS-DC22
1	41YN-LF2072LF
1	41YN-202473BR
3	PNNS-SFLX4130
3	PNNS-SOFX1230
3	PNNS-SAGX1230
1	PNNS-WF65
1	PNNS-PS22

1½" thick laminate (5), edge (N), Silver accent (S).

T_ _ _-PLAN05



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN05	$7,638
1	T5NN-RC3684P2
2	TNNS-QTL2
1	41YN-LF2072LF
1	41YN-202473BR
3	PNNS-SFLX4130
3	PNNS-SOFX1230
3	PNNS-SAGX1230
1	PNNS-WF65
1	PNNS-PS22

1½" thick laminate (5), edge (N), Silver accent (S), 2 electrical / communication modules (P2).

T_ _ _-PLAN06



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NA-PLAN06	$8,735
3	T5NA-RCMM2460P
2	T5NA-FTMM2460P
5	TNNA-MTB24
1	TNNN-LC241846
5	LGC-HWMC48A
5	LGC-PC

1½" thick laminate (5), edge (N), Anthracite Grey accent (A).

T_ _ _-PLAN07



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN07	$7,118
2	T5NS-RCMM2472P
2	T5NS-HRM3060P
8	TNNS-MATL2
4	LGC-PC

1½" thick laminate (5), edge (N), Silver accent (S).

T_ _ _-PLAN08



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN08	$10,804
4	T5NS-RCMM2472
1	T5NS-PM24725P
10	TNNS-STL2
1	TNNN-LB20
5	LGC-HWMC72S
2	QNNN-EM541616
1	ENNS-WB7248
1	ENNN-WMS78
1	LGC-PC

1½" thick laminate (5), edge (N), Silver accent (S), 1 electrical / communication module.

T_ _ _-PLAN09



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN09	$4,498
4	T5NS-FTMM2454
8	TNNS-MQTL2

1½" thick laminate (5), edge (N), Silver accent (S).

= QUICKSHIP

SUGGESTIONS

T_ _ _-PLAN10



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN10 **$4,519**

2 T5NS-RCMM2472
2 T5NS-FTMM2454
8 TNNS-MVTL2

1½" thick laminate (5), edge (N), Silver accent (S).

T1_ _-PLAN11



Plan shown in QUORUM MULTICONFERENCE Brochure:

T1NA-PLAN11 **$13,000**

7 T1NA-RCTT2472
7 TNNA-MTBFH24
1 TNNA-MWB5465

1" thick laminate (1), edge (N), Anthracite Grey accent (A).

T_ _ _-PLAN12



Plan shown in QUORUM MULTICONFERENCE Brochure:

T1NS-PLAN12 **$16,591**

8 T1NS-TZTT2460
8 TNNS-MLB24
2 M1NN-B367314
1 ENNS-TKC4848
1 ENNS-WB4848
1 ENNS-WM96
3 LGC-PCS

1" thick laminate (1), edge (N), Silver accent (S), 1 double electrical / communication module .

T_ _ _-PLAN13



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN13 **$29,878**

4 T5NS-RC2358G
4 LGC-SUPACS
4 LGC-RA24S
4 LGC-RPT11
4 LGC-RAS12
2 C5NN-RCDT6084
2 CNNN-CBDT60
1 CNNN-LBD1212WM
4 CNNN-EBM1824
4 CNNN-TK2213
1 CNNN-SCT3618
4 CNNN-MP1518F
4 CNNN-CU1518
3 LPS-0336D
1 L5NN-T01836
1 L5NN-T01872

1½" thick laminate (5), edge (N), Silver accent (S).

T_ _ _-PLAN14



Plan shown in QUORUM MULTICONFERENCE Brochure:

T1NS-PLAN14 **$9,743**

1 T1NS-RC2370H
1 C3-207249LFBT
1 C3-MP1518F
1 LGC-RA24S
1 LGC-SUPACS
6 PNNS-SFLX4136
6 PNNS-SOFX0836

1" thick laminate (1), edge (N), Silver accent (S).

T_ _ _-PLAN15



Plan shown in QUORUM MULTICONFERENCE Brochure:

T1NA-PLAN15 **$18,118**

2 T1NA-RC2370G
2 PNQA-MP1518F
2 CNNN-SH1813
1 C5NN-DC204820M
1 CNNN-CUB2024
1 CNNN-2024CUB
2 PNQA-242465B
6 PNNA-SFLX4136
6 PNNA-SOFX1236
6 PNNA-SOLX1236
2 PNNA-SFLX6530

1" thick laminate (1), edge (N), Anthracite Grey accent (A).

T_ _ _-PLAN16



Plan shown in QUORUM MULTICONFERENCE Brochure:

T5NS-PLAN15 **$11,414**

2 T5NS-RCM3072I
2 C5NN-F204820F
2 C5NN-S203620S
2 M5NN-EB364416
2 CNNN-MP1518F
2 CNNN-CU1518

1½" thick laminate (5), edge (N), Silver accent (S).

T5_ _S-PLAN17



Not shown in QUORUM MULTICONFERENCE Brochure:

QST5_S-PLAN17 **$1,787**

1 **QS**T5_N-RT4896
2 **QS**TNNS-CB20

1½" thick laminate (5).

T5_ _-PLAN18



Not shown in QUORUM MULTICONFERENCE Brochure:

QST5_ _-PLAN18 **$4,265**

1 **QS**T5_N-PM24605
2 **QS**T5_ _-RCMM2472
1 **QS**TNNN-LB20
5 **QS**TNN_-STL2

1½" thick laminate (5).

T1_ _-PLAN19



Not shown in QUORUM MULTICONFERENCE Brochure:

QST1_ _-PLAN19 **$849**

1 **QS**T1_N-RCT2472
1 **QS**TNN_-MTB24

1" thick laminate (1).

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

= QUICKSHIP

USA – FEBRUARY 2015

STORAGE Furniture

LAMINATE LATERAL FILES

HANDLES


A – Arcade


C – Cubic

K – Classic


L – Linear


W – Waterfall


Z – Straight

CODIFICATION

Series	Options: Handles	Options: Accent Color
LN	**A** Arcade **C** Cubic **K** Classic **L** Linear **W** Waterfall **Z** Straight	**A** Anthracite Grey **S** Silver

TWO-TONE APPLICATION

The first finish specified will be applied to the drawer fronts. The second finish specified will be applied to the rest of the unit.



Wood grain direction is vertical

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
Laminate lateral files	*Laminate lateral files with metal drawers. Suspension bars. Lock. Label holders for L pull only.*				
	4-drawer lateral file				
	36 x 20 x 58	900 x 500 x 1459	**LN_ _-203658LF4**		**2,005**
	3-drawer lateral file				
	36 x 20 x 43	900 x 500 x 1098	**LN_ _-203643LF3**		**1,671**
	2-drawer lateral file				
	36 x 20 x 29	900 x 500 x 735	**LN_ _-203629LF2**		**1,336**



Specify the handle code. Specify the accent color (A, S).

STEEL LATERAL FILES

HANDLES

A – Round, Anthracite Grey


F – Full pull

G – Round, Silver

L – Classic


R – Recessed aluminum pull

S – Straight

T – Waterfall

HOW TO ORDER

1. Start with basic model number
2. Choose drawer pull desired
3. Choose paint finish desired

Example: **L P F - 05 30 D P01**

- P01 — Paint finish (Black)
- D — Configuration (Drawers)
- 30 — Width (30")
- 05 — No. of drawer high (5)
- F — Pull choice (Full Pull)
- P — Type of cabinet (Lateral files)
- L — Brand (Lacasse)

	W x D x H (in)	W x D x H (mm)	Code		Price ($)
2-drawer lateral files	29⅞ x 18 x 27½	759 x 457 x 699	**LP_-0230D**		
	R pull				**690**
	F pull				**732**
	G, A, L, T and S pulls				**732**
	35⅞ x 18 x 27½	911 x 457 x 699	**LP_-0236D**		
	R pull				**779**
	F pull				**827**
	G, A, L, T and S pulls				**827**
	41⅞ x 18 x 27½	1064 x 457 x 699	**LP_-0242D**		
	R pull				**880**
	F pull				**933**
	G, A, L, T and S pulls				**933**
3-drawer lateral files	29⅞ x 18 x 39½	759 x 457 x 1003	**LP_-0330D**		
	R pull				**902**
	F pull				**955**
	G, A, L, T and S pulls				**955**
	35⅞ x 18 x 39½	911 x 457 x 1003	**LP_-0336D**		
	R pull				**986**
	F pull				**1,051**
	G, A, L, T and S pulls				**1,051**

Add a counterweight to meet ANSI/BIFMA Standards, refer to page 199.



Add a counterweight to meet ANSI/BIFMA Standards, refer to page 199.

Dimensions shown are in actual imperial measure and may vary from Lacasse laminate products. Steel lateral files are 18" (457 mm) deep and include side-to-side hanging bars. Lacasse steel lateral files meet or exceed ANSI/BIFMA Standards. Lock plugs and keys are shipped with random numbering and are factory installed.

D = Drawer R = Roll-out shelf with receding door

= QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
3-drawer lateral files (cont'd)	41⅞ x 18 x 39½	1064 x 457 x 1003	**LP_-0342D**	
	R pull			**1,119**
	F pull			**1,183**
	G, A, L, T and S pulls			**1,183**
4-drawer lateral files	29⅞ x 18 x 51½	759 x 457 x 1308	**LP_-0430D**	
	R pull			**1,140**
	F pull			**1,177**
	G, A, L, T and S pulls			**1,177**
	35⅞ x 18 x 51½	911 x 457 x 1308	**LP_-0436D**	
	R pull			**1,210**
	F pull			**1,283**
	G, A, L, T and S pulls			**1,283**
	41⅞ x 18 x 51½	1064 x 457 x 1308	**LP_-0442D**	
	R pull			**1,369**
	F pull			**1,448**
	G, A, L, T and S pulls			**1,448**
4-high lateral files	*3 roll-out shelves with receding door in top positions, 1 drawer at bottom.*			
	29⅞ x 18 x 51½	759 x 457 x 1308	**LP_-0430R**	
	R pull			**1,400**
	F pull			**1,459**
	35⅞ x 18 x 51½	911 x 457 x 1308	**LP_-0436R**	
	R pull			**1,490**
	F pull			**1,575**
	41⅞ x 18 x 51½	1064 x 457 x 1308	**LP_-0442R**	
	R pull			**1,681**
	F pull			**1,782**
5-drawer lateral files	*Roll-out shelf with receding door, 4 drawers at bottom.*			
	29⅞ x 18 x 63½	759 x 457 x 1613	**LP_-0530D**	
	R pull			**1,294**
	F pull			**1,406**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
5-drawer lateral files (cont'd)	35⅞ x 18 x 63½	911 x 457 x 1613	**LP_-0536D**	
	R pull			**1,442**
	F pull			**1,517**
	41⅞ x 18 x 63½	1064 x 457 x 1613	**LP_-0542D**	
	R pull			**1,591**
	F pull			**1,687**
5-high lateral files	*4 roll-out shelves with receding door in top positions, 1 drawer at bottom.*			
	29⅞ x 18 x 63½	759 x 457 x 1613	**LP_-0530R**	
	R pull			**1,676**
	F pull			**1,777**
	35⅞ x 18 x 63½	911 x 457 x 1613	**LP_-0536R**	
	R pull			**1,793**
	F pull			**1,904**
	41⅞ x 18 x 63½	1064 x 457 x 1613	**LP_-0542R**	
	R pull			**2,026**
	F pull			**2,148**
5-high lateral files	*With posting shelf, roll-out shelf with receding door, 4 drawers at bottom.*			
	29⅞ x 18 x 63½	759 x 457 x 1613	**LP_-0530DP**	
	R pull			**1,459**
	F pull			**1,548**
	35⅞ x 18 x 63½	911 x 457 x 1613	**LP_-0536DP**	
	R pull			**1,649**
	F pull			**1,750**
	41⅞ x 18 x 63½	1064 x 457 x 1613	**LP_-0542DP**	
	R pull			**1,767**
	F pull			**1,873**

LATERAL FILE TOPS

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Tops for lateral files	29⅞ x 18 x 1	761 x 459 x 25	**L_NN-T01830**	**191**	**249**
	35⅞ x 18 x 1	913 x 459 x 25	**L_NN-T01836**	**202**	**260**
	41⅞ x 18 x 1	1066 x 459 x 25	**L_NN-T01842**	**212**	**282**
	Specify the surface type (1, 2).				
Double face adhesive tape is included.	29⅞ x 18 x 1½	761 x 459 x 38	**L_ _N-T01830**	**265**	**302**
	35⅞ x 18 x 1½	913 x 459 x 38	**L_ _N-T01836**	**260**	**323**
	41⅞ x 18 x 1½	1066 x 459 x 38	**L_ _N-T01842**	**282**	**361**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				
Tops for side-to-side lateral files	59¾ x 18 x 1	1523 x 459 x 25	**L_NN-T01860**	**239**	**335**
	71¾ x 18 x 1	1827 x 459 x 25	**L_NN-T01872**	**260**	**361**
	83¾ x 18 x 1	2132 x 459 x 25	**L_NN-T01884**	**282**	**393**
	Specify the surface type (1, 2).				

	W x D x H (in)	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Tops for side-to-side lateral files (cont'd)	59¾ x 18 x 1½	1523 x 459 x 38	**L_ _N-T01860**	**335**	**424**
Double face adhesive tape is included.	71¾ x 18 x 1½	1827 x 459 x 38	**L_ _N-T01872**	**361**	**451**
	83¾ x 18 x 1½	2132 x 459 x 38	**L_ _N-T01884**	**393**	**504**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				
Tops for back-to-back lateral files	29⅞ x 36 x 1	761 x 918 x 25	**L_NN-T03630**	**228**	**302**
	35⅞ x 36 x 1	913 x 918 x 25	**L_NN-T03636**	**249**	**345**
	41⅞ x 36 x 1	1066 x 918 x 25	**L_NN-T03642**	**260**	**376**
	Specify the surface type (1, 2).				
Double face adhesive tape is included.	29⅞ x 36 x 1½	761 x 918 x 38	**L_ _N-T03630**	**313**	**361**
	35⅞ x 36 x 1½	913 x 918 x 38	**L_ _N-T03636**	**335**	**398**
	41⅞ x 36 x 1½	1066 x 918 x 38	**L_ _N-T03642**	**361**	**441**
	Specify the surface type (5, 6). Specify the edge (N, 1, 2).				

= QUICKSHIP

D = Drawer R = Roll-out shelf with receding door

STEEL MULTIFUNCTION STORAGE

HANDLES

A – Round, Anthracite Grey

F – Full pull

G – Round, Silver

L – Classic

S – Straight

T – Waterfall

HOW TO ORDER

1. Start with basic model number
2. Choose drawer pull desired
3. Choose left- or right-hand orientation for asymmetrical models (PF, DC, UC, PC, PU)
4. Choose paint finish desired

Example: **L M T - 05 30 PU L P01**

- P01 — Paint finish (Black)
- L — Orientation (L = Left, R = Right)
- PU — Configuration (Combination)
- 30 — Width (30")
- 05 — No. of drawer high (5)
- T — Pull choice (Waterfall)
- M — Type of cabinet (Multi-storage)
- L — Brand (Lacasse)

Dimensions shown are in actual imperial measure and may vary from Lacasse laminate products. Steel multifunction storage cabinets are 18¾" (476 mm) deep and includes side-to-side hanging bars (except LM_-0230DC). Lacasse steel multifunction storage cabinets meet or exceed ANSI/BIFMA Standards. Lock plugs and keys are shipped with random numbering and are factory installed.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
2-high multi-storage  Left (L) Right (R)	*Front-to-back / Box (2) / Lateral drawer. Select orientation for these models (L = Left-hand and R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. Pencil tray. Counterweight included. (Example: LMF-0230PF**LA**).*			
	29⅞ x 18¾ x 27½	759 x 476 x 699	**LM_-0230PF_**	
	F pull			**1,442**
	G, A, L, T and S pulls			**1,442**
2-high multi-storage  Left (L) Right (R)	*Closed adjustable shelf / Front-to-back (2). Select orientation for this model (L = Left-hand R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. Counterweight included. (Example: LMF-0230DC**LA**).*			
	29⅞ x 18¾ x 27½	759 x 476 x 699	**LM_-0230DC_**	
	F pull			**1,347**
	G, A, L, T and S pulls			**1,347**
2-high multi-storage  Left (L) Right (R)	*Closed adjustable shelf / Box (2) / Front-to-back. Select orientation for this model (L = Left-hand R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. Pencil tray. Counterweight included. (Example: LMF-0230UC**LA**).*			
	29⅞ x 18¾ x 27½	759 x 476 x 699	**LM_-0230UC_**	
	F pull			**1,517**
	G, A, L, T and S pulls			**1,517**
3-high multi-storage 	*Closed adjustable shelf with 2 doors / Lateral drawer. Counterweight included.*			
	29⅞ x 18¾ x 39½	759 x 476 x 1003	**LM_-0330B**	
	F pull			**1,326**
	G, A, L, T and S pulls			**1,326**
3-high multi-storage (cont'd)	35⅞ x 18¾ x 39½	911 x 476 x 1003	**LM_-0336B**	
	F pull			**1,379**
	G, A, L, T and S pulls			**1,379**
4-high multi-storage 	*Closed adjustable shelves (2) with 2 doors / Lateral drawer. Counterweight included.*			
	29⅞ x 18¾ x 51½	759 x 476 x 1308	**LM_-0430B**	
	F pull			**1,432**
	G, A, L, T and S pulls			**1,432**
	35⅞ x 18¾ x 51½	911 x 476 x 1308	**LM_-0436B**	
	F pull			**1,490**
	G, A, L, T and S pulls			**1,490**
4-high multi-storage 	*Closed adjustable shelf with 2 doors / Lateral (2) drawers. Counterweight included.*			
	29⅞ x 18¾ x 51½	759 x 476 x 1308	**LM_-0430C**	
	F pull			**1,490**
	G, A, L, T and S pulls			**1,490**
	35⅞ x 18¾ x 51½	911 x 476 x 1308	**LM_-0436C**	
	F pull			**1,548**
	G, A, L, T and S pulls			**1,548**
5-high multi-storage 	*Closed adjustable shelves (2) with 2 doors / Lateral (2) drawers.*			
	29⅞ x 18¾ x 63½	759 x 476 x 1613	**LM_-0530C**	
	F pull			**1,581**
	G, A, L, T and S pulls			**1,581**
	35⅞ x 18¾ x 63½	911 x 476 x 1613	**LM_-0536C**	
	F pull			**1,644**
	G, A, L, T and S pulls			**1,644**
5-high multi-storage 	*Closed adjustable shelf with 2 doors / Lateral (3) drawers.*			
	29⅞ x 18¾ x 63½	759 x 476 x 1613	**LM_-0530D**	
	F pull			**1,596**
	G, A, L, T and S pulls			**1,596**
	35⅞ x 18¾ x 63½	911 x 476 x 1613	**LM_-0536D**	
	F pull			**1,714**
	G, A, L, T and S pulls			**1,714**
5-high multi-storage  Left (L) Right (R)	*Full height hanging / Closed adjustable shelf / Front-to-back (3) drawers. Select orientation for this model (L = Left-hand R = Right-hand). Shelves available for the wardrobe side. Please contact customer Service for more information.*			
	29⅞ x 18¾ x 63½	759 x 476 x 1613	**LM_-0530PC_**	
	F pull			**2,058**
	G, A, L, T and S pulls			**2,058**
5-high multi-storage  Left (L) Right (R)	*Full height hanging / Closed adjustable shelf / Box (2) / Front-to-back (2). Select orientation for this model (L = Left-hand R = Right-hand). Pencil tray. Shelves available for the wardrobe side. Please contact customer Service for more information.*			
	29⅞ x 18¾ x 63½	759 x 476 x 1613	**LM_-0530PU_**	
	F pull			**2,143**
	G, A, L, T and S pulls			**2,143**

ACCESSORIES FOR STEEL LATERAL AND MULTIFUNCTION FILES

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Counterweight for 30" file	26.4 x ¼ x 23.3	673 x 6 x 592	**LAB-30**	**133**
Counterweight for 36" file	32.4 x ¼ x 23.3	823 x 6 x 592	**LAB-36**	**154**
Counterweight for 42" file	38.4 x ¼ x 23.3	975 x 6 x 592	**LAB-42**	**181**
Front-to-back rails 	15½ x 1 x 1	394 x 25 x 25	**LAB-FTB**	**37** (pack of 2)
Drawer dividers 	15 x 0.1 x 7	381 x 3 x 178	**LAB-DIV**	**37** (pack of 3)
Magnetic label holders	3 x ½ x 1	76 x 12 x 25	**LAB-MLH**	**16** (pack of 5)

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hanging CD holder 	*Holds 24 CDs.*			
	6 x 12¾ x 6½	152 x 324 x 165	**LAB-HCD**	**27**
Compressors for lateral file drawers 	*One compressor and horizontal track are included.*			
	30 x 10¼ x 7	762 x 260 x 178	**LAB-COM30**	**48**
	36 x 10¼ x 7	914 x 260 x 178	**LAB-COM36**	**53**
	42 x 10¼ x 7	1067 x 260 x 178	**LAB-COM42**	**58**
Legal filing kit for file drawers 	*Includes one black steel drawer extension and one side-to-side file hanging bar. For side-to-side legal filing in 12" (305 mm) pedestal style drawers.*			
			LAB-LFK	**58**

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.

= QUICKSHIP

ELECTRICOM II Electrification System

GENERAL

Electrical and communication system fully compatible with Lacasse collections.



Electricom II is based on the principle that an aluminum raceway can serve to house both electrical and communication components. This versatile raceway may then be positioned at the desired location.

TYPICAL APPLICATIONS

Freestanding furniture
Concept 3, 70, 400E, 300, Morpheo, Quad, Options



PanGram



Quorum



TWO LEVELS OF ELECTRIFICATION

4-Trac

- 4 wires, 2 circuits, 20 AMP
- Common ground
- UL, CSA, ROHS certified
- Perfect for today's office automation needs





8-Trac

- 8 wires, 4 circuits, 20 AMP
- 1 isolated ground
- UL, CSA, ROHS certified
- Intended for more demanding electrification needs





COMPONENT SPECIFICATIONS

Raceways



Can accommodate 4 AMP or Panduit brand outlets adapted to fax machines, telephones or computers.

- The raceways support the electrical and communication components.
- 5 lengths are available, in 12" increments.
- 12" covers supplied; may be trimmed on-site as necessary.
- The covers and duplex receptacles have no pre-set location within the raceway; they may be positioned anywhere.



- The supports make possible a range of installation positions:



Underneath the surface, sideways | Underneath the surface, facing down | On vertical panel, sideways | On vertical panel, facing down

Space allocation within raceways:



- When specifying, it is recommended to order a raceway in the size immediately smaller than the dimension of the furniture it will be installed on (for example: DT2472 + EC2RACE60) in order to allow space for exteriors, enable cables to round a corner, or any other reason.

4-TRAC DUPLEX



- Connects to a junction cable or an electrical entry.
- Each duplex receptacle comes with required hardware and support to fix on raceway.
- 2 outlets per duplex receptacle.
- Specify circuit 1 or 2.

X = NOT PART OF THE QUICKSHIP PROGRAM

8-TRAC BLOCK



- Connects to a junction cable or an electrical entry.
- Each block comes with required hardware and supports to fix on raceway.
- Available in single and double formats.
- Can receive 1 or 2 duplex receptacles.

8-TRAC DUPLEX



- Connects to an 8-Trac block.
- 2 outlets per duplex receptacle.
- Specify circuit 1, 2, 3 or 4.
- Circuit 4 has an isolated ground.

4-TRAC / 8-TRAC CONNECTOR CABLES



- Connect duplex receptacles to each other.
- If in doubt, it is recommended that the largest size available be specified.
- Metallic sheath.

4-TRAC / 8-TRAC FLOOR FEED



- Used to connect a duplex to electrical power source.
- 72" in length. (Longer models available; contact the Customer Service department.)
- Must be installed by an electrician.
- Metallic sheath.

4-TRAC / 8-TRAC CEILING FEED

- Runs from the Lacasse unit to the ceiling.
- The cable is plugged into a duplex.
- Pole: 120"; cable: 132".



- Can be installed on a horizontal or vertical surface.

CONNECTORS



Duplex receptacle connector

- 4-Trac
- Allows the connection of 2 duplex receptacles.

H connector

- 4-Trac / 8-Trac
- Allows up to 4 cables to be connected together.

NOTES FOR SPECIFICATION

Given the remarkable versatility of ELECTRICOM II, particular attention should be given to the location of grommets, exterior panels, pedestals and any other items that might interfere with the raceway or the cables.

Under certain circumstances, grommets may need to be added to furniture. This can be done on-site by a professional installer or at the manufacturing facility according to your specifications. In the latter case, refer to the "Standard Specials" section on page 4 for the appropriate procedure, or contact Groupe Lacasse's Customer Service department.

SPECIFICATION EXAMPLES:

Morpheo



PanGram (Plan03)



Quorum



X = NOT PART OF THE QUICKSHIP PROGRAM

4-TRAC SYSTEM SPECIFICATIONS

4 – wires, 2 circuits, 20 AMP each
13 – duplex receptacles per circuit
26 – duplex 15 AMP per electrical entry

4-Trac ceilling feed



Silver anodized aluminum pole, 120" H (3000 mm) x 3" (75 mm) x 2 ½" (63 mm). 132" metallic sheathed cable. Cover, surface support and ceiling plate included. Must be installed by an electrician.

Code	Price ($)
EC2-4CPOLE120	**525**

4-Trac floor feed



72" long cable. Must be installed by an electrician.

Code	Price ($)
EC2-4FFEED72	**191**

4-Trac connector cables



To connect duplex receptacles to each other.

Code	Price ($)
EC2-4PASS12	**106**
EC2-4PASS18	**111**
EC2-4PASS24	**116**
EC2-4PASS30	**122**
EC2-4PASS36	**128**
EC2-4PASS42	**133**
EC2-4PASS48	**138**
EC2-4PASS54	**143**
EC2-4PASS60	**149**
EC2-4PASS66	**154**
EC2-4PASS72	**159**

4-Trac duplex receptacle



2 outlets per duplex receptacle.

Code	Price ($)
EC2-4DUPLEX_ _	**111**

Specify circuit 1 or 2.

4-Trac connectors



Code	Price ($)
H connector. Allows up to 4 cables to be connected together.	
EC2-4HC	**69**
Duplex receptacle connector. Allows the connection of 2 duplex receptacles.	
EC2-4DC	**63**

8-TRAC SYSTEM SPECIFICATIONS

8 – wires, 4 circuits including 4 conductor cables, 2 neutral and 2 ground (1 isolated). 20 AMP. Maximum of 13 duplex receptacles per circuit, with a total of 52 receptacles available.

8-Trac ceilling feed



Silver anodized aluminum pole, 120" (3000 mm) high x 3" (75 mm) x 2 ½" (63 mm). 132" metallic sheathed cable. Cover, surface support and ceiling plate included. Must be installed by an electrician.

Code	Price ($)
EC2-8CPOLE120	**552**

8-Trac floor feed



72" long cable. Must be installed by an electrician.

Code	Price ($)
EC2-8FFEED72	**217**

8-Trac connector cables



To connect duplex receptacles to each other.

Code	Price ($)
EC2-8PASS12	**128**
EC2-8PASS18	**133**
EC2-8PASS24	**138**
EC2-8PASS30	**143**
EC2-8PASS36	**149**
EC2-8PASS42	**154**
EC2-8PASS48	**159**
EC2-8PASS54	**164**
EC2-8PASS60	**169**
EC2-8PASS66	**175**
EC2-8PASS72	**181**

8-Trac blocks



Single block with required hardware to fix on the raceway. Can receive one duplex receptacle.

Code	Price ($)
EC2-8SBLOC	**111**



Double block with required hardware to fix on the raceway. Can receive two duplex receptacles.

Code	Price ($)
EC2-8DBLOC	**138**

8-Trac duplex



2 outlets per duplex receptacle.

Code	Price ($)
EC2-8DUPLEX_ _	**85**

Specify circuit 1, 2, 3 or 4.

= NOT PART OF THE QUICKSHIP PROGRAM

8-Trac connector



H connector. Allows up to 4 cables to be connected together.

Code	Price ($)
EC2-8HC	**85**

Electrical / communication raceways for 4-Trac and 8-Trac



Silver anodized aluminum raceway, covers, communication adaptors and 2 surface supports included.

Code	Length (in)	Length (mm)	Price ($)
EC2-RACE60	60	1500	**275**
EC2-RACE48	48	1200	**265**
EC2-RACE36	36	900	**255**
EC2-RACE24	24	600	**244**
EC2-RACE18	18	450	**228**

Pole



Silver anodized aluminum. 120" H (3000 mm) pole. Cover, surface support and ceiling cap included.

Code	Price ($)
EC2-POLE120	**408**

LCO Leg cap



To cover unused wire openings in a thermofused laminate leg panel. Package of 2. Anthracite Grey metal.

Code	Price ($)
LGC-LCO	**63**

X = NOT PART OF THE QUICKSHIP PROGRAM

The Essential ACCESSORIES

A WIDE RANGE OF ACCESSORIES THAT CAN BE USED WITH ALL LACASSE LAMINATE FURNITURE COLLECTIONS.

ACCENT COLORS
2 accent colors available to match with all Lacasse collections.

S – Silver **A – Anthracite Grey**

READY TO SHIP IN 5 DAYS!
Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.
Please refer to page 3 for complete program details.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Articulated retractable arms	*Slides along runners. Length of mounting plate: 17". Fits underneath surfaces 20" or greater in depth. 5½" adjustable arm. Tray 100% recycled from post-consumer material. Swivel-tilt. 8½" height adjustment. Black.*			
	26 x 10 x ½	650 x 250 x 13	**LGC-GBAKD26**	**381**
	Fully retractable. Precision ball-bearing slides. 11½" height adjustment. Black. Length of mounting plate: 21¾". Fits underneath surfaces 24" or greater in depth. 7½" adjustable arm. Tray 100% recycled from post-consumer material.			
	26 x 10 x ½	650 x 250 x 13	**LGC-BBAKD26**	**494**
Sliding keyboard trays	*2½" to 3½" (62.5 to 87.5 mm) height adjustment. Length of runners: 15". Fits underneath surfaces 20" or greater in depth. Tray 100% recycled from post-consumer material. Blocks in open position. Black.*			
	26 x 10 x ½	650 x 250 x 13	**LGC-SKD26**	**186**
Articulated shelf for keyboard and mouse	*Swivel-tilt. Fully retractable. With palm rest. Mouse tray can be installed on both sides. Black. Length of mounting plate: 17". Fits underneath surfaces 20" or greater in depth.*			
	22⅝ x 12½ x 1⅜	566 x 313 x 34	**LGC-AKDM02**	**499**
Self-adhesive wrist rest	18½ x 1½ x ¾	470 x 38 x 19	**LGC-WRKD**	**74**
Corner keyboard supports	*Fits in the angle between 2 work surfaces. Anthracite Grey metal. For 1" thick surfaces*			
	20 x 11½ x 1¼	500 x 282 x 30	**LGC-CORSUP1**	**175**
	For 1½" thick surfaces			
	20 x 11¼ x 1¾	500 x 282 x 46	**LGC-CORSUP1.5**	**207**
Rotating trays to install under the work surface	8½ x 7½ x 1	226 x 190 x 26	**LGC-RO9**	**43**
	13¾ x 8¼ x 1⅜	346 x 208 x 34	**LGC-RO14**	**43**

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Drawer pencil tray	*Black plastic. Fits inside a box drawer, on left or right side.*			
	8⅞ x 6 x ⅞	236 x 152 x 22	**LGC-PH**	**43**
Drawers for small objects	*Black plastic drawer front.*			
	23½ x 16½ x 2½	597 x 419 x 64	**LGC-DR25P**	**164**
	20 x 16½ x 2½	500 x 419 x 64	**LGC-DR20P**	**149**
Drawers for small objects	*Laminate drawer front. Specify the laminate finish.*			
	23½ x 17½ x 2½	597 x 445 x 64	**LGC-DR25M**	**181**
	20 x 17½ x 2½	500 x 445 x 64	**LGC-DR20M**	**164**
Flat screen monitor arm on a post	*Fits in a corner or on side of desk. Single screen support, double extension arm. Sit-to-stand capability. Metal silver accent.*			
	20¾ x 6½ x 17¾	527 x 167 x 450	**LGC-SUPECPLS**	**552**
Flat screen monitor arm on a post	*Fits in a corner or on side of desk. Double screen beam-mount. Monitor adjustment left to right and top to bottom. Silver accent.*			
	30⅛ x 5¼ x 18	754 x 126 x 450	**LGC- BEA2ECPLS**	**605**
Flat screen movable monitor arm on a post	*Fits in a corner or on side of desk. Two double extension arms allowing back and forth movement for each screen as well as sit-to-stand capacity. Silver accent.*			
	48 x 24 x 6½	1200 x 167 x 450	**LGC-SUP2ECPLS**	**822**
CPU support	*Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.*			
	5½- x 10 x 17½- 9⅕ 22	140- x 250 x 437- 245 550	**LGC-CCPU**	**154**

= ASSEMBLY REQUIRED = QUICKSHIP

Electronic fluorescent task lights



Electronic tubes are more efficient and do not cause interference. Electronic ballast T5 – 4100K. 19": 10W, 25": 14W, 37": 21W, 49": 28W. 160-degree swivel to orient the light. ETL Certification (UL / CSA equivalent). 9' cord included. Black.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
18⅞ x 3⅜ x 1	480 x 85 x 26	**LGC-T5LE19**	**186**
24⅝ x 3⅜ x 1	626 x 85 x 26	**LGC-T5LE25**	**207**
36½ x 3⅜ x 1	927 x 85 x 26	**LGC-T5LE37**	**228**
48¼ x 3⅜ x 1	1226 x 85 x 26	**LGC-T5LE49**	**255**

LED task lights



Clear anodized aluminum housing with white end caps. Touch-and-hold dimmer. Brightness adjustability 100%-15% continuous. 10 hours automatic turn off. 4100K, 84 CRI. 17": 6.6W/24 LED, 31": 14.8W/48 LED, 44": 21.8W/72 LED. ETL Certification (UL / CASA equivalent). 9' (17") or 12 (31"-44") cord included. Fully recyclable aluminum housing.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
16½ x 2 x 3/5	417 x 50 x 14	**LGC-LED17**	**292**
24⅛ x 2 x 3/5	765 x 50 x 14	**LGC-LED31**	**366**
36⅞ x 2 x 3/5	1100 x 50 x 14	**LGC-LED44**	**668**

Fabrics for screens and tackboards

These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.

Tackboards for hutches

All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

Tackboards and rails for hutches may be combined to optimize storage space with the accessories.

44" H hutches	***36" H hutches***
19" H tackboard	—
15" H tackboard + 1 rail	*15" H tackboard*
11" H tackboard + 2 rails	*11" H tackboard + 1 rail*

19" (480 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
82 x ½ x 19	2045 x 13 x 480	**LGC- TK8219E**	**381**
76 x ½ x 19	1895 x 13 x 480	**LGC- TK7619E**	**371**
70 x ½ x 19	1745 x 13 x 480	**LGC- TK7019E**	**361**
64 x ½ x 19	1595 x 13 x 480	**LGC- TK6419E**	**350**
58 x ½ x 19	1445 x 13 x 480	**LGC- TK5819E**	**340**
52 x ½ x 19	1295 x 13 x 480	**LGC- TK5219E**	**328**
46 x ½ x 19	1145 x 13 x 480	**LGC- TK4619E**	**318**
40 x ½ x 19	995 x 13 x 480	**LGC- TK4019E**	**308**
34 x ½ x 19	845 x 13 x 480	**LGC- TK3419E**	**297**

Specify the fabric code at the end of the product code.

15" (380 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
82 x ½ x 15	2045 x 13 x 380	**LGC- TK8215E**	**371**
76 x ½ x 15	1895 x 13 x 380	**LGC- TK7615E**	**361**
70 x ½ x 15	1745 x 13 x 380	**LGC- TK7015E**	**350**
64 x ½ x 15	1595 x 13 x 380	**LGC- TK6415E**	**340**
58 x ½ x 15	1445 x 13 x 380	**LGC- TK5815E**	**328**
52 x ½ x 15	1295 x 13 x 380	**LGC- TK5215E**	**318**
46 x ½ x 15	1145 x 13 x 380	**LGC- TK4615E**	**308**
40 x ½ x 15	995 x 13 x 380	**LGC- TK4015E**	**297**
34 x ½ x 15	845 x 13 x 380	**LGC- TK3415E**	**287**

Specify the fabric code at the end of the product code.

11" (280 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
82 x ½ x 11	2045 x 13 x 280	**LGC- TK8211E**	**361**
76 x ½ x 11	1895 x 13 x 280	**LGC- TK7611E**	**350**
70 x ½ x 11	1745 x 13 x 280	**LGC- TK7011E**	**340**
64 x ½ x 11	1595 x 13 x 280	**LGC- TK6411E**	**328**
58 x ½ x 11	1445 x 13 x 280	**LGC- TK5811E**	**318**
52 x ½ x 11	1295 x 13 x 280	**LGC- TK5211E**	**308**
46 x ½ x 11	1145 x 13 x 280	**LGC- TK4611E**	**297**
40 x ½ x 11	995 x 13 x 280	**LGC- TK4011E**	**287**
34 x ½ x 11	845 x 13 x 280	**LGC- TK3411E**	**275**

Specify the fabric code at the end of the product code.

Metal hanging rails for hutches



To be fixed to a hutch to receive accessory trays. Mounting hardware included.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
82 x ¾ x 4	2045 x 19 x 100	**LGC-RA82E_**	**191**
76 x ¾ x 4	1895 x 19 x 100	**LGC-RA76E_**	**186**
70 x ¾ x 4	1745 x 19 x 100	**LGC-RA70E_**	**181**
64 x ¾ x 4	1595 x 19 x 100	**LGC-RA64E_**	**175**
58 x ¾ x 4	1445 x 19 x 100	**LGC-RA58E_**	**169**
52 x ¾ x 4	1295 x 19 x 100	**LGC-RA52E_**	**164**
46 x ¾ x 4	1145 x 19 x 100	**LGC-RA46E_**	**159**
40 x ¾ x 4	995 x 19 x 100	**LGC-RA40E_**	**154**
34 x ¾ x 4	845 x 19 x 100	**LGC-RA34E_**	**149**

Specify the accent color (A, S).

Wall-mounted tackboards



All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

Tackboards and wall-mounted hanging rails may be combined to optimize storage space with the accessories.

21" H tackboard
17" H tackboard + 1 rail
13" H tackboard + 2 rails

21" (540 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x ½ x 21	2100 x 13 x 540	**LGC- TK8421M**	**398**
78 x ½ x 21	1950 x 13 x 540	**LGC- TK7821M**	**381**
72 x ½ x 21	1800 x 13 x 540	**LGC- TK7221M**	**371**
66 x ½ x 21	1650 x 13 x 540	**LGC- TK6621M**	**361**
60 x ½ x 21	1500 x 13 x 540	**LGC- TK6021M**	**350**
54 x ½ x 21	1350 x 13 x 540	**LGC- TK5421M**	**340**
48 x ½ x 21	1200 x 13 x 540	**LGC- TK4821M**	**328**
42 x ½ x 21	1050 x 13 x 540	**LGC- TK4221M**	**318**
36 x ½ x 21	900 x 13 x 540	**LGC- TK3621M**	**308**

Specify the fabric code at the end of the product code.

17" (440 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x ½ x 17	2100 x 13 x 440	**LGC- TK8417M**	**381**
78 x ½ x 17	1950 x 13 x 440	**LGC- TK7817M**	**371**
72 x ½ x 17	1800 x 13 x 440	**LGC- TK7217M**	**361**
66 x ½ x 17	1650 x 13 x 440	**LGC- TK6617M**	**350**
60 x ½ x 17	1500 x 13 x 440	**LGC- TK6017M**	**340**
54 x ½ x 17	1350 x 13 x 440	**LGC- TK5417M**	**328**
48 x ½ x 17	1200 x 13 x 440	**LGC- TK4817M**	**318**
42 x ½ x 17	1050 x 13 x 440	**LGC- TK4217M**	**308**
36 x ½ x 17	900 x 13 x 440	**LGC- TK3617M**	**297**

Specify the fabric code at the end of the product code.

13" (340 mm) high.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
84 x ½ x 13	2100 x 13 x 340	**LGC- TK8413M**	**371**
78 x ½ x 13	1950 x 13 x 340	**LGC- TK7813M**	**361**
72 x ½ x 13	1800 x 13 x 340	**LGC- TK7213M**	**350**
66 x ½ x 13	1650 x 13 x 340	**LGC- TK6613M**	**340**
60 x ½ x 13	1500 x 13 x 340	**LGC- TK6013M**	**328**
54 x ½ x 13	1350 x 13 x 340	**LGC- TK5413M**	**318**
48 x ½ x 13	1200 x 13 x 340	**LGC- TK4813M**	**308**
42 x ½ x 13	1050 x 13 x 340	**LGC- TK4213M**	**297**
36 x ½ x 13	900 x 13 x 340	**LGC- TK3613M**	**287**

Specify the fabric code at the end of the product code.

= QUICKSHIP = ASSEMBLY REQUIRED

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Wall-mounted metal hanging rails	*To be fixed to a wall to receive accessory trays. Mounting hardware included.*			
	84 x ¾ x 4	2100 x 19 x 100	**LGC-RA84M_**	**196**
	78 x ¾ x 4	1950 x 19 x 100	**LGC-RA78M_**	**191**
	72 x ¾ x 4	1800 x 19 x 100	**LGC-RA72M_**	**186**
	66 x ¾ x 4	1650 x 19 x 100	**LGC-RA66M_**	**181**
	60 x ¾ x 4	1500 x 19 x 100	**LGC-RA60M_**	**175**
	54 x ¾ x 4	1350 x 19 x 100	**LGC-RA54M_**	**169**
	48 x ¾ x 4	1200 x 19 x 100	**LGC-RA48M_**	**164**
	42 x ¾ x 4	1050 x 19 x 100	**LGC-RA42M_**	**159**
	36 x ¾ x 4	900 x 19 x 100	**LGC-RA36M_**	**154**
	Specify the accent color (A, S).			

TACKBOARDS FOR ACCESSORY BRACKETS

All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

Mounts to the accessory brackets LGC-SUPAC_ / LGC-SUPL_. Compatible with units having full-width wire access or spacing between surface and base (Quad, Morpheo and Options).

These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
	71 x 1½ x 17	1778 x 36 x 442	**LGC-TK7217_**	**567**
	65 x 1½ x 17	1628 x 36 x 442	**LGC-TK6617_**	**552**
	59 x 1½ x 17	1478 x 36 x 442	**LGC-TK6017_**	**525**
	53 x 1½ x 17	1328 x 36 x 442	**LGC-TK5417_**	**509**
	47 x 1½ x 17	1178 x 36 x 442	**LGC-TK4817_**	**477**
	41 x 1½ x 17	1028 x 36 x 442	**LGC-TK4217_**	**461**
	35 x 1½ x 17	878 x 36 x 442	**LGC-TK3617_**	**446**
	29 x 1½ x 17	728 x 36 x 442	**LGC-TK3017_**	**424**
	23 x 1½ x 17	578 x 36 x 442	**LGC-TK2417_**	**408**
	71 x 1½ x 8½	1778 x 36 x 213	**LGC-TK7208_**	**429**
	65 x 1½ x 8½	1628 x 36 x 213	**LGC-TK6608_**	**414**
	59 x 1½ x 8½	1478 x 36 x 213	**LGC-TK6008_**	**398**
	53 x 1½ x 8½	1328 x 36 x 213	**LGC-TK5408_**	**376**
	47 x 1½ x 8½	1178 x 36 x 213	**LGC-TK4808_**	**345**
	41 x 1½ x 8½	1028 x 36 x 213	**LGC-TK4208_**	**323**
	35 x 1½ x 8½	878 x 36 x 213	**LGC-TK3608_**	**308**
	29 x 1½ x 8½	728 x 36 x 213	**LGC-TK3008_**	**292**
	23 x 1½ x 8½	578 x 36 x 213	**LGC-TK2408_**	**275**
	Specify the accent code (A, S). Specify the fabric code at the end of the product code.			
Short accessory brackets (2)	1½ x 4 x 11	38 x 100 x 284	**LGC-SUPAC_**	**133**
	Specify the accent color (A, S).			
Long accessory brackets (2)	1½ x 4 x 20	38 x 100 x 513	**LGC-SUPAL_**	**133**
	Specify the accent color (A,S).			

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Hanging rail	*Mounts to the accessory brackets.*			
	71 x 1½ x 8½	1778 x 36 x 213	**LGC-RA72_**	**323**
	65 x 1½ x 8½	1628 x 36 x 213	**LGC-RA66_**	**302**
	59 x 1½ x 8½	1478 x 36 x 213	**LGC-RA60_**	**282**
	53 x 1½ x 8½	1328 x 36 x 213	**LGC-RA54_**	**260**
	47 x 1½ x 8½	1178 x 36 x 213	**LGC-RA48_**	**228**
	41 x 1½ x 8½	1028 x 36 x 213	**LGC-RA42_**	**207**
	35 x 1½ x 8½	878 x 36 x 213	**LGC-RA36_**	**186**
	29 x 1½ x 8½	728 x 36 x 213	**LGC-RA30_**	**164**
	23 x 1½ x 8½	578 x 36 x 213	**LGC-RA24_**	**138**
	Specify the accent color (A, S).			
Horizontal paper trays	*Metal. Compatible with all Lacasse's accessory rails. Letter size.*			
	12 x 2 x 10	305 x 50 x 251	**LGC-RPT11_**	**85**
	Legal size.			
	15 x 2 x 10	375 x 50 x 251	**LGC-RPT14_**	**96**
	Specify the accent color (A, S).			
Vertical paper tray	*Metal. 2¼" (68 mm) clear depth. Compatible with all Lacasse's accessory rails.*			
	12 x 8 x 2¾	300 x 68 x 70	**LGC-RVPT11_**	**106**
	Specify the accent color (A, S).			
Accessory trays	*Metal. Compatible with all Lacasse's accessory rails.*			
	12 x 1¼ x 3⅞	305 x 30 x 96	**LGC-RAS12_**	**74**
	20 x 1¼ x 3⅞	505 x 30 x 96	**LGC-RAS20_**	**90**
	Specify the accent color (A, S).			
Electrical / communication module	*2 electrical outlets. Can accommodate 2 AMP or Panduit jacks for fax, telephone or computer. 72" cord included. Silver anodized aluminum. Field installed. UL and CUL certified.*			
	8¼ x 4⅜ x 3	212 x 110 x 75	**LGC-PC**	**371**
Removable electrical / communication module	*3 electrical outlets. Can accommodate 2 AMP or Panduit jacks for fax, telephone or computer. 72" cord included. Silver anodized aluminum. Installs on a 1" (25mm) thick surface only. UL and CUL certified.*			
	10 x 5½ x 3	255 x 140 x 75	**LGC-PCS**	**328**
Double electrical / communication module	*Double-sided electrical module including 2 electrical outlets on each side. Can accommodate 4 AMP or Panduit jacks for fax, telephone or computer. 72" cord included. Silver anodized aluminum. UL and CUL certified.*			
	8¼ x 8 x 3	206 x 200 x 75	**LGC-DPC**	**658**
Half electrical module	*2 electrical outlets. 72" cord included. Silver anodized aluminum. Field installed. UL and CUL certified.*			
	4⅞ x 4¼ x 3	120 x 106 x 75	**LGC-HPC**	**217**
IPod / electrical module	*2 electrical outlets, 1 Ipod or Iphone dock. 72" cord included. Silver anodized aluminum. UL and CUL certified.*			
	8¼ x 4⅜ x 3	212 x 110 x 75	**LGC-IPC**	**552**

= ASSEMBLY REQUIRED = QUICKSHIP

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Screens	*Screens are compatible with units having full-width wire access or spacing between surface and base. Maximum of 2 vertically stacked screens. Restrictions: surfaces 20" and 24" deep used independently.* *These prices are applicable for Grade 1 and 2 fabrics. For other grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
Fabric stackable screens	*2 connecting extrusions included on surfaces with LGC-7P0_ and LGC-14TP supports.*			
	72 x 1 x 16	1800 x 25 x 406	**LGC-SCF7216_**	**477**
	66 x 1 x 16	1650 x 25 x 406	**LGC-SCF6616_**	**456**
	60 x 1 x 16	1500 x 25 x 406	**LGC-SCF6016_**	**429**
	54 x 1 x 16	1350 x 25 x 406	**LGC-SCF5416_**	**408**
	48 x 1 x 16	1200 x 25 x 406	**LGC-SCF4816_**	**381**
	42 x 1 x 16	1050 x 25 x 406	**LGC-SCF4216_**	**361**
	36 x 1 x 16	900 x 25 x 406	**LGC-SCF3616_**	**335**
	30 x 1 x 16	750 x 25 x 406	**LGC-SCF3016_**	**313**
	24 x 1 x 16	600 x 25 x 406	**LGC-SCF2416_**	**292**
	Specify the accent code (A, S). Specify the fabric code at the end of the product code.			
Laminate stackable screens	*Extrusions at both ends to mount on surfaces with LGC-7P0_ and LGC-14TP supports.*			
	72 x 1 x 16	1800 x 25 x 406	**LGC-SCL7216_**	**282**
	66 x 1 x 16	1650 x 25 x 406	**LGC-SCL6616_**	**275**
	60 x 1 x 16	1500 x 25 x 406	**LGC-SCL6016_**	**270**
	54 x 1 x 16	1350 x 25 x 406	**LGC-SCL5416_**	**265**
	48 x 1 x 16	1200 x 25 x 406	**LGC-SCL4816_**	**260**
	42 x 1 x 16	1050 x 25 x 406	**LGC-SCL4216_**	**255**
	36 x 1 x 16	900 x 25 x 406	**LGC-SCL3616_**	**249**
	30 x 1 x 16	750 x 25 x 406	**LGC-SCL3016_**	**244**
	24 x 1 x 16	600 x 25 x 406	**LGC-SCL2416_**	**239**
	Specify the accent color (A, S).			
Screen supports (2)	*To be mounted under the surface.*			
	1½ x 8 x 12	40 x 200 x 310	**LGC-7P0_**	**164**
	Specify the accent color (A, S).			
Screen extensions (2)	*Insert into the first screen in order to stack the second one. Anthracite Grey metal.*			
	¾ x 1/8 x 14	20 x 3 x 350	**LGC-14TP**	**96**
Adhesive wire channels	*Self-adhesive. Can hold most power bars.*			
	68 x 2¼ x 3¼	1700 x 60 x 80	**LGC-HWMC72_**	**106**
	44 x 2¼ x 3¼	1100 x 60 x 80	**LGC-HWMC48_**	**90**
	20 x 2¼ x 3¼	500 x 60 x 80	**LGC-HWMC24_**	**74**
	Specify the accent color (A, S).			
Vertical wire channel	*Self-adhesive. Installs to base or leg. 2 lengths of 20" (500 mm) each.*			
	1 x 1½ x 20	25 x 12 x 500	**LGC-VWMC20_**	**74**
	Specify the accent color (A, S).			

All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens. A "C.O.M." program is available upon request. For more information, contact Groupe Lacasse customer service.

	W x D x H (in)	W x D x H (mm)	Code	Price ($)
Vertical pigeonholes	*21" H – 6 compartments, 17" H – 5 compartments.*			
	Legal size.			
	18 x 12 x 20¼	449 x 311 x 515	**LGC-DV1821**	**408**
	18 x 12 x 17⅜	449 x 311 x 442	**LGC-DV1817**	**381**
	Letter size.			
	12 x 12 x 20¼	299 x 311 x 515	**LGC-DV1221**	**371**
	12 x 12 x 17⅜	299 x 311 x 442	**LGC-DV1217**	**345**
Grommets	*Factory installed on request. Factory installed on request, upcharge applies. Attach positioning sketch with your order. Round or square in various dimensions supplied in accordance with the standards of furniture series ordered.*			
	Black for Concept 70, 300, 400E		**LGC-GRV25N**	**27**
	For Options, Morpheo, Concept 3, PanGram (1")		**LGC-GRQ25_**	**27**
	For Quad, Options, Morpheo, Quorum (1½")		**LGC-GRQ38_**	**27**
	Specify the accent code (A, S).			
Cushions for mobile pedestals	*2" (51mm) foam. Installs on 20" (500 mm) storage units or mobile pedestal with self-fastening band. These prices are applicable for United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 7: 35%.*			
	15 x 18 x 2	388 x 450 x 51	**LGC-CU1518**	**217**
	Specify the fabric code at the end of the product code.			
Front-to-back suspension bars	*Suspension bars for all laminate lateral file drawers. Allows front-to-back filing.*			
	15⅛ x 6 x 1¼	384 x 152 x 32	**LGC-FTB2**	**37**
	15⅛ x 6 x 1¼	384 x 152 x 32	**LGC-FTB4**	**90**
Counterweight	*Prevents lateral file from tipping over when top drawer is overloaded. To meet BIFMA standards, order 1 counterweight for 24" deep and 2 for 20" deep lateral file.*			
	13 x 4 x 4	330 x 100 x 100	**LGC-CW**	**111**
Flush plate	*To link and level two surfaces. 10 per package. Black metal.*			
	7 x 1½ x 1/8	175 x 38 x 3	**LGC-FLP**	**58**
Footrest	*Adjustable foot support. Tilt angles of 6°, 12°, 16° and 25°. Anti-fatigue rubber surface on platform. Black with grey accents.*			
	16 x 14 x 3-5	405 x 350 x 75-125	**LGC-FR**	**122**
Coat hook	*Stainless steel finish. Hardware included. Can be fixed to wall or other surface.*			
	2⅜ x 25/32 x 1½	60 x 20 x 35	**LGC-CH**	**69**
Work surface reinforcement bar	*Metal black.*			
	54 x 2 x 1	1372 x 51 x 25	**LGC-BAR**	**74**

= QUICKSHIP

TECHNICAL PERFORMANCES

THERMOFUSED LAMINATE (TFL):

- Depending on the furniture collection, Lacasse casegoods have TFL surfaces and side panels made of particleboard panels of 1" (25,4 mm) or 1½" (38 mm) thick finished with a mar-resistant high-performance thermofused laminate (45 lbs/ft3). The particleboard panels are laminated on both sides for proper balance.
- TFL technology consists on a decorative paper impregnated with reactive melamine resins which is thermally fused to a substrate (particleboard). The heat and pressure produces a **permanent thermal bond** between the melamine resins, the decorative paper and the substrate. The bonding process results in a clear, hard and non-porous surface.
- TFL panels, unlike wood, will not gouge or dent.
- Delamination is not possible, due to the manufacturing process.
- TFL panels carry a 25-year warranty.

HIGH-PRESSURE LAMINATE (HPL):

- Certain collections are also available with HPL surfaces made of 1 1/16" (27 mm) or 1 9/16" (40 mm) thick particleboard finished with high-pressure laminate (laminate plus a 1/32" (0,8 mm) black backing).
- HPL technology consists of multiple layers of Kraft paper saturated with phenolic resin, a decorative layer of paper saturated with melamine resin, and a very thin top sheet of heavily saturated melamine resin. The high-pressure laminate sheet is then glued to a substrate (particleboard).
- HPL panels offer a good wear and impact resistance.
- HPL panels carry a 5-year warranty.

CONVERSION TABLE

SPECIFICATIONS

Metric dimensions are exact; imperial dimensions are nominal.

Nominal	Metric	Exact imp.	Nominal	Metric	Exact imp.	Nominal	Metric	Exact imp.
6	150	5.91	36	900	35.43	66	1650	64.96
7	175	6.89	37	925	36.42	67	1675	65.94
8	200	7.87	38	950	37.4	68	1700	66.93
9	225	8.86	39	975	38.39	69	1725	67.91
10	250	9.84	40	1000	39.37	70	1750	68.9
11	275	10.83	41	1025	40.35	71	1775	69.88
12	300	11.81	42	1050	41.34	72	1800	70.87
13	325	12.8	43	1075	42.32	73	1825	71.85
14	350	13.78	44	1100	43.31	74	1850	72.83
15	375	14.76	45	1125	44.29	75	1875	73.82
16	400	15.75	46	1150	45.28	76	1900	74.8
17	425	16.73	47	1175	46.26	77	1925	75.79
18	450	17.72	48	1200	47.24	78	1950	76.77
19	475	18.7	49	1225	48.23	79	1975	77.76
20	500	19.69	50	1250	49.21	80	2000	78.74
21	525	20.67	51	1275	50.2	81	2025	79.72
22	550	21.62	52	1300	51.18	82	2050	80.71
23	575	22.64	53	1325	52.17	83	2075	81.69
24	600	23.62	54	1350	53.15	84	2100	82.68
25	625	24.61	55	1375	54.13	85	2125	83.68
26	650	25.59	56	1400	55.12	86	2150	84.65
27	675	26.57	57	1425	56.1	87	2175	85.63
28	700	27.56	58	1450	57.09	88	2200	86.61
29	725	28.54	59	1475	58.07	89	2225	87.6
30	750	29.53	60	1500	59.06	90	2250	88.58
31	775	30.51	61	1525	60.04	96	2400	94.49
32	800	31.5	62	1550	61.02	120	3000	118.11
33	825	32.48	63	1575	62.01	126	3150	124.02
34	850	33.46	64	1600	62.99	144	3600	141.73
35	875	34.45	65	1625	63.96			

TERMS & CONDITIONS OF SALE

1. ORDER PLACEMENT

a) The seller sells its products in the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order.

b) The following information is required to process an order

Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

CUSTOMER INFORMATION	PRODUCT INFORMATION
Sold/Ship to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Colors and fabrics (all surfaces)
Contact name	Note: Product number overrules the written description and/or comment lines
Consignee contact name and phone	
Bid/Quote # if applicable	
Product total (list/net)	
Preferred delivered date (Specific delivery date not guaranteed)	

2. ORDER CHANGES

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on QuickShip orders.

3. ORDER CANCELLATIONS

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. No cancellation allowed on QuickShip orders.

4. ORDER ACKNOWLEDGMENT

Orders will be acknowledged to dealers by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number. If you do not receive your order acknowledgement within 48 hours, please contact our customer service.

5. LIMITED LIFETIME WARRANTY

Groupe Lacasse LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of purchase from Groupe Lacasse LLC being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- Twenty-five years: High-performance thermofused laminate.
- Twenty years: Drawer slides.
- Ten years: Locks.
- Five years: Swing-lift mechanisms and adjustable surface mechanisms.
- Five years: High-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions and accessories.
- One year: Electrical modules and components.
- Exclusions: Light bulbs, ballasts and C.O.M..

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. Labor, delivery charges and service not covered under warranty. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedy stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. Specials may be subject to a limited warranty.

6. PRICES

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Accepted orders are subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

7. TERMS (UPON ACCEPTANCE FROM OUR CREDIT DEPARTMENT)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full. No sales within a one-year period will automatically lead to the account's closure.

8. QUOTATIONS

Quotations are valid for a period of ninety (90) days unless otherwise specified on the quote.

9. CHANGES

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. PACKING AND SHIPPING

Packaging consists of polyethylene and protectors or separate cartons, depending on method of shipment.

11. DELIVERY

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse is not liable for delay or failure to deliver goods due to causes beyond its control (such as a casualty, an act of god, a labor dispute, or an accident; the inability to obtain the necessary labor, material or transportation; or any change requested by the customer). Under these circumstances, the ship date will be extended to compensate for the delay as determined by the Seller.

Groupe Lacasse will accept, upon prior approval by Logistics and Customer Service departments, to make installation job site deliveries for a minimum of one half of a full truckload (1,200 cubic feet); however, and in all cases, an unloading dock must be available to accommodate 53 ft. trailers and the address is also subject to approval. Unloading at destination is the sole responsibility of the purchaser. No waiting time will be possible; however, and if any is incurred, it will be recharged to the purchaser.

Under no circumstance will Groupe Lacasse deliver goods in a residential area.

Surcharge

Time sensitive deliveries (weekend deliveries, night, etc.) that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Liftgates: Our standard carriers do not have liftgates. Requests for liftgates can often be accommodated but will result in extra fees and they must be made at least 2 weeks in advance.

12. SHIPPING WEIGHTS AND VOLUMES

Shipping weights and volumes are available on demand and may vary due to the constantly improving methods of packaging.

13. ROUTING

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

14. TRANSPORTATION POLICY

"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.



On all orders less than $2,000 net (regardless of brand and/or of shipping point) we will add a $50 "small order fee" in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is $100.

Please take note of the following exclusion to the "small order fee";

- By combining different product collections in one order, even if the net value of each collection is less than $2,000 net, but the total value of all collections in one order is at least or above $2,000 net, and as long as all products are shipped at the same destination / receiving location (ship to), the fee will not apply regardless of shipping dates and points of origins.

Small orders **under $25 net** are subject to a $20 small order fee (instead of $50 or $100) regardless of the shipping zones.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

15. FREIGHT CLAIMS

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines:

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse as follows:

1) Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made within 15 days of the delivery date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

2) Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. Claims must be submitted within 5 business days of reception of the merchandise.

Submit your claim to the Groupe Lacasse Customer Service by email at:
lacassecustomer.service@groupelacasse.com.

Phone: 1-888-522-2773 - Fax: 1-888-248-1865

16. RETURNS

Absolutely no returns will be accepted on any standard and non-standard products.

17. STORAGE

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or at a time Groupe Lacasse LLC is then about to make shipment, Groupe Lacasse LLC may store the goods at the purchaser's expense. Such transfer to storage shall be deemed a delivery to purchaser for all purposes including invoicing and payment.

18. GOVERNING LAW

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

Price Book > Canada > February 2015

Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.

GROUPE LACASSE

1-888-522-2773

www.groupelacasse.com

GREENGUARD® Indoor Air Quality Certified

Children & Schools GREENGUARD® Indoor Air Quality Certified

Groupe Lacasse products are GREENGUARD® certified to rigorous indoor air quality standards for low-emitting interior products.

FSC 100% From well-managed forests FSC® C000000 www.fsc.org

Printed in Canada - © Groupe Lacasse 2015

3875
L028-3
2/15
21M

QUORUM MULTICONFERENCE

Addendum / Collaborative Tables

LACASSE

Office Furniture Solutions

MOBILITY

The QUORUM MULTICONFERENCE collection adapts perfectly to multidisciplinary spaces. For a training room, a collaborative space or a multipurpose area, the tables and their accessories provide a wide variety of applications. Thanks to their braking casters, the tables can be moved easily to create a unifying desk for a reunion or to free up some space as needed. Technological interconnection options, colorful modesty panels, table connectors and hooks for personal effects are also available, so the collection can evolve and keep pace with the room and its users.

Mobile rectangular table with surface in Totem and modesty panel upholstered in Momentum Odyssey Cruise. V-bases with braking casters in white.

Expression chair with chrome base, mesh backrest in Perfection and seat in Momentum Marathon Black.

Mobile rectangular table with surface in Musta and modesty panel upholstered in Maharam Messenger Ice. V-bases with braking casters in silver. The tabletop and modesty panels can be tilted down for easy storage.

VERSATILITY

With their metal mechanism to tilt the surface effortlessly in vertical position, the QUORUM MULTICONFERENCE tables can be easily moved or stored to customize the work environment. The tables can also be assembled with connectors, creating the perfect modular space for training or meeting purposes.

COLLABORATIVE TABLES WITH FLIP-TOP MECHANISM

Mobile rectangular tables with flip-top mechanism, 24"D*

Packaged in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters. Metal mechanism flips the tabletop down.				
48 x 24 x 29	1200 x 600 x 738	**T_ _ _-MRCF2448**	**1,230**	**1,325**
54 x 24 x 29	1350 x 600 x 738	**T_ _ _-MRCF2454**	**1,245**	**1,340**
60 x 24 x 29	1500 x 600 x 738	**T_ _ _-MRCF2460**	**1,260**	**1,355**
66 x 24 x 29	1650 x 600 x 738	**T_ _ _-MRCF2466**	**1,275**	**1,365**
72 x 24 x 29	1800 x 600 x 738	**T_ _ _-MRCF2472**	**1,290**	**1,380**
78 x 24 x 29	1950 x 600 x 738	**T_ _ _-MRCF2478**	**1,325**	**1,420**
84 x 24 x 29	2100 x 600 x 738	**T_ _ _-MRCF2484**	**1,360**	**1,455**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
48 x 24 x 29 ½	1200 x 600 x 751	**T_ _ _-MRCF2448**	**1,260**	**1,360**
54 x 24 x 29 ½	1350 x 600 x 751	**T_ _ _-MRCF2454**	**1,275**	**1,390**
60 x 24 x 29 ½	1500 x 600 x 751	**T_ _ _-MRCF2460**	**1,295**	**1,415**
66 x 24 x 29 ½	1650 x 600 x 751	**T_ _ _-MRCF2466**	**1,315**	**1,445**
72 x 24 x 29 ½	1800 x 600 x 751	**T_ _ _-MRCF2472**	**1,330**	**1,475**
78 x 24 x 29 ½	1950 x 600 x 751	**T_ _ _-MRCF2478**	**1,375**	**1,530**
84 x 24 x 29 ½	2100 x 600 x 751	**T_ _ _-MRCF2484**	**1,415**	**1,585**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

Mobile rectangular tables with flip-top mechanism, 30"D*

Packaged in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters. Metal mechanism flips the tabletop down.				
48 x 30 x 29	1200 x 750 x 738	**T_ _ _-MRCF3048**	**1,245**	**1,360**
54 x 30 x 29	1350 x 750 x 738	**T_ _ _-MRCF3054**	**1,260**	**1,390**
60 x 30 x 29	1500 x 750 x 738	**T_ _ _-MRCF3060**	**1,275**	**1,415**
66 x 30 x 29	1650 x 750 x 738	**T_ _ _-MRCF3066**	**1,290**	**1,445**
72 x 30 x 29	1800 x 750 x 738	**T_ _ _-MRCF3072**	**1,310**	**1,475**
78 x 30 x 29	1950 x 750 x 738	**T_ _ _-MRCF3078**	**1,345**	**1,525**
84 x 30 x 29	2100 x 750 x 738	**T_ _ _-MRCF3084**	**1,385**	**1,580**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
48 x 30 x 29 ½	1200 x 750 x 751	**T_ _ _-MRCF3048**	**1,280**	**1,400**
54 x 30 x 29 ½	1350 x 750 x 751	**T_ _ _-MRCF3054**	**1,300**	**1,435**
60 x 30 x 29 ½	1500 x 750 x 751	**T_ _ _-MRCF3060**	**1,320**	**1,470**
66 x 30 x 29 ½	1650 x 750 x 751	**T_ _ _-MRCF3066**	**1,345**	**1,500**
72 x 30 x 29 ½	1800 x 750 x 751	**T_ _ _-MRCF3072**	**1,365**	**1,535**
78 x 30 x 29 ½	1950 x 750 x 751	**T_ _ _-MRCF3078**	**1,405**	**1,595**
84 x 30 x 29 ½	2100 x 750 x 751	**T_ _ _-MRCF3084**	**1,450**	**1,660**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

Mobile trapezoidal tables with flip-top mechanism, 24"D*



Packaged in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters. Metal mechanism flips the tabletop down.				
60 x 22 x 29	1500 x 554 x 738	**T_ _ _-MTZF2460**	**1,335**	**1,395**
66 x 22 x 29	1650 x 554 x 738	**T_ _ _-MTZF2466**	**1,345**	**1,410**
72 x 22 x 29	1800 x 554 x 738	**T_ _ _-MTZF2472**	**1,360**	**1,425**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
60 x 22 x 29 ½	1500 x 554 x 751	**T_ _ _-MTZF2460**	**1,430**	**1,495**
66 x 22 x 29 ½	1650 x 554 x 751	**T_ _ _-MTZF2466**	**1,450**	**1,520**
72 x 22 x 29 ½	1800 x 554 x 751	**T_ _ _-MTZF2472**	**1,470**	**1,545**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

Mobile trapezoidal tables with flip-top mechanism, 30"D*



Packaged in 3 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters. Metal mechanism flips the tabletop down.				
60 x 27 ¼ x 29	1500 x 693 x 738	**T_ _ _-MTZF3060**	**1,355**	**1,420**
66 x 27 ¼ x 29	1650 x 693 x 738	**T_ _ _-MTZF3066**	**1,365**	**1,440**
72 x 27 ¼ x 29	1800 x 693 x 738	**T_ _ _-MTZF3072**	**1,380**	**1,460**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
60 x 27 ¼ x 29 ½	1500 x 693 x 751	**T_ _ _-MTZF3060**	**1,470**	**1,545**
66 x 27 ¼ x 29 ½	1650 x 693 x 751	**T_ _ _-MTZF3066**	**1,495**	**1,580**
72 x 27 ¼ x 29 ½	1800 x 693 x 751	**T_ _ _-MTZF3072**	**1,520**	**1,610**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

COLLABORATIVE TABLES

Mobile rectangular tables, 24"D*

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters.				
48 x 24 x 29	1200 x 600 x 738	**T_ _ _-MRC2448**	**920**	**1,010**
54 x 24 x 29	1350 x 600 x 738	**T_ _ _-MRC2454**	**935**	**1,035**
60 x 24 x 29	1500 x 600 x 738	**T_ _ _-MRC2460**	**950**	**1,060**
66 x 24 x 29	1650 x 600 x 738	**T_ _ _-MRC2466**	**965**	**1,085**
72 x 24 x 29	1800 x 600 x 738	**T_ _ _-MRC2472**	**980**	**1,110**
78 x 24 x 29	1950 x 600 x 738	**T_ _ _-MRC2478**	**1,015**	**1,155**
84 x 24 x 29	2100 x 600 x 738	**T_ _ _-MRC2484**	**1,045**	**1,200**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
48 x 24 x 29 ½	1200 x 600 x 751	**T_ _ _-MRC2448**	**950**	**1,045**
54 x 24 x 29 ½	1350 x 600 x 751	**T_ _ _-MRC2454**	**970**	**1,075**
60 x 24 x 29 ½	1500 x 600 x 751	**T_ _ _-MRC2460**	**985**	**1,105**
66 x 24 x 29 ½	1650 x 600 x 751	**T_ _ _-MRC2466**	**1,005**	**1,135**
72 x 24 x 29 ½	1800 x 600 x 751	**T_ _ _-MRC2472**	**1,025**	**1,160**
78 x 24 x 29 ½	1950 x 600 x 751	**T_ _ _-MRC2478**	**1,060**	**1,210**
84 x 24 x 29 ½	2100 x 600 x 751	**T_ _ _-MRC2484**	**1,100**	**1,265**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

Mobile rectangular tables, 30"D*

Packaged in 2 boxes.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
V-bases with braking casters.				
48 x 30 x 29	1200 x 750 x 738	**T_ _ _-MRC3048**	**935**	**1,045**
54 x 30 x 29	1350 x 750 x 738	**T_ _ _-MRC3054**	**950**	**1,075**
60 x 30 x 29	1500 x 750 x 738	**T_ _ _-MRC3060**	**965**	**1,105**
66 x 30 x 29	1650 x 750 x 738	**T_ _ _-MRC3066**	**985**	**1,130**
72 x 30 x 29	1800 x 750 x 738	**T_ _ _-MRC3072**	**1,000**	**1,160**
78 x 30 x 29	1950 x 750 x 738	**T_ _ _-MRC3078**	**1,035**	**1,210**
84 x 30 x 29	2100 x 750 x 738	**T_ _ _-MRC3084**	**1,070**	**1,260**
Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).				
48 x 30 x 29 ½	1200 x 750 x 751	**T_ _ _-MRC3048**	**970**	**1,085**
54 x 30 x 29 ½	1350 x 750 x 751	**T_ _ _-MRC3054**	**990**	**1,120**
60 x 30 x 29 ½	1500 x 750 x 751	**T_ _ _-MRC3060**	**1,015**	**1,155**
66 x 30 x 29 ½	1650 x 750 x 751	**T_ _ _-MRC3066**	**1,035**	**1,190**
72 x 30 x 29 ½	1800 x 750 x 751	**T_ _ _-MRC3072**	**1,055**	**1,225**
78 x 30 x 29 ½	1950 x 750 x 751	**T_ _ _-MRC3078**	**1,095**	**1,280**
84 x 30 x 29 ½	2100 x 750 x 751	**T_ _ _-MRC3084**	**1,140**	**1,340**
Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).				

* Electrical integration option (2 power outlets/2 USB). Non-sequential multiple interconnections.
Packaged in a separate box. Specify an E at the end of the code and add $580 (ex: T1NS-MRCF2460**E**). Power feed specified separately.

Mobile trapezoidal tables, 24"D*



Packaged in 2 boxes.

V-bases with braking casters.

W x D x H (in)	W x D x H (mm)	Code	Laminate Surfaces ($)	HPL Surfaces ($)
60 x 22 x 29	1500 x 554 x 738	**T_ _ _-MTZ2460**	**1,035**	**1,090**
66 x 22 x 29	1650 x 554 x 738	**T_ _ _-MTZ2466**	**1,045**	**1,105**
72 x 22 x 29	1800 x 554 x 738	**T_ _ _-MTZ2472**	**1,050**	**1,115**

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).

60 x 22 x 29 ½	1500 x 554 x 751	**T_ _ _-MTZ2460**	**1,130**	**1,190**
66 x 22 x 29 ½	1650 x 554 x 751	**T_ _ _-MTZ2466**	**1,150**	**1,215**
72 x 22 x 29 ½	1800 x 554 x 751	**T_ _ _-MTZ2472**	**1,165**	**1,235**

Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).

Mobile trapezoidal tables, 30"D*



Packaged in 2 boxes.

V-bases with braking casters.

60 x 27 ¼ x 29	1500 x 693 x 738	**T_ _ _-MTZ3060**	**1,055**	**1,120**
66 x 27 ¼ x 29	1650 x 693 x 738	**T_ _ _-MTZ3066**	**1,065**	**1,135**
72 x 27 ¼ x 29	1800 x 693 x 738	**T_ _ _-MTZ3072**	**1,070**	**1,145**

Specify the finish (1, 2). Specify the edge (N, S). Specify the accent color (S, W).

60 x 27 ¼ x 29 ½	1500 x 693 x 751	**T_ _ _-MTZ3060**	**1,170**	**1,245**
66 x 27 ¼ x 29 ½	1650 x 693 x 751	**T_ _ _-MTZ3066**	**1,190**	**1,270**
72 x 27 ¼ x 29 ½	1800 x 693 x 751	**T_ _ _-MTZ3072**	**1,215**	**1,295**

Specify the finish (5, 6). Specify the edge (N, S). Specify the accent color (S, W).

Modular modesty panels for rectangular surfaces

Fabric modesty panel with hinges. To be attached to a rectangular surface. The panel offers a 3" (75mm) clearance on each side of the surface. These prices are applicable for standard United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.

42 x 5/8 x 8	1045 x 16 x 200	**TNN_-MODF48RC**	**290**
48 x 5/8 x 8	1195 x 16 x 200	**TNN_-MODF54RC**	**300**
54 x 5/8 x 8	1345 x 16 x 200	**TNN_-MODF60RC**	**315**
60 x 5/8 x 8	1495 x 16 x 200	**TNN_-MODF66RC**	**325**
66 x 5/8 x 8	1645 x 16 x 200	**TNN_-MODF72RC**	**340**
72 x 5/8 x 8	1795 x 16 x 200	**TNN_-MODF78RC**	**360**
78 x 5/8 x 8	1945 x 16 x 200	**TNN_-MODF84RC**	**385**

Specify accent color (S, W). Specify the fabric code after the product code.

Modular modesty panels for 24" trapezoidal surfaces

Fabric modesty panel with hinges. To be attached to a 24" trapezoidal surface. The panel offers a 3" (75mm) clearance on each side of the surface. These prices are applicable for standard United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.

W x D x H (in)	W x D x H (mm)	Code	Price ($)
35 x 5/8 x 8	895 x 16 x 200	**TNN_-MODF60TZ24**	**280**
41 x 5/8 x 8	1045 x 16 x 200	**TNN_-MODF66TZ24**	**290**
47 x 5/8 x 8	1195 x 16 x 200	**TNN_-MODF72TZ24**	**300**

Specify accent color (S, W). Specify the fabric code after the product code.

Modular modesty panels for 30" trapezoidal surfaces

Fabric modesty panel with hinges. To be attached to a 30" trapezoidal surface. The panel offers a 3" (75mm) clearance on each side of the surface. These prices are applicable for standard United Chair® Grade 1 and 2 fabrics. For other United Chair® grades add: Grade 3: 15%, Grade 4: 20%, Grade 5: 25%, Grade 6: 30%, Grade 8: 35%.

30 ½ x 5/8 x 8	775 x 16 x 200	**TNN_-MODF60TZ30**	**275**
36 ½ x 5/8 x 8	925 x 16 x 200	**TNN_-MODF66TZ30**	**280**
42 ¼ x 5/8 x 8	1075 x 16 x 200	**TNN_-MODF72TZ30**	**290**

Specify accent color (S, W). Specify the fabric code after the product code.

ACCESSORIES

Table connectors

To link two modular or collaborative tables. 4 per package. Black plastic.

1 7/8 x 5 ½ x 5/8	140 x 48 x 16	**LGC-UP4**	**65**

Personal effects hooks

To be fixed underneath the surface, centered with the depth of the surface. 2 per package.

1 ½ x 1 5/8 x 2	38 x 41 x 51	**LGC-TH2_**	**65**

Specify accent color (S, W).

Plug-in starter cable for interconnection system

72" long cable.

72	**LGC-DCPS72**	**200**

Hardwire starter cable for interconnection system

72 or 120" long cable. Must be installed by an electrician.

72	**LGC-DCHS72**	**130**
120	**LGC-DCHS120**	**175**

* Electrical integration option (2 power outlets/2 USB). Non-sequential multiple interconnections.
Packaged in a separate box. Specify an E at the end of the code and add $580 (ex: T1NS-MRCF2460**E**). Power feed specified separately.

Office Furniture Solutions

Founded in 1956, Groupe Lacasse is a North American leader in the design, manufacture and service of a broad range of high-quality furniture products for all types of work environments. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.

GROUPE LACASSE

1-888-522-2773

www.groupelacasse.com

USA

Printed in Canada - © Groupe Lacasse 2016

4025
L158-0
2/16
10M

THINK SMART

THE LEARNING ENVIRONMENT SOLUTION

LACASSE

EDUCATIONAL FURNITURE PRICE LIST – USA

FEBRUARY 2015

NICER FOR THE ENVIRONMENT

It's our corporate responsibility to contribute to the preservation of natural resources and to ensure that our operations have the least possible impact on the environment. We choose suppliers who support our efforts to reduce deforestation. The majority of our products are manufactured from particleboard, made from 100% post-industrial recycled materials. We recover the cuttings from all our activities and even sawdust for power cogeneration. What's more, we sort and recycle plastic, steel and aluminum.

Our St.Pie, QC and Bruce, MS facilities are certified ISO 9001 and ISO 14 001.

We're proud to say that all Lacasse products are GREENGUARD® certified. Which means that North Americans can be sure that these products will not affect the air quality of their working environments. And other groups, like architects, designers and specifiers who use Lacasse products can benefit from their GREENGUARD® certification to earn points towards meeting LEED® standards.

For more information on Groupe Lacasse sustainable development practices, visit www.groupelacasse.com.

GREENGUARD Indoor Air Quality® and GREENGUARD Children & Schools® are trademarks of the GREENGUARD Environmental Institute

ENVIRONMENTAL TOOLS
A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under "**About Us > Environment**". Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

GREENGUARD CERTIFICATES
GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the "Find Products> Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

FURTHER INFORMATION
For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@groupelacasse.com.

TABLE OF CONTENTS

ENVIRONMENTAL INITIATIVES 2

GENERAL SPECIFICATIONS 3

THINK SMART EDUCATIONAL FURNITURE 6
- DESKS 6
- CARRELS 9
- TABLES 11
- COMPLEMENTARY FURNITURE 13
- STORAGE UNITS 14
- MODULAR CABINETRY 16
- WALL-MOUNTED SYSTEM 17
- SHELVINGS 19
- CIRCULATION DESKS 20
- BENCHES 23
- LOCKERS 23
- ACCESSORIES 23
- ELECTRIFICATION 24

TECHNICAL PERFORMANCES 25

TERMS & CONDITIONS OF SALE 26

THINK SMART
EDUCATIONAL FURNITURE

EDGEBANDING



N EDGE

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

Smooth, ⅛" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

DOOR INSERTS

T – TRANSLUCENT

LEGS

Q – SQUARE

V – ROUND

HANDLES

L – LINEAR

Q – SQUARE

V – ROUND

Exceptions: L handle is not compatible on furniture with aluminum framed translucent doors or on the metal doors of laptop carts.

ACCENT COLORS

S – SILVER

A – ANTHRACITE GREY

The accent color applies to non-laminate components such as bases, handles, grommets, ventilation grids, laptop cart metal doors and wall cabinet hardware.

Exceptions: Power units, translucent doors and aluminum legs on benches are available in Silver anodized aluminum only.

Steel shelves are available painted Anthracite grey only.

CODIFICATION

SERIES	OPTIONS			
	THICKNESS	HANDLES	ACCENT COLORS	LEGS
E	**1** Thermofused laminate 1"	**N** N/A	**N** N/A	**Q** Square
	2 High-pressure laminate 1"	**L** Linear	**A** Anthracite grey	**V** Round
	5 Thermofused laminate 1½"	**Q** Square	**S** Silver	
	6 High-pressure laminate 1½"	**V** Round		

GENERAL SPECIFICATIONS

WITH GROUPE LACASSE DESIGN AND MANUFACTURING CAPABILITIES, THERE IS VERY LITTLE THAT WE CANNOT DO WITH THERMOFUSED LAMINATES – AND WE BELIEVE THAT WE CAN QUOTE AND WIN MOST ARCHITECT AND DESIGNER SPECIFIC PROJECTS.

ALL STANDARD PRODUCTS MEET OR EXCEED ANSI/BIFMA REQUIREMENTS.

SURFACES
Work surfaces and tops are made of 1" (25 mm) or 1½" (38 mm) thick mar-resistant high-performance laminate (45 lbs/ft3) laminated on both faces, also called TFL.

High-pressure laminate work surfaces are available, also called HPL, for certain units, adding 1/16" (1,6 mm) to the overall thickness of the work surface.

Side panels are 1" (25 mm) thick.

EDGEBANDING
Work surfaces are finished with a 3/32" (3 mm) ABS smooth edgebanding.

CONSTRUCTION
In a majority of cases, products are assembled with metal-to-metal hardware to facilitate the replacement of parts in case of damage.

DRAWERS AND DOORS
All drawers built for trouble-free performance.
- Black full extension ball bearing suspensions.
- 100 lbs (45 kg) load capacity for box and file drawers.
- 150 lbs (68 kg) load capacity for lateral file drawers.
- Five sided drawer construction including bottom in 7/16" (11 mm) black particleboard. Reinforced rod on 36" (914 mm) wide drawers.
- PVC top rails for lateral file folders.
- Standard interlock system where required.
- 135° hinges on doors.
- 270° hinges are available upon request (contact Groupe Lacasse Quotations Department).

LOCKS
Cam lock is available on drawers and doors and will match the specified accent color; Black or Silver. Key-alike option is available upon request (contact Groupe Lacasse Customer Service).

LEVELERS
Levelers allow up to 1¼" (32 mm) height adjustment unless otherwise specified.

CASTERS
Mobile units have 3" (75 mm) diameter heavy-duty casters made of non-marking synthetic rubber. Load capacity of 176 lbs (80 kg) per caster.

PROTECTIVE RUBBER BUMPER
Grey rubber bumpers are available for mobile units. Bumpers are sold separately; please refer to the Accessories section, p. 23.



SHELVES
- 1" (25 mm) thick thermofused laminate shelves have a hidden anti-tip device when there is no door in front of them.
- Metal shelves are made of 18 gauge steel with a load capacity of 150 lbs (68 kg).

HANDLES
Three choices of handles available in Silver or Anthracite grey finish: Linear (L) thermoplastic polymer handle, Square (Q) or Round (V) metal pulls.

The LGC-PULL17 handle for mobile units only is sold separately; please refer to p. 16.

LEGS
Two choices of legs available in Silver or Anthracite grey finish: Square (Q) or Round (V) metal legs.

BENCH CUSHIONS
2" (51 mm) thick foam cushion installs on bench with Velcro (included). Cushions comply with Cal. 117 requirements.

TECHNOLOGY INTEGRATION
- Matching Anthracite grey or Silver grommets included on most furniture units.
- Certain teachers' desks include CPU storage units and ventilation grids to accommodate a variety of electronic devices.
- Wire management raceways included on computer carrels, laptop and CPU tables.
- For optional electrical/communication modules; please refer to Accessories section, p. 23.

DIMENSIONS
Metric dimensions are exact; imperial dimensions are nominal (unless otherwise specified).

OTHER FINISHES (SPECIAL)
Other finishes (i.e., non standard) may be ordered at an upcharge. Minimum quantity may be required. Please check with our Quotations Department. Delivery may vary depending on the choice of finish or type of material.

MODULAR CABINETRY
All modular cabinetry must be attached to a wall to ensure stability and security.

WALL-MOUNTED LAMINATE HANGING SYSTEM
The wall-mounted laminate panel should be installed by a professional. Appropriate hardware must be used to ensure a good and secure installation of the laminate panel to the wall. Panel mount hardware is not included and may vary depending on wall type. The laminate panel should be equal or longer than the length of all of the hanging component(s); i.e., white board, cabinet, etc.

CABINETS AND ACCESSORIES FOR WALL-MOUNTED HANGING SYSTEM
Hanging components such as white boards, cabinets, bookcases must be securely attached to the wall-mounted laminate panel with the supplied mounting hardware.

THE SYSTEM IS VERY FLEXIBLE AND ALLOWS MANY CONFIGURATIONS, PLANS BELOW ILLUSTRATE THE RECOMMANDED POSITION OF THE STORAGE UNITS.



POWER BAR (LGC-POWERBAR)
To be used with laptop carts; installs on the back portion of the cart.

Maximum input current; 15 AMP, 10 outlets. Surge and overload protection.

A separate wall circuit is recommended for each surge and overload-protected 10-outlet electrical unit.

When the units are plugged into wall outlets, make sure not to exceed circuit capacity (15 to 20 AMP per circuit).

Using a timer to recharge laptops is recommended or using different wall outlets to prevent tripping breaker when all power bar outlets are in use.

UL Recognized - UL 1363
RoHS Compliancy.

Power bar is sold separately; please refer to p. 13.



ELECTRICITY
4-Trac System is compatible with laptop and CPU tables, as well as all types of carrels.

4-TRAC SYSTEM FEATURES:
- 4-wires, 2 circuits, 20 AMP each.
- 13 duplex receptacles per circuit. Maximum of 26 duplex receptacles of 15 AMP per power infeed.
- Easy to specify, install and reconfigure.
- UL listed as a Manufactured Wiring System.
- RoHS Compliancy available upon request; Cradle to Cradle.
- Will work in all locations except for Chicago. Manufactured Wiring Systems are not permitted in Chicago.
- Chicago code compliancy and many other options (8-wire system, etc.) are available upon request; contact Groupe Lacasse Quotations Department.

HOW TO SPECIFY

EXAMPLE USING A CONFIGURATION OF LAPTOP TABLES
(E_N_-RLP2460J)

STEP **1**

Determine the number of users in function of the length of the surface and their electrical requirements (1 or 2 duplex receptacles per workstation are usually sufficient).
LGC-DUPLEXC_

STEP **2**

Determine whether 1 or 2 circuits are needed, accordingly to the quantity of duplex receptacles.

STEP **3**

Determine pass cable lengths in function of duplex receptacle positioning and surface lengths.
LGC-PASS_ _

STEP **4**

Determine electrical feed cable length, between the duplex receptacle and wall power source. The electrical installation must be made by a professional electrician.
LGC-FFEED_ _

STEP **1** & **2**



STEP **3**



STEP **4**



TEACHER'S DESKS

Left single pedestal desks



1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UF3072S**	**1,448**	**1,623**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UF3060S**	**1,422**	**1,565**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-UF3048S**	**1,395**	**1,512**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Right single pedestal desks



1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-S3072UF**	**1,448**	**1,623**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-S3060UF**	**1,422**	**1,565**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-S3048UF**	**1,395**	**1,512**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Left single pedestal desks



1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UC3072S**	**1,263**	**1,432**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UC3060S**	**1,236**	**1,379**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-UC3048S**	**1,210**	**1,321**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Right single pedestal desks

1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-S3072UC**	**1,263**	**1,432**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-S3060UC**	**1,236**	**1,379**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-S3048UC**	**1,210**	**1,321**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Left single pedestal bow front desks

1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UF3072SA**	**1,490**	**1,697**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UF3060SA**	**1,464**	**1,634**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-UF3048SA**	**1,432**	**1,570**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Right single pedestal bow front desks

1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-S3072UFA**	**1,490**	**1,697**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-S3060UFA**	**1,464**	**1,634**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-S3048UFA**	**1,432**	**1,570**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Left single pedestal bow front desks



1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UC3072SA**	**1,283**	**1,490**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UC3060SA**	**1,252**	**1,422**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-UC3048SA**	**1,220**	**1,358**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

Right single pedestal bow front desks



1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-S3072UCA**	**1,283**	**1,490**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-S3060UCA**	**1,252**	**1,422**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-S3048UCA**	**1,220**	**1,358**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 2 boxes.

TEACHER'S DESKS WITH METAL PEDESTALS

Double metal pedestal bow front desks

2 pedestals with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestals with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UF2M3072A**	**1,586**	**1,793**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UF2M3060A**	**1,565**	**1,734**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Packaged in 3 boxes.

Left single metal pedestal bow front desks

1 pedestal on left with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestal with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UFM3072A_**	**1,411**	**1,618**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UFM3060A_**	**1,384**	**1,560**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-UFM3048A_**	**1,363**	**1,501**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.

Right single metal pedestal bow front desks

1 pedestal on right with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestal with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_ _ _-3072UFMA_**	**1,411**	**1,618**
60 x 30 x 29	1500 x 750 x 735	**E_ _ _-3060UFMA_**	**1,384**	**1,560**
48 x 30 x 29	1200 x 750 x 735	**E_ _ _-3048UFMA_**	**1,363**	**1,501**

Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).

Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.

= ASSEMBLY REQUIRED

D-SHAPED TEACHER'S DESKS

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal D-shaped desks *1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UF3072D_**	**1,666**	**1,835**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UF3060D_**	**1,644**	**1,787**



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal D-shaped desks *1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-3072UFD_**	**1,666**	**1,835**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-3060UFD_**	**1,644**	**1,787**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal D-shaped mobile desks *1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-MUF3072D_**	**1,729**	**1,899**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-MUF3060D_**	**1,707**	**1,851**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal D-shaped mobile desks *1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-M3072UFD_**	**1,729**	**1,899**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-M3060UFD_**	**1,707**	**1,851**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal D-shaped desks *1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-UC3072D_**	**1,623**	**1,793**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-UC3060D_**	**1,601**	**1,745**



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal D-shaped desks *1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-3072UCD_**	**1,623**	**1,793**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-3060UCD_**	**1,601**	**1,745**



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal D-shaped mobile desks *1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-MUC3072D_**	**1,687**	**1,856**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-MUC3060D_**	**1,666**	**1,808**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal D-shaped mobile desks *1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*					
	72 x 30 x 29	1800 x 750 x 735	**E_ _ _-M3072UCD_**	**1,687**	**1,856**
	60 x 30 x 29	1500 x 750 x 735	**E_ _ _-M3060UCD_**	**1,666**	**1,808**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

P-SHAPED TEACHER'S DESKS

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal P-shaped desks *1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*					
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-UF3672P_**	**1,745**	**1,952**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-UF3666P_**	**1,734**	**1,904**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal P-shaped desks *1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*					
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-3672UFP_**	**1,745**	**1,952**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-3666UFP_**	**1,734**	**1,904**

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal P-shaped mobile desks	*1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-MUF3672P_**	**1,808**	**2,016**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-MUF3666P_**	**1,798**	**1,968**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal P-shaped mobile desks	*1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-M3672UFP_**	**1,808**	**2,016**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-M3666UFP_**	**1,798**	**1,968**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal P-shaped desks	*1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-UC3672P_**	**1,454**	**1,661**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-UC3666P_**	**1,432**	**1,601**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal P-shaped desks	*1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-3672UCP_**	**1,454**	**1,661**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-3666UCP_**	**1,432**	**1,601**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left single pedestal P-shaped mobile desks	*1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-MUC3672P_**	**1,517**	**1,724**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-MUC3666P_**	**1,495**	**1,666**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right single pedestal P-shaped mobile desks	*1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*				
	72 x 36 x 29	1800 x 900 x 735	**E_ _ _-M3672UCP_**	**1,517**	**1,724**
	66 x 36 x 29	1650 x 900 x 735	**E_ _ _-M3666UCP_**	**1,495**	**1,666**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

LECTERN-DESKS

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left lectern-desks single pedestal	*11⅞" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-LUF3072_**	**1,856**	**2,063**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-LUF3066_**	**1,835**	**1,979**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right lectern-desks single pedestal	*11⅞" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-3072LUF_**	**1,856**	**2,063**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-3066LUF_**	**1,835**	**1,979**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left lectern-desks single pedestal, mobile	*11⅞" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-MLUF3072_**	**1,920**	**2,127**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-MLUF3066_**	**1,899**	**2,042**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right lectern-desks single pedestal, mobile	*11⅞" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-M3072LUF_**	**1,920**	**2,127**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-M3066LUF_**	**1,899**	**2,042**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left lectern-desks single pedestal	*11⅞" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-LUC3072_**	**1,692**	**1,926**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-LUC3066_**	**1,671**	**1,820**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right lectern-desks single pedestal	*11⅞" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. Storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24¼" D x 21½" H (356 x 617 x 544 mm).*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-3072LUC_**	**1,692**	**1,926**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-3066LUC_**	**1,671**	**1,820**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Left lectern-desks single pedestal, mobile	*11⅞" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-MLUC3072_**	**1,755**	**1,989**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-MLUC3066_**	**1,734**	**1,883**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Right lectern-desks single pedestal, mobile	*11⅞" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24¼" D x 18⅜" H (356 x 617 x 467 mm).*				
	72 x 30 x 42	1800 x 750 x 1063	**E_ _ _-M3072LUC_**	**1,755**	**1,989**
	66 x 30 x 42	1650 x 750 x 1063	**E_ _ _-M3066LUC_**	**1,734**	**1,883**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

CARRELS – 29" H WORK SURFACE

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual single-sided carrels, 33" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 34½ x 33	925 x 869 x 834	**E_NN-CS343733**	**610**	**690**
	Add-on *Wire access on side panel.*				
	36 x 34½ x 33	900 x 869 x 834	**E_NN-CA343633**	**494**	**573**
	Specify the surface type (1, 2).				



Starter

Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared single-sided carrels, 33" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 34½ x 33	1825 x 869 x 834	**E_NN-CS347333**	**779**	**938**
	Add-on *Wire access on side panel.*				
	72 x 34½ x 33	1800 x 869 x 834	**E_NN-CA347233**	**663**	**822**
	Specify the surface type (1, 2).				



Starter



Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual single-sided carrels, 53" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅜" H (390 mm).*				
	Starter				
	37 x 34½ x 53	925 x 869 x 1342	**E_NN-CS343753**	**785**	**865**
	Add-on *Wire access on side panel.*				
	36 x 34½ x 53	900 x 869 x 1342	**E_NN-CA343653**	**636**	**716**
	Specify the surface type (1, 2).				



Starter



Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared single-sided carrels, 53" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅜" H (390 mm).*				
	Starter				
	73 x 34½ x 53	1825 x 869 x 1342	**E_NN-CS347353**	**1,044**	**1,210**
	Add-on *Wire access on side panel.*				
	72 x 34½ x 53	1800 x 869 x 1342	**E_NN-CA347253**	**891**	**1,056**
	Specify the surface type (1, 2).				



Starter



Add-on

Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual double-sided carrels, 33" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 67½ x 33	925 x 1716 x 834	**E_NN-CS673733**	**880**	**965**
	Add-on *Wire access on side panel.*				
	36 x 67½ x 33	900 x 1716 x 834	**E_NN-CA673633**	**663**	**743**
	Specify the surface type (1, 2).				



Starter



Add-on

Starter:
Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared double-sided carrels, 33" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 67½ x 33	1825 x 1716 x 834	**E_NN-CS677333**	**1,172**	**1,336**
	Add-on *Wire access on side panel.*				
	72 x 67½ x 33	1800 x 1716 x 834	**E_NN-CA677233**	**1,018**	**1,183**
	Specify the surface type (1, 2).				



Starter



Add-on

Packaged in 2 boxes.

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual double-sided carrels, 53" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅜" H (390 mm).*				
	Starter				
	37 x 67½ x 53	925 x 1716 x 1342	**E_NN-CS673753**	**1,225**	**1,305**
	Add-on *Wire access on side panel.*				
	36 x 67½ x 53	900 x 1716 x 1342	**E_NN-CA673653**	**998**	**1,077**
	Specify the surface type (1, 2).				


Starter


Add-on

Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared double-sided carrels, 53" H	*Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅜" H (390 mm).*				
	Starter				
	73 x 67½ x 53	1825 x 1716 x 1342	**E_NN-CS677353**	**1,596**	**1,755**
	Add-on *Wire access on side panel.*				
	72 x 67½ x 53	1800 x 1716 x 1342	**E_NN-CA677253**	**1,369**	**1,533**
	Specify the surface type (1, 2).				


Starter


Add-on

Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
ADA bracket kit	*Kit includes metal brackets and hardware to raise the surface of a carrel to ADA height (from 29" to 32" H/735 to 813 mm). Package of 6 brackets. Order one package per carrel.*				
	1 x 1 x 4	25 x 25 x 104	**ENNN-CADAKIT**	**106**	–

COMPUTER CARRELS – 29" H WORK SURFACE

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual single-sided carrels, 33" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 34½ x 33	925 x 869 x 834	**E_NN-CCS343733**	**880**	**960**
	Add-on *Wire access on side panel.*				
	36 x 34½ x 33	900 x 869 x 834	**E_NN-CCA343633**	**743**	**827**
	Specify the surface type (1, 2).				


Starter

Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared single-sided carrels, 33" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 34½ x 33	1825 x 869 x 834	**E_NN-CCS347333**	**1,077**	**1,241**
	Add-on *Wire access on side panel.*				
	72 x 34½ x 33	1800 x 869 x 834	**E_NN-CCA347233**	**938**	**1,104**
	Specify the surface type (1, 2).				


Starter


Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual single-sided carrels, 53" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 34½ x 53	925 x 869 x 1342	**E_NN-CCS343753**	**1,056**	**1,135**
	Add-on *Wire access on side panel.*				
	36 x 34½ x 53	900 x 869 x 1342	**E_NN-CCA343653**	**880**	**965**
	Specify the surface type (1, 2).				


Starter


Add-on

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared single-sided carrels, 53" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 34½ x 53	1825 x 869 x 1342	**E_NN-CCS347353**	**1,294**	**1,459**
	Add-on *Wire access on side panel.*				
	72 x 34½ x 53	1800 x 869 x 1342	**E_NN-CCA347253**	**1,124**	**1,289**
	Specify the surface type (1, 2).				


Starter


Add-on

Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual double-sided carrels, 33" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 67½ x 33	925 x 1716 x 834	**E_NN-CCS673733**	**1,140**	**1,220**
	Add-on *Wire access on side panel.*				
	36 x 67½ x 33	900 x 1716 x 834	**E_NN-CCA673633**	**950**	**1,029**
	Specify the surface type (1, 2).				


Starter


Add-on

Starter:
Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared double-sided carrels, 33" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 67½ x 33	1825 x 1716 x 834	**E_NN-CCS677333**	**1,490**	**1,649**
	Add-on *Wire access on side panel.*				
	72 x 67½ x 33	1800 x 1716 x 834	**E_NN-CCA677233**	**1,316**	**1,480**
	Specify the surface type (1, 2).				


Starter


Add-on

Packaged in 2 boxes.

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual double-sided carrels, 53" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 67½ x 53	925 x 1716 x 1342	**E_NN-CCS673753**	**1,480**	**1,560**
	Add-on *Wire access on side panel.*				
	36 x 67½ x 53	900 x 1716 x 1342	**E_NN-CCA673653**	**1,236**	**1,316**
	Specify the surface type (1, 2).				



Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared double-sided carrels, 53" H	*Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 67½ x 53	1825 x 1716 x 1342	**E_NN-CCS677353**	**1,909**	**2,074**
	Add-on *Wire access on side panel.*				
	72 x 67½ x 53	1800 x 1716 x 1342	**E_NN-CCA677253**	**1,666**	**1,830**
	Specify the surface type (1, 2).				



Packaged in 2 boxes.

COMPUTER CARRELS – 42" H WORK SURFACE

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual single-sided carrels, 53" H	*42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 34½ x 53	925 x 869 x 1342	**E_NN-CSS343753**	**1,044**	**1,124**
	Add-on *Wire access on side panel.*				
	36 x 34½ x 53	900 x 869 x 1342	**E_NN-CSA343653**	**875**	**955**
	Specify the surface type (1, 2).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared single-sided carrels, 53" H	*42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 34½ x 53	1825 x 869 x 1342	**E_NN-CSS347353**	**1,278**	**1,437**
	Add-on *Wire access on side panel.*				
	72 x 34½ x 53	1800 x 869 x 1342	**E_NN-CSA347253**	**1,104**	**1,268**
	Specify the surface type (1, 2).				



Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Individual double-sided carrels, 53" H	*42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	37 x 67½ x 53	925 x 1716 x 1342	**E_NN-CSS673753**	**1,464**	**1,543**
	Add-on *Wire access on side panel.*				
	36 x 67½ x 53	900 x 1716 x 1342	**E_NN-CSA673653**	**1,215**	**1,294**
	Specify the surface type (1, 2).				



Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Shared double-sided carrels, 53" H	*42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.*				
	Starter				
	73 x 67½ x 53	1825 x 1716 x 1342	**E_NN-CSS677353**	**1,873**	**2,037**
	Add-on *Wire access on side panel.*				
	72 x 67½ x 53	1800 x 1716 x 1342	**E_NN-CSA677253**	**1,628**	**1,787**
	Specify the surface type (1, 2).				



Packaged in 2 boxes.

CPU support for carrels	*Laminate CPU support. Compatible with all carrels. Reversible.*				
	10 x 26 x 6	255 x 650 x 150	**ENNN-SCPU**	**159**	–

RECTANGULAR TABLES

Rectangular tables, incremental height adjustment	*Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.*				
	72 x 24 x 25-31	1800 x 600 x 635-785	**E_N_-RCM2472I**	**918**	**1,056**
	66 x 24 x 25-31	1650 x 600 x 635-785	**E_N_-RCM2466I**	**907**	**1,034**
	60 x 24 x 25-31	1500 x 600 x 635-785	**E_N_-RCM2460I**	**897**	**1,013**
	54 x 24 x 25-31	1350 x 600 x 635-785	**E_N_-RCM2454I**	**885**	**991**
	48 x 24 x 25-31	1200 x 600 x 635-785	**E_N_-RCM2448I**	**875**	**971**
	42 x 24 x 25-31	1050 x 600 x 635-785	**E_N_-RCM2442I**	**870**	**950**
	36 x 24 x 25-31	900 x 600 x 635-785	**E_N_-RCM2436I**	**859**	**928**
	30 x 24 x 25-31	750 x 600 x 635-785	**E_N_-RCM2430I**	**849**	**907**
	Specify the surface type (1, 2). Specify the accent color (A, S).				

Rectangular tables with shelf, incremental height adjustment	*Metal legs. 1 fixed shelf. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.*				
	72 x 24 x 25-31	1800 x 600 x 635-785	**E_N_-RCM2472SI**	**1,066**	**1,204**
	66 x 24 x 25-31	1650 x 600 x 635-785	**E_N_-RCM2466SI**	**1,051**	**1,172**
	60 x 24 x 25-31	1500 x 600 x 635-785	**E_N_-RCM2460SI**	**1,029**	**1,162**
	54 x 24 x 25-31	1350 x 600 x 635-785	**E_N_-RCM2454SI**	**1,013**	**1,119**
	48 x 24 x 25-31	1200 x 600 x 635-785	**E_N_-RCM2448SI**	**998**	**1,087**
	42 x 24 x 25-31	1050 x 600 x 635-785	**E_N_-RCM2442SI**	**981**	**1,061**
	36 x 24 x 25-31	900 x 600 x 635-785	**E_N_-RCM2436SI**	**960**	**1,029**
	30 x 24 x 25-31	750 x 600 x 635-785	**E_N_-RCM2430SI**	**945**	**1,003**
	Specify the surface type (1, 2). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

Rectangular tables, fixed height

Metal legs. 6" (150 mm) high modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29	1800 x 600 x 735	**E_N_-RCM2472J**	**726**	**865**
66 x 24 x 29	1650 x 600 x 735	**E_N_-RCM2466J**	**716**	**844**
60 x 24 x 29	1500 x 600 x 735	**E_N_-RCM2460J**	**706**	**822**
54 x 24 x 29	1350 x 600 x 735	**E_N_-RCM2454J**	**695**	**801**
48 x 24 x 29	1200 x 600 x 735	**E_N_-RCM2448J**	**690**	**779**
42 x 24 x 29	1050 x 600 x 735	**E_N_-RCM2442J**	**679**	**759**
36 x 24 x 29	900 x 600 x 735	**E_N_-RCM2436J**	**668**	**737**
30 x 24 x 29	750 x 600 x 735	**E_N_-RCM2430J**	**658**	**716**

Specify the surface type (1, 2). Specify the accent color (A, S).

Rectangular tables with shelf, fixed height

Metal legs. 1 fixed shelf. 6" (150 mm) high modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29	1800 x 600 x 735	**E_N_-RCM2472SJ**	**875**	**1,013**
66 x 24 x 29	1650 x 600 x 735	**E_N_-RCM2466SJ**	**859**	**986**
60 x 24 x 29	1500 x 600 x 735	**E_N_-RCM2460SJ**	**844**	**971**
54 x 24 x 29	1350 x 600 x 735	**E_N_-RCM2454SJ**	**822**	**928**
48 x 24 x 29	1200 x 600 x 735	**E_N_-RCM2448SJ**	**806**	**897**
42 x 24 x 29	1050 x 600 x 735	**E_N_-RCM2442SJ**	**791**	**870**
36 x 24 x 29	900 x 600 x 735	**E_N_-RCM2436SJ**	**774**	**844**
30 x 24 x 29	750 x 600 x 735	**E_N_-RCM2430SJ**	**753**	**812**

Specify the surface type (1, 2). Specify the accent color (A, S).

LAPTOP TABLES

Laptop tables, 30" D, incremental height adjustment

Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 25-31	1800 x 750 x 635-785	**E_N_-RLP3072I**	**1,167**	**1,342**
66 x 30 x 25-31	1650 x 750 x 635-785	**E_N_-RLP3066I**	**1,157**	**1,310**
60 x 30 x 25-31	1500 x 750 x 635-785	**E_N_-RLP3060I**	**1,140**	**1,283**
54 x 30 x 25-31	1350 x 750 x 635-785	**E_N_-RLP3054I**	**1,124**	**1,252**
48 x 30 x 25-31	1200 x 750 x 635-785	**E_N_-RLP3048I**	**1,109**	**1,225**
42 x 30 x 25-31	1050 x 750 x 635-785	**E_N_-RLP3042I**	**1,092**	**1,193**
36 x 30 x 25-31	900 x 750 x 635-785	**E_N_-RLP3036I**	**1,077**	**1,162**

Specify the surface type (1, 2). Specify the accent color (A, S).

Laptop tables, 24" D, incremental height adjustment

Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 25-31	1800 x 600 x 635-785	**E_N_-RLP2472I**	**1,145**	**1,283**
66 x 24 x 25-31	1650 x 600 x 635-785	**E_N_-RLP2466I**	**1,135**	**1,257**
60 x 24 x 25-31	1500 x 600 x 635-785	**E_N_-RLP2460I**	**1,119**	**1,236**
54 x 24 x 25-31	1350 x 600 x 635-785	**E_N_-RLP2454I**	**1,109**	**1,210**
48 x 24 x 25-31	1200 x 600 x 635-785	**E_N_-RLP2448I**	**1,092**	**1,183**
42 x 24 x 25-31	1050 x 600 x 635-785	**E_N_-RLP2442I**	**1,077**	**1,162**
36 x 24 x 25-31	900 x 600 x 635-785	**E_N_-RLP2436I**	**1,066**	**1,135**

Specify the surface type (1, 2). Specify the accent color (A, S).

Laptop tables, 30" D, fixed height

Metal legs. 6" (150 mm) high modesty panel.
Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 30 x 29	1800 x 750 x 735	**E_N_-RLP3072J**	**981**	**1,151**
66 x 30 x 29	1650 x 750 x 735	**E_N_-RLP3066J**	**965**	**1,124**
60 x 30 x 29	1500 x 750 x 735	**E_N_-RLP3060J**	**950**	**1,092**
54 x 30 x 29	1350 x 750 x 735	**E_N_-RLP3054J**	**933**	**1,061**
48 x 30 x 29	1200 x 750 x 735	**E_N_-RLP3048J**	**918**	**1,034**
42 x 30 x 29	1050 x 750 x 735	**E_N_-RLP3042J**	**902**	**1,003**
36 x 30 x 29	900 x 750 x 735	**E_N_-RLP3036J**	**885**	**976**

Specify the surface type (1, 2). Specify the accent color (A, S).

Laptop tables, 24" D, fixed height

Metal legs. 6" (150 mm) high modesty panel.
Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 24 x 29	1800 x 600 x 735	**E_N_-RLP2472J**	**955**	**1,092**
66 x 24 x 29	1650 x 600 x 735	**E_N_-RLP2466J**	**945**	**1,071**
60 x 24 x 29	1500 x 600 x 735	**E_N_-RLP2460J**	**928**	**1,044**
54 x 24 x 29	1350 x 600 x 735	**E_N_-RLP2454J**	**918**	**1,018**
48 x 24 x 29	1200 x 600 x 735	**E_N_-RLP2448J**	**902**	**991**
42 x 24 x 29	1050 x 600 x 735	**E_N_-RLP2442J**	**891**	**971**
36 x 24 x 29	900 x 600 x 735	**E_N_-RLP2436J**	**875**	**945**

Specify the surface type (1, 2). Specify the accent color (A, S).

CPU TABLES

Left CPU tables



Open CPU storage on left: 8¾" W x 20½" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
42 x 30 x 36	1050 x 750 x 911	**E_N_-CPU3042S**	**1,193**	**1,268**
42 x 24 x 36	1050 x 600 x 911	**E_N_-CPU2442S**	**1,140**	**1,199**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 2 boxes.

Right CPU tables



Open CPU storage on left: 8¾" W x 20½" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
42 x 30 x 36	1050 x 750 x 911	**E_N_-S3042CPU**	**1,193**	**1,268**
42 x 24 x 36	1050 x 600 x 911	**E_N_-S2442CPU**	**1,140**	**1,199**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 2 boxes.

ALL-PURPOSE TABLES

Rectangular tables



Disc bases.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 42 x 29	1800 x 1050 x 738	**E_N_-RC4272D**	**1,782**	**2,021**
72 x 36 x 29	1800 x 900 x 738	**E_N_-RC3672D**	**1,761**	**1,968**
60 x 30 x 29	1500 x 750 x 738	**E_N_-RC3060D**	**1,719**	**1,862**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 5 boxes.

Rectangular café height tables

Disc bases.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
72 x 42 x 42	1800 x 1050 x 1067	**E_N_-RC427242D**	**1,873**	**2,111**
72 x 36 x 42	1800 x 900 x 1067	**E_N_-RC367242D**	**1,851**	**2,058**
60 x 30 x 42	1500 x 750 x 1067	**E_N_-RC306042D**	**1,808**	**1,952**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 5 boxes.

Round tables

Disc base.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
48 x 48 x 29	1200 x 1200 x 738	**E_N_-R48D**	**1,177**	**1,363**
42 x 42 x 29	1050 x 1050 x 738	**E_N_-R42D**	**1,151**	**1,289**
36 x 36 x 29	900 x 900 x 738	**E_N_-R36D**	**971**	**1,071**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 3 boxes.

Round café height tables



Disc base.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 36 x 42	900 x 900 x 1067	**E_N_-R3642D**	**928**	**1,071**
30 x 30 x 42	750 x 750 x 1067	**E_N_-R3042D**	**897**	**991**

Specify the surface type (1, 2). Specify the accent color (A, S).

Packaged in 3 boxes.

= ASSEMBLY REQUIRED

MODULAR TABLES

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular tops	*1" (25 mm) thick. Compatible with ENN_-MTBFH24 and ENN_-MLBFH24 bases.*				
	72 x 30 x 1	1800 x 750 x 25	**E_NN-RCT3072**	**456**	**647**
	60 x 30 x 1	1500 x 750 x 25	**E_NN-RCT3060**	**366**	**541**
	72 x 24 x 1	1800 x 600 x 25	**E_NN-RCT2472**	**429**	**583**
	60 x 24 x 1	1500 x 600 x 25	**E_NN-RCT2460**	**340**	**472**
	Specify the surface type (1, 2).				
Trapezoidal tops	*1" (25 mm) thick. Compatible with ENN_-MTBFH24 and ENN_-MLBFH24 bases.*				
	72 x 27¼ x 1	1800 x 693 x 25	**E_NN-TZT3072**	**605**	**785**
	60 x 27¼ x 1	1500 x 693 x 25	**E_NN-TZT3060**	**509**	**679**
	48 x 27¼ x 1	1200 x 693 x 25	**E_NN-TZT3048**	**446**	**594**
	72 x 22 x 1	1800 x 554 x 25	**E_NN-TZT2472**	**573**	**732**
	60 x 22 x 1	1500 x 554 x 25	**E_NN-TZT2460**	**488**	**626**
	48 x 22 x 1	1200 x 554 x 25	**E_NN-TZT2448**	**414**	**547**
	Specify the surface type (1, 2).				
T-bases with casters, flip-top mechanism and handle	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 2 x 28	531 x 51 x 713	**ENN_-MTBFH24**	**838**	–
	Specify the accent color (A, S).				
L-bases with casters, flip-top mechanism and handle	*2 bases. Casters with brakes. Mechanism to flip the tabletop down.*				
	21 x 7 x 28	531 x 172 x 713	**ENN_-MLBFH24**	**1,024**	–
	Specify the accent color (A, S).				
Table connector	*To link two tables. 2 per package. Zinc-finish metal.*				
	6 x 2¼ x ¼	150 x 60 x 6	**LGC-UP**	**116**	–

COMPLEMENTARY FURNITURE

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Pedestal	*2 box drawers and 1 file drawer with suspension bar. Pencil tray. Lock controls all drawers.*				
	16⅜ x 26 x 29	409 x 650 x 735	**E1_ _-P1626UF**	**1,034**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Pedestal	*2 file drawers with suspension bar. Lock controls all drawers.*				
	16⅜ x 26 x 29	409 x 650 x 735	**E1_ _-P1626FF**	**885**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase unit	*1 adjustable shelf. 1 tone only.*				
	12 x 26 x 28	300 x 650 x 710	**ENNN-B262812**	**494**	–
Teacher's cart	*Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.*				
	25 x 24 x 39	625 x 600 x 988	**E_N_-M242539**	**880**	**928**
	Specify the surface type (1, 2). Specify the accent color (A,S).				
Teacher's cart	*Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.*				
	37¼ x 24 x 39	945 x 600 x 988	**E_N_-M242539W**	**1,066**	**1,114**
	Specify the surface type (1, 2). Specify the accent color (A,S).				
Teacher's cart with doors	*Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.*				
	25 x 24 x 39	625 x 600 x 988	**E_ _ _-M242539B**	**1,145**	**1,193**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A,S).				
Teacher's cart with doors	*Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22½" W x 21⅝" D x 5¼" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.*				
	37¼ x 24 x 39	945 x 600 x 988	**E_ _ _-M242539BW**	**1,289**	**1,336**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A,S).				
Lectern	*Small acrylic screen. 1 fixed shelf. 1 adjustable shelf. 1 storage space. Wiring access. 4 swivel casters, 2 with brakes. 1 tone only.*				
	24 x 18 x 47	600 x 448 x 1177	**ENNN-LC241846**	**965**	–
Laptop cart, 30 units	*Can accommodate 30 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.*				
	43 x 25 x 42	1075 x 625 x 1063	**E_ _ _-M254342LP**	**2,954**	**3,040**
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				
Laptop cart, 20 units	*Can accommodate 20 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.*				
	30 x 25 x 42	750 x 625 x 1063	**E_ _ _-M253042LP**	**2,721**	**2,785**
	Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).				
Power bar	*10 electrical outlets. Black. Mounting brackets included. 12' electrical cord (3658 mm).*				
	1¾ x 2¼ x 17½	44 x 57 x 447	**LGC-POWERBAR**	**419**	–
Flat screen carts	*Laminate doors with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately.*				
	72 x 24 x 64	1800 x 600 x 1625	**EN_ _-MTV2472**	**1,846**	–
	54 x 24 x 64	1350 x 600 x 1625	**EN_ _-MTV2454**	**1,692**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	72" W accommodates 37" to 65" flat screens. 54" W accommodates 37" to 50" flat screens.				

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Flat screen carts with translucent doors	*Silver anodized frame doors and translucent insert with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately. S Silver accent only.*				
	72 x 24 x 64	1800 x 600 x 1625	**EN_S-MTV2472T**	**2,377**	–
	54 x 24 x 64	1350 x 600 x 1625	**EN_S-MTV2454T**	**2,090**	–
	Specify the handle code (Q, V).				
	72" W accommodates 37" to 65" flat screens. 54" W accommodates 37" to 50" flat screens.				
Flat screen support	*Silver metal support. Can accommodate screens from 37" to 65". 15° tilt angle. Maximum weight capacity: 176 lbs (80 kg). Install on a flat screen carts.*				
	33⅞ x 4 x 19¾	859 x 102 x 500	**LGC-SUPFLATSC**	**472**	–
Audio/video unit	*Pocket doors for electronic device storage. Back with door for wire access. 4" H (102 mm) clearance under surface. 6 adjustable shelves. Locks. Grommet on top and sides. Can accommodate a CPU tower.*				
	42 x 24 x 42	1050 x 600 x 1063	**E_ _ _-244242AV**	**2,211**	**2,297**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Audio/video cart	*Pocket doors for electronic device storage. Back with door for wire access. 4" H (102 mm) clearance under surface. 6 adjustable shelves. Locks. Swivel wire supports. Grommet on top and sides. 4 swivel casters, 2 with brakes. Can accommodate a CPU tower.*				
	42 x 24 x 42	1050 x 600 x 1063	**E_ _ _-M244242AV**	**2,254**	**2,339**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile white boards	*Non-magnetic surface for use with dry-erase markers on both sides. Brakes on swivel casters.*				
	55 x 28 x 64	1375 x 700 x 1610	**ENN_-MWB542865**	**1,666**	–
	43 x 28 x 64	1075 x 700 x 1610	**ENN_-MWB422865**	**1,634**	–
	Specify the accent color (A, S).				
Pencil tray	*For mobile white board. Specify the metal finish Silver or Anthracite grey.*				
	12 x 3½ x 2	300 x 90 x 50	**LGC-PH12_**	**80**	–
	Specify the accent color (A, S).				

STORAGE UNITS, 72" H

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage unit with doors	*3 adjustable shelves and 1 fixed shelf. Lock.*				
	36 x 24 x 72	900 x 600 x 1825	**E1_ _-243672B**	**1,554**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined wardrobe/ storage unit with doors	*Clothes hanger bar and 1 fixed shelf on right side. 4 adjustable shelves on left side. Lock.*				
	36 x 24 x 72	900 x 600 x 1825	**E1_ _-243672BC**	**1,714**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage unit with drawers	*2 adjustable shelves. 4 box drawers. Interlock system. Locks.*				
	36 x 24 x 72	900 x 600 x 1825	**E1_ _-243672BU**	**2,662**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open bookcase with drawer	*2 adjustable shelves and 1 fixed shelf. Lateral file drawer with suspension bars. Lock.*				
	36 x 24 x 72	900 x 600 x 1825	**E1_ _-B243672F**	**1,528**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open bookcase	*3 adjustable shelves and 1 fixed shelf.*				
	36 x 24 x 72	900 x 600 x 1825	**E1NN-B243672**	**1,220**	–

STORAGE UNITS, 36" H

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase with doors	*1 adjustable shelf. Lock.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-243636B**	**1,056**	**1,124**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile bookcase with doors	*1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-M243636B**	**1,098**	**1,167**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage unit with drawers	*4 box drawers. Interlock system. Lock.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-243636U**	**1,862**	**1,931**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile storage unit with drawers	*4 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-M243636U**	**1,904**	**1,973**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Combined storage unit	*4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-243636UB**	**2,058**	**2,127**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile combined storage unit	*4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-M243636UB**	**2,100**	**2,170**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage unit	*4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-243636BU**	**2,058**	**2,127**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile combined storage unit	*4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-M243636BU**	**2,100**	**2,170**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage unit	*2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-243636T**	**1,644**	**1,714**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile combined storage unit	*2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 36	900 x 600 x 911	**E_ _ _-M243636T**	**1,687**	**1,755**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

STORAGE UNITS, 29" H

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase with doors	*1 adjustable shelf. Lock.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-243629B**	**1,013**	**1,082**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile bookcase with doors	*1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-M243629B**	**1,056**	**1,124**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase with door, opens left	*1 adjustable shelf. Lock.*				
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-242429BL**	**933**	**981**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase with door, opens right	*1 adjustable shelf. Lock.*				
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-242429BR**	**933**	**981**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Mobile bookcase with door, opens left	*1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.*				
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-M242429BL**	**976**	**1,024**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile bookcase with door, opens right	*1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.*				
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-M242429BR**	**976**	**1,024**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage units with drawers	*3 box drawers. Interlock system. Lock.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-243629U**	**1,687**	**1,755**
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-242429U**	**1,628**	**1,697**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile storage units with drawers	*3 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-M243629U**	**1,729**	**1,798**
	24 x 24 x 29	600 x 600 x 735	**E_ _ _-M242429U**	**1,671**	**1,740**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage unit	*3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-243629UB**	**1,671**	**1,740**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile combined storage unit	*3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-M243629UB**	**1,714**	**1,782**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage unit	*3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-243629BU**	**1,671**	**1,740**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Mobile combined storage unit	*3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.*				
	36 x 24 x 29	900 x 600 x 735	**E_ _ _-M243629BU**	**1,714**	**1,782**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				

BOOKCASE UNITS, 36" H

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase units	*2 adjustable shelves.*				
	60 x 24 x 36	1500 x 600 x 911	**E_NN-B246036**	**907**	**998**
	48 x 24 x 36	1200 x 600 x 911	**E_NN-B244836**	**812**	**891**
	1 adjustable shelf.				
	36 x 24 x 36	900 x 600 x 911	**E_NN-B243636**	**726**	**796**
	Specify the surface type (1, 2).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Mobile bookcase units	*2 adjustable shelves. 6 swivel casters, 4 with brakes.*				
	60 x 24 x 36	1500 x 600 x 911	**E_NN-MB246036**	**971**	**1,061**
	48 x 24 x 36	1200 x 600 x 911	**E_NN-MB244836**	**875**	**955**
	1 adjustable shelf. 4 swivel casters, 2 with brakes.				
	36 x 24 x 36	900 x 600 x 911	**E_NN-MB243636**	**769**	**838**
	Specify the surface type (1, 2).				

BOOKCASE UNITS, 29" H

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase units	*2 adjustable shelves.*				
	60 x 24 x 29	1500 x 600 x 735	**E_NN-B246029**	**885**	**971**
	48 x 24 x 29	1200 x 600 x 735	**E_NN-B244829**	**796**	**865**
	1 adjustable shelf.				
	36 x 24 x 29	900 x 600 x 735	**E_NN-B243629**	**706**	**774**
	Specify the surface type (1, 2).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Mobile bookcase units	*2 adjustable shelves. 6 swivel casters, 4 with brakes.*				
	60 x 24 x 29	1500 x 600 x 735	**E_NN-MB246029**	**950**	**1,034**
	48 x 24 x 29	1200 x 600 x 735	**E_NN-MB244829**	**859**	**928**
	1 adjustable shelf. 4 swivel casters, 2 with brakes.				
	36 x 24 x 29	900 x 600 x 735	**E_NN-MB243629**	**748**	**817**
	Specify the surface type (1, 2).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Handle	*For mobile units. Specify the metal finish Silver or Anthracite grey.*				
	17¼ x ⅞ x 2⅜	438 x 22 x 60	**LGC-PULL17_**	**101**	–
	Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcases	*3 adjustable shelves. 1 fixed shelf. 1 tone only.*				
	36 x 14 x 72	900 x 350 x 1825	**ENNN-B367214**	**870**	–
	2 adjustable shelves. 1 fixed shelf. 1 tone only.				
	36 x 14 x 48	900 x 350 x 1215	**ENNN-B364814**	**726**	–





MODULAR CABINETRY

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with doors	*Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**EN_ _-253635BL**	**1,056**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinets with door, opens left	*Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435BLL**	**976**	–
	18 x 25 x 35	450 x 625 x 886	**EN_ _-251835BLL**	**748**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



24"



18"

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinets with door, opens right	*Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435BLR**	**976**	–
	18 x 25 x 35	450 x 625 x 886	**EN_ _-251835BLR**	**748**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

24"

18"

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular sink cabinet with doors	*Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**EN_ _-253635KL**	**1,114**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular sink cabinet with door, opens left	*Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435KLL**	**1,034**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular sink cabinet with door, opens right	*Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435KLR**	**1,034**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with drawers	*Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**EN_ _-253635UL**	**1,608**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinets with drawers	*Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435UL**	**1,528**	–
	18 x 25 x 35	450 x 625 x 886	**EN_ _-251835UL**	**1,389**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with drawers	*Installs under a countertop. 3 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Locks. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**EN_ _-253635UFL**	**1,581**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with drawers	*Installs under a countertop. 2 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435UFL**	**1,501**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with doors and drawers	*Installs under a countertop. 2 box drawers. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Locks. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**EN_ _-253635TL**	**1,331**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Modular cabinet with door and drawer, opens left	*Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435TLL**	**1,252**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Modular cabinet with door and drawer, opens right	*Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.*				
	24 x 25 x 35	600 x 625 x 886	**EN_ _-252435TLR**	**1,252**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Modular bookcases	*Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**ENNN-B253635L**	**779**	–
	24 x 25 x 35	600 x 625 x 886	**ENNN-B252435L**	**700**	–
Open modules	*Installs under a countertop. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**ENNN-253635SL**	**504**	–
	24 x 25 x 35	600 x 625 x 886	**ENNN-252435SL**	**472**	–
ADA sink module	*Installs under a countertop. Open back to accommodate plumbling. Pivoting front panel for plumbing accessibility. 1 tone only.*				
	36 x 25 x 35	900 x 625 x 886	**ENNN-AD253635L**	**679**	–
Rectangular counter tops	*Installs on modular cabinets. 4" H (100 mm) back splash. 1 tone only.*				
	96 x 26 x 5	2400 x 650 x 125	**E_NN-TOBS2696**	**424**	**642**
	90 x 26 x 5	2250 x 650 x 125	**E_NN-TOBS2690**	**414**	**626**
	84 x 26 x 5	2100 x 650 x 125	**E_NN-TOBS2684**	**403**	**610**
	78 x 26 x 5	1950 x 650 x 125	**E_NN-TOBS2678**	**393**	**594**
	72 x 26 x 5	1800 x 650 x 125	**E_NN-TOBS2672**	**381**	**578**
	66 x 26 x 5	1650 x 650 x 125	**E_NN-TOBS2666**	**371**	**562**
	60 x 26 x 5	1500 x 650 x 125	**E_NN-TOBS2660**	**361**	**547**
	54 x 26 x 5	1350 x 650 x 125	**E_NN-TOBS2654**	**350**	**530**
	48 x 26 x 5	1200 x 650 x 125	**E_NN-TOBS2648**	**340**	**520**
	42 x 26 x 5	1050 x 650 x 125	**E_NN-TOBS2642**	**328**	**509**
	36 x 26 x 5	900 x 650 x 125	**E_NN-TOBS2636**	**318**	**499**
	24 x 26 x 5	600 x 650 x 125	**E_NN-TOBS2624**	**313**	**488**
	18 x 26 x 5	450 x 650 x 125	**E_NN-TOBS2618**	**308**	**477**
	Specify the surface type (1, 2).				
Open storage module	*Installs on a countertop. 2 adjustable shelves. 2 grommets. 1 tone only.*				
	48 x 20 x 36	1200 x 500 x 911	**ENNN-MO483620**	**859**	–
Open storage module	*Installs on a countertop. 1 adjustable shelf. 1 grommet. 1 tone only.*				
	24 x 20 x 36	600 x 500 x 911	**ENNN-MO243620**	**706**	–

WALL-MOUNTED SYSTEM FOR ACCESSORIES

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Laminate hanging systems	*⅝" (16 mm) thick laminate panel. Installation requires appropriate fastening hardware (not included) depending on wall type. 1 tone only.*				
	96 x ⅝ x 14	2400 x 16 x 356	**ENNN-WMS96**	**308**	–
	90 x ⅝ x 14	2250 x 16 x 356	**ENNN-WMS90**	**302**	–
	84 x ⅝ x 14	2100 x 16 x 356	**ENNN-WMS84**	**297**	–
	78 x ⅝ x 14	1950 x 16 x 356	**ENNN-WMS78**	**292**	–
	72 x ⅝ x 14	1800 x 16 x 356	**ENNN-WMS72**	**287**	–
	66 x ⅝ x 14	1650 x 16 x 356	**ENNN-WMS66**	**282**	–
	60 x ⅝ x 14	1500 x 16 x 356	**ENNN-WMS60**	**275**	–
	54 x ⅝ x 14	1350 x 16 x 356	**ENNN-WMS54**	**270**	–
	48 x ⅝ x 14	1200 x 16 x 356	**ENNN-WMS48**	**265**	–
	42 x ⅝ x 14	1050 x 16 x 356	**ENNN-WMS42**	**260**	–
	36 x ⅝ x 14	900 x 16 x 356	**ENNN-WMS36**	**255**	–
	30 x ⅝ x 14	750 x 16 x 356	**ENNN-WMS30**	**249**	–
Porcelain white boards	*Porcelain magnetic surface for use with dry-erase markers. Pencil tray. Silver anodized aluminum frame. Mounting hardware for laminate hanging system included. 1 tone only.*				
	96 x 4⅛ x 48	2400 x 104 x 1219	**ENNS-WB9648**	**1,856**	–
	72 x 4⅛ x 48	1800 x 104 x 1219	**ENNS-WB7248**	**1,485**	–
	48 x 4⅛ x 48	1200 x 104 x 1219	**ENNS-WB4848**	**1,188**	–
	96 x 4⅛ x 42	2400 x 104 x 1067	**ENNS-WB9642**	**1,808**	–
	72 x 4⅛ x 42	1800 x 104 x 1067	**ENNS-WB7242**	**1,448**	–
	48 x 4⅛ x 42	1200 x 104 x 1067	**ENNS-WB4842**	**1,157**	–
	96 x 4⅛ x 36	2400 x 104 x 914	**ENNS-WB9636**	**1,767**	–
	72 x 4⅛ x 36	1800 x 104 x 914	**ENNS-WB7236**	**1,411**	–
	48 x 4⅛ x 36	1200 x 104 x 914	**ENNS-WB4836**	**1,130**	–
Tackboards	*Natural cork. Mounting hardware for laminate hanging system included. 1 tone only.*				
	96 x 1¾ x 48	2400 x 44 x 1219	**ENN_-TKC9648**	**865**	–
	72 x 1¾ x 48	1800 x 44 x 1219	**ENN_-TKC7248**	**748**	–
	48 x 1¾ x 48	1200 x 44 x 1219	**ENN_-TKC4848**	**636**	–
	96 x 1¾ x 42	2400 x 44 x 1067	**ENN_-TKC9642**	**812**	–
	72 x 1¾ x 42	1800 x 44 x 1067	**ENN_-TKC7242**	**711**	–
	48 x 1¾ x 42	1200 x 44 x 1067	**ENN_-TKC4842**	**610**	–
	96 x 1¾ x 36	2400 x 44 x 914	**ENN_-TKC9636**	**759**	–
	72 x 1¾ x 36	1800 x 44 x 914	**ENN_-TKC7236**	**668**	–
	48 x 1¾ x 36	1200 x 44 x 914	**ENN_-TKC4836**	**583**	–
	Specify the accent color (A, S).				
Cabinets with laminate doors, 16" D	*Lock. Mounting hardware for laminate hanging system included. 1 tone only.*				
	36 x 16 x 48	900 x 400 x 1219	**EN_ _-H364816P**	**1,193**	–
	36 x 16 x 36	900 x 400 x 914	**EN_ _-H363616P**	**1,162**	–
48"-30" H: 2 adjustable shelves. 24" H: 1 adjustable shelf.	36 x 16 x 30	900 x 400 x 762	**EN_ _-H363016P**	**1,135**	–
	36 x 16 x 24	900 x 400 x 609	**EN_ _-H362416P**	**1,109**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

= ASSEMBLY REQUIRED

Cabinets with laminate door, 16" D



48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the code: opens left.
R at the end of the code: opens right.

Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 16 x 48	600 x 400 x 1219	**EN_ _-H244816PL**	**1,051**	–
24 x 16 x 48	600 x 400 x 1219	**EN_ _-H244816PR**	**1,051**	–
24 x 16 x 36	600 x 400 x 914	**EN_ _-H243616PL**	**1,024**	–
24 x 16 x 36	600 x 400 x 914	**EN_ _-H243616PR**	**1,024**	–
24 x 16 x 30	600 x 400 x 762	**EN_ _-H243016PL**	**998**	–
24 x 16 x 30	600 x 400 x 762	**EN_ _-H243016PR**	**998**	–
24 x 16 x 24	600 x 400 x 609	**EN_ _-H242416PL**	**971**	–
24 x 16 x 24	600 x 400 x 609	**EN_ _-H242416PR**	**971**	–
18 x 16 x 48	450 x 400 x 1219	**EN_ _-H184816PL**	**945**	–
18 x 16 x 48	450 x 400 x 1219	**EN_ _-H184816PR**	**945**	–
18 x 16 x 36	450 x 400 x 914	**EN_ _-H183616PL**	**923**	–
18 x 16 x 36	450 x 400 x 914	**EN_ _-H183616PR**	**923**	–
18 x 16 x 30	450 x 400 x 762	**EN_ _-H183016PL**	**902**	–
18 x 16 x 30	450 x 400 x 762	**EN_ _-H183016PR**	**902**	–
18 x 16 x 24	450 x 400 x 609	**EN_ _-H182416PL**	**880**	–
18 x 16 x 24	450 x 400 x 609	**EN_ _-H182416PR**	**880**	–

Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with laminate doors, 13" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 13 x 48	900 x 325 x 1219	**EN_ _-H364813P**	**1,172**	–
36 x 13 x 36	900 x 325 x 914	**EN_ _-H363613P**	**1,140**	–
36 x 13 x 30	900 x 325 x 762	**EN_ _-H363013P**	**1,114**	–
36 x 13 x 24	900 x 325 x 609	**EN_ _-H362413P**	**1,087**	–

Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with laminate door, 13" D



48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the code: opens left.
R at the end of the code: opens right.

Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 13 x 48	600 x 325 x 1219	**EN_ _-H244813PL**	**1,029**	–
24 x 13 x 48	600 x 325 x 1219	**EN_ _-H244813PR**	**1,029**	–
24 x 13 x 36	600 x 325 x 914	**EN_ _-H243613PL**	**1,003**	–
24 x 13 x 36	600 x 325 x 914	**EN_ _-H243613PR**	**1,003**	–
24 x 13 x 30	600 x 325 x 762	**EN_ _-H243013PL**	**976**	–
24 x 13 x 30	600 x 325 x 762	**EN_ _-H243013PR**	**976**	–
24 x 13 x 24	600 x 325 x 609	**EN_ _-H242413PL**	**950**	–
24 x 13 x 24	600 x 325 x 609	**EN_ _-H242413PR**	**950**	–
18 x 13 x 48	450 x 325 x 1219	**EN_ _-H184813PL**	**923**	–
18 x 13 x 48	450 x 325 x 1219	**EN_ _-H184813PR**	**923**	–
18 x 13 x 36	450 x 325 x 914	**EN_ _-H183613PL**	**902**	–
18 x 13 x 36	450 x 325 x 914	**EN_ _-H183613PR**	**902**	–
18 x 13 x 30	450 x 325 x 762	**EN_ _-H183013PL**	**880**	–
18 x 13 x 30	450 x 325 x 762	**EN_ _-H183013PR**	**880**	–
18 x 13 x 24	450 x 325 x 609	**EN_ _-H182413PL**	**859**	–
18 x 13 x 24	450 x 325 x 609	**EN_ _-H182413PR**	**859**	–

Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with translucent doors, 16" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

With Silver anodized frame doors and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 16 x 48	900 x 400 x 1219	**EN_S-H364816T**	**1,459**	–
36 x 16 x 36	900 x 400 x 914	**EN_S-H363616T**	**1,427**	–
36 x 16 x 30	900 x 400 x 762	**EN_S-H363016T**	**1,400**	–
36 x 16 x 24	900 x 400 x 609	**EN_S-H362416T**	**1,374**	–

Specify the handle code (Q, V).

Cabinets with translucent door, 16" D



48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the code: opens left.
R at the end of the code: opens right.

With Silver anodized frame door and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 16 x 48	600 x 400 x 1219	**EN_S-H244816TL**	**1,183**	–
24 x 16 x 48	600 x 400 x 1219	**EN_S-H244816TR**	**1,183**	–
24 x 16 x 36	600 x 400 x 914	**EN_S-H243616TL**	**1,157**	–
24 x 16 x 36	600 x 400 x 914	**EN_S-H243616TR**	**1,157**	–
24 x 16 x 30	600 x 400 x 762	**EN_S-H243016TL**	**1,130**	–
24 x 16 x 30	600 x 400 x 762	**EN_S-H243016TR**	**1,130**	–
24 x 16 x 24	600 x 400 x 609	**EN_S-H242416TL**	**1,104**	–
24 x 16 x 24	600 x 400 x 609	**EN_S-H242416TR**	**1,104**	–
18 x 16 x 48	450 x 400 x 1219	**EN_S-H184816TL**	**1,077**	–
18 x 16 x 48	450 x 400 x 1219	**EN_S-H184816TR**	**1,077**	–
18 x 16 x 36	450 x 400 x 914	**EN_S-H183616TL**	**1,056**	–
18 x 16 x 36	450 x 400 x 914	**EN_S-H183616TR**	**1,056**	–
18 x 16 x 30	450 x 400 x 762	**EN_S-H183016TL**	**1,034**	–
18 x 16 x 30	450 x 400 x 762	**EN_S-H183016TR**	**1,034**	–
18 x 16 x 24	450 x 400 x 609	**EN_S-H182416TL**	**1,013**	–
18 x 16 x 24	450 x 400 x 609	**EN_S-H182416TR**	**1,013**	–

Specify the handle code (Q, V).

Cabinets with translucent doors, 13" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

With Silver anodized frame doors and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 13 x 48	900 x 325 x 1219	**EN_S-H364813T**	**1,437**	–
36 x 13 x 36	900 x 325 x 914	**EN_S-H363613T**	**1,406**	–
36 x 13 x 30	900 x 325 x 762	**EN_S-H363013T**	**1,379**	–
36 x 13 x 24	900 x 325 x 609	**EN_S-H362413T**	**1,353**	–

Specify the handle code (Q, V).

Cabinets with translucent door, 13" D



48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the code: opens left.
R at the end of the code: opens right.

With Silver anodized frame door and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
24 x 13 x 48	600 x 325 x 1219	**EN_S-H244813TL**	**1,162**	–
24 x 13 x 48	600 x 325 x 1219	**EN_S-H244813TR**	**1,162**	–
24 x 13 x 36	600 x 325 x 914	**EN_S-H243613TL**	**1,135**	–
24 x 13 x 36	600 x 325 x 914	**EN_S-H243613TR**	**1,135**	–
24 x 13 x 30	600 x 325 x 762	**EN_S-H243013TL**	**1,109**	–
24 x 13 x 30	600 x 325 x 762	**EN_S-H243013TR**	**1,109**	–
24 x 13 x 24	600 x 325 x 609	**EN_S-H242413TL**	**1,082**	–
24 x 13 x 24	600 x 325 x 609	**EN_S-H242413TR**	**1,082**	–
18 x 13 x 48	450 x 325 x 1219	**EN_S-H184813TL**	**1,056**	–
18 x 13 x 48	450 x 325 x 1219	**EN_S-H184813TR**	**1,056**	–
18 x 13 x 36	450 x 325 x 914	**EN_S-H183613TL**	**1,034**	–
18 x 13 x 36	450 x 325 x 914	**EN_S-H183613TR**	**1,034**	–
18 x 13 x 30	450 x 325 x 762	**EN_S-H183013TL**	**1,013**	–
18 x 13 x 30	450 x 325 x 762	**EN_S-H183013TR**	**1,013**	–
18 x 13 x 24	450 x 325 x 609	**EN_S-H182413TL**	**991**	–
18 x 13 x 24	450 x 325 x 609	**EN_S-H182413TR**	**991**	–

Specify the handle code (Q, V).

Open cabinets, 16" D



48" to 30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 16 x 48	900 x 400 x 1219	**ENN_-H364816**	**981**	–
24 x 16 x 48	600 x 400 x 1219	**ENN_-H244816**	**945**	–
18 x 16 x 48	450 x 400 x 1219	**ENN_-H184816**	**838**	–
36 x 16 x 36	900 x 400 x 914	**ENN_-H363616**	**950**	–
24 x 16 x 36	600 x 400 x 914	**ENN_-H243616**	**918**	–
18 x 16 x 36	450 x 400 x 914	**ENN_-H183616**	**817**	–
36 x 16 x 30	900 x 400 x 762	**ENN_-H363016**	**923**	–
24 x 16 x 30	600 x 400 x 762	**ENN_-H243016**	**891**	–
18 x 16 x 30	450 x 400 x 762	**ENN_-H183016**	**796**	–
36 x 16 x 24	900 x 400 x 609	**ENN_-H362416**	**897**	–
24 x 16 x 24	600 x 400 x 609	**ENN_-H242416**	**865**	–
18 x 16 x 24	450 x 400 x 609	**ENN_-H182416**	**774**	–

Specify the accent color (A, S).

Open cabinets, 13" D



48" to 30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

Mounting hardware for laminate hanging system included. 1 tone only.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
36 x 13 x 48	900 x 325 x 1219	**ENN_-H364813**	**971**	–
24 x 13 x 48	600 x 325 x 1219	**ENN_-H244813**	**933**	–
18 x 13 x 48	450 x 325 x 1219	**ENN_-H184813**	**827**	–
36 x 13 x 36	900 x 325 x 914	**ENN_-H363613**	**938**	–
24 x 13 x 36	600 x 325 x 914	**ENN_-H243613**	**907**	–
18 x 13 x 36	450 x 325 x 914	**ENN_-H183613**	**806**	–
36 x 13 x 30	900 x 325 x 762	**ENN_-H363013**	**912**	–
24 x 13 x 30	600 x 325 x 762	**ENN_-H243013**	**880**	–
18 x 13 x 30	450 x 325 x 762	**ENN_-H183013**	**785**	–
36 x 13 x 24	900 x 325 x 609	**ENN_-H362413**	**885**	–
24 x 13 x 24	600 x 325 x 609	**ENN_-H242413**	**854**	–
18 x 13 x 24	450 x 325 x 609	**ENN_-H182413**	**764**	–

Specify the accent color (A, S).

SHELVINGS

Thermofused laminate frame. Levelers with 1½" (38 mm) height adjustment. Shelves: 18-gauge steel, Anthracite grey paint, load capacity 150 lbs (86 kg). Anti-tip shelves can be individually positioned flat or angled at 45° for display. Shelves are packaged separately.

Single-sided shelvings – open back



Starter Add-on

84" H:
5 adjustable shelves.
72" H:
4 adjustable shelves.
60" H:
3 adjustable shelves.

Single-faced shelvings must be anchored to a wall for safety and stability.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Starter				
37 x 14 x 84	925 x 344 x 2130	**E5NN-BOS1484**	**1,336**	–
37 x 14 x 72	925 x 344 x 1825	**E5NN-BOS1472**	**1,210**	–
37 x 14 x 60	925 x 344 x 1520	**E5NN-BOS1460**	**1,061**	–
Add-on *Height must be equal to the starter unit.*				
36 x 14 x 84	900 x 344 x 2130	**E5NN-BOA1484**	**1,230**	–
36 x 14 x 72	900 x 344 x 1825	**E5NN-BOA1472**	**1,098**	–
36 x 14 x 60	900 x 344 x 1520	**E5NN-BOA1460**	**933**	–

Single-sided shelvings – closed back

Starter Add-on

84" H:
5 adjustable shelves.
72" H:
4 adjustable shelves.
60" H:
3 adjustable shelves.
48" H-42" H:
2 adjustable shelves.

Single-faced shelvings must be anchored to a wall for safety and stability.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Starter				
37 x 14 x 84	925 x 344 x 2130	**E5NN-BCS1484**	**1,475**	–
37 x 14 x 72	925 x 344 x 1825	**E5NN-BCS1472**	**1,342**	–
37 x 14 x 60	925 x 344 x 1520	**E5NN-BCS1460**	**1,162**	–
37 x 14 x 48	925 x 344 x 1215	**E5NN-BCS1448**	**918**	–
37 x 14 x 42	925 x 344 x 1063	**E5NN-BCS1442**	**838**	–
Add-on *Height must be equal to the starter unit.*				
36 x 14 x 84	900 x 344 x 2130	**E5NN-BCA1484**	**1,336**	–
36 x 14 x 72	900 x 344 x 1825	**E5NN-BCA1472**	**1,193**	–
36 x 14 x 60	900 x 344 x 1520	**E5NN-BCA1460**	**1,008**	–
36 x 14 x 48	900 x 344 x 1215	**E5NN-BCA1448**	**827**	–
36 x 14 x 42	900 x 344 x 1063	**E5NN-BCA1442**	**774**	–

Double-sided shelvings – open back



Starter Add-on

84" H:
10 adjustable shelves.
72" H:
8 adjustable shelves.
60" H:
6 adjustable shelves.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Starter				
37 x 26 x 84	925 x 665 x 2130	**E5NN-BOS2684**	**2,271**	–
37 x 26 x 72	925 x 665 x 1825	**E5NN-BOS2672**	**1,994**	–
37 x 26 x 60	925 x 665 x 1520	**E5NN-BOS2660**	**1,719**	–
Add-on *Height must be equal to the starter unit.*				
36 x 26 x 84	900 x 665 x 2130	**E5NN-BOA2684**	**2,032**	–
36 x 26 x 72	900 x 665 x 1825	**E5NN-BOA2672**	**1,793**	–
36 x 26 x 60	900 x 665 x 1520	**E5NN-BOA2660**	**1,554**	–

Double-sided shelvings – closed back



Starter Add-on

84" H:
10 adjustable shelves.
72" H:
8 adjustable shelves.
60" H:
6 adjustable shelves.
48" H-42" H:
4 adjustable shelves.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Starter				
37 x 26 x 84	925 x 665 x 2130	**E5NN-BCS2684**	**2,344**	–
37 x 26 x 72	925 x 665 x 1825	**E5NN-BCS2672**	**2,069**	–
37 x 26 x 60	925 x 665 x 1520	**E5NN-BCS2660**	**1,755**	–
37 x 26 x 48	925 x 665 x 1215	**E5NN-BCS2648**	**1,485**	–
37 x 26 x 42	925 x 665 x 1063	**E5NN-BCS2642**	**1,411**	–
Add-on *Height must be equal to the starter unit.*				
36 x 26 x 84	900 x 665 x 2130	**E5NN-BCA2684**	**2,105**	–
36 x 26 x 72	900 x 665 x 1825	**E5NN-BCA2672**	**1,856**	–
36 x 26 x 60	900 x 665 x 1520	**E5NN-BCA2660**	**1,581**	–
36 x 26 x 48	900 x 665 x 1215	**E5NN-BCA2648**	**1,305**	–
36 x 26 x 42	900 x 665 x 1063	**E5NN-BCA2642**	**1,241**	–

Additional shelf



Anthracite grey 18-gauge steel with anti-tip device. Shelf can be positioned flat or angled for display.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
35 x 12 x 2	873 x 308 x 51	**ENNN-BSHM**	**106**	–

Wire supports for books



Steel. Installs under the shelves.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Package of 2.				
8 ½ x 13 x 9	210 x 330 x 225	**ENNN-BDIVM2**	**90**	–
Package of 10.				
8 ½ x 13 x 9	210 x 330 x 225	**ENNN-BDIVM10**	**270**	–

Mobile book cart

2 double-faced slanted shelves. 1 fixed flat shelf. 4 swivel casters, 2 with brakes. Lower and middle shelf clearance 10 13⁄16".

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
30 x 18 x 36	750 x 450 x 911	**ENN_-MA183036**	**1,241**	–

Specify the accent color (A, S).

= ASSEMBLY REQUIRED

CIRCULATION DESKS – 39" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2839) may be required to complete a circulation desk layout.

Rectangular counters



Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 78": Packaged in 2 boxes.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 28 x 39	2100 x 700 x 987	**E_N_-G288439**	**950**	**1,098**
78 x 28 x 39	1950 x 700 x 987	**E_N_-G287839**	**923**	**1,071**
72 x 28 x 39	1800 x 700 x 987	**E_N_-G287239**	**891**	**1,034**
66 x 28 x 39	1650 x 700 x 987	**E_N_-G286639**	**875**	**1,013**
60 x 28 x 39	1500 x 700 x 987	**E_N_-G286039**	**859**	**998**
54 x 28 x 39	1350 x 700 x 987	**E_N_-G285439**	**838**	**971**
48 x 28 x 39	1200 x 700 x 987	**E_N_-G284839**	**822**	**955**
42 x 28 x 39	1050 x 700 x 987	**E_N_-G284239**	**801**	**928**
36 x 28 x 39	900 x 700 x 987	**E_N_-G283639**	**785**	**912**

Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

84 x 28 x 39½	2100 x 700 x 1000	**E_N_-G288439**	**1,013**	**1,172**
78 x 28 x 39½	1950 x 700 x 1000	**E_N_-G287839**	**986**	**1,145**
72 x 28 x 39½	1800 x 700 x 1000	**E_N_-G287239**	**965**	**1,119**
66 x 28 x 39½	1650 x 700 x 1000	**E_N_-G286639**	**938**	**1,092**
60 x 28 x 39½	1500 x 700 x 1000	**E_N_-G286039**	**918**	**1,061**
54 x 28 x 39½	1350 x 700 x 1000	**E_N_-G285439**	**885**	**1,029**
48 x 28 x 39½	1200 x 700 x 1000	**E_N_-G284839**	**870**	**1,008**
42 x 28 x 39½	1050 x 700 x 1000	**E_N_-G284239**	**849**	**986**
36 x 28 x 39½	900 x 700 x 1000	**E_N_-G283639**	**832**	**965**

Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Bow front counters

Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 78": Packaged in 2 boxes.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 31 x 39	2100 x 775 x 987	**E_N_-G288439A**	**1,098**	**1,273**
78 x 31 x 39	1950 x 775 x 987	**E_N_-G287839A**	**1,071**	**1,246**
72 x 31 x 39	1800 x 775 x 987	**E_N_-G287239A**	**1,034**	**1,204**
66 x 31 x 39	1650 x 775 x 987	**E_N_-G286639A**	**1,013**	**1,172**
60 x 31 x 39	1500 x 775 x 987	**E_N_-G286039A**	**998**	**1,157**
54 x 31 x 39	1350 x 775 x 987	**E_N_-G285439A**	**971**	**1,124**
48 x 31 x 39	1200 x 775 x 987	**E_N_-G284839A**	**955**	**1,104**
42 x 31 x 39	1050 x 775 x 987	**E_N_-G284239A**	**928**	**1,077**
36 x 31 x 39	900 x 775 x 987	**E_N_-G283639A**	**912**	**1,056**

Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.

84 x 31 x 39½	2100 x 775 x 1000	**E_N_-G288439A**	**1,172**	**1,363**
78 x 31 x 39½	1950 x 775 x 1000	**E_N_-G287839A**	**1,145**	**1,331**
72 x 31 x 39½	1800 x 775 x 1000	**E_N_-G287239A**	**1,119**	**1,299**
66 x 31 x 39½	1650 x 775 x 1000	**E_N_-G286639A**	**1,092**	**1,263**
60 x 31 x 39½	1500 x 775 x 1000	**E_N_-G286039A**	**1,061**	**1,230**
54 x 31 x 39½	1350 x 775 x 1000	**E_N_-G285439A**	**1,029**	**1,199**
48 x 31 x 39½	1200 x 775 x 1000	**E_N_-G284839A**	**1,008**	**1,167**
42 x 31 x 39½	1050 x 775 x 1000	**E_N_-G284239A**	**986**	**1,145**
36 x 31 x 39½	900 x 775 x 1000	**E_N_-G283639A**	**965**	**1,119**

Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.

Reception desks



84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 54": Packaged in 2 boxes.

9" (228 mm) deep transaction shelf. Grommet.

W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
84 x 28 x 39	2100 x 700 x 987	**E_N_-GS2884H**	**1,087**	**1,230**
78 x 28 x 39	1950 x 700 x 987	**E_N_-GS2878H**	**1,061**	**1,204**
72 x 28 x 39	1800 x 700 x 987	**E_N_-GS2872H**	**1,034**	**1,172**
66 x 28 x 39	1650 x 700 x 987	**E_N_-GS2866H**	**1,018**	**1,151**
60 x 28 x 39	1500 x 700 x 987	**E_N_-GS2860H**	**1,003**	**1,135**
54 x 28 x 39	1350 x 700 x 987	**E_N_-GS2854H**	**981**	**1,109**
48 x 28 x 39	1200 x 700 x 987	**E_N_-GS2848H**	**965**	**1,092**
42 x 28 x 39	1050 x 700 x 987	**E_N_-GS2842H**	**950**	**1,066**
36 x 28 x 39	900 x 700 x 987	**E_N_-GS2836H**	**928**	**1,051**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 28 x 39½	2100 x 700 x 1000	**E_N_-GS2884H**	**1,151**	**1,305**
78 x 28 x 39½	1950 x 700 x 1000	**E_N_-GS2878H**	**1,124**	**1,278**
72 x 28 x 39½	1800 x 700 x 1000	**E_N_-GS2872H**	**1,104**	**1,252**
66 x 28 x 39½	1650 x 700 x 1000	**E_N_-GS2866H**	**1,077**	**1,225**
60 x 28 x 39½	1500 x 700 x 1000	**E_N_-GS2860H**	**1,056**	**1,193**
54 x 28 x 39½	1350 x 700 x 1000	**E_N_-GS2854H**	**1,029**	**1,167**
48 x 28 x 39½	1200 x 700 x 1000	**E_N_-GS2848H**	**1,013**	**1,145**
42 x 28 x 39½	1050 x 700 x 1000	**E_N_-GS2842H**	**998**	**1,124**
36 x 28 x 39½	900 x 700 x 1000	**E_N_-GS2836H**	**976**	**1,104**

Specify the surface type (5, 6). Specify the accent color (A, S).

Reception desks, bow transaction shelf



84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 54": Packaged in 2 boxes.

13" (330 mm) deep bow front transaction shelf. Grommet.

84 x 31 x 39	2100 x 775 x 987	**E_N_-GS2884AH**	**1,167**	**1,321**
78 x 31 x 39	1950 x 775 x 987	**E_N_-GS2878AH**	**1,140**	**1,294**
72 x 31 x 39	1800 x 775 x 987	**E_N_-GS2872AH**	**1,114**	**1,263**
66 x 31 x 39	1650 x 775 x 987	**E_N_-GS2866AH**	**1,098**	**1,236**
60 x 31 x 39	1500 x 775 x 987	**E_N_-GS2860AH**	**1,077**	**1,215**
54 x 31 x 39	1350 x 775 x 987	**E_N_-GS2854AH**	**1,056**	**1,193**
48 x 31 x 39	1200 x 775 x 987	**E_N_-GS2848AH**	**1,034**	**1,172**
42 x 31 x 39	1050 x 775 x 987	**E_N_-GS2842AH**	**1,018**	**1,145**
36 x 31 x 39	900 x 775 x 987	**E_N_-GS2836AH**	**1,003**	**1,124**

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 31 x 39½	2100 x 775 x 1000	**E_N_-GS2884AH**	**1,236**	**1,400**
78 x 31 x 39½	1950 x 775 x 1000	**E_N_-GS2878AH**	**1,210**	**1,374**
72 x 31 x 39½	1800 x 775 x 1000	**E_N_-GS2872AH**	**1,188**	**1,347**
66 x 31 x 39½	1650 x 775 x 1000	**E_N_-GS2866AH**	**1,162**	**1,310**
60 x 31 x 39½	1500 x 775 x 1000	**E_N_-GS2860AH**	**1,135**	**1,283**
54 x 31 x 39½	1350 x 775 x 1000	**E_N_-GS2854AH**	**1,109**	**1,257**
48 x 31 x 39½	1200 x 775 x 1000	**E_N_-GS2848AH**	**1,092**	**1,230**
42 x 31 x 39½	1050 x 775 x 1000	**E_N_-GS2842AH**	**1,066**	**1,210**
36 x 31 x 39½	900 x 775 x 1000	**E_N_-GS2836AH**	**1,051**	**1,188**

Specify the surface type (5, 6). Specify the accent color (A, S).

= ASSEMBLY REQUIRED

CIRCULATION DESKS – 29" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2829) may be required to complete a circulation desk layout.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular counters	84 x 28 x 29	2100 x 700 x 735	**E_N_-G288429**	**907**	**1,051**
	78 x 28 x 29	1950 x 700 x 735	**E_N_-G287829**	**880**	**1,024**
	72 x 28 x 29	1800 x 700 x 735	**E_N_-G287229**	**859**	**998**
	66 x 28 x 29	1650 x 700 x 735	**E_N_-G286629**	**838**	**971**
	60 x 28 x 29	1500 x 700 x 735	**E_N_-G286029**	**822**	**955**
	54 x 28 x 29	1350 x 700 x 735	**E_N_-G285429**	**801**	**928**
	48 x 28 x 29	1200 x 700 x 735	**E_N_-G284829**	**785**	**912**
	42 x 28 x 29	1050 x 700 x 735	**E_N_-G284229**	**769**	**885**
	36 x 28 x 29	900 x 700 x 735	**E_N_-G283629**	**748**	**870**
	Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				
	84 x 28 x 29½	2100 x 700 x 748	**E_N_-G288429**	**971**	**1,124**
	78 x 28 x 29½	1950 x 700 x 748	**E_N_-G287829**	**950**	**1,098**
	72 x 28 x 29½	1800 x 700 x 748	**E_N_-G287229**	**923**	**1,071**
	66 x 28 x 29½	1650 x 700 x 748	**E_N_-G286629**	**902**	**1,044**
	60 x 28 x 29½	1500 x 700 x 748	**E_N_-G286029**	**875**	**1,013**
	54 x 28 x 29½	1350 x 700 x 748	**E_N_-G285429**	**849**	**986**
	48 x 28 x 29½	1200 x 700 x 748	**E_N_-G284829**	**832**	**965**
	42 x 28 x 29½	1050 x 700 x 748	**E_N_-G284229**	**817**	**950**
	36 x 28 x 29½	900 x 700 x 748	**E_N_-G283629**	**796**	**923**
	Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.				
Bow front counters	84 x 31 x 29	2100 x 775 x 735	**E_N_-G288429A**	**1,051**	**1,215**
	78 x 31 x 29	1950 x 775 x 735	**E_N_-G287829A**	**1,024**	**1,188**
	72 x 31 x 29	1800 x 775 x 735	**E_N_-G287229A**	**998**	**1,157**
	66 x 31 x 29	1650 x 775 x 735	**E_N_-G286629A**	**971**	**1,124**
	60 x 31 x 29	1500 x 775 x 735	**E_N_-G286029A**	**955**	**1,104**
	54 x 31 x 29	1350 x 775 x 735	**E_N_-G285429A**	**928**	**1,077**
	48 x 31 x 29	1200 x 775 x 735	**E_N_-G284829A**	**912**	**1,056**
	42 x 31 x 29	1050 x 775 x 735	**E_N_-G284229A**	**885**	**1,029**
	36 x 31 x 29	900 x 775 x 735	**E_N_-G283629A**	**870**	**1,008**
	Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				
	84 x 31 x 29½	2100 x 775 x 748	**E_N_-G288429A**	**1,124**	**1,305**
	78 x 31 x 29½	1950 x 775 x 748	**E_N_-G287829A**	**1,098**	**1,273**
	72 x 31 x 29½	1800 x 775 x 748	**E_N_-G287229A**	**1,071**	**1,246**
	66 x 31 x 29½	1650 x 775 x 748	**E_N_-G286629A**	**1,044**	**1,210**
	60 x 31 x 29½	1500 x 775 x 748	**E_N_-G286029A**	**1,013**	**1,172**
	54 x 31 x 29½	1350 x 775 x 748	**E_N_-G285429A**	**986**	**1,145**
	48 x 31 x 29½	1200 x 775 x 748	**E_N_-G284829A**	**965**	**1,119**
	42 x 31 x 29½	1050 x 775 x 748	**E_N_-G284229A**	**950**	**1,098**
	36 x 31 x 29½	900 x 775 x 748	**E_N_-G283629A**	**923**	**1,071**
	Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.				
End panels	*1 panel. Reversible. Required to cover unused openings or to complete a circulation desk layout.*				
	1 x 28 x 42	25 x 700 x 1065	**ENNN-GFP2839**	**228**	–
	1 x 28 x 32	25 x 700 x 815	**ENNN-GFP2829**	**212**	–

Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.

Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
ADA rectangular counters, 32" H	*No wire access on side panel.*				
	36 x 28 x 32	900 x 700 x 813	**E_NN-G283632**	**600**	**695**
	Specify the surface type (1, 2).				
	36 x 28 x 32½	900 x 700 x 826	**E_NN-G283632**	**631**	**732**
	Specify the surface type (5, 6).				
ADA bow front counters, 32" H	*No wire access on side panel.*				
	36 x 31 x 32	900 x 775 x 813	**E_NN-G283632A**	**690**	**785**
	Specify the surface type (1, 2).				
	36 x 31 x 32½	900 x 775 x 826	**E_NN-G283632A**	**721**	**822**
	Specify the surface type (5, 6).				
Corner bookcase units, 39" H	*2 adjustable shelves. No wire access on side panel.*				
	28 x 28 x 39	700 x 700 x 987	**E1NN-GB282839**	**865**	–
	1" (25 mm) thick laminate top.				
	28 x 28 x 39½	700 x 700 x 1000	**E5NN-GB282839**	**902**	–
	1½" (38 mm) thick laminate top.				
Corner bookcase units, 29" H	*1 adjustable shelf. No wire access on side panel.*				
	28 x 28 x 29	700 x 700 x 735	**E1NN-GB282829**	**743**	–
	1" (25 mm) thick laminate top.				
	28 x 28 x 29½	700 x 700 x 748	**E5NN-GB282829**	**779**	–
	1½" (38 mm) thick laminate top.				

CIRCULATION DESK STORAGE UNITS – 39" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2839) may be required to complete a circulation desk layout.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase units with doors	*Bookcase with doors, 2 adjustable shelves. Lock.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-G283639B**	**1,172**	**1,225**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-G283639B**	**1,230**	**1,278**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	*2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-G283639T**	**1,379**	**1,432**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-G283639T**	**1,437**	**1,501**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	*2 box drawers. 2 lateral file drawers with suspension bars. Interlock system. Locks.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-G283639U**	**1,782**	**1,856**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-G283639U**	**1,808**	**1,893**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				





= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Open combined storage units	*1 open storage: 33⅜" W x 23" D x 9¾" H (847 x 582 x 248 mm). 3 box drawers. 1 lateral file drawer with suspension bars. Locks.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-GC283639**	**1,851**	**1,931**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-GC283639**	**1,888**	**1,968**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open lateral file units	*1 open storage: 33⅜" W x 23" D x 9¾" H (847 x 582 x 248 mm). 2 lateral file drawers with suspension bars. Interlock system. Lock.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-GL283639**	**1,374**	**1,442**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-GL283639**	**1,400**	**1,485**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage units with drawers	*4 utility drawers. Interlock system. Lock.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-GU283639**	**1,666**	**1,697**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-GU283639**	**1,740**	**1,782**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase units	*2 adjustable shelves.*				
	36 x 28 x 39	900 x 700 x 987	**E_NN-GB283639**	**1,018**	**1,092**
	Specify the surface type (1, 2).				
	36 x 28 x 39½	900 x 700 x 1000	**E_NN-GB283639**	**1,051**	**1,135**
	Specify the surface type (5, 6).				
Lateral file units	*1 box drawer. 2 lateral file drawers with suspension bars. Interlock system. Lock.*				
	36 x 28 x 39	900 x 700 x 987	**E_ _ _-GW283639**	**1,687**	**1,750**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39½	900 x 700 x 1000	**E_ _ _-GW283639**	**1,761**	**1,835**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Book return units	*Book slot opening: 14" W x 4" H (355 x 102 mm). Interior space: 33¼" W x 23" D x 37" H (847 x 582 x 940 mm).*				
	36 x 28 x 39	900 x 700 x 987	**E_NN-GD283639**	**875**	**1,003**
	Specify the surface type (1, 2).				
	36 x 28 x 39½	900 x 700 x 1000	**E_NN-GD283639**	**923**	**1,056**
	Specify the surface type (5, 6).				
Depressible book cart	*4 swivel casters, 2 with brakes. 1 tone only.*				
	31 x 22 x 29½	790 x 560 x 749	**ENNN-GDBOX30**	**1,920**	–

CIRCULATION DESK STORAGE UNITS – 29" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2829) may be required to complete a circulation desk layout.

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Bookcase units with doors	*1 adjustable shelf. Lock.*				
	36 x 28 x 29	900 x 700 x 735	**E_ _ _-G283629B**	**1,003**	**1,044**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	**E_ _ _-G283629B**	**1,051**	**1,092**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	*2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.*				
	36 x 28 x 29	900 x 700 x 735	**E_ _ _-G283629T**	**1,263**	**1,310**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	**E_ _ _-G283629T**	**1,321**	**1,374**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	*3 box drawers. 1 lateral file drawer with suspension bars. Locks.*				
	36 x 28 x 29	900 x 700 x 735	**E_ _ _-GC283629**	**1,671**	**1,750**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	**E_ _ _-GC283629**	**1,707**	**1,787**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Lateral file units	*2 lateral file drawers with suspension bars. Interlock system. Lock.*				
	36 x 28 x 29	900 x 700 x 735	**E_ _ _-GL283629**	**1,193**	**1,273**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	**E_ _ _-GL283629**	**1,230**	**1,305**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage units with drawers	*4 utility drawers. Lock.*				
	36 x 28 x 29	900 x 700 x 735	**E_ _ _-GU283629**	**1,581**	**1,654**
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29½	900 x 700 x 748	**E_ _ _-GU283629**	**1,613**	**1,697**
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase units	*1 adjustable shelf.*				
	36 x 28 x 29	900 x 700 x 735	**E_NN-GB283629**	**918**	**981**
	Specify the surface type (1, 2).				
	36 x 28 x 29½	900 x 700 x 748	**E_NN-GB283629**	**950**	**1,018**
	Specify the surface type (5, 6).				

= ASSEMBLY REQUIRED

BENCHES

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Rectangular laminate benches	*Open storage space. Silver anodized aluminum feet. Can accommodate a cushion, order separately.*				
	48 x 20 x 20	1200 x 500 x 508	**E1NS-BCH2048**	**547**	–
	36 x 20 x 20	900 x 500 x 508	**E1NS-BCH2036**	**514**	–
	24 x 20 x 20	600 x 500 x 508	**E1NS-BCH2024**	**499**	–
Corner laminate bench	*Open storage space. Silver anodized aluminum feet. Must be attached to a rectangular laminate bench **(E1NS-BCH20_ _).***				
	20 x 20 x 20	500 x 500 x 508	**E1NS-BQR2020**	**419**	–
Laminate magazine table	*Open storage space. Silver anodized aluminum feet.*				
	36 x 36 x 20	900 x 900 x 508	**E1NS-STR3620**	**690**	–
Cushions	*2" (51 mm) thick foam. Installs on rectangular benches seat with Velcro. These prices are applicable for United Chair grade 2 upholstery. United Chair upholstery: Grade 3: +10%, Grade 4: +15%, Grade 5: +20%.*				
	48 x 20 x 2	1200 x 500 x 51	**ENNN-CU2048**	**451**	–
All United Chair® standard fabrics, vinyls and leathers are available to coordinate on cushions.	36 x 20 x 2	900 x 500 x 51	**ENNN-CU2036**	**340**	–
	24 x 20 x 2	600 x 500 x 51	**ENNN-CU2024**	**244**	–
	Specify the fabric code after the product code.				
Cushions with backrest	*2" (51 mm) thick foam. Installs on rectangular benches seat with Velcro. These prices are applicable for United Chair grade 2 upholstery. United Chair upholstery: Grade 3: +10%, Grade 4: +15%, Grade 5: +20%.*				
	48 x 20 x 8	1200 x 500 x 200	**ENNN-CUB2048**	**706**	–
	36 x 20 x 8	900 x 500 x 200	**ENNN-CUB2036**	**573**	–
All United Chair® standard fabrics and vinyls (except leathers) are available to coordinate on cushions.	24 x 20 x 8	600 x 500 x 200	**ENNN-CUB2024**	**435**	–
	Specify the fabric code after the product code.				

LOCKERS

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Storage cubbies with doors	*1 adjustable shelf. 8 hooks for clothes. Locks. Levelers with 1½" (38 mm) height adjustment. Single-faced shelvings must be anchored to a wall for safety and stability.*				
	36 x 15 x 84	900 x 375 x 2130	**E1_ _-L153684P**	**1,697**	–
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open storage cubbies	*8 hooks for clothes. Levelers with 1½" (38 mm) height adjustment.*				
	36 x 15 x 60	900 x 375 x 1520	**E1NN-L153660**	**1,299**	–
Athletic lockers	*Open storage space. 1 door. 1½" (38 mm) thick integrated seat in thermofused laminate or high-pressure laminate. 2 hooks for clothes. Lock attachment included. Levelers with 1½" (38 mm) height adjustment. 1 tone only.*				
	***Starter***				
Starter Add-on	25 x 24 x 72	625 x 600 x 1825	**E_N_-OLS2572P**	**1,448**	**1,507**
	Add-on				
	24 x 24 x 72	600 x 600 x 1825	**E_N_-OLA2472P**	**1,177**	**1,215**
	Specify the surface type (5,6). Specify the accent color (A, S).				

ACCESSORIES

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
Electrical/ communication module	*2 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" (1828 mm) cord included. Silver anodized aluminum. Field installed.*				
	8¼ x 4⅜ x 3	212 x 110 x 75	**LGC-PC**	**371**	–
Removable electrical/ communication module	*3 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Silver anodized aluminum. Installs on a 1" thick surface only.*				
	10 x 5½ x 3	255 x 140 x 75	**LGC-PCS**	**328**	–
Sliding keyboard trays	*Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.*				
	22½ x 15 x 3½	572 x 381 x 89	**LGC-SKD**	**Disc.**	–
	28⅜ x 15 x 3½	721 x 381 x 89	**LGC-SKD26**	**186**	–
Horizontal wire channels	*Self-adhesive. Installs under the surface. Supports most power bars. Specify the plastic finish S Silver or A Anthracite grey.*				
	20 x 2¼ x 3¼	500 x 70 x 80	**LGC-HWMC24_**	**74**	–
	44 x 2¼ x 3¼	1100 x 70 x 80	**LGC-HWMC48_**	**90**	–
	68 x 2¼ x 3¼	1700 x 70 x 80	**LGC-HWMC72_**	**106**	–
Vertical wire channel	*Self-adhesive. Installs to base or leg. 2 lengths of 20" (500 mm) each. Specify the plastic finish S Silver or A Anthracite grey.*				
	1 x ½ x 20	25 x 12 x 500	**LGC-VWMC20_**	**74**	–
CPU holder	*Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.*				
	5½ x 10 x 15	140 x 250 x 375	**LGC-CCPU**	**154**	–
Flush plates	*To link and level two surfaces. Package of 10. Black metal.*				
	7 x 1½ x ⅛	175 x 38 x 3	**LGC-FLP**	**58**	–
Protective rubber bumpers	*For mobile units. Package of 4. Grey.*				
	3⅞ x 3⅞ x 1	76 x 76 x 25	**LGC-BUMP**	**58**	–

= ASSEMBLY REQUIRED

	W x D x H (")	W x D x H (mm)	Code	All Laminate ($)	HPL Surfaces ($)
ELECTRIFICATION					
Duplex receptacles	*2 outlets. Black. Mounting bracket included.*				
	5½ x 1 x 5¾	142 x 25 x 146	**4LGC-DUPLEXC_**	**111**	–
	Specify circuit number at the end of the code (1, 2).				
Universal pass cables	*Connects 2 duplex receptacles.*				
	18	457	**4LGC-PASS18**	**111**	–
	36	914	**4LGC-PASS36**	**128**	–
	54	1372	**4LGC-PASS54**	**143**	–
	72	1829	**4LGC-PASS72**	**159**	–
Electrical feeds	*72" (1829 mm) cable or 60" (1524 mm) long cable. Must be installed by an electrician.*				
	60	1524	**4LGC-FFEED60**	**207**	–
	72	1829	**4LGC-FFEED72**	**217**	–

2-TONE APPLICATION

TYPICAL TWO-TONE APPLICATION

SPECIFIC TWO-TONE APPLICATION

ALL PRODUCTS



The first finish specified will be applied to the top/surface of the unit.

The second finish specified will be applied to the rest of the unit.

LECTERN-DESKS



The first finish specified will be applied to the lectern top, front, base and drawers or doors of the unit.

The second finish specified will be applied to the rest of the unit.

CPU TABLES



The first finish specified will be applied to the work surface of the unit.

The second finish specified will be applied to the rest of the unit.

CIRCULATION DESKS



The first finish specified will be applied to the work surface and to the bottom portion of the modesty.

The second finish specified will be applied to the rest of the unit.

SHELVINGS



The first finish specified will be applied to the top, base and back of the unit.

The second finish specified will be applied to the rest of the unit.

TYPICAL WOOD GRAIN DIRECTION FOR THINK SMART EDUCATIONAL FURNITURE



= ASSEMBLY REQUIRED

THERMOFUSED LAMINATE (TFL):

- Depending on the furniture collection, Lacasse casegoods have TFL surfaces and side panels made of particleboard panels of 1" (25.4 mm) or 1½" (38 mm) thick finished with a mar-resistant high-performance thermofused laminate (45 lbs/ft^3). The particleboard panels are laminated on both sides for proper balance.
- TFL technology consists on a decorative paper impregnated with reactive melamine resins which is thermally fused to a substrate (particleboard). The heat and pressure produces a permanent thermal bond between the melamine resins, the decorative paper and the substrate. The bonding process results in a clear, hard and non-porous surface.
- TFL panels, unlike wood, will not gouge or dent.
- Delamination is not possible, due to the manufacturing process.
- TFL panels carry a 25-year warranty.

HIGH-PRESSURE LAMINATE (HPL):

- Certain collections are also available with HPL surfaces made of 11⁄16" (27 mm) or 19⁄16" (40 mm) thick particleboard finished with high-pressure laminate (laminate plus a 1⁄32" [0.8 mm] black backing).
- HPL technology consists of multiple layers of Kraft paper saturated with phenolic resin, a decorative layer of paper saturated with melamine resin, and a very thin top sheet of heavily saturated melamine resin. The high-pressure laminate sheet is then glued to a substrate (particleboard).
- HPL panels offer a good wear and impact resistance.
- HPL panels carry a 5-year warranty.

TERMS & CONDITIONS OF SALE

1. ORDER PLACEMENT

a) The seller sells its products in the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order.

b) The following information is required to process an order

Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

CUSTOMER INFORMATION	PRODUCT INFORMATION
Sold/Ship to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Colors and fabrics (all surfaces)
Contact name	Note: Product number overrules the written description and/or comment lines
Consignee contact name and phone	
Bid/Quote # if applicable	
Product total (list/net)	
Preferred delivered date (Specific delivery date not guaranteed)	

2. ORDER CHANGES

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on QuickShip orders.

3. ORDER CANCELLATIONS

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. No cancellation allowed on QuickShip orders.

4. ORDER ACKNOWLEDGMENT

Orders will be acknowledged to dealers by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number. If you do not receive your order acknowledgement within 48 hours, please contact our customer service.

5. LIMITED LIFETIME WARRANTY

Groupe Lacasse LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of purchase from Groupe Lacasse LLC being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- Twenty-five years: High-performance thermofused laminate.
- Twenty years: Drawer slides.
- Ten years: Locks.
- Five years: Swing-lift mechanisms and adjustable surface mechanisms.
- Five years: High-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions and accessories.
- One year: Electrical modules and components.
- Exclusions: Light bulbs, ballasts and C.O.M..

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. Labor, delivery charges and service not covered under warranty. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedy stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. Specials may be subject to a limited warranty.

6. PRICES

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Accepted orders are subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

7. TERMS (UPON ACCEPTANCE FROM OUR CREDIT DEPARTMENT)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full. No sales within a one-year period will automatically lead to the account's closure.

8. QUOTATIONS

Quotations are valid for a period of ninety (90) days unless otherwise specified on the quote.

9. CHANGES

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. PACKING AND SHIPPING

Packaging consists of polyethylene and protectors or separate cartons, depending on method of shipment.

11. DELIVERY

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse is not liable for delay or failure to deliver goods due to causes beyond its control (such as a casualty, an act of god, a labor dispute, or an accident; the inability to obtain the necessary labor, material or transportation; or any change requested by the customer). Under these circumstances, the ship date will be extended to compensate for the delay as determined by the Seller.

Groupe Lacasse will accept, upon prior approval by Logistics and Customer Service departments, to make installation job site deliveries for a minimum of one half of a full truckload (1,200 cubic feet); however, and in all cases, an unloading dock must be available to accommodate 53 ft. trailers and the address is also subject to approval. Unloading at destination is the sole responsibility of the purchaser. No waiting time will be possible; however, and if any is incurred, it will be recharged to the purchaser.

Under no circumstance will Groupe Lacasse deliver goods in a residential area.

Surcharge

Time sensitive deliveries (weekend deliveries, night, etc.) that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Liftgates: Our standard carriers do not have liftgates. Requests for liftgates can often be accommodated but will result in extra fees and they must be made at least 2 weeks in advance.

12. SHIPPING WEIGHTS AND VOLUMES

Shipping weights and volumes are available on demand and may vary due to the constantly improving methods of packaging.

13. ROUTING

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

14. TRANSPORTATION POLICY

"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.



On all orders less than $2,000 net (regardless of brand and/or of shipping point) we will add a $50 "small order fee" in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is $100.

Please take note of the following exclusion to the "small order fee";

- By combining different product collections in one order, even if the net value of each collection is less than $2,000 net, but the total value of all collections in one order is at least or above $2,000 net, and as long as all products are shipped at the same destination / receiving location (ship to), the fee will not apply regardless of shipping dates and points of origins.

Small orders **under $25 net** are subject to a $20 small order fee (instead of $50 or $100) regardless of the shipping zones.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

15. FREIGHT CLAIMS

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines:

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse as follows:

1) Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made within 15 days of the delivery date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

2) Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. Claims must be submitted within 5 business days of reception of the merchandise.

Submit your claim to the Groupe Lacasse Customer Service by email at:
lacassecustomer.service@groupelacasse.com.

Phone: 1-888-522-2773 - Fax: 1-888-248-1865

16. RETURNS

Absolutely no returns will be accepted on any standard and non-standard products.

17. STORAGE

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or at a time Groupe Lacasse LLC is then about to make shipment, Groupe Lacasse LLC may store the goods at the purchaser's expense. Such transfer to storage shall be deemed a delivery to purchaser for all purposes including invoicing and payment.

18. GOVERNING LAW

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

THE LEARNING ENVIRONMENT SOLUTION

Founded in 1956, Groupe Lacasse has manufacturing facilities throughout North America. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Educational Furniture Solutions.



GROUPE LACASSE

1 888 522.2773 | www.groupelacasse.com

Groupe Lacasse products are Greenguard® certified to rigorous indoor air quality standards for low-emitting interior products.

Children & Schools GREENGUARD® Indoor Air Quality Certified

GREENGUARD® Indoor Air Quality Certified

PEFC certified

PEFC

Printed in Canada - © Groupe Lacasse 2015

~~3883~~
~~L048-1~~
~~9/14~~
~~PDF~~

united chair®

A GROUPE LACASSE BRAND

USA – Price List

Effective January 2016

Table of Contents

We are United Chair® / How to Use this Price List . . . 3
Seating Collections . . . 4-81
C.O.M./C.O.V. Policy . . . 82
Custom Fabric Form . . . 83
Terms and Conditions . . . 84-85
Control Features Matrix . . . 86
Control Features and Benefits . . . 87
Sample Order . . . 88-89
Warranty . . . 90

Quick Reference Index

Series	Series Abbrev.	Executive / Management	Task / Conference	24-Hour	Multi-Purpose / Guest	Stools	Beam	BIFMA	GREENGUARD	Page
A-Series	A	●						*	*	4
Affinity	VC		●			●		●	●	6
Assante	AS	●						*	*	8
Atto	AT		●					*	*	9
Brylee	BR	●			●	●		●	●	10
Eqüs	EQ	●						*	*	16
Expression	M	●				●		●	●	17
Fortune	FN	●			●			●	●	19
FreeStyle	FS		●					●	●	23
Io	IO		●		●	●		●	*	24
Onyx	ON	●			●	●		●	●	30
Papillon	PP		●					*	*	36
Radar	RD		●			●		●	●	38
Saggio	SA	●						●	●	41
Savvy	SV	●		●	●	●		●	●	43
Sensato	V2	●	●		●	●		●	●	51
Stools – All Purpose	2_ _					●			●	55
Stools – Drafting	D					●			●	57
Stools – Industrial	1_ _					●		*	*	59
Stools – Medical	D					●		●	●	60
Swatt	SW				●	●		*	*	61
Veinure	VR				●	●		*	*	63
Venus	VN		●					*	*	64
Zago	ZG						●	*	*	65
Zing	ZP		●			●		●	●	69
90'S	NS		●		●	●		●	●	73
4800	FE				●			●	●	77
7700	77				●			●	●	81

* Products under certification process.

Important note: Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction.
Prices and product specifications are subject to change without notice.

www.groupelacasse.com

WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

Embrace the simplicity of a straightforward design approach. Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

Choose the simplicity of a high-quality service. Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever changing world.

So take a seat and enjoy the United Chair experience.

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and United Chair is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Quotations Department** for an assessment of your request.

HOW TO USE THIS PRICE LIST

Find the products you need

Refer to the **Table of Contents** to find the solutions you require. For assistance in understanding the ergonomic functions of each model, please refer to page 87.

Pictures of various models are available on the Groupe Lacasse Website (www.groupelacasse.com).

Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the appropriate upholstery and finish document that can be found on the login section of the Website and make a note of the applicable codes.

Refer to the **Sample order** sections specific to each model to ensure integrity of order.

Submit your order

Fax: Groupe Lacasse LLC
Attn: Order Entry
1-800-363-5474

Email: oec@groupelacasse.com

Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

Telephone: 1-888-522-2773
Email: customerservice@groupelacasse.com

EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: AX16-E3-SL23-SL23-XCON-P-PCB-CC-HWA9

AX16

Standard features

High back	**XCON:** Multifunction control
Infinite tilt lock	**P:** Pneumatic seat height
Back angle adjustment	**NB:** Nylon base
Seat depth adjustment	**HDW:** Hard dual-wheel casters
Fully upholstered back panel	**HWA9:** Height and width adjustable arms
Waterfall seat	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24-27 ½	610-699
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635	Width between arms	18-20 ¼	457-514
Back width	18 ¼	464			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
AX16	**E3** Black	Grade 1	**779**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HWA9**	Std	**CSB**	**52**
		Grade 2	**790**					**PCB**	**177**	**SDW**	**26**	**5D**	**104**	**CSW**	**52**
		Grade 3	**808**							**BRC**	**42**				
		Grade 4	**844**							**BGL**	**31**				
		Grade 5	**861**							**CC**	**99**				
		Grade 6	**908**							**CF**	**120**				
		Grade 7	**1,210**												
		Grade 8	**954**												

AX15

Standard features

High back	**XCON:** Multifunction control
Infinite tilt lock	**P:** Pneumatic seat height
Back angle adjustment	**NB:** Nylon base
Seat depth adjustment	**HDW:** Hard dual-wheel casters
Fully upholstered back panel	
Waterfall seat	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24	610
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635			
Back width	18 ¼	464			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
AX15	**E3** Black	Grade 1	**727**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**CSB**	**52**
		Grade 2	**738**					**PCB**	**177**	**SDW**	**26**	**CSW**	**52**
		Grade 3	**756**							**BRC**	**42**		
		Grade 4	**792**							**BGL**	**31**		
		Grade 5	**809**							**CC**	**99**		
		Grade 6	**856**							**CF**	**120**		
		Grade 7	**1,158**										
		Grade 8	**902**										

AX11

Standard features

- Medium back
- Infinite tilt lock
- Back angle adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Waterfall seat

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HWA9: Height and width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	18 ¼	464	Overall width	24-27 ½	610-699
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	19-22	483-559	Width between arms	18-20 ¼	457-514
Back width	18 ¼	464			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
AX11	**E3** Black	Grade 1	**727**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HWA9**	Std	**CSB**	**52**
		Grade 2	**738**					**PCB**	**177**	**SDW**	**26**	**5D**	**104**	**CSW**	**52**
		Grade 3	**756**							**BRC**	**42**				
		Grade 4	**792**							**BGL**	**31**				
		Grade 5	**809**							**CC**	**99**				
		Grade 6	**856**							**CF**	**120**				
		Grade 7	**1,158**												
		Grade 8	**902**												

AX10

Standard features

- Medium back
- Infinite tilt lock
- Back angle adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Waterfall seat

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130
Seat width	18 ¼	464	Overall width	24	610
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	19-22	483-559			
Back width	18 ¼	464			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
AX10	**E3** Black	Grade 1	**675**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**CSB**	**52**
		Grade 2	**686**					**PCB**	**177**	**SDW**	**26**	**CSW**	**52**
		Grade 3	**704**							**BRC**	**42**		
		Grade 4	**740**							**BGL**	**31**		
		Grade 5	**757**							**CC**	**99**		
		Grade 6	**804**							**CF**	**120**		
		Grade 7	**1,106**										
		Grade 8	**850**										

TASK

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: VC13-E3-MVC-CPT28-SYN-P-AB-HDW-HA

VC13

Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- **SYN:** Synchronous tilt control
- **AB:** Nylon angel base
- **HDW:** Hard dual-wheel casters
- **FA:** Fixed arms with 10" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16¼-21¼	415-542	Overall height	37¾-42¾	960-1086
Seat width	19	480	Overall width	27⅜	695
Seat depth	16½-18½	420-470	Overall depth	27⅜	695
Back height	21½	546	Width between arms	18	455
Back width	18⅜	468			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
VC13	**E3** Black	**MVA**	Ash	Grade 1	**486**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**FA**	Std	**C33**	**130**
		MVC	Cauldron	Grade 2	**502**					**PCB**	**177**	**SDW**	**26**	**HA**	**25**		
		MVM	Magma	Grade 3	**520**							**BRC**	**42**				
		MVY	Yellowstone	Grade 4	**560**												
				Grade 5	**576**												
				Grade 6	**620**												
				Grade 7	**986**												
				Grade 8	**668**												

VC12



Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- **SYN:** Synchronous tilt control
- **AB:** Nylon angel base
- **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16¼-21¼	415-542	Overall height	37¾-42¾	960-1086
Seat width	19	480	Overall width	27⅜	695
Seat depth	16½-18½	420-470	Overall depth	27⅜	695
Back height	21½	546			
Back width	18⅜	468			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
VC12	**E3** Black	**MVA**	Ash	Grade 1	**446**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**C33**	**130**
		MVC	Cauldron	Grade 2	**463**					**PCB**	**177**	**SDW**	**26**		
		MVM	Magma	Grade 3	**480**							**BRC**	**42**		
		MVY	Yellowstone	Grade 4	**520**										
				Grade 5	**537**										
				Grade 6	**580**										
				Grade 7	**945**										
				Grade 8	**628**										

STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — SAMPLE ORDER: VC52-E3-MVC-CPT28-SYN-P-CAB-HDW-FA

VC52

Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

SYN: Synchronous tilt control
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27⅜	695
Seat depth	16½-18½	420-470	Overall depth	27⅜	695
Back height	21½	546	Width between arms	18	455
Back width	18⅜	468			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
VC52	**E3** Black	**MVA**	Ash	Grade 1	**680**	**SYN**	Std	**P**	Std	**CAB**	Std	**HDW**	Std	**FA**	Std	**C33**	**130**
		MVC	Cauldron	Grade 2	**698**			**SCL**	**78**			**SDW**	**26**	**HA**	**25**		
		MVM	Magma	Grade 3	**716**			**XTC**	**62**			**BRC**	**42**				
		MVY	Yellowstone	Grade 4	**757**												
				Grade 5	**774**												
				Grade 6	**818**												
				Grade 7	**1,195**												
				Grade 8	**868**												

VC51

Standard features

- Adjustable lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- Tilt lock
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

SYN: Synchronous tilt control
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27⅜	695
Seat depth	16½-18½	420-470	Overall depth	27⅜	695
Back height	21½	546			
Back width	18⅜	468			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
VC51	**E3** Black	**MVA**	Ash	Grade 1	**640**	**SYN**	Std	**P**	Std	**CAB**	Std	**HDW**	Std	**C33**	**130**
		MVC	Cauldron	Grade 2	**656**			**SCL**	**78**			**SDW**	**26**		
		MVM	Magma	Grade 3	**675**			**XTC**	**62**			**BRC**	**42**		
		MVY	Yellowstone	Grade 4	**716**										
				Grade 5	**733**										
				Grade 6	**778**										
				Grade 7	**1,153**										
				Grade 8	**827**										

MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and optional headrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS — **SAMPLE ORDER: AS11-E3-50F-50F-XCON-P-NB-SDW-HWA9-HR**

AS11

Standard features

Medium back	**XCON:** Multifunction control
Infinite tilt lock	**P:** Pneumatic seat height
Forward seat pitch	**NB:** Nylon base
Back height adjustment	**HDW:** Hard dual-wheel casters
Back angle adjustment	**AA9:** Height adjustable arms
Fully upholstered back panel	
Waterfall seat	
Viscoelastic memory foam	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾-22 ½	451-572	Overall height	37 ¼-42	946-1067
Seat width	19 ¾	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 ½	533-622	Width between arms	17 ¼-20 ½	438-521
Back width	19 ¼	489			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
AS11	**E3** Black	Grade 1	**987**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA9**	Std	**HR**	**104**
		Grade 2	**998**					**PCB**	**177**	**SDW**	**26**	**HWA9**	**57**		
		Grade 3	**1,016**							**BRC**	**42**	**5D**	**104**		
		Grade 4	**1,052**							**BGL**	**31**				
		Grade 5	**1,069**							**CC**	**99**				
		Grade 6	**1,116**							**CF**	**120**				
		Grade 7	**1,418**												
		Grade 8	**1,162**												

AS10

Standard features

Medium back	**XCON:** Multifunction control
Infinite tilt lock	**P:** Pneumatic seat height
Forward seat pitch	**NB:** Nylon base
Back height adjustment	**HDW:** Hard dual-wheel casters
Back angle adjustment	
Fully upholstered back panel	
Waterfall seat	
Viscoelastic memory foam	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾-22 ½	451-572	Overall height	37 ¼-42	946-1067
Seat width	19 ¾	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 ½	533-622			
Back width	19 ¼	489			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
AS10	**E3** Black	Grade 1	**935**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HR**	**104**
		Grade 2	**946**					**PCB**	**177**	**SDW**	**26**		
		Grade 3	**964**							**BRC**	**42**		
		Grade 4	**1,000**							**BGL**	**31**		
		Grade 5	**1,017**							**CC**	**99**		
		Grade 6	**1,064**							**CF**	**120**		
		Grade 7	**1,366**										
		Grade 8	**1,110**										

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and seat cushions, the second upholstery is for the back and seat shell.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01



CONFERENCE CHAIRS — SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01

AT14

Standard features

High back	**KT:** Knee-tilt control
4-position tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**AB:** Nylon angel base
Waterfall seat	**HDW:** Hard dual-wheel casters
	BA01: Polished chrome arms with polyurethane pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20½-22¾	521-578	Overall height	43-45½	1092-1156
Seat width	19¾	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	26	660	Width between arms	19	483
Back width	19½	495			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)
AT14	**E3** Black	Grade 1	**1,070**	Grade 5	**1,152**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**BA01**	Std	
		Grade 2	**1,082**	Grade 6	**1,199**			**CP**	**52**	**APC**	**99**	**SDW**	**26**			
		Grade 3	**1,099**	Grade 7	**1,501**							**BRC**	**42**			
		Grade 4	**1,136**	Grade 8	**1,245**							**BGL**	**31**			
												CC	**99**			
												CF	**120**			

AT12

Standard features

Medium back	**KT:** Knee-tilt control
4-position tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**AB:** Nylon angel base
Waterfall seat	**HDW:** Hard dual-wheel casters
	BA01: Polished chrome arms with polyurethane pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20¼-22¾	514-578	Overall height	39½-42	1003-1067
Seat width	19¾	502	Overall width	27	686
Seat depth	19	483	Overall depth	27	686
Back height	22½	572	Width between arms	19	483
Back width	19½	495			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)
AT12	**E3** Black	Grade 1	**1,008**	Grade 5	**1,090**	**KT**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**BA01**	Std	
		Grade 2	**1,019**	Grade 6	**1,137**			**CP**	**52**	**APC**	**99**	**SDW**	**26**			
		Grade 3	**1,037**	Grade 7	**1,438**							**BRC**	**42**			
		Grade 4	**1,073**	Grade 8	**1,182**							**BGL**	**31**			
												CC	**99**			
												CF	**120**			

MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Available in Cal-133. Limited option and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS

SAMPLE ORDER: BR16-E3-AE04-P-NB-HDW-LA

BR16

Standard features

2:1 Synchronous control	**P:** Pneumatic seat height
2-position back lock	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
Rugged outer polymer shell	**LA:** Loop arms
Waterfall seat front	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-560	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	520	Overall width	25	635
Seat depth	17 ¼	440	Overall depth	25	635
Back height	20 ½	522	Width between arms	21	530
Back width	18	471			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
BR16	**E3** Black	Grade 1	**675**	**P**	Std	**NB**	Std	**HDW**	Std	**LA**	Std	**C33**	**130**
		Grade 2	**686**			**SB**	**62**	**SDW**	**26**	**UA**	**52**	**UP**	**174**
		Grade 3	**704**			**PCB**	**177**	**BRC**	**42**	**UAL**	**93**	**UPL**(2)	**227**
		Grade 4	**743**					**BGL**	**31**	**UDA**	**98**		
		Grade 5	**759**							**UDU**(1)	**158**		
		Grade 6	**808**										
		Grade 7	**1,170**										
		Grade 8	**855**										

BR15

Standard features

2:1 Synchronous control	**P:** Pneumatic seat height
2-position back lock	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
Rugged outer polymer shell	
Waterfall seat front	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	16 ½	419	Overall depth	25	635
Back height	19 ½	495			
Back width	19 ½	495			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
BR15	**E3** Black	Grade 1	**635**	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**647**			**SB**	**62**	**SDW**	**26**	**UP**	**174**
		Grade 3	**665**			**PCB**	**177**	**BRC**	**42**	**UPL**(2)	**227**
		Grade 4	**703**					**BGL**	**31**		
		Grade 5	**720**								
		Grade 6	**769**								
		Grade 7	**1,130**								
		Grade 8	**815**								

(1) **UDU:** Upholstery will match the seat (N/A in leather).
(2) **UPL:** N/A with C33 option.

BR11

Standard features	
2:1 Synchronous control	**P:** Pneumatic seat height
2-position back lock	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
Rugged outer polymer shell	**LA:** Loop arms
Waterfall seat front	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18	455	Overall width	23 ½	597
Seat depth	16	405	Overall depth	23 ½	597
Back height	19	483	Width between arms	19 ½	495
Back width	15 ½	398			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
BR11	**E3** Black	Grade 1	**635**	**P**	Std	**NB**	Std	**HDW**	Std	**LA**	Std	**C33**	**130**
		Grade 2	**647**			**SB**	**62**	**SDW**	**26**	**UA**	**52**	**UP**	**174**
		Grade 3	**665**			**PCB**	**177**	**BRC**	**42**	**UAL**	**93**	**UPL** (2)	**227**
		Grade 4	**703**					**BGL**	**31**	**UDA**	**98**		
		Grade 5	**720**							**UDU** (1)	**158**		
		Grade 6	**769**										
		Grade 7	**1,130**										
		Grade 8	**815**										

BR10

Standard features	
2:1 Synchronous control	**P:** Pneumatic seat height
2-position back lock	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
Rugged outer polymer shell	
Waterfall seat front	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	18 ½	470			
Back width	17 ½	445			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
BR10	**E3** Black	Grade 1	**596**	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**607**			**SB**	**62**	**SDW**	**26**	**UP**	**174**
		Grade 3	**625**			**PCB**	**177**	**BRC**	**42**	**UPL** (2)	**227**
		Grade 4	**664**					**BGL**	**31**		
		Grade 5	**680**								
		Grade 6	**729**								
		Grade 7	**1,091**								
		Grade 8	**776**								

(1) **UDU:** Upholstery will match the seat (N/A in leather).
(2) **UPL:** N/A with C33 option.

GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 guest chairs must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.

GUEST CHAIRS WITH WALL-SAVER LEGS

SAMPLE ORDER: BR32-E3-SD10-CPT85-SP

BR32

Standard features
Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List ($)		Other options ($)	
BR32	**E3** Black	Grade 1	**371 x 2 = 742**	**C33**	**130 x 2 = 260**
	E8 Metallic Silver	Grade 2	**383 x 2 = 766**	**UPS**	**47 x 2 = 94**
		Grade 3	**400 x 2 = 800**	**ULS** (1)	**93 x 2 = 186**
		Grade 4	**439 x 2 = 878**	**SP**	**42**/chair
		Grade 5	**456 x 2 = 912**		
		Grade 6	**504 x 2 = 1,008**		
		Grade 7	**866 x 2 = 1,732**		
		Grade 8	**551 x 2 = 1,102**		

BR31

Standard features
Ships 2 per carton
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List ($)		Other options ($)	
BR31	**E3** Black	Grade 1	**337 x 2 = 674**	**C33**	**130 x 2 = 260**
	E8 Metallic Silver	Grade 2	**348 x 2 = 696**	**UPS**	**47 x 2 = 94**
		Grade 3	**367 x 2 = 734**	**ULS** (1)	**93 x 2 = 186**
		Grade 4	**405 x 2 = 810**	**SP**	**42**/chair
		Grade 5	**422 x 2 = 844**		
		Grade 6	**470 x 2 = 940**		
		Grade 7	**832 x 2 = 1,664**		
		Grade 8	**518 x 2 = 1,036**		

(1) **ULS:** N/A with C33 option.

GUEST CHAIRS WITH CASTERS

SAMPLE ORDER: BR32C-E8-CPT85-CPT85-SDW

BR32C

Standard features

- Ships in a single pack
- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- Injection-molded fixed arms
- 1", 14-gauge steel tubing

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	17 ¾	451
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	32 ¾	832
Overall width	24 ¾	629
Overall depth	23	584
Width between arms	19	483

Model	Frame	Upholstery / List ($)		Casters ($)		Other options ($)	
BR32C	**E3** Black	Grade 1	**416**	**HDW**	Std	**C33**	**130**
	E8 Metallic Silver	Grade 2	**427**	**SDW**	**26**	**UPS**	**47**
		Grade 3	**445**	**BRC**	**42**	**ULS** (1)	**93**
		Grade 4	**484**				
		Grade 5	**500**				
		Grade 6	**549**				
		Grade 7	**911**				
		Grade 8	**596**				

GUEST CHAIRS WITH SLED BASE

SAMPLE ORDER: BR31S-E3-DN06-DN06-UPS

BR32S

Standard features

- Ships in a single pack
- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- Injection-molded fixed arms
- 1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	18 ¼	464
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	33 ¼	845
Overall width	24 ¾	629
Overall depth	23	584
Width between arms	19	483

Model	Frame	Upholstery / List ($)		Other options ($)	
BR32S	**E3** Black	Grade 1	**450**	**C33**	**130**
		Grade 2	**461**	**UPS**	**47**
		Grade 3	**479**	**ULS** (1)	**93**
		Grade 4	**518**		
		Grade 5	**535**		
		Grade 6	**582**		
		Grade 7	**945**		
		Grade 8	**630**		

BR31S



Standard features

- Ships in a single pack
- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- 1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	18 ¼	464
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	33 ¼	845
Overall width	21	533
Overall depth	23	584

Model	Frame	Upholstery / List ($)		Other options ($)	
BR31S	**E3** Black	Grade 1	**416**	**C33**	**130**
		Grade 2	**427**	**UPS**	**47**
		Grade 3	**445**	**ULS** (1)	**93**
		Grade 4	**484**		
		Grade 5	**500**		
		Grade 6	**549**		
		Grade 7	**911**		
		Grade 8	**596**		

(1) **ULS:** N/A with C33 option.

STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 café height stools must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on café height models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen on café height stools, all plastic components remain black.
- Control mechanism is black.
- BR51 and BR52 stools comes with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — **SAMPLE ORDER: BR52-E3-WH01-P-HDW-LA**

BR51

Standard features

- 2:1 Synchronous control
- 2-position back lock
- Adjustable polished chrome footring
- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
LA: Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	17 ½	445	Width between arms	19 ½	495
Back width	17 ½	445			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Arms ($)		Other options ($)	
BR51	**E3** Black	Grade 1	**815**	**P**	Std	**HDW**	Std	**LA**	Std	**C33**	**130**
		Grade 2	**827**	**SCL**	**78**	**SDW**	**26**	**UA**	**52**	**UP**	**174**
		Grade 3	**844**	**XTC**	**62**	**BRC**	**42**	**UAL**	**93**	**UPL** (2)	**227**
		Grade 4	**883**			**BGL**	**31**	**UDA**	**98**		
		Grade 5	**900**					**UDU** (1)	**158**		
		Grade 6	**948**								
		Grade 7	**1,310**								
		Grade 8	**995**								

BR52

Standard features

- 2:1 Synchronous control
- 2-position back lock
- Adjustable polished chrome footring
- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
Seat width	18 ½	470	Overall width	23 ½	597
Seat depth	15 ½	394	Overall depth	23 ½	597
Back height	17 ½	445			
Back width	17 ½	445			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Other options ($)	
BR52	**E3** Black	Grade 1	**776**	**P**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**787**	**SCL**	**78**	**SDW**	**26**	**UP**	**174**
		Grade 3	**805**	**XTC**	**62**	**BRC**	**42**	**UPL** (2)	**227**
		Grade 4	**843**			**BGL**	**31**		
		Grade 5	**860**						
		Grade 6	**909**						
		Grade 7	**1,271**						
		Grade 8	**956**						

(1) **UDU:** Upholstery will match the seat (N/A in leather).
(2) **UPL:** N/A with C33 option.

CAFÉ HEIGHT STOOLS

SAMPLE ORDER: BR32H-E3-DL01-DL01-ULS

BR32H

Standard features

- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- Injection-molded fixed arms
- 1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	31 ¾	807
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	47 ¾	1214
Overall width	25 ¼	642
Overall depth	24	610
Width between arms	19 ¼	489

Model	Frame	Upholstery / List ($)		Other options ($)	
BR32H	**E3** Black	Grade 1	**450**	**C33**	**130**
	E8 Metallic Silver	Grade 2	**461**	**UPS**	**47**
		Grade 3	**479**	**ULS** (1)	**93**
		Grade 4	**518**		
		Grade 5	**535**		
		Grade 6	**582**		
		Grade 7	**945**		
		Grade 8	**630**		

BR31H

Standard features

- Integrated lumbar support
- Rugged outer polymer shell
- Waterfall seat front
- 1", 14-gauge steel tubing

Dimensions	(in)	(mm)
Seat height	31 ¾	807
Seat width	18 ½	470
Seat depth	18	457
Back height	14 ½	368
Back width	19	483

Dimensions	(in)	(mm)
Overall height	47 ¾	1214
Overall width	21	533
Overall depth	24	610

Model	Frame	Upholstery / List ($)		Other options ($)	
BR31H	**E3** Black	Grade 1	**444**	**C33**	**130**
	E8 Metallic Silver	Grade 2	**456**	**UPS**	**47**
		Grade 3	**473**	**ULS** (1)	**93**
		Grade 4	**512**		
		Grade 5	**528**		
		Grade 6	**577**		
		Grade 7	**939**		
		Grade 8	**624**		

ACCESSORIES

BRDY



Standard features

- Stacking dolly, black only
- To stack **6 BR32** or **6 BR31** models only

Dimensions	(in)	(mm)
Overall height	14 ½	368
Overall width	24	610
Overall depth	28	711

Overall dimensions of dolly with 6 chairs	(in)	(mm)
Total height	55 ½	1410
Total width w/BR32	25	635
Total width w/BR31	24	610
Total depth	36	914

Model		List ($)	
BRDY-SP		Ships 1 per carton	**376**
BRDY-DP		Ships 2 per carton	**703**

BRT-AG



Standard features

- Black metal connecting bars
- Kit includes 2 bars and 2 connectors
- Chairs with arms and armless can be ganged (BR32, BR31, BR32S and BR31S)

Dimensions	(in)	(mm)
Distance between arms	½	13

Model		List ($)
BRT-AG		**101**

(1) **ULS:** N/A with C33 option.

EXECUTIVE AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Upholstery selection limited to vinyl, leather and C.O.V. only.
- Vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.V.).
- C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS — SAMPLE ORDER: EQ16-E3-WH01-WH01-XCON-P-AB-SDW-5D-HR

EQ16

Standard features

- High back
- Infinite tilt lock
- Forward seat pitch
- Back height adjustment
- Back angle adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Integrated lumbar support

XCON: Multifunction control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
5D: Height and width adjustable arms with pivoting, front-to-back and side-to-side adjustable armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	41 ½-44	1054-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508	Width between arms	18	457
Back width	19	483			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
EQ16	**E3** Black	Grade 1	**983**	**XCON**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**5D**	Std	**CSB**	**52**
		Grade 2	**994**			**CP**	**52**	**APC**	**99**	**SDW**	**26**	**AA9**	**31**	**CSW**	**52**
		Grade 3	**1,012**							**BRC**	**42**	**HWA9**	**57**	**HR**	**104**
		Grade 4	**1,048**							**BGL**	**31**	**BA01**	**104**		
		Grade 5	**1,065**							**CC**	**99**				
		Grade 6	**1,112**							**CF**	**120**				
		Grade 7	**1,413**												
		Grade 8	**1,158**												

EQ15

Standard features

- High back
- Infinite tilt lock
- Forward seat pitch
- Back height adjustment
- Back angle adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Integrated lumbar support

XCON: Multifunction control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-559	Overall height	42 ½-44	1080-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508			
Back width	19	483			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
EQ15	**E3** Black	Grade 1	**931**	**XCON**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**CSB**	**52**
		Grade 2	**942**			**CP**	**52**	**APC**	**99**	**SDW**	**26**	**CSW**	**52**
		Grade 3	**960**							**BRC**	**42**	**HR**	**104**
		Grade 4	**996**							**BGL**	**31**		
		Grade 5	**1,013**							**CC**	**99**		
		Grade 6	**1,060**							**CF**	**120**		
		Grade 7	**1,361**										
		Grade 8	**1,106**										

MANAGEMENT

SPECIFICATIONS

- All models ship assembled.[1]
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS — SAMPLE ORDER: M10-E3-MME-XM36-SYN-P-APC-HDW-HR

M11

Standard features

Side tilt tension adjustment	**SYN:** 4:1 synchronous control
Seat depth adjustment	**P:** Pneumatic seat height
4-position back lock	**AB:** Nylon angel base
Height adjustable mesh back	**HDW:** Hard dual-wheel casters
	WA8: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15½-19½	393-491	Overall height	40-44	1017-1115
Seat width	19½	497	Overall width	26¾	680
Seat depth	16½-18	420-460	Overall depth	26¾	680
Back height	22¾	579	Width between arms	18¼	463
Back width	17½	440			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
M11	**E3** Black	**MMB**	Balance	Grade 1	**775**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**WA8**	Std	**HR** [1]	**104**
		MMC	Exact	Grade 2	**786**					**APC**	**99**	**SDW**	**26**	**HW8**	**57**		
		MME	Elegance	Grade 3	**804**							**BRC**	**42**	**CHW8**	**78**		
		MMP	Perfection	Grade 4	**840**							**BGL**	**31**	**M3D**	**52**		
		MMS	Passion	Grade 5	**857**							**CC** [2]	**99**	**CM3D**	**78**		
				Grade 6	**904**							**CF** [2]	**120**	**M4D**	**78**		
				Grade 7	**1,205**									**CM4D**	**104**		
				Grade 8	**950**												

M10

Standard features

Side tilt tension adjustment	**SYN:** 4:1 synchronous control
Seat depth adjustment	**P:** Pneumatic seat height
4-position back lock	**AB:** Nylon angel base
Height adjustable mesh back	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15½-19½	393-491	Overall height	40-44	1017-1115
Seat width	19½	497	Overall width	26¾	680
Seat depth	16½-18	420-460	Overall depth	26¾	680
Back height	22¾	579			
Back width	17½	440			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
M10	**E3** Black	**MMB**	Balance	Grade 1	**697**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**HR** [1]	**104**
		MMC	Exact	Grade 2	**708**					**APC**	**99**	**SDW**	**26**		
		MME	Elegance	Grade 3	**726**							**BRC**	**42**		
		MMP	Perfection	Grade 4	**762**							**BGL**	**31**		
		MMS	Passion	Grade 5	**779**							**CC** [2]	**99**		
				Grade 6	**826**							**CF** [2]	**120**		
				Grade 7	**1,127**										
				Grade 8	**872**										

(1) The headrest requires minimal assembly.
(2) Available only on APC base.

STOOL

SPECIFICATIONS

- All models ship assembled.[1]
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — **SAMPLE ORDER: M52-E3-MME-XM36-SYN-P-AB-HDW-WA8**

M52

Standard features	
Side tilt tension adjustment	**SYN:** 4:1 synchronous control
Seat depth adjustment	**P:** Pneumatic seat height
4-position back lock	**AB:** Nylon angel base
Height adjustable mesh back	**HDW:** Hard dual-wheel casters
Adjustable polished chrome footring	**WA8:** Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 ¾-34 ¼	730-870	Overall height	49-54 ½	1240-1380
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579	Width between arms	18 ¼	463
Back width	17 ½	440			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
M52	**E3** Black	**MMB**	Balance	Grade 1	**827**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**WA8**	Std	**HR** [1]	**104**
		MMC	Exact	Grade 2	**838**			**SCL**	**78**	**APC**	**99**	**SDW**	**26**	**HWA8**	**57**		
		MME	Elegance	Grade 3	**856**			**XTC**	**62**			**BRC**	**42**	**CHWA8**	**78**		
		MMP	Perfection	Grade 4	**892**							**BGL**	**31**	**M3D**	**52**		
		MMS	Passion	Grade 5	**909**							**CC** [2]	**99**	**CM3D**	**78**		
				Grade 6	**956**							**CF** [2]	**120**	**M4D**	**78**		
				Grade 7	**1,257**									**CM4D**	**104**		
				Grade 8	**1,002**												

M51

Standard features	
Side tilt tension adjustment	**SYN:** 4:1 synchronous control
Seat depth adjustment	**P:** Pneumatic seat height
4-position back lock	**AB:** Nylon angel base
Height adjustable mesh back	**HDW:** Hard dual-wheel casters
Adjustable polished chrome footring	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 ¾-34 ¼	730-870	Overall height	49-54 ½	1240-1380
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579			
Back width	17 ½	440			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
M51	**E3** Black	**MMB**	Balance	Grade 1	**754**	**SYN**	Std	**P**	Std	**AB**	Std	**HDW**	Std	**HR** [1]	**104**
		MMC	Exact	Grade 2	**765**			**SCL**	**78**	**APC**	**99**	**SDW**	**26**		
		MME	Elegance	Grade 3	**783**			**XTC**	**62**			**BRC**	**42**		
		MMP	Perfection	Grade 4	**820**							**BGL**	**31**		
		MMS	Passion	Grade 5	**836**							**CC** [2]	**99**		
				Grade 6	**883**							**CF** [2]	**120**		
				Grade 7	**1,185**										
				Grade 8	**929**										

(1) The headrest requires minimal assembly.
(2) Available only on APC base.

EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl combo is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

DUAL UPHOLSTERY APPLICATION



Vinyl and leather selection for Fortune series only:

Grade 1: Dillon vinyl
Grade 3: Whisper vinyl
Grade 4: Silvertex and Cashmere vinyls
Grade 5: Rein vinyl
Grade 6: Leather/vinyl combo
Grade 7: Davenport leather

EXECUTIVE CHAIRS

SAMPLE ORDER: FN16-E3-DL01-DL01-ST-P-NB-HDW-HLA

FN16

Standard features

Tilt tension	**ST:** Swivel-tilt control
Back height adjustment	**P:** Pneumatic seat height
Tilt lock	**NB:** Nylon base
Fully upholstered back panel	**HDW:** Hard dual-wheel casters
Dual-density memory foam (seat)	**HLA:** Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FN16	**E3** Black	Grade 1	**775**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**805**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**		
		Grade 4	**878**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**910**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**1,015**												
		Grade 7	**1,424**												

(1) **C33:** In Whisper vinyl only.

EXECUTIVE CHAIRS

SAMPLE ORDER: FNX16-E3-DL01-DL01-XCON-P-NB-HDW-HLA-SSP

FNM16

Standard features

- Tilt tension
- Back height adjustment
- Back angle adjustment
- Tilt lock
- Fully upholstered back panel
- Dual-density memory foam (seat)

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FNM16	**E3** Black	Grade 1	**849**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**880**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**		
		Grade 4	**953**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**985**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**1,090**												
		Grade 7	**1,499**												

FNX16

Standard features

- Infinite tilt lock
- Tilt tension
- Back height adjustment
- Independently adjustable seat and back angle
- Forward seat pitch adjustment
- Fully upholstered back panel
- Dual-density memory foam (seat)

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FNX16	**E3** Black	Grade 1	**958**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**989**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**	**SSP** (2)	**80**
		Grade 4	**1,061**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**1,093**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**1,199**												
		Grade 7	**1,608**												

MANAGEMENT CHAIRS

SAMPLE ORDER: FN11-E3-WH06-WH06-ST-P-NB-HDW-AA3

FN11

Standard features

- Tilt tension
- Back height adjustment
- Tilt lock
- Fully upholstered back panel
- Dual-density memory foam (seat)

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FN11	**E3** Black	Grade 1	**734**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**765**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**		
		Grade 4	**837**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**869**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**976**												
		Grade 7	**1,383**												

(1) **C33:** In Whisper vinyl only.
(2) **SSP:** N/A with **PCB**.

FNM11

Standard features

- Tilt tension
- Back height adjustment
- Back angle adjustment
- Tilt lock
- Fully upholstered back panel
- Dual-density memory foam (seat)

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FNM11	**E3** Black	Grade 1	**809**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**840**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**		
		Grade 4	**912**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**944**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**1,049**												
		Grade 7	**1,458**												

FNX11

Standard features

- Infinite tilt lock
- Tilt tension
- Back height adjustment
- Independently adjustable seat and back angle
- Forward seat pitch adjustment
- Fully upholstered back panel
- Dual-density memory foam (seat)

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20½	521
Back width	25¼	641			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FNX11	**E3** Black	Grade 1	**918**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**948**					**PCB**	**177**	**SDW**	**26**	**AA3**	**31**	**SSP** (2)	**80**
		Grade 4	**1,021**							**BRC**	**42**	**HWA3**	**57**		
		Grade 5	**1,054**							**BGL**	**31**	**3D3**	**31**		
		Grade 6	**1,159**												
		Grade 7	**1,567**												

(1) **C33:** In Whisper vinyl only.
(2) **SSP:** N/A with **PCB**.

GUEST

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl dual upholstery is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.

Vinyl and leather selection for Fortune series:

Grade 1: Dillon vinyl	Grade 3: Whisper vinyl	Grade 4: Silvertex and Cashmere vinyls	Grade 5: Rein vinyl	Grade 6: Leather/vinyl combo	Grade 7: Davenport leather

GUEST CHAIRS

SAMPLE ORDER: FN32-E3-DLV2-DLV2-HLA

FN32

Standard features

Fully upholstered back panel
Dual-density memory foam (seat)
Cantilevered sled base of 1", 12-gauge steel tubing

HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20	508	Overall height	35	889
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19	483	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List ($)		Arms ($)		Other options ($)	
FN32	**E3** Black	Grade 1	**734**	**HLA**	Std	**C33** (1)	**130**
		Grade 3	**765**	**HWA3**	**57**		
		Grade 4	**837**	**3D3**	**31**		
		Grade 5	**869**				
		Grade 6	**976**				
		Grade 7	**1,383**				

FN31

Standard features

Fully upholstered back panel
Dual-density memory foam (seat)
Cantilevered sled base of 1", 12-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20	508	Overall height	35	889
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19	483			
Back width	25 ¼	641			

Model	Frame	Upholstery / List ($)		Other options ($)	
FN31	**E3** Black	Grade 1	**688**	**C33** (1)	**130**
		Grade 3	**720**		
		Grade 4	**791**		
		Grade 5	**824**		
		Grade 6	**930**		
		Grade 7	**1,337**		

(1) **C33:** In Whisper vinyl only.

TASK

SPECIFICATIONS

- All models ship partially K.D. (minimum assembly required).
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: FS11-E3-DN08-DN08-P-AB-HDW-3D7

FS11

Standard features

- Synchronous seat control
- 5-position tilt lock
- Fully upholstered back panel
- Waterfall seat
- Integrated lumbar support
- Tilt tension
- **P:** Pneumatic seat height
- **AB:** Nylon angel base
- **HDW:** Hard dual-wheel casters
- **3D7:** Height adjustable arms with pivoting armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15⅜-19⅜	467-492	Overall height	36-40	914-1016
Seat width	18¾	476	Overall width	27	686
Seat depth	17¾	451	Overall depth	28¼	718
Back height	23¼	591	Width between arms	18	457
Back width	17⅝	448			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
FS11	**E3** Black	Grade 1	**574**	**P**	Std	**AB**	Std	**HDW**	Std	**3D7**	Std	**C33**	**130**
		Grade 2	**584**					**SDW**	**26**	**FLA**	**15**		
		Grade 3	**603**					**BRC**	**42**	**HLA**	**15**		
		Grade 4	**642**							**AA3**	**31**		
		Grade 5	**658**							**HWA3**	**57**		
		Grade 6	**706**										
		Grade 7	**1,069**										
		Grade 8	**754**										

FS10

Standard features

- Synchronous seat control
- 5-position tilt lock
- Fully upholstered back panel
- Waterfall seat
- Integrated lumbar support
- Tilt tension
- **P:** Pneumatic seat height
- **AB:** Nylon angel base
- **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15⅜-19⅜	467-492	Overall height	36-40	914-1016
Seat width	18¾	476	Overall width	27	686
Seat depth	17¾	451	Overall depth	28¼	718
Back height	23¼	591			
Back width	17⅝	448			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
FS10	**E3** Black	Grade 1	**489**	**P**	Std	**AB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**500**					**SDW**	**26**		
		Grade 3	**519**					**BRC**	**42**		
		Grade 4	**556**								
		Grade 5	**574**								
		Grade 6	**622**								
		Grade 7	**984**								
		Grade 8	**670**								

= ASSEMBLY REQUIRED

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE CONFERENCE CHAIRS, UPHOLSTERED SEAT PAD

SAMPLE ORDER: IO14-E3-IS01-AE11-ST-P-APC-CC

IO14

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	**ST:** Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Matching polypropylene arms	**P:** Pneumatic seat height	Seat width	17½	445	Overall width	26	660
Upholstered seat pad	**AB:** Nylon angel base	Seat depth	16	406	Overall depth	26	660
Upright back lock	**HDW:** Hard dual wheel casters	Back height	15½	394	Width between arms	20	508
		Back width	19¾	502			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)	
IO14	**E3** Black	**IS01**	White	Grade 1	**728**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std
		IS03	Black	Grade 2	**739**					**APC**	**99**	**SDW**	**26**
		IS06	Red	Grade 3	**757**							**BRC**	**42**
				Grade 4	**794**							**BGL**	**31**
				Grade 5	**810**							**CC**	**99**
				Grade 6	**857**							**CF**	**120**
				Grade 7	**1,159**								
				Grade 8	**903**								

IO13



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	**ST:** Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Upholstered seat pad	**P:** Pneumatic seat height	Seat width	17½	445	Overall width	26	660
Upright back lock	**AB:** Nylon angel base	Seat depth	16	406	Overall depth	26	660
	HDW: Hard dual wheel casters	Back height	15½	394			
		Back width	19¾	502			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)	
IO13	**E3** Black	**IS01**	White	Grade 1	**676**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std
		IS03	Black	Grade 2	**687**					**APC**	**99**	**SDW**	**26**
		IS06	Red	Grade 3	**705**							**BRC**	**42**
				Grade 4	**742**							**BGL**	**31**
				Grade 5	**758**							**CC**	**99**
				Grade 6	**805**							**CF**	**120**
				Grade 7	**1,107**								
				Grade 8	**851**								

I012

Standard features	
Polypropylene shell	**ST:** Swivel-tilt control
Matching polypropylene arms	**P:** Pneumatic seat height
	AB: Nylon angel base
	HDW: Hard dual wheel casters

Dimensions	(in)	(mm)
Seat height	19 ¾	502
Seat width	17 ½	445
Seat depth	16	406
Back height	15 ½	394
Back width	19 ¾	502

Dimensions	(in)	(mm)
Overall height	29-33	737-838
Overall width	26	660
Overall depth	26	660
Width between arms	20	508

Model	Frame / Legs	Polypropylene shell colors		List ($)	Control ($)		Cylinder ($)		Base ($)		Casters ($)	
I012	**E3** Black	**IS01**	White	**650**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std
		IS03	Black						**APC**	**99**	**SDW**	**26**
		IS06	Red								**BRC**	**42**
											BGL	**31**
											CC	**99**
											CF	**120**

I011

Standard features	
Polypropylene shell	**ST:** Swivel-tilt control
Upright back lock	**P:** Pneumatic seat height
	AB: Nylon angel base
	HDW: Hard dual wheel casters

Dimensions	(in)	(mm)
Seat height	19 ¾	502
Seat width	17 ½	445
Seat depth	16	406
Back height	15 ½	394
Back width	19 ¾	502

Dimensions	(in)	(mm)
Overall height	29-33	737-838
Overall width	26	660
Overall depth	26	660

Model	Frame / Legs	Polypropylene shell colors		List ($)	Control ($)		Cylinder ($)		Base ($)		Casters ($)	
I011	**E3** Black	**IS01**	White	**598**	**ST**	Std	**P**	Std	**AB**	Std	**HDW**	Std
		IS03	Black						**APC**	**99**	**SDW**	**26**
		IS06	Red								**BRC**	**42**
											BGL	**31**
											CC	**99**
											CF	**120**

GUEST

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE GUEST CHAIRS, UPHOLSTERED SEAT PAD

SAMPLE ORDER: IO34-WD-IS01-AE11-QP

IO34

Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 by carton	**ML:** Metal legs	Seat height	18½	470	Overall height	32	813
Polypropylene shell		Seat width	17½	445	Overall width	23½	597
Matching polypropylene arms		Seat depth	16	406	Overall depth	20½	521
Upholstered seat pad		Back height	15½	394	Width between arms	20	508
Stacks 4 high		Back width	19¾	502			

Model	Legs ($)		Polypropylene shell colors		Upholstery / List ($)		Other Options ($)	
IO34	**ML**	Std	**IS01**	White	Grade 1	**415 x 4 = 1,660**	**QP**	Std
	WD	**83 x 4 = 332**	**IS03**	Black	Grade 2	**426 x 4 = 1,704**	**DP**	**21**/chair
			IS06	Red	Grade 3	**444 x 4 = 1,776**	**SP**	**42**/chair
					Grade 4	**480 x 4 = 1,920**		
					Grade 5	**497 x 4 = 1,988**		
					Grade 6	**544 x 4 = 2,176**		
					Grade 7	**846 x 4 = 3,384**		
					Grade 8	**590 x 4 = 2,360**		

IO33



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 by carton	**ML:** Metal legs	Seat height	18½	470	Overall height	32	813
Polypropylene shell		Seat width	17½	445	Overall width	20	508
Upholstered seat pad		Seat depth	16	406	Overall depth	20½	521
Stacks 4 high		Back height	15½	394			
		Back width	19¾	502			

Model	Legs ($)		Polypropylene shell colors		Upholstery / List ($)		Other Options ($)	
IO33	**ML**	Std	**IS01**	White	Grade 1	**394 x 4 = 1,576**	**QP**	Std
	WD	**83 x 4 = 332**	**IS03**	Black	Grade 2	**406 x 4 = 1,624**	**DP**	**21**/chair
			IS06	Red	Grade 3	**423 x 4 = 1,692**	**SP**	**42**/chair
					Grade 4	**460 x 4 = 1,840**		
					Grade 5	**476 x 4 = 1,904**		
					Grade 6	**523 x 4 = 2,092**		
					Grade 7	**825 x 4 = 3,300**		
					Grade 8	**569 x 4 = 2,276**		

I032



Standard features

Ships 4 by carton
Polypropylene shell
Matching polypropylene arms
Stacks 6 high

ML: Metal legs

Dimensions	(in)	(mm)
Seat height	18½	470
Seat width	17½	445
Seat depth	16	406
Back height	15½	394
Back width	19¾	502

Dimensions	(in)	(mm)
Overall height	32	813
Overall width	23½	597
Overall depth	20½	521
Width between arms	20	508

Model	Legs ($)		Polypropylene shell colors		List ($)	Other Options ($)	
I032	**ML**	Std	**IS01**	White	**311 x 4 = 1,244**	**QP**	Std
	WD	**83 x 4 = 332**	**IS03**	Black		**DP**	**21**/chair
			IS06	Red		**SP**	**42**/chair

I031



Standard features

Ships 4 by carton
Polypropylene shell
Stacks 6 high

ML: Metal legs

Dimensions	(in)	(mm)
Seat height	18½	470
Seat width	17½	445
Seat depth	16	406
Back height	15½	394
Back width	19¾	502

Dimensions	(in)	(mm)
Overall height	32	813
Overall width	20	508
Overall depth	20½	521

Model	Legs ($)		Polypropylene shell colors		List ($)	Other Options ($)	
I031	**ML**	Std	**IS01**	White	**290 x 4 = 1,160**	**QP**	Std
	WD	**83 x 4 = 332**	**IS03**	Black		**DP**	**21**/chair
			IS06	Red		**SP**	**42**/chair

STOOL

SPECIFICATIONS

- All models ship assembled.
- Only available with metal legs.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE CAFÉ HEIGHT STOOLS, UPHOLSTERED SEAT PAD

SAMPLE ORDER: IO34H-ML-IS06-SL12

IO34H



Standard features

Polypropylene shell
Matching polypropylene arms
Upholstered seat pad

ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30½	775	Overall height	44	1118
Seat width	17½	445	Overall width	23½	597
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394	Width between arms	20	508
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Upholstery / List ($)	
IO34H	ML	Std	IS01	White	Grade 1	806
			IS03	Black	Grade 2	817
			IS06	Red	Grade 3	835
					Grade 4	872
					Grade 5	888
					Grade 6	935
					Grade 7	1,237
					Grade 8	981

IO33H



Standard features

Polypropylene shell
Upholstered seat pad

ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30½	775	Overall height	44	1118
Seat width	17½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394			
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		Upholstery / List ($)	
IO33H	ML	Std	IS01	White	Grade 1	780
			IS03	Black	Grade 2	791
			IS06	Red	Grade 3	809
					Grade 4	846
					Grade 5	862
					Grade 6	909
					Grade 7	1,211
					Grade 8	955

I032H



Standard features

Polypropylene shell
Matching polypropylene arms
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30½	775	Overall height	44	1118
Seat width	17½	445	Overall width	23½	597
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394	Width between arms	20	508
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		List ($)
I032H	**ML**	Std	**IS01**	White	**676**
			IS03	Black	
			IS06	Red	

I031H



Standard features

Polypropylene shell
ML: Metal legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	30½	775	Overall height	44	1118
Seat width	17½	445	Overall width	20	508
Seat depth	16	406	Overall depth	20½	521
Back height	15½	394			
Back width	19¾	502			

Model	Legs		Polypropylene shell colors		List ($)
I031H	**ML**	Std	**IS01**	White	**650**
			IS03	Black	
			IS06	Red	

EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-NB-HDW-AA5

ON16

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ⅜-20 ¾	416-526	Overall height	37 ¼-44 ¾	946-1137
Seat width	19	483	Overall width	25 ½	648
Seat depth	16 ½-17 ¾	418-451	Overall depth	24 ½	622
Back height	22 ⅞-24	583-610	Width between arms	17 ⅛	435
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Arms ($)	
ON16	**E3** Black	Grade 1	**658**	**FTL**	Std	**NB**	Std	**HDW**	Std	**FA**	Std
		Grade 2	**670**			**SB**	**62**	**SDW**	**26**	**AA5**	**31**
		Grade 3	**687**			**PCB**	**177**	**BRC**	**42**	**RPA**	**73**
		Grade 4	**726**					**BGL**	**31**		
		Grade 5	**743**								
		Grade 6	**790**								
		Grade 7	**1,153**								
		Grade 8	**838**								

ON15

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ⅜-20 ¾	416-526	Overall height	37 ¼-44 ¾	946-1137
Seat width	19	483	Overall width	23 ¾	603
Seat depth	16 ½-17 ¾	418-451	Overall depth	24 ½	622
Back height	22 ⅞-24	583-610			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)	
ON15	**E3** Black	Grade 1	**619**	**FTL**	Std	**NB**	Std	**HDW**	Std
		Grade 2	**630**			**SB**	**62**	**SDW**	**26**
		Grade 3	**648**			**PCB**	**177**	**BRC**	**42**
		Grade 4	**686**					**BGL**	**31**
		Grade 5	**703**						
		Grade 6	**752**						
		Grade 7	**1,114**						
		Grade 8	**799**						

ON11

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)
Seat height	16⅜-20¾	416-526
Seat width	19	483
Seat depth	16⅜-17½	416-444
Back height	19⅞-22	505-559
Back width	17¾	451

Dimensions	(in)	(mm)
Overall height	33⅞-41⅜	860-1051
Overall width	25½	648
Overall depth	24½	622
Width between arms	17⅛	435

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Arms ($)	
ON11	**E3** Black	Grade 1	**613**	**FTL**	Std	**NB**	Std	**HDW**	Std	**FA**	Std
		Grade 2	**624**			**SB**	**62**	**SDW**	**26**	**AA5**	**31**
		Grade 3	**643**			**PCB**	**177**	**BRC**	**42**	**RPA**	**73**
		Grade 4	**680**					**BGL**	**31**		
		Grade 5	**698**								
		Grade 6	**746**								
		Grade 7	**1,108**								
		Grade 8	**794**								

ON10

Standard features

Waterfall seat
Back height adjustment
Seat depth adjustment
Pneumatic seat height

FTL: Synchronous control with forward tilt, 4-position back lock
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	16⅜-20¾	416-526
Seat width	19	483
Seat depth	16⅜-17½	416-444
Back height	19⅞-22	505-559
Back width	17¾	451

Dimensions	(in)	(mm)
Overall height	33⅞-41⅜	860-1051
Overall width	23¾	603
Overall depth	24½	622

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)	
ON10	**E3** Black	Grade 1	**574**	**FTL**	Std	**NB**	Std	**HDW**	Std
		Grade 2	**584**			**SB**	**62**	**SDW**	**26**
		Grade 3	**603**			**PCB**	**177**	**BRC**	**42**
		Grade 4	**642**					**BGL**	**31**
		Grade 5	**658**						
		Grade 6	**706**						
		Grade 7	**1,069**						
		Grade 8	**754**						

GUEST

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on ON33, ON33C, ON34 and ON34C models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame finish is chosen, all plastic components remain black.
- ON31C, ON32C, ON33C and ON34C come with 2" (51 mm) hard plastic black dual-wheel casters.

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON32C-E8-ONWH-XM12-HDW-SP

ON32

Standard features

Ships 2 per carton
Stacks 6 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24 ½	622
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Other options ($)	
ON32	**E3** Black	**ONBK**	Black	Grade 1	**348 x 2 = 696**	**SP**	**42**/chair
	E8 Metallic Silver	**ONPT**	Platinum	Grade 2	**360 x 2 = 720**		
		ONWH	White	Grade 3	**378 x 2 = 756**		
				Grade 4	**416 x 2 = 832**		
				Grade 5	**433 x 2 = 866**		
				Grade 6	**482 x 2 = 964**		
				Grade 7	**843 x 2 = 1,686**		
				Grade 8	**528 x 2 = 1,056**		

ON32C



Standard features

Ships 2 per carton
Stacks 4 high
Polypropylene back shell
Upholstered seat
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24	610
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Casters ($)		Other options ($)	
ON32C	**E3** Black	**ONBK**	Black	Grade 1	**371 x 2 = 742**	**HDW**	Std	**SP**	**42**/chair
	E8 Metallic Silver	**ONPT**	Platinum	Grade 2	**383 x 2 = 766**	**SDW**	**26 x 2 = 52**		
		ONWH	White	Grade 3	**400 x 2 = 800**				
				Grade 4	**439 x 2 = 878**				
				Grade 5	**456 x 2 = 912**				
				Grade 6	**504 x 2 = 1,008**				
				Grade 7	**866 x 2 = 1,732**				
				Grade 8	**551 x 2 = 1,102**				

POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON31C-E8-ONWH-XM12-HDW-SP

ON31

Standard features

- Ships 2 per carton
- Stacks 6 high
- Polypropylene back shell
- Upholstered seat
- Back flex of 2" (51 mm)
- 1", 13-gauge round steel tubing
- High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24½	622
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Other options ($)	
ON31	**E3** Black	**ONBK**	Black	Grade 1	**304 x 2 = 608**	**SP**	**42**/chair
	E8 Metallic Silver	**ONPT**	Platinum	Grade 2	**315 x 2 = 630**		
		ONWH	White	Grade 3	**333 x 2 = 666**		
				Grade 4	**371 x 2 = 742**		
				Grade 5	**388 x 2 = 776**		
				Grade 6	**437 x 2 = 874**		
				Grade 7	**799 x 2 = 1,598**		
				Grade 8	**484 x 2 = 968**		

ON31C



Standard features

- Ships 2 per carton
- Stacks 6 high
- Polypropylene back shell
- Upholstered seat
- Back flex of 2" (51 mm)
- 1", 13-gauge round steel tubing

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24	610
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors		Upholstery / List ($)		Casters ($)		Other options ($)	
ON31C	**E3** Black	**ONBK**	Black	Grade 1	**327 x 2 = 654**	**HDW**	Std	**SP**	**42**/chair
	E8 Metallic Silver	**ONPT**	Platinum	Grade 2	**337 x 2 = 674**	**SDW**	**26 x 2 = 52**		
		ONWH	White	Grade 3	**356 x 2 = 712**				
				Grade 4	**394 x 2 = 788**				
				Grade 5	**411 x 2 = 822**				
				Grade 6	**459 x 2 = 918**				
				Grade 7	**822 x 2 = 1,644**				
				Grade 8	**506 x 2 = 1,012**				

UPHOLSTERED BACK AND SEAT GUEST CHAIRS

SAMPLE ORDER: ON34-E3-SR01-SR01-SP

ON34

Standard features

- Ships 2 per carton
- Stacks 6 high
- Upholstered seat and back
- Back flex of 2" (51 mm)
- 1", 13-gauge round steel tubing
- Steel tubular frame arms
- Self-skinning polyurethane armrests
- High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32¾	857
Seat width	18¾	476	Overall width	23	584
Seat depth	18¼	463	Overall depth	24½	622
Back height	16	406	Width between arms	19½	495
Back width	18	457			

Model	Frame	Upholstery / List ($)		Other options ($)	
ON34	**E3** Black	Grade 1	**405 x 2 = 810**	**SP**	**42**/chair
	E8 Metallic Silver	Grade 2	**416 x 2 = 832**		
		Grade 3	**434 x 2 = 868**		
		Grade 4	**472 x 2 = 944**		
		Grade 5	**489 x 2 = 978**		
		Grade 6	**538 x 2 = 1,076**		
		Grade 7	**900 x 2 = 1,800**		
		Grade 8	**584 x 2 = 1,168**		

ON34C



Standard features

Ships 2 per carton
Stacks 4 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
Steel tubular frame arms
Self-skinning polyurethane armrests

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32 ¾	857
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24	610
Back height	16	406	Width between arms	19 ½	495
Back width	18	457			

Model	Frame	Upholstery / List ($)		Casters ($)		Other options ($)	
ON34C	**E3** Black	Grade 1	**427 x 2 = 854**	**HDW**	Std	**SP**	**42**/chair
	E8 Metallic Silver	Grade 2	**439 x 2 = 878**	**SDW**	**26 x 2 = 52**		
		Grade 3	**457 x 2 = 914**				
		Grade 4	**495 x 2 = 990**				
		Grade 5	**512 x 2 = 1,024**				
		Grade 6	**561 x 2 = 1,122**				
		Grade 7	**922 x 2 = 1,844**				
		Grade 8	**607 x 2 = 1,214**				

ON33

Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32 ¾	857
Seat width	18 ¾	476	Overall width	20 ½	517
Seat depth	18 ¼	463	Overall depth	24 ½	622
Back height	16	406			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Other options ($)	
ON33	**E3** Black	Grade 1	**360 x 2 = 720**	**SP**	**42**/chair
	E8 Metallic Silver	Grade 2	**371 x 2 = 742**		
		Grade 3	**389 x 2 = 778**		
		Grade 4	**427 x 2 = 854**		
		Grade 5	**444 x 2 = 888**		
		Grade 6	**493 x 2 = 986**		
		Grade 7	**855 x 2 = 1,710**		
		Grade 8	**540 x 2 = 1,080**		

ON33C



Standard features

Ships 2 per carton
Stacks 6 high
Upholstered seat and back
Back flex of 2" (51 mm)
1", 13-gauge round steel tubing

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32 ¾	857
Seat width	18 ¾	476	Overall width	20 ½	517
Seat depth	18 ¼	463	Overall depth	24	610
Back height	16	406			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Casters ($)		Other options ($)	
ON33C	**E3** Black	Grade 1	**383 x 2 = 766**	**HDW**	Std	**SP**	**42**/chair
	E8 Metallic Silver	Grade 2	**394 x 2 = 788**	**SDW**	**26 x 2 = 52**		
		Grade 3	**412 x 2 = 824**				
		Grade 4	**450 x 2 = 900**				
		Grade 5	**467 x 2 = 934**				
		Grade 6	**515 x 2 = 1,030**				
		Grade 7	**878 x 2 = 1,756**				
		Grade 8	**563 x 2 = 1,126**				

STOOL

SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: ON52-E3-SL01-SL01-FTL-P-CAB-HDW-AA5

ON52

Standard features

- Waterfall seat
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters
FA: Fixed arms with 10" PVC armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ½-32 3/16	673-818	Overall height	45 7/8-54 ½	1166-1384
Seat width	19	483	Overall width	25 ½	648
Seat depth	16 3/8-17 ½	416-444	Overall depth	24 ½	622
Back height	19 7/8-22	505-559	Width between arms	17 1/8	435
Back width	17 ¾	451			

Model	Frame	Upholstery / List ($)		Control		Cylinder ($)		Base ($)		Casters ($)		Arms ($)	
ON52	**E3** Black	Grade 1	**787**	**FTL**	Std	**P**	Std	**CAB**	Std	**HDW**	Std	**FA**	Std
		Grade 2	**799**			**SCL**	**78**			**SDW**	**26**	**AA5**	**31**
		Grade 3	**816**			**XTC**	**62**			**BRC**	**42**	**RPA**	**73**
		Grade 4	**855**							**BGL**	**31**		
		Grade 5	**872**										
		Grade 6	**920**										
		Grade 7	**1,282**										
		Grade 8	**967**										

ON51

Standard features

- Waterfall seat
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height
- Adjustable polished chrome footring

FTL: Synchronous control with forward tilt, 4-position back lock
CAB: Cast-aluminum base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ½-32 3/16	673-818	Overall height	45 7/8-54 ½	1166-1384
Seat width	19	483	Overall width	25 ½	648
Seat depth	16 3/8-17 ½	416-444	Overall depth	24 ½	622
Back height	19 7/8-22	505-559			
Back width	17 ¾	451			

Model	Frame	Upholstery / List ($)		Control		Cylinder ($)		Base ($)		Casters ($)	
ON51	**E3** Black	Grade 1	**748**	**FTL**	Std	**P**	Std	**CAB**	Std	**HDW**	Std
		Grade 2	**759**			**SCL**	**78**			**SDW**	**26**
		Grade 3	**777**			**XTC**	**62**			**BRC**	**42**
		Grade 4	**815**							**BGL**	**31**
		Grade 5	**832**								
		Grade 6	**881**								
		Grade 7	**1,243**								
		Grade 8	**928**								

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl, leather/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and arms, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters in chrome finish.

DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF



CONFERENCE CHAIRS

SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF

PP14



Standard features

- High back
- Upright back lock
- Integrated lumbar support
- **ST:** Swivel-tilt control
- **CP:** Chrome pneumatic cylinder
- **PCB:** Polished chrome base
- **CC:** Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24½-30	622-762	Overall height	40½-46	1029-1168
Seat width	16	406	Overall width	30¼	768
Seat depth	19½	495	Overall depth	26	660
Back height	24½	622	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
PP14	**E3** Black	Grade 1	**1,560**	**ST**	Std	**CP**	Std	**PCB**	Std	**CC**	Std	**CSB**	**52**
		Grade 2	**1,571**							**CF**	**120**	**CSW**	**52**
		Grade 3	**1,589**							**BGL**	**31**		
		Grade 4	**1,626**										
		Grade 5	**1,642**										
		Grade 6	**1,689**										
		Grade 7	**1,991**										
		Grade 8	**1,735**										

PP12



Standard features	
Medium back	**ST:** Swivel-tilt control
Upright back lock	**CP:** Chrome pneumatic cylinder
Integrated lumbar support	**PCB:** Polished chrome base
	CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	21 ½-27	546-686
Seat width	16	406
Seat depth	19 ½	495
Back height	21 ½	546
Back width	22	559

Dimensions	(in)	(mm)
Overall height	37 ½-43	953-1092
Overall width	30 ¼	768
Overall depth	26	660
Width between arms	19	483

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
PP12	**E3** Black	Grade 1	**1,456**	**ST**	Std	**CP**	Std	**PCB**	Std	**CC**	Std	**CSB**	**52**
		Grade 2	**1,467**							**CF**	**120**	**CSW**	**52**
		Grade 3	**1,485**							**BGL**	**31**		
		Grade 4	**1,522**										
		Grade 5	**1,538**										
		Grade 6	**1,585**										
		Grade 7	**1,887**										
		Grade 8	**1,631**										

PP4

Standard features	
Low back	**ST:** Swivel-tilt control
Upright back lock	**CP:** Chrome pneumatic cylinder
Integrated lumbar support	**PCB:** Polished chrome base
	CC: Chrome hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610
Seat width	16	406
Seat depth	19 ½	495
Back height	18 ½	470
Back width	22	559

Dimensions	(in)	(mm)
Overall height	34 ½-40	876-1016
Overall width	30 ¼	768
Overall depth	26	660
Width between arms	19	483

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
PP4	**E3** Black	Grade 1	**1,352**	**ST**	Std	**CP**	Std	**PCB**	Std	**CC**	Std	**CSB**	**52**
		Grade 2	**1,363**							**CF**	**120**	**CSW**	**52**
		Grade 3	**1,381**							**BGL**	**31**		
		Grade 4	**1,418**										
		Grade 5	**1,434**										
		Grade 6	**1,481**										
		Grade 7	**1,783**										
		Grade 8	**1,527**										

TASK

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: RD16-E3-AM24-AM24-XCON-P-NB-HDW-AA5

RD16

Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Back height adjustment
- Independently adjustable seat and back angle
- Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25½	648
Back height	22½-24	572-609	Width between arms	18	457
Back width	17½	445			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
RD16	**E3** Black	Grade 1	**613**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA5**	Std	**SSP** (1)	**80**
		Grade 2	**624**					**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**UP**	**174**
		Grade 3	**643**					**PCB**	**177**	**BRC**	**42**	**3D5**	**31**	**C33**	**130**
		Grade 4	**680**							**BGL**	**31**	**HWA5**	**57**		
		Grade 5	**698**												
		Grade 6	**746**												
		Grade 7	**1,108**												
		Grade 8	**794**												

RD15



Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Back height adjustment
- Independently adjustable seat and back angle
- Infinite tilt lock

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25½	648
Back height	22½-24	572-609			
Back width	17½	445			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
RD15	**E3** Black	Grade 1	**538**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**SSP** (1)	**80**
		Grade 2	**549**					**SB**	**62**	**SDW**	**26**	**UP**	**174**
		Grade 3	**567**					**PCB**	**177**	**BRC**	**42**	**C33**	**130**
		Grade 4	**605**							**BGL**	**31**		
		Grade 5	**622**										
		Grade 6	**671**										
		Grade 7	**1,033**										
		Grade 8	**718**										

(1) **SSP:** Comes with cast-aluminum base.

RD11

Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Back height adjustment
- Tilt lock

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25½	648
Back height	22½-24	572-609	Width between arms	18	457
Back width	17½	445			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
RD11	**E3** Black	Grade 1	**568**	Grade 5	**652**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA5**	Std	**UP**	**174**
		Grade 2	**579**	Grade 6	**701**					**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**597**	Grade 7	**1,063**					**PCB**	**177**	**BRC**	**42**	**3D5**	**31**		
		Grade 4	**635**	Grade 8	**748**							**BGL**	**31**	**HWA5**	**57**		

RD10



Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Back height adjustment
- Tilt lock

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25½	648
Back height	22½-24	572-609			
Back width	17½	445			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
RD10	**E3** Black	Grade 1	**493**	Grade 5	**577**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**UP**	**174**
		Grade 2	**504**	Grade 6	**625**					**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**522**	Grade 7	**988**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**561**	Grade 8	**673**							**BGL**	**31**		

RD6

Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Tilt lock

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA5: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15¾-20¼	400-514	Overall height	33-37½	838-953
Seat width	19	483	Overall width	29	737
Seat depth	16¼	413	Overall depth	25½	648
Back height	18½	470	Width between arms	18	457
Back width	16½	419			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
RD6	**E3** Black	Grade 1	**512**	Grade 5	**596**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA5**	Std	**UP**	**174**
		Grade 2	**523**	Grade 6	**645**					**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**541**	Grade 7	**1,007**					**PCB**	**177**	**BRC**	**42**	**3D5**	**31**		
		Grade 4	**579**	Grade 8	**692**							**BGL**	**31**	**HWA5**	**57**		

RD5



Standard features

- Tilt tension
- Black rugged outer polymer shell
- Integrated lumbar support
- Waterfall seat front
- Tilt lock

ST: Swivel-tilt control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15¾-20¼	400-514	Overall height	33-37½	838-953
Seat width	19	483	Overall width	26	660
Seat depth	16¼	413	Overall depth	25½	648
Back height	18½	470			
Back width	16½	419			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
RD5	**E3** Black	Grade 1	**437**	Grade 5	**521**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**UP**	**174**
		Grade 2	**448**	Grade 6	**569**					**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**466**	Grade 7	**932**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**504**	Grade 8	**617**							**BGL**	**31**		

STOOL

SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — SAMPLE ORDER: RD51-E3-AM24-AM24-SW-P-CAB-HDW

RD52

Standard features	
Black rugged outer polymer shell	**SW:** Swivel only control
Integrated lumbar support	**P:** Pneumatic seat height
Waterfall seat front	**CAB:** Cast-aluminum base
Seat depth adjustment	**HDW:** Hard dual-wheel casters
Adjustable polished chrome footring	**AA5:** Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23¼-28¾	591-730	Overall height	41½-47	1054-1194
Seat width	19	483	Overall width	29¾	756
Seat depth	16½-18½	413-470	Overall depth	30	762
Back height	19	483	Width between arms	18	457
Back width	16½	419			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
RD52	**E3** Black	Grade 1	**613**	**SW**	Std	**P**	Std	**CAB**	Std	**HDW**	Std	**AA5**	Std	**UP**	**174**
		Grade 2	**624**			**SCL**	**78**			**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**643**			**XTC**	**62**			**BRC**	**42**	**3D5**	**31**		
		Grade 4	**680**							**BGL**	**31**	**HWA5**	**57**		
		Grade 5	**698**												
		Grade 6	**746**												
		Grade 7	**1,108**												
		Grade 8	**794**												

RD51



Standard features	
Black rugged outer polymer shell	**SW:** Swivel only control
Integrated lumbar support	**P:** Pneumatic seat height
Waterfall seat front	**CAB:** Cast-aluminum base
Seat depth adjustment	**HDW:** Hard dual-wheel casters
Adjustable polished chrome footring	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23¼-28¾	591-730	Overall height	41½-47	1054-1194
Seat width	19	483	Overall width	26¾	679
Seat depth	16½-18½	413-470	Overall depth	30	762
Back height	19	483			
Back width	16½	419			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
RD51	**E3** Black	Grade 1	**538**	**SW**	Std	**P**	Std	**CAB**	Std	**HDW**	Std	**UP**	**174**
		Grade 2	**549**			**SCL**	**78**			**SDW**	**26**	**C33**	**130**
		Grade 3	**567**			**XTC**	**62**			**BRC**	**42**		
		Grade 4	**605**							**BGL**	**31**		
		Grade 5	**622**										
		Grade 6	**671**										
		Grade 7	**1,033**										
		Grade 8	**718**										

MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- SA10 and SA11 models with FA arms are available with Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available for SA13 and SA12 models. First code indicates the color choice of the soft mesh material for backrest; the second upholstery code is for the seat.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on SA11 and SA10 models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MANAGEMENT CHAIRS WITH MESH BACK — **SAMPLE ORDER: SA13-E3-MNE-AE16-FP-NB-HDW-FA**

SA13

Standard features

- Integrated lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- 4-position tilt lock
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 9" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SA13	**E3** Black	**MGR**	Grigio	Grade 1	**815**	**SYN**	Std	**NB**	Std	**HDW**	Std	**FA**	Std	**T**	N/C
		MNE	Nero	Grade 2	**827**	**FP**	**46**	**PCB**	**177**	**SDW**	**26**	**HA**	**29**		
		MPA	Panna	Grade 3	**844**					**BRC**	**42**	**4D**	**57**		
				Grade 4	**883**					**BGL**	**31**				
				Grade 5	**900**										
				Grade 6	**948**										
				Grade 7	**1,310**										
				Grade 8	**995**										

SA12

Standard features

- Integrated lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- 4-position tilt lock
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Mesh		Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Other options ($)	
SA12	**E3** Black	**MGR**	Grigio	Grade 1	**731**	**SYN**	Std	**NB**	Std	**HDW**	Std	**T**	N/C
		MNE	Nero	Grade 2	**743**	**FP**	**46**	**PCB**	**177**	**SDW**	**26**		
		MPA	Panna	Grade 3	**760**					**BRC**	**42**		
				Grade 4	**799**					**BGL**	**31**		
				Grade 5	**815**								
				Grade 6	**864**								
				Grade 7	**1,226**								
				Grade 8	**911**								

SA11

Standard features

- Integrated lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- 4-position tilt lock
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with 9" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SA11	**E3** Black	Grade 1	**749**	**SYN**	Std	**NB**	Std	**HDW**	Std	**FA**	Std	**T**	N/C
		Grade 2	**760**	**FP**	**46**	**PCB**	**177**	**SDW**	**26**	**HA**	**29**	**C33**	**130**
		Grade 3	**779**					**BRC**	**42**	**4D**	**57**		
		Grade 4	**818**					**BGL**	**31**				
		Grade 5	**836**										
		Grade 6	**887**										
		Grade 7	**1,264**										
		Grade 8	**936**										

SA10

Standard features

- Integrated lumbar support
- Black rugged outer polymer shell
- Tilt tension adjustment
- 4-position tilt lock
- Back height adjustment
- Seat depth adjustment
- Pneumatic seat height

SYN: Synchronous tilt control
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Upholstery / List ($)		Control ($)		Base ($)		Casters ($)		Other options ($)	
SA10	**E3** Black	Grade 1	**661**	**SYN**	Std	**NB**	Std	**HDW**	Std	**T**	N/C
		Grade 2	**673**	**FP**	**46**	**PCB**	**177**	**SDW**	**26**	**C33**	**130**
		Grade 3	**692**					**BRC**	**42**		
		Grade 4	**731**					**BGL**	**31**		
		Grade 5	**749**								
		Grade 6	**799**								
		Grade 7	**1,175**								
		Grade 8	**849**								

EXECUTIVE AND MANAGEMENT

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CPT06C-CPT06C-P-SB-SDW-3D3-C33

SVX16

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SVX16	**E3** Black	Grade 1	**705**	**P**	Std	**NB**	Std	**HDW**	Std	**AA3**	Std	**SSP**	**80**
		Grade 2	**716**			**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**732**			**PCB**	**177**	**BRC**	**42**	**FLA**	**15**	**PBG** (1)	**46**
		Grade 4	**768**					**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**783**							**3D3**	**31**		
		Grade 6	**827**							**RPA**	**73**		
		Grade 7	**1,159**										
		Grade 8	**870**										

SVX15

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648			
Back width	19	483			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SVX15	**E3** Black	Grade 1	**649**	**P**	Std	**NB**	Std	**HDW**	Std	**SSP**	**80**
		Grade 2	**659**			**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**676**			**PCB**	**177**	**BRC**	**42**	**PBG** (1)	**46**
		Grade 4	**710**					**BGL**	**31**		
		Grade 5	**726**								
		Grade 6	**771**								
		Grade 7	**1,102**								
		Grade 8	**813**								

(1) **PBG:** N/A with C33 option.

MANAGEMENT HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX11-E3-AE10-AE10-P-NB-BRC-AA3-PBG

SVX11

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SVX11	**E3** Black	Grade 1	**620**	**P**	Std	**NB**	Std	**HDW**	Std	**AA3**	Std	**SSP**	**80**
		Grade 2	**631**			**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**648**			**PCB**	**177**	**BRC**	**42**	**FLA**	**15**	**PBG** (1)	**46**
		Grade 4	**684**					**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**700**							**3D3**	**31**		
		Grade 6	**746**							**RPA**	**73**		
		Grade 7	**1,087**										
		Grade 8	**790**										

SVX10

Standard features

- Swivel-tilt control
- Tilt tension
- Infinite tilt lock
- Independently adjustable seat and back angle
- Fully upholstered back panel
- Forward seat pitch adjustment
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SVX10	**E3** Black	Grade 1	**562**	**P**	Std	**NB**	Std	**HDW**	Std	**SSP**	**80**
		Grade 2	**573**			**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**590**			**PCB**	**177**	**BRC**	**42**	**PBG** (1)	**46**
		Grade 4	**626**					**BGL**	**31**		
		Grade 5	**642**								
		Grade 6	**687**								
		Grade 7	**1,029**								
		Grade 8	**732**								

EXECUTIVE CHAIRS

SAMPLE ORDER: SV16-E3-CPT06C-CPT06C-STB-P-SB-SDW-3D3-C33

SV16

Standard features

- Tilt tension
- Tilt lock
- Fully upholstered back panel
- Patented adjustable lumbar

STB: Swivel-tilt control with back angle adjustment
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV16	**E3** Black	Grade 1	**675**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA3**	Std	**C33**	**130**
		Grade 2	**685**					**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**PBG** (1)	**46**
		Grade 3	**702**					**PCB**	**177**	**BRC**	**42**	**FLA**	**15**		
		Grade 4	**736**							**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**752**									**3D3**	**31**		
		Grade 6	**797**												
		Grade 7	**1,128**												
		Grade 8	**839**												

(1) **PBG:** N/A with C33 option.

EXECUTIVE CHAIRS

SAMPLE ORDER: SV15-E3-CPT06C-CPT06C-STB-P-SB-SDW-C33

SV15

Standard features

Tilt tension	**STB:** Swivel-tilt control with back angle adjustment
Tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
Patented adjustable lumbar	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV15	**E3** Black	Grade 1	**618**	**STB**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**628**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**645**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**680**							**BGL**	**31**		
		Grade 5	**696**										
		Grade 6	**739**										
		Grade 7	**1,071**										
		Grade 8	**783**										

MANAGEMENT SWIVEL-TILT CHAIRS

SAMPLE ORDER: SV11-E3-AE10-AE10-ST-P-NB-BRC-AA3

SV11

Standard features

Tilt tension	**ST:** Swivel-tilt control
Tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
Patented adjustable lumbar	**HDW:** Hard dual-wheel casters
	AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV11	**E3** Black	Grade 1	**562**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**AA3**	Std	**C33**	**130**
		Grade 2	**573**					**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**PBG** (1)	**46**
		Grade 3	**590**					**PCB**	**177**	**BRC**	**42**	**FLA**	**15**		
		Grade 4	**626**							**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**642**									**3D3**	**31**		
		Grade 6	**687**												
		Grade 7	**1,029**												
		Grade 8	**732**												

SV10

Standard features

Tilt tension	**ST:** Swivel-tilt control
Tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
Patented adjustable lumbar	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV10	**E3** Black	Grade 1	**503**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**515**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**531**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**567**							**BGL**	**31**		
		Grade 5	**583**										
		Grade 6	**629**										
		Grade 7	**970**										
		Grade 8	**673**										

(1) **PBG:** N/A with C33 option.

SV6

Standard features

- Swivel-tilt control with back angle adjustment
- Tilt tension
- Tilt lock
- Fully upholstered back panel
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)
Seat height	16¾-21¼	425-540
Seat width	21½	546
Seat depth	17½	445
Back height	21	533
Back width	18½	470

Dimensions	(in)	(mm)
Overall height	37½-42¼	953-1073
Overall width	27	686
Overall depth	26	660
Width between arms	18¼	464

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV6	**E3** Black	Grade 1	**589**	**P**	Std	**NB**	Std	**HDW**	Std	**AA3**	Std	**SSP**	**80**
		Grade 2	**599**			**SB**	**62**	**SDW**	**26**	**HLA**	**15**	**C33**	**130**
		Grade 3	**616**			**PCB**	**177**	**BRC**	**42**	**FLA**	**15**	**PBG** (1)	**46**
		Grade 4	**652**					**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**668**							**3D3**	**31**		
		Grade 6	**713**										
		Grade 7	**1,056**										
		Grade 8	**758**										

SV5

Standard features

- Swivel-tilt control with back angle adjustment
- Tilt tension
- Tilt lock
- Fully upholstered back panel
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	16¾-21¼	425-540
Seat width	21½	546
Seat depth	17½	445
Back height	21	533
Back width	18½	470

Dimensions	(in)	(mm)
Overall height	37½-42¼	953-1073
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV5	**E3** Black	Grade 1	**530**	**P**	Std	**NB**	Std	**HDW**	Std	**SSP**	**80**
		Grade 2	**541**			**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**557**			**PCB**	**177**	**BRC**	**42**	**PBG** (1)	**46**
		Grade 4	**594**					**BGL**	**31**		
		Grade 5	**609**								
		Grade 6	**655**								
		Grade 7	**996**								
		Grade 8	**700**								

(1) **PBG:** N/A with C33 option.

24-HOUR

SPECIFICATIONS

- Savvy 24-hour models are rated for 24 hours/7 days use.
- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- Heavy-duty cylinder and knee-tilt control.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-SD10-SD10-P-PCB-HDW-RPA

SV26

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar
- **P:** Pneumatic seat height
- **NB:** Nylon base
- **HDW:** Hard dual-wheel casters
- **HLA:** Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	20	508
Back width	19	483			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV26	**E3** Black	Grade 1	**816**	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33**	**130**
		Grade 2	**827**			**SB**	**62**	**SDW**	**26**	**RPA**	**73**	**PBG** (1)	**46**
		Grade 3	**844**			**PCB**	**177**	**BRC**	**42**				
		Grade 4	**880**					**BGL**	**31**				
		Grade 5	**896**										
		Grade 6	**941**										
		Grade 7	**1,283**										
		Grade 8	**986**										

SV25

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar
- **P:** Pneumatic seat height
- **NB:** Nylon base
- **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV25	**E3** Black	Grade 1	**753**	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**763**			**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**780**			**PCB**	**177**	**BRC**	**42**		
		Grade 4	**816**					**BGL**	**31**		
		Grade 5	**832**								
		Grade 6	**878**								
		Grade 7	**1,220**								
		Grade 8	**922**								

(1) **PBG:** N/A with C33 option.

SV24

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
SV24	**E3** Black	Grade 1	**710**	**P**	Std	**NB**	Std	**HDW**	Std	**HLA**	Std	**C33**	**130**
		Grade 2	**721**			**SB**	**62**	**SDW**	**26**	**RPA**	**73**	**PBG** (1)	**46**
		Grade 3	**738**			**PCB**	**177**	**BRC**	**42**				
		Grade 4	**774**					**BGL**	**31**				
		Grade 5	**790**										
		Grade 6	**835**										
		Grade 7	**1,177**										
		Grade 8	**880**										

SV23

Standard features

- Knee-tilt control
- Tilt tension
- 5-position tilt lock with forward seat pitch adjustment
- Fully upholstered back panel
- Patented adjustable lumbar

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
SV23	**E3** Black	Grade 1	**647**	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**657**			**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**674**			**PCB**	**177**	**BRC**	**42**		
		Grade 4	**710**					**BGL**	**31**		
		Grade 5	**726**								
		Grade 6	**772**								
		Grade 7	**1,114**								
		Grade 8	**816**								

(1) **PBG:** N/A with C33 option.

GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: SV32-E3-50F-50F-HLA

SV32

Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
Fully upholstered back panel

HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21½	546	Overall width	27	686
Seat depth	17½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18½	470			

Model	Frame	Upholstery / List ($)		Arms ($)		Other options ($)	
SV32	**E3** Black	Grade 1	**497**	**HLA**	Std	**C33**	**130**
		Grade 2	**509**	**FLA**	**15**	**PBG** (1)	**46**
		Grade 3	**525**				
		Grade 4	**563**				
		Grade 5	**578**				
		Grade 6	**625**				
		Grade 7	**973**				
		Grade 8	**671**				

SV31

Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
Fully upholstered back panel

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21½	546	Overall width	25	635
Seat depth	17½	445	Overall depth	26	660
Back height	21	533			
Back width	18½	470			

Model	Frame	Upholstery / List ($)		Other options ($)	
SV31	**E3** Black	Grade 1	**422**	**C33**	**130**
		Grade 2	**433**	**PBG** (1)	**46**
		Grade 3	**450**		
		Grade 4	**487**		
		Grade 5	**503**		
		Grade 6	**549**		
		Grade 7	**898**		
		Grade 8	**595**		

(1) **PBG:** N/A with C33 option.

STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — **SAMPLE ORDER: SV52-E3-SL25-SL25-P-HDW-HLA**

SV52

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Patented adjustable lumbar
- Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters
AA3: Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Arms ($)		Other options ($)	
SV52	**E3** Black	Grade 1	**693**	**P**	Std	**HDW**	Std	**AA3**	Std	**C33**	**130**
		Grade 2	**703**	**SCL**	**78**	**SDW**	**26**	**HLA**	**15**	**PBG** (1)	**46**
		Grade 3	**721**	**XTC**	**62**	**BRC**	**42**	**FLA**	**15**		
		Grade 4	**757**			**BGL**	**31**	**HWA3**	**57**		
		Grade 5	**774**					**3D3**	**31**		
		Grade 6	**820**								
		Grade 7	**1,168**								
		Grade 8	**865**								

SV51

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Patented adjustable lumbar
- Cast-aluminum base

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-29 ½	610-749	Overall height	44 ½-50	1130-1270
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Other options ($)	
SV51	**E3** Black	Grade 1	**632**	**P**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**644**	**SCL**	**78**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**660**	**XTC**	**62**	**BRC**	**42**		
		Grade 4	**698**			**BGL**	**31**		
		Grade 5	**713**						
		Grade 6	**760**						
		Grade 7	**1,109**						
		Grade 8	**806**						

(1) **PBG:** N/A with C33 option.

EXECUTIVE, MANAGEMENT AND CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

EXECUTIVE CHAIRS

SAMPLE ORDER: V216-E3-AE10-AE10-NB-HDW-4D

V216

Standard features

- Synchronous control
- Side tilt tension adjustment
- Patented adjustable lumbar support
- Seat depth adjustment
- Fully upholstered back panel
- Back angle adjustment
- Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters
4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	41½-46	1054-1168
Seat width	19½	495	Overall width	26½-28½	673-724
Seat depth	16½-18¾	419-476	Overall depth	26½	673
Back height	26	660	Width between arms	17½-19½	445-495
Back width	16¾	425			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
V216	**E3** Black	Grade 1	**831**	**NB**	Std	**HDW**	Std	**4D**	Std	**C33**	**130**
		Grade 2	**842**	**SB**	**62**	**SDW**	**26**				
		Grade 3	**860**	**PCB**	**177**	**BRC**	**42**				
		Grade 4	**896**			**BGL**	**31**				
		Grade 5	**913**								
		Grade 6	**960**								
		Grade 7	**1,262**								
		Grade 8	**1,006**								

V215

Standard features

- Synchronous control
- Side tilt tension adjustment
- Patented adjustable lumbar support
- Seat depth adjustment
- Fully upholstered back panel
- Back angle adjustment
- Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16½-21	419-533	Overall height	41½-46	1054-1168
Seat width	19½	495	Overall width	26	660
Seat depth	16½-18¾	419-476	Overall depth	26½	673
Back height	26	660			
Back width	16¾	425			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)		Other options ($)	
V215	**E3** Black	Grade 1	**775**	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**786**	**SB**	**62**	**SDW**	**26**		
		Grade 3	**804**	**PCB**	**177**	**BRC**	**42**		
		Grade 4	**840**			**BGL**	**31**		
		Grade 5	**857**						
		Grade 6	**904**						
		Grade 7	**1,205**						
		Grade 8	**950**						

MANAGEMENT CHAIRS

SAMPLE ORDER: V211-E3-DL01-DL01-NB-HDW-4D

V211

Standard features

- Synchronous control
- Side tilt tension adjustment
- Patented adjustable lumbar support
- Seat depth adjustment
- Fully upholstered back panel
- Back angle adjustment
- Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters
4D: Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26 ½-28 ½	673-724
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572	Width between arms	17 ½-19 ½	445-495
Back width	16 ¾	425			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
V211	**E3** Black	Grade 1	**742**	**NB**	Std	**HDW**	Std	**4D**	Std	**C33**	**130**
		Grade 2	**753**	**SB**	**62**	**SDW**	**26**				
		Grade 3	**771**	**PCB**	**177**	**BRC**	**42**				
		Grade 4	**807**			**BGL**	**31**				
		Grade 5	**824**								
		Grade 6	**870**								
		Grade 7	**1,172**								
		Grade 8	**916**								

V210

Standard features

- Synchronous control
- Side tilt tension adjustment
- Patented adjustable lumbar support
- Seat depth adjustment
- Fully upholstered back panel
- Back angle adjustment
- Pneumatic seat height

NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26	660
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572			
Back width	16 ¾	425			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)		Other options ($)	
V210	**E3** Black	Grade 1	**680**	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**692**	**SB**	**62**	**SDW**	**26**		
		Grade 3	**709**	**PCB**	**177**	**BRC**	**42**		
		Grade 4	**746**			**BGL**	**31**		
		Grade 5	**762**						
		Grade 6	**809**						
		Grade 7	**1,111**						
		Grade 8	**855**						

CONFERENCE CHAIR

SAMPLE ORDER: V214-E3-AE10-AE10-NB-HDW-FA

V214

Standard features

- Swivel only control
- Fully upholstered back panel
- Pneumatic seat height
- Integrated lumbar support

NB: Nylon base
HDW: Hard dual-wheel casters
FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	34 ¼-38 ¾	870-984
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
V214	**E3** Black	Grade 1	**619**	**NB**	Std	**HDW**	Std	**FA**	Std	**C33**	**130**
		Grade 2	**630**	**SB**	**62**	**SDW**	**26**				
		Grade 3	**648**	**PCB**	**177**	**BRC**	**42**				
		Grade 4	**684**			**BGL**	**31**				
		Grade 5	**701**								
		Grade 6	**748**								
		Grade 7	**1,049**								
		Grade 8	**794**								

GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS WITH CANTILEVERED SLED BASE

SAMPLE ORDER: V232-E3-AE10-AE10-FA

V232

Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17¾	451	Overall height	35½	902
Seat width	19½	495	Overall width	27	686
Seat depth	16¾	425	Overall depth	26½	673
Back height	20¾	527	Width between arms	18	457
Back width	16¾	425			

Model	Frame	Upholstery / List ($)		Arms ($)		Other options ($)	
V232	**E3** Black	Grade 1	**558**	**FA**	Std	**C33**	**130**
		Grade 2	**571**				
		Grade 3	**590**				
		Grade 4	**628**				
		Grade 5	**646**				
		Grade 6	**696**				
		Grade 7	**1,015**				
		Grade 8	**745**				

V231

Standard features

Cantilevered sled base of 1", 12-gauge steel tubing
Fully upholstered back panel
Integrated lumbar support

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17¾	451	Overall height	35½	902
Seat width	19½	495	Overall width	19½	495
Seat depth	16¾	425	Overall depth	26½	673
Back height	20¾	527			
Back width	16¾	425			

Model	Frame	Upholstery / List ($)		Other options ($)	
V231	**E3** Black	Grade 1	**478**	**C33**	**130**
		Grade 2	**491**		
		Grade 3	**510**		
		Grade 4	**549**		
		Grade 5	**567**		
		Grade 6	**617**		
		Grade 7	**939**		
		Grade 8	**666**		

STOOLS

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: V252-E3-SL23-SL23-P-HDW-FA

V252

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Cast-aluminum base
- Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters
FA: Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Arms ($)		Other options ($)	
V252	**E3** Black	Grade 1	**763**	**P**	Std	**HDW**	Std	**FA**	Std	**C33**	**130**
		Grade 2	**776**	**SCL**	**78**	**SDW**	**26**	**4D**	**57**		
		Grade 3	**794**	**XTC**	**62**	**BRC**	**42**				
		Grade 4	**832**			**BGL**	**31**				
		Grade 5	**849**								
		Grade 6	**898**								
		Grade 7	**1,212**								
		Grade 8	**945**								

V251

Standard features

- Swivel only control
- Adjustable polished chrome footring
- Fully upholstered back panel
- Cast-aluminum base
- Integrated lumbar support

P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List ($)		Cylinder ($)		Casters ($)		Other options ($)	
V251	**E3** Black	Grade 1	**697**	**P**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**708**	**SCL**	**78**	**SDW**	**26**		
		Grade 3	**727**	**XTC**	**62**	**BRC**	**42**		
		Grade 4	**764**			**BGL**	**31**		
		Grade 5	**782**						
		Grade 6	**831**						
		Grade 7	**1,144**						
		Grade 8	**878**						

ALL PURPOSE

SPECIFICATIONS

- All models ship assembled.
- When E8 Metallic Silver or E6 Medium Grey frame is chosen, all plastic components remain black.
- Footring color matches frame color.

ALL PURPOSE STOOLS

SAMPLE ORDER: 211S-E8-RG3

211S

Standard features
Low range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-25	432-635	Overall height	17-25	432-635
Seat diameter	14	356	Overall width	14 ½	368
			Overall depth	14 ½	368

Model	Frame/Footring	List ($)	Other options ($)	
211S	**E3** Black	**201**	**RG3**	**42**
	E6 Medium Grey			
	E8 Metallic Silver			

211T

Standard features
High range
Hardboard seat top
Footring
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-32	610-813	Overall height	24-32	610-813
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footring	List ($)	Other options ($)	
211T	**E3** Black	**224**	**RG3**	**42**
	E6 Medium Grey			
	E8 Metallic Silver			

221M

Standard features
Mid range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	22-27 ½	559-699
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footring	List ($)	Casters ($)		Other options ($)	
221M	**E3** Black	**287**	**CAS**	**27**	**CFR**	**46**
	E6 Medium Grey		**BRC**	**42**		
	E8 Metallic Silver					

221T



Standard features

High range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	26 ¾-32 ¼	679-819
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footring	List ($)	Casters ($)		Other options ($)	
221T	**E3** Black	**310**	**CAS**	**27**	**CFR**	**46**
	E6 Medium Grey		**BRC**	**42**		
	E8 Metallic Silver					

223M



Standard features

Mid range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	34 ½-42	876-1067
Seat diameter	14	356	Overall width	17	432
Back height	6 ⅜	162	Overall depth	17-20 ¼	432-514
Back width	12 ½	318			

Model	Frame/Footring	List ($)	Casters ($)		Other options ($)	
223M	**E3** Black	**327**	**CAS**	**27**	**CFR**	**46**
	E6 Medium Grey		**BRC**	**42**		
	E8 Metallic Silver					

223T



Standard features

High range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	39 ¼-46 ¾	997-1187
Seat diameter	14	356	Overall width	17	432
Back height	6 ⅜	162	Overall depth	17-20 ¼	432-514
Back width	12 ½	318			

Model	Frame/Footring	List ($)	Casters ($)		Other options ($)	
223T	**E3** Black	**349**	**CAS**	**27**	**CFR**	**46**
	E6 Medium Grey		**BRC**	**42**		
	E8 Metallic Silver					

DRAFTING

SPECIFICATIONS

- All models ship partially K.D. (minimum assembly required).
- Fabric/fabric, vinyl/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest (when applicable) and seat sides, the second upholstery is for the seat top only.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.

DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: D45L-E8-DN02-AE13-4LB-SDW



DRAFTING STOOLS — **SAMPLE ORDER: D41L-E8-DN02-AE13-4LB-SDW**

D41L



Standard features	
Low range	**4LB:** 4-legged steel base
Polished chrome footring	
Manual height adjustment	
Swivel seat	
Nylon glides	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19-27	483-686	Overall height	31-42	787-1067
Seat width	17	432	Overall width	17	432
Seat depth	16	406	Overall depth	17	432
Back height	10	254			
Back width	15	381			

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)	
D41L	**E3** Black	Grade 1	**476**	**4LB**	Std	**SDW**	**26**
	E6 Medium Grey	Grade 2	**490**	**5LB**	**29**	**BRC**	**42**
	E8 Metallic Silver	Grade 3	**511**			**HRC**	**73**
		Grade 4	**551**			**SRC**	**73**
		Grade 5	**574**				
		Grade 6	**636**				
		Grade 7	**1,046**				
		Grade 8	**699**				

= ASSEMBLY REQUIRED

D41H



Standard features

High range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base

Dimensions	(in)	(mm)
Seat height	25-33	635-838
Seat width	17	432
Seat depth	16	406
Back height	10	254

Dimensions	(in)	(mm)
Back width	15	381
Overall height	36-47	914-1194
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)	
D41H	**E3** Black	Grade 1	**499**	**4LB**	Std	**SDW**	**26**
	E6 Medium Grey	Grade 2	**513**	**5LB**	**29**	**BRC**	**42**
	E8 Metallic Silver	Grade 3	**534**			**HRC**	**73**
		Grade 4	**574**			**SRC**	**73**
		Grade 5	**597**				
		Grade 6	**659**				
		Grade 7	**1,069**				
		Grade 8	**722**				

D45L



Standard features

Low range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base

Dimensions	(in)	(mm)
Seat height	19-27	483-686
Seat diameter	16 ¼	413

Dimensions	(in)	(mm)
Overall height	19-29	483-737
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)	
D45L	**E3** Black	Grade 1	**367**	**4LB**	Std	**SDW**	**26**
	E6 Medium Grey	Grade 2	**381**	**5LB**	**29**	**BRC**	**42**
	E8 Metallic Silver	Grade 3	**401**			**HRC**	**73**
		Grade 4	**442**			**SRC**	**73**
		Grade 5	**465**				
		Grade 6	**527**				
		Grade 7	**937**				
		Grade 8	**590**				

D45H



Standard features

High range
Polished chrome footring
Manual height adjustment
Swivel seat
Nylon glides

4LB: 4-legged steel base

Dimensions	(in)	(mm)
Seat height	25-33	635-838
Seat diameter	16 ¼	413

Dimensions	(in)	(mm)
Overall height	25-33	635-838
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List ($)		Base ($)		Casters ($)	
D45H	**E3** Black	Grade 1	**390**	**4LB**	Std	**SDW**	**26**
	E6 Medium Grey	Grade 2	**404**	**5LB**	**29**	**BRC**	**42**
	E8 Metallic Silver	Grade 3	**424**			**HRC**	**73**
		Grade 4	**465**			**SRC**	**73**
		Grade 5	**488**				
		Grade 6	**551**				
		Grade 7	**960**				
		Grade 8	**613**				

= ASSEMBLY REQUIRED

INDUSTRIAL

SPECIFICATIONS

- All models ship assembled.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

INDUSTRIAL STOOLS

SAMPLE ORDER: 179S-E3-SW-P-NB-BRC

179S

Standard features

- Contoured polyurethane back and seat
- Manual back height adjustment

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	15-20	381-508
Seat width	18	457	Overall width	24	610
Seat depth	17	432	Overall depth	24	610
Back height	12	305			
Back width	16 ½	419			

Model	Frame	List ($)	Control ($)		Cylinder ($)		Base ($)		Casters ($)	
179S	**E3** Black	**723**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std
							PCB	**177**	**SDW**	**26**
									BRC	**42**
									BGL	**31**

179M



Standard features

- Contoured polyurethane back and seat
- Manual back height adjustment
- Adjustable polished chrome footring

SW: Swivel only control
P: Pneumatic seat height
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-33 ½	584-851	Overall height	23-33 ½	584-851
Seat width	18	457	Overall width	24	610
Seat depth	17	432	Overall depth	24	610
Back height	12	305			
Back width	16 ½	419			

Model	Frame	List ($)	Control ($)		Cylinder ($)		Base ($)		Casters ($)	
179M	**E3** Black	**827**	**SW**	Std	**XTC**	Std	**NB**	Std	**HDW**	Std
							PCB	**177**	**SDW**	**26**
									BRC	**42**
									BGL	**31**

MEDICAL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited vinyl selection.
- Upholstery selection limited to vinyls and C.O.V. only.
- C.O.V. available. Please refer to page 82.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

MEDICAL STOOLS — SAMPLE ORDER: D63-PC-PA84-SW-SCL-PCB-SDW

D63

Standard features

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
D63	**PC** Polished Chrome	Grade 1: Vinyls	**315**	Grade 6: Vinyls	**472**	**SW**	Std	**P**	Std	**PCB**	Std	**HDW**	Std	**C33**	**130**
		Grade 3: Vinyls	**348**	Grade 8: Vinyls	**534**			**SCL**	**151**			**SDW**	**26**		
		Grade 4: Vinyls	**388**									**BRC**	**42**		
		Grade 5: Vinyls	**411**									**BGL**	**31**		

DB63

Standard features

Upholstered back

SW: Swivel only control
P: Hand lever pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	28-35	711-889
Seat diameter	16 ¼	413	Overall width	23 ¼	591
Back height	10	254	Overall depth	24 ¼	616
Back width	15 ¼	387			

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
DB63	**PC** Polished Chrome	Grade 1: Vinyls	**427**	Grade 6: Vinyls	**584**	**SW**	Std	**P**	Std	**PCB**	Std	**HDW**	Std	**C33**	**130**
		Grade 3: Vinyls	**461**	Grade 8: Vinyls	**646**			**SCL**	**151**			**SDW**	**26**		
		Grade 4: Vinyls	**500**									**BRC**	**42**		
		Grade 5: Vinyls	**523**									**BGL**	**31**		

D65



Standard features

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
D65	**PC** Polished Chrome	Grade 1: Vinyls	**394**	Grade 6: Vinyls	**551**	**SW**	Std	**P**	Std	**PCB**	Std	**HDW**	Std	**C33**	**130**
		Grade 3: Vinyls	**427**	Grade 8: Vinyls	**612**			**SCL**	**151**			**SDW**	**26**		
		Grade 4: Vinyls	**467**									**BRC**	**42**		
		Grade 5: Vinyls	**489**									**BGL**	**31**		

D63X

Standard features

SW: Swivel only control
P: Ring-activated pneumatic seat height adjustment
PCB: Polished chrome base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20-27	508-686	Overall height	16-21	406-533
Seat diameter	15	381	Overall width	24	610
			Overall depth	24	610

Model	Frame	Upholstery / List ($)				Control ($)		Cylinder ($)		Base ($)		Casters ($)	
D63X	**PC** Polished Chrome	Grade 1: Vinyls	**858**	Grade 6: Vinyls	**987**	**SW**	Std	**CP**	Std	**PCB**	Std	**HDW**	Std
		Grade 3: Vinyls	**887**	Grade 8: Vinyls	**1,033**							**SDW**	**26**
		Grade 4: Vinyls	**924**									**BRC**	**42**
		Grade 5: Vinyls	**940**									**BGL**	**31**

GUEST AND STOOL

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: SW31-E3-RI26-RI26-DP

SW32



Standard features
Ships 4 per carton
Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33¼	845
Seat width	20½	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14½	368	Width between arms	18½	470
Back width	20½	521			

Model	Frame	Upholstery / List ($)		Other options ($)	
SW32	**E3** Black	Grade 1	**321 x 4 = 1,284**	**QP**	Std
		Grade 2	**330 x 4 = 1,320**	**DP**	**21**/chair
		Grade 3	**342 x 4 = 1,368**	**SP**	**42**/chair
		Grade 4	**369 x 4 = 1,476**		
		Grade 5	**381 x 4 = 1,524**		
		Grade 6	**415 x 4 = 1,660**		
		Grade 7	**675 x 4 = 2,700**		
		Grade 8	**449 x 4 = 1,796**		

SW31

Standard features
Ships 4 per carton
Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Metal floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33¼	845
Seat width	20½	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14½	368			
Back width	20½	521			

Model	Frame	Upholstery / List ($)		Other options ($)	
SW31	**E3** Black	Grade 1	**298 x 4 = 1,192**	**QP**	Std
		Grade 2	**307 x 4 = 1,228**	**DP**	**21**/chair
		Grade 3	**319 x 4 = 1,276**	**SP**	**42**/chair
		Grade 4	**346 x 4 = 1,384**		
		Grade 5	**358 x 4 = 1,432**		
		Grade 6	**392 x 4 = 1,568**		
		Grade 7	**652 x 4 = 2,608**		
		Grade 8	**426 x 4 = 1,704**		

GUEST CHAIR WITH CASTERS

SAMPLE ORDER: SW32C-E3-RI26-RI26-HDW-DP

SW32C

Standard features

Ships 2 per carton
Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Injection-molded arms

HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33¼	845
Seat width	20½	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14½	368	Width between arms	18½	470
Back width	20½	521			

Model	Frame	Upholstery / List ($)		Casters ($)		Other options ($)	
SW32C	**E3** Black	Grade 1	**406 x 2 = 812**	**HDW**	Std	**DP**	Std
		Grade 2	**417 x 2 = 834**	**SDW**	**26 x 2 = 52**	**SP**	**42**/chair
		Grade 3	**435 x 2 = 870**				
		Grade 4	**471 x 2 = 942**				
		Grade 5	**488 x 2 = 976**				
		Grade 6	**535 x 2 = 1,070**				
		Grade 7	**836 x 2 = 1,672**				
		Grade 8	**580 x 2 = 1,160**				

CAFÉ HEIGHT STOOL

SAMPLE ORDER: SW32H-E3-RI26-RI26

SW32H



Standard features

Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	34½	876	Overall height	58	1473
Seat width	19	483	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14½	368	Width between arms	18½	470
Back width	20½	521			

Model	Frame	Upholstery / List ($)	
SW32H	**E3** Black	Grade 1	**572**
		Grade 2	**583**
		Grade 3	**601**
		Grade 4	**638**
		Grade 5	**654**
		Grade 6	**701**
		Grade 7	**1,003**
		Grade 8	**747**

GUEST AND STOOL

SPECIFICATIONS

- All models ship assembled.

GUEST CHAIRS

SAMPLE ORDER: VR31-PC-CEY-QP

VR31

Standard features

Ships 4 per carton
Tubular steel frame
Wood maple veneer

PC: Polished chrome frame

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½	445	Overall height	34	864
Seat width	15 ¾	400	Overall width	20	508
Seat depth	15	381	Overall depth	18 ½	470
Back height	17	432			
Back width	15 ¾	400			

Model	Frame	Wood finish		List ($)	Other options ($)	
VR31	**PC** Polished chrome	**BAK**	Black	**404 x 4 = 1,616**	**QP**	Std
		CEY	Cherry		**DP**	**21**/chair
		NAP	Natural		**SP**	**42**/chair
		OMC	Espresso			
		WHT	White			

VR31M

Standard features

Ships 4 per carton
Tubular steel frame
Wood maple veneer

PC: Polished chrome frame

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29	737	Overall height	33	838
Seat width	16	406	Overall width	18	457
Seat depth	16	406	Overall depth	19	483
Back height	17	432			
Back width	18 ½	470			

Model	Frame	Wood finish		List ($)	Other options ($)	
VR31M	**PC** Polished chrome	**BAK**	Black	**404 x 4 = 1,616**	**QP**	Std
		CEY	Cherry		**DP**	**21**/chair
		NAP	Natural		**SP**	**42**/chair
		OMC	Espresso		**HH**	**78**/chair
		WHT	White			

CAFÉ HEIGHT STOOL

VR31H

Standard features

Tubular steel frame
Wood maple veneer

PC: Polished chrome frame

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29 ¼	743	Overall height	34 ½	876
Seat width	15 ½	394	Overall width	15 ½	394
Seat depth	15 ½	394	Overall depth	20 ½	521
Back height	6	152			
Back width	15 ½	394			

Model	Frame	Wood finish		List ($)
VR31H	**PC** Polished chrome	**BAK**	Black	**598**
		CEY	Cherry	
		NAP	Natural	
		OMC	Espresso	
		WHT	White	

CONFERENCE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

VENUS BACKREST STYLES

BACKREST SHAPES



CX DO

BACKREST SEAM CHOICES



C1 C2 C3 C4 C5

CONFERENCE CHAIRS

SAMPLE ORDER: VN14-E3-XM59-XM59-ST-P-NB-BRC-BU01-CX-C1

VN14

Standard features	
High back	**ST:** Swivel-tilt control
Infinite tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
	BU01: Polyurethane loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 ¼-24 ½	489-622	Overall height	44 ¾-50	1137-1270
Seat width	20 ½	521	Overall width	24	610
Seat depth	19 ¾	502	Overall depth	24	610
Back height	27 ¾	705	Width between arms	19 ¼	489
Back width	19 ¾	502			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Back shape		Back seam		Other options ($)	
VN14	**E3** Black	Grade 1	**931**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**BU01**	Std	**CX**	N/C	**C1**	N/C	**CSB**	**52**
		Grade 2	**942**			**CP**	**52**	**PCB**	**177**	**SDW**	**26**	**BU02**	**78**	**DO**	N/C	**C2**	**26**	**CSW**	**52**
		Grade 3	**960**							**BRC**	**42**	**BA01**	**104**			**C3**	**73**		
		Grade 4	**996**							**BGL**	**31**					**C4**	**88**		
		Grade 5	**1,013**							**CC**	**99**					**C5**	**99**		
		Grade 6	**1,060**							**CF**	**120**								
		Grade 7	**1,361**																
		Grade 8	**1,106**																

VN12

Standard features	
Mid back	**ST:** Swivel-tilt control
Infinite tilt lock	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
Integrated lumbar support	**HDW:** Hard dual-wheel casters
	BU01: Polyurethane loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19 ¼-24 ½	489-622	Overall height	39 ¼-44 ¼	997-1124
Seat width	20 ½	521	Overall width	24	610
Seat depth	19 ¾	502	Overall depth	24	610
Back height	22 ¼	565	Width between arms	19 ¼	489
Back width	19 ¾	502			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Back shape		Back seam		Other options ($)	
VN12	**E3** Black	Grade 1	**879**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**BU01**	Std	**CX**	N/C	**C1**	N/C	**CSB**	**52**
		Grade 2	**890**			**CP**	**52**	**PCB**	**177**	**SDW**	**26**	**BU02**	**78**	**DO**	N/C	**C2**	**26**	**CSW**	**52**
		Grade 3	**908**							**BRC**	**42**	**BA01**	**104**			**C3**	**73**		
		Grade 4	**944**							**BGL**	**31**					**C4**	**88**		
		Grade 5	**961**							**CC**	**99**					**C5**	**99**		
		Grade 6	**1,008**							**CF**	**120**								
		Grade 7	**1,309**																
		Grade 8	**1,054**																

BEAM-SEATING

SPECIFICATIONS

- All items ship assembled. Final assembly of layout is required. Hardware included.
- Privacy screen (ZGPS1) is not available in vinyl, leather or Crypton upholstery.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the 2-piece shell (ZG2S). First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Tables available in current Lacasse thermofused laminate selection.

ZAGO SOLUTIONS

For more Zago ideas, visit **www.groupelacasse.com**.







BEAMS

SAMPLE ORDER: ZG1P-E8

ZG1P

Standard features
1-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions	(in)	(mm)
Overall height	16	406
Overall width	24	610
Overall depth	23	584

Model	Frame	List ($)
ZG1P	**E8** Metallic Silver	**614**
	E9 Nu Nickel	

ZG2P

Standard features
2-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions	(in)	(mm)
Overall height	16	406
Overall width	48	1219
Overall depth	23	584

Model	Frame	List ($)
ZG2P	**E8** Metallic Silver	**780**
	E9 Nu Nickel	

ZG3P

Standard features
3-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions	(in)	(mm)
Overall height	16	406
Overall width	72	1828
Overall depth	23	584

Model	Frame	List ($)
ZG3P	**E8** Metallic Silver	**894**
	E9 Nu Nickel	

ZG4P



Standard features
4-seat beam
Nylon floor glides
14-gauge steel structure

Dimensions	(in)	(mm)
Overall height	16	406
Overall width	96	2438
Overall depth	23	584

Model	Frame	List ($)
ZG4P	**E8** Metallic Silver	**1,201**
	E9 Nu Nickel	

SEATS

SAMPLE ORDER: ZG10-CPT85-QP

ZG10



Standard features
Fully upholstered ottoman

Dimensions	(in)	(mm)
Seat thickness	2	51
Seat width	21	533
Seat depth	20	508

Dimensions on beam	(in)	(mm)
Seat height	19	480

Model	Upholstery / List ($)				Other options ($)	
ZG10	Grade 1	**234 x 4 = 936**	Grade 5	**316 x 4 = 1,264**	**QP**	N/C
	Grade 2	**245 x 4 = 980**	Grade 6	**363 x 4 = 1,452**	**TP**	**16**/seat
	Grade 3	**263 x 4 = 1,052**	Grade 7	**665 x 4 = 2,660**	**DP**	**21**/seat
	Grade 4	**300 x 4 = 1,200**	Grade 8	**409 x 4 = 1,636**	**SP**	**42**/seat

ZG2S



Standard features
2-piece shell
Fully upholstered
Flex effect

Dimensions	(in)	(mm)
Seat thickness	2	51
Seat width	20 ½	521
Seat depth	18	457
Back height	17	432
Back width	20	508

Dimensions on beam	(in)	(mm)
Overall height	34 ¼	870
Seat height	19	480

Model	Frame	Upholstery / List ($)				Other options ($)	
ZG2S	**E8** Metallic Silver	Grade 1	**468 x 4 = 1,872**	Grade 5	**550 x 4 = 2,200**	**QP**	N/C
	E9 Nu Nickel	Grade 2	**479 x 4 = 1,916**	Grade 6	**597 x 4 = 2,388**	**TP**	**16**/seat
		Grade 3	**497 x 4 = 1,988**	Grade 7	**899 x 4 = 3,596**	**DP**	**21**/seat
		Grade 4	**534 x 4 = 2,136**	Grade 8	**643 x 4 = 2,572**	**SP**	**42**/seat

Lacasse thermofused laminate finishes

ACA – Mahogany	**CER** – Cherry	**FOS** – Fossil	**GVR** – Frost	**NTL** – Natural Cherry	**TWT** – Tuscany Walnut
BUC – Bourbon Cherry	**CLY** – Clay	**GAN** – Anthracite Grey	**HZN** – Hazelnut	**PCM** – Parchment	**WGR** – Willow Grey
CAR – Caramello	**DCH** – Dark Chocolate	**GGI** – Grigio	**NCN** – Crystal Black	**RBY** – Ruby	
CCL – Classic Chocolate	**ERH** – Hard Rock Maple	**GIN** – Ginger	**NRM** – Natural Maple	**SNO** – Snow	

ZG21T



Standard features	Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Thermofused laminate square table, 1" thick	Width	21	533	Overall height	17	432
Hardware included	Depth	21	533			

Model	Laminate finish	List ($)	Other options ($)	
ZG21T		**364 x 4 = 1,456**	**QP**	N/C
			TP	**16**/unit
			DP	**21**/unit
			SP	**42**/unit

ZG90T



Standard features	Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Thermofused laminate 90-degree table, 1" thick	Width	43 ¼	1099	Overall height	17	432
Connecting beam included	Depth	23	584			
Hardware included						

Model	Frame	Laminate finish	List ($)
ZG90T	**E8** Metallic Silver		**884**
	E9 Nu Nickel		

ZG120T

Standard features	Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Thermofused laminate 120-degree table, 1" thick	Width	29 ½	749	Overall height	17	432
Connecting beam included	Depth	21 ½	349			
Hardware included						

Model	Frame	Laminate finish	List ($)
ZG120T	**E8** Metallic Silver		**676**
	E9 Nu Nickel		

ZG360T

Standard features	Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Thermofused laminate tri-directional table, 1" thick	Width	30 ¼	768	Overall height	17	432
Connecting beam included	Depth	27	685			
Hardware included						

Model	Frame	Laminate finish	List ($)
ZG360T	**E8** Metallic Silver		**884**
	E9 Nu Nickel		

ZG921T



Standard features	Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Thermofused laminate rectangular table, 1" thick	Width	21	533	Overall height	17	432
Connecting beam included	Depth	10	254			
Hardware included						

Model	Frame	Laminate finish	List ($)
ZG921T	**E8** Metallic Silver		**312**
	E9 Nu Nickel		

ZGPS1



Standard features

Privacy screen
Ready to install
Hardware included

Dimensions	(in)	(mm)
Height	48	1219
Width	21	533
Thickness	1	25

Dimensions on beam	(in)	(mm)
Overall height	56 ¼	1380
Overall depth	23 ¾	603

Model	Frame	Upholstery / List ($)		Other options ($)	
ZGPS1	**E8** Metallic Silver	Grade 1	**728 x 4 = 2,912**	**QP**	N/C
	E9 Nu Nickel	Grade 2	**739 x 4 = 2,956**	**TP**	**16**/unit
		Grade 3	**757 x 4 = 3,028**	**DP**	**21**/unit
		Grade 4	**794 x 4 = 3,176**	**SP**	**42**/unit
		Grade 5	**810 x 4 = 3,240**		
		Grade 6	**857 x 4 = 3,428**		
		Grade 7	**1,159 x 4 = 4,636**		
		Grade 8	**903 x 4 = 3,612**		

ZG1A

Standard features

Arm with polyurethane armcap
Painted steel structure
Hardware included

Dimensions	(in)	(mm)
Height	13 ½	362
Width	7	178
Depth	16	406

Dimensions on beam	(in)	(mm)
Overall height	26 ¼	667

Model	Frame	List ($)	Other options ($)	
ZG1A	**E8** Metallic Silver	**364 x 5 = 1,820**	**5P**	N/C
	E9 Nu Nickel		**QP**	**10**/unit
			TP	**16**/unit
			DP	**21**/unit
			SP	**42**/unit

ZG1F

Standard features

Single metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List ($)
ZG1F	**E8** Metallic Silver	**83**
	E9 Nu Nickel	

ZG2F



Standard features

Double metal floor anchor
Includes 2 anchors and hardware

Model	Frame	List ($)
ZG2F	**E8** Metallic Silver	**104**
	E9 Nu Nickel	

ZG1E



Standard features

Electric outlet
Hardware included

Model	Frame	List ($)
ZG1E	**E8** Metallic Silver	**530**
	E9 Nu Nickel	

TASK

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: ZPX11-E3-53F-53F-XCON-P-NB-SDW-HWA3

ZPX11

Standard features

- Tilt tension
- Back height adjustment
- Back angle adjustment with infinite lock
- Fully upholstered back panel
- Free-floating seat tilt with infinite lock
- Heavy-duty tilt tension control

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HWA3: Height and width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	25 ½	648
Seat depth	17	432	Overall depth	24 ½	622
Back height	16 ½-20	419-508	Width between arms	18 ¼	464
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
ZPX11	**E3** Black	Grade 1	**568**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HWA3**	Std	**C33**	**130**
		Grade 2	**579**					**SB**	**62**	**SDW**	**26**	**3D3**	**31**	**SSP**	**80**
		Grade 3	**597**					**PCB**	**177**	**BRC**	**42**			**PBG** (1)	**46**
		Grade 4	**635**							**BGL**	**31**				
		Grade 5	**652**												
		Grade 6	**714**												
		Grade 7	**1,116**												
		Grade 8	**775**												

ZPX10



Standard features

- Tilt tension
- Back height adjustment
- Back angle adjustment with infinite lock
- Fully upholstered back panel
- Free-floating seat tilt with infinite lock
- Heavy-duty tilt tension control

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	24 ½	622
Seat depth	17	432	Overall depth	24 ½	622
Back height	16 ½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
ZPX10	**E3** Black	Grade 1	**497**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**509**					**SB**	**62**	**SDW**	**26**	**SSP**	**80**
		Grade 3	**526**					**PCB**	**177**	**BRC**	**42**	**PBG** (1)	**46**
		Grade 4	**565**							**BGL**	**31**		
		Grade 5	**581**										
		Grade 6	**644**										
		Grade 7	**1,045**										
		Grade 8	**704**										

(1) **PBG:** N/A with C33 option.

ZP11

Standard features

Tilt lock	**ST:** Swivel-tilt control
Tilt tension	**P:** Pneumatic seat height
Back height adjustment	**NB:** Nylon base
Fully upholstered back panel	**HDW:** Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	25 ½	648
Seat depth	17 ½	445	Overall depth	24 ½	622
Back height	16 ½-20	419-508	Width between arms	18 ¼	464
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
ZP11	**E3** Black	Grade 1	**383**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**PA3**	Std	**C33**	**130**
		Grade 2	**394**					**SB**	**62**	**SDW**	**26**	**AA3**	**31**	**PBG** (1)	**46**
		Grade 3	**412**					**PCB**	**177**	**BRC**	**42**	**HWA3**	**57**		
		Grade 4	**450**							**BGL**	**31**	**3D3**	**31**		
		Grade 5	**467**												
		Grade 6	**528**												
		Grade 7	**930**												
		Grade 8	**590**												

ZP10



Standard features

Tilt lock	**ST:** Swivel-tilt control
Tilt tension	**P:** Pneumatic seat height
Back height adjustment	**NB:** Nylon base
Fully upholstered back panel	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	24 ½	622
Seat depth	17 ½	445	Overall depth	24 ½	622
Back height	16 ½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
ZP10	**E3** Black	Grade 1	**337**	**ST**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**348**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**367**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**405**							**BGL**	**31**		
		Grade 5	**422**										
		Grade 6	**484**										
		Grade 7	**885**										
		Grade 8	**544**										

ZP6

Standard features

Back height adjustment	**SW:** Swivel only control
Back depth adjustment	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
	HDW: Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	25 ½	648
Seat depth	17 ½	445	Overall depth	24	610
Back height	16 ½-20	419-508	Width between arms	18 ¼	464
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
ZP6	**E3** Black	Grade 1	**360**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**PA3**	Std	**C33**	**130**
		Grade 2	**371**					**SB**	**62**	**SDW**	**26**	**AA3**	**31**	**PBG** (1)	**46**
		Grade 3	**389**					**PCB**	**177**	**BRC**	**42**	**HWA3**	**57**		
		Grade 4	**405**							**BGL**	**31**	**3D3**	**31**		
		Grade 5	**422**												
		Grade 6	**484**												
		Grade 7	**885**												
		Grade 8	**544**												

ZP5



Standard features

Back height adjustment	**SW:** Swivel only control
Back depth adjustment	**P:** Pneumatic seat height
Fully upholstered back panel	**NB:** Nylon base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20 ½	521	Overall width	23	584
Seat depth	17 ½	445	Overall depth	24	610
Back height	16 ½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
ZP5	**E3** Black	Grade 1	**315**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**327**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**344**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**383**							**BGL**	**31**		
		Grade 5	**399**										
		Grade 6	**461**										
		Grade 7	**863**										
		Grade 8	**522**										

(1) **PBG:** N/A with C33 option.

ZP2

Standard features	
Back depth adjustment	**SW:** Swivel only control
Fully upholstered back panel	**P:** Pneumatic seat height
	NB: Nylon base
	HDW: Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions	(in)	(mm)
Overall height	34-39	864-991
Overall width	25 ½	648
Overall depth	24	610
Width between arms	18 ¼	464

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
ZP2	**E3** Black	Grade 1	**327**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**PA3**	Std	**C33**	**130**
		Grade 2	**337**					**SB**	**62**	**SDW**	**26**	**AA3**	**31**	**PBG** (1)	**46**
		Grade 3	**356**					**PCB**	**177**	**BRC**	**42**	**HWA3**	**57**		
		Grade 4	**394**							**BGL**	**31**	**3D3**	**31**		
		Grade 5	**411**												
		Grade 6	**472**												
		Grade 7	**874**												
		Grade 8	**534**												

ZP1



Standard features	
Back depth adjustment	**SW:** Swivel only control
Fully upholstered back panel	**P:** Pneumatic seat height
	NB: Nylon base
	HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	16-21	406-533
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	16 ½-20	419-508
Back width	18	457

Dimensions	(in)	(mm)
Overall height	34-39	864-991
Overall width	23	584
Overall depth	24	610

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
ZP1	**E3** Black	Grade 1	**281**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**292**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**311**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**348**							**BGL**	**31**		
		Grade 5	**366**										
		Grade 6	**427**										
		Grade 7	**829**										
		Grade 8	**488**										

(1) **PBG:** N/A with C33 option.

STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS — SAMPLE ORDER: ZP52-E3-PA10-PA10-SW-XTC-SB-HDW-AA3

ZP52

Standard features	
Back height adjustment	**SW:** Swivel only control
Back depth adjustment	**P:** Pneumatic seat height
Fully upholstered back panel	**SB:** Steel base
Foot support	**HDW:** Hard dual-wheel casters
	PA3: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
ZP52	**E3** Black	Grade 1	**484**	**SW**	Std	**P**	Std	**SB**	Std	**HDW**	Std	**PA3**	Std	**CFR** (1)	**46**
		Grade 2	**495**			**SCL**	**78**			**SDW**	**26**	**AA3**	**31**	**C33**	**130**
		Grade 3	**513**			**XTC**	**62**			**BRC**	**42**	**HWA3**	**57**	**PBG** (2)	**46**
		Grade 4	**551**							**BGL**	**31**	**3D3**	**31**		
		Grade 5	**568**												
		Grade 6	**630**												
		Grade 7	**1,032**												
		Grade 8	**691**												

ZP51

Standard features	
Back height adjustment	**SW:** Swivel only control
Back depth adjustment	**P:** Pneumatic seat height
Fully upholstered back panel	**SB:** Steel base
Foot support	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
ZP51	**E3** Black	Grade 1	**439**	**SW**	Std	**P**	Std	**SB**	Std	**HDW**	Std	**CFR** (1)	**46**
		Grade 2	**450**			**SCL**	**78**			**SDW**	**26**	**C33**	**130**
		Grade 3	**468**			**XTC**	**62**			**BRC**	**42**	**PBG** (2)	**46**
		Grade 4	**506**							**BGL**	**31**		
		Grade 5	**523**										
		Grade 6	**584**										
		Grade 7	**987**										
		Grade 8	**646**										

(1) **IMPORTANT – CFR:** Footrest will be changed for a footring, chrome finish.
(2) **PBG:** N/A with C33 option.

TASK

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

TASK CHAIRS

SAMPLE ORDER: NSX11-E3-CPT37-CPT37-XCON-P-NB-HDW-HWA4

NSX11

Standard features

- Infinite tilt lock
- Tilt tension
- Free-floating seat tilt
- Back height adjustment
- Independently adjustable seat and back angle
- Fully upholstered back panel

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
HWA4: Height and width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21½	457-546	Width between arms	18 ¼	464
Back width	17 ½	445			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
NSX11	**E3** Black	Grade 1	**619**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**HWA4**	Std	**SSP**	**80**
		Grade 2	**630**					**SB**	**62**	**SDW**	**26**	**3D4**	**31**	**C33**	**130**
		Grade 3	**648**					**PCB**	**177**	**BRC**	**42**			**PBG** (1)	**46**
		Grade 4	**686**							**BGL**	**31**				
		Grade 5	**703**												
		Grade 6	**764**												
		Grade 7	**1,167**												
		Grade 8	**826**												

NSX10



Standard features

- Infinite tilt lock
- Tilt tension
- Free-floating seat tilt
- Back height adjustment
- Independently adjustable seat and back angle
- Fully upholstered back panel

XCON: Multifunction control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21½	457-546			
Back width	17 ½	445			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
NSX10	**E3** Black	Grade 1	**537**	**XCON**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**SSP**	**80**
		Grade 2	**548**					**SB**	**62**	**SDW**	**26**	**C33**	**130**
		Grade 3	**566**					**PCB**	**177**	**BRC**	**42**	**PBG** (1)	**46**
		Grade 4	**604**							**BGL**	**31**		
		Grade 5	**621**										
		Grade 6	**683**										
		Grade 7	**1,085**										
		Grade 8	**744**										

(1) **PBG:** N/A with C33 option.

NS2

Standard features

- Back height adjustment
- Back depth adjustment
- Fully upholstered back panel

SW: Swivel only control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
UA: Fixed arms with upholstered armrests

Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-540
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	17 ½-21	445-533
Back width	17	432

Dimensions	(in)	(mm)
Overall height	32 ½-40 ¼	826-1022
Overall width	23 ½	597
Overall depth	25	635
Width between arms	19	483

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
NS2	**E3** Black	Grade 1	**366**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**UA**	Std	**C33**	**130**
		Grade 2	**376**					**SB**	**62**	**SDW**	**26**	**PA4**	**29**	**PBG** (1)	**46**
		Grade 3	**395**					**PCB**	**177**	**BRC**	**42**	**AA4**	**31**		
		Grade 4	**433**							**BGL**	**31**	**HWA4**	**57**		
		Grade 5	**450**									**3D4**	**31**		
		Grade 6	**512**												
		Grade 7	**913**												
		Grade 8	**573**												

NS1

Standard features

- Back height adjustment
- Back depth adjustment
- Fully upholstered back panel

SW: Swivel only control
P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters

Dimensions	(in)	(mm)
Seat height	17-21 ¼	432-540
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	17 ½-21	445-533
Back width	17	432

Dimensions	(in)	(mm)
Overall height	32 ½-40 ¼	826-1022
Overall width	23 ½	597
Overall depth	25	635

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
NS1	**E3** Black	Grade 1	**315**	**SW**	Std	**P**	Std	**NB**	Std	**HDW**	Std	**C33**	**130**
		Grade 2	**327**					**SB**	**62**	**SDW**	**26**	**PBG** (1)	**46**
		Grade 3	**344**					**PCB**	**177**	**BRC**	**42**		
		Grade 4	**383**							**BGL**	**31**		
		Grade 5	**399**										
		Grade 6	**461**										
		Grade 7	**863**										
		Grade 8	**522**										

(1) **PBG:** N/A with C33 option.

GUEST

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG) option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: NS32-E3-SR05-SR05-PA4

NS32

Standard features

- Back height adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Cantilevered sled base of 1", 12-gauge steel tubing

UA: Fixed arms with upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¾	883
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List ($)		Arms ($)		Other options ($)	
NS32	**E3** Black	Grade 1	**371**	**UA**	Std	**C33**	**130**
		Grade 2	**383**	**PA4**	**29**	**PBG** (1)	**46**
		Grade 3	**400**	**AA4**	**31**		
		Grade 4	**439**				
		Grade 5	**456**				
		Grade 6	**518**				
		Grade 7	**919**				
		Grade 8	**578**				

NS31

Standard features

- Back height adjustment
- Seat depth adjustment
- Fully upholstered back panel
- Cantilevered sled base of 1", 12-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¼	870
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419			
Back width	17	432			

Model	Frame	Upholstery / List ($)		Other options ($)	
NS31	**E3** Black	Grade 1	**320**	**C33**	**130**
		Grade 2	**332**	**PBG** (1)	**46**
		Grade 3	**349**		
		Grade 4	**388**		
		Grade 5	**405**		
		Grade 6	**467**		
		Grade 7	**868**		
		Grade 8	**527**		

(1) **PBG:** N/A with PBG option.

STOOL

SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS

SAMPLE ORDER: NS52-E3-SL19-SL19-SW-XTC-SB-HDW-UA

NS52

Standard features

Back height adjustment	**SW:** Swivel only control
Foot support	**P:** Pneumatic seat height
Back depth adjustment	**SB:** Steel base
Fully upholstered back panel	**HDW:** Hard dual-wheel casters
	UA: Fixed arms with upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Arms ($)		Other options ($)	
NS52	**E3** Black	Grade 1	**478**	**SW**	Std	**P**	Std	**SB**	Std	**HDW**	Std	**UA**	Std	**CFR** (1)	**46**
		Grade 2	**489**			**SCL**	**78**			**SDW**	**26**	**PA4**	**29**	**C33**	**130**
		Grade 3	**508**			**XTC**	**62**			**BRC**	**42**	**AA4**	**31**	**PBG** (2)	**46**
		Grade 4	**546**							**BGL**	**31**	**HWA4**	**57**		
		Grade 5	**563**									**3D4**	**31**		
		Grade 6	**624**												
		Grade 7	**1,025**												
		Grade 8	**685**												

NS51

Standard features

Back height adjustment	**SW:** Swivel only control
Foot support	**P:** Pneumatic seat height
Back depth adjustment	**SB:** Steel base
Fully upholstered back panel	**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List ($)		Control ($)		Cylinder ($)		Base ($)		Casters ($)		Other options ($)	
NS51	**E3** Black	Grade 1	**427**	**SW**	Std	**P**	Std	**SB**	Std	**HDW**	Std	**CFR** (1)	**46**
		Grade 2	**439**			**SCL**	**78**			**SDW**	**26**	**C33**	**130**
		Grade 3	**457**			**XTC**	**62**			**BRC**	**42**	**PBG** (2)	**46**
		Grade 4	**495**							**BGL**	**31**		
		Grade 5	**512**										
		Grade 6	**574**										
		Grade 7	**976**										
		Grade 8	**634**										

(1) **IMPORTANT – CFR:** Footrest will be changed for a footring, chrome finish.
(2) **PBG:** N/A with C33 option.

STACK

SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- Chairs will not stack with optional bookrack and/or with tablet arm.
- P33 option meets Cal-133 compliance. Limited polypropylene (black FS33 only) and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.

POLYPROPYLENE BACK AND SEAT STACK CHAIRS

SAMPLE ORDER: FE02-PC-FS01

FE02

Standard features

Ships 4 per carton
7/16" solid steel frame
Polypropylene shell
Black polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343	Width between arms	19 ⅜	492
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	List ($)	Other options ($)	
FE02	**E3** Black	**FS01** White	**202 x 4 = 808**	**DP**	**21**/chair
	PC Polished Chrome	**FS03** Black		**SP**	**42**/chair
		FS04 Navy		**P33** (2)	**45**/chair
		FS06 Red			
		FS08 Yellow			
		FS14 Gray			
		FS15 Orange			
		FS21 Green			
		FS27 Blue			
		FS33 Black Cal-133 (1)			

FE01



Standard features

Ships 4 per carton
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	17 ½	445
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	List ($)	Other options ($)	
FE01	**E3** Black	**FS01** White	**142 x 4 = 568**	**DP**	**21**/chair
	PC Polished Chrome	**FS03** Black		**SP**	**42**/chair
		FS04 Navy		**P33** (2)	**45**/chair
		FS06 Red			
		FS08 Yellow			
		FS14 Gray			
		FS15 Orange			
		FS21 Green			
		FS27 Blue			
		FS33 Black Cal-133 (1)			

(1) **FS33:** Requires P33 option.
(2) **P33:** FS33 only.

UPHOLSTERED BACK AND SEAT STACK CHAIRS

SAMPLE ORDER: FE04-E3-FS27-AE16-SP

FE04

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell
Black polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343	Width between arms	19 ⅜	492
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE04	**E3** Black	**FS01** White	Grade 1	**290 x 2 = 580**	**SP**	**42**/chair
	PC Polished chrome	**FS03** Black	Grade 2	**309 x 2 = 618**	**P33** (2)	**45**/chair
		FS04 Navy	Grade 3	**332 x 2 = 664**		
		FS06 Red	Grade 4	**359 x 2 = 718**		
		FS08 Yellow	Grade 5	**387 x 2 = 774**		
		FS14 Gray	Grade 6	**449 x 2 = 898**		
		FS15 Orange	Grade 7	**859 x 2 = 1,718**		
		FS21 Green	Grade 8	**512 x 2 = 1,024**		
		FS27 Blue				
		FS33 Black Cal-133 (1)				

FE03

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	17 ½	445
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343			
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE03	**E3** Black	**FS01** White	Grade 1	**231 x 2 = 462**	**SP**	**42**/chair
	PC Polished chrome	**FS03** Black	Grade 2	**249 x 2 = 498**	**P33** (2)	**45**/chair
		FS04 Navy	Grade 3	**271 x 2 = 542**		
		FS06 Red	Grade 4	**300 x 2 = 600**		
		FS08 Yellow	Grade 5	**327 x 2 = 654**		
		FS14 Gray	Grade 6	**390 x 2 = 780**		
		FS15 Orange	Grade 7	**800 x 2 = 1,600**		
		FS21 Green	Grade 8	**452 x 2 = 904**		
		FS27 Blue				
		FS33 Black Cal-133 (1)				

POLYPROPYLENE BACK / UPHOLSTERED SEAT STACK CHAIRS

SAMPLE ORDER: FE06-E3-FS14-SD08

FE06

Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell
Polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 ½	445	Overall width	22	559
Seat depth	17 ¼	438	Overall depth	22 ½	572
Back height	13 ½	343	Width between arms	19 ⅜	492
Back width	17 ½	445			

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE06	**E3** Black	**FS01** White	Grade 1	**262 x 2 = 524**	**SP**	**42**/chair
	PC Polished chrome	**FS03** Black	Grade 2	**280 x 2 = 560**	**P33** (2)	**45**/chair
		FS04 Navy	Grade 3	**303 x 2 = 606**		
		FS06 Red	Grade 4	**331 x 2 = 662**		
		FS08 Yellow	Grade 5	**358 x 2 = 716**		
		FS14 Gray	Grade 6	**421 x 2 = 842**		
		FS15 Orange	Grade 7	**831 x 2 = 1,662**		
		FS21 Green	Grade 8	**483 x 2 = 966**		
		FS27 Blue				
		FS33 Black Cal-133 (1)				

(1) **FS33:** Requires P33 option.
(2) **P33:** FS33 only.

POLYPROPYLENE BACK / UPHOLSTERED SEAT STACK CHAIRS

SAMPLE ORDER: FE05-E3-FS14-SD08

FE05



Standard features

Ships 2 per carton
7/16" solid steel frame
Polypropylene shell

Dimensions	(in)	(mm)
Seat height	17	432
Seat width	17 ½	445
Seat depth	17 ¼	438
Back height	13 ½	343
Back width	17 ½	445

Dimensions	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 ½	572

Model	Frame	Polypropylene shell color	Upholstery / List ($)		Other options ($)	
FE05	**E3** Black	**FS01** White	Grade 1	**202 x 2 = 404**	**SP**	**42**/chair
	PC Polished chrome	**FS03** Black	Grade 2	**220 x 2 = 440**	**P33** (2)	**45**/chair
		FS04 Navy	Grade 3	**243 x 2 = 486**		
		FS06 Red	Grade 4	**270 x 2 = 540**		
		FS08 Yellow	Grade 5	**298 x 2 = 596**		
		FS14 Gray	Grade 6	**362 x 2 = 724**		
		FS15 Orange	Grade 7	**771 x 2 = 1,542**		
		FS21 Green	Grade 8	**423 x 2 = 846**		
		FS27 Blue				
		FS33 Black Cal-133 (1)				

ACCESSORIES

FEDY

Standard features

Stacking dolly, black only
Enamel steel frame
To stack **40 FE01** or **40 FE02** models only

Dimensions	(in)	(mm)
Overall width	23 ½	597
Overall depth	28 ½	724

Overall dimensions of dolly with 40 chairs	(in)	(mm)
Total height	69	1753
Total width	24	610
Total depth	38	965

Model	List ($)
FEDY	**574**

UPFEDY

Standard features

Stacking dolly, black only
Enamel steel frame
To stack **22 FE03**, **FE04**, **FE05**, or **FE06** models

Dimensions	(in)	(mm)
Overall width	21 ¼	540
Overall depth	28 ½	724

Overall dimensions of dolly with 22 chairs	(in)	(mm)
Total height	66	1676
Total width	21 ¼	540
Total depth	34	864

Model	List ($)
UPFEDY	**574**

FEBR



Standard features

Chrome bookrack
Field installation
Bookrack snaps on and off
Does not allow permanent attachment

Model	List ($)
FEBR	**84**

(1) **FS33:** Requires P33 option.
(2) **P33:** FS33 only.

FETL



Standard features

Tablet arm (left) — For **FE01**, **FE03** and **FE05** only
Field installation
Chrome frame with black writing surface
Tablet arm flips up but does not articulate

Dimensions	(in)	(mm)
Tablet width	10½	267
Overall width	11½	292
Overall depth	20½	521

Model	List ($)
FETL	**166**

FETR



Standard features

Tablet arm (right) — For **FE01**, **FE03** and **FE05** only
Field installation
Chrome frame with black writing surface
Tablet arm flips up but does not articulate

Dimensions	(in)	(mm)
Tablet width	10½	267
Overall width	11½	292
Overall depth	20½	521

Model	List ($)
FETR	**166**

FEGANG

Standard features

Ganging kit
Field installation
Gangs 2 chairs without arms together. Arm to armless models will gang together
Chair with a tablet arm adjacent to another tablet arm cannot be ganged together

Model	List ($)
FEGANG	**23**

GUEST

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: 7732-E3-AE21-AE21-SP

7732

Standard features
Ships 4 per carton
Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Metal floor glides
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17½	445	Overall height	31	787
Seat width	18	457	Overall width	23¾	603
Seat depth	17½	445	Overall depth	21	533
Back height	14½	368	Width between arms	20¾	527
Back width	17½	445			

Model	Frame	Upholstery / List ($)		Other options ($)	
7732	**E3** Black	Grade 1	**321 x 4 = 1,284**	**QP**	Std
		Grade 2	**330 x 4 = 1,320**	**DP**	**21**/chair
		Grade 3	**342 x 4 = 1,368**	**SP**	**42**/chair
		Grade 4	**369 x 4 = 1,476**		
		Grade 5	**381 x 4 = 1,524**		
		Grade 6	**415 x 4 = 1,660**		
		Grade 7	**675 x 4 = 2,700**		
		Grade 8	**449 x 4 = 1,796**		

7731

Standard features
Ships 4 per carton
Fully upholstered back panel
⅞", 16-gauge, round steel tubing
Metal floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17½	445	Overall height	31	787
Seat width	18	457	Overall width	20	508
Seat depth	17½	445	Overall depth	21	533
Back height	14½	368			
Back width	17½	445			

Model	Frame	Upholstery / List ($)		Other options ($)	
7731	**E3** Black	Grade 1	**298 x 4 = 1,192**	**QP**	Std
		Grade 2	**307 x 4 = 1,228**	**DP**	**21**/chair
		Grade 3	**319 x 4 = 1,276**	**SP**	**42**/chair
		Grade 4	**346 x 4 = 1,384**		
		Grade 5	**358 x 4 = 1,432**		
		Grade 6	**392 x 4 = 1,568**		
		Grade 7	**652 x 4 = 2,608**		
		Grade 8	**426 x 4 = 1,704**		

77DY

Standard features
Stacking dolly, to stack 6 chairs

Dimensions	(in)	(mm)	Overall dimensions of dolly with 6 chairs	(in)	(mm)
Overall height	40	1016	Total height	53	1347
Overall width	29	737	Total width	29	737
Overall depth	33	838	Total depth	36	915

Model	List ($)
77DY	**691**

C.O.M./C.O.V. Policy

Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/ United Chair manufacturing facilities. In order to determine pre-approval, please contact the C.O.M./C.O.V. coordinator at 1-888-522-2773.

To solicit approval, 2 samples (minimum of 8" x 8") need to be forwarded along with the material's specifications to a United Chair manufacturing facility to the attention of the C.O.M./C.O.V. coordinator; our Customer Service representative will direct you with shipping information. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to the C.O.M./C.O.V. coordinator or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the product description section of the website (**www.groupelacasse.com**). Yardage is based on 54" width roll. **Some directional or patterned material may require additional yardage.**

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and yardage. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facilities. **DO NOT** ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to the C.O.M./C.O.V. coordinator (fax #: 1-888-248-1865) and the upholstery to the specified address. Surplus material, unused material or material that cannot be identified will be discarded after 60 days. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse / United Chair.

Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a United Chair product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge.

The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator (1-888-522-2773) with any questions regarding this process.

Pricing

C.O.M. (FABRIC): is priced at Grade 2.
C.O.V. (VINYL): is priced at Grade 3.

For internal use only
Tracking #
Date

GROUPE LACASSE

Custom Fabric Form

All information below needs to be supplied in order to process your request and two test swatches (minimum 8" x 8") must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that fabric **(C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3**. Contact the C.O.M. coordinator with any questions.

Please fax this form to United Chair C.O.M./C.O.V. coordinator at 1-888-248-1865. (Send only if testing is required)

General information

Date of request	Bill to address
Customer name	
Contact person	
Phone #	
E-mail address	

Textile information

	Results					
Test #	Passed	Failed	**Supplier**	**Pattern name**	**Pattern #**	**Color**
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		**Orientation**		**Reversible fabric?**		**Is fabric Cal-117?**		**Backer type**
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	(If applicable)
1.									
2.									
3.									
4.									
5.									

Other comments

Terms and Conditions

Order placement

Groupe Lacasse LLC requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse LLC will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

Ordering information

The following information is required to process an order:

Customer information

Sold/Ship to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Tagging instructions
Bid/Quote # if applicable
Product pricing (list/net)
Order total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product information

Quantity
Product numbers including options
Fabric and colors (all surfaces)

Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise.

Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

Surcharges

Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

Prices

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment.

Chargeable Parts Orders

Contact customer service for availability. Orders under $10 are subject to a $15 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. A $15 NET freight charge will be applied on all chargeable part orders, outside US.

Price list dated January 2016 supersedes all other published price lists.

Prices shown in price book have priority to electronic catalog contents.

Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse LLC reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse LLC. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

Quotations

Quotations are valid for a period of thirty (30) days.

Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse LLC will only make on site deliveries for a full truckload (2,400 cubic feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated but will result in extra fees.

Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer).

Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.

Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse LLC, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

Transportation policy



"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On orders less than $2,000 net (regardless of brand and/or shipping point) we will add a $50 small order fee in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is $100.

Orders under **$25 net** are subject to a $20 small order fee (instead of 50$ or 100$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse LLC can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines.

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse LLC as follows:

A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773** or by fax at **1-888-248-1865**.

Product

A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

C. California Bulletins #117 and #133 (Seating)

Many models in this price list can be made to comply with State of California Technical Bulletin #133. The standard fire-retardant foam supplied meets the specification of State of California Technical Bulletin #117. Consult Customer Service for the latest models and upcharges.

D. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

Control Features Matrix

		1) 360-degree swivel	2) Back angle	3) Back depth adjustment	4) Back height adjustment	5) Forward seat tilt	6) High-performance control	7) Independently adjustable back and seat angle	8) Knee-tilt control	9) Lumbar adjustment	10) Pneumatic seat height	11) Sliding seat pan	12) Swivel-tilt control	13) Synchronous control	14) Tilt lock	15) Tilt tension
A-SERIES	ALL	X	X		X	X	X				X	X			Infinite	X
AFFINITY	VC13-12	X								X	X	X		X	Upright	X
	VC52-51	X								X	X	X		X	Upright	X
ASSANTE	ALL	X	X		X	X	X				X				Infinite	X
ATTO	ALL	X							X		X				4-position	X
BRYLEE	BR16-15	X									X			X	2-position	X
	BR11-10	X									X			X	2-position	X
	BR51-52	X									X			X	2-position	X
EQÜS	EQ16-15	X	X		X	X	X				X	X			Infinite	X
EXPRESSION	M11-10	X			X						X	X		X	4-position	X
	M52-51	X			X						X	X		X	4-position	X
FORTUNE	FN16-11	X			X						X		X		X	X
	FNM16-11	X	X		X						X		X		X	X
	FNX16-11	X			X	X	X	X			X	Opt.			Infinite	X
FREESTYLE	FS11-10	X									X			X	5-position	X
ONYX	ON16-15	X			X	X					X	X		X	4-position	X
PAPILLON	PP14	X									X		X		Upright	X
	PP12	X									X		X		Upright	X
	PP4	X									X		X		Upright	X
RADAR	RD16-15	X			X			X			X	Opt.	X		Infinite	X
	RD11-10	X	X		X						X		X		X	X
	RD6-5	X									X		X		X	X
	RD52-51	X		X							X					
SAGGIO	ALL	X			X						X	X		X	4-position	X
SAVVY	SVX16-15	X				X	X	X		X	X	Opt.	X		Infinite	X
	SVX11-10	X				X	X	X		X	X	Opt.	X		Infinite	X
	SV16-15	X	X							X	X		X		X	X
	SV11-10	X	X							X	X		X		X	X
	SV6-5	X	X							X	X		X		X	X
	SV24-23	X				X			X	X	X				5-position	X
	SV26-25	X				X			X	X	X				5-position	X
	SV52-51	X								X	X					
SENSATO	V216-215	X								X	X	X		X	Infinite	X
	V211-210	X								X	X	X		X	Infinite	X
	V214	X									X					
	V252-251	X									X					
VENUS	ALL	X									X		X		Upright	X
ZING	ZP11-10	X			X						X		X		X	X
	ZP6-5	X		X	X						X		X		X	X
	ZP2-1	X		X							X					
	ZPX11-10	X			X		X	X			X	Opt.			Infinite	X
	ZP52-51	X		X	X						X					
90'S	NSX11-10	X			X		X	X			X	Opt.			Infinite	X
	NS2-1	X		X	X						X					
	NS52-51	X		X	X						X					

Control Features & Benefits

You spend a lot of time sitting in your chair, so why not make it as comfortable as possible?
Our seating solutions are designed to give you the support you need to be more productive... and to feel great hour after hour!

1. 360-Degree Swivel

Seat of chair rotates through 360° allowing access to desired areas within reach. Helps avoids twisting of torso.

2. Back Angle

Allows the user to select a back angle and lock it into a desired position. Helps reduce disc pressure and relaxes back muscles.

3. Back Depth Adjustment

Change the depth of the seat by adjusting the back in or out. Helps accommodates user's build, enhances comfort.

4. Back Height Adjustment

Adjust the back up and down for proper positioning of the lumbar support. Helps reduce back pain by providing an optimum lumbar support.

5. Forward Seat Tilt

Allows chair to tilt forward, changing the angle of your thighs in relation to the floor. Increases comfort while reducing pressure when doing intensive forward leaning tasks.

6. High-Performance Control

Includes a swivel/tilt with tension control, independently adjustable seat and back angle with infinite lock (any position) and forward pitch control. Enhances comfort and provides optimum supportive working position.

7. Independently Adjustable Seat and Back Angle

Adjust the seat and back angle of the chair independently of each other. For optimum custom fit, helps reduce pressure on the thighs and relaxes back muscles.

8. Knee-Tilt Control

Knee-tilt movement from a pivot point positioned at the front of the seat. Allows the user to fully recline while keeping feet comfortably on the floor. Maintains stability while avoiding pressure under the thighs.

9. Lumbar Adjustment

Allows the user to custom fit the chair by adjusting the lumbar support for optimum comfort.

10. Pneumatic Seat Height

Adjust the seat height up and down to allow your feet to rest flat on the floor. Avoids pressure under the thighs and eases blood circulation.

11. Seat depth adjustment

Change the depth of the seat forward and back or lock in a desired position. Accommodates the length of your thighs and keeps your back in contact with the backrest while avoiding pressure behind your knees.

12. Swivel-Tilt Control

Chair tilts from a pivot point directly above the base center and allows the user to lean back in a seating position.

13. Synchronous Control

Automatically adjust the seat and back angle while maintaining a recline ratio. Provides optimum back support and minimal seat rise. Enhances comfort and encourages dynamic body movement.

14. Tilt Lock

Lock the seat and back in an upright position.

Infinite Tilt Lock

Lock the tilt movement in any position to accommodate the user's working posture. Allows the user to lock the chair in a comfortable working position.

15. Tilt Tension

Allows the user to adjust the resistance with which the chair reclines or tilts. The user can rock the chair comfortably, without heavy pushing, reducing muscle fatigue.

Sample Order: | Model | Frame | Upholstery 1 | Upholstery 2 | Cylinder / Control | Base | Casters | Arms | Option | Option |

1. Controls

FP Synchronous tilt control with forward seat pitch adjustment, 3 lockable positions *(Saggio only)*

FTL Synchronous control with forward tilt, 4-position back lock *(Onyx only)*

KT Knee-tilt control

ST Swivel-tilt control

STB Swivel-tilt control with back angle adjustment

SW Swivel only control

SYN Synchronous control

XCON Multifunction control

2. Cylinders

CP Pneumatic seat height cylinder, chrome finish *(Atto, Eqüs, Papillon and Venus only)*

P Pneumatic seat height cylinder

SCL Mid-range pneumatic seat height (20"-27") cylinder

XTC Extra-tall pneumatic seat height cylinder (20"-31½")

3. Bases



AB
Black nylon angel base



APC
Chrome angel base



CAB
Black cast-aluminum base



NB
Black nylon base



PCB
Polished chrome base



SB
Black steel base with plastic cover



4LB
4-legged base



5LB
5-legged base

4. Casters



BGL
Bell-shaped glides, black



BRC
Braking casters, black



*For **AB** base*

CAS Soft casters for All Purpose Stools, black
HDW Hard dual-wheel casters, black
SDW Soft dual-wheel casters (non-marking), black



*For **APC** base*

CC Hard dual-wheel casters, chrome
CF Soft dual-wheel casters, chrome



For All Purpose Stools

HRC 2" hard rubber single-wheel casters
SRC 2" soft rubber single-wheel casters

RG3 ¾" chrome glides for All Purpose Stools

6. Other Options

5P Five pack
C1 Seam option #1 *(Venus)*
C2 Seam option #2 *(Venus)*
C3 Seam option #3 *(Venus)*
C4 Seam option #4 *(Venus)*
C5 Seam option #5 *(Venus)*
C33 California 133 compliant
CFR Polished chrome footring
CSB Contrast stitching, black
CSW Contrast stitching, white
CX Convex back shape *(Venus)*
DO Straight back shape *(Venus)*
DP Double pack
HH Handle *(Veinure)*
HR Headrest
ML Metal legs *(Io)*
P33 California 133 compliant *(For 4800 Series in black FS33 only)*
PBG Plastic back guard
PC Polished chrome frame
QP Quad pack
SP Single pack
SSP Sliding seat pan
TP Triple pack
ULS Fully upholstered leather back panel for guest and café height models
UP Fully upholstered back panel
UPL Fully upholstered leather back panel
UPS Fully upholstered back panel for guest models
T Extra thick seat *(Saggio only)*
WD Wood legs *(Io)*

5a. Fixed Arms

For Atto, Eqüs, Venus

BA01
Polished chrome arms with black polyurethane pads

For Eqüs, Venus

BU01
Loop arms

For Venus

BU02
Loop arms

For Affinity, Onyx (except Guest), Saggio, Sensato

FA
Fixed arms

For FreeStyle, Savvy

FLA
Full-loop arms

For Fortune, FreeStyle, Radar, Savvy

HLA
Half-loop arms

For Brylee BR16/15/ 11/10/52/51

LA/UA/UAL
Loop arms, with upholstered armrests in fabric/vinyl (UA) or leather (UAL)

For Zing, 90'S

PA_
Non-adjustable solid steel arms

For 90'S

UA
Non-adjustable solid steel arms with 9" upholstered armrests

5b. Adjustable Arms

For Assante, Atto, Eqüs, Fortune (except Guest), FreeStyle, Onyx (except Guest), Radar, Savvy, Zing, 90'S

AA_
Height adjustable arms

For Expression

CHW_ (Chrome accent)
HW_ (Black)
Height and width adjustable arms

For Expression

CM3D (Chrome accent)
M3D (Black)
Height and width adjustable arms with pivoting armrests



For Expression

CM4D (Chrome accent)
M4D (Black)
Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests



For Affinity, Saggio

HA
Height adjustable arms

For A-Series, Assante, Eqüs, Expression, Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

HWA_
Height and width adjustable arms

For Onyx (except Guest), Savvy

RPA
Height and width arms with pivoting armrests

For Brylee BR16/15/ 11/10/52/51

UDA/UDU
Height adjustable arms with 9" armrests
(UDU: with upholstered armrests)

For Expression

WA_
Width adjustable arms



For Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

3D_
Height adjustable arms with pivoting armrests



For Saggio, Sensato

4D_
Height adjustable arms with pivoting, front-to-back and side-to-side armrests



For A-Series, Assante, Eqüs

5D
Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests

5c. Armrests (All black)

3/Bead
9" self-skinning polyurethane armrests

4/Rectangular
9" self-skinning polyurethane armrests

5/Cascade
10" PVC skin over polyurethane armrests

7/Curved
9" self-skinning polyurethane armrests

8/Shade
9" self-skinning polyurethane armrests

9/Drop
10" self-skinning polyurethane armrests

U
9" upholstered armrests

Warranty

The following warranty applies to United Chair products manufactured after September 1st, 2014. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

Warranty:

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

Lifetime except those listed below. Weight limit: 310 lbs. (141 kg).

United Chair Products	Applicable Warranty Period
All Purpose Stools	10 years*
4800 Series + related accessories	10 years*
Upholstery	Standard and Graded-in: 5 years*. C.O.M./C.O.V./SPL/Lacasse - To Supply Material Program: Not covered under warranty.
Foam	5 years*
Painted Surfaces	5 years*
Casters/Glides	10 years*
Arm Pads	5 years*
Mechanism	10 years*
Cylinder	10 years*
Savvy 24h	5 years*
All other components	Lifetime
Dollies	10 years*

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to "normal wear and tear", abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to "Customer's Own Material", "Lacasse – To Supply Material" and "SPL" fabric, (i.e., material specified by the buyer that is not a standard United Chair product offering) used in the manufacture of United Chair products. The Seller does not warrant the matching of color, grain or texture except to within commercially-acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from United Chair stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller's written planning, installation or user guides. The warranty does not apply to any United Chair seating product that is used by an individual weighing over 310 lbs. (141 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for use as standard office furniture. The remedies described above are the buyer's exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

*The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.

united chair®

A GROUPE LACASSE BRAND

GROUPE LACASSE

1 888 522.2773 www.groupelacasse.com

3661
U331-8
1/16
PDF

GANG2



Description

Ganging device for Cube 200
Includes 2 ganging devices with hardware
Can gang 2 modules together

Model	List ($)	
GANG2	35	

GANG3



Description

Ganging device for Aerial, Cube 300, Hip Hop, Terra and Zeta
Includes 2 ganging devices with hardware
Can gang 2 modules together

Model	List ($)	
GANG3	35	

GANGK



Description

Ganging device for Hip Hop with K bases only
Includes 2 ganging devices with hardware
Can gang 2 modules together

Model	List ($)	
GANGK	35	

FIX2



Description

Floor anchors for Cube 200
Includes 2 anchors
Can anchor 2 legs on floor

Model	List ($)	
FIX2	35	

FIX3



Description

Floor anchors for Aerial, Cube 300, Terra and Zeta
Includes 2 anchors
Can anchor 2 legs on floor

Model	List ($)	
FIX3	35	

Arold

CONTRACT • CONTRAT

A GROUPE LACASSE BRAND

Price List

Effective January 2015

Table of Contents

About Arold / How to Use this Price List / What about special products? . . . 3
Seating collections . . . 4-52
Accessories . . . 53
C.O.M./C.O.V. Policy . . . 54
Custom Fabric Form . . . 55
Terms and Conditions . . . 56-57
Warranty . . . 58
Lacasse thermofused laminate finishes / Arold wood finishes / Sample Order . . . 59

Quick Reference Index

Series	Series Abbrev.	Modular	Lounge	Public Areas	Healthcare	Page
Aerial	AE			●	●	4-5
Apéro	AP		●			6
Barolo	BA		●			7
Bourbon	BB		●			8
Churchill	CH		●			9
Cube 100	CU1		●	●		10-11
Cube 200	CU2	●	●	●		12-15
Cube 300	CU3	●	●	●		16-19
Florence	FL		●			20
Hip Hop	H	●	●	●		21-34
Hip Hop Junior	HJ	●	●	●		34-36
Lincoln	LC		●			37
Martini	MA		●			38
Napa	NA		●			39
Oly	LY		●			40
Pouf	PF		●			41-42
Soho	SH		●			43
Sonoma	SO		●			44
Terra	TE			●	●	45-48
Zeta	ZE			●		49-52

Important note: Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction.
Prices and product specifications are subject to change without notice.

www.groupelacasse.com

ABOUT AROLD…

Arold is synonym of quality, craftsmanship and endless possibilities.

Great expertise and experience have been put together to develop products that will fit your needs and ignite the designer in you. No matter the space you are creating, may it be large or small, for public areas or healthcare facilities, Arold has the product you need.

We look forward to assist you with any questions and support your efforts to make Arold a prized brand under our already successful family of products.

Take a seat and feel the Arold difference.

WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and Arold is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Quotations Department** for an assessment of your request.

HOW TO USE THIS PRICE LIST

Find the products you need

Refer to the **Table of Contents** to find the solutions you require.

Pictures of various models are available on the Groupe Lacasse website (www.groupelacasse.com).

Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the appropriate upholstery and finish document that can be found in the login section of the website and make a note of the applicable codes.

Refer to the **Sample Order** sections specific to each model to ensure integrity of order.

Submit your order

Fax: Groupe Lacasse Inc.
Attn: Order Entry
1-800-363-5474

Email: oec@groupelacasse.com

Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

Telephone: 1-888-522-2773
Email: customerservice@groupelacasse.com

HEALTHCARE AND PUBLIC AREAS

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and a seat cushion, the second upholstery code is for the arms and outer back. As for the 3-seat ottoman, the first upholstery code is for the ottomans at the extremities, the second upholstery code is for the middle ottoman.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 1 ½" gap around seat cushion for ease of cleaning.
- 16-gauge steel base and belt.
- Levelers allow up to 1" height adjustment.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.





DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: AE1-E8-SL01-DM308

1 2



SAMPLE ORDER: AE1-E8-SL01-DM308

AE1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	23 ½	597	Overall width	30 ½	775
	Seat depth	21	533	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)	
AE1	**E8**	Std	Grade 1	**1,564**
	E9	N/C	Grade 2	**1,589**
			Grade 3	**1,620**
			Grade 4	**1,651**
			Grade 5	**1,682**
			Grade 6	**1,714**
			Grade 7	**2,716**
			Grade 8	**1,776**

AE2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	54	1372	Overall width	61	1549
	Seat depth	21	533	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)	
AE2	**E8**	Std	Grade 1	**2,595**
	E9	N/C	Grade 2	**2,638**
			Grade 3	**2,692**
			Grade 4	**2,746**
			Grade 5	**2,800**
			Grade 6	**2,854**
			Grade 7	**4,571**
			Grade 8	**2,961**

AE3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	84 ½	2146	Overall width	91 ½	2324
	Seat depth	21	533	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)	
AE3	**E8**	Std	Grade 1	**3,596**
	E9	N/C	Grade 2	**3,658**
			Grade 3	**3,735**
			Grade 4	**3,811**
			Grade 5	**3,888**
			Grade 6	**3,965**
			Grade 7	**6,428**
			Grade 8	**4,119**

AE01



Description	Dimensions	(in)	(mm)
1-seat ottoman	Overall width	30 ½	775
	Overall depth	30 ½	775
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
AE01	**E8**	Std	Grade 1	**951**
	E9	N/C	Grade 2	**961**
			Grade 3	**973**
			Grade 4	**986**
			Grade 5	**998**
			Grade 6	**1,011**
			Grade 7	**1,499**
			Grade 8	**1,036**

AE02



Description	Dimensions	(in)	(mm)
2-seat ottoman	Overall width	61	1549
	Overall depth	30 ½	775
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
AE02	**E8**	Std	Grade 1	**1,676**
	E9	N/C	Grade 2	**1,696**
			Grade 3	**1,721**
			Grade 4	**1,746**
			Grade 5	**1,771**
			Grade 6	**1,796**
			Grade 7	**2,774**
			Grade 8	**1,846**

AE03



Description	Dimensions	(in)	(mm)
3-seat ottoman	Overall width	91 ½	2324
	Overall depth	30 ½	775
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
AE03	**E8**	Std	Grade 1	**2,283**
	E9	N/C	Grade 2	**2,313**
			Grade 3	**2,350**
			Grade 4	**2,388**
			Grade 5	**2,425**
			Grade 6	**2,463**
			Grade 7	**3,929**
			Grade 8	**2,538**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and arms, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 4 ½" height metal legs in aluminum finish.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: AP1-ML-SL01-DM308

1 2

SAMPLE ORDER: AP1-ML-SL01-DM308

AP1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21 ½	546	Overall width	28	711
Aluminum legs	Seat depth	20	508	Overall depth	26 ½	673
	Seat height	18 ½	470	Overall height	32	813
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)	
AP1	**ML**	Std	Grade 1	**1,520**
			Grade 2	**1,540**
			Grade 3	**1,565**
			Grade 4	**1,590**
			Grade 5	**1,615**
			Grade 6	**1,640**
			Grade 7	**2,178**
			Grade 8	**1,690**

AP1SB



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Chair	Seat width	21 ½	546	Overall width	24	610
Aluminum legs	Seat depth	20	508	Overall depth	26 ½	673
	Seat height	18 ½	470	Overall height	32	813
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)	
AP1SB	**ML**	Std	Grade 1	**1,245**
			Grade 2	**1,262**
			Grade 3	**1,284**
			Grade 4	**1,306**
			Grade 5	**1,328**
			Grade 6	**1,350**
			Grade 7	**1,738**
			Grade 8	**1,393**

LOUNGE

SPECIFICATIONS

- Ships assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and arms, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: BA1-TN017-TN017

1 2

SAMPLE ORDER: BA1-TN017-TN017

BA1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	19 ½	495	Overall width	30 ½	775
Integrated lumbar support	Seat depth	19 ½	495	Overall depth	31	788
	Seat height	17 ½	445	Overall height	31 ¾	807
	Back height	14 ¼	362			

Model	Upholstery / List ($)	
BA1	Grade 1	**1,357**
	Grade 2	**1,377**
	Grade 3	**1,402**
	Grade 4	**1,427**
	Grade 5	**1,452**
	Grade 6	**1,477**
	Grade 7	**2,279**
	Grade 8	**1,527**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Available in one tone only.
- C.O.M./C.O.V.: please refer to page 54.

SAMPLE ORDER: BB2-ML-OL04

BB1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21	533	Overall width	29 ½	749
Aluminum legs	Seat depth	21 ½	546	Overall depth	32 ½	826
	Seat height	17 ¼	438	Overall height	33 ¼	845
	Back height	16	432			

Model	Frame	Upholstery / List ($)	
BB1	**ML** Std	Grade 1	**1,864**
		Grade 2	**1,894**
		Grade 3	**1,931**
		Grade 4	**1,969**
		Grade 5	**2,006**
		Grade 6	**2,044**
		Grade 7	**3,104**
		Grade 8	**2,119**

BB2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	43	1092	Overall width	51	1295
Aluminum legs	Seat depth	21 ½	546	Overall depth	32 ½	826
	Seat height	17 ¼	438	Overall height	33 ¼	845
	Back height	16	432			

Model	Frame	Upholstery / List ($)	
BB2	**ML** Std	Grade 1	**2,427**
		Grade 2	**2,464**
		Grade 3	**2,511**
		Grade 4	**2,558**
		Grade 5	**2,605**
		Grade 6	**2,652**
		Grade 7	**3,985**
		Grade 8	**2,746**

BB3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	64 ½	1638	Overall width	72 ½	1842
Aluminum legs	Seat depth	21 ½	546	Overall depth	32 ½	826
	Seat height	17 ¼	438	Overall height	33 ¼	845
	Back height	16	432			

Model	Frame	Upholstery / List ($)	
BB3	**ML** Std	Grade 1	**2,921**
		Grade 2	**2,976**
		Grade 3	**3,044**
		Grade 4	**3,113**
		Grade 5	**3,182**
		Grade 6	**3,251**
		Grade 7	**5,204**
		Grade 8	**3,388**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Available in one tone only.
- Refer to page 59 for the 4 wood leg finishes available.
- C.O.M./C.O.V.: please refer to page 54.

SAMPLE ORDER: CH3-W1-CY07

CH1

Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21	533	Overall width	35	889
Wooden legs	Seat depth	21	533	Overall depth	33	832
	Seat height	17	432	Overall height	34	864
	Back height	17	432			

Model	Frame		Upholstery / List ($)	
CH1	**W1**	Std	Grade 1	**1,907**
	W2	N/C	Grade 2	**1,937**
	W3	N/C	Grade 3	**1,975**
	W4	N/C	Grade 4	**2,013**
			Grade 5	**2,050**
			Grade 6	**2,088**
			Grade 7	**3,148**
			Grade 8	**2,163**

CH2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	45	1143	Overall width	59	1449
Wooden legs	Seat depth	21	533	Overall depth	33	832
	Seat height	17	432	Overall height	34	864
	Back height	17	432			

Model	Frame		Upholstery / List ($)	
CH2	**W1**	Std	Grade 1	**2,495**
	W2	N/C	Grade 2	**2,535**
	W3	N/C	Grade 3	**2,585**
	W4	N/C	Grade 4	**2,635**
			Grade 5	**2,685**
			Grade 6	**2,735**
			Grade 7	**4,153**
			Grade 8	**2,836**

CH3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	68	1727	Overall width	82	2083
Wooden legs	Seat depth	21	533	Overall depth	33	832
	Seat height	17	432	Overall height	34	864
	Back height	17	432			

Model	Frame		Upholstery / List ($)	
CH3	**W1**	Std	Grade 1	**2,996**
	W2	N/C	Grade 2	**3,051**
	W3	N/C	Grade 3	**3,119**
	W4	N/C	Grade 4	**3,188**
			Grade 5	**3,257**
			Grade 6	**3,326**
			Grade 7	**5,279**
			Grade 8	**3,463**

LOUNGE AND PUBLIC AREAS

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and a seat cushion, the second upholstery code is for the arms and structure.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Higher back optional feature adds 3" to the back cushion only.
- Tablet arm cannot be retrofitted on existing model.
- If optional electrical module is selected, the module will be located in left side of the front structure.
- 14-gauge steel belt with 16-gauge steel legs.
- 3" soft dual wheel casters are available on the armchair only.
- Levelers allow up to 1 ½" height adjustment.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: CU110-E9-TN609 - TN609 -SA-TAL-TWT-DH

1 2

SAMPLE ORDER: CU110-E9-TN609-TN609-SA-TAL-TWT-DH

CU110



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	24	609	Overall width	32 ¾	832
Metal base included	Seat depth	18 ½	470	Overall depth	29 ½	750
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Frame		Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU110	**E8**	Std	Grade 1	**1,526**	**A**	Std	**NA**	Std	**NA**	Std	**DH**	**50**
	E9	N/C	Grade 2	**1,556**	**SA**	N/C	**TAL**	**407**	**Specify laminate code**		**PC (1x)**	**600**
			Grade 3	**1,594**			**TAR**	**407**			**SDW**	**85**
			Grade 4	**1,631**							**CSB**	**50**
			Grade 5	**1,669**							**CSW**	**50**
			Grade 6	**1,706**								
			Grade 7	**2,514**								
			Grade 8	**1,781**								

CU120



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	48	1219	Overall width	56 ½	1535
Metal base included	Seat depth	18 ½	470	Overall depth	29 ½	750
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Frame		Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU120	**E8**	Std	Grade 1	**2,301**	**A**	Std	**NA**	Std	**NA**	Std	**DH**	**100**
	E9	N/C	Grade 2	**2,352**	**SA**	N/C	**TAL**	**407**	**Specify laminate code**		**PC (1x)**	**600**
			Grade 3	**2,414**			**TAR**	**407**			**CSB**	**100**
			Grade 4	**2,477**							**CSW**	**100**
			Grade 5	**2,539**								
			Grade 6	**2,602**								
			Grade 7	**3,673**								
			Grade 8	**2,727**								

CU130



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	71 ½	1816	Overall width	79 ½	2019
Metal base included	Seat depth	18 ½	470	Overall depth	29 ½	750
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Frame		Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU130	**E8**	Std	Grade 1	**2,883**	**A**	Std	**NA**	Std	**NA**	Std	**DH**	**150**
	E9	N/C	Grade 2	**2,943**	**SA**	N/C	**TAL**	**407**	**Specify laminate code**		**PC (1x)**	**600**
			Grade 3	**3,018**			**TAR**	**407**			**CSB**	**150**
			Grade 4	**3,093**							**CSW**	**150**
			Grade 5	**3,168**								
			Grade 6	**3,243**								
			Grade 7	**4,936**								
			Grade 8	**3,393**								

MODULAR, LOUNGE, AND PUBLIC AREAS

SPECIFICATIONS

- Storage units and tables ship assembled. Minimum assembly is required to mount units to the base.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and a seat cushion, the second upholstery code is for the arms and structure. As for the ottoman, the first upholstery code is seat cushion, the second upholstery code is for the under structure.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Higher back optional feature adds 3" to the back cushion only.
- Tablet arm cannot be retrofitted on existing model.
- If optional electrical module is selected, the module will be located in the left side of the front structure.
- 14-gauge steel belt with 16-gauge steel legs.
- 3" soft dual wheel casters are available on the armchair only.
- Levelers allow up to 1 ½" height adjustment.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.
- Units from this series were tested and successfully met ANSI/BIFMA X5.4-2012 standards.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: CU201-CS009 - CS009 -PC

1 2

SAMPLE ORDER: CU201-CS009-CS009-PC

CU201



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ottoman	Seat width	24 ½	622	Overall width	24 ½	622
	Seat depth	24 ½	622	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	17 ¼	438

Model	Upholstery / List ($)		Other options ($)	
CU201	Grade 1	**469**	**PC (1x)**	**600**
	Grade 2	**478**	**CSB**	**50**
	Grade 3	**489**	**CSW**	**50**
	Grade 4	**500**		
	Grade 5	**511**		
	Grade 6	**522**		
	Grade 7	**820**		
	Grade 8	**543**		

CU202



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armless chair	Seat width	24 ½	622	Overall width	24 ½	622
	Seat depth	18 ½	470	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Upholstery / List ($)		Button ($)		Other options ($)	
CU202	Grade 1	**775**	**A**	Std	**DH**	**50**
	Grade 2	**789**	**SA**	N/C	**CSB**	**50**
	Grade 3	**806**			**CSW**	**50**
	Grade 4	**824**			**PC (1x)**	**600**
	Grade 5	**841**				
	Grade 6	**858**				
	Grade 7	**1,412**				
	Grade 8	**892**				

SAMPLE ORDER: CU205-TN608-SR03-A-NA-NA-CSB

CU203



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Left-side armchair	Seat width	22	558	Overall width	24 ½	622
	Seat depth	18 ½	470	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU203	Grade 1	901	A	Std	NA	Std	NA	Std	DH	50
	Grade 2	917	SA	N/C	TAL	407	Specify laminate code		CSB	50
	Grade 3	938							CSW	50
	Grade 4	958							PC (1x)	600
	Grade 5	979								
	Grade 6	1,000								
	Grade 7	1,537								
	Grade 8	1,041								

SAMPLE ORDER: CU204-EX02-CB909-A-NA-NA-CSW

CU204



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Right-side armchair	Seat width	22	712	Overall width	24 ½	622
	Seat depth	18 ½	470	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU204	Grade 1	901	A	Std	NA	Std	NA	Std	DH	50
	Grade 2	917	SA	N/C	TAR	407	Specify laminate code		CSB	50
	Grade 3	938							CSW	50
	Grade 4	958							PC (1x)	600
	Grade 5	979								
	Grade 6	1,000								
	Grade 7	1,537								
	Grade 8	1,041								

CU205



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	18	457	Overall width	24 ½	622
	Seat depth	18 ½	470	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Upholstery / List ($)		Button ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU205	Grade 1	1,007	A	Std	NA	Std	NA	Std	DH	50
	Grade 2	1,029	SA	N/C	TAL	407	Specify laminate code		CSB	50
	Grade 3	1,058			TAR	407			CSW	50
	Grade 4	1,086							PC (1x)	600
	Grade 5	1,114								
	Grade 6	1,142								
	Grade 7	1,808								
	Grade 8	1,198								

CU206



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Corner armchair	Seat width	18 ½	470	Overall width	24 ½	622
	Seat depth	18 ½	470	Overall depth	24 ½	622
	Seat height	17 ¼	438	Overall height	28	712
	Back height	10 ¾	273			

Model	Upholstery / List ($)		Button ($)		Other options ($)	
CU206	Grade 1	1,051	A	Std	DH	100
	Grade 2	1,067	SA	N/C	CSB	50
	Grade 3	1,088			CSW	50
	Grade 4	1,108				
	Grade 5	1,129				
	Grade 6	1,150				
	Grade 7	1,687				
	Grade 8	1,191				

SAMPLE ORDER: CU2-TS-SNO

CU2-TS



Description	Dimensions	(in)	(mm)
Single access storage unit	Overall width	24 ½	622
Metal base not included	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	List ($)	Laminate finis
CU2-TS	475	Specify code

CU2-TD



Description	Dimensions	(in)	(mm)
Double access storage unit	Overall width	24 ½	622
Metal base not included	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	List ($)	Laminate finis
CU2-TD	507	Specify code

CU2-TSP



Description	Dimensions	(in)	(mm)
Single access storage unit with doors	Overall width	24 ½	622
Metal base not included	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	List ($)	Laminate finis
CU2-TSP	594	Specify code

CU2-TDP



Description	Dimensions	(in)	(mm)
Double access storage unit with doors	Overall width	24 ½	622
Metal base not included	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	List ($)	Laminate finis
CU2-TDP	688	Specify code

CU2-TF



Description	Dimensions	(in)	(mm)
Closed unit	Overall width	24 ½	622
Metal base not included	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	List ($)	Laminate finis
CU2-TF	488	Specify code

SAMPLE ORDER: CU2B2M-E8

CU2B1M



Description	Dimensions	(in)	(mm)
Single-section metal base	Overall width	23 ¾	603
Hardware included	Overall depth	23 ¾	603
	Overall height	5 ⅜	136

Model	Frame		List ($)	Other options ($)	
CU2B1M	E8	Std	350	SDW	85
	E9	N/C			

CU2B2M



Description	Dimensions	(in)	(mm)
Double-section metal base	Overall width	48 ¼	1226
Hardware included	Overall depth	23 ¾	603
	Overall height	5 ⅜	136

Model	Frame		List ($)
CU2B2M	E8	Std	500
	E9	N/C	

CU2B3M



Description	Dimensions	(in)	(mm)
Triple-section metal base	Overall width	72 ¾	1848
Hardware included	Overall depth	23 ¾	603
	Overall height	5 ⅜	136

Model	Frame		List ($)
CU2B3M	E8	Std	600
	E9	N/C	

CU2-T2424



Description	Dimensions	(in)	(mm)
Square table	Overall width	24 ½	622
	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	Frame		List ($)	Laminate finis
CU2-T2424	**E8**	Std	**657**	**Specify code**
	E9	N/C		

CU2-T2448



Description	Dimensions	(in)	(mm)
Rectangular table	Overall width	49	1245
	Overall depth	24 ½	622
	Overall height	17 ¼	438

Model	Frame		List ($)	Laminate finis
CU2-T2448	**E8**	Std	**826**	**Specify code**
	E9	N/C		

CUBE 200 – SOLUTIONS

CUBE 200 – S1 — $1,764

1	CU205-A-TAR
1	CU2B1M

CUBE 200 – S2 — $2,877



1	CU203
1	CU204
1	CU2-TS
1	CU2B3M

CUBE 200 – S3 — $5,946



1	CU201
3	CU202
1	CU204
1	CU206
2	CU2B3M

MODULAR, LOUNGE, AND PUBLIC AREAS

SPECIFICATIONS

- Storage units and tables ship assembled. Minimum assembly is required to mount units to the base.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and a seat cushion, the second upholstery code is for the arms and structure. As for the ottoman, the first upholstery code is seat cushion, the second upholstery code is for the under structure.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Tablet arm cannot be retrofitted on existing model.
- If optional electrical module is selected, the module will be located in left side of the front structure.
- 16-gauge steel base and belt.
- 3" soft dual wheel casters are available on the armchair only.
- Levelers allow up to 1 ½" height adjustment.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.
- Units from this series were tested and successfully met ANSI/BIFMA X5.4-2012 standards.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: CU302-DM106-DM106-PC-CSW

1 2

SAMPLE ORDER: CU302-DM106-DM106-PC-CSW

CU301



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ottoman	Seat width	30 ½	781	Overall width	30 ½	775
	Seat depth	30 ½	781	Overall depth	30 ½	775
	Seat height	18	457	Overall height	18	457

Model	Upholstery / List ($)		Other options ($)	
CU301	Grade 1	588	PC (1x)	600
	Grade 2	599	CSB	50
	Grade 3	613	CSW	50
	Grade 4	626		
	Grade 5	640		
	Grade 6	654		
	Grade 7	1,137		
	Grade 8	681		

CU302



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armless chair	Seat width	30	762	Overall width	30 ½	775
	Seat depth	19 ¾	502	Overall depth	30 ½	775
	Seat height	18	457	Overall height	32 ¾	832
	Back height	14 ¾	375			

Model	Upholstery / List ($)		Other options ($)	
CU302	Grade 1	938	PC (1x)	600
	Grade 2	960	CSB	50
	Grade 3	988	CSW	50
	Grade 4	1,015		
	Grade 5	1,043		
	Grade 6	1,070		
	Grade 7	1,761		
	Grade 8	1,125		

CU303



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Left-side armchair	Seat width	27	686	Overall width	30 ½	775
	Seat depth	19 ¾	502	Overall depth	30 ½	775
	Seat height	18	457	Overall height	32 ¾	832
	Back height	14 ¾	375			

Model	Upholstery / List ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU303	Grade 1	1,101	NA	Std	NA	Std	PC (1x)	600
	Grade 2	1,126	TAL	407	Specify laminate code		CSB	50
	Grade 3	1,157					CSW	50
	Grade 4	1,188						
	Grade 5	1,220						
	Grade 6	1,251						
	Grade 7	2,089						
	Grade 8	1,313						

CU304



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Right-side armchair	Seat width	27	686	Overall width	30 ½	775
	Seat depth	19 ¾	502	Overall depth	30 ½	775
	Seat height	18	457	Overall height	32 ¾	832
	Back height	14 ¾	375			

Model	Upholstery / List ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU304	Grade 1	1,101	NA	Std	NA	Std	PC (1x)	600
	Grade 2	1,126	TAL	407	Specify laminate code		CSB	50
	Grade 3	1,157					CSW	50
	Grade 4	1,188						
	Grade 5	1,220						
	Grade 6	1,251						
	Grade 7	2,089						
	Grade 8	1,313						

CU305



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	24	610	Overall width	30 ½	775
	Seat depth	19 ¾	502	Overall depth	30 ½	775
	Seat height	18	457	Overall height	32 ¾	832
	Back height	14 ¾	375			

Model	Upholstery / List ($)		Tablet arm ($)		Tablet finis		Other options ($)	
CU305	Grade 1	1,238	NA	Std	NA	Std	PC (1x)	600
	Grade 2	1,266	TAL	407	Specify laminate code		CSB	50
	Grade 3	1,300	TAR	407			CSW	50
	Grade 4	1,335						
	Grade 5	1,369						
	Grade 6	1,403						
	Grade 7	2,501						
	Grade 8	1,472						

CU306



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Corner armchair	Seat width	19 ¾	502	Overall width	30 ½	775
	Seat depth	19 ¾	502	Overall depth	30 ½	775
	Seat height	18	457	Overall height	32 ¾	832
	Back height	14 ¾	375			

Model	Upholstery / List ($)		Other options ($)	
CU306	Grade 1	1,345	CSB	50
	Grade 2	1,372	CSW	50
	Grade 3	1,407		
	Grade 4	1,441		
	Grade 5	1,475		
	Grade 6	1,510		
	Grade 7	2,607		
	Grade 8	1,579		

SAMPLE ORDER: CU3-TS-SNO

CU3-TS



Description	Dimensions	(in)	(mm)
Single access storage unit	Overall width	30 ½	775
Metal base not included	Overall depth	30 ½	775
	Overall height	18	457

Model	List ($)	Laminate finis
CU3-TS	**600**	**Specify code**

CU3-TD



Description	Dimensions	(in)	(mm)
Double access storage unit	Overall width	30 ½	775
Metal base not included	Overall depth	30 ½	775
	Overall height	18	457

Model	List ($)	Laminate finis
CU3-TD	**657**	**Specify code**

CU3-TF



Description	Dimensions	(in)	(mm)
Closed unit	Overall width	30 ½	775
Metal base not included	Overall depth	30 ½	775
	Overall height	18	457

Model	List ($)	Laminate finis
CU3-TF	**613**	**Specify code**

SAMPLE ORDER: CU3B1M-E9-SDW

CU3B1M



Description	Dimensions	(in)	(mm)
Single-section metal base	Overall width	29 ¾	756
Hardware included	Overall depth	29 ¾	756
	Overall height	7 ¾	197

Model	Frame		List ($)	Other options ($)	
CU3B1M	**E8**	Std	**438**	**SDW**	**85**
	E9	N/C			

CU3B2M



Description	Dimensions	(in)	(mm)
Double-section metal base	Overall width	60 ¾	1530
Hardware included	Overall depth	29 ¾	756
	Overall height	7 ¾	197

Model	Frame		List ($)
CU3B2M	**E8**	Std	**532**
	E9	N/C	

CU3B3M



Description	Dimensions	(in)	(mm)
Triple-section metal base	Overall width	90 ¾	2306
Hardware included	Overall depth	29 ¾	756
	Overall height	7 ¾	197

Model	Frame		List ($)
CU3B3M	**E8**	Std	**863**
	E9	N/C	

CU3-T2424



Description	Dimensions	(in)	(mm)
Square table	Overall width	24 ½	622
Metal frame	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		List ($)	Laminate finis
CU3-T2424	**E8**	Std	**813**	**Specify code**
	E9	N/C		

CU3-T3030



Description	Dimensions	(in)	(mm)
Square table	Overall width	30 ½	775
	Overall depth	30 ½	775
	Overall height	18	457

Model	Frame		List ($)	Laminate finis
CU3-T3030	**E8**	Std	**988**	**Specify code**
	E9	N/C		

CU3-T2448



Description	Dimensions	(in)	(mm)
Rectangular table	Overall width	49	1245
Metal frame	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		List ($)	Laminate finis
CU3-T2448	**E8**	Std	**1,051**	**Specify code**
	E9	N/C		

CU3-T3030L

Description	Dimensions	(in)	(mm)
Luna table	Overall width	30 ½	775
Metal frame	Overall depth	30 ½	775
	Overall height	18	457

Model	Frame		List ($)	Laminate finis
CU3-T3030L	**E8**	Std	**782**	**Specify code**
	E9	N/C		

CUBE 300 – SOLUTIONS

CUBE 300 – S1 — $6,598



4	CU302
1	CU306
1	CU3B1M
2	CU3B2M

CUBE 300 – S2 — $7,905



1	CU301
5	CU302
6	CU3B1M

CUBE 300 – S3 — $6,848



2	CU301
2	CU302
2	CU304
3	CU3B2M

CUBE 300 – S4 — $9,431



1	CU302
1	CU303
1	CU304
2	CU305
5	CU3B1M
2	CU3-T2424

CUBE 300 – S5 — $10,282



4	CU302
2	CU303
2	CU304
4	CU3B2M

CUBE 300 – S6 — $4,215



1	CU301
2	CU302
1	CU3-T3030L
1	CU3B1M
1	CU3B2M

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and seat shell, the second upholstery code is for the arms.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Laminate tray to match legs and armrests wood finish.
- Refer to page 59 for the 4 wood finishes available.
- 2" hard dual wheel casters are available.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: FL1-W3-MG054-MG054-DCH

1 2

SAMPLE ORDER: FL1-W3-MG054-MG054-DCH

FL1

Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21 ½	546	Overall width	27 ½	699
Monocoque shell	Seat depth	19	483	Overall depth	26 ½	673
Wood armrests and legs	Seat height	18 ½	470	Overall height	33	838
Thermofused laminate tray	Back height	18	457			

Model	Frame		Upholstery / List ($)		Laminate match	Other options ($)	
FL1	**W1**	Std	Grade 1	**1,232**	**NTL** (W1)	**HDW**	**85**
	W2	N/C	Grade 2	**1,250**	**CER** (W2)		
	W3	N/C	Grade 3	**1,271**	**DCH** (W3)		
	W4	N/C	Grade 4	**1,293**	**TWT** (W4)		
			Grade 5	**1,315**			
			Grade 6	**1,337**			
			Grade 7	**1,880**			
			Grade 8	**1,381**			

MODULAR, LOUNGE AND PUBLIC AREAS

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the double ogive and chairs only. The first upholstery code is the backrest, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Leather is not available for these series.
- ¼" thick bended steel legs, 9 ½"H for Hip Hop and 6"H for Hip Hop Junior.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets.
- C.O.M./C.O.V.: please refer to page 54.

CALCULATING RADIUS:

The radius is the linear distance calculated from the center of the circle (point 0) to the inner circumference of the module.



CALCULATING DEGREES:

The degree of the angle is calculated by dividing the entire circumference (360°) by the number of modules. E.g.: 360 divided by 6 modular units provides an angle of 60°. Thus, 12 modules of 30° form a circle (360°).





DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: HV-E9- CY32 - HU10

1 2

HV



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Double ogive seat	Seat width	60	1524	Overall width	60	1524
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			

Model	Frame		Upholstery / List ($)	
HV	**E8**	Std	Grade 1	**2,577**
	E9	N/C	Grade 2	**2,592**
			Grade 3	**2,610**
			Grade 4	**2,629**
			Grade 5	**2,648**
			Grade 6	**2,667**
			Grade 8	**2,704**

HO

Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ogive	Seat width	30	762	Overall width	30	762
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HO	**E8**	Std	Grade 1	**1,226**
	E9	N/C	Grade 2	**1,237**
			Grade 3	**1,251**
			Grade 4	**1,265**
			Grade 5	**1,279**
			Grade 6	**1,293**
			Grade 8	**1,321**

H30



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Square bench	Seat width	30	762	Overall width	30	762
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H30	**E8**	Std	Grade 1	**969**
	E9	N/C	Grade 2	**979**
			Grade 3	**992**
			Grade 4	**1,004**
			Grade 5	**1,017**
			Grade 6	**1,029**
			Grade 8	**1,054**

H30X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed square bench	Seat width	30	762	Overall width	30	762
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H30X	**E8**	Std	Grade 1	**1,144**	**Specify laminate code**
	E9	N/C	Grade 2	**1,154**	
			Grade 3	**1,167**	
			Grade 4	**1,180**	
			Grade 5	**1,192**	
			Grade 6	**1,205**	
			Grade 8	**1,230**	

HC30



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	30	762	Overall width	30	762
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	30	762			

Model	Frame		Upholstery / List ($)	
HC30	**E8**	Std	Grade 1	**1,370**
	E9	N/C	Grade 2	**1,384**
			Grade 3	**1,402**
			Grade 4	**1,420**
			Grade 5	**1,439**
			Grade 6	**1,457**
			Grade 8	**1,493**

H60



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Rectangular bench	Seat width	60	1524	Overall width	60	1524
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			

Model	Frame		Upholstery / List ($)	
H60	**E8**	Std	Grade 1	**1,582**
	E9	N/C	Grade 2	**1,596**
			Grade 3	**1,613**
			Grade 4	**1,630**
			Grade 5	**1,646**
			Grade 6	**1,663**
			Grade 8	**1,697**

H60X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed rectangular bench	Seat width	60	1524	Overall width	60	1524
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H60X	**E8**	Std	Grade 1	**1,839**	**Specify laminate code**
	E9	N/C	Grade 2	**1,853**	
			Grade 3	**1,870**	
			Grade 4	**1,888**	
			Grade 5	**1,905**	
			Grade 6	**1,923**	
			Grade 8	**1,958**	

HC60



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	60	1524	Overall width	60	1524
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	60	1524			

Model	Frame		Upholstery / List ($)	
HC60	**E8**	Std	Grade 1	**2,201**
	E9	N/C	Grade 2	**2,230**
			Grade 3	**2,266**
			Grade 4	**2,301**
			Grade 5	**2,337**
			Grade 6	**2,373**
			Grade 8	**2,444**

H1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	30	762	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H1860	**E8**	Std	Grade 1	**1,532**
	E9	N/C	Grade 2	**1,545**
			Grade 3	**1,560**
			Grade 4	**1,576**
			Grade 5	**1,592**
			Grade 6	**1,607**
			Grade 8	**1,639**

HX1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX1860	**E8**	Std	Grade 1	**1,745**	**Specify laminate code**
	E9	N/C	Grade 2	**1,757**	
			Grade 3	**1,773**	
			Grade 4	**1,789**	
			Grade 5	**1,804**	
			Grade 6	**1,820**	
			Grade 8	**1,851**	

H1860X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	39	991	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H1860X	**E8**	Std	Grade 1	**1,745**	**Specify laminate code**
	E9	N/C	Grade 2	**1,757**	
			Grade 3	**1,773**	
			Grade 4	**1,789**	
			Grade 5	**1,804**	
			Grade 6	**1,820**	
			Grade 8	**1,851**	

HC1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	27	686			

Model	Frame		Upholstery / List ($)	
HC1860	**E8**	Std	Grade 1	**1,895**
	E9	N/C	Grade 2	**1,915**
			Grade 3	**1,940**
			Grade 4	**1,965**
			Grade 5	**1,990**
			Grade 6	**2,015**
			Grade 8	**2,065**

H1860C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	39	991	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	39	991			

Model	Frame		Upholstery / List ($)	
H1860C	**E8**	Std	Grade 1	**1,895**
	E9	N/C	Grade 2	**1,916**
			Grade 3	**1,943**
			Grade 4	**1,969**
			Grade 5	**1,996**
			Grade 6	**2,023**
			Grade 8	**2,076**

H4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	30	762	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4830	**E8**	Std	Grade 1	**1,420**
	E9	N/C	Grade 2	**1,431**
			Grade 3	**1,444**
			Grade 4	**1,458**
			Grade 5	**1,472**
			Grade 6	**1,486**
			Grade 8	**1,513**

HX4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX4830	**E8**	Std	Grade 1	**1,632**	**Specify laminate code**
	E9	N/C	Grade 2	**1,642**	
			Grade 3	**1,655**	
			Grade 4	**1,667**	
			Grade 5	**1,680**	
			Grade 6	**1,692**	
			Grade 8	**1,717**	

H4830X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	35 ¾	909	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H4830X	**E8**	Std	Grade 1	**1,632**	**Specify laminate code**
	E9	N/C	Grade 2	**1,642**	
			Grade 3	**1,655**	
			Grade 4	**1,667**	
			Grade 5	**1,680**	
			Grade 6	**1,692**	
			Grade 8	**1,717**	

HC4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	29 ½	749			

Model	Frame		Upholstery / List ($)	
HC4830	**E8**	Std	Grade 1	**1,789**
	E9	N/C	Grade 2	**1,809**
			Grade 3	**1,834**
			Grade 4	**1,859**
			Grade 5	**1,884**
			Grade 6	**1,909**
			Grade 8	**1,959**

H4830C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	35 ¾	909	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	35 ¾	909			

Model	Frame		Upholstery / List ($)	
H4830C	**E8**	Std	Grade 1	**1,789**
	E9	N/C	Grade 2	**1,809**
			Grade 3	**1,834**
			Grade 4	**1,859**
			Grade 5	**1,884**
			Grade 6	**1,909**
			Grade 8	**1,959**

H4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	60	1524	Overall width	60	1524
Radius = 48"	Seat depth	30	762	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4845	**E8**	Std	Grade 1	**1,870**
	E9	N/C	Grade 2	**1,882**
			Grade 3	**1,898**
			Grade 4	**1,914**
			Grade 5	**1,929**
			Grade 6	**1,945**
			Grade 8	**1,976**

HX4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	60	1524	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX4845	**E8**	Std	Grade 1	**2,158**	**Specify laminate code**
	E9	N/C	Grade 2	**2,170**	
			Grade 3	**2,186**	
			Grade 4	**2,201**	
			Grade 5	**2,217**	
			Grade 6	**2,233**	
			Grade 8	**2,264**	

H4845X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	53	1346	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H4845X	**E8**	Std	Grade 1	**2,158**	**Specify laminate code**
	E9	N/C	Grade 2	**2,170**	
			Grade 3	**2,186**	
			Grade 4	**2,201**	
			Grade 5	**2,217**	
			Grade 6	**2,233**	
			Grade 8	**2,264**	

HC4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	44	1118	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	43 5/8	1108			

Model	Frame		Upholstery / List ($)	
HC4845	**E8**	Std	Grade 1	**2,364**
	E9	N/C	Grade 2	**2,389**
			Grade 3	**2,420**
			Grade 4	**2,452**
			Grade 5	**2,483**
			Grade 6	**2,514**
			Grade 8	**2,577**

H4845C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	53	1346	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	53	1346			

Model	Frame		Upholstery / List ($)	
H4845C	**E8**	Std	Grade 1	**2,364**
	E9	N/C	Grade 2	**2,389**
			Grade 3	**2,420**
			Grade 4	**2,452**
			Grade 5	**2,483**
			Grade 6	**2,514**
			Grade 8	**2,577**

H4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	30	762	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4860	**E8**	Std	Grade 1	**2,258**
	E9	N/C	Grade 2	**2,273**
			Grade 3	**2,291**
			Grade 4	**2,310**
			Grade 5	**2,329**
			Grade 6	**2,348**
			Grade 8	**2,385**

HX4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX4860	**E8**	Std	Grade 1	**2,564**	**Specify laminate code**
	E9	N/C	Grade 2	**2,579**	
			Grade 3	**2,598**	
			Grade 4	**2,617**	
			Grade 5	**2,635**	
			Grade 6	**2,654**	
			Grade 8	**2,692**	

H4860X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	57	1448	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H4860X	**E8**	Std	Grade 1	**2,564**	**Specify laminate code**
	E9	N/C	Grade 2	**2,579**	
			Grade 3	**2,598**	
			Grade 4	**2,617**	
			Grade 5	**2,635**	
			Grade 6	**2,654**	
			Grade 8	**2,692**	

HC4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	57	1448			

Model	Frame		Upholstery / List ($)	
HC4860	**E8**	Std	Grade 1	**2,977**
	E9	N/C	Grade 2	**3,005**
			Grade 3	**3,041**
			Grade 4	**3,077**
			Grade 5	**3,112**
			Grade 6	**3,148**
			Grade 8	**3,219**

H4860C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	69 ¼	1759	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	69 ¼	1759			

Model	Frame		Upholstery / List ($)	
H4860C	**E8**	Std	Grade 1	**2,977**
	E9	N/C	Grade 2	**3,007**
			Grade 3	**3,044**
			Grade 4	**3,082**
			Grade 5	**3,119**
			Grade 6	**3,157**
			Grade 8	**3,232**

H7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	30	762	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H7830	**E8**	Std	Grade 1	**1,745**
	E9	N/C	Grade 2	**1,760**
			Grade 3	**1,779**
			Grade 4	**1,797**
			Grade 5	**1,816**
			Grade 6	**1,835**
			Grade 8	**1,872**

HX7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX7830	**E8**	Std	Grade 1	**1,989**	**Specify laminate code**
	E9	N/C	Grade 2	**2,004**	
			Grade 3	**2,023**	
			Grade 4	**2,041**	
			Grade 5	**2,060**	
			Grade 6	**2,079**	
			Grade 8	**2,116**	

H7830X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	51	1295	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H7830X	**E8**	Std	Grade 1	**1,989**	**Specify laminate code**
	E9	N/C	Grade 2	**2,004**	
			Grade 3	**2,023**	
			Grade 4	**2,041**	
			Grade 5	**2,060**	
			Grade 6	**2,079**	
			Grade 8	**2,116**	

HC7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	45	1143			

Model	Frame		Upholstery / List ($)	
HC7830	**E8**	Std	Grade 1	**2,427**
	E9	N/C	Grade 2	**2,449**
			Grade 3	**2,477**
			Grade 4	**2,505**
			Grade 5	**2,533**
			Grade 6	**2,562**
			Grade 8	**2,618**

H7830C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	51 ½	1308	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	51 ½	1308			

Model	Frame		Upholstery / List ($)	
H7830C	**E8**	Std	Grade 1	**2,427**
	E9	N/C	Grade 2	**2,452**
			Grade 3	**2,483**
			Grade 4	**2,514**
			Grade 5	**2,545**
			Grade 6	**2,577**
			Grade 8	**2,639**

H7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	30	762	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H7845	**E8**	Std	Grade 1	**2,258**
	E9	N/C	Grade 2	**2,275**
			Grade 3	**2,297**
			Grade 4	**2,319**
			Grade 5	**2,341**
			Grade 6	**2,363**
			Grade 8	**2,407**

HX7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
HX7845	**E8**	Std	Grade 1	**2,614**	**Specify laminate code**
	E9	N/C	Grade 2	**2,632**	
			Grade 3	**2,654**	
			Grade 4	**2,675**	
			Grade 5	**2,697**	
			Grade 6	**2,719**	
			Grade 8	**2,763**	

H7845X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finis
H7845X	**E8**	Std	Grade 1	**2,614**	**Specify laminate code**
	E9	N/C	Grade 2	**2,632**	
			Grade 3	**2,654**	
			Grade 4	**2,675**	
			Grade 5	**2,697**	
			Grade 6	**2,719**	
			Grade 8	**2,763**	

HC7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	67	1702			

Model	Frame		Upholstery / List ($)	
HC7845	**E8**	Std	Grade 1	**3,208**
	E9	N/C	Grade 2	**3,243**
			Grade 3	**3,287**
			Grade 4	**3,331**
			Grade 5	**3,375**
			Grade 6	**3,418**
			Grade 8	**3,506**

H7845C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	76	1930	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	76	1930			

Model	Frame		Upholstery / List ($)	
H7845C	**E8**	Std	Grade 1	**3,208**
	E9	N/C	Grade 2	**3,243**
			Grade 3	**3,287**
			Grade 4	**3,331**
			Grade 5	**3,375**
			Grade 6	**3,418**
			Grade 8	**3,506**

HR24

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	24	610
	Overall depth	24	610
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR24	**E8**	Std	Grade 1	**907**
	E9	N/C	Grade 2	**915**
			Grade 3	**925**
			Grade 4	**935**
			Grade 5	**945**
			Grade 6	**955**
			Grade 8	**975**

HR36

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	36	914
	Overall depth	36	914
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR36	**E8**	Std	Grade 1	**1,163**
	E9	N/C	Grade 2	**1,176**
			Grade 3	**1,191**
			Grade 4	**1,207**
			Grade 5	**1,223**
			Grade 6	**1,238**
			Grade 8	**1,270**

HR48



Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR48	**E8**	Std	Grade 1	**1,614**
	E9	N/C	Grade 2	**1,631**
			Grade 3	**1,653**
			Grade 4	**1,675**
			Grade 5	**1,697**
			Grade 6	**1,719**
			Grade 8	**1,762**

HRT24

Description	Dimensions	(in)	(mm)
Round table	Seat width	24	610
	Seat depth	24	610
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HRT24	**E8**	Std	Grade 1	**1,063**	**Specify code**
	E9	N/C	Grade 2	**1,069**	
			Grade 3	**1,077**	
			Grade 4	**1,084**	
			Grade 5	**1,092**	
			Grade 6	**1,099**	
			Grade 8	**1,114**	

HRT36



Description	Dimensions	(in)	(mm)
Round table	Seat width	36	915
	Seat depth	36	915
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HRT36	**E8**	Std	Grade 1	**1,463**	**Specify code**
	E9	N/C	Grade 2	**1,471**	
			Grade 3	**1,481**	
			Grade 4	**1,491**	
			Grade 5	**1,501**	
			Grade 6	**1,511**	
			Grade 8	**1,531**	

HRT48



Description	Dimensions	(in)	(mm)
Round table	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HRT48	**E8**	Std	Grade 1	**2,033**	**Specify code**
	E9	N/C	Grade 2	**2,040**	
			Grade 3	**2,048**	
			Grade 4	**2,057**	
			Grade 5	**2,066**	
			Grade 6	**2,075**	
			Grade 8	**2,092**	

HRTM36

Description	Dimensions	(in)	(mm)
Mixed table ottoman	Seat width	36	915
	Seat depth	36	915
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HRTM36	**E8**	Std	Grade 1	**1,420**	**Specify code**
	E9	N/C	Grade 2	**1,428**	
			Grade 3	**1,439**	
			Grade 4	**1,450**	
			Grade 5	**1,461**	
			Grade 6	**1,472**	
			Grade 8	**1,494**	

HRTP48



Description	Dimensions	(in)	(mm)
Mixed table ottoman	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HRTP48	**E8**	Std	Grade 1	**2,095**	**Specify code**
	E9	N/C	Grade 2	**2,113**	
			Grade 3	**2,134**	
			Grade 4	**2,156**	
			Grade 5	**2,178**	
			Grade 6	**2,200**	
			Grade 8	**2,244**	

HOT

Description	Dimensions	(in)	(mm)
Ogive table	Seat width	30	762
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HOT	**E8**	Std	Grade 1	**1,451**	**Specify code**
	E9	N/C	Grade 2	**1,455**	
			Grade 3	**1,461**	
			Grade 4	**1,467**	
			Grade 5	**1,472**	
			Grade 6	**1,478**	
			Grade 8	**1,489**	

HT30



Description	Dimensions	(in)	(mm)
Square table	Seat width	30	762
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HT30	**E8**	Std	Grade 1	**1,207**	**Specify code**
	E9	N/C	Grade 2	**1,212**	
			Grade 3	**1,217**	
			Grade 4	**1,223**	
			Grade 5	**1,228**	
			Grade 6	**1,234**	
			Grade 8	**1,245**	

HT60



Description	Dimensions	(in)	(mm)
Rectangular table	Seat width	60	1524
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finis
HT60	**E8**	Std	Grade 1	**1,870**	**Specify code**
	E9	N/C	Grade 2	**1,881**	
			Grade 3	**1,895**	
			Grade 4	**1,908**	
			Grade 5	**1,922**	
			Grade 6	**1,936**	
			Grade 8	**1,964**	

HA



Description	Dimensions	(in)	(mm)
Upholstered arm	Overall width	7 ½	191
	Overall depth	30	762
	Overall height	30	762

Model	Upholstery / List ($)		Other options ($)	
HA	Grade 1	**457**	**PC (1x)**	**600**
	Grade 2	**464**		
	Grade 3	**473**		
	Grade 4	**483**		
	Grade 5	**492**		
	Grade 6	**502**		
	Grade 8	**520**		

H-B153030



Description	Dimensions	(in)	(mm)
Bookcase	Overall width	15	381
	Overall depth	30	762
	Overall height	30	762

Model	List ($)	Laminate finis
H-B153030	**663**	**Specify code**

HIP HOP JUNIOR

HJ24



Description	Dimensions	(in)	(mm)
Square bench	Overall width	24	610
	Overall depth	24	610
	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ24	**E8**	Std	Grade 1	**694**
	E9	N/C	Grade 2	**699**
			Grade 3	**705**
			Grade 4	**712**
			Grade 5	**718**
			Grade 6	**724**
			Grade 8	**737**

HJC24



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	24	610	Overall width	24	610
	Seat depth	17	432	Overall depth	24	610
	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	24	610			

Model	Frame		Upholstery / List ($)	
HJC24	**E8**	Std	Grade 1	**919**
	E9	N/C	Grade 2	**924**
			Grade 3	**931**
			Grade 4	**937**
			Grade 5	**943**
			Grade 6	**949**
			Grade 8	**962**

HJ48



Description	Dimensions	(in)	(mm)
Rectangular bench	Overall width	48	1219
	Overall depth	24	610
	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ48	**E8**	Std	Grade 1	**1,144**
	E9	N/C	Grade 2	**1,154**
			Grade 3	**1,167**
			Grade 4	**1,180**
			Grade 5	**1,192**
			Grade 6	**1,205**
			Grade 8	**1,230**

HJC48



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Overall width	48	1219	Seat width	48	1219
	Overall depth	24	610	Seat depth	17	432
	Overall height	28	711	Seat height	14	356
	Back height	14	356			
	Back width	48	1219			

Model	Frame		Upholstery / List ($)	
HJC48	**E8**	Std	Grade 1	**1,595**
	E9	N/C	Grade 2	**1,607**
			Grade 3	**1,623**
			Grade 4	**1,639**
			Grade 5	**1,654**
			Grade 6	**1,670**
			Grade 8	**1,701**

HJ2445



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	41	1041	Overall width	41	1041
Radius = 24"	Seat depth	24	610	Overall depth	31 ¾	806
Degree = 45°	Seat height	14	356	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ2445	**E8**	Std	Grade 1	**1,119**
	E9	N/C	Grade 2	**1,129**
			Grade 3	**1,142**
			Grade 4	**1,154**
			Grade 5	**1,167**
			Grade 6	**1,180**
			Grade 8	**1,205**

HJ2445C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	32	813	Overall width	37	940
Radius = 24"	Seat depth	17	432	Overall depth	26	661
Degree = 45°	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	34 ½	876			

Model	Frame		Upholstery / List ($)	
HJ2445C	**E8**	Std	Grade 1	**1,395**
	E9	N/C	Grade 2	**1,410**
			Grade 3	**1,428**
			Grade 4	**1,447**
			Grade 5	**1,466**
			Grade 6	**1,485**
			Grade 8	**1,522**

HJC2445



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	32	813	Overall width	37	940
Radius = 24"	Seat depth	17	432	Overall depth	26	661
Degree = 45°	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	25 ¼	641			

Model	Frame		Upholstery / List ($)	
HJC2445	**E8**	Std	Grade 1	**1,395**
	E9	N/C	Grade 2	**1,410**
			Grade 3	**1,428**
			Grade 4	**1,447**
			Grade 5	**1,466**
			Grade 6	**1,485**
			Grade 8	**1,522**

HIP HOP – SOLUTIONS

HOP – S1 — $58,356



6	HC1860
6	HC4860
12	HC7830

HOP – S2 — $69,002



4	HO
4	HV
8	H4830C
8	H4860C
2	HC4860
4	H7830

HOP – S3 — $18,496



3	HC30
2	H4830C
2	H4860C
2	H7830

HOP – S4 — $8,399



2	HC30
1	H4860X
1	H4830X
1	HRT36

HOP – S5 — $9,231



1	H30X
1	H60X
1	H1860X
1	HC1860
1	H4830C

HOP – S6 — $13,504



2	HO
1	H60
2	H4860C
1	HRTP48
1	HRTM36

HOP – S7 — $7,098



1	H30X
2	H4860C

HOP – S8 — $13,020



1	H4830C
2	H4860C
2	HO
1	HRTP48

HOP – S9 — $13,191



1	H60X
2	H4860C
1	H4860X
1	HRTP48

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and seat, the second upholstery code is for the arms.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 5" height metal legs in aluminum finish.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: LC1-ML- AM24 - OL11 -A

1 2

SAMPLE ORDER: LC1-ML-OL11-A

LC1

Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21 ½	546	Overall width	31	787
Metal legs in front	Seat depth	20	508	Overall depth	32	813
	Seat height	19	483	Overall height	34	864
	Back height	20	508			

Model	Frame		Upholstery / List ($)		Button ($)	
LC1	**ML**	Std	Grade 1	**1,682**	**A**	Std
			Grade 2	**1,710**	**SA**	N/C
			Grade 3	**1,744**		
			Grade 4	**1,779**		
			Grade 5	**1,813**		
			Grade 6	**1,847**		
			Grade 7	**2,945**		
			Grade 8	**1,916**		

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and arm structure, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Refer to page 59 for the 4 wood leg finishes available.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: MA1-W2-TN054-TN054

1 2

SAMPLE ORDER: MA1-W2-TN054-TN054

MA1



Description
Armchair
Wooden legs

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat width	20 ¼	514	Overall width	29 ½	750
Seat depth	21	534	Overall depth	31	788
Seat height	18	457	Overall height	31 ¾	807
Back height	12	305			

Model	Frame		Upholstery / List ($)	
MA1	**W1**	Std	Grade 1	**1,926**
	W2	N/C	Grade 2	**1,949**
	W3	N/C	Grade 3	**1,978**
	W4	N/C	Grade 4	**2,007**
			Grade 5	**2,036**
			Grade 6	**2,064**
			Grade 7	**2,991**
			Grade 8	**2,122**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and arm structure, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Headrest cannot be retrofitted on existing model.
- 16-gauge steel legs.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: NA1-E9-CE77-CE77

1 2

SAMPLE ORDER: NA1-E9-CE77-CE77

NA1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21	533	Overall width	34 ¾	883
Metal legs	Seat depth	20 ¾	527	Overall depth	29	737
6"H headrest	Seat height	17 ½	445	Overall height	33 ¾	857
	Back height	10 ½	267			

Model	Frame		Upholstery / List ($)				Other options ($)	
NA1	**E8**	Std	Grade 1	**2,026**	Grade 5	**2,145**	**HR**	Std
	E9	N/C	Grade 2	**2,051**	Grade 6	**2,176**		
			Grade 3	**2,083**	Grade 7	**3,069**		
			Grade 4	**2,114**	Grade 8	**2,239**		

NA2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	45	1143	Overall width	58 ¾	1492
Metal legs	Seat depth	20 ¾	527	Overall depth	29	737
6"H headrest	Seat height	17 ½	445	Overall height	33 ¾	857
	Back height	10 ½	267			

Model	Frame		Upholstery / List ($)				Other options ($)	
NA2	**E8**	Std	Grade 1	**2,627**	Grade 5	**2,841**	**HR**	Std
	E9	N/C	Grade 2	**2,672**	Grade 6	**2,897**		
			Grade 3	**2,728**	Grade 7	**4,493**		
			Grade 4	**2,784**	Grade 8	**3,009**		

NA3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	69	1753	Overall width	82 ¾	2102
Metal legs	Seat depth	20 ¾	527	Overall depth	29	737
6"H headrest	Seat height	17 ½	445	Overall height	33 ¾	857
	Back height	10 ½	267			

Model	Frame		Upholstery / List ($)				Other options ($)	
NA3	**E8**	Std	Grade 1	**3,152**	Grade 5	**3,485**	**HR**	Std
	E9	N/C	Grade 2	**3,222**	Grade 6	**3,572**		
			Grade 3	**3,310**	Grade 7	**6,050**		
			Grade 4	**3,397**	Grade 8	**3,747**		

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is for the seat, the second upholstery code is for the arms and structure.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 14-gauge steel belt with 16-gauge legs.
- Please refer to your Lacasse Sampler for laminate choices for the Oly bench with storage LY2B and with shelf LY2T.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: LY2B-E8-SL24-GR909-TWT

1 2

SAMPLE ORDER: LY2B-E8-SL24-GR909-TWT

LY1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Bench	Seat width	55	1397	Overall width	74	1880
	Seat depth	25	635	Overall depth	25	635
	Seat height	18	457	Overall height	31 ½	800
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)			
LY1	E8	Std	Grade 1	2,158	Grade 5	2,312
	E9	N/C	Grade 2	2,190	Grade 6	2,353
			Grade 3	2,231	Grade 7	3,508
			Grade 4	2,271	Grade 8	2,434

LY2T



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Bench with integrated table	Seat width	55	1397	Overall width	74	1880
	Seat depth	25	635	Overall depth	25	635
	Seat height	18	457	Overall height	31 ½	800
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)				Laminate finis
LY2T	E8	Std	Grade 1	2,264	Grade 5	2,418	Specify code
	E9	N/C	Grade 2	2,296	Grade 6	2,459	
			Grade 3	2,337	Grade 7	3,493	
			Grade 4	2,378	Grade 8	2,540	

LY2B



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Bench with integrated bookcase	Seat width	20 ½	521	Overall width	74	1880
	Seat depth	25	635	Overall depth	25	635
	Seat height	18	457	Overall height	31 ½	800
	Back height	13 ½	343			

Model	Frame		Upholstery / List ($)				Laminate finis
LY2B	E8	Std	Grade 1	2,364	Grade 5	2,518	Specify code
	E9	N/C	Grade 2	2,397	Grade 6	2,559	
			Grade 3	2,437	Grade 7	3,593	
			Grade 4	2,478	Grade 8	2,640	

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Available in one-tone only.
- 4 ½" metal legs in aluminum finish for PF4, PF5 & PF6.
- C.O.M./C.O.V.: please refer to page 54.

SAMPLE ORDER: PF1-CY07

PF1

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	18	457
	Overall depth	18	457
	Overall height	17 ¼	438

Model	Upholstery / List ($)	
PF1	Grade 1	488
	Grade 2	495
	Grade 3	505
	Grade 4	514
	Grade 5	523
	Grade 6	533
	Grade 7	674
	Grade 8	552

PF2



Description	Dimensions	(in)	(mm)
Square ottoman	Overall width	18	457
	Overall depth	18	457
	Overall height	17 ¼	438

Model	Upholstery / List ($)	
PF2	Grade 1	513
	Grade 2	522
	Grade 3	533
	Grade 4	543
	Grade 5	554
	Grade 6	565
	Grade 7	798
	Grade 8	587

PF3



Description	Dimensions	(in)	(mm)
Rectangular ottoman	Overall width	36	915
	Overall depth	18	457
	Overall height	17 ¼	438

Model	Upholstery / List ($)	
PF3	Grade 1	644
	Grade 2	657
	Grade 3	672
	Grade 4	688
	Grade 5	704
	Grade 6	719
	Grade 7	1,061
	Grade 8	750

PF4

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	18	457
Aluminum legs	Overall depth	18	457
	Overall height	17 ¼	438

Model	Frame		Upholstery / List ($)	
PF4	**ML**	Std	Grade 1	**525**
			Grade 2	**533**
			Grade 3	**542**
			Grade 4	**552**
			Grade 5	**561**
			Grade 6	**570**
			Grade 7	**712**
			Grade 8	**589**

PF5



Description	Dimensions	(in)	(mm)
Square ottoman	Overall width	18	457
Aluminum legs	Overall depth	18	457
	Overall height	17 ¼	438

Model	Frame		Upholstery / List ($)	
PF5	**ML**	Std	Grade 1	**550**
			Grade 2	**559**
			Grade 3	**570**
			Grade 4	**581**
			Grade 5	**592**
			Grade 6	**603**
			Grade 7	**836**
			Grade 8	**625**

PF6



Description	Dimensions	(in)	(mm)
Rectangular ottoman	Overall width	36	915
Aluminum legs	Overall depth	18	457
	Overall height	17 ¼	438

Model	Frame		Upholstery / List ($)	
PF6	**ML**	Std	Grade 1	**682**
			Grade 2	**694**
			Grade 3	**710**
			Grade 4	**725**
			Grade 5	**741**
			Grade 6	**757**
			Grade 7	**1,099**
			Grade 8	**788**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Available in one-tone only.
- Refer to page 59 for the 4 wood leg finishes available.
- C.O.M./C.O.V.: please refer to page 54.

SAMPLE ORDER: SH3-W4-TN808

SH1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	23	533	Overall width	34 ½	876
Wooden legs	Seat depth	20 ½	584	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
SH1	**W1**	Std	Grade 1	**1,795**
	W2	N/C	Grade 2	**1,822**
	W3	N/C	Grade 3	**1,857**
	W4	N/C	Grade 4	**1,891**
			Grade 5	**1,926**
			Grade 6	**1,960**
			Grade 7	**2,936**
			Grade 8	**2,029**

SH2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	44	1118	Overall width	55	1397
Wooden legs	Seat depth	20 ½	584	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
SH2	**W1**	Std	Grade 1	**2,333**
	W2	N/C	Grade 2	**2,383**
	W3	N/C	Grade 3	**2,445**
	W4	N/C	Grade 4	**2,508**
			Grade 5	**2,570**
			Grade 6	**2,633**
			Grade 7	**4,407**
			Grade 8	**2,758**

SH3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	66	1676	Overall width	77	1956
Wooden legs	Seat depth	20 ½	584	Overall depth	30 ½	775
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
SH3	**W1**	Std	Grade 1	**2,796**
	W2	N/C	Grade 2	**2,868**
	W3	N/C	Grade 3	**2,959**
	W4	N/C	Grade 4	**3,049**
			Grade 5	**3,140**
			Grade 6	**3,231**
			Grade 7	**5,803**
			Grade 8	**3,412**

LOUNGE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and arm structure, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Headrest cannot be retrofitted on existing model.
- 16-gauge steel legs.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: SO2-E8-WH03-WH03

1 2

SAMPLE ORDER: SO2-E8-WH03-WH03

SO1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	21	533	Overall width	30 ¾	781
Metal legs	Seat depth	20 ¾	527	Overall depth	30 ½	775
	Seat height	17 ½	445	Overall height	31 ¾	807
	Back height	14 ¼	362			

Model	Frame		Upholstery / List ($)				Other options ($)	
SO1	E8	Std	Grade 1	1,814	Grade 5	1,932	HR	125
	E9	N/C	Grade 2	1,839	Grade 6	1,964		
			Grade 3	1,870	Grade 7	2,845		
			Grade 4	1,901	Grade 8	2,026		

SO2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Seat width	45	1143	Overall width	54 ¾	1391
Metal legs	Seat depth	20 ¾	527	Overall depth	30 ½	775
	Seat height	17 ½	445	Overall height	31 ¾	807
	Back height	14 ¼	362			

Model	Frame		Upholstery / List ($)				Other options ($)	
SO2	E8	Std	Grade 1	2,364	Grade 5	2,566	HR	250
	E9	N/C	Grade 2	2,407	Grade 6	2,619		
			Grade 3	2,460	Grade 7	4,120		
			Grade 4	2,513	Grade 8	2,725		

SO3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Sofa	Seat width	69	1753	Overall width	78 ¾	2000
Metal legs	Seat depth	20 ¾	527	Overall depth	30 ½	775
	Seat height	17 ½	445	Overall height	31 ¾	807
	Back height	14 ¼	362			

Model	Frame		Upholstery / List ($)				Other options ($)	
SO3	E8	Std	Grade 1	2,958	Grade 5	3,243	HR	375
	E9	N/C	Grade 2	3,018	Grade 6	3,318		
			Grade 3	3,093	Grade 7	5,450		
			Grade 4	3,168	Grade 8	3,468		

PUBLIC AREAS AND HEALTHCARE

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and seat cushion, the second upholstery code is for the arms.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 1" gap around seat cushion for ease of cleaning.
- 16-gauge steel base and belt.
- Levelers allow up to ¾" height adjustment.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: TE2TR-E9- MG050 - SL06 -TWT

1 2

SAMPLE ORDER: TE2TR-E9-MG050-SL06-TWT

TE1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	20 ½	521	Overall width	24 ½	622
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
TE1	**E8**	Std	Grade 1	**1,157**
	E9	N/C	Grade 2	**1,173**
			Grade 3	**1,193**
			Grade 4	**1,213**
			Grade 5	**1,233**
			Grade 6	**1,253**
			Grade 7	**1,816**
			Grade 8	**1,293**

TE2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
TE2	**E8**	Std	Grade 1	**1,864**
	E9	N/C	Grade 2	**1,891**
			Grade 3	**1,926**
			Grade 4	**1,960**
			Grade 5	**1,994**
			Grade 6	**2,029**
			Grade 7	**3,005**
			Grade 8	**2,098**

TE2A



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, alternating	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
TE2A	**E8**	Std	Grade 1	**1,864**
	E9	N/C	Grade 2	**1,891**
			Grade 3	**1,926**
			Grade 4	**1,960**
			Grade 5	**1,994**
			Grade 6	**2,029**
			Grade 7	**3,005**
			Grade 8	**2,098**

TE1TR



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair, right-side table	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
TE1TR	**E8**	Std	Grade 1	**1,388**	**Specify laminate code**
	E9	N/C	Grade 2	**1,404**	
			Grade 3	**1,424**	
			Grade 4	**1,444**	
			Grade 5	**1,464**	
			Grade 6	**1,484**	
			Grade 7	**2,047**	
			Grade 8	**1,524**	

TE1TL



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair, left-side table	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
TE1TL	**E8**	Std	Grade 1	**1,388**	**Specify laminate code**
	E9	N/C	Grade 2	**1,404**	
			Grade 3	**1,424**	
			Grade 4	**1,444**	
			Grade 5	**1,464**	
			Grade 6	**1,484**	
			Grade 7	**2,047**	
			Grade 8	**1,524**	

TE3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
3-seat armchair	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
TE3	**E8**	Std	Grade 1	**2,433**
	E9	N/C	Grade 2	**2,474**
			Grade 3	**2,525**
			Grade 4	**2,576**
			Grade 5	**2,628**
			Grade 6	**2,679**
			Grade 7	**4,134**
			Grade 8	**2,782**

TE3A



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
3-seat armchair, alternating	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
TE3A	**E8**	Std	Grade 1	**2,433**
	E9	N/C	Grade 2	**2,474**
			Grade 3	**2,525**
			Grade 4	**2,576**
			Grade 5	**2,628**
			Grade 6	**2,679**
			Grade 7	**4,134**
			Grade 8	**2,782**

TE2TR



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, right-side table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
TE2TR	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

TE2TL



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, left-side table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
TE2TL	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

TE2TC



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, central table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
TE2TC	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

TE01

Description	Dimensions	(in)	(mm)
Ottoman	Overall width	24 ½	622
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
TE01	**E8**	Std	Grade 1	**619**
	E9	N/C	Grade 2	**623**
			Grade 3	**628**
			Grade 4	**632**
			Grade 5	**637**
			Grade 6	**642**
			Grade 7	**729**
			Grade 8	**651**

TE02



Description	Dimensions	(in)	(mm)
2-seat ottoman	Overall width	47	1194
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
TE02	**E8**	Std	Grade 1	**944**
	E9	N/C	Grade 2	**962**
			Grade 3	**984**
			Grade 4	**1,006**
			Grade 5	**1,028**
			Grade 6	**1,049**
			Grade 7	**1,164**
			Grade 8	**1,093**

TE03



Description	Dimensions	(in)	(mm)
3-seat ottoman	Overall width	69 ½	1765
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
TE03	**E8**	Std	Grade 1	**1,245**
	E9	N/C	Grade 2	**1,271**
			Grade 3	**1,304**
			Grade 4	**1,336**
			Grade 5	**1,369**
			Grade 6	**1,402**
			Grade 7	**1,574**
			Grade 8	**1,468**

TE-T2424



Description	Dimensions	(in)	(mm)
Square table	Overall width	24 ½	622
	Overall depth	24 ½	622
	Overall height	15 ½	394

Model	Frame		List ($)	Table finis
TE-T2424	**E8**	Std	**657**	**Specify code**
	E9	N/C		

TE-T2448



Description	Dimensions	(in)	(mm)
Rectangular table	Overall width	47	1194
	Overall depth	24 ½	622
	Overall height	15 ½	394

Model	Frame		List ($)	Table finis
TE-T2448	**E8**	Std	**857**	**Specify laminate code**
	E9	N/C		

Available solutions for Terra are the same as for Zeta. See page 52 for details.

PUBLIC AREAS

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. The first upholstery code is the backrest and seat cushion, the second upholstery code is for the arms.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- 16-gauge steel base and belt.
- Levelers allow up to ¾" height adjustment.
- Please refer to your Lacasse Sampler for laminate choices.
- Please refer to accessories on page 53 for ganging brackets and floor anchors.
- C.O.M./C.O.V.: please refer to page 54.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: ZE1-E8-AM24-AM47

1 2

SAMPLE ORDER: ZE1-E8-AM24-AM47

ZE1



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Armchair	Seat width	20 ½	521	Overall width	24 ½	622
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
ZE1	**E8**	Std	Grade 1	**1,157**
	E9	N/C	Grade 2	**1,173**
			Grade 3	**1,193**
			Grade 4	**1,213**
			Grade 5	**1,233**
			Grade 6	**1,253**
			Grade 7	**1,816**
			Grade 8	**1,293**

ZE2



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
ZE2	**E8**	Std	Grade 1	**1,864**
	E9	N/C	Grade 2	**1,891**
			Grade 3	**1,926**
			Grade 4	**1,960**
			Grade 5	**1,994**
			Grade 6	**2,029**
			Grade 7	**3,005**
			Grade 8	**2,098**

ZE2A



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, alternating	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
ZE2A	**E8**	Std	Grade 1	**1,864**
	E9	N/C	Grade 2	**1,891**
			Grade 3	**1,926**
			Grade 4	**1,960**
			Grade 5	**1,994**
			Grade 6	**2,029**
			Grade 7	**3,005**
			Grade 8	**2,098**

ZE1TR



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
1-seat armchair, right-side table	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
ZE1TR	**E8**	Std	Grade 1	**1,388**	**Specify laminate code**
	E9	N/C	Grade 2	**1,404**	
			Grade 3	**1,424**	
			Grade 4	**1,444**	
			Grade 5	**1,464**	
			Grade 6	**1,484**	
			Grade 7	**2,047**	
			Grade 8	**1,524**	

ZE1TL



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
1-seat armchair, left-side table	Seat width	20 ½	521	Overall width	47	1194
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
ZE1TL	**E8**	Std	Grade 1	**1,388**	**Specify laminate code**
	E9	N/C	Grade 2	**1,404**	
			Grade 3	**1,424**	
			Grade 4	**1,444**	
			Grade 5	**1,464**	
			Grade 6	**1,484**	
			Grade 7	**2,047**	
			Grade 8	**1,524**	

ZE3



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
3-seat armchair	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
ZE3	**E8**	Std	Grade 1	**2,433**
	E9	N/C	Grade 2	**2,474**
			Grade 3	**2,525**
			Grade 4	**2,576**
			Grade 5	**2,628**
			Grade 6	**2,679**
			Grade 7	**4,134**
			Grade 8	**2,782**

ZE3A



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
3-seat armchair, alternating	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)	
ZE3A	**E8**	Std	Grade 1	**2,433**
	E9	N/C	Grade 2	**2,474**
			Grade 3	**2,525**
			Grade 4	**2,576**
			Grade 5	**2,628**
			Grade 6	**2,679**
			Grade 7	**4,134**
			Grade 8	**2,782**

ZE2TR



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, right-side table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
ZE2TR	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

ZE2TL



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, left-side table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
ZE2TL	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

ZE2TC



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2-seat armchair, central table	Seat width	20 ½	521	Overall width	69 ½	1765
	Seat depth	20	508	Overall depth	24 ½	622
	Seat height	18	457	Overall height	31	787
	Back height	13	330			

Model	Frame		Upholstery / List ($)		Table finis
ZE2TC	**E8**	Std	Grade 1	**2,151**	**Specify laminate code**
	E9	N/C	Grade 2	**2,179**	
			Grade 3	**2,213**	
			Grade 4	**2,248**	
			Grade 5	**2,282**	
			Grade 6	**2,316**	
			Grade 7	**3,293**	
			Grade 8	**2,385**	

ZE01



Description	Dimensions	(in)	(mm)
Ottoman	Overall width	24 ½	622
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
ZE01	**E8**	Std	Grade 1	**619**
	E9	N/C	Grade 2	**623**
			Grade 3	**628**
			Grade 4	**632**
			Grade 5	**637**
			Grade 6	**642**
			Grade 7	**729**
			Grade 8	**651**

ZE02



Description	Dimensions	(in)	(mm)
2-seat ottoman	Overall width	47	1194
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
ZE02	**E8**	Std	Grade 1	**944**
	E9	N/C	Grade 2	**952**
			Grade 3	**961**
			Grade 4	**971**
			Grade 5	**980**
			Grade 6	**989**
			Grade 7	**1,164**
			Grade 8	**1,008**

ZE03



Description	Dimensions	(in)	(mm)
3-seat ottoman	Overall width	69 ½	1765
	Overall depth	24 ½	622
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
ZE03	**E8**	Std	Grade 1	**1,245**
	E9	N/C	Grade 2	**1,256**
			Grade 3	**1,270**
			Grade 4	**1,284**
			Grade 5	**1,298**
			Grade 6	**1,312**
			Grade 7	**1,574**
			Grade 8	**1,340**

ZETA AND TERRA – SOLUTIONS

Replace the "Z" by a "T" at the beginning of each model number to switch to Terra solutions.

ZETA– S1 — $2,971



2 ZE1
1 TE-T2424

ZETA – S2 — $4,015



1 ZE2
1 ZE2TL

ZETA – S3 — $12,979



4 ZE2
2 ZE3
1 TE-T2424

ZETA – S4 — $4,641



4 ZE2TC
2 ZE03

GANG2



Description

Ganging device for Cube 200
Includes 2 ganging devices with hardware
Can gang 2 modules together

Model	List ($)	
GANG2	35	

GANG3



Description

Ganging device for Aerial, Cube 300, Hip Hop, Terra and Zeta
Includes 2 ganging devices with hardware
Can gang 2 modules together

Model	List ($)	
GANG3	35	

FIX2



Description

Floor anchors for Cube 200
Includes 2 anchors
Can anchor 2 legs on floor

Model	List ($)	
FIX2	35	

FIX3



Description

Floor anchors for Aerial, Cube 300, Terra and Zeta
Includes 2 anchors
Can anchor 2 legs on floor

Model	List ($)	
FIX3	35	

C.O.M./C.O.V. Policy

Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/Arold manufacturing facilities. In order to determine pre-approval, please contact the C.O.M./C.O.V. coordinator at 1-888-522-2773.

To solicit approval, 2 samples (minimum of 8" × 8") need to be forwarded to below address along with the material's specifications to the attention of the C.O.M./C.O.V. coordinator. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to the C.O.M./C.O.V. coordinator or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Groupe Lacasse/Arold
C/O COM Coordinator
147, Saint-Pierre St
Saint-Pie, QC J0H 1W0
Canada

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the login section section of the website (www.groupelacasse.com). Yardage is based on 54" width roll. Some directional or railroaded material may require additional yardage.

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and quantity of yards. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facility. DO NOT ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to the C.O.M./C.O.V. coordinator (fax: 1-888-248-1865) and the upholstery to the specified address. Surplus material, unused material or material that cannot be identified will be discarded after 60 days. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse/Arold.

Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a Arold product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge.

The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator (1-888-522-2773) with any questions regarding this process.

Pricing

C.O.M. (FABRIC): is priced at Grade 2.
C.O.V. (VINYL): is priced at Grade 3.

For internal use only
Tracking #
Date

GROUPE LACASSE

Custom Fabric Form

All information below needs to be supplied in order to process your request and two test swatches (minimum 8" × 8") must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that **fabric (C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3**. Contact the C.O.M. coordinator with any questions.

Please fax this form to Arold C.O.M./C.O.V. coordinator at 1-888-248-1865 (send only if testing is required).

General information

Date of request	Bill to address
Customer name	
Contact person	
Phone	
Email address	

Textile information

	Results					
Test #	Passed	Failed	**Supplier**	**Pattern name**	**Pattern #**	**Colour**
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		**Orientation**		**Reversible fabric?**		**Is fabric Cal-117?**		**Backer type**
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	(If applicable)
1.									
2.									
3.									
4.									
5.									

Other comments

Terms and Conditions

Order placement

Groupe Lacasse* requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse* will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

Ordering information

The following information is required to process an order:

Customer information

Sold/Ship to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Tagging instructions
Bid/Quote # if applicable
Product pricing (list/net)
Order total (list/net)
Preferred delivered date
(specific delivery date not guaranteed)

Product information

Quantity
Product numbers including options
Fabric and colours (all surfaces)

Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse*. Cancellations cannot be accepted otherwise.

Order acknowledgment

Orders will be acknowledged by Groupe Lacasse*. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

Surcharges

Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

Prices

All prices listed are suggested retail prices, F.C.A. destination. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse* shall have the right to use the published list prices effective at the time of shipment.

Chargeable Parts Orders

Contact customer service for availability. Orders under $25 are subject to a $20 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. Price list dated January 5, 2015 supersedes all other published price lists. Prices shown in price book have priority to electronic catalog contents.

Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse* reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse*. Any product sold shall remain the property of Groupe Lacasse* and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse* until such time as goods have been paid for in full.

Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

Quotations

Quotations are valid for a period of thirty (30) days.

Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colours, materials, specifications and models offered.

Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse* is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse* will only make on site deliveries for a half truck (1200 square feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated with a minimum notice of 2 weeks but will result in extra fees. Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.

Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse*, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

Transportation policy

This map is for Groupe Lacasse's US market deliveries.



"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On orders less than $2,000 net (regardless of brand and/or shipping point) we will add a $50 small order fee in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is $100.

Orders under $25 net are subject to a $20 small order fee (instead of 50$ or 100$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse* can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines. The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse* as follows:

A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773**, by fax at **1-888-248-1865** or by email at LacasseCustomerservice@groupelacasse.com.

Product

A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

C. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

**To lighten the text, the term Groupe Lacasse here is meant to include Groupe Lacasse LLC (US market) and Groupe Lacasse Inc. (Canadian market).*

Warranty

The following warranty applies to Arold products manufactured after January 5, 2015. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

Warranty:

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below: Lifetime except those listed below. Weight limit: 250 lbs. (141 kg).

Arold Products	Applicable Warranty Period
C.O.M./C.O.V./SPL/ Lacasse To Supply Material Program:	Not warranted
Casters/Glides	5 years
Electrical components	5 years
Exposed wood	2 years
Foam	5 years
High-performance thermofused laminate	25 years
Internal wood frame	Lifetime
Metal frames	Lifetime
Standard upholstery and Graded-in	5 years
Workmanship	10 years

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to "normal wear and tear", abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to "Customer's Own Material", "Lacasse – To Supply Material" and "SPL" fabric, (i.e., material specified by the buyer that is not a standard Arold product offering) used in the manufacture of Arold products. The Seller does not warrant the matching of colour, grain or texture except to within commercially acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from Arold stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller's written planning, installation or user guides. The warranty does not apply to any Arold seating product that is used by an individual weighing over 250 lbs. (113 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for standard use of no more than 40 hours per week. The remedies described above are the buyer's exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

* The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.

Lacasse thermofused laminate finishe

ACA – Mahogany	**CER** – Cherry	**FOS** – Fossil	**GVR** – Frost	**NTL** – Natural Cherry	**TWT** – Tuscany Walnut
BUC – Bourbon Cherry	**CLY** – Clay	**GAN** – Anthracite Grey	**HZN** – Hazelnut	**PCM** – Parchment	**WGR** – Willow Grey
CAR – Caramello	**DCH** – Dark Chocolate	**GGI** – Grigio	**NCN** – Crystal Black	**RBY** – Ruby	
CCL – Classic Chocolate	**ERH** – Hard Rock Maple	**GIN** – Ginger	**NRM** – Natural Maple	**SNO** – Snow	

Arold wood finishe

W1 – Tobacco Cherry	**W2** – Cherry	**W3** – Shadow Oak	**W4** – Natural

Sample order

A	With button	**CSW**	Contrast stitching, white	**HR**	Headrest	**TAL**	Tablet arm on left *(while seated)*
SA	Without button	**DH**	3" higher back	**PC**	Electrical/Communication module	**TAR**	Tablet arm on right *(while seated)*
CSB	Contrast stitching, black	**HDW**	Hard dual wheel casters	**SDW**	Soft dual wheel casters	**ML**	Metal legs

Arold

CONTRACT • CONTRAT

A GROUPE LACASSE BRAND

GROUPE LACASSE

1 888 522.2773 www.groupelacasse.com

FSC
www.fsc.org
MIX
Paper from responsible sources
FSC® C103304

3830
A040-0
1/15
13 M

Printed in Canada – © Groupe Lacasse 2014

Arold
CONTRACT • CONTRAT
A GROUPE LACASSE BRAND

MODULAR, LOUNGE AND PUBLIC AREAS

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the double ogive and chairs only. The first upholstery code is the backrest, the second upholstery code is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- Leather is not available for these series.
- Metallic silver electrical modules with 2 power outlets and 2 USB 2.1 connectors available on laminate surfaces. All electrical modules are rectangular except for ottomans which come with round modules. Specify this option by adding **PC**. The modules come installed.
- All models come standard with ¼" thick bended steel legs, 9 ½" H on Hip Hop and 6"H on Hip Hop Junior products.
- Optional ¼" thick laser cut metal leg, 9 ½" H on Hip Hop (not available in standard on Hip Hop Junior). Specify this option using **K** followed by the finish.
- Choice of several leg finishes: Silver Metallic **8**, Nu Nickel **9** and Polished Chrome **1**.
- Please refer to the Lacasse Sampler for laminate choices.
- Please consult the Arold Price Book, Accessories section on page 53 for information on ganging brackets.
- C.O.M./C.O.V. available. Please refer to page 54 of the Arold Price Book.

CALCULATING RADIUS:

The radius is the linear distance calculated from the center of the circle (point 0) to the inner circumference of the module.



CALCULATING DEGREES:

The degree of the angle is calculated by dividing the entire circumference (360°) by the number of modules. E.g.: 360 divided by 6 modular units provides an angle of 60°.

Thus, 12 modules of 30° form a circle (360°).



ELECTRICAL MODULE:

The position of electrical modules depending on model type.



Silver metallic rectangular electrical module.

Central position.



Silver metallic round electrical module.

Central position.



DUAL UPHOLSTERY APPLICATION

SAMPLE ORDER: HV-E9- CY32 - HU10

1 2

HV



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Double ogive seat	Seat width	60	1524	Overall width	60	1524
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			

Model	Frame		Upholstery / List ($)	
HV	**E8**	Std	Grade 1	**2,577**
	E9	N/C	Grade 2	**2,592**
	E1	320	Grade 3	**2,610**
	K8	220	Grade 4	**2,629**
	K9	220	Grade 5	**2,648**
	K1	495	Grade 6	**2,667**
			Grade 8	**2,704**

HO



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ogive	Seat width	30	762	Overall width	30	762
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HO	**E8**	Std	Grade 1	**1,226**
	E9	N/C	Grade 2	**1,237**
	E1	225	Grade 3	**1,251**
	K8	200	Grade 4	**1,265**
	K9	200	Grade 5	**1,279**
	K1	400	Grade 6	**1,293**
			Grade 8	**1,321**

H30



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Square bench	Seat width	30	762	Overall width	30	762
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H30	**E8**	Std	Grade 1	**969**
	E9	N/C	Grade 2	**979**
	E1	225	Grade 3	**992**
	K8	200	Grade 4	**1,004**
	K9	200	Grade 5	**1,017**
	K1	400	Grade 6	**1,029**
			Grade 8	**1,054**

H30X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed square bench	Seat width	30	762	Overall width	30	762
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H30X	**E8**	Std	Grade 1	**1,144**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,154**			
	E1	225	Grade 3	**1,167**			
	K8	200	Grade 4	**1,180**			
	K9	200	Grade 5	**1,192**			
	K1	400	Grade 6	**1,205**			
			Grade 8	**1,230**			

HC30



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	30	762	Overall width	30	762
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	30	762			

Model	Frame		Upholstery / List ($)	
HC30	**E8**	Std	Grade 1	**1,370**
	E9	N/C	Grade 2	**1,384**
	E1	225	Grade 3	**1,402**
	K8	200	Grade 4	**1,420**
	K9	200	Grade 5	**1,439**
	K1	400	Grade 6	**1,457**
			Grade 8	**1,493**

H60



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Rectangular bench	Seat width	60	1524	Overall width	60	1524
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			

Model	Frame		Upholstery / List ($)	
H60	**E8**	Std	Grade 1	**1,582**
	E9	N/C	Grade 2	**1,596**
	E1	225	Grade 3	**1,613**
	K8	200	Grade 4	**1,630**
	K9	200	Grade 5	**1,646**
	K1	400	Grade 6	**1,663**
			Grade 8	**1,697**

H60X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed rectangular bench	Seat width	60	1524	Overall width	60	1524
	Seat depth	30	762	Overall depth	30	762
	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H60X	**E8**	Std	Grade 1	**1,839**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,853**			
	E1	225	Grade 3	**1,870**			
	K8	200	Grade 4	**1,888**			
	K9	200	Grade 5	**1,905**			
	K1	400	Grade 6	**1,923**			
			Grade 8	**1,958**			

HC60



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	60	1524	Overall width	60	1524
	Seat depth	21	533	Overall depth	30	762
	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	60	1524			

Model	Frame		Upholstery / List ($)	
HC60	**E8**	Std	Grade 1	**2,201**
	E9	N/C	Grade 2	**2,230**
	E1	225	Grade 3	**2,266**
	K8	200	Grade 4	**2,301**
	K9	200	Grade 5	**2,337**
	K1	400	Grade 6	**2,373**
			Grade 8	**2,444**

H1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	30	762	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H1860	**E8**	Std	Grade 1	**1,532**
	E9	N/C	Grade 2	**1,545**
	E1	225	Grade 3	**1,560**
	K8	200	Grade 4	**1,576**
	K9	200	Grade 5	**1,592**
	K1	400	Grade 6	**1,607**
			Grade 8	**1,639**

HX1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX1860	**E8**	Std	Grade 1	**1,745**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,757**			
	E1	225	Grade 3	**1,773**			
	K8	200	Grade 4	**1,789**			
	K9	200	Grade 5	**1,804**			
	K1	400	Grade 6	**1,820**			
			Grade 8	**1,851**			

H1860X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	39	991	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H1860X	**E8**	Std	Grade 1	**1,745**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,757**			
	E1	225	Grade 3	**1,773**			
	K8	200	Grade 4	**1,789**			
	K9	200	Grade 5	**1,804**			
	K1	400	Grade 6	**1,820**			
			Grade 8	**1,851**			

HC1860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	48	1219	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	27	686			

Model	Frame		Upholstery / List ($)	
HC1860	**E8**	Std	Grade 1	**1,895**
	E9	N/C	Grade 2	**1,915**
	E1	225	Grade 3	**1,940**
	K8	200	Grade 4	**1,965**
	K9	200	Grade 5	**1,990**
	K1	400	Grade 6	**2,015**
			Grade 8	**2,065**

H1860C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	39	991	Overall width	48	1219
Radius = 18"	Seat depth	21	533	Overall depth	32 ½	826
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	39	991			

Model	Frame		Upholstery / List ($)	
H1860C	**E8**	Std	Grade 1	**1,895**
	E9	N/C	Grade 2	**1,916**
	E1	225	Grade 3	**1,943**
	K8	200	Grade 4	**1,969**
	K9	200	Grade 5	**1,996**
	K1	400	Grade 6	**2,023**
			Grade 8	**2,076**

H4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	30	762	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4830	**E8**	Std	Grade 1	**1,420**
	E9	N/C	Grade 2	**1,431**
	E1	225	Grade 3	**1,444**
	K8	200	Grade 4	**1,458**
	K9	200	Grade 5	**1,472**
	K1	400	Grade 6	**1,486**
			Grade 8	**1,513**

HX4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX4830	**E8**	Std	Grade 1	**1,632**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,642**			
	E1	225	Grade 3	**1,655**			
	K8	200	Grade 4	**1,667**			
	K9	200	Grade 5	**1,680**			
	K1	400	Grade 6	**1,692**			
			Grade 8	**1,717**			

H4830X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	35 ¾	909	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H4830X	**E8**	Std	Grade 1	**1,632**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,642**			
	E1	225	Grade 3	**1,655**			
	K8	200	Grade 4	**1,667**			
	K9	200	Grade 5	**1,680**			
	K1	400	Grade 6	**1,692**			
			Grade 8	**1,717**			

HC4830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	40 ¼	1022	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	29 ½	749			

Model	Frame		Upholstery / List ($)	
HC4830	**E8**	Std	Grade 1	**1,789**
	E9	N/C	Grade 2	**1,809**
	E1	225	Grade 3	**1,834**
	K8	200	Grade 4	**1,859**
	K9	200	Grade 5	**1,884**
	K1	400	Grade 6	**1,909**
			Grade 8	**1,959**

H4830C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	35 ¾	909	Overall width	40 ¼	1022
Radius = 48"	Seat depth	21	533	Overall depth	31 ¾	806
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	35 ¾	909			

Model	Frame		Upholstery / List ($)	
H4830C	**E8**	Std	Grade 1	**1,789**
	E9	N/C	Grade 2	**1,809**
	E1	225	Grade 3	**1,834**
	K8	200	Grade 4	**1,859**
	K9	200	Grade 5	**1,884**
	K1	400	Grade 6	**1,909**
			Grade 8	**1,959**

H4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	60	1524	Overall width	60	1524
Radius = 48"	Seat depth	30	762	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4845	**E8**	Std	Grade 1	**1,870**
	E9	N/C	Grade 2	**1,882**
	E1	320	Grade 3	**1,898**
	K8	220	Grade 4	**1,914**
	K9	220	Grade 5	**1,929**
	K1	495	Grade 6	**1,945**
			Grade 8	**1,976**

HX4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	60	1524	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX4845	**E8**	Std	Grade 1	**2,158**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,170**			
	E1	320	Grade 3	**2,186**			
	K8	220	Grade 4	**2,201**			
	K9	220	Grade 5	**2,217**			
	K1	495	Grade 6	**2,233**			
			Grade 8	**2,264**			

H4845X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	53	1346	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H4845X	**E8**	Std	Grade 1	**2,158**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,170**			
	E1	320	Grade 3	**2,186**			
	K8	220	Grade 4	**2,201**			
	K9	220	Grade 5	**2,217**			
	K1	495	Grade 6	**2,233**			
			Grade 8	**2,264**			

HC4845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	44	1118	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	43 5/8	1108			

Model	Frame		Upholstery / List ($)	
HC4845	**E8**	Std	Grade 1	**2,364**
	E9	N/C	Grade 2	**2,389**
	E1	320	Grade 3	**2,420**
	K8	220	Grade 4	**2,452**
	K9	220	Grade 5	**2,483**
	K1	495	Grade 6	**2,514**
			Grade 8	**2,577**

H4845C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	53	1346	Overall width	60	1524
Radius = 48"	Seat depth	21	533	Overall depth	34	864
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	53	1346			

Model	Frame		Upholstery / List ($)	
H4845C	**E8**	Std	Grade 1	**2,364**
	E9	N/C	Grade 2	**2,389**
	E1	320	Grade 3	**2,420**
	K8	220	Grade 4	**2,452**
	K9	220	Grade 5	**2,483**
	K1	495	Grade 6	**2,514**
			Grade 8	**2,577**

H4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	30	762	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H4860	**E8**	Std	Grade 1	**2,258**
	E9	N/C	Grade 2	**2,273**
	E1	320	Grade 3	**2,291**
	K8	220	Grade 4	**2,310**
	K9	220	Grade 5	**2,329**
	K1	495	Grade 6	**2,348**
			Grade 8	**2,385**

HX4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX4860	**E8**	Std	Grade 1	**2,564**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,579**			
	E1	320	Grade 3	**2,598**			
	K8	220	Grade 4	**2,617**			
	K9	220	Grade 5	**2,635**			
	K1	495	Grade 6	**2,654**			
			Grade 8	**2,692**			

H4860X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	57	1448	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H4860X	**E8**	Std	Grade 1	**2,564**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,579**			
	E1	320	Grade 3	**2,598**			
	K8	220	Grade 4	**2,617**			
	K9	220	Grade 5	**2,635**			
	K1	495	Grade 6	**2,654**			
			Grade 8	**2,692**			

HC4860



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	78	1981	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	57	1448			

Model	Frame		Upholstery / List ($)	
HC4860	**E8**	Std	Grade 1	**2,977**
	E9	N/C	Grade 2	**3,005**
	E1	320	Grade 3	**3,041**
	K8	220	Grade 4	**3,077**
	K9	220	Grade 5	**3,112**
	K1	495	Grade 6	**3,148**
			Grade 8	**3,219**

H4860C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	69 ¼	1759	Overall width	78	1981
Radius = 48"	Seat depth	21	533	Overall depth	37	940
Degree = 60°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	69 ¼	1759			

Model	Frame		Upholstery / List ($)	
H4860C	**E8**	Std	Grade 1	**2,977**
	E9	N/C	Grade 2	**3,007**
	E1	320	Grade 3	**3,044**
	K8	220	Grade 4	**3,082**
	K9	220	Grade 5	**3,119**
	K1	495	Grade 6	**3,157**
			Grade 8	**3,232**

H7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	30	762	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H7830	**E8**	Std	Grade 1	**1,745**
	E9	N/C	Grade 2	**1,760**
	E1	225	Grade 3	**1,779**
	K8	200	Grade 4	**1,797**
	K9	200	Grade 5	**1,816**
	K1	400	Grade 6	**1,835**
			Grade 8	**1,872**

HX7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX7830	**E8**	Std	Grade 1	**1,989**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,004**			
	E1	225	Grade 3	**2,023**			
	K8	200	Grade 4	**2,041**			
	K9	200	Grade 5	**2,060**			
	K1	400	Grade 6	**2,079**			
			Grade 8	**2,116**			

H7830X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	51	1295	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H7830X	**E8**	Std	Grade 1	**1,989**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,004**			
	E1	225	Grade 3	**2,023**			
	K8	200	Grade 4	**2,041**			
	K9	200	Grade 5	**2,060**			
	K1	400	Grade 6	**2,079**			
			Grade 8	**2,116**			

HC7830



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	56	1422	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	45	1143			

Model	Frame		Upholstery / List ($)	
HC7830	**E8**	Std	Grade 1	**2,427**
	E9	N/C	Grade 2	**2,449**
	E1	225	Grade 3	**2,477**
	K8	200	Grade 4	**2,505**
	K9	200	Grade 5	**2,533**
	K1	400	Grade 6	**2,562**
			Grade 8	**2,618**

H7830C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	51 ½	1308	Overall width	56	1422
Radius = 78"	Seat depth	21	533	Overall depth	32 ¾	832
Degree = 30°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	51 ½	1308			

Model	Frame		Upholstery / List ($)	
H7830C	**E8**	Std	Grade 1	**2,427**
	E9	N/C	Grade 2	**2,452**
	E1	225	Grade 3	**2,483**
	K8	200	Grade 4	**2,514**
	K9	200	Grade 5	**2,545**
	K1	400	Grade 6	**2,577**
			Grade 8	**2,639**

H7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	30	762	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)	
H7845	**E8**	Std	Grade 1	**2,258**
	E9	N/C	Grade 2	**2,275**
	E1	320	Grade 3	**2,297**
	K8	220	Grade 4	**2,319**
	K9	220	Grade 5	**2,341**
	K1	495	Grade 6	**2,363**
			Grade 8	**2,407**

HX7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
HX7845	**E8**	Std	Grade 1	**2,614**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,632**			
	E1	320	Grade 3	**2,654**			
	K8	220	Grade 4	**2,675**			
	K9	220	Grade 5	**2,697**			
	K1	495	Grade 6	**2,719**			
			Grade 8	**2,763**			

H7845X



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Mixed wedge bench	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	18	457

Model	Frame		Upholstery / List ($)		Tablet finish	Other options ($)	
H7845X	**E8**	Std	Grade 1	**2,614**	**Specify laminate code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,632**			
	E1	320	Grade 3	**2,654**			
	K8	220	Grade 4	**2,675**			
	K9	220	Grade 5	**2,697**			
	K1	495	Grade 6	**2,719**			
			Grade 8	**2,763**			

HC7845



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	83	2108	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	67	1702			

Model	Frame		Upholstery / List ($)	
HC7845	**E8**	Std	Grade 1	**3,208**
	E9	N/C	Grade 2	**3,243**
	E1	320	Grade 3	**3,287**
	K8	220	Grade 4	**3,331**
	K9	220	Grade 5	**3,375**
	K1	495	Grade 6	**3,418**
			Grade 8	**3,506**

H7845C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	76	1930	Overall width	83	2108
Radius = 78"	Seat depth	21	533	Overall depth	36	915
Degree = 45°	Seat height	18	457	Overall height	34	864
	Back height	16	406			
	Back width	76	1930			

Model	Frame		Upholstery / List ($)	
H7845C	**E8**	Std	Grade 1	**3,208**
	E9	N/C	Grade 2	**3,243**
	E1	320	Grade 3	**3,287**
	K8	220	Grade 4	**3,331**
	K9	220	Grade 5	**3,375**
	K1	495	Grade 6	**3,418**
			Grade 8	**3,506**

HR24

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	24	610
	Overall depth	24	610
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR24	**E8**	Std	Grade 1	**907**
	E9	N/C	Grade 2	**915**
	E1	225	Grade 3	**925**
	K8	200	Grade 4	**935**
	K9	200	Grade 5	**945**
	K1	400	Grade 6	**955**
			Grade 8	**975**

HR36

Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	36	914
	Overall depth	36	914
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR36	**E8**	Std	Grade 1	**1,163**
	E9	N/C	Grade 2	**1,176**
	E1	225	Grade 3	**1,191**
	K8	200	Grade 4	**1,207**
	K9	200	Grade 5	**1,223**
	K1	400	Grade 6	**1,238**
			Grade 8	**1,270**

HR48



Description	Dimensions	(in)	(mm)
Round ottoman	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)	
HR48	**E8**	Std	Grade 1	**1,614**
	E9	N/C	Grade 2	**1,631**
	E1	225	Grade 3	**1,653**
	K8	200	Grade 4	**1,675**
	K9	200	Grade 5	**1,697**
	K1	400	Grade 6	**1,719**
			Grade 8	**1,762**

HRT24

Description	Dimensions	(in)	(mm)
Round table	Seat width	24	610
	Seat depth	24	610
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HRT24	**E8**	Std	Grade 1	**1,063**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,069**			
	E1	225	Grade 3	**1,077**			
	K8	200	Grade 4	**1,084**			
	K9	200	Grade 5	**1,092**			
	K1	400	Grade 6	**1,099**			
			Grade 8	**1,114**			

HRT36



Description	Dimensions	(in)	(mm)
Round table	Seat width	36	915
	Seat depth	36	915
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HRT36	**E8**	Std	Grade 1	**1,463**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,471**			
	E1	225	Grade 3	**1,481**			
	K8	200	Grade 4	**1,491**			
	K9	200	Grade 5	**1,501**			
	K1	400	Grade 6	**1,511**			
			Grade 8	**1,531**			

HRT48



Description	Dimensions	(in)	(mm)
Round table	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HRT48	**E8**	Std	Grade 1	**2,033**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,040**			
	E1	225	Grade 3	**2,048**			
	K8	200	Grade 4	**2,057**			
	K9	200	Grade 5	**2,066**			
	K1	400	Grade 6	**2,075**			
			Grade 8	**2,092**			

HRTM36



Description	Dimensions	(in)	(mm)
Mixed table ottoman	Seat width	36	915
	Seat depth	36	915
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HRTM36	**E8**	Std	Grade 1	**1,420**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,428**			
	E1	225	Grade 3	**1,439**			
	K8	200	Grade 4	**1,450**			
	K9	200	Grade 5	**1,461**			
	K1	400	Grade 6	**1,472**			
			Grade 8	**1,494**			

HRTP48



Description	Dimensions	(in)	(mm)
Mixed table ottoman	Overall width	48	1219
	Overall depth	48	1219
	Overall height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HRTP48	**E8**	Std	Grade 1	**2,095**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**2,113**			
	E1	225	Grade 3	**2,134**			
	K8	200	Grade 4	**2,156**			
	K9	200	Grade 5	**2,178**			
	K1	400	Grade 6	**2,200**			
			Grade 8	**2,244**			

HOT

Description	Dimensions	(in)	(mm)
Ogive table	Seat width	30	762
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HOT	**E8**	Std	Grade 1	**1,451**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,455**			
	E1	225	Grade 3	**1,461**			
	K8	200	Grade 4	**1,467**			
	K9	200	Grade 5	**1,472**			
	K1	400	Grade 6	**1,478**			
			Grade 8	**1,489**			

HT30



Description	Dimensions	(in)	(mm)
Square table	Seat width	30	762
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HT30	**E8**	Std	Grade 1	**1,207**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,212**			
	E1	225	Grade 3	**1,217**			
	K8	200	Grade 4	**1,223**			
	K9	200	Grade 5	**1,228**			
	K1	400	Grade 6	**1,234**			
			Grade 8	**1,245**			

HT60



Description	Dimensions	(in)	(mm)
Rectangular table	Seat width	60	1524
	Seat depth	30	762
	Seat height	18	457

Model	Frame		Upholstery / List ($)		Laminate finish	Other options ($)	
HT60	**E8**	Std	Grade 1	**1,870**	**Specify code**	**PC (1x)**	**600**
	E9	N/C	Grade 2	**1,881**			
	E1	225	Grade 3	**1,895**			
	K8	200	Grade 4	**1,908**			
	K9	200	Grade 5	**1,922**			
	K1	400	Grade 6	**1,936**			
			Grade 8	**1,964**			

HA



Description	Dimensions	(in)	(mm)
Upholstered arm	Overall width	7 ½	191
	Overall depth	30	762
	Overall height	30	762

Model	Upholstery / List ($)		Other options ($)	
HA	Grade 1	**457**	**PC (1x)**	**600**
	Grade 2	**464**		
	Grade 3	**473**		
	Grade 4	**483**		
	Grade 5	**492**		
	Grade 6	**502**		
	Grade 8	**520**		

H-B153030



Description	Dimensions	(in)	(mm)
Bookcase	Overall width	15	381
	Overall depth	30	762
	Overall height	30	762

Model	List ($)	Laminate finish
H-B153030	**663**	**Specify code**

HIP HOP JUNIOR

HJ24



Description	Dimensions	(in)	(mm)
Square bench	Overall width	24	610
	Overall depth	24	610
	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ24	**E8**	Std	Grade 1	**694**
	E9	N/C	Grade 2	**699**
			Grade 3	**705**
			Grade 4	**712**
			Grade 5	**718**
			Grade 6	**724**
			Grade 8	**737**

HJC24



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Straight chair	Seat width	24	610	Overall width	24	610
	Seat depth	17	432	Overall depth	24	610
	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	24	610			

Model	Frame		Upholstery / List ($)	
HJC24	**E8**	Std	Grade 1	**919**
	E9	N/C	Grade 2	**924**
			Grade 3	**931**
			Grade 4	**937**
			Grade 5	**943**
			Grade 6	**949**
			Grade 8	**962**

HJ48



Description	Dimensions	(in)	(mm)
Rectangular bench	Overall width	48	1219
	Overall depth	24	610
	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ48	**E8**	Std	Grade 1	**1,144**
	E9	N/C	Grade 2	**1,154**
			Grade 3	**1,167**
			Grade 4	**1,180**
			Grade 5	**1,192**
			Grade 6	**1,205**
			Grade 8	**1,230**

HJC48



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Loveseat	Overall width	48	1219	Seat width	48	1219
	Overall depth	24	610	Seat depth	17	432
	Overall height	28	711	Seat height	14	356
	Back height	14	356			
	Back width	48	1219			

Model	Frame		Upholstery / List ($)	
HJC48	**E8**	Std	Grade 1	**1,595**
	E9	N/C	Grade 2	**1,607**
			Grade 3	**1,623**
			Grade 4	**1,639**
			Grade 5	**1,654**
			Grade 6	**1,670**
			Grade 8	**1,701**

HJ2445



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge bench	Seat width	41	1041	Overall width	41	1041
Radius = 24"	Seat depth	24	610	Overall depth	31 ¾	806
Degree = 45°	Seat height	14	356	Overall height	14	356

Model	Frame		Upholstery / List ($)	
HJ2445	**E8**	Std	Grade 1	**1,119**
	E9	N/C	Grade 2	**1,129**
			Grade 3	**1,142**
			Grade 4	**1,154**
			Grade 5	**1,167**
			Grade 6	**1,180**
			Grade 8	**1,205**

HJ2445C



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	32	813	Overall width	37	940
Radius = 24"	Seat depth	17	432	Overall depth	26	661
Degree = 45°	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	34 ½	876			

Model	Frame		Upholstery / List ($)	
HJ2445C	**E8**	Std	Grade 1	**1,395**
	E9	N/C	Grade 2	**1,410**
			Grade 3	**1,428**
			Grade 4	**1,447**
			Grade 5	**1,466**
			Grade 6	**1,485**
			Grade 8	**1,522**

HJC2445



Description	Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Wedge chair	Seat width	32	813	Overall width	37	940
Radius = 24"	Seat depth	17	432	Overall depth	26	661
Degree = 45°	Seat height	14	356	Overall height	28	711
	Back height	14	356			
	Back width	25 ¼	641			

Model	Frame		Upholstery / List ($)	
HJC2445	**E8**	Std	Grade 1	**1,395**
	E9	N/C	Grade 2	**1,410**
			Grade 3	**1,428**
			Grade 4	**1,447**
			Grade 5	**1,466**
			Grade 6	**1,485**
			Grade 8	**1,522**

HIP HOP - SOLUTIONS

HOP – S1 — $58,356



6	HC1860
6	HC4860
12	HC7830

HOP – S2 — $69,002



4	HO
4	HV
8	H4830C
8	H4860C
2	HC4860
4	H7830

HOP – S3 — $18,496



3	HC30
2	H4830C
2	H4860C
2	H7830

HOP – S4 — $8,399



2	HC30
1	H4860X
1	H4830X
1	HRT36

HOP – S5 — $9,231



1	H30X
1	H60X
1	H1860X
1	HC1860
1	HC4830C

HOP – S6 — $13,504



2	HO
1	H60
2	H4860C
1	HRTP48
1	HRTM36

HOP – S7 — $7,098



1	H30X
2	H4860C

HOP – S8 — $13,020



1	H4830C
2	H4860C
2	HO
1	HRTP48

HOP – S9 — $13,191



1	H60X
2	H4860C
1	H4860X
1	HRTP48

nvision

OFFICE ENVIRONMENT SOLUTIONS

PRICE LIST

USA PRICING – March 2016

Table of contents

Specifications

Panels 3-5
Panel components 6-8
Electricity/communications 9-12
Work surfaces 12-13
Supports 13-14
Storage furniture 14-18
Configuration guide 19-26
Suggested layouts 27-32

Price list

Section 1 : Panels

Panels 33-42
Panel components 43-52
Electricity 53-57

Section 2 : Work surfaces and supports

Surfaces 58-72
Supports 73-80

Section 3 : Storage furniture

Shelves and overhead storage units 81-92
Metal storage units 93-99
Laminate storage units 100-110

Section 4 : Accessories

Accessories 111-120

General

Terms and conditions of sale 121-122
Specials 122
Programs 122
Product reference 123-125
Fabrics and finishes 126

Important note: Any artistic, photographic, clerical, typographical or pricing errors and omissions in this price list are subject to correction. Prices and product specifications are subject to change without notice.

Panels

- Panel widths are measured from center line to center line of the universal connectors; imperial and metric measures are exact.
- Height dimensions are measured from bottom of raceway to the top cap; imperial measures are nominal and metric measures are exact.
- All panels are 2" (51 mm) thick and come with side rails (one on each side) that have deep-set notches in 1.125" (29 mm) increments for mounting panel-hung components.
- All metal top caps have a powdercoat finish.
- Acoustical and stackable panels can be upholstered with a different fabric on each side, without any upcharge.
- Panels available in acoustical, glass or stackable versions, with sliding or laminate doors. Special panels may be laminate on both sides, or laminate on one side and fabric on the other side.
- A panel can accept up to two stackable panels. The lower stackable acoustical panel can be load bearing.
- The 4"H (171 mm) raceway is made of rigid ABS plastic, and is offered in 3 styles: non-powered, powered, and powered with communication hole. Both sides of the raceway are identical.
- Field replacement of the panel fabric is possible. Contact Customer Service for more information.
- All panels specified as powered (acoustical or glass) come with a factory-installed power base electrical distribution (PDA) assembly, and a flexible power connector of 7.55" (192 mm) long. Order separately the longer power connector (VECT-3) of 9.64" (245 mm) when a 3- or a 4-way panel application is used, and only when a straight panel run application of powered panels is intersected by a non-powered panel.
- Nvision powered panels are shipped with a 3-circuit capability (field programmable) and 8-wire electrical system that have a separate neutral wire for each circuit and that are compatible with the following power configurations: 3-phase (208Y/120V), 3-wire single-phase (120/140V), and single-phase (120V).
- Nvision panels offer 3 ways for routing power and communication cabling. An internal top communication channel, two internal vertical channels, and an internal base raceway. All provide the capability of separating power from communication cabling and thereby neatly routing cable and wiring internally from the top horizontally, vertically and to the bottom.
- Nvision powered panels can accommodate power at the work surface level through use of the electrical connection kit, available for field installation (see page 57).
- All panels include the following components:

Components	Qty per panel order (rounded up)	Comment
Top cap	1	Top cap with clips
Top cap end plug	0.6	To insert into the end of painted metal top cap in an end-of-run application
Top cap aligner	1	To use in an in-line panel set-up to connect 2 top caps
Raceway	1	Specify raceway option (both sides are identical)
Raceway end plug	0.6	To cover the end of raceway cover in an end-of-run application
Side rail	2	To connect to each side of the panel
Side rail trim cover	1	To cover the side trim rail top channel at the end-of-run application
Panel connectors	1.6	Universal panel connectors are inserted into side rail to connect panels together
Glides	2	Provide 1½" (38 mm) of vertical panel height adjustment
Carpet gripper	1	Use under glides

Acoustical rating

- Noise reduction coefficient (NRC) of .65.
- Sound transmission class (STC) 22.
- The Nvision rating reflects full panel assembly testing. A panel's ability to aid in the control of sound is measured in terms of NRC and STC. NRC represents the panel's ability to absorb sound while the STC indicates its ability to block sound.

Fire and BIFMA rating

- Class A fire rating for fabric surface panels.
- Fabric, tempered glass and frosted acrylic panels are UL listed and certified for use in Canada.
- All panel types meet or exceed the standards set by the ANSI/BIFMA X5.6 panel system test for office furnishing.

Panel connectors specifications

- Polypropylene panel connectors connect panels of the same or unequal heights and are shipped with each panel order.
- Panel connectors serve as continuous vertical barriers between panels to block the passage of sound and light.
- The panel connectors are color-matched to the trim finishes.

Universal panel connectors application



Straight | Variable angles | 90° | 120° | 180° | 360°

Finish posts are available in 90°, 120° and 180°.

Specifications

Panel height combination to match base panel heights and stackable application

- Stacks a maximum of 2 high above a base panel, and load goes on the first stack (upholstered stack).
- May be installed in any order of height provided that the overall combination of panels does not exceed 82" (2083 mm) in height.
- A minimum clearance of 8" (203 mm) is needed above the total height combination in order to install stackable panels.
- Stackable acoustical panels cannot be used above glass panels or stackable glass panels.
- Stackable panels cannot be used above doors.
- Stackable glass panels can be used above acoustical panels, glass panels and stackable panels.
- Wall-mount kit can be used with a combination of stackable panels (height must match existing base panel heights) including the door. See page 52.
- Glass stackable panel can be retrofitted in the field for use on acoustical or glass panel; connector brackets are available as service parts. Contact Customer Service for more information.
- When height of base panel plus stackable panel(s) matches a base panel height, finish posts also match those heights.



Note: Panels stacked on a base panel 37" (940 mm) or 56" (1422 mm) in height will not yield a standard panel height.

Panel's construction – inside view

Acoustical panel

Glass/Acrylic panel



Acoustical panel is made of 4-sided 25-gauge steel frame with honeycomb core and perforated steel skin that is chemically bonded to the entire surface area of the frame, as well as a fiber pad, and a fabric covering that holds in place by a pressure-fit retention spline.

Installation tools

Please contact Customer Service to order tools needed to install Nvision products.



For connecting a panel side rail
NVSN-TL11



To disconnect a panel side rail
NVSN-TL05

Door construction – inside view



Top cap end plug and aligner application



- Insert top cap end plugs into the end of the Nvision metal top cap in an end-of-run application.



- Top cap aligner shipped at a ratio of 1 per panel ordered , for field installation.
- To use with Nvision painted metal top cap in an in-line panel configuration.
- Alignment tabs are designed for a specific use and cannot be removed or modified.
- Top cap aligners can be ordered separately if additional ones are needed.

Top cap end plug needed for floor plan

- Top cap end plugs are shipped at a ratio of 0.6 per panel ordered.
- Verify quantity shipped with each panel:

Step 1: Determine number of top cap end plugs shipping with the order:

Number of panels ordered	**X**	0.6	=	Number of top cap end plugs included

Step 2: Determine how many additional top cap end plugs are needed:

Number of top cap end plugs included with order	-	Number of top cap end plugs needed	=	Number of top cap end plugs extra or missing

- If the sum is positive (+), there will be extra top cap end plugs.
- If the sum is negative (-), there will be additional top cap end plugs to be ordered.

Raceway options shipped with each panel



N Raceway **without** openings



P Raceway **with** 2 sliding covers (on each side) for electrical access



C Raceway **with** 2 sliding covers for electrical access (on each side) and 1 **with** offset communication opening (on each side).



Communication cut-out **cover** is required to cover the communication holes on a **VNRP** and on a "**C**" raceway option (one hole on both sides). Order separately. See VNRC-1 on page 50.

Specifications

Panel components

Finish post

- Finish posts are not required, but are available as an aesthetic option if desired.
- Finish post widths are measured from side to side. Imperial and metric measures are exact.
- Finish posts are available in full-height or variable-height applications for 90°, 180° and 120° configuration to equal the panel height.
- Finish posts come in (3) parts by using one simple product code (top cap, post and connector cover).
- Upholstered finish posts may be ordered in your choice of fabric; refer to Nvision swatch cards.
- Finish post heights are measured from bottom of the connector cover to the top of the square top cap. Imperial measures are nominal and metric measures are exact.
- Cable routing is available through the finish posts that are matching panel height.
- For UL certification, always use either a finish post or connector cover when a raceway is powered.

Finish posts application

- Used in full or variable height applications. Allows the routing of wires vertically through the finish post.

Full height application



Used in panel application when panel heights are the same on a panel run, even with stackable panels.

Variable height application



Used in panel application when multiple height panels at 90°, 180° or 120°; specify height to match lowest panel height and specific square top cap with appropriate alignment tabs.

Square top cap application



Alignment tabs are designed for a specific use and cannot be modified.

Square top cap can be ordered separately for product applications.

Use of top cap with center-mounted storage units

- When specifying a center-mounted storage unit, care must be taken in selecting these components.



180-degree panel junction configuration.



90-degree panel junction configuration.

Finish posts used for variable height applications

- Used in panel application when panel heights differ in one panel run, for aesthetic reasons only.



- For trim cover application, order a finish post that matches the distance needed and specify square top cap options (alignment tabs) if required. Note that the connector cover, shipped with finish post, is not required for this application.
- Field modifications are required for trim cover application.
- Trim cover application does not allow the routing of wires vertically.

Specifications

T-mount kits

- Used to mount panels at 90° directly to the side rail of the supporting panel.
- T-mount kits (one modified glide housing included) are made from extruded aluminum that matches trim color. They connect to the supporting panel with threaded fasteners and do not damage the panel surface when installed.
- T-mount comes with brackets to provide flexible application such as mounting to the center of a supporting panel (in center application) or left-hand or right-hand side rail mounting (in end application).



In center T-mount application (A):

- Connected panels must be of identical height.
- Panel-hung components cannot be mounted on the side of the supporting panel.
- Access to the panel's side trim rails is impeded.
- The T-mount panel itself can accept components on both sides. With field modification to the supporting panel, the brackets may also attach anywhere along the panel face, except within 6" (152 mm) of either side rail.

In end T-mount application (B):

- Height of end T-mount panel can be equal to or lower than the supporting panel height.

Wall mounts

- Used to mount panel or door configurations to a structural building wall.
- Add 1/4" (6 mm) width to the beginning panel.
- 2" wide (51 mm).
- Metal wall mounts are color matched with trim colors.
- Attach directly to wall stud or other permanent structural components.



Electrical Power/Communications

- Electrical components are for use with 120-volt, 60-hertz power sources only.
- All Nvision electrical components are UL listed and certified for use in Canada (UL 1286 Office Furniture).
- All Nvision electrical components are imperial and metric exact dimensions.

Power base 3-circuit specifications

- Nvision electrical system provides:
  - 3 hot wires, 3 neutral wires;
  - 1 common-ground wire;
  - 1 isolated-ground wire.
- Nvision powered panels consist of a 3-circuit; 8-wire made of 12-gauge copper; each circuit has its own neutral conductor.
- Aligns with the 3-phase national power grid and most North American buildings.
- All wires are #12 AWG copper conductors.
- Is compatible with the following building power configurations:
  - 3 phase (208Y/120V)
  - Three-wire single phase (120/240V)
  - Single phase (120V)



Power distribution assembly (PDA) specifications

- Power distribution assembly (PDA) is factory installed to each Nvision powered panel and one short flexible connector is provided.
- PDA provides four connector locations to connect other modular power components (both sides are identical).
  - 2 receptacles or in-feed locations (see #1)
  - 2 short connectors (see #2)

Flex connector configurations

- Short flex connector provided with each powered panel ordered.



Flexible connector
Included with powered panels.

In-line



90° Two-way



180° Three-way



120° Two-way



360° Four-way

Possible flexible connector configurations are illustrated here.

- Straight-span connector (three panel junctions) must be ordered separately (see page 57).





Straight span connector (three-way)

Straight span connector (VECT-3) must be ordered separately, when passing through an adjacent non-powered panel to fill the 2" (51 mm) panel gap.

- Conversion power kits are available to convert non-powered panels to powered.



Power distribution assembly and a short power connector are included.

Specifications

In-feeds specifications



- Base feed brings power from the floor, wall or column into a receptacle located in the base raceway of the panel.
- Top feed routes power from the ceiling into either the left or right internal vertical channel in acoustical panels or stackable panels to the base of the panel for distribution throughout the configuration.
- Powered top feed and cable management poles cannot be used with glass panel (clear or acrylic), door, sliding door and stackable glass panel.
- Cable management poles carry cables from the space above the ceiling to panel pathways.
- Cable management poles and top feed pole integrate with the panel's top, base, and vertical pathways to route cables from ceiling infeeds.
- Plugs into the PDA, on the receptacle location.
- Use this product only with 120-volt, 60-hertz power sources.



Use in USA



Use in CANADA



Wire harness length is 180" (4572 mm) regardless of pole length.

Top feed poles are available in 70" (1956 mm) and 124" (3150 mm).

Hardware base feed cable length is available in 48" (1219 mm) or 180" (4572 mm).

- Plugs into the power distribution assembly (PDA) receptacle location.
- Supplies power to circuit 1 only.
- Not for use with isolated-ground receptacles (VERD-1).

Base power box (VEB-1, VEB-2, VEB-3 and VEB-5) exceeds bottom channel by 1/2" (38 mm).

Work surface level out-feeds specifications



Kit for electrical connection at work surface level integrated into powered panel.

- Plugs into the PDA, on the receptacle location.
- Use this product only with 120-volt, 60-hertz power sources.



- Clips to the back of the work surface and is available in 6' (1829 mm) or 12' (3658 mm) cord length options.



2 powered/
2 communication outlets



4 powered outlets

Receptacles out feeds specifications

- Duplex common-ground receptacles and isolated-ground receptacles are 3 circuit 15-amp field programmable receptacles.
- The receptacles feature copper alloy terminals and are installed into the PDA of a powered panel, inside the base raceway.
- Two receptacles can be plugged on each side, into the PDA when no in-feeds are used.
- Use this product only with 120-volt, 60-hertz power sources.
- VERD-1 receptacle cannot be used with VEB-2 or VEB-3 power sources.





Communication – inside view



A. Electrical top feed and cable management pole to top pathway.
B. Top pathway.
   – Liners (VNPL-10) must be ordered separately and be inserted into the top channel of the panel when routing communication cables in top pathway. Two per panel are needed.
C. Top pathway to vertical pathway.
D. Vertical pathway to base raceway.
   – Provides 4 access points: 2 on both sides of the raceway and 2 at the open ends of the raceway.
   – Communication cable access provides 2 additional access points: 1 on either side.
E. Base raceway to base raceway.
F. Top feed module channel or cable management pole to base raceway.

Specifications

Communication pathway – cable count





	Cable pathway area Sq. In.	Sq. mm	60% fill Cable count 0.20"	0.25"	0.30"	40% fill Cable count 0.20"	0.25"	0.30"
Example								
One square inch cable capacity	1.0	645	19	12	8	13	8	6
Standard panel pathways								
Base raceway, powered	1.1	710	21	13	9	14	9	6
Base raceway, non-powered	5.6	3613	107	68	48	71	46	32
Vertical pathways, acoustical (2 per panel, 2 x 0.9 in² each)	1.8	1161	34	22	15	23	15	10
Vertical pathways, glass/acrylic (2 per panel, 2 x 1.2 in² each)	2.4	1548	46	29	20	31	20	14
Top pathway, acoustical	1.6	1032	31	20	14	20	13	9
Top pathway, glass/acrylic/door	1.4	903	27	17	12	18	11	8
Electrified top feed/kit for electrical connection at work surface level	1.1	770	21	13	9	14	9	6
Cable management pole	2.1	1355	54	34	24	36	23	18

Category 5e/6/6a. Diameter 0.20", 0.25", 0.30".

This chart shows the number of communication cables that can be routed through specific pathways. Cable capacities are based on 0.20" (5 mm), 0.25" (6 mm), and 0.30" (8 mm) diameter cables at 60% and 40% fill capacity. TIA/EIA 569 suggests a cable fill of 40% for planning and up to 60% for unplanned or future additions. The TIA category designations for cable are not size specific but typically the higher the category number the larger the diameter of the cable is. As a general rule a Category 5e (Enhanced) cable is approximately 0.20" in diameter, a Category 6 0.25", and a Category 6a (Augmented) 0.30". The actual diameter will vary depending on manufacturer and whether it is a plenum rated cable or riser (PVC) cable.

Work surfaces

- Work surfaces and counter tops are made of 1" (25 mm) thick particle board panels finished on each side with mar-resistant high-performance laminate (45 lbs/ft³) also called TFL.
- High-pressure laminate work surfaces (HPL) are also available, thus adding 1/16" (1.6 mm) to the overall thickness of the work surface.
- All components are finished with a thick thermoplastic polymer (ABS) edgebanding.
- On a panel-mounted work surface, a 5/16" (8 mm) space exists between the back of the work surface and the panel. This space facilitates the routing of power cords and communication cables.
- Work surface depth and width dimensions are nominal and reflect the dimensions when installed with panel-mounted support brackets.
- For exact depth dimension, substract 5/16" (8 mm).



Color matching thick ABS edge

All edges have rounded corners for a smooth finish.

Installation

- **Cantilever supports must be ordered separately; refer to pages 73 and 74.**
- Metal fittings are made to receive standard cantilever supports only, otherwise wood screws should be used.
- Almost all surfaces have metal-to-metal fittings, to maintain product integrity and for ease of assembly and reconfiguration.

Step 1: insert screw, don't screw too tight.



Step 2: Push surface against panel. A 5/16" (8 mm) space between the back of the work surface and the panel is normal.



Step 3: Screw tightly.



- Refer to item description for number and position of grommets on surfaces (factory installed when specified).



Round grommet
Black. 2 ¾" (70 mm) in diameter.



Rectangular grommet
Metallic Silver. 2 ¼" x 3 ½" (55 mm x 90 mm).

Supports

- The supports that insert into notches of panel side rails are made of 14 gauge steel and coated with powder.
- Secured in place by anti-dislodgment device.

Where to use ...

- **Standard cantilever supports**
  For standard application, allow metal-to-metal connection to the surfaces for easy reconfigurations. These brackets can also be specified separately as right-hand, left-hand or pairs for retrofitting to work surface tops. A third cantilever support is needed when the work surface equals or exceeds 60" (1524 mm) in width.
- **Reinforcement bar**
  A reinforcement bar is recommended for work surfaces with 48" (1219 mm) and 54" (1372 mm) spans, unless the surfaces are supported mid-span by a standard cantilever, a full-width leg panel, or a fixed pedestal. See page 80.
- **Panel brackets**
  Panel brackets are used to mount the straight end of D-shape, extended D-shape, trapezoidal and P-shape work surfaces to the panel side rail. Panel brackets can also be used as side mount brackets to mount the end of a regular work surface to an adjacent return panel. In certain applications, the side mount bracket can replace a cantilever bracket. Panel brackets are needed to support the back of the work surface when a hanging or fixed pedestal is used.

Important:
Brackets must be ordered separately from surfaces. Other support options also available.

Specifications

Support layouts and details – inside view





Wall tracks

- Used to attach panel-mounted components to structural walls.
- Constitute an alternative to panels for the mounting of shelves, overhead or up-mounted storage units, work surfaces and tackboards.
- 3/4" (19 mm) depth.
- 5/8" (16 mm) width.
- Metal wall tracks are color matched with trim colors.



Storage furniture

- All Nvision storage units come standard with locks and 2 keys per lock.
- All Nvision locks allow keyed alike feature, and can be easily changed in the field; see locking program in Accessories section.
- Refer to information on the different types of storage units or modules below for more details.

Metal shelves and overhead storage units

- Secured in place by anti-dislodgment device.
- Can be installed on one equal-width panel or on multiple panels equal to the unit's width.
- Accepts lighting fixtures.
- Shelf dividers can be ordered separately to divide space laterally on shelves, (see page 98). Metal shelves offered in a range of colors.
- Imperial and metric dimensions are exact.

Applications

- Only first stackable panel, which is an acoustical panel (**A**), can bear a load.
- A load cannot be shared by a regular panel and an acoustical stackable panel, nor by two acoustical stackable panels. (**B**)
- Installed on one or more panels of the same width. (**C**)
- The door of the storage unit comes with a lock and when opened vertically retracts above unit, thanks to a system of hinges or runners equipped with steel ball bearings, thus providing optimal acess to content inside unit.
- Glass panels and stackable glass panels cannot support a shelf nor any hanging storage unit.



- To install shelves at same height at first row of stackable panels, shelves must:

Be placed next to each other over a maximum length of 10' (3 m) AND rest against return panels at least 24" (610 mm) wide



Rest against stackable panels of the same height OR against base panels of equal height or taller (on both sides)



Be mounted between a panel and a return panel



- Refer to configuration guide (pages 19 to 26) for more information.

Metal pedestals

- Pedestals are available in three styles: hanging (hung under a work surface), fixed (supports a work surface, includes a base skirt and 1" (25 mm) adjustable glides) or mobile (dual-wheel casters, with a finished metal top).
- Direct locking system engages the steel lock bar directly into the steel drawer body for optimum security.
- Durable hybrid powder coat finish is applied over a rust-inhibiting phosphate pre-treatment. Casing available in all trim colors.
- All drawers have full extension ball-bearing slides.
- File drawers can accommodate legal filing front to back by using legal conversion kit (order separately).
- All drawer accessories must be ordered separately.
- Recessed pull is made of color matching ABS, except for metallic silver, which is not available.
- Full pull is made of color matching metal.

Pedestal drawer weight load capacities:

Drawer test load values per drawer size

Nominal size	Clear height	Depth	Width	Case depth	Load
6" (152 mm)	5" (127 mm)	17" (432 mm)	12 ½" (318 mm)	24" (610 mm)	17 lb (7,7 kg)
12" (305 mm)	10 ¼" (260 mm)	17" (432 mm)	12 ½" (318 mm)	24" (610 mm)	36 lb (16,3 kg)

Specifications

Metal lateral filing cabinets

- Recessed pull is made of color matching ABS, except for Metallic Silver, which is not available.
- Full pull is made of color matching metal.
- Leveling glides have 1 ½" (38 mm) height adjustment.
- Full extension ball-bearing slides for all drawers.
- One-piece inner top provides upper support and prevents case racking.
- Positive drawer interlock system allows only one drawer to open at a time to provide greater safety.
- Durable baked enamel finish is applied with a rust-inhibiting phosphate treatment.
- Casing available in all trim colors.
- Available 2, 3, 4 and 5 drawers high. 5-drawer high comes standard with a posting shelf.
- Side-to-side hanging bars are included.

Lateral drawer weight load capacities:

Drawer test load values per drawer size

Nominal size	Clear height	Depth	Width	Load
12" x 30" (305 x 762 mm)	11 ⅜" (290 mm)	15 9/16" (395 mm)	26 9/16" (674 mm)	80 lbs (36,3 kg)
12" x 36" (305 x 914 mm)	11 ⅜" (290 mm)	15 9/16" (395 mm)	32 9/16" (827 mm)	98 lbs (44,5 kg)
12" x 42" (305 x 1067 mm)	11 ⅜" (290 mm)	15 9/16" (395 mm)	38 9/16" (979 mm)	116 lbs (52,6 kg)

Metal personal storage towers

- Metal wardrobe with clothes hanger bar is available in close or open bookcase and also combined with either a box/box/file or file/file drawer combination.
- All Nvision pedestal accessories can be used.
- Recessed pull is made of color matching ABS, except for Metallic Silver, which is not available.
- Leveling glides have 1" (25 mm) height adjustment.
- Full pull is made of color matching metal.
- All locks for the same unit have the same key number.
- Durable baked enamel finish is applied with rust-inhibiting phosphate treatment. Casing available in all trim colors.
- Door hinges 110° for easy access.
- All drawers have full extension ball-bearing slides.

	STEEL GAUGE		
	Metal pedestals	Metal lateral filing cabinets	Metal personal storage towers
Top	18	22	20
Top support	—	20	—
Case	20	22	20
Fronts	22	22	22
Vertical rails	18 & 20	20	18 & 20
Inner base	20	22	20
Outer base	—	18	20
Drawer sides	22	—	22
Drawer inner front	22	—	22
Drawer rear	—	—	24
Shelf	—	18	20

Two-tone applications

- The first finish specified will be applied to the frame of the unit. The second finish will be applied to the unit's front.
- Two-tone application and wood grain direction:



Height management

Configuration examples for 50" (1270 mm) high panel:



Uses: Recommendations and best practices for center-mounted units



The center-mounted unit needs to be installed on an acoustical panel/stack.



The maximum height for a combination center-mounted unit/panel is 80" (2032 mm).



The center-mounted unit's length needs to be equal to the total length of the panel(s) on which the center-mounted unit is installed.



Depending on the configuration, it is important to make sure that the center-mounted units do not confict with each other.



Important: The center-mounted units need to be supported by return panels on both sides.



Options: The center-mounted units may be supported by vertical storage units which are of equal height or higher than the panels on which the center-mounted units are installed.

Specifications

Uses: Recommendations and best practices for center-mounted units (cont'd.)



Without work surface: Return panels must be of equal height to the panels on which the center-mounted units are installed.



With work surfaces: It is possible to use return panels that are lower than the panels on which the center-mounted units are installed. To do so, there must be a work surface on both sides of the panel.



Generally, a panel run with center-mounted units is maximum 10' (3048 mm).



A panel run with center-mounted units can be up to 12' (3658 mm) if work surfaces are installed using panel brackets. Return panels can be 30" (762 mm) or higher.

Height combination of center-mounted laminate storage units and use of panel privacy screens and of stackable panels



Panel privacy screens can only be installed on acoustical panels.



Panel privacy screens for panels must not exceed the length of the base panel and may be installed on only one panel at a time.



Shown with VSAGX-0860 and VDEP-0860



Shown with VSAGX-1460 and VDEP-1460

Center-mounted storage units match 8" (203 mm) and 14" (355 mm) panel privacy screens perfectly height-wise.



Shown with VPSG-1460 and VDEP-1460

Center-mounted storage units match 14" (355 mm) stackable glass panels perfectly height-wise.





All metal and laminate shared units are 15 ¾" (400 mm) in height, which results in a homogenous appearance.

In order to create the desired effect, care must be taken when specifying the combination of products.

Configurations without components – with return panels



NOTE:

Possibility of panel combinations not exceeding 82" (2077 mm) in height.

When unbalanced, return panel(s) must have same height as base panels.



Length of base panels	Minimum length of return panels
2' - 8' (610 mm - 2438 mm)	30" (762 mm)
8'6" - 10' (2590 mm - 3048 mm)	36" (914 mm)
10'6" - 12' (3200 mm - 3658 mm)	42" (1067 mm)



Length of base panels	Minimum length of return panels
2' - 8' (610 mm - 2438 mm)	36" (914 mm)
8'6" - 10' (2590 mm - 3048 mm)	42" (1067 mm)



Length of base panels	Minimum length of return panels
2' - 5' (610 mm - 1524 mm)	36" (914 mm)
5'6" - 10' (1676 mm - 3048 mm)	42" (1067 mm)



Length of base panels	Minimum length of return panels
2' - 8' (610 mm - 2438 mm)	36" (914 mm)
8'6" - 10' (2590 mm - 3048 mm)	42" (1067 mm)
10'6" - 12' (3200 mm - 3658 mm)	48" (1219 mm)



Height of base panels	Minimum height of return panels
30" (762 mm)	30" (762 mm)
37" - 50" (934 mm - 1264 mm)	37" (934 mm)
56"- 82" (1422 mm - 2077 mm)	44" (1112 mm)



Height of base panels	Minimum height of return panels
50" (1264 mm)	37" (934 mm)
64"- 82" (1620 mm - 2077 mm)	44" (1112 mm)



Length of base panels	Minimum length of return panels
12'6" - 15' (3810 mm - 4572 mm)	2' (610 mm)
15'6" to 16' (4724 mm - 4877 mm)	3' (914 mm)
16'6" to 20' (5092 mm - 6096 mm)	4' (1219 mm)







Base panels may be installed in series up to a maximum of 24' 2" (7366 mm) provided a return panel 24" (610 mm) in width is installed at each end as well as a support panel 60" (1524 mm) in width on the side opposite return panel. This configuration does not allow changing orientation of support panel, nor dividing it into 2 panels.

Configurations without components – with return panels (cont'd.)



Shown with VPCLB-1850-L and VPCRB-1850-R

When base panels are 50" (1264 mm) or 56" (1422 mm) tall, 60" (1524 mm) wide support panel may be replaced by 2 wardrobes with back panel attachment brackets acting as a panel, with the same height as the base panels.



Shown with VPCLB-1864-L

When base panels are 64" (1620 mm) or 82" (2077 mm) high, 60" (1524 mm) wide support panel may be replaced by a wardrobe with back panel attachment brackets for a 64" (1620 mm) high panel.



When return panels are supported only on one side, panel series may not exceed 9' (2743 mm).



When glass return panels are supported on only one side, panel series may not exceed 5' (1524 mm).



When a combination of acoustical and glass return panels are supported on only one side, panel series may not exceed 9' (2743 mm). Glass section may not exceed 5' (1524 mm).

Configurations without components - with wall mounting



Length of base panels
18" (457 mm) - 12' (3658 mm)
12'6" (3810 mm) - 16' (4877 mm)

Minimum length of return panels
No return
min. 2' (610 mm) max 10' (3048 mm)







Length of
base panels
2' - 8' (610 mm - 2438 mm)
8'6" - 10' (2590 mm - 3048 mm)

Minimum length
of return panels
36" (914 mm)
42" (1067 mm)



Length of base panels
2' - 8' (610 mm - 2438 mm)
8'6" - 10' (2590 mm - 3048 mm)
10'6" - 12' (3200 mm - 3658 mm)

Minimum length of return panels
36" (914 mm)
42" (1067 mm)
48" (1219 mm)

Configurations with components - with door

Hinges on left



Hinges on right





Door must have a 24" (610 mm) wide support panel installed at 90 degrees and at a maximum distance of 24" (610 mm) from the hinge side. The panel must also be installed with the same orientation as door opens with.

The support panel may be replaced by a wardrobe with back panel attachment brackets for a panel of 64" (1620 mm) high panel.

Two doors may be installed recessed from return panels. A 24" (610 mm) return panel must be installed between both doors.



When a door is installed into a panel series that supports a work surface and a storage unit, a return panel of the same height as the storage unit must be ordered.



When configuration includes only a work surface, a support is required at surface end. The support may be:

- A return panel equal to the depth of work surface
- An end support panel
- Panel-mounted open frame leg
- A fixed pedestal with a support bracket

Configurations with components - with back-support storage modules

A return panel may be replaced by a low storage module provided module includes lateral or back panel attachment brackets. For a configuration with such a module, only one return panel can be replaced.



Shown with VPBEBE-204720-2B





Shown with VPCLB-1864-L



Shown with VPCLB-1864-L & VPCRB-1864-R

Configuration guide

Configurations with components – with lateral-support storage modules



Shown with VPBEBE-204720-2S





Shown with VPCLS-1864-L



Shown with VPCLS-1864-L & VPCRS-1864-R

Note:
Wardrobe is 26" (661 mm) in depth, which is the sum of the depth of the 24" (610 mm) work surface plus the depth of the 2" (51 mm) panel.

Configurations with components – with surface support



Shown with VUSE-24





Shown with VLGC-LP24PL



A return panel may be replaced by an end support panel or a panel-mounted open framed leg as long as it has the same depth as the work surface. Return panel may not be replaced by a single table post or a fixed pedestal.



Configurations with overhead storage units – with return panels





When a storage unit is installed on a panel in an unbalanced configuration, a return panel with same height as that of panel on which unit is mounted is required.





For an unbalanced configuration, and only when a **metal storage** unit is mounted on a panel, the return panel may be less tall than the panel on which storage unit is installed.





When a storage unit is mounted on a panel, adjacent panel must be same height or taller (on either side of unit).

Configurations with overhead storage units – with return panels (cont'd.)



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.

Work surfaces must be attached to return panels with panel brackets.



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.

Work surface must be attached to return panels with panel brackets.

For this type of configuration, a VUSE end support panel is required at every 60" (1524 mm) length for stability.

Configurations with overhead storage units – with wall mounting



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.



24" (610 mm) wide minimum return panel. This panel must be equal to the work surface depth.

Work surface must be attached to return panels with panel brackets.

Note:
A properly installed wall mount provides more stability than a return panel.

Configuration guide

Configurations with overhead storage units - with surface support

Shown with VUSE-24



Shown with VLGC-LP24PL & VLGC-LP24PR



Shown with VBEBEE-205029



For a balanced configuration with overhead storage units, return panel(s) may be replaced by one of the three following options:

- A VUSE end support panel with same depth as work surface.
- A panel-mounted open frame leg, with same depth as work surface.
- An extension storage module 29" (735 mm) tall.

Or a combination of 2 of the 3 options.

A return panel may not be replaced by a single table post or a fixed pedestal.

Configurations with overhead storage units - with wardrobe with lateral panel attachment brackets





26" (661 mm) depth

Shown with VPCLS-1864-L

For a configuration with storage units, the return panel may be replaced by a wardrobe with lateral panel attachment brackets with the same height as the panel on which the storage unit is mounted. Wardrobe is 26" (661 mm) in depth, which is the sum of the depth of the 24" (610 mm) work surface plus the depth of the 2" (51 mm) panel.

Configurations with up-mounted storage units - with return panels









When a metal up-mounted storage unit is installed, return panel must be same height as panel on which the unit is mounted.

Recommended panels are 44" (1112 mm), 50" (1264 mm) and 56" (1422 mm) in height.

Configurations with up-mounted storage units - with wardrobe with lateral panel attachment brackets



For a configuration with up-mounted storage units, the return panel may be replaced by a wardrobe with lateral panel attachment brackets with the same height as the panel on which the storage unit is mounted. Wardrobe is 26" (661 mm) in depth, which is the sum of the depth of the 24" (610 mm) work surface plus the depth of the 2" (51 mm) panel.

Configurations with center-mounted storage units





A center-mounted storage unit may be installed only on a base acoustical panel. Stackable panels and glass panels cannot support a center-mounted storage unit.

Maximum height of a center-mounted-storage-unit/panel combination is 80" (2032 mm).

Center-mounted storage unit must have the same width as the panel or as total width of the panels on which the storage unit is installed.

Depending on the configuration, it is important to ensure that center-mounted storage units do not interfere with one another, by specifying 90-, 120- and 180-degree links.



Configurations with center-mounted storage units - with return panels and without surface





Return panels must be the same height as that of panels on which center-mounted storage units are installed. The specification of center-mounted storage units is recommended in order to have balanced work stations with return panels on either side or storage modules that support the panels.

Configurations with center-mounted storage units - with return panels and surfaces







It is possible to specify return panels shorter than the panels on which the center-mounted storage units are installed only when there is a work surface on either side of the panels.

The length of a panel series with center-mounted storage units may be of 12' (3658 mm) maximum, provided the work surfaces are installed on either side for the entire length of the panel series.

Configurations with center-mounted storage units - with surface support



Shown with VUSE-24



Shown with VLGC-LP24PL & VLGC-LP24PR





Shown with VBEBEE-205029

For a balanced configuration with a center-mounted storage unit, return panel(s) may be replaced by one of the three following options:

- A VUSE end support panel with same depth as work surface.
- A panel-mounted open frame leg mounted to panel, with same depth as work surface.
- An extension storage module 29" (735 mm) tall.

Or a combination of 2 of these 3 options.

A return panel may not be replaced by a single table post or a pedestal.

Configurations with center-mounted storage units – with wardrobe with lateral panel attachment brackets





Shown with VPCLS-1850-L (26" (661 mm) depth) and VCR-1850-R (24" (610 mm) depth)

For a configuration with a center-mounted storage unit, the return panel may be replaced by a wardrobe with lateral panel attachment brackets with the same height as the panel on which the storage unit is installed. Wardrobe is 26" (661 mm) in depth, which is the sum of the depth of the 24" (610 mm) work surface plus the depth of the 2" (51 mm) panel.

To achieve a balanced configuration, a second standard wardrobe 24" (610 mm) in depth must be installed.

Plan NV-11 $9,668

146" W x 146" D x 44" H overall
72" W x 72" D x 44" H inside cubicles

- Thermofused laminate

Qty	Code	Description	Price	Total
4	VPPA-4442-PP	Acoustical panels, powered, with electrical access, 44" H x 42" W	677	2,708
1	VTCP-4	Four-way top cap	35	35
2	VERC-1	Duplex receptacles, common ground (pack of 6)	140	281
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152
4	VUCC-2442-1GN	Corner work surfaces, curved front, with grommet, 24" D x 42" W	410	1,639
4	VUER-3050-1N	Conference end surfaces, 30" D x 50" W	407	1,627
4	VACB-1	Corner brackets, non-handed	19	75
4	VACP-2	Standard cantilever brackets, 1 pair	95	379
8	VLGC-QTL1	Table posts	151	1,208
4	VAKW-21	Articulated dial-tilt keyboard trays, 8 ½" adjustment	391	1,564



Plan NV-13 $29,149

160" W x 158" D x 64" H overall
78" W x 78" D x 64" H inside cubicles

- Thermofused laminate
- Tempered clear glass

Qty	Code	Description	Price	Total
6	VPPA-3036-NN	Acoustical panels, non-powered, without openings, 30" H x 36" W	460	2,760
4	VPPA-3042-NN	Acoustical panels, non-powered, without openings, 30" H x 42" W	506	2,024
2	VPPA-6436-PP	Acoustical panels, powered, with electrical access, 64" H x 36" W	736	1,472
2	VPPA-6442-PP	Acoustical panels, powered, with electrical access, 64" H x 42" W	810	1,620
6	VPSG-1436-F, SK-1C	Glass stackable panels for acoustical base panels, 14" H x 36" W	509	3,054
4	VPSG-1442-F, SK-1C	Glass stackable panels for acoustical base panels, 14" H x 42" W	545	2,180
2	VVPS-50-V2I	Finish posts, 90-degree connection; variable height application, in-line top cap, painted metal, 50" H	55	110
1	VTCP-4	Four-way top cap	35	35
2	VERC-1	Duplex receptacles, common ground (pack of 6)	140	280
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152
1	VECT-3	Straight span connector	108	108
4	VUCC-2436-1GND	Corner work surfaces, curved front, with grommet, diagonal wood grain, 24" D x 36" W	497	1,988
4	VURT-3042-451N	Rectangular work surfaces, transitional on the left side, 24/30" D x 42" W	315	1,260
4	VURT-3042-541N	Rectangular work surfaces, transitional on the right side, 30/24" D x 42" W	315	1,260
4	VACB-1	Corner brackets, non-handed	19	76
8	VACP-2	Standard cantilever brackets, 1 pair	95	760
2	VAPB-2	Panel brackets, 1 pair	37	74
4	VUSE-30	End support panels, 30" D	314	1,256
4	VSO-1642	Overhead metal storage cabinets with flipper door, 16" H x 42" W	392	1,568
4	VSS-1436	Full height metal shelves, 14" H x 36" W	161	644
8	VLT-30P	Tasklights, 30" W	133	1,064
4	VPF3-24-F	Metal fixed pedestals, box/box/file with full pull, 24" D	549	2,196
4	VPM1-24-F	Metal mobile pedestals, box/file with full pull, 24" D	499	1,996
4	VPC1-24	Pedestal cushions, 24" D, United Chair grade 2 upholstery	303	1,212

Alternative: Substitute all 30" H panels and stackable glass panels by using 44" H acoustical panels and save $4,824 list.



Plan NV-17 $14,132

152" W x 36" D x 50" H overall
48" W x 36" D x 50" H inside cubicles

- Thermofused laminate

Qty	Code	Description	Price	Total
4	VPPA-5024-NN	Acoustical panels, non-powered, without openings, 50" H x 24" W	430	1,720
4	VPPA-5036-NN	Acoustical panels, non-powered, without openings, 50" H x 36" W	521	2,084
3	VPPA-5048-PP	Acoustical panels, powered, with electrical access, 50" H x 48" W	776	2,328
2	VVPS-50-F3	Three-way finish posts,180-degree connection, full height application, painted metal, 50" H	55	110
2	VTCP-4	Four-way top caps	35	70
1	VERC-1	Duplex receptacles, common ground (pack of 6)	140	140
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152
2	VECT-3	Straight span connectors	108	216
6	VUR-2448-1GN	Rectangular work surfaces, with grommet, 24" D x 48" W	291	1,746
4	VACP-2	Standard cantilever brackets, 1 pair	95	380
8	VAPB-2	Panel brackets, 1 pair	37	296
6	VPM1-24-F	Metal mobile pedestals, box/file with full pull, 24" D	499	2,994
6	VPC1-24	Pedestal cushions, 24" D, United Chair grade 3 upholstery	316	1,896



Plan NV-18 $11,047

106" W x 104" D x 64" H overall
102" W x 102" D x 64" H inside cubicle

- Thermofused laminate
- Tempered clear glass

Qty	Code	Description	Price	Total
1	VPPA-3030-PP	Acoustical panel, powered, with electrical access, 30" H x 30" W	525	525
2	VPPA-4442-PP	Acoustical panels, powered, with electrical access, 44" H x 42" W	677	1,354
2	VPPA-6430-NN	Acoustical panels, non-powered, without openings, 64" H x 30" W	549	1,098
3	VPPA-6430-PP	Acoustical panels, powered, with electrical acess, 64" H x 30" W	674	2,022
1	VPPA-6442-NN	Acoustical panel, non-powered, without openings, 64" H x 42" W	665	665
1	VPSG-1430-F, SK-1C	Glass stackable panel for acoustical base panel, 14" H x 30" W	474	474
2	VPSG-2042-F, SK-1C	Glass stackable panels for acoustical base panels, 20" H x 42" W	580	1,160
2	VVPC-64-F2C	Two-way finish posts, 90-degree connection, full height, painted metal, 64" H	61	122
1	VERC-1	Duplex receptacles, common ground (pack of 6)	140	140
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152
1	VURC-3072-1GN	Rectangular conference end surface, with grommet, 30" W x 72" D	510	510
1	VUR-2430-1N	Rectangular work surface, no grommet, 24" D x 30" W	233	233
1	VUR-2448-1GN	Rectangular work surface, with grommet, 24" D x 48" W	291	291
1	VUR-2472-1N	Rectangular work surface, no grommet, 24" D x 72" W	382	382
3	VACP-2	Standard cantilever brackets, 1 pair	95	285
1	VLGC-BAR49	Work surface reinforcement bar, 49" W	146	146
1	VACL-1	Standard cantilever, left	51	51
1	VAPB-2	Panel brackets, 1 pair	37	37
1	VAFB-2	Flat brackets (set of 2)	25	25
2	VLGC-QTL1	Table posts	151	302
2	VSO-1630-L	Overhead metal storage cabinets with laminate flipper door, 16" H x 30" W	482	963
1	VTB-0542	Tackboard, 5" H x 42" W	110	110

Alternative: Substitute all the 30" H and 44" H panels and the glass stackable panels with 44" H and 64" H acoustical panels and save $1,332 list.



Plan NV-19 $7,057

106" W x 104" D x 64" H overall
102" W x 102" D x 64" H inside cubicle

- Thermofused laminate
- Tempered clear glass

Qty	Code	Description	Price	Total
1	VPPA-3036-PP	Acoustical panel, powered, with electrical access, 30" H x 36" W	573	573
1	VPPA-5036-NN	Acoustical panel, non-powered, without openings, 50" H x 36" W	460	460
2	VPPA-5036-PP	Acoustical panels, powered, with electrical access, 50" H x 36" W	642	1,284
1	VPSG-2036-F, SK-1C	Glass stackable panel for acoustical base panel, 20" H x 36" W	540	540
1	VVPC-50-F2C	Finish post, 90-degree connection, full height, painted metal, 50" H	59	59
1	VERC-1	Duplex receptacles, common ground (pack of 6)	140	140
1	VUCC-2436-1GND	Corner work surface, curved front, with grommet, diagonal wood grain, 24" D x 36" W	497	497
1	VUR-2436-1N	Rectangular work surface, no grommet, 24" D x 36" W	251	251
1	VURR-2436-1NR	Rectangular work surface, with grommet, radius on right side, 24" D x 36" W	313	313
1	VACB-1	Corner bracket, non-handed	19	19
2	VACP-2	Standard cantilever brackets, 1 pair	95	190
1	VACR-1	Standard cantilever, right	51	51
1	VUSE-24	End support panel, 24" D	281	281
1	VSM-1636-L	Metal up-mounted storage unit with laminate flipper door, 16" H x 36" W	883	883
1	VTB-0536	Tackboard, 5" H x 36" W	106	212
1	VPF2-24-F	Metal fixed pedestal, file/file with full pull, 24" D	489	489
1	VPM1-24-F	Metal mobile pedestal, box/file with full pull, 24" D	499	499
1	VPC1-24	Pedestal cushion, 24" D, United Chair grade 3 upholstery	316	316



Plan NV-20 $25,306

142" W x 112" D x 82" H overall
138" W x 108" D x 64" H inside
closed office

- Thermofused laminate
- Frosted acrylic and tempered clear glass

Qty	Code	Description	Price	Total
1	VPPA-5024-NN	Acoustical panel, non-powered, without openings, 50" H x 24" W	430	430
1	VPPA-5024-PP	Acoustical panel, powered, with electrical access, 50" H x 24" W	531	531
5	VPPA-5036-PP	Acoustical panels, powered, with electrical access, 50" H x 36" W	642	3,210
1	VPPA-5042-NN	Acoustical panel, non-powered, without openings, 50" H x 42" W	620	620
3	VPPG-5036-NN, SK-1E	Glass panels, non-powered, without openings, 50" H x 36" W	901	2,703
2	VPPG-5036-NN, SK-1C	Glass panels, non-powered, without openings, 50" H x 36" W	756	1,512
3	VPSA-1436	Acoustical stackable panels for acoustical base panels, 14" H x 36" W	368	1,104
2	VPSA-1824	Acoustical stackable panels for acoustical base panels, 18" H x 24" W	316	632
3	VPSA-1836	Acoustical stackable panels for acoustical base panels, 18" H x 36" W	384	1,152
2	VPSG-1424-F, SK-1E	Glass stackable panels for acoustical base panels, 14" H x 24" W	502	1,004
2	VPSG-1836-F, SK-1E	Glass stackable panels for acoustical base panels, 18" H x 36" W	588	1,176
1	VPSG-1842-F, SK-1E	Glass stackable panel for acoustical base panel, 18" H x 42" W	626	626
7	VPSG-1436-G, SK-1E	Glass stackable panels for glass base panels, 14" H x 36" W	584	4,088
1	VPSG-1442-G, SK-1E	Glass stackable panel for glass base panel, 14" H x 42" W	621	621
3	VPSG-1836-G, SK-1E	Glass stackable panels for glass base panels, 18" H x 36" W	600	1,800
2	VPSG-1836-G, SK-1C	Glass stackable panels for glass base panels, 18" H x 36" W	535	1,070
1	VPPD-8242	Laminate door, 82" H x 42" W	2,473	2,473
4	VVPC-82-F2C	Two-way finish posts, 90-degree connection, full height, painted metal, 82" H	66	262
1	VERC-1	Duplex receptacles, common ground (pack of 6)	140	140
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152

Alternative: Substitute a complete line of panels and stackable panels by using 2 wall mount attached to a structural wall.



Acoustical panels, non-powered



"N" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Acoustical panel accommodates top feeds and cable management poles.

Specify raceway option, fabric and color codes.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 30" (756 mm)	VPPA-3018-N_	18 x 2 x 30	457 x 51 x 756	345
	VPPA-3024-N_	24 x 2 x 30	610 x 51 x 756	381
	VPPA-3030-N_	30 x 2 x 30	762 x 51 x 756	418
	VPPA-3036-N_	36 x 2 x 30	914 x 51 x 756	460
	VPPA-3042-N_	42 x 2 x 30	1067 x 51 x 756	506
	VPPA-3048-N_	48 x 2 x 30	1219 x 51 x 756	556
	VPPA-3054-N_	54 x 2 x 30	1372 x 51 x 756	595
	VPPA-3060-N_	60 x 2 x 30	1524 x 51 x 756	638
Panel height: 37" (934 mm)	VPPA-3718-N_	18 x 2 x 37	457 x 51 x 934	360
	VPPA-3724-N_	24 x 2 x 37	610 x 51 x 934	396
	VPPA-3730-N_	30 x 2 x 37	762 x 51 x 934	436
	VPPA-3736-N_	36 x 2 x 37	914 x 51 x 934	479
	VPPA-3742-N_	42 x 2 x 37	1067 x 51 x 934	527
	VPPA-3748-N_	48 x 2 x 37	1219 x 51 x 934	580
	VPPA-3754-N_	54 x 2 x 37	1372 x 51 x 934	621
	VPPA-3760-N_	60 x 2 x 37	1524 x 51 x 934	664
Panel height: 44" (1112 mm)	VPPA-4418-N_	18 x 2 x 44	457 x 51 x 1112	374
	VPPA-4424-N_	24 x 2 x 44	610 x 51 x 1112	412
	VPPA-4430-N_	30 x 2 x 44	762 x 51 x 1112	454
	VPPA-4436-N_	36 x 2 x 44	914 x 51 x 1112	499
	VPPA-4442-N_	42 x 2 x 44	1067 x 51 x 1112	549
	VPPA-4448-N_	48 x 2 x 44	1219 x 51 x 1112	604
	VPPA-4454-N_	54 x 2 x 44	1372 x 51 x 1112	646
	VPPA-4460-N_	60 x 2 x 44	1524 x 51 x 1112	693
Panel height: 50" (1264 mm)	VPPA-5018-N_	18 x 2 x 50	457 x 51 x 1264	378
	VPPA-5024-N_	24 x 2 x 50	610 x 51 x 1264	430
	VPPA-5030-N_	30 x 2 x 50	762 x 51 x 1264	473
	VPPA-5036-N_	36 x 2 x 50	914 x 51 x 1264	521
	VPPA-5042-N_	42 x 2 x 50	1067 x 51 x 1264	572
	VPPA-5048-N_	48 x 2 x 50	1219 x 51 x 1264	629
	VPPA-5054-N_	54 x 2 x 50	1372 x 51 x 1264	675
	VPPA-5060-N_	60 x 2 x 50	1524 x 51 x 1264	721
Panel height: 56" (1422 mm)	VPPA-5618-N_	18 x 2 x 56	457 x 51 x 1422	408
	VPPA-5624-N_	24 x 2 x 56	610 x 51 x 1422	465
	VPPA-5630-N_	30 x 2 x 56	762 x 51 x 1422	512
	VPPA-5636-N_	36 x 2 x 56	914 x 51 x 1422	564
	VPPA-5642-N_	42 x 2 x 56	1067 x 51 x 1422	620
	VPPA-5648-N_	48 x 2 x 56	1219 x 51 x 1422	680
	VPPA-5654-N_	54 x 2 x 56	1372 x 51 x 1422	728
	VPPA-5660-N_	60 x 2 x 56	1524 x 51 x 1422	779
Panel height: 64" (1620 mm)	VPPA-6418-N_	18 x 2 x 64	457 x 51 x 1620	453
	VPPA-6424-N_	24 x 2 x 64	610 x 51 x 1620	499
	VPPA-6430-N_	30 x 2 x 64	762 x 51 x 1620	549
	VPPA-6436-N_	36 x 2 x 64	914 x 51 x 1620	604
	VPPA-6442-N_	42 x 2 x 64	1067 x 51 x 1620	665
	VPPA-6448-N_	48 x 2 x 64	1219 x 51 x 1620	731
	VPPA–6454-N_	54 x 2 x 64	1372 x 51 x 1620	782
	VPPA-6460-N_	60 x 2 x 64	1524 x 51 x 1620	837

1 Panels

Acoustical panels, non-powered (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 82" (2077 mm)	VPPA-8218-N_	18 x 2 x 82	457 x 51 x 2077	553
	VPPA-8224-N_	24 x 2 x 82	610 x 51 x 2077	608
	VPPA-8230-N_	30 x 2 x 82	762 x 51 x 2077	669
	VPPA-8236-N_	36 x 2 x 82	914 x 51 x 2077	737
	VPPA-8242-N_	42 x 2 x 82	1067 x 51 x 2077	811
	VPPA-8248-N_	48 x 2 x 82	1219 x 51 x 2077	892
	VPPA–8254-N_	54 x 2 x 82	1372 x 51 x 2077	954
	VPPA-8260-N_	60 x 2 x 82	1524 x 51 x 2077	1,021

Raceway options (refer to page 50)

- **N** Raceway **without** openings
- **P** Raceway **with** 2 sliding covers (on each side) for electrical access
- **C** Raceway **with** 2 sliding covers for electrical access (on each side) for electrical access and **with** 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.

Trim/metal colors

- **TR-E** Smoke
- **TR-G** Grey tone
- **TR-K** Charcoal
- **TR-R** Beige
- **TR-LE** Metallic silver

Sample order

VPPA- 37 36- N N, TR-K, 5M-1, 5M-1

Product code | Height | Width | Non-powered panel | Raceway option | Trim/metal color | Fabric choice | Fabric choice

Acoustical panels, powered



"C" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Acoustical panel accommodates top feeds and cable management poles.

Specify raceway option, fabric and color codes.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 30" (756 mm)	VPPA-3018-P_	18 x 2 x 30	457 x 51 x 756	433
	VPPA-3024-P_	24 x 2 x 30	610 x 51 x 756	475
	VPPA-3030-P_	30 x 2 x 30	762 x 51 x 756	525
	VPPA-3036-P_	36 x 2 x 30	914 x 51 x 756	573
	VPPA-3042-P_	42 x 2 x 30	1067 x 51 x 756	634
	VPPA-3048-P_	48 x 2 x 30	1219 x 51 x 756	697
	VPPA-3054-P_	54 x 2 x 30	1372 x 51 x 756	739
	VPPA-3060-P_	60 x 2 x 30	1524 x 51 x 756	791
Panel height: 37" (934 mm)	VPPA-3718-P_	18 x 2 x 37	457 x 51 x 934	447
	VPPA-3724-P_	24 x 2 x 37	610 x 51 x 934	492
	VPPA-3730-P_	30 x 2 x 37	762 x 51 x 934	543
	VPPA-3736-P_	36 x 2 x 37	914 x 51 x 934	593
	VPPA-3742-P_	42 x 2 x 37	1067 x 51 x 934	655
	VPPA-3748-P_	48 x 2 x 37	1219 x 51 x 934	720
	VPPA-3754-P_	54 x 2 x 37	1372 x 51 x 934	765
	VPPA-3760-P_	60 x 2 x 37	1524 x 51 x 934	818
Panel height: 44" (1112 mm)	VPPA-4418-P_	18 x 2 x 44	457 x 51 x 1112	462
	VPPA-4424-P_	24 x 2 x 44	610 x 51 x 1112	509
	VPPA-4430-P_	30 x 2 x 44	762 x 51 x 1112	562
	VPPA-4436-P_	36 x 2 x 44	914 x 51 x 1112	614
	VPPA-4442-P-	42 x 2 x 44	1067 x 51 x 1112	677
	VPPA-4448-P_	48 x 2 x 44	1219 x 51 x 1112	745
	VPPA-4454-P_	54 x 2 x 44	1372 x 51 x 1112	791
	VPPA-4460-P_	60 x 2 x 44	1524 x 51 x 1112	846

Acoustical panels, powered (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 50" (1264 mm)	VPPA-5018-P_	18 x 2 x 50	457 x 51 x 1264	484
	VPPA-5024-P_	24 x 2 x 50	610 x 51 x 1264	531
	VPPA-5030-P_	30 x 2 x 50	762 x 51 x 1264	586
	VPPA-5036-P_	36 x 2 x 50	914 x 51 x 1264	642
	VPPA-5042-P_	42 x 2 x 50	1067 x 51 x 1264	705
	VPPA-5048-P_	48 x 2 x 50	1219 x 51 x 1264	776
	VPPA-5054-P_	54 x 2 x 50	1372 x 51 x 1264	825
	VPPA-5060-P_	60 x 2 x 50	1524 x 51 x 1264	881
Panel height: 56" (1422 mm)	VPPA-5618-P_	18 x 2 x 56	457 x 51 x 1422	520
	VPPA-5624-P_	24 x 2 x 56	610 x 51 x 1422	572
	VPPA-5630-P_	30 x 2 x 56	762 x 51 x 1422	629
	VPPA-5636-P_	36 x 2 x 56	914 x 51 x 1422	690
	VPPA-5642-P_	42 x 2 x 56	1067 x 51 x 1422	758
	VPPA-5648-P_	48 x 2 x 56	1219 x 51 x 1422	832
	VPPA-5654-P_	54 x 2 x 56	1372 x 51 x 1422	884
	VPPA-5660-P_	60 x 2 x 56	1524 x 51 x 1422	945
Panel height: 64" (1620 mm)	VPPA-6418-P_	18 x 2 x 64	457 x 51 x 1620	556
	VPPA-6424-P_	24 x 2 x 64	610 x 51 x 1620	612
	VPPA-6430-P_	30 x 2 x 64	762 x 51 x 1620	674
	VPPA-6436-P_	36 x 2 x 64	914 x 51 x 1620	736
	VPPA-6442-P_	42 x 2 x 64	1067 x 51 x 1620	810
	VPPA-6448-P_	48 x 2 x 64	1219 x 51 x 1620	888
	VPPA-6454-P_	54 x 2 x 64	1372 x 51 x 1600	943
	VPPA-6460-P_	60 x 2 x 64	1524 x 51 x 1620	1,009
Panel height: 82" (2077 mm)	VPPA-8218-P_	18 x 2 x 82	457 x 51 x 2077	667
	VPPA-8224-P_	24 x 2 x 82	610 x 51 x 2077	734
	VPPA-8230-P_	30 x 2 x 82	762 x 51 x 2077	805
	VPPA-8236-P_	36 x 2 x 82	914 x 51 x 2077	881
	VPPA-8242-P_	42 x 2 x 82	1067 x 51 x 2077	968
	VPPA-8248-P_	48 x 2 x 82	1219 x 51 x 2077	1,061
	VPPA-8254-P_	54 x 2 x 82	1372 x 51 x 2077	1,127
	VPPA-8260-P_	60 x 2 x 82	1524 x 51 x 2077	1,205

Raceway options (refer to page 50)

P Raceway **with** 2 sliding covers (on each side) for electrical access

C Raceway **with** 2 sliding covers (on each side) for electrical access and **with** 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPPA- 37 36- P P, TR-K, 5M-1, 5M-1

Product code | Height | Width | Powered panel | Raceway option | Trim/metal color | Fabric choice | Fabric choice

1 Panels

Glass panels, non-powered



"N" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Do **not** accept power feed or cable management pole.

Specify raceway option and color code.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 50" (1264 mm)	VPPG-5024-N_, SK-1C	24 x 2 x 50	610 x 51 x 1264	681
	VPPG-5036-N_, SK-1C	36 x 2 x 50	914 x 51 x 1264	756
Panel height: 64" (1620 mm)	VPPG-6424-N_, SK-1C	24 x 2 x 64	610 x 51 x 1620	814
	VPPG-6436-N_, SK-1C	36 x 2 x 64	914 x 51 x 1620	904
Panel height: 82" (2077 mm)	VPPG-8224-N_, SK-1C	24 x 2 x 82	610 x 51 x 2077	974
	VPPG-8236-N_, SK-1C	36 x 2 x 82	914 x 51 x 2077	1,083
Frosted acrylic				
Panel height: 50" (1264 mm)	VPPG-5024-N_, SK-1E	24 x 2 x 50	610 x 51 x 1264	807
	VPPG-5036-N_, SK-1E	36 x 2 x 50	914 x 51 x 1264	901
Panel height: 64" (1620 mm)	VPPG-6424-N_, SK-1E	24 x 2 x 64	610 x 51 x 1620	940
	VPPG-6436-N_, SK-1E	36 x 2 x 64	914 x 51 x 1620	1,049
Panel height: 82" (2077 mm)	VPPG-8224-N_, SK-1E	24 x 2 x 82	610 x 51 x 2077	1,101
	VPPG-8236-N_, SK-1E	36 x 2 x 82	914 x 51 x 2077	1,227

Raceway options (refer to page 50)

N Raceway **without** openings

P Raceway **with** 2 sliding covers (on each side) for electrical access

C Raceway **with** 2 sliding covers (on each side) for electrical access and **with** 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPPG- 50 36- N N, TR-K, SK-1C

Product code | Height | Width | Non-powered panel | Raceway option | Trim/metal color | Glass/acrylic

Glass panels, powered



"C" raceway option is shown.

Top cap with clips, raceway and end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Do **not** accept power feed or cable management pole.

Specify raceway option and color code.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 50" (1264 mm)	VPPG-5024-P_, SK-1C	24 x 2 x 50	610 x 51 x 1264	824
	VPPG-5036-P_, SK-1C	36 x 2 x 50	914 x 51 x 1264	917
Panel height: 64" (1620 mm)	VPPG-6424-P_, SK-1C	24 x 2 x 64	610 x 51 x 1620	969
	VPPG-6436-P_, SK-1C	36 x 2 x 64	914 x 51 x 1620	1,077
Panel height: 82" (2077 mm)	VPPG-8224-P_, SK-1C	24 x 2 x 82	610 x 51 x 2077	1,141
	VPPG-8236-P_, SK-1C	36 x 2 x 82	914 x 51 x 2077	1,267
Frosted acrylic				
Panel height: 50" (1264 mm)	VPPG-5024-P_, SK-1E	24 x 2 x 50	610 x 51 x 1264	951
	VPPG-5036-P_, SK-1E	36 x 2 x 50	914 x 51 x 1264	1,063
Panel height: 64" (1620 mm)	VPPG-6424-P_, SK-1E	24 x 2 x 64	610 x 51 x 1620	1,095
	VPPG-6436-P_, SK-1E	36 x 2 x 64	914 x 51 x 1620	1,223
Panel height: 82" (2077 mm)	VPPG-8224-P_, SK-1E	24 x 2 x 82	610 x 51 x 2077	1,267
	VPPG-8236-P_, SK-1E	36 x 2 x 82	914 x 51 x 2077	1,411

Raceway options (refer to page 50)

P Raceway **with** 2 sliding covers (on each side) for electrical access

C Raceway **with** 2 sliding covers (on each side) for electrical access and **with** 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPPG- 50 36- P P, TR-K, SK-1C

Product code | Height | Width | Powered panel | Raceway option | Trim/metal color | Glass/acrylic

Door



ADA lever

Top cap with clips and end plugs, carpet grippers, side rails and trim cover, door sill, carpet gripper, door hinges, hardware, chrome ADA lever handle and keys are included.

Does **not** accept top feed or cable management pole.

Specify codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Door height: 82" (2077 mm)	VPPD-8242	42 x 2 x 82	1067 x 51 x 2077	2,473

Specification notes

- Doors ship with left-hand swing; can be field modified to right-hand swing.
- Top raceway can be used for wire management.
- Both sides of the door will be in high pressure laminate finished in the same color.
- Door opening is 78" H x 34 ¾" W (1981 mm x 864 mm).
- Doors ship with lockable lever handle.
- Lever handle is field installed, and 2 keys are included. No master key available.
- High pressure laminate for door is matching trim/metal colors, except for TR-LE.

Door high pressure laminate colors

HC-3E Smoke
HC-62 Grey tone
HC-8J Charcoal
HC-34 Beige

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPPD- 82 42, TR-K, HC-8J

Product code | Height | Width | Trim/metal color | Laminate door color

1 Panels

Sliding doors



Frosted acrylic, 2 non-locking casters on post legs and attachment brackets are included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Sliding door height: 47" (1194 mm)	VSDO-4742	42 x 1 x 47	1067 x 25 x 1194	1,160
	VSDO-4748	48 x 1 x 47	1219 x 25 x 1194	1,182
Sliding door height: 63" (1600 mm)	VSDO-6342	42 x 1 x 63	1067 x 25 x 1600	1,399
	VSDO-6348	48 x 1 x 63	1219 x 25 x 1600	1,427

Specification notes

- Sliding door must mount on a panel taller in height than the height of the sliding door.
- Sliding door can mount on any panel the same width or wider.
- Door exceeds by 2" (51 mm) in open position.
- Sliding door may interfere with components mounted to opposite side of panel.
- Sliding door is non-handed.
- Ships partially knocked-down.
- Brackets must be installed to the panel side rail.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VSDO- 63 48, TR-K, TR-MG

Product code | Height | Width | Trim/metal color | Casters

Example: VSDO-4748, TR-K, TR-MG



Acoustical stackable panels for acoustical base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Acoustical panels accommodate top feeds and cable management poles.

Do **not** accept up-mount.

Specify fabric and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 14" (350 mm)	VPSA-1418	18 x 2 x 14	451 x 51 x 350	276
	VPSA-1424	24 x 2 x 14	610 x 51 x 350	305
	VPSA-1430	30 x 2 x 14	762 x 51 x 350	334
	VPSA-1436	36 x 2 x 14	914 x 51 x 350	368
	VPSA-1442	42 x 2 x 14	1067 x 51 x 350	405
	VPSA-1448	48 x 2 x 14	1219 x 51 x 350	445
	VPSA-1454	54 x 2 x 14	1372 x 51 x 350	475
	VPSA-1460	60 x 2 x 14	1524 x 51 x 350	510
Panel height: 18" (451 mm)	VPSA-1818	18 x 2 x 18	451 x 51 x 451	288
	VPSA-1824	24 x 2 x 18	610 x 51 x 451	316
	VPSA-1830	30 x 2 x 18	762 x 51 x 451	348
	VPSA-1836	36 x 2 x 18	914 x 51 x 451	384
	VPSA-1842	42 x 2 x 18	1067 x 51 x 451	422
	VPSA-1848	48 x 2 x 18	1219 x 51 x 451	464
	VPSA-1854	54 x 2 x 18	1372 x 51 x 451	497
	VPSA-1860	60 x 2 x 18	1524 x 51 x 451	530

Acoustical stackable panels for acoustical base panels (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 20" (502 mm)	VPSA-2018	18 x 2 x 20	451 x 51 x 502	300
	VPSA-2024	24 x 2 x 20	610 x 51 x 502	331
	VPSA-2030	30 x 2 x 20	762 x 51 x 502	364
	VPSA-2036	36 x 2 x 20	914 x 51 x 502	400
	VPSA-2042	42 x 2 x 20	1067 x 51 x 502	440
	VPSA-2048	48 x 2 x 20	1219 x 51 x 502	484
	VPSA-2054	54 x 2 x 20	1372 x 51 x 502	518
	VPSA-2060	60 x 2 x 20	1524 x 51 x 502	553

Specification notes

- Stack 2 high maximum and load on the first stack.
- Acoustical stackable panels are load bearing at the first level only.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- When base plus stackable panel heights match existing base panel heights, the finish posts are available in those heights.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).
- Connector brackets are field installed.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VPSA- 14 36, TR-K, 5M-1, 5M-1

- VPSA- : Product code
- 14 : Height
- 36 : Width
- TR-K : Trim/metal color
- 5M-1 : Fabric choice
- 5M-1 : Fabric choice

Glass stackable panels for acoustical base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Do **not** accept top feed or cable management pole and any up-mounted storage units.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 14" (350 mm)	VPSG-1418-F, SK-1C	18 x 2 x 14	451 x 51 x 350	415
	VPSG-1424-F, SK-1C	24 x 2 x 14	610 x 51 x 350	444
	VPSG-1430-F, SK-1C	30 x 2 x 14	762 x 51 x 350	474
	VPSG-1436-F, SK-1C	36 x 2 x 14	914 x 51 x 350	509
	VPSG-1442-F, SK-1C	42 x 2 x 14	1067 x 51 x 350	545
	VPSG-1448-F, SK-1C	48 x 2 x 14	1219 x 51 x 350	586
	VPSG-1454-F, SK-1C	54 x 2 x 14	1372 x 51 x 350	617
	VPSG-1460-F, SK-1C	60 x 2 x 14	1524 x 51 x 350	649
Panel height: 18" (451 mm)	VPSG-1818-F, SK-1C	18 x 2 x 18	451 x 51 x 451	426
	VPSG-1824-F, SK-1C	24 x 2 x 18	610 x 51 x 451	457
	VPSG-1830-F, SK-1C	30 x 2 x 18	762 x 51 x 451	489
	VPSG-1836-F, SK-1C	36 x 2 x 18	914 x 51 x 451	524
	VPSG-1842-F, SK-1C	42 x 2 x 18	1067 x 51 x 451	563
	VPSG-1848-F, SK-1C	48 x 2 x 18	1219 x 51 x 451	604
	VPSG-1854-F, SK-1C	54 x 2 x 18	1372 x 51 x 451	638
	VPSG-1860-F, SK-1C	60 x 2 x 18	1524 x 51 x 451	670
Panel height: 20" (502 mm)	VPSG-2018-F, SK-1C	18 x 2 x 20	451 x 51 x 502	440
	VPSG-2024-F, SK-1C	24 x 2 x 20	610 x 51 x 502	471
	VPSG-2030-F, SK-1C	30 x 2 x 20	762 x 51 x 502	503
	VPSG-2036-F, SK-1C	36 x 2 x 20	914 x 51 x 502	540
	VPSG-2042-F, SK-1C	42 x 2 x 20	1067 x 51 x 502	580
	VPSG-2048-F, SK-1C	48 x 2 x 20	1219 x 51 x 502	624
	VPSG-2054-F, SK-1C	54 x 2 x 20	1372 x 51 x 502	658
	VPSG-2060-F, SK-1C	60 x 2 x 20	1524 x 51 x 502	695

Glass stackable panels for acoustical base panels (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Panel height: 14" (350 mm)	VPSG-1418-F, SK-1E	18 x 2 x 14	457 x 51 x 350	470
	VPSG-1424-F, SK-1E	24 x 2 x 14	610 x 51 x 350	502
	VPSG-1430-F, SK-1E	30 x 2 x 14	762 x 51 x 350	532
	VPSG-1436-F, SK-1E	36 x 2 x 14	914 x 51 x 350	572
	VPSG-1442-F, SK-1E	42 x 2 x 14	1067 x 51 x 350	608
	VPSG-1448-F, SK-1E	48 x 2 x 14	1219 x 51 x 350	656
	VPSG-1454-F, SK-1E	54 x 2 x 14	1372 x 51 x 350	685
	VPSG-1460-F, SK-1E	60 x 2 x 14	1524 x 51 x 350	720
Panel height: 18" (451 mm)	VPSG-1818-F, SK-1E	18 x 2 x 18	457 x 51 x 451	482
	VPSG-1824-F, SK-1E	24 x 2 x 18	610 x 51 x 451	515
	VPSG-1830-F, SK-1E	30 x 2 x 18	762 x 51 x 451	547
	VPSG-1836-F, SK-1E	36 x 2 x 18	914 x 51 x 451	588
	VPSG-1842-F, SK-1E	42 x 2 x 18	1067 x 51 x 451	626
	VPSG-1848-F, SK-1E	48 x 2 x 18	1219 x 51 x 451	675
	VPSG-1854-F, SK-1E	54 x 2 x 18	1372 x 51 x 451	706
	VPSG-1860-F, SK-1E	60 x 2 x 18	1524 x 51 x 451	740
Panel height: 20" (502 mm)	VPSG-2018-F, SK-1E	18 x 2 x 20	457 x 51 x 502	494
	VPSG-2024-F, SK-1E	24 x 2 x 20	610 x 51 x 502	529
	VPSG-2030-F, SK-1E	30 x 2 x 20	762 x 51 x 502	563
	VPSG-2036-F, SK-1E	36 x 2 x 20	914 x 51 x 502	604
	VPSG-2042-F, SK-1E	42 x 2 x 20	1067 x 51 x 502	644
	VPSG-2048-F, SK-1E	48 x 2 x 20	1219 x 51 x 502	695
	VPSG-2054-F, SK-1E	54 x 2 x 20	1372 x 51 x 502	728
	VPSG-2060-F, SK-1E	60 x 2 x 20	1524 x 51 x 502	764

Specification notes

- Stack 2 high maximum.
- Glass stackable panels are not load bearing.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- Base plus stackable panel heights must match existing base panel heights when the application is to be combined with finish posts.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VPSG- 14 36- F, TR-K, SK-1C

- VPSG- : Product code
- 14 : Height
- 36 : Width
- F : Stacks on an acoustical panel
- TR-K : Trim/metal color
- SK-1C : Glass/acrylic

Glass stackable panels for glass base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Do **not** accept power feed or cable management pole and any up-mounted storage units.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 14" (350 mm)	VPSG-1418-G, SK-1C	18 x 2 x 14	457 x 51 x 350	426
	VPSG-1424-G, SK-1C	24 x 2 x 14	610 x 51 x 350	456
	VPSG-1430-G, SK-1C	30 x 2 x 14	762 x 51 x 350	486
	VPSG-1436-G, SK-1C	36 x 2 x 14	914 x 51 x 350	520
	VPSG-1442-G, SK-1C	42 x 2 x 14	1067 x 51 x 350	556
	VPSG-1448-G, SK-1C	48 x 2 x 14	1219 x 51 x 350	598
	VPSG-1454-G, SK-1C	54 x 2 x 14	1372 x 51 x 350	627
	VPSG-1460-G, SK-1C	60 x 2 x 14	1524 x 51 x 350	661
Panel height: 18" (451 mm)	VPSG-1818-G, SK-1C	18 x 2 x 18	457 x 51 x 451	439
	VPSG-1824-G, SK-1C	24 x 2 x 18	610 x 51 x 451	469
	VPSG-1830-G, SK-1C	30 x 2 x 18	762 x 51 x 451	500
	VPSG-1836-G, SK-1C	36 x 2 x 18	914 x 51 x 451	535
	VPSG-1842-G, SK-1C	42 x 2 x 18	1067 x 51 x 451	573
	VPSG-1848-G, SK-1C	48 x 2 x 18	1219 x 51 x 451	617
	VPSG-1854-G, SK-1C	54 x 2 x 18	1372 x 51 x 451	648
	VPSG-1860-G, SK-1C	60 x 2 x 18	1524 x 51 x 451	682
Panel height: 20" (502 mm)	VPSG-2018-G, SK-1C	18 x 2 x 20	457 x 51 x 502	451
	VPSG-2024-G, SK-1C	24 x 2 x 20	610 x 51 x 502	483
	VPSG-2030-G, SK-1C	30 x 2 x 20	762 x 51 x 502	515
	VPSG-2036-G, SK-1C	36 x 2 x 20	914 x 51 x 502	551
	VPSG-2042-G, SK-1C	42 x 2 x 20	1067 x 51 x 502	591
	VPSG-2048-G, SK-1C	48 x 2 x 20	1219 x 51 x 502	636
	VPSG-2054-G, SK-1C	54 x 2 x 20	1372 x 51 x 502	669
	VPSG-2060-G, SK-1C	60 x 2 x 20	1524 x 51 x 502	705
Frosted acrylic				
Panel height: 14" (350 mm)	VPSG-1418-G, SK-1E	18 x 2 x 14	457 x 51 x 350	482
	VPSG-1424-G, SK-1E	24 x 2 x 14	610 x 51 x 350	514
	VPSG-1430-G, SK-1E	30 x 2 x 14	762 x 51 x 350	545
	VPSG-1436-G, SK-1E	36 x 2 x 14	914 x 51 x 350	584
	VPSG-1442-G, SK-1E	42 x 2 x 14	1067 x 51 x 350	621
	VPSG-1448-G, SK-1E	48 x 2 x 14	1219 x 51 x 350	667
	VPSG-1454-G, SK-1E	54 x 2 x 14	1372 x 51 x 350	698
	VPSG-1460-G, SK-1E	60 x 2 x 14	1524 x 51 x 350	732
Panel height: 18" (451 mm)	VPSG-1818-G, SK-1E	18 x 2 x 18	457 x 51 x 451	493
	VPSG-1824-G, SK-1E	24 x 2 x 18	610 x 51 x 451	527
	VPSG-1830-G, SK-1E	30 x 2 x 18	762 x 51 x 451	558
	VPSG-1836-G, SK-1E	36 x 2 x 18	914 x 51 x 451	600
	VPSG-1842-G, SK-1E	42 x 2 x 18	1067 x 51 x 451	639
	VPSG-1848-G, SK-1E	48 x 2 x 18	1219 x 51 x 451	685
	VPSG-1854-G, SK-1E	54 x 2 x 18	1372 x 51 x 451	719
	VPSG-1860-G, SK-1E	60 x 2 x 18	1524 x 51 x 451	753

Glass stackable panels for glass base panels (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Panel height: 20" (502 mm)	VPSG-2018-G, SK-1E	18 x 2 x 20	457 x 51 x 502	506
	VPSG-2024-G, SK-1E	24 x 2 x 20	610 x 51 x 502	541
	VPSG-2030-G, SK-1E	30 x 2 x 20	762 x 51 x 502	573
	VPSG-2036-G, SK-1E	36 x 2 x 20	914 x 51 x 502	617
	VPSG-2042-G, SK-1E	42 x 2 x 20	1067 x 51 x 502	656
	VPSG-2048-G, SK-1E	48 x 2 x 20	1219 x 51 x 502	705
	VPSG-2054-G, SK-1E	54 x 2 x 20	1372 x 51 x 502	739
	VPSG-2060-G, SK-1E	60 x 2 x 20	1524 x 51 x 502	776

Specification notes

- Stack 2 high maximum.
- Glass stackable panels are not load bearing.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- Base plus stackable panel heights must match existing base panel heights when the application is to be combined with finish posts.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VPSG- 14 36- G, TR-K, SK-1C

- VPSG- : Product code
- 14 36- : Height, Width
- G, : Stacks on a glass panel
- TR-K, : Trim/metal color
- SK-1C : Glass/acrylic

Wainscot conversion kits for glass panels



Kits to convert a full glass base panel into a semi-glass/semi-fabric panel.

2 recessed fabric panels (1 for each side), 2 rails and attachment hardware are included.

Specify fabric and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNGK-3024	24 x ½ x 30	610 x 12 x 756	268
	VNGK-3036	36 x ½ x 30	914 x 12 x 756	294

Specification notes

- Require field assembly.
- Install to both sides of any glass panel.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VNGK- 30 24, TR-K, 5M-1, 5M-1

- VNGK- : Product code
- 30 24, : Height, Width
- TR-K, : Trim/metal color
- 5M-1, : Fabric choice
- 5M-1 : Fabric choice

Finish posts, 90-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPC-30-F2C	2 x 2 x 30	51 x 51 x 756	52
	VVPC-37-F2C	2 x 2 x 37	51 x 51 x 934	54
	VVPC-44-F2C	2 x 2 x 44	51 x 51 x 1112	57
	VVPC-50-F2C	2 x 2 x 50	51 x 51 x 1264	59
	VVPC-56-F2C	2 x 2 x 56	51 x 51 x 1422	60
	VVPC-64-F2C	2 x 2 x 64	51 x 51 x 1620	61
	VVPC-82-F2C	2 x 2 x 82	51 x 51 x 2077	66
Fabric post	VVFC-30-F2C	2 x 2 x 30	51 x 51 x 756	77
	VVFC-37-F2C	2 x 2 x 37	51 x 51 x 934	80
	VVFC-44-F2C	2 x 2 x 44	51 x 51 x 1112	85
	VVFC-50-F2C	2 x 2 x 50	51 x 51 x 1264	89
	VVFC-56-F2C	2 x 2 x 56	51 x 51 x 1422	92
	VVFC-64-F2C	2 x 2 x 64	51 x 51 x 1620	94
	VVFC-82-F2C	2 x 2 x 82	51 x 51 x 2077	98

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order painted metal post

VVPC- 37-F2C, TR-K

Product code | Height | Top cap alignment tabs | Cap trim color

Sample order fabric post

VVFC- 37-F2C, TR-K, 5M-K

Product code | Height | Top cap alignment tabs | Cap trim color | Fabric code

1 Panel components

Finish posts, 180-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPS-30-F3	2 x 2 x 30	51 x 51 x 756	47
	VVPS-37-F3	2 x 2 x 37	51 x 51 x 934	51
	VVPS-44-F3	2 x 2 x 44	51 x 51 x 1112	53
	VVPS-50-F3	2 x 2 x 50	51 x 51 x 1264	55
	VVPS-56-F3	2 x 2 x 56	51 x 51 x 1422	56
	VVPS-64-F3	2 x 2 x 64	51 x 51 x 1620	57
	VVPS-82-F3	2 x 2 x 82	51 x 51 x 2077	60
Fabric post	VVFS-30-F3	2 x 2 x 30	51 x 51 x 756	72
	VVFS-37-F3	2 x 2 x 37	51 x 51 x 934	75
	VVFS-44-F3	2 x 2 x 44	51 x 51 x 1112	78
	VVFS-50-F3	2 x 2 x 50	51 x 51 x 1264	81
	VVFS-56-F3	2 x 2 x 56	51 x 51 x 1422	84
	VVFS-64-F3	2 x 2 x 64	51 x 51 x 1620	86
	VVFS-82-F3	2 x 2 x 82	51 x 51 x 2077	90

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order painted metal post

VVPS- 37-F3, TR-K

Product code | Height | Cap trim color

Top cap alignment tabs

Sample order fabric post

VVFS- 37-F3, TR-K, 5M-1

Product code | Height | Cap trim color | Fabric code

Top cap alignment tabs

Finish posts, 120-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPA-30-F2	2 x 2 x 30	51 x 51 x 756	57
	VVPA-37-F2	2 x 2 x 37	51 x 51 x 934	59
	VVPA-44-F2	2 x 2 x 44	51 x 51 x 1112	62
	VVPA-50-F2	2 x 2 x 50	51 x 51 x 1264	66
	VVPA-56-F2	2 x 2 x 56	51 x 51 x 1422	67
	VVPA-64-F2	2 x 2 x 64	51 x 51 x 1620	68
	VVPA-82-F2	2 x 2 x 82	51 x 51 x 2077	72
Fabric post	VVFA-30-F2	2 x 2 x 30	51 x 51 x 756	83
	VVFA-37-F2	2 x 2 x 37	51 x 51 x 934	86
	VVFA-44-F2	2 x 2 x 44	51 x 51 x 1112	92
	VVFA-50-F2	2 x 2 x 50	51 x 51 x 1264	95
	VVFA-56-F2	2 x 2 x 56	51 x 51 x 1422	97
	VVFA-64-F2	2 x 2 x 64	51 x 51 x 1620	99
	VVFA-82-F2	2 x 2 x 82	51 x 51 x 2077	108

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	
TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order painted metal post

VVPA- 37-F2, TR-K

Product code | Height | Top cap alignment tabs | Cap trim color

Sample order fabric post

VVFA- 37-F2, TR-K, 5W-1

Product code | Height | Top cap alignment tabs | Cap trim color | Fabric code

1 Panel components

Finish posts, 90-degree connection; variable height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPC-30-V1	2 x 2 x 30	51 x 51 x 756	52
	VVPC-37-V1	2 x 2 x 37	51 x 51 x 934	54
	VVPC-44-V1	2 x 2 x 44	51 x 51 x 1112	57
	VVPC-50-V1	2 x 2 x 50	51 x 51 x 1264	59
	VVPC-56-V1	2 x 2 x 56	51 x 51 x 1422	60
	VVPC-64-V1	2 x 2 x 64	51x 51 x 1620	61
Fabric post	VVFC-30-V1	2 x 2 x 30	51 x 51 x 756	77
	VVFC-37-V1	2 x 2 x 37	51 x 51 x 934	80
	VVFC-44-V1	2 x 2 x 44	51 x 51 x 1112	85
	VVFC-50-V1	2 x 2 x 50	51 x 51 x 1264	89
	VVFC-56-V1	2 x 2 x 56	51 x 51 x 1422	92
	VVFC-64-V1	2 x 2 x 64	51x 51 x 1620	94

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order painted metal post

VVPC- 37-V1, TR-K

Product code | Height | Top cap alignment tabs | Cap trim color

Sample order fabric post

VVFC- 37-V1, TR-K, 5M-1

Product code | Height | Top cap alignment tabs | Cap trim color | Fabric code

Finish posts, 180-degree connection; variable height application



V1



V2I



V2I



V2C

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPS-30-V_	2 x 2 x 30	51 x 51 x 756	47
	VVPS-37-V_	2 x 2 x 37	51 x 51 x 934	51
	VVPS-44-V_	2 x 2 x 44	51 x 51 x 1112	53
	VVPS-50-V_	2 x 2 x 50	51 x 51 x 1264	55
	VVPS-56-V_	2 x 2 x 56	51 x 51 x 1422	56
	VVPS-64-V_	2 x 2 x 64	51x 51 x 1620	57
Fabric post	VVFS-30-V_	2 x 2 x 30	51 x 51 x 756	72
	VVFS-37-V_	2 x 2 x 37	51 x 51 x 934	75
	VVFS-44-V_	2 x 2 x 44	51 x 51 x 1112	78
	VVFS-50-V_	2 x 2 x 50	51 x 51 x 1264	81
	VVFS-56-V_	2 x 2 x 56	51 x 51 x 1422	84
	VVFS-64-V_	2 x 2 x 64	51x 51 x 1620	86

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.
- Based on the requirements of the application, modifications (i.e., cutting the mold) can be made in the field.

Square top cap alignment tab options	Trim/metal colors	Sample order painted metal post	Sample order fabric post
-1	**TR-E** Smoke	VVPS- 37-V1, TR-K	VVFS- 37-V1, TR-K, 5M-1
-2I	**TR-G** Grey tone	Product code; Height; Top cap alignment tabs; Cap trim color	Product code; Height; Top cap alignment tabs; Cap trim color; Fabric code
-2C	**TR-K** Charcoal		
	TR-R Beige		
	TR-LE Metallic silver		

Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify square top cap alignment tabs and fabric and/or color codes.

Square top caps

VTCP-1

VTCP-2I

VTCP-2C

VTCP-3

VTCP-4

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
One-way in-line	VTCP-1	2 x 2	51 x 51	35
Two-way in-line	VTCP-2I	2 x 2	51 x 51	35
Two-way corner	VTCP-2C	2 x 2	51 x 51	35
Three-way	VTCP-3	2 x 2	51 x 51	35
Four-way	VTCP-4	2 x 2	51 x 51	35

Specification notes

- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order
TR-E Smoke	VTCP-1, TR-K
TR-G Grey tone	Product code; Alignment tabs; Trim/metal color
TR-K Charcoal	
TR-R Beige	
TR-LE Metallic silver	

Package of 1.

Specify color code.

1 Panel components

Finish posts, 120-degree connection; variable height application



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPA-30-V1	2 x 2 x 30	51 x 51 x 756	57
	VVPA-37-V1	2 x 2 x 37	51 x 51 x 934	59
	VVPA-44-V1	2 x 2 x 44	51 x 51 x 1112	62
	VVPA-50-V1	2 x 2 x 50	51 x 51 x 1264	66
	VVPA-56-V1	2 x 2 x 56	51 x 51 x 1422	67
	VVPA-64-V1	2 x 2 x 64	51 x 51 x 1620	68
Fabric post	VVFA-30-V1	2 x 2 x 30	51 x 51 x 756	83
	VVFA-37-V1	2 x 2 x 37	51 x 51 x 934	86
	VVFA-44-V1	2 x 2 x 44	51 x 51 x 1112	92
	VVFA-50-V1	2 x 2 x 50	51 x 51 x 1264	95
	VVFA-56-V1	2 x 2 x 56	51 x 51 x 1422	97
	VVFA-64-V1	2 x 2 x 64	51 x 51 x 1620	99

Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification notes

- Finish posts are required by UL certification for covering connectors when power connector covers are not used.
- **When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors		Sample order painted metal post	Sample order fabric post
TR-E	Smoke	VVPA- 37-V1, TR-K	VVFA- 37-V1, TR-K, 5W-1
TR-G	Grey tone	Product code; Height; Top cap alignment tabs; Cap trim color	Product code; Height; Top cap alignment tabs; Cap trim color; Fabric code
TR-K	Charcoal		
TR-R	Beige		
TR-LE	Metallic silver		

Square top caps, 120-degree connection

VTCP-120-1

VTCP-120-2

VTCP-120-3

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
One-way 120-degree	VTCP-120-1	2 x 2	51 x 51	35
Two-way 120-degree	VTCP-120-2	2 x 2	51 x 51	35
Three-way 120-degree	VTCP-120-3	2 x 2	51 x 51	35

Package of 1.

Specify color code.

Specification notes

- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors		Sample order	Applications
TR-E	Smoke	VTCP- 120-1, TR-K	
TR-G	Grey tone	Product code; 120-degree; Top cap alignment tabs; Trim/metal color	
TR-K	Charcoal		
TR-R	Beige		
TR-LE	Metallic silver		



Connector covers, 90-degree connection



Package of 6 covers.
Specify color code.

Specification	Code	Height (in)	Height (mm)	Price
90 degrees	VNVC-KIT	4 ½	114	67

Specification notes

- Required by UL certification for covering base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors		Sample order
TR-E	Smoke	VNVC-KIT, TR-K
TR-G	Grey tone	| Product code, | Trim color
TR-K	Charcoal	
TR-R	Beige	
TR-LE	Metallic silver	

Connector covers, 180-degree connection



Package of 6 covers.
Specify color code.

Specification	Code	Height (in)	Height (mm)	Price
180 degrees	VNVS-KIT	4 ½	114	67

Specification notes

- Required by UL certification for covering flexible base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors		Sample order
TR-E	Smoke	VNVS-KIT, TR-K
TR-G	Grey tone	| Product code, | Trim color
TR-K	Charcoal	
TR-R	Beige	
TR-LE	Metallic silver	

Connector covers, 120-degree connection



Package of 6 covers.
Specify color code.

Specification	Code	Height (in)	Height (mm)	Price
120 degrees	VNVA-KIT	4 ½	114	67

Specification notes

- Required by UL certification for covering flexible base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors		Sample order
TR-E	Smoke	VNVA-KIT, TR-K
TR-G	Grey tone	| Product code, | Trim color
TR-K	Charcoal	
TR-R	Beige	
TR-LE	Metallic silver	

1 Panel components

Raceway covers for communication cabling



Specify color code.

Communication cut-out cover is **not** included. Order separately one VNRC-1 for each side if no data plate is used.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNRP-18	18 x 2 x 4 ¼	452 x 51 x 108	47
	VNRP-24	24 x 2 x 4 ¼	610 x 51 x 108	52
	VNRP-30	30 x 2 x 4 ¼	762 x 51 x 108	58
	VNRP-36	36 x 2 x 4 ¼	914 x 51 x 108	62
	VNRP-42	42 x 2 x 4 ¼	1067 x 51 x 108	70
	VNRP-48	48 x 2 x 4 ¼	1219 x 51 x 108	77
	VNRP-54	54 x 2 x 4 ¼	1372 x 51 x 108	79
	VNRP-60	60 x 2 x 4 ¼	1524 x 51 x 108	84

Specification notes

- The openings of the raceway enable communication equipment cabling to be routed to the connector modules.
- The offset openings of the raceway enable communication equipment cabling to be routed to the connector modules.
- The two sliding doors (on either side) accept electrical receptacles.
- Information plate opening measures 1 ⅜" H x 2 ¹¹⁄₁₆" W (35 mm x 69 mm).
- Use this product only with 120-volt, 60-hertz power sources.
- **Pre-configured information plates with connector modules, which fit the openings in the raceway cover, must be purchased from a specialized manufacturer.**

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VNRP- 24, TR-K

Product code — Panel width — Trim color

Raceway communication cut-out cover



Package of 1.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNRC-1	3 ⅛ x 1⅝ x ⅛	80 x 41 x 3	7

Specification notes

- Required to cover the communication opening of a VNRP-_ _ and of the "C" raceway option.
- Metallic silver finish not available. When the bottom channel has a metallic silver finish, it is recommended to use the TR-E (Smoke color) cap.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige

Sample order

VNRC-1, TR-K

Product code — Trim color

Base raceway end caps



Package of 10.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Base raceway end caps	VREC-10	2 1/16 x 3 9/16 x 13/32	52 x 91 x 10	17

Specification notes

- Base raceway end caps are used for end-of-run panel applications.
- Raceway end caps are shipped in a ratio of 0.6 per panel order.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VREC-10, TR-K | Product code | Trim color

Top cap end plug



Package of 1.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Top cap end plug	VTCE-1	2 3/32 x 11/16 x 27/32	53 x 18 x 22	15

Specification notes

- Top cap end plugs are for use with Nvision painted top caps.
- Additional top cap end plugs may be needed if finish posts are not specified.
- Top cap end plugs are shipped in a ratio of 0.6 per panel order.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VTCE-1, TR-K | Product code | Trim color

Top cap aligner



Package of 1.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Top cap aligner	VTCA-1	1 31/32 x 13/16 x 1 21/32	50 x 20 x 42	20

Specification notes

- Top cap aligner is used to connect 2 top caps in an in-line panel application.
- One top cap aligner is included with each panel.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VTCA-1, TR-K | Product code | Trim color

1 Panel components

Wall mounts



Attaches a panel to a structural wall or column.

Specify color code.

See pages 8 and 20 for application details.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNW-30	2 x ¼ x 25	51 x 6 x 635	80
	VNW-37	2 x ¼ x 32	51 x 6 x 813	83
	VNW-44	2 x ¼ x 39	51 x 6 x 991	85
	VNW-50	2 x ¼ x 45	51 x 6 x 1143	89
	VNW-56	2 x ¼ x 51	51 x 6 x 1295	90
	VNW-64	2 x ¼ x 59	51 x 6 x 1499	92
	VNW-82	2 x ¼ x 77	51 x 6 x 1956	95

Specification notes

- Wall mounting attachment, like the side rail, is 5" (127 mm) shorter than the total panel height.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VNW- 37, TR-K

Product code | Height | Trim/ metal color

Accessories for T-mount



Side rail, center and end mount brackets, glide housing and screws are included.

To install a panel perpendicular to another panel.

Field installed.

Specify color code.

See page 8 for application details.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNT-30	2 x ¼ x 25	51 x 6 x 635	113
	VNT-37	2 x ¼ x 32	51 x 6 x 813	116
	VNT-44	2 x ¼ x 39	51 x 6 x 991	122
	VNT-50	2 x ¼ x 45	51 x 6 x 1143	126
	VNT-56	2 x ¼ x 51	51 x 6 x 1295	129
	VNT-64	2 x ¼ x 59	51 x 6 x 1499	131
	VNT-82	2 x ¼ x 77	51 x 6 x 1956	136

Specification notes

- The accessory for a T installation, like the side rail, is 5" (127 mm) shorter than the total panel height.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VNT- 37, TR-K

Product code | Height | Trim/ metal color

Hardwire base feeds



3-circuit power connector 4' (1219 mm) or 15' (4572 mm) long, ½" (13 mm) painted metal conduit (black) with eight 12-gauge lead wires.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-1	48"	1219	207
	VEB-5	180"	4572	464

Specification notes

- Plug into the power distribution assembly (PDA) in the field.
- For hardwire connection to the floor, column or wall.
- Available in 4' (1219 mm) or 15' (4572 mm).
- Can be field modified to accommodate left or right conditions by unscrewing the housing.
- Use this product only with 120-volt, 60-hertz power sources.
- Housing exceeds 1½" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

Concealed base feeds



3-circuit box with ½" (13 mm) knockouts, 8 12-gauge lead wires and attachment hardware.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-4	24"	610	222

Specification notes

- Installs on panels 30" (756 mm) wide or wider.
- For hardwire connection to the floor, column or wall.
- Wire from base to wall must be supplied by an electrician.
- Use this product only with 120-volt, 60-hertz power sources.
- Plugs into the power distribution assembly (PDA) at the receptacle location.
- Meet the standards of the New York City building code.

20-amp plug-in base feeds



Single circuit power connector, 2' (610 mm) cable and plug.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-2	24"	610	227

Specification notes

- Plug into the power distribution assembly (PDA) at the receptacle location.
- Require a 20-amp, 125-volt power receptacle for plug-in (not included).
- Supply power to one circuit only.
- Use this product only with 120-volt, 60-hertz power sources.
- The construction code prohibits the use of this product in Canada.
- Housing exceeds 1½" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

1 Electricity

15-amp plug-in base feeds



Single circuit power connector, 6' (1829 mm) cable and plug.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-3	72"	1829	227

Specification notes

- Plug into the power distribution assembly (PDA) at the receptacle location.
- Require a 15-amp, 120-volt power receptacle for plug-in (not included).
- Supply power to one circuit only.
- Use this product only with 120-volt, 60-hertz power sources.
- Not for use in U.S.A. due to construction code restrictions.
- Housing exceeds 1½" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

Powered top feeds



Top feed pole, transitional box, ceiling cover plate, open square top cap, bracelet, screws and a 3-circuit harness are included.

Not for use with glass panels, glass stackable panels or doors.

Specify color code.

Specification	Code	Price
Up to 10' (3048 mm) ceiling		
on 64" (1620 mm) to 82" (2077 mm) panel height (pole length is 70" (1956 mm))	VTF-6482-10	696
Up to 12' (3658 mm) ceiling		
on 30" (756 mm) to 82" (2077 mm) panel height (pole length is 124" (3150 mm))	VTF-3782-12	696

Specification notes

- Use when building power source is accessible from the ceiling.
- Field modification of panel top cap is required.
- Install in left or right vertical channel of an acoustical panel or an acoustical stackable panel.
- Cable capacity: 23 category 5 0.20" diameter cables.
- Single-channel pole with one sliding side and an internal rod to facilitate cable management.
- Field cut the pole to appropriate length if necessary.
- Require an acoustical powered base panel.
- Use this product only with 120-volt, 60-hertz power sources.
- Plug into the power distribution assembly (PDA) at the receptacle location.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VTF- 6482- 10 TR-K

- VTF- : Product code
- 6482- : Panel height
- 10 : Ceiling height
- TR-K : Trim/metal color

Full-height cable management poles



Pole, transitional junction box, ceiling cover plate, open square top cap, bracelet and screws are included.

Not for use with glass panels, glass stackable panels or doors.

Specify color code.

Specification	Code	Price
10' (3048 mm) ceiling		
on 44"-56" (1118-1422 mm) panel	VCP-44	297
on 64" (1626 mm) panel	VCP-64	291
on 82" (2083 mm) panel	VCP-82	281

Specification notes

- Use to route communications cabling vertically from ceiling or acoustical stackable panels.
- Install in left or right vertical channel of an acoustical panel or of an acoustical stackable panel.
- Field modification of panel top cap is required.
- Cable capacity: 23 communication cables of .20" diameter.
- Single-channel pole with one sliding side and an internal rod to facilitate cable management.
- Field cut the pole to appropriate length if necessary.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VCP- 44, TR-K

Product code | Panel height | Trim/ metal color

Duplex receptacles, 3 programmable circuits



Package of 6 receptacles.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Common ground	VERC-1	2 7/8 x 2 x 2 3/8	73 x 51 x 60	140
Isolated ground	VERD-1	2 7/8 x 2 x 2 3/8	73 x 51 x 60	152

Specification notes

- Circuit selector uses a color code that enables field selection of any of three circuits.
- The VERC-1 will access the common ground wire in the electrical system.
- The VERD-1 will access the isolated ground wire in the electrical system (not for use with a VEB-2 or VEB-3).
- Use this product only with 120-volt, 60-hertz power sources.
- Two receptacles can be plugged on each side into the power distribution assembly (PDA), when no base feed is plugged in.
- Not available in Metallic silver color; TR-E trim color is recommended.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige

Sample order

VER C- 1, TR-K

Product code | Ground type | Receptacle type | Trim color

1 Electricity

Work surface height receptacles, with powered table dome



VEPT-2



VEPT-4

6' (1829 mm) cord is included. Black.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
4 powered outlets	VEPT-4	3 ⅜ x 3 ⅜ x 3	85 x 85 x 76	397
2 powered/2 communication outlets	VEPT-2	3 ⅜ x 3 ⅜ x 3	85 x 85 x 76	220

Specification notes

- Provides power and communication access at work surface height.
- To be installed into 3" (76 mm) circular opening in the work surface (to be cut in the field if necessary).
- Communication outlet receptacles are not included.
- Cut-out for connectors are 9/16" x ¾" (15 mm x 19 mm).
- Use this product only with 120-volt, 60-hertz power sources.
- Not NYC code compliant.
- This product is delivered as 2 half-domes. Once installed 1 ¾ in. (45 mm) above work surface, total width is 3 ⅜ in. (86 mm).
- Grommet hole cannot accommodate powered table dome.

Sample order

VEPT- 4

Product code

No. of power outlets

Work surface height powered receptacles with communication outlets



6' (1829 mm) or 12' (3658 mm) cord. Graphite.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Cord length: 6' (1829 mm)	VEPC-6	9 ½ x 2 ½ x 3	241 x 64 x 76	315
Cord length: 12' (3658 mm)	VEPC-12	9 ½ x 2 ½ x 3	241 x 64 x 76	329

Specification notes

- Include 3 electrical receptacles and a 1 ⅜" x 2 23/32" (35 mm x 69 mm) knockout.
- Use this product only with 120-volt, 60-hertz power sources.
- Clip to the back of the surface, no hole drilling required.

Sample order

VEPC- 6

Product code

Cord length

Power conversion kits



Power distribution assembly and 7.55" (192 mm) flexible power connector are included.

Specification	Code	Price
Panel width: 18" (457 mm)	VEKP-18	176
Panel width: 24" (610 mm)	VEKP-24	182
Panel width: 30" (762 mm)	VEKP-30	187
Panel width: 36" (914 mm)	VEKP-36	193
Panel width: 42" (1067 mm)	VEKP-42	199
Panel width: 48" (1219 mm)	VEKP-48	205
Panel width: 54" (1372 mm)	VEKP-54	207
Panel width: 60" (1524 mm)	VEKP-60	210

Specification notes

- Add to a non-powered panel to convert it to a powered panel.
- A raceway with electrical access, if necessary, must be ordered separately.
- VEKP is 6" (152 mm) narrower than the panel width.
- Use this product only with 120-volt, 60-hertz power sources.

Sample order

VEKP- 24

Product code

Panel width

Straight span connector



Specification	Code	Price
	VECT-3	108

Specification notes

- Used for a 3-way or 4-way application where a straight application panel run of powered panels is intersected by one or more non-powered panels, creating a 2" (51 mm) gap.
- The straight-span connector is 9.64" (245 mm) long, which is 2" (51 mm) longer than the flexible power connector that ships with powered panels.

Ported kits



Triple receptacle, telecommunications outlet with 1.38" (25 mm) x 2.71" (69 mm) opening and detachable cover, cover plate, electric cable for connection to base of powered panel, and mounting template included.

Specify codes for circuit and ground.

Charcoal only.

Specification	Code	W x Installation x H (in) Height	W x Installation x H (mm) Height	Price
3-circuit # 1 and 1 common ground	VPPK-1-3C	3 ¼ x 34 x 9	83 x 864 x 229	418
3-circuit # 2 and 1 common ground	VPPK-2-3C	3 ¼ x 34 x 9	83 x 864 x 229	418
3-circuit # 3 and 1 common ground	VPPK-3-3C	3 ¼ x 34 x 9	83 x 864 x 229	418
3-circuit # 1 and 1 isolated ground	VPPK-1-3I	3 ¼ x 34 x 9	83 x 864 x 229	418
3-circuit # 2 and 1 isolated ground	VPPK-2-3I	3 ¼ x 34 x 9	83 x 864 x 229	418
3-circuit # 3 and 1 isolated ground	VPPK-3-3I	3 ¼ x 34 x 9	83 x 864 x 229	418

Specification notes

- Ported kit must be field installed on acoustical powered panels.
- May be installed on the left or right side of the panel face, not back-to-back.
- Telecommunications outlet must be field supplied.
- Communication receptacles must be purchased from a specialized manufacturer.
- Must be installed vertically (communications on top, electrical on bottom).
- Power connection occupies a receptable connector located in base raceway.
- Select circuit 1, 2 or 3 and common or isolated ground when ordering. Not field programmable.
- Not for use with panels less than 44" (1118 mm) high.
- "Installation height" measures are calculated from the bottom of ported kit to bottom of powered panel's raceway.
- **Cable connection module must be purchased from a specialized manufacturer.**

Sample order

VPPK- 1- 3 C

- VPPK- : Product code
- 1- : Circuit #
- 3 : 3 circuits
- C : Common ground

Plastic liners



Package of 10
Black plastic.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNPL-10	1 ½ x 2 ½ x 2 ½	38 x 64 x 64	41

Specification notes

- Required to run wire through the top channel of the panel.
- Two liners are needed per panel.

2 Work surfaces

Rectangular surfaces



Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Surface depth: 20" (508 mm)	VUR-2024	24 x 20 x 1	610 x 508 x 25	177	244
	VUR-2030	30 x 20 x 1	762 x 508 x 25	187	270
	VUR-2036	36 x 20 x 1	914 x 508 x 25	203	291
	VUR-2042	42 x 20 x 1	1067 x 508 x 25	224	317
	VUR-2048	48 x 20 x 1	1219 x 508 x 25	244	343
	VUR-2054	54 x 20 x 1	1372 x 508 x 25	255	369
	VUR-2060	60 x 20 x 1	1524 x 508 x 25	276	385
	VUR-2066	66 x 20 x 1	1676 x 508 x 25	307	411
	VUR-2072	72 x 20 x 1	1829 x 508 x 25	333	447
	VUR-2078	78 x 20 x 1	1981 x 508 x 25	343	473
	VUR-2084	84 x 20 x 1	2134 x 508 x 25	354	494
	VUR-2090	90 x 20 x 1	2286 x 508 x 25	374	520
	VUR-2096	96 x 20 x 1	2438 x 508 x 25	380	546
Surface depth: 24" (610 mm)	VUR-2424	24 x 24 x 1	610 x 610 x 25	215	300
	VUR-2430	30 x 24 x 1	762 x 610 x 25	233	326
	VUR-2436	36 x 24 x 1	914 x 610 x 25	251	350
	VUR-2442	42 x 24 x 1	1067 x 610 x 25	270	379
	VUR-2448	48 x 24 x 1	1219 x 610 x 25	291	408
	VUR-2454	54 x 24 x 1	1372 x 610 x 25	304	440
	VUR-2460	60 x 24 x 1	1524 x 610 x 25	328	459
	VUR-2466	66 x 24 x 1	1676 x 610 x 25	353	494
	VUR-2472	72 x 24 x 1	1829 x 610 x 25	382	534
	VUR-2478	78 x 24 x 1	1981 x 610 x 25	390	515
	VUR-2484	84 x 24 x 1	2134 x 610 x 25	406	541
	VUR-2490	90 x 24 x 1	2286 x 610 x 25	426	567
	VUR-2496	96 x 24 x 1	2438 x 610 x 25	468	640
Surface depth: 30" (762 mm)	VUR-3024	24 x 30 x 1	610 x 762 x 25	233	326
	VUR-3030	30 x 30 x 1	762 x 762 x 25	251	350
	VUR-3036	36 x 30 x 1	914 x 762 x 25	270	379
	VUR-3042	42 x 30 x 1	1067 x 762 x 25	291	408
	VUR-3048	48 x 30 x 1	1219 x 762 x 25	328	442
	VUR-3054	54 x 30 x 1	1372 x 762 x 25	339	457
	VUR-3060	60 x 30 x 1	1524 x 762 x 25	353	494
	VUR-3066	66 x 30 x 1	1676 x 762 x 25	382	534
	VUR-3072	72 x 30 x 1	1829 x 762 x 25	411	576
	VUR-3078	78 x 30 x 1	1981 x 762 x 25	426	598
	VUR-3084	84 x 30 x 1	2134 x 762 x 25	442	624
	VUR-3090	90 x 30 x 1	2286 x 762 x 25	458	650
	VUR-3096	96 x 30 x 1	2438 x 762 x 25	489	681

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU R- 20 24- 1 GN, G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Color code

Applications

Grommet positions



Width: 24" (610 mm)- 30" (762 mm)- 36" (914 mm)- 42" (1067 mm)- 48" (1219 mm)- 54" (1372 mm)

Width: 60" (1524 mm)- 66" (1676 mm)- 72" (1829 mm)- 78" (1981 mm)- 84" (2134 mm)- 90" (2286 mm)- 96" (2438 mm)

Dimensions



Extended rectangular surfaces



Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Surface depth: 24" (610 mm)	VURE-2426	26 x 24 x 1	660 x 610 x 25	238	334
	VURE-2432	32 x 24 x 1	813 x 610 x 25	257	362
	VURE-2438	38 x 24 x 1	965 x 610 x 25	279	390
	VURE-2450	50 x 24 x 1	1270 x 610 x 25	312	437
	VURE-2462	62 x 24 x 1	1575 x 610 x 25	349	489
Surface depth: 30" (762 mm)	VURE-3026	26 x 30 x 1	660 x 762 x 25	257	362
	VURE-3032	32 x 30 x 1	813 x 762 x 25	279	390
	VURE-3038	38 x 30 x 1	965 x 762 x 25	300	422
	VURE-3050	50 x 30 x 1	1270 x 762 x 25	336	472
	VURE-3062	62 x 30 x 1	1575 x 762 x 25	378	528

Specification notes

- Designed to bridge a 3-way panel connection.
- A reinforcement bar is recommended for 50" (1270 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 62" (1575 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU RE- 24 26- 1 GN, G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Color code

Applications

Grommet positions



Width: 26" (610 mm)- 32" (813 mm)- 38" (965 mm)- 50" (1270 mm)

Width: 62" (1575 mm)

Dimensions



Rectangular surfaces, radius end



Radius on left



Radius on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
Radius on the left side											
Surface depth: 24" (610 mm)	VURR-2430-_ _L	30 x 24 x 1			6	762 x 610 x 25			152	290	405
	VURR-2436-_ _L	36 x 24 x 1			6	914 x 610 x 25			152	313	439
	VURR-2442-_ _L	42 x 24 x 1			6	1067 x 610 x 25			152	337	473
	VURR-2448-_ _L	48 x 24 x 1			6	1219 x 610 x 25			152	365	511
	VURR-2454-_ _L	54 x 24 x 1			6	1372 x 610 x 25			152	379	531
Radius on the right side											
Surface depth: 24" (610 mm)	VURR-2430-_ _R	30 x 24 x 1			6	762 x 610 x 25			152	290	405
	VURR-2436-_ _R	36 x 24 x 1			6	914 x 610 x 25			152	313	439
	VURR-2442-_ _R	42 x 24 x 1			6	1067 x 610 x 25			152	337	473
	VURR-2448-_ _R	48 x 24 x 1			6	1219 x 610 x 25			152	365	511
	VURR-2454-_ _R	54 x 24 x 1			6	1372 x 610 x 25			152	379	531
Radius on the left side											
Surface depth: 30" (762 mm)	VURR-3030-_ _L	30 x 30 x 1			6	762 x 762 x 25			152	297	418
	VURR-3036-_ _L	36 x 30 x 1			6	914 x 762 x 25			152	322	449
	VURR-3042-_ _L	42 x 30 x 1			6	1067 x 762 x 25			152	348	488
	VURR-3048-_ _L	48 x 30 x 1			6	1219 x 762 x 25			152	375	527
	VURR-3054-_ _L	54 x 30 x 1			6	1372 x 762 x 25			152	388	540
Radius on the right side											
Surface depth: 30" (762 mm)	VURR-3030-_ _R	30 x 30 x 1			6	762 x 762 x 25			152	297	418
	VURR-3036-_ _R	36 x 30 x 1			6	914 x 762 x 25			152	322	449
	VURR-3042-_ _R	42 x 30 x 1			6	1067 x 762 x 25			152	348	488
	VURR-3048-_ _R	48 x 30 x 1			6	1219 x 762 x 25			152	375	527
	VURR-3054-_ _R	54 x 30 x 1			6	1372 x 762 x 25			152	388	540

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel or a fixed pedestal. See page 80.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU RR- 24 36- 1 GN L, G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Radius on left side | Color code

Applications

Grommet position

Width: 30" (762 mm)- 36" (914 mm)- 42" (1067 mm)- 48" (1219 mm)- 54" (1372 mm)

Dimensions



Rectangular surfaces, transitional



Transitional on left



Transitional on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
Transitional on the left side											
24" left (610 mm)/	VURT-3036-45	36 x 24/30 x 1			18	914 x 610/762 x 25			457	291	408
30" right (762 mm)	VURT-3042-45	42 x 24/30 x 1			18	1067 x 610/762 x 25			457	315	442
	VURT-3048-45	48 x 24/30 x 1			18	1219 x 610/762 x 25			457	342	478
	VURT-3054-45	54 x 24/30 x 1			18	1372 x 610/762 x 25			457	352	501
	VURT-3060-45	60 x 24/30 x 1			18	1524 x 610/762 x 25			457	367	514
Transitional on the right side											
30" left (762 mm)/	VURT-3036-54	36 x 30/24 x 1			18	914 x 762/610 x 25			457	291	408
24" right (610 mm)	VURT-3042-54	42 x 30/24 x 1			18	1067 x 762/610 x 25			457	315	442
	VURT-3048-54	48 x 30/24 x 1			18	1219 x 762/610 x 25			457	342	478
	VURT-3054-54	54 x 30/24 x 1			18	1372 x 762/610 x 25			457	352	501
	VURT-3060-54	60 x 30/24 x 1			18	1524 x 762/610 x 25			457	367	514

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Extension depths
1 Thermofused laminate	**GN** Grommet round black	**45** 24" (610 mm) on left/30" (762 mm) on right
2 High pressure laminate	**GS** Grommet rectangular silver	**54** 30" (762 mm) on left/24" (610 mm) on right
	N No grommet	

Sample order

VU RT- 30 36- 45 1 GN, G-ACA

Product code | Surface type | Depth | Width | Extension choice (depth) | Finish code | Grommet option | Color code

Applications

Grommet positions



Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)- 54" (1372 mm)

Width: 60" (1524 mm)

Dimensions



2 Work surfaces

Asymmetrical surfaces



Asymmetrical on left



Asymmetrical on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish color code.



Asymmetrical on the right, return position

Cantilever bracket, panel brackets and support column must be ordered separately (see pages 74-79).

Recommended for application without grommet (N).

Specify finish color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Asymmetrical on the left side					
24" (610 mm) on left	VUA-3036-45	36 x 24/30 x 1	914 x 610/762 x 25	322	452
30" (762 mm) on right	VUA-3042-45	42 x 24/30 x 1	1067 x 610/762 x 25	348	489
	VUA-3048-45	48 x 24/30 x 1	1219 x 610/762 x 25	380	510
	VUA-3054-45	54 x 24/30 x 1	1372 x 610/762 x 25	390	525
	VUA-3060-45	60 x 24/30 x 1	1524 x 610/762 x 25	406	567
	VUA-3066-45	66 x 24/30 x 1	1676 x 610/762 x 25	421	588
	VUA-3072-45	72 x 24/30 x 1	1829 x 610/762 x 25	452	634
Asymmetrical on the right side					
30" (762 mm) on left	VUA-3036-54	36 x 30/24 x 1	914 x 762/610 x 25	322	452
24" (610 mm) on right	VUA-3042-54	42 x 30/24 x 1	1067 x 762/610 x 25	348	489
	VUA-3048-54	48 x 30/24 x 1	1219 x 762/610 x 25	380	510
	VUA-3054-54	54 x 30/24 x 1	1372 x 762/610 x 25	390	525
	VUA-3060-54	60 x 30/24 x 1	1524 x 762/610 x 25	406	567
	VUA-3066-54	66 x 30/24 x 1	1676 x 762/610 x 25	421	588
	VUA-3072-54	72 x 30/24 x 1	1829 x 762/610 x 25	452	634

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Extension depths	Grommet options
1 Thermofused laminate	45 24" (610 mm) on left/ 30" (762 mm) on right	GN Grommet round black
2 High pressure laminate	54 30" (762 mm) on left/ 24" (610 mm) on right	GS Grommet rectangular silver
		N No grommet

Sample order

VU A- 30 36- 45 1 GN, G-ACA

Product code | Surface type | Depth | Width | Extension choice (depth) | Finish code | Grommet option | Color code

Applications

Grommet position



Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)-
54" (1372 mm)



Width : 60" (1524 mm)-
66" (1676 mm)-
72" (1829 mm)

Dimensions



Rectangular conference surfaces



Flat brackets and screws included.

Cantilever brackets and the post or VCBEL storage support must be ordered separately (see pages 73-79 and 108).

Specify finish color code.

Spécification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Surface width:	VURC-2436	24 x 36 x 1	610 x 914 x 25	338	395
24" (610 mm)	VURC-2442	24 x 42 x 1	610 x 1067 x 25	359	421
	VURC-2448	24 x 48 x 1	610 x 1219 x 25	380	452
	VURC-2454	24 x 54 x 1	610 x 1372 x 25	395	473
	VURC-2460	24 x 60 x 1	610 x 1524 x 25	421	499
	VURC-2466	24 x 66 x 1	610 x 1676 x 25	447	525
	VURC-2472	24 x 72 x 1	610 x 1829 x 25	478	551
Surface width:	VURC-3036	30 x 36 x 1	762 x 914 x 25	359	473
30" (762 mm)	VURC-3042	30 x 42 x 1	762 x 1067 x 25	380	504
	VURC-3048	30 x 48 x 1	762 x 1219 x 25	421	541
	VURC-3054	30 x 54 x 1	762 x 1372 x 25	432	556
	VURC-3060	30 x 60 x 1	762 x 1524 x 25	447	593
	VURC-3066	30 x 66 x 1	762 x 1676 x 25	478	634
	VURC-3072	30 x 72 x 1	762 x 1829 x 25	510	681
Surface width:	VURC-3636	36 x 36 x 1	914 x 914 x 25	395	520
36" (914 mm)	VURC-3642	36 x 42 x 1	914 x 1067 x 25	421	556
	VURC-3648	36 x 48 x 1	914 x 1219 x 25	463	593
	VURC-3654	36 x 54 x 1	914 x 1372 x 25	473	608
	VURC-3660	36 x 60 x 1	914 x 1524 x 25	494	655
	VURC-3666	36 x 66 x 1	914 x 1676 x 25	525	702
	VURC-3672	36 x 72 x 1	914 x 1829 x 25	556	749

Specification notes

- A reinforcement bar is recommended is recommended for conference surfaces of 48" (1219 mm) or wider. See page 80.
- Surface width (W) corresponds to panel width.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU RC- 24 36- 1 GN G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Color code

Applications

Dimensions



2 Work surfaces

Trapezoidal conference surfaces



Flat brackets and screws included

Panel brackets and the post or VCBEL storage support must be ordered separately (see pages 74-79 and 108).

Specify finish color code.

Specification	Code	W1/W2 x D x H (in)	W1/W2 x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Surface width: 30" (762 mm)	VUAC-3036	**30/24 x 36 x 1**	762/610 x 914 x 25	432	567
	VUAC-3042	**30/24 x 42 x 1**	762/610 x 1067 x 25	458	603
	VUAC-3048	**30/24 x 48 x 1**	762/610 x 1219 x 25	504	650
	VUAC-3054	**30/24 x 54 x 1**	762/610 x 1372x 25	520	666
	VUAC-3060	**30/24 x 60 x 1**	762/610 x 1524 x 25	536	712
	VUAC-3066	**30/24 x 66 x 1**	762/610 x 1676 x 25	572	759
	VUAC-3072	**30/24 x 72 x 1**	762/610 x 1829 x 25	614	816
	VUAC-3636	**36/30 x 36 x 1**	914/762 x 914 x 25	473	624
	VUAC-3642	**36/30 x 42 x 1**	914/762 x 1067 x 25	504	666
	VUAC-3648	**36/30 x 48 x 1**	914/762 x 1219 x 25	556	712
	VUAC-3654	**36/30 x 54 x 1**	914/762 x 1372 x 25	567	728
	VUAC-3660	**36/30 x 60 x 1**	914/762 x 1524 x 25	593	785
	VUAC-3666	**36/30 x 66 x 1**	914/762 x 1676 x 25	629	842
	VUAC-3672	**36/30 x 72 x 1**	914/762 x 1829 x 25	666	900

Specification notes

- A reinforcement bar is recommended is recommended for conference surfaces of 48" (1219 mm) or wider. See page 80.
- Surface width (W1) corresponds to panel width.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU AC- 30 36- 1 GN G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Color code

Applications

Dimensions



Trapezoidal surface extensions



Flat brackets and screws included. Post(s) must be ordered separately (see page 76 and 77).

No grommet.

Specify finish color code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
20" (508 mm)	VUEA-2042	42 x 20 x 1	20	34		1066 x 508 x 25	508	863		416	562
double surface	VUEA-2442	42 x 24 x 1	20	34		1066 x 610 x 25	508	863		426	588
	VUEA-3042	42 x 30 x 1	20	34		1066 x 762 x 25	508	863		442	614
24" (610 mm)	VUEA-2050	50 x 20 x 1	24	42		1269 x 508 x 25	610	1066		458	629
double surface	VUEA-2450	50 x 24 x 1	24	42		1269 x 610 x 25	610	1066		473	655
	VUEA-3050	50 x 30 x 1	24	42		1269 x 762 x 25	610	1066		489	681
30" (762 mm)	VUEA-2062	62 x 20 x 1	30	54		1574 x 508 x 25	762	1371		494	697
double surface	VUEA-2462	62 x 24 x 1	30	54		1574 x 610 x 25	762	1371		515	723
	VUEA-3062	62 x 30 x 1	30	54		1574 x 762 x 25	762	1371		536	749

Specification notes

- Installed at the junction of two 20" (508 mm), 24" (610 mm) or 30" (762 mm) deep surfaces.

Finish code

1 Thermofused laminate
2 High pressure laminate

Sample order

VU EA- 20 42- 1 N, G-ACA

Product code | Surface type | Depth | Width | Finish code | No grommet | Color code

Applications

Dimensions



Surface extensions with rounded corners



Flat brackets and screws included. Post(s) must be ordered separately (see page 76 and 77).

No grommet.

Specify finish color code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
20" (508 mm)	VUER-2042	42 x 20 x 1	20			1066 x 508 x 25	508			416	562
double surface	VUER-2442	42 x 24 x 1	20			1066 x 610 x 25	508			426	588
	VUER-3042	42 x 30 x 1	20			1066 x 762 x 25	508			442	614
24" (610 mm)	VUER-2050	50 x 20 x 1	24			1269 x 508 x 25	610			458	629
double surface	VUER-2450	50 x 24 x 1	24			1269 x 610 x 25	610			473	655
	VUER-3050	50 x 30 x 1	24			1269 x 762 x 25	610			489	681
30" (762 mm)	VUER-2062	62 x 20 x 1	30			1574 x 508 x 25	762			494	697
double surface	VUER-2462	62 x 24 x 1	30			1574 x 610 x 25	762			515	723
	VUER-3062	62 x 30 x 1	30			1574 x 762 x 25	762			536	749

Specification notes

- Installed at the junction of two 20" (508 mm), 24" (610 mm) or 30" P (762 mm) surfaces.

Finish code

1 Thermofused laminate
2 High pressure laminate

Sample order

VU ER- 20 42- 1 N, G-ACA

Product code | Surface type | Depth | Width | Finish code | No grommet | Color code

Applications

Dimensions



2 Work surfaces

D-shape surfaces



Cantilever supports, flat brackets and column must be ordered separately (see pages 76 and 77).

Specify finish color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Surface depth: 30" (762 mm)	VUD-3060	30 x 60 x 1	762 x 1524 x 25	388	543
	VUD-3072	30 x 72 x 1	762 x 1829 x 25	445	623

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU D- 30 60- 1 GN, G-ACA

Product code | Surface type | Width | Depth | Finish code | Grommet option | Color code

Applications

Dimensions



*Surface width is identified to match the panel's width.

Extended D-shape surfaces



Left surface



Right surface

Cantilever supports, flat brackets and column must be ordered separately (see pages 73, 74, 76 and 77).

Specify finish color code.

*VAKW keyboard tray recommended.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
Left surface											
Connection	VUDE-4272-4-_ _L	42 x 72 x 1	24	30	11 ¾	1067 x 1829 x 25	610	762	300	656	918
24" (610 mm) deep extension	VUDE-4860-4-_ _L	48 x 60 x 1	24	30	11 ¾	1219 x 1524 x 25	610	762	300	706	991
	VUDE-4872-4-_ _L	48 x 72 x 1	24	30	11 ¾	1219 x 1829 x 25	610	762	300	763	1,068
Connection	VUDE-4860-5-_ _L	48 x 60 x 1	30	30	11 ¾	1219 x 1524 x 25	762	762	300	706	991
30" (762 mm) deep extension	VUDE-4872-5-_ _L	48 x 72 x 1	30	30	11 ¾	1219 x 1829 x 25	762	762	300	763	1,068
Right surface											
Connection	VUDE-4272-4-_ _R	42 x 72 x 1	24	30	11 ¾	1067 x 1829 x 25	610	762	300	656	918
24" (610 mm) deep extension	VUDE-4860-4-_ _R	48 x 60 x 1	24	30	11 ¾	1219 x 1524 x 25	610	762	300	706	991
	VUDE-4872-4-_ _R	48 x 72 x 1	24	30	11 ¾	1219 x 1829 x 25	610	762	300	763	1,068
Connection	VUDE-4860-5-_ _R	48 x 60 x 1	30	30	11 ¾	1219 x 1524 x 25	762	762	300	706	991
30" (762 mm) deep extension	VUDE-4872-5-_ _R	48 x 72 x 1	30	30	11 ¾	1219 x 1829 x 25	762	762	300	763	1,068

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Extension depth options

4 24" (610 mm) on extension
5 30" (762 mm) on extension

Sample order

VU DE- 48 60- 4 1 GN L, G-ACA

Product code | Surface type | Width | Depth | Extension choice (depth) | Finish code | Grommet option | Left- or right-hand surface | Color code

Applications

Grommet position



Width: 60" (1524 mm)-72" (1829 mm)

Dimensions



*Surface width is identified to match the panel's width.

P-shape surfaces



Left surface



Right surface

Cantilever supports, flat brackets and column must be ordered separately (see pages 73, 74, 76 and 77).

Specify finish color code.

Specification	Code	W1/W2 x D x H (in)	W1/W2 x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Left surface					
42" (1067 mm) Ø	VUP-3060-_ _L	30/42 x 60 x 1	762/1067 x 1524 x 25	610	857
	VUP-3072-_ _L	30/42 x 72 x 1	762/1067 x 1829 x 25	695	972
Right surface					
42" (1067 mm) Ø	VUP-3060-_ _R	30/42 x 60 x 1	762/1067 x 1524 x 25	610	857
	VUP-3072-_ _R	30/42 x 72 x 1	762/1067 x 1829 x 25	695	972

Specification notes

- Depth at connecting end is 30" (762 mm).

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU P- 30 60- 1 GN L, G-ACA

Product code; Surface type; Width; Depth; Finish code; Grommet option; Left- or right-hand surface; Color code

Applications

Dimensions



*Surface width (W1) is identified to match the panel's width.

Corner surfaces, straight front



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*Only the VUC-2448 surface will accommodate all Nvision keyboards.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
24" (610 mm) deep on both ends	VUC-2436	36 x 36 x 1	24	17		914 x 914 x 25	610	430		366	512
	VUC-2442	42 x 42 x 1	24	25 3/8		1067 x 1067 x 25	610	646		410	589
	VUC-2448	48 x 48 x 1	24	34 1/4		1219 x 1219 x 25	610	871		460	660
30" (762 mm) deep on both ends	VUC-3036	36 x 36 x 1	30	8 3/8		914 x 914 x 25	762	214		366	512
	VUC-3042	42 x 42 x 1	30	17		1067 x 1067 x 25	762	431		410	589
	VUC-3048	48 x 48 x 1	30	25 7/8		1219 x 1219 x 25	762	656		460	660

Specification notes

- Wood grain application is parallel to the depth on all corner work surfaces.

Optional: Diagonal wood grain

For diagonal wood grain application, add the suffix **D** to the code and add **$131** to list price.

Specify as follows and complete the code with desired laminate code: VUC-2436-1GND, G-ACA

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU C- 24 36- 1 GN, G-ACA

Product code; Surface type; Width at ends; Width/depth; Finish code; Grommet option; Color code

Applications

Grommet position



Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)

Dimensions



Diagonal wood grain



Optional

2 Work surfaces

Corner surfaces, curved front



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
24" (610 mm) deep on both ends	VUCC-2436	36 x 36 x 1	24		11 ¾	914 x 914 x 25	610		300	366	512
	VUCC-2442	42 x 42 x 1	24		11 ¾	1067 x 1067 x 25	610		300	410	589
	VUCC-2448	48 x 48 x 1	24		11 ¾	1219 x 1219 x 25	610		300	460	660
30" (762 mm) deep on both ends	VUCC-3048	48 x 48 x 1	30		11 ¾	1219 x 1219 x 25	762		300	460	660

Specification notes

- Wood grain application is parallel to the depth on all corner work surfaces.

Optional: diagonal wood grain

For diagonal wood grain application, add the suffix **D** to the code and add **$131** to list price.
Specify as follows and complete the code with desired option: VUCC-2436-1GND, G-ACA

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU CC- 24 36- 1 GN, G-ACA

Product code | Surface type | Width at ends | Width/ depth | Finish code | Grommet option | Color code

Applications

Grommet position



Width: 36" (914 mm)- 42" (1067 mm)- 48" (1219 mm)

Dimensions



Diagonal wood grain



Optional

Corner surfaces, dual height



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
24" (610 mm) deep on both ends	VUCD-2442	42 x 42 x 1	24	24 ½	12	1067 x 1067 x 25	610	623	305	1,628	2,278
30" (762 mm) deep on both ends	VUCD-3048	48 x 48 x 1	30	23 ⅞	12	1219 x 1219 x 25	762	606	305	1,721	2,411

Specification notes

- Keyboard depth is 12" (305 mm).
- Keyboard surface adjusts 8" (203 mm) below surface to 10" (254 mm) above the surface.
- Keyboard mechanism is included and packaged separately.
- Wood grain application is always parallel to the Y dimension on all dual height corner work surfaces.
- PVC stopper is included and has to be field installed.

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU CD- 24 42- 1 GN, G-ACA

Product code | Surface type | Width at ends | Width/ depth | Finish code | Grommet option | Color code

Applications

Grommet position



Width: 42" (1067 mm)- 48" (1219 mm)

Dimensions



Extended corner surfaces, curved or straight front



Extended on left



Extended on right

Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended for curved fronts.

Specification	Code	W x D x H (in)	X	Y	Z1 or Z2	W x D x H (mm)	X	Y	Z1 or Z2	Price: Thermofused laminate	Price: High pressure laminate
Left surface											
24" (610 mm) deep	VUWE-3648-44-__L	48 x 36 x 1	24		11 3/4	—	1219 x 914 x 25	610		300	—	463	648
on both ends	VUWE-3654-44-__L	54 x 36 x 1	24		11 3/4	21 3/4	1372 x 914 x 25	610		300	553	490	673
	VUWE-3660-44-__L	60 x 36 x 1	24		11 3/4	21 3/4	1524 x 914 x 25	610		300	553	519	727
	VUWE-3666-44-__L	66 x 36 x 1	24		11 3/4	21 3/4	1676 x 914 x 25	610		300	553	562	785
	VUWE-3672-44-__L	72 x 36 x 1	24		11 3/4	21 3/4	1829 x 914 x 25	610		300	553	605	848
	VUWE-4254-44-__L	54 x 42 x 1	24		11 3/4	25 1/2	1372 x 1067 x 25	610		300	646	519	712
	VUWE-4260-44-__L	60 x 42 x 1	24		11 3/4	25 1/2	1524 x 1067 x 25	610		300	646	535	749
	VUWE-4266-44-__L	66 x 42 x 1	24		11 3/4	25 1/2	1676 x 1067 x 25	610		300	646	579	810
	VUWE-4272-44-__L	72 x 42 x 1	24		11 3/4	25 1/2	1829 x 1067 x 25	610		300	646	624	875
	VUWE-4854-44-__L	54 x 48 x 1	24		11 3/4	33 7/8	1372 x 1219 x 25	610		300	861	532	733
	VUWE-4860-44-__L	60 x 48 x 1	24		11 3/4	33 7/8	1524 x 1219 x 25	610		300	861	550	772
	VUWE-4872-44-__L	72 x 48 x 1	24		11 3/4	33 7/8	1829 x 1219 x 25	610		300	861	631	887
30" (762 mm) deep	VUWE-4854-55-__L	54 x 48 x 1	30		11 3/4	33 7/8	1372 x 1219 x 25	762		300	861	532	733
on both ends	VUWE-4860-55-__L	60 x 48 x 1	30		11 3/4	33 7/8	1524 x 1219 x 25	762		300	861	550	772
	VUWE-4872-55-__L	72 x 48 x 1	30		11 3/4	33 7/8	1829 x 1219 x 25	762		300	861	631	887
Right surface											
24" (610 mm) deep	VUWE-3648-44-__R	48 x 36 x 1	24		11 3/4	—	1219 x 914 x 25	610		300	—	463	648
on both ends	VUWE-3654-44-__R	54 x 36 x 1	24		11 3/4	21 3/4	1372 x 914 x 25	610		300	553	490	673
	VUWE-3660-44-__R	60 x 36 x 1	24		11 3/4	21 3/4	1524 x 914 x 25	610		300	553	519	727
	VUWE-3666-44-__R	66 x 36 x 1	24		11 3/4	21 3/4	1676 x 914 x 25	610		300	553	562	785
	VUWE-3672-44-__R	72 x 36 x 1	24		11 3/4	21 3/4	1829 x 914 x 25	610		300	553	605	848
	VUWE-4254-44-__R	54 x 42 x 1	24		11 3/4	25 1/2	1372 x 1067 x 25	610		300	646	519	712
	VUWE-4260-44-__R	60 x 42 x 1	24		11 3/4	25 1/2	1524 x 1067 x 25	610		300	646	535	749
	VUWE-4266-44-__R	66 x 42 x 1	24		11 3/4	25 1/2	1676 x 1067 x 25	610		300	646	579	810
	VUWE-4272-44-__R	72 x 42 x 1	24		11 3/4	25 1/2	1829 x 1067 x 25	610		300	646	624	875
	VUWE-4854-44-__R	54 x 48 x 1	24		11 3/4	33 7/8	1372 x 1219 x 25	610		300	861	532	733
	VUWE-4860-44-__R	60 x 48 x 1	24		11 3/4	33 7/8	1524 x 1219 x 25	610		300	861	550	772
	VUWE-4872-44-__R	72 x 48 x 1	24		11 3/4	33 7/8	1829 x 1219 x 25	610		300	861	631	887
30" (762 mm) deep	VUWE-4854-55-__R	54 x 48 x 1	30		11 3/4	33 7/8	1372 x 1219 x 25	762		300	861	532	733
on both ends	VUWE-4860-55-__R	60 x 48 x 1	30		11 3/4	33 7/8	1524 x 1219 x 25	762		300	861	550	772
	VUWE-4872-55-__R	72 x 48 x 1	30		11 3/4	33 7/8	1829 x 1219 x 25	762		300	861	631	887

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Extension choices (depth)
1 Thermofused laminate	**GN** Grommet round black	**44** 24" (610 mm) on left/24" (610 mm) on right
2 High pressure laminate	**GS** Grommet rectangular silver	**55** 30" (762 mm) on left/30" (762 mm) on right
	N No grommet	

Optional:

For straight front (Z2 radius), add the suffix **K** to the code (no upcharge).
Specify as follows and complete the code with desired option: VUWE-3660-441GNLK, G-ACA

Sample order

VU WE- 36 60- 44 1 GN L, G-ACA

Product code | Surface type | Depth | Width | Extension choice (depth) | Finish code | Grommet option | Left- or Right-hand surface | Color code

Applications

Grommet position



Width:
48" (1219 mm)-
54" (1372 mm)-
60" (1524 mm)-
66" (1676 mm)-
72" (1829 mm)

Dimensions

Curved front



Straight front



2 Work surfaces

Extended transitional corner surfaces, curved or straight front



Extended transitional on left



Extended transitional on right

Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended for curved front.

Specification	Code	W x D x H (in)	X	Y	Z1 or Z2	W x D x H (mm)	X	Y	Z1 or Z2	Price: Thermofused laminate	Price: High pressure laminate
Left surface											
24" (610 mm)	VUWT-3648-45-_ _L	48 x 36 x 1	24	30	11 3/4 —	1219 x 914 x 25	610	762	300 —	463	648
deep on left/	VUWT-3654-45-_ _L	54 x 36 x 1	24	30	11 3/4 —	1372 x 914 x 25	610	762	300 —	490	673
30" (762 mm)	VUWT-4854-45-_ _L	54 x 48 x 1	24	30	11 3/4 33 7/8	1372 x 1219 x 25	610	762	300 861	532	733
deep on right	VUWT-4860-45-_ _L	60 x 48 x 1	24	30	11 3/4 33 7/8	1524 x 1219 x 25	610	762	300 861	550	772
	VUWT-4872-45-_ _L	72 x 48 x 1	24	30	11 3/4 - 33 7/8	1829 x 1219 x 25	610	762	300 861	631	887
30" (762 mm)	VUWT-3648-54-_ _L	48 x 36 x 1	30	24	11 3/4 —	1219 x 914 x 25	762	610	300 —	463	648
deep on left/	VUWT-3654-54-_ _L	54 x 36 x 1	30	24	11 3/4 —	1372 x 914 x 25	762	610	300 —	490	673
24" (610 mm)	VUWT-4854-54-_ _L	54 x 48 x 1	30	24	11 3/4 33 7/8	1372 x 1219 x 25	762	610	300 861	532	733
deep on right	VUWT-4860-54-_ _L	60 x 48 x 1	30	24	11 3/4 33 7/8	1524 x 1219 x 25	762	610	300 861	550	772
	VUWT-4872-54-_ _L	72 x 48 x 1	30	24	11 3/4 33 7/8	1829 x 1219 x 25	762	610	300 861	631	887
Right surface											
24" (610 mm)	VUWT-3648-45-_ _R	48 x 36 x 1	24	30	11 3/4 —	1219 x 914 x 25	610	762	300 —	463	648
deep on left/	VUWT-3654-45-_ _R	54 x 36 x 1	24	30	11 3/4 —	1372 x 914 x 25	610	762	300 —	490	673
30" (762 mm)	VUWT-4854-45-_ _R	54 x 48 x 1	24	30	11 3/4 33 7/8	1372 x 914 x 25	610	762	300 861	532	733
deep on right	VUWT-4860-45-_ _R	60 x 48 x 1	24	30	11 3/4 33 7/8	1524 x 1219 x 25	610	762	300 861	550	772
	VUWT-4872-45-_ _R	72 x 48 x 1	24	30	11 3/4 33 7/8	1829 x 1219 x 25	610	762	300 861	631	887
30" (762 mm)	VUWT-3648-54-_ _R	48 x 36 x 1	30	24	11 3/4 —	1219 x 914 x 25	762	610	300 —	463	648
deep on left/	VUWT-3654-54-_ _R	54 x 36 x 1	30	24	11 3/4 —	1372 x 914 x 25	762	610	300 —	490	673
24" (610 mm)	VUWT-4854-54-_ _R	54 x 48 x 1	30	24	11 3/4 33 7/8	1372 x 914 x 25	762	610	300 861	532	733
deep on right	VUWT-4860-54-_ _R	60 x 48 x 1	30	24	11 3/4 33 7/8	1524 x 1219 x 25	762	610	300 861	550	772
	VUWT-4872-54-_ _R	72 x 48 x 1	30	24	11 3/4 33 7/8	1829 x 1219 x 25	762	610	300 861	631	887

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Extension choices (depth)
1 Thermofused laminate	**GN** Grommet round black	**45** 24" (610 mm) on left/30" (762 mm) on right
2 High pressure laminate	**GS** Grommet rectangular silver	**54** 30" (762 mm) on left/24" (610 mm) on right
	N No grommet	

Optional:

For straight front (Z2 radius), add the suffix **K** to the code (no upcharge).
Specify as follows and complete the code with desired option: VUWT-4860-451GNLK, G-ACA

Sample order

VU WT- 48 60- 45 1 GN L, G-ACA

- VU: Product code
- WT-: Surface type
- 48: Depth
- 60-: Width
- 45: Extension choice (depth)
- 1: Finish code
- GN: Grommet option
- L,: Left- or right-hand surface
- G-ACA: Color code

Applications

Grommet position



Width:
48" (1219 mm)-
54" (1372 mm)-
60" (1524 mm)-
66" (1676 mm)-
72" (1829 mm)

Dimensions

Curved front



Straight front



120-degree corner surfaces, curved front



Cantilever supports must be ordered separately (see pages 73 and 74).

For use of VUCA with a "link" work surface (VULA), use the 120-degree cantilever brackets VACA-L or VACA-R, page 74.

Specify finish color code.

* VAKW keyboard tray recommended for curved fronts.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
24" (610 mm) deep	VUCA-2436-_ _	36 x 36 x 1	24	17 ¼		914 x 914 x 25	610	440		718	999
	VUCA-2442-_ _	42 x 42 x 1	24	17 ¼		1067 x 1067 x 25	610	440		755	1,056
	VUCA-2448-_ _	48 x 48 x 1	24	17 ¼		1219 x 1219 x 25	610	440		795	1,113
	VUCA-2454-_ _	54 x 54 x 1	24	17 ¼		1372 x 1372 x 25	610	440		835	1,168
30" (762 mm) deep	VUCA-3036-_ _	36 x 36 x 1	30	17 ¼		914 x 914 x 25	762	440		718	999
	VUCA-3042-_ _	42 x 42 x 1	30	17 ¼		1067 x 1067 x 25	762	440		755	1,056
	VUCA-3048-_ _	48 x 48 x 1	30	17 ¼		1219 x 1219 x 25	762	440		795	1,113
	VUCA-3054-_ _	54 x 54 x 1	30	17 ¼		1372 x 1372 x 25	762	440		835	1,168

Finish code

1 Thermofused laminate
2 High pressure laminate

Grommet options

GN Grommet round black
GS Grommet rectangular silver
N No grommet

Sample order

VU CA- 24 36- 1 GN, G-ACA

Product code | Surface type | Depth | Width | Finish code | Grommet option | Color code

Applications

Grommet position



Width: 36" (914 mm)- 42" (1067 mm)- 48" (1219 mm)- 54" (1372 mm)

Dimensions



120-degree link surfaces



For this application, use only VACA-L and VACA-R cantilever brackets and one table post.

Specify finish color code.

Cannot accommodate keyboards.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
24" (610 mm) deep	VULA-2424	24 x 24 x 1		2 ¼	26	610 x 610 x 25		58	660	275	385
30" (762 mm) deep	VULA-3030	30 x 30 x 1		2 ¼	32	762 x 762 x 25		58	812	344	481

Finish code

1 Thermofused laminate
2 High pressure laminate

Sample order

VU LA- 24 24- 1 N, G-ACA

Product code | Surface type | Depth | Width | Finish code | No grommet | Color code

Applications

Dimensions

2 Work surfaces

Straight counter tops



Two sets of counter top brackets must be ordered separately (see page 75). For 60" wide, three sets of counter top brackets are required.

Finished on both faces.

No grommet.

Specify finish color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
On 24" (610 mm) wide panel	VUT-1424	24 x 14 x 1	610 x 356 x 25	170	239
On 30" (762 mm) wide panel	VUT-1430	30 x 14 x 1	761 x 356 x 25	186	260
On 36" (914 mm) wide panel	VUT-1436	36 x 14 x 1	913 x 356 x 25	201	280
On 42" (1067 mm) wide panel	VUT-1442	42 x 14 x 1	1066 x 356 x 25	216	305
On 48" (1219 mm) wide panel	VUT-1448	48 x 14 x 1	1218 x 356 x 25	234	328
On 54" (1372 mm) wide panel	VUT-1454	54 x 14 x 1	1372 x 356 x 25	249	347
On 2 panels totaling 60" (1524 mm) wide	VUT-1460	60 x 14 x 1	1523 x 356 x 25	261	367

Specification notes

- A counter top is recommended only for use with a 44" (1112 mm) high panel or a combination of panels totaling 44" (1112 mm) in height, and is placed directly on the top finish post.
- Straight counter top must match the width of panel or be specified a maximum of 6" (151 mm) wider on each end of panel.

Finish code

1 Thermofused laminate
2 High pressure laminate

Sample order

VU T- 14 30- 1 N, G-ACA

Product code | Surface type | Depth | Width | Finish code | No grommet | Color code

Applications

Dimensions



Corner counter tops



Three sets of counter top brackets must be ordered separately (see page 75).

Finished on both faces.

No grommet.

Specify finish color code.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price: Thermofused laminate	Price: High pressure laminate
On 2 x 24" (610 mm) wide panels	VUTC-1424	32 x 32 x 1	14		13 ¾	814 x 814 x 25	356		350	342	478
On 2 x 30" (762 mm) wide panels	VUTC-1430	38 x 38 x 1	14		13 ¾	966 x 966 x 25	356		350	371	573
On 2 x 36" (914 mm) wide panels	VUTC-1436	44 x 44 x 1	14		13 ¾	1118 x 1118 x 25	356		350	400	686

Specification notes

- A countertop is recommended only for use with a 44" (1112 mm) high panel or a combination of panels totaling 44" (1112 mm) in height, and is placed directly on the top finish post.
- Corner counter top must match the width of panel and cannot exceed it.

Finish code

1 Thermofused laminate
2 High pressure laminate

Sample order

VU TC- 14 30- 1 N, G-ACA

Product code | Surface type | Depth at ends | Width/depth | Finish code | No grommet | Color code

Applications

Dimensions



Standard cantilever brackets



Right



Left

Sold separately or in pairs (1 left, 1 right)..

Black. Small flat bracket and mounting hardware are included (wood screws and machine screws).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Left	VACL-1	1 x 16 ½ x 9	25 x 419 x 229	51
Right	VACR-1	1 x 16 ½ x 9	25 x 419 x 229	51
Pair	VACP-2	1 x 16 ½ x 9	25 x 419 x 229	95

Specification notes

- Mount into the panel side rail to support work surfaces.
- For surfaces 60" (1524 mm) wide or more, you must order 3 cantilever brackets.
- For 20" (508 mm), 24" (610 mm) and 30" (762 mm) deep surfaces.
- A cantilever cannot support 2 consecutive surfaces. Each surface needs its own set of brackets.

Applications



Layout configuration:

Surface: All rectangular, transitional or asymmetrical surfaces VUR-VURE-VURR-VURT-VUA

Width: 24" (610 mm) to 50" (1270 mm)
Support: 1 left/1 right cantilever brackets VACP-2

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 2 left/1 right cantilever brackets VACP-2 + VACL-1



Layout configuration:

Surface: All D-shape and P-shape surfaces VUD-VUDE-VUP

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left or 1 right cantilever bracket VACL-1 or VACR-1



Layout configuration:

Surface: D-shape and conference end surfaces VUD and VURC

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left/1 right cantilever brackets VACP-2



Layout configuration:

Surface: All corner surfaces, all VUW 48" (1219 mm) VUC-VUCC-VUCD-VUWE48-VUWT48

Width: 24" (610 mm) to 48" (1219 mm)
Support: 1 left/1 right cantilever brackets VACP-2



Layout configuration:

Surface: Extended corner surfaces VUWE-VUWT

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left/1 right cantilever brackets VACP-2 + VACL-1

Layout configuration:

Surface: Pedestal applications

Depth: 24" (610 mm) to 30" (762 mm)
Support: 1 left or 1 right cantilever bracket VACL-1 or VACR-1 in the middle and use VAPB-1 in the back corners of the pedestal.



Layout configuration:

Surface: Asymmetrical, used in VUA return position VUA
Depth: 36" (914 mm) to 72" (1829 mm)
Support: Cantilever bracket (1 left or 1 right) VACL-1 or VACR-1

2 Supports

120-degree cantilever brackets for link application



Right



Left

Single bracket.

Black. Small flat bracket and mounting hardware are included (wood screws and machine screws).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Left	VACA-L	3 ¾ x 16 ½ x 9	95 x 419 x 229	99
Right	VACA-R	3 ¾ x 16 ½ x 9	95 x 419 x 229	99

Specification notes

- Sold separately.
- Provide cantilever support to link 120 bridge surface and 120 corner surface applications (see Application diagram).
- Mount into the panel side trim rail.

Applications



Panel brackets

Package of 1 pair.

Black. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Pair	VAPB-2	3 x 4 ¼ x 5 ¼	76 x 108 x 134	37

Specification notes

- Mount into the panel side rail to support work surfaces where a standard cantilever is not appropriate.
- Used to support rear of surface when a hanging or fixed pedestal is installed, and to support front of surface if a return panel is specified.
- Allow a universal installation (left or right).

Applications



Layout configuration:

Surface: All D-shape and P-shape surfaces VUD-VUDE-VUP

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of panel brackets VAPB-2

Note: Use 1 left or 1 right. Re-use the other one in mirror station.

Layout configuration:

Surface: Extended corner surfaces VUWE-VUWT

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of panel brackets VAPB-2

Note: Use 1 left or 1 right. Re-use the other one in mirror station.



Layout configuration:

Surface: Variable height installation

Depth: 24" (610 mm) to 30" (762 mm)
Support: 2 sets of panel brackets VAPB-2



Layout configuration:

Surface: Pedestal applications
Depth: 24" (610 mm) to 30" (762 mm)
Support: 1 left or 1 right cantilever bracket VACL-1 or VACR-1 in the middle and use VAPB-1 in the back corners of the pedestal.



Layout configuration:

Surface: Asymmetrical used in VUA return position
Depth: 36" (914 mm) to 72" (1829 mm)
Support: Cantilever bracket (1 left or 1 right) VACL-1 or VACR-1



Layout configuration:

Surface: Trapezoidal conference end surface VUAC
Depth: 36" (914 mm) to 72" (1829 mm)
Support: 1 set of brackets for VAPB-2 panels

Corner bracket



Package of 1.

Black. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VACB-1	1 ⅞ x 8 ¾ x 4 ¾	48 x 222 x 121	19

Specification notes

- Used to mount a corner surface into a panel side rail.
- Just one bracket is needed per work surface.

Applications



Layout configuration:

Surface: All corner surfaces, all VUW 48" (1219 mm) VUC-VUCC-VUWE48-VUWT48-VUCA

Width: 24" (610 mm) to 48" (1219 mm)
Support: 1 corner bracket VACB-1



Layout configuration:

Surface: Dual height corners VUCD

Width: 42" (1067 mm) to 48" (1219 mm)
Support: 1 corner bracket VACB-1



Layout configuration:

Surface: Extended corner surfaces VUWE-VUWT

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 corner bracket VACB-1

Counter top brackets



Package of 2.

Black. Small flat bracket and mounting hardware are included (wood screws).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Pair	VABT-2	1 ½ x 2 ¼ x 3 ⅜	38 x 57 x 86	14

Specification notes

- Mount into the panel side rail to support counter top work surfaces.
- Use only on a 44" (1112 mm) high panel or on a panel combination equaling 44" (1112 mm) in height.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VABT- 2, TR-K

Product code | Pair | Trim/metal color

Applications



Layout configuration:

Surface: Straight counter tops VUT

Width: 30" (762 mm) to 48" (1219 mm)
Support: 2 sets of brackets for VABT-2 counter tops

Width: 60" (1524 mm)
Support: 3 sets of brackets for VABT-2 counter tops. For this type of application, 2 panels must support the counter top.



Layout configuration:

Surface: Corner counter tops VUTC

Width: 24" (610 mm) to 36" (914 mm)
Support: 3 sets of brackets for VABT-2 counter tops. For this type of application, 2 panels must support the counter top.

2 Supports

Flat brackets



Package of 2.

Black. Mounting hardware (wood screws) included.

Grade 11 steel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Set of 2	VAFB-2	4 x 3 x 1/16	102 x 43 x 2	25

Specification notes

- Allow the mounting of a D- or P-shape and extension work surfaces to other work surfaces.

Applications



Layout configuration:

Surface: D-shape surface
VUD

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of flat brackets
VAFB-2

Table post



Package of 1.

Black. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VATL-1	3 x 3 x 28	89 x 89 x 711	152

Specification notes

- Glide provides 1 1/2" (38 mm) height adjustment.
- 2 1/4" (57 mm) diameter post.
- 6" (152 mm) centered square plate.

Applications



Layout configuration:

Surface: All D-shape, P-shape surfaces
VUD-VUDE-VUP-VUEA-VUER-VULA

Width: 50" (1270 mm) to 72" (1829 mm)
Support: 1 table post

Table post



Package of 1.

Metallic silver. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VLGC-VTL1	2 x 2 x 28	51 x 51 x 713	152

Specification notes

- Glide provides 1 1/4" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 1/4" (130 mm) square flat bracket.

Applications



Layout configuration:

Surface: All D-shape, P-shape and double extension surfaces
VUD-VUDE-VUP-VUEA-VUER-VUCA

Width: 50" (1270 mm) to 72" (1829 mm)
Support: 1 table post

Table post

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square post	VLGC-QTL1	2 ½ x 2 ½ x 28	64 x 64 x 713	151

Package of 1.

Metallic silver. Mounting hardware (wood screws) included.

Specification notes

- Glide provides 1 ¼" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 ¼" (130 mm) square flat bracket.

Applications



Layout configuration:

Surface: All rectangular link surfaces
VUR-VURE-VURT-VULA-VUA-VUAC-VURC-VUEA-VUER

Support: 2 table posts for rectangular surfaces

Adjustable table post



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Adjustable round post	VAAL-1	2 ¼ x 2 ¼ x 27-31	57 x 57 x 686-787	126

Package of 1.

Charcoal. Mounting hardware (wood screws) included.

Specification notes

- 4" (102 mm) glide adjustment range allows work surface heights from 27" (686 mm) to 31" (787 mm).
- 2 ¼" (57 mm) diameter post.
- 6" (152 mm) round diameter top plate.

Applications



Layout configuration:

Surface: All D-shape and P-shape surfaces
VUD-VUDE-VUP-VUE-VULA

Width: 50" (1270 mm) to 72" (1829 mm)
Support: 1 table post

Table post



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square pedestal	VLGC-SB17	17 x17 x 28	432 x 432 x 711	572

Package of 1.

Metallic silver.
Mounting hardware
(wood screws) included.

Specification notes

- Glides provide ⅛" (3 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.

Applications



Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

2 Supports

Open frame legs



Package of 1.

Metallic silver.
Mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface	VLGC-LP24	23 ½ x 2 x 28	597 x 52 x 713	406
Leg for 30" (762 mm) surface	VLGC-LP30	29 ½ x 2 x 28	747 x 52 x 713	432

Specification notes

- Glides provide 1 ½" (38 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.

Applications



Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

Panel-mounted open frame legs



Left installation



Right installation

Package of 1.

Metallic silver.
Support and
mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface				
Left installation	VLGC-LP24PL	23 ½ x 2 x 28	597 x 52 x 713	484
Right installation	VLGC-LP24PR	23 ½ x 2 x 28	597 x 52 x 713	484
Leg for 30" (762 mm) surface				
Left installation	VLGC-LP30PL	29 ½ x 2 x 28	747 x 52 x 713	510
Right installation	VLGC-LP30PR	29 ½ x 2 x 28	747 x 52 x 713	510

Specification notes

- To be used where an additional work surface support is needed to replace a standard cantilever.
- Glides provide 2" (51 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.

Applications



Layout configuration:

Surface: All rectangular, transitional rectangular, and asymmetrical surfaces.
VUR-VURC- VUA

End support panels



Single end panel, 2 flat brackets, glides and mounting hardware (wood screws) included.

No grommet.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface depth: 20" (508 mm)	VUSE-20	1 x 20 x 28	25 X 508 X 713	265
Surface depth: 24" (610 mm)	VUSE-24	1 x 24 x 28	25 x 610 x 698	281
Surface depth: 30" (762 mm)	VUSE-30	1 x 30 x 28	25 x 762 x 698	314

Specification notes

- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat bracket allows for left, right and centre installation.
- Glides provide 1½" (38 mm) height adjustment.
- A reversible end panel cannot replace a return panel.

Sample order

VU SE- 24- 1 N, G-ACA

Product code | Support type | Depth | Finish code | No grommet | Color code

Applications



Layout configuration:

Surface: For any end panel

Width: 20" (508 mm) to 30" (762 mm)
Support: 1 support panel

Mid-support panel



Support panel, flat bracket, glides and mounting hardware (wood screws) included.

Cut-out for wire access.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VUSE-11	1 X 10 ¾ X 28	25 X 272 X 713	172

Specification notes

- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat plate allows for left, centre or right installation.
- Glide provides 1 ½" (38 mm) height adjustment.
- A single end panel cannot replace a return panel.

Sample order

VU SE- 11- 1 N, G-ACA

Product code | Support type | Depth | Laminate | No grommet | Color code

2 Supports

Wall tracks



Package of 2 wall tracks.

Mounting hardware included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
60" (1524 mm) high	VBT-60	5/8 x 3/4 x 60	16 x 19 x 1524	126
84" (2134 mm) high	VBT-84	5/8 x 3/4 x 84	16 x 19 x 2134	189

Specification notes

- Use to attach panel components to structural walls. See pages 33 to 42.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VBT- 60, TR-K

Product code | Height | Trim/metal color

Work surface reinforcement bars



Package of 1.

Black metal. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface length of 48" (1219 mm)	VLGC-BAR43	43 x 1 1/2 x 1 1/2	1092 x 38 x 38	134
Surface length of 54" (1372 mm)	VLGC-BAR49	49 x 1 1/2 x 1 1/2	1245 x 38 x 38	146

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See pages 73, 79 and 93.
- Work surface reinforcement bar is not intended to replace cantilevers or other work surface support options.

Applications



Overhead full height shelves



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-1424	24 x 13 ¾ x 13 ¼	610 x 350 x 337	149
	VSS-1430	30 x 13 ¾ x 13 ¼	762 x 350 x 337	155
	VSS-1436	36 x 13 ¾ x 13 ¼	914 x 350 x 337	161
	VSS-1442	42 x 13 ¾ x 13 ¼	1067 x 350 x 337	168
	VSS-1448	48 x 13 ¾ x 13 ¼	1219 x 350 x 337	174
	VSS-1454	54 x 13 ¾ x 13 ¼	1372 x 350 x 337	181
	VSS-1460	60 x 13 ¾ x 13 ¼	1524 x 350 x 337	188

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VSS- 14 30, TR-K

Product code | Height | Width | Trim/metal color

Overhead low height shelves



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-0824	24 x 13 ¾ x 8	610 x 350 x 203	139
	VSS-0830	30 x 13 ¾ x 8	762 x 350 x 203	145
	VSS-0836	36 x 13 ¾ x 8	914 x 350 x 203	151
	VSS-0842	42 x 13 ¾ x 8	1067 x 350 x 203	157
	VSS-0848	48 x 13 ¾ x 8	1219 x 350 x 203	162
	VSS-0854	54 x 13 ¾ x 8	1372 x 350 x 203	170
	VSS-0860	60 x 13 ¾ x 8	1524 x 350 x 203	177

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VSS- 08 30, TR-K

Product code | Height | Width | Trim/metal color

3 Shelves and overhead storage units

Overhead storage cabinets with flipper door (standard hinges)



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips with black lock and hardware included.

Hinges come installed on door.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624	24 x 14 ½ x 15 ¾	610 x 368 x 400	338
	VSO-1630	30 x 14 ½ x 15 ¾	762 x 368 x 400	356
	VSO-1636	36 x 14 ½ x 15 ¾	914 x 368 x 400	373
	VSO-1642	42 x 14 ½ x 15 ¾	1067 x 368 x 400	392
	VSO-1648	48 x 14 ½ x 15 ¾	1219 x 368 x 400	412
	VSO-1654	54 x 14 ½ x 15 ¾	1372 x 368 x 400	434
	VSO-1660	60 x 14 ½ x 15 ¾	1524 x 368 x 400	454
Metal cabinet/laminate flipper door	VSO-1624-L	24 x 14 ½ x 15 ¾	610 x 368 x 400	459
	VSO-1630-L	30 x 14 ½ x 15 ¾	762 x 368 x 400	482
	VSO-1636-L	36 x 14 ½ x 15 ¾	914 x 368 x 400	504
	VSO-1642-L	42 x 14 ½ x 15 ¾	1067 x 368 x 400	530
	VSO-1648-L	48 x 14 ½ x 15 ¾	1219 x 368 x 400	557
	VSO-1654-L	54 x 14 ½ x 15 ¾	1372 x 368 x 400	584
	VSO-1660-L	60 x 14 ½ x 15 ¾	1524 x 368 x 400	615

Specification notes

- Mount onto the panel side rail or onto the first upholstered stackable panel.
- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Door stowes on top of unit.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VSO- 16 30, TR-K

Product code — Height — Width — Trim/metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSO-1630-L, TR-K, G-ACA



Overhead storage cabinets with flipper door (soft-close hinges)



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips and hardware included.

Soft-close hinges come installed on door.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624-S	24 x 14 ½ x 15 ¾	610 x 368 x 400	549
with soft-close hinges	VSO-1630-S	30 x 14 ½ x 15 ¾	762 x 368 x 400	567
	VSO-1636-S	36 x 14 ½ x 15 ¾	914 x 368 x 400	584
	VSO-1642-S	42 x 14 ½ x 15 ¾	1067 x 368 x 400	603
	VSO-1648-S	48 x 14 ½ x 15 ¾	1219 x 368 x 400	623
	VSO-1654-S	54 x 14 ½ x 15 ¾	1372 x 368 x 400	644
	VSO-1660-S	60 x 14 ½ x 15 ¾	1524 x 368 x 400	665
Metal cabinet/laminate flipper door	VSO-1624-LS	24 x 14 ½ x 15 ¾	610 x 368 x 400	668
with soft-close hinges	VSO-1630-LS	30 x 14 ½ x 15 ¾	762 x 368 x 400	693
	VSO-1636-LS	36 x 14 ½ x 15 ¾	914 x 368 x 400	716
	VSO-1642-LS	42 x 14 ½ x 15 ¾	1067 x 368 x 400	740
	VSO-1648-LS	48 x 14 ½ x 15 ¾	1219 x 368 x 400	768
	VSO-1654-LS	54 x 14 ½ x 15 ¾	1372 x 368 x 400	795
	VSO-1660-LS	60 x 14 ½ x 15 ¾	1524 x 368 x 400	825

Specification notes

- Mount onto the panel side rail or onto the first upholstered stackable panel.
- Field assembly required.
- Door stowes on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSO- 16 24- S, TR-K

Product code | Height | Width | Soft-close hinges | Trim/metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSO-1624-LS, TR-K, G-ACA



Up-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Hinges come installed on door.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624	24 x 14 ½ x 15 ¾	610 x 368 x 400	701
	VSM-1630	30 x 14 ½ x 15 ¾	762 x 368 x 400	725
	VSM-1636	36 x 14 ½ x 15 ¾	914 x 368 x 400	755
	VSM-1642	42 x 14 ½ x 15 ¾	1067 x 368 x 400	785
	VSM-1648	48 x 14 ½ x 15 ¾	1219 x 368 x 400	816
Metal cabinet/laminate flipper door	VSM-1624-L	24 x 14 ½ x 15 ¾	610 x 368 x 400	821
	VSM-1630-L	30 x 14 ½ x 15 ¾	762 x 368 x 400	849
	VSM-1636-L	36 x 14 ½ x 15 ¾	914 x 368 x 400	883
	VSM-1642-L	42 x 14 ½ x 15 ¾	1067 x 368 x 400	918
	VSM-1648-L	48 x 14 ½ x 15 ¾	1219 x 368 x 400	955

Specification notes

- May not be installed on a stackable panel.
- Require field assembly of door and end supports.
- Door stowes on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSM- 16 24, TR-K

Product code | Height | Width | Trim/metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-L, TR-K, G-ACA



3 Shelves and overhead storage units

Up-mounted storage cabinets with flipper door (soft-close hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Soft-close hinges come installed on door.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624-S	24 x 14 ½ x 15 ¾	610 x 368 x 400	912
with soft-close hinges	VSM-1630-S	30 x 14 ½ x 15 ¾	762 x 368 x 400	936
	VSM-1636-S	36 x 14 ½ x 15 ¾	914 x 368 x 400	966
	VSM-1642-S	42 x 14 ½ x 15 ¾	1067 x 368 x 400	995
	VSM-1648-S	48 x 14 ½ x 15 ¾	1219 x 368 x 400	1,028
Metal cabinet/laminate flipper door	VSM-1624-LS	24 x 14 ½ x 15 ¾	610 x 368 x 400	1,031
with soft-close hinges	VSM-1630-LS	30 x 14 ½ x 15 ¾	762 x 368 x 400	1,059
	VSM-1636-LS	36 x 14 ½ x 15 ¾	914 x 368 x 400	1,094
	VSM-1642-LS	42 x 14 ½ x 15 ¾	1067 x 368 x 400	1,128
	VSM-1648-LS	48 x 14 ½ x 15 ¾	1219 x 368 x 400	1,165

Specification notes

- May not be installed on a stackable panel.
- Require field assembly of door and end supports.
- Door stowes on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSM- 16 24- S, TR-K

Product code | Height | Width | Soft-close hinges | Trim/metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-LS, TR-K, G-ACA



Wall-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, top, door with black lock and mounting hardware are included.

Hinges come installed on door.

Anchors are **not** included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624	24 x 14 ½ x 15 ¾	610 x 368 x 400	390
	VSW-1630	30 x 14 ½ x 15 ¾	762 x 368 x 400	410
	VSW-1636	36 x 14 ½ x 15 ¾	914 x 368 x 400	430
	VSW-1642	42 x 14 ½ x 15 ¾	1067 x 368 x 400	452
	VSW-1648	48 x 14 ½ x 15 ¾	1219 x 368 x 400	474
	VSW-1654	54 x 14 ½ x 15 ¾	1372 x 368 x 400	498
	VSW-1660	60 x 14 ½ x 15 ¾	1524 x 368 x 400	521
Metal cabinet/laminate flipper door	VSW-1624-L	24 x 14 ½ x 15 ¾	610 x 368 x 400	525
	VSW-1630-L	30 x 14 ½ x 15 ¾	762 x 368 x 400	532
	VSW-1636-L	36 x 14 ½ x 15 ¾	914 x 368 x 400	575
	VSW-1642-L	42 x 14 ½ x 15 ¾	1067 x 368 x 400	586
	VSW-1648-L	48 x 14 ½ x 15 ¾	1219 x 368 x 400	614
	VSW-1654-L	54 x 14 ½ x 15 ¾	1372 x 368 x 400	649
	VSW-1660-L	60 x 14 ½ x 15 ¾	1524 x 368 x 400	682

Specification notes

- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stowes on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSW- 16 24, TR-K

Product code | Height | Width | Trim/metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-L, TR-K, G-ACA



Wall-mounted storage cabinets (soft-close hinges)



Metal. Shelf with ⅜" (10 mm) high back lip, built-in end supports, top, door with black lock, and mounting hardware are included.

Soft-close hinges come installed on door.

Anchors are **not** included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624-S	24 x 14 ½ x 15 ¾	610 x 368 x 400	601
with soft-close hinges	VSW-1630-S	30 x 14 ½ x 15 ¾	762 x 368 x 400	621
	VSW-1636-S	36 x 14 ½ x 15 ¾	914 x 368 x 400	641
	VSW-1642-S	42 x 14 ½ x 15 ¾	1067 x 368 x 400	662
	VSW-1648-S	48 x 14 ½ x 15 ¾	1219 x 368 x 400	684
	VSW-1654-S	54 x 14 ½ x 15 ¾	1372 x 368 x 400	708
	VSW-1660-S	60 x 14 ½ x 15 ¾	1524 x 368 x 400	720
Metal cabinet/ laminate flipper door	VSW-1624-LS	24 x 14 ½ x 15 ¾	610 x 368 x 400	735
with soft-close hinges	VSW-1630-LS	30 x 14 ½ x 15 ¾	762 x 368 x 400	743
	VSW-1636-LS	36 x 14 ½ x 15 ¾	914 x 368 x 400	769
	VSW-1642-LS	42 x 14 ½ x 15 ¾	1067 x 368 x 400	796
	VSW-1648-LS	48 x 14 ½ x 15 ¾	1219 x 368 x 400	824
	VSW-1654-LS	54 x 14 ½ x 15 ¾	1372 x 368 x 400	860
	VSW-1660-LS	60 x 14 ½ x 15 ¾	1524 x 368 x 400	893

Specification notes

- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stowes on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSW- 16 24- S, TR-K

Product code | Height | Width | Soft-close hinges | Trim/ metal color

Laminate door front option

- For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-LS, TR-K, G-ACA



Back for wall-mounted storage cabinets



Metal painted back and mounting hardware are included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal back for	VSWB-1624-P	23 ¾ x ¾ x 15 ¼	608 x 19 x 390	139
wall-mounted overhead	VSWB-1630-P	29 ¾ x ¾ x 15 ¼	756 x 19 x 390	149
	VSWB-1636-P	35 ¾ x ¾ x 15 ¼	908 x 19 x 390	161
	VSWB-1642-P	41 ¾ x ¾ x 15 ¼	1060 x 19 x 390	171
	VSWB-1648-P	47 ¾ x ¾ x 15 ¼	1213 x 19 x 390	181
	VSWB-1654-P	53 ¾ x ¾ x 15 ¼	1365 x 19 x 390	193
	VSWB-1660-P	59 ¾ x ¾ x 15 ¼	1518 x 19 x 390	203

Specification notes

- Used to cover wall-mount attachment brackets.
- For use on wall-mounted storage units only (VSW).
- Back must match width of wall-mounted storage units.
- Field assembly required.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSWB- 16 24- P, TR–K

Product code | Height | Width | Metal paint | Trim/ metal color

3 Shelves and overhead storage units

Open laminate overhead storage units



Single storage unit



Double storage unit

Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single	VEO-1624	24 x 13 ¾ x 15 ¾	610 x 350 x 400	780
	VEO-1630	30 x 13 ¾ x 15 ¾	762 x 350 x 400	816
	VEO-1636	36 x 13 ¾ x 15 ¾	914 x 350 x 400	837
	VEO-1642	42 x 13 ¾ x 15 ¾	1067 x 350 x 400	853
Double	VEO-1648	48 x 13 ¾ x 15 ¾	1219 x 350 x 400	957
	VEO-1654	54 x 13 ¾ x 15 ¾	1372 x 350 x 400	978
	VEO-1660	60 x 13 ¾ x 15 ¾	1524 x 350 x 400	988
	VEO-1666	66 x 13 ¾ x 15 ¾	1676 x 350 x 400	1,014
	VEO-1672	72 x 13 ¾ x 15 ¾	1829 x 350 x 400	1,040

Specification notes

- Mount onto the panel side rails. May not be installed on a stackable panel.
- Accept specified tasklight (see page 116). Sold separately.
- Field assembly required.

Sample order

VEO- 16 24, G-ACA

Product code — Height — Width — Color code

Open laminate overhead storage units with sliding door



Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOS-1636	36 x 14 ½ x 15 ¾	914 x 369 x 400	1,097
	VEOS-1642	42 x 14 ½ x 15 ¾	1067 x 369 x 400	1,113
	VEOS-1648	48 x 14 ½ x 15 ¾	1219 x 369 x 400	1,316
	VEOS-1654	54 x 14 ½ x 15 ¾	1372 x 369 x 400	1,357
	VEOS-1660	60 x 14 ½ x 15 ¾	1524 x 369 x 400	1,383
	VEOS-1666	66 x 14 ½ x 15 ¾	1676 x 369 x 400	1,414
	VEOS-1672	72 x 14 ½ x 15 ¾	1829 x 369 x 400	1,446

Specification notes

- Mount onto the panel side rails. May not be installed on a stackable panel.
- Sliding door has no lock and covers half of storage unit.
- Accept specified tasklight (see page 116). Sold separately.
- Field assembly required.

Sample order

VEOS- 16 36, G-ACA, G-ACA

Product code — Height — Width — Color code — Face color code

Open laminate overhead storage units with whiteboard sliding door



Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOSW-1636	**36 x 14 ½ x 15 ¾**	914 x 369 x 400	1,326
	VEOSW-1642	**42 x 14 ½ x 15 ¾**	1067 x 369 x 400	1,362
	VEOSW-1648	**48 x 14 ½ x 15 ¾**	1219 x 369 x 400	1,508
	VEOSW-1654	**54 x 14 ½ x 15 ¾**	1372 x 369 x 400	1,570
	VEOSW-1660	**60 x 14 ½ x 15 ¾**	1524 x 369 x 400	1,612
	VEOSW-1666	**66 x 14 ½ x 15 ¾**	1676 x 369 x 400	1,669
	VEOSW-1672	**72 x 14 ½ x 15 ¾**	1829 x 369 x 400	1,732

Specification notes

- Mount onto the panel side rails. May not be installed on a stackable panel.
- Sliding door has no lock and covers half of storage unit.
- Non-magnetic whiteboard.
- Accept specified tasklight (see page 116). Sold separately.
- Field assembly required.

Sample order

VEOSW- 16 36, G-ACA

Product code | Height | Width | Color code

3 Shelves and overhead storage units

Open laminate center-mounted storage units



Single storage unit



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEP-0824	24 x 13 ¾ x 8	610 x 350 x 203	572
	VEP-0830	30 x 13 ¾ x 8	762 x 350 x 203	588
	VEP-0836	36 x 13 ¾ x 8	914 x 350 x 203	603
	VEP-0842	42 x 13 ¾ x 8	1067 x 350 x 203	619
Double	VEP-0848	48 x 13 ¾ x 8	1219 x 350 x 203	712
	VEP-0854	54 x 13 ¾ x 8	1372 x 350 x 203	738
	VEP-0860	60 x 13 ¾ x 8	1524 x 350 x 203	749
	VEP-0866	66 x 13 ¾ x 8	1676 x 350 x 203	780
	VEP-0872	72 x 13 ¾ x 8	1829 x 350 x 203	801
Shared	VDEP-0842	42 x 13 ¾ x 8	1067 x 350 x 203	770
	VDEP-0848	48 x 13 ¾ x 8	1219 x 350 x 203	744
	VDEP-0854	54 x 13 ¾ x 8	1372 x 350 x 203	764
	VDEP-0860	60 x 13 ¾ x 8	1524 x 350 x 203	780
	VDEP-0866	66 x 13 ¾ x 8	1676 x 350 x 203	816
	VDEP-0872	72 x 13 ¾ x 8	1829 x 350 x 203	832
Height 14" (356 mm)				
Single	VEP-1424	24 x 13 ¾ x 14	610 x 350 x 356	598
	VEP-1430	30 x 13 ¾ x 14	762 x 350 x 356	608
	VEP-1436	36 x 13 ¾ x 14	914 x 350 x 356	629
	VEP-1442	42 x 13 ¾ x 14	1067 x 350 x 356	645
Double	VEP-1448	48 x 13 ¾ x 14	1219 x 350 x 356	754
	VEP-1454	54 x 13 ¾ x 14	1372 x 350 x 356	780
	VEP-1460	60 x 13 ¾ x 14	1524 x 350 x 356	790
	VEP-1466	66 x 13 ¾ x 14	1676 x 350 x 356	827
	VEP-1472	72 x 13 ¾ x 14	1829 x 350 x 356	842
Shared	VDEP-1442	42 x 13 ¾ x 14	1067 x 350 x356	811
	VDEP-1448	48 x 13 ¾ x 14	1219 x 350 x 356	780
	VDEP-1454	54 x 13 ¾ x 14	1372 x 350 x 356	801
	VDEP-1460	60 x 13 ¾ x 14	1524 x 350 x 356	822
	VDEP-1466	66 x 13 ¾ x 14	1676 x 350 x 356	858
	VDEP-1472	72 x 13 ¾ x 14	1829 x 350 x 356	879
Height 16" (400 mm)				
Single	VEP-1624	24 x 13 ¾ x 15 ¾	610 x 350 x 400	603
	VEP-1630	30 x 13 ¾ x 15 ¾	762 x 350 x 400	619
	VEP-1636	36 x 13 ¾ x 15 ¾	914 x 350 x 400	640
	VEP-1642	42 x 13 ¾ x 15 ¾	1067 x 350 x 400	655
Double	VEP-1648	48 x 13 ¾ x 15 ¾	1219 x 350 x 400	764
	VEP-1654	54 x 13 ¾ x 15 ¾	1372 x 350 x 400	790
	VEP-1660	60 x 13 ¾ x 15 ¾	1524 x 350 x 400	806
	VEP-1666	66 x 13 ¾ x 15 ¾	1676 x 350 x 400	837
	VEP-1672	72 x 13 ¾ x 15 ¾	1829 x 350 x 400	858
Shared	VDEP-1642	42 x 13 ¾ x 15 ¾	1067 x 350 x 400	822
	VDEP-1648	48 x 13 ¾ x 15 ¾	1219 x 350 x 400	796
	VDEP-1654	54 x 13 ¾ x 15 ¾	1372 x 350 x 400	816
	VDEP-1660	60 x 13 ¾ x 15 ¾	1524 x 350 x 400	837
	VDEP-1666	66 x 13 ¾ x 15 ¾	1676 x 350 x 400	874
	VDEP-1672	72 x 13 ¾ x 15 ¾	1829 x 350 x 400	889

Specification notes

- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEP- 08 24- TR-K G-ACA

Product code | Height | Width | Bracket color | Color code

Open laminate center-mounted storage units with whiteboard on back





Single storage unit





Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEPW-0824	24 x 13 ¾ x 8	610 x 350 x 203	629
	VEPW-0830	30 x 13 ¾ x 8	762 x 350 x 203	650
	VEPW-0836	36 x 13 ¾ x 8	914 x 350 x 203	676
	VEPW-0842	42 x 13 ¾ x 8	1067 x 350 x 203	697
Double	VEPW-0848	48 x 13 ¾ x 8	1219 x 350 x 203	806
	VEPW-0854	54 x 13 ¾ x 8	1372 x 350 x 203	837
	VEPW-0860	60 x 13 ¾ x 8	1524 x 350 x 203	858
	VEPW-0866	66 x 13 ¾ x 8	1676 x 350 x 203	894
	VEPW-0872	72 x 13 ¾ x 8	1829 x 350 x 203	920
Shared	VDEPW-0842	42 x 13 ¾ x 8	1067 x 350 x 203	874
	VDEPW-0848	48 x 13 ¾ x 8	1219 x 350 x 203	837
	VDEPW-0854	54 x 13 ¾ x 8	1372 x 350 x 203	842
	VDEPW-0860	60 x 13 ¾ x 8	1524 x 350 x 203	858
	VDEPW-0866	66 x 13 ¾ x 8	1676 x 350 x 203	900
	VDEPW-0872	72 x 13 ¾ x 8	1829 x 350 x 203	910
Height 14" (356 mm)				
Single	VEPW-1424	24 x 13 ¾ x 14	610 x 350 x 356	671
	VEPW-1430	30 x 13 ¾ x 14	762 x 350 x 356	702
	VEPW-1436	36 x 13 ¾ x 14	914 x 350 x 356	733
	VEPW-1442	42 x 13 ¾ x 14	1067 x 350 x 356	759
Double	VEPW-1448	48 x 13 ¾ x 14	1219 x 350 x 356	884
	VEPW-1454	54 x 13 ¾ x 14	1372 x 350 x 356	931
	VEPW-1460	60 x 13 ¾ x 14	1524 x 350 x 356	952
	VEPW-1466	66 x 13 ¾ x 14	1676 x 350 x 356	1,004
	VEPW-1472	72 x 13 ¾ x 14	1829 x 350 x 356	1,040
Shared	VDEPW-1442	42 x 13 ¾ x 14	1067 x 350 x 356	936
	VDEPW-1448	48 x 13 ¾ x 14	1219 x 350 x 356	910
	VDEPW-1454	54 x 13 ¾ x 14	1372 x 350 x 356	957
	VDEPW-1460	60 x 13 ¾ x 14	1524 x 350 x 356	988
	VDEPW-1466	66 x 13 ¾ x 14	1676 x 350 x 356	1,035
	VDEPW-1472	72 x 13 ¾ x 14	1829 x 350 x 356	1,066
Height 16" (400 mm)				
Single	VEPW-1624	24 x 13 ¾ x 15 ¾	610 x 350 x 400	686
	VEPW-1630	30 x 13 ¾ x 15 ¾	762 x 350 x 400	718
	VEPW-1636	36 x 13 ¾ x 15 ¾	914 x 350 x 400	754
	VEPW-1642	42 x 13 ¾ x 15 ¾	1067 x 350 x 400	785
Double	VEPW-1648	48 x 13 ¾ x 15 ¾	1219 x 350 x 400	915
	VEPW-1654	54 x 13 ¾ x 15 ¾	1372 x 350 x 400	962
	VEPW-1660	60 x 13 ¾ x 15 ¾	1524 x 350 x 400	988
	VEPW-1666	66 x 13 ¾ x 15 ¾	1676 x 350 x 400	1,040
	VEPW-1672	72 x 13 ¾ x 15 ¾	1829 x 350 x 400	1,082
Shared	VDEPW-1642	42 x 13 ¾ x 15 ¾	1067 x 350 x 400	962
	VDEPW-1648	48 x 13 ¾ x 15 ¾	1219 x 350 x 400	941
	VDEPW-1654	54 x 13 ¾ x 15 ¾	1372 x 350 x 400	988
	VDEPW-1660	60 x 13 ¾ x 15 ¾	1524 x 350 x 400	1,024
	VDEPW-1666	66 x 13 ¾ x 15 ¾	1676 x 350 x 400	1,066
	VDEPW-1672	72 x 13 ¾ x 15 ¾	1829 x 350 x 400	1,102

Specification notes

- Non-magnetic whiteboard.
- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors	
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VEPW- 08 24- TR-K G-ACA

- VEPW- : Product code
- 08 : Height
- 24 : Width
- TR-K : Bracket color
- G-ACA : Color code

3 Shelves and overhead storage units

Laminate center-mounted storage units with flipper door (standard hinges)



Mounting hardware included.

Hinges come installed on door.

Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624	**24 x 14 ½ x 16 ¼**	610 x 368 x 413	788
	VEPP-1630	**30 x 14 ½ x 16 ¼**	762 x 368 x 413	815
	VEPP-1636	**36 x 14 ½ x 16 ¼**	914 x 368 x 413	838
	VEPP-1642	**42 x 14 ½ x 16 ¼**	1067 x 368 x 413	865
	VEPP-1648	**48 x 14 ½ x 16 ¼**	1219 x 368 x 413	981
	VEPP-1654	**54 x 14 ½ x 16 ¼**	1372 x 368 x 413	1,004
	VEPP-1660	**60 x 14 ½ x 16 ¼**	1524 x 368 x 413	1,025

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stowes on top of unit.
- Field assembly required.

Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPP- 16 24, TR-K G-ACA, G-GAN

Product code | Height | Width | Bracket color | Color code | Face color code

Laminate center-mounted storage units with flipper door (soft-close hinges)



Mounting hardware included.

Soft-close hinges come installed on door.

Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624-S	**24 x 14 ½ x 16 ¼**	610 x 368 x 413	920
	VEPP-1630-S	**30 x 14 ½ x 16 ¼**	762 x 368 x 413	948
	VEPP-1636-S	**36 x 14 ½ x 16 ¼**	914 x 368 x 413	970
	VEPP-1642-S	**42 x 14 ½ x 16 ¼**	1067 x 368 x 413	997
	VEPP-1648-S	**48 x 14 ½ x 16 ¼**	1219 x 368 x 413	1,114
	VEPP-1654-S	**54 x 14 ½ x 16 ¼**	1372 x 368 x 413	1,136
	VEPP-1660-S	**60 x 14 ½ x 16 ¼**	1524 x 368 x 413	1,158

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stowes on top of unit.
- Field assembly required.

Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPP- 16 24- S, TR-K G-ACA, G-GAN

Product code | Height | Width | Soft close | Bracket color | Color code | Face color code

Open laminate center-mounted storage units with sliding door



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 14" (356 mm)				
Double	VEPS-1436	**36 x 14 ½ x 14**	914 x 369 x 356	983
	VEPS-1442	**42 x 14 ½ x 14**	1067 x 369 x 356	998
	VEPS-1448	**48 x 14 ½ x 14**	1219 x 369 x 356	1,113
	VEPS-1454	**54 x 14 ½ x 14**	1372 x 369 x 356	1,144
	VEPS-1460	**60 x 14 ½ x 14**	1524 x 369 x 356	1,160
	VEPS-1466	**66 x 14 ½ x 14**	1676 x 369 x 356	1,206
	VEPS-1472	**72 x 14 ½ x 14**	1829 x 369 x 356	1,227
Shared	VDEPS-1442	**42 x 14 ½ x 14**	1067 x 369 x 356	1,576
	VDEPS-1448	**48 x 14 ½ x 14**	1219 x 369 x 356	1,518
	VDEPS-1454	**54 x 14 ½ x 14**	1372 x 369 x 356	1,555
	VDEPS-1460	**60 x 14 ½ x 14**	1524 x 369 x 356	1,581
	VDEPS-1466	**66 x 14 ½ x 14**	1676 x 369 x 356	1,654
	VDEPS-1472	**72 x 14 ½ x 14**	1829 x 369 x 356	1,685
Height 16" (400 mm)				
Double	VEPS-1636	**36 x 14 ½ x 15 ¾**	914 x 369 x 400	993
	VEPS-1642	**42 x 14 ½ x 15 ¾**	1067 x 369 x 400	1,009
	VEPS-1648	**48 x 14 ½ x 15 ¾**	1219 x 369 x 400	1,128
	VEPS-1654	**54 x 14 ½ x 15 ¾**	1372 x 369 x 400	1,165
	VEPS-1660	**60 x 14 ½ x 15 ¾**	1524 x 369 x 400	1,175
	VEPS-1666	**66 x 14 ½ x 15 ¾**	1676 x 369 x 400	1,222
	VEPS-1672	**72 x 14 ½ x 15 ¾**	1829 x 369 x 400	1,248
Shared	VDEPS-1642	**42 x 14 ½ x 15 ¾**	1067 x 369 x 400	1,602
	VDEPS-1648	**48 x 14 ½ x 15 ¾**	1219 x 369 x 400	1,544
	VDEPS-1654	**54 x 14 ½ x 15 ¾**	1372 x 369 x 400	1,581
	VDEPS-1660	**60 x 14 ½ x 15 ¾**	1524 x 369 x 400	1,612
	VDEPS-1666	**66 x 14 ½ x 15 ¾**	1676 x 369 x 400	1,680
	VDEPS-1672	**72 x 14 ½ x 15 ¾**	1829 x 369 x 400	1,716

Specification notes

- Only one sliding door, without a lock, is installed on double storage units.
- For a shared storage unit, the sliding doors, without a lock, are installed on either side.
- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPS- 14 36- TR-K G-ACA, G-ACA

Product code | Height | Width | Bracket color | Color code | Face color code

3 Shelves and overhead storage units

Open laminate center-mounted storage units with whiteboard back and sliding door



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 14" (356 mm)				
Double	VEPSW-1436	**36 x 14 ½ x 14**	914 x 369 x 356	1,139
	VEPSW-1442	**42 x 14 ½ x 14**	1067 x 369 x 356	1,175
	VEPSW-1448	**48 x 14 ½ x 14**	1219 x 369 x 356	1,316
	VEPSW-1454	**54 x 14 ½ x 14**	1372 x 369 x 356	1,373
	VEPSW-1460	**60 x 14 ½ x 14**	1524 x 369 x 356	1,404
	VEPSW-1466	**66 x 14 ½ x 14**	1676 x 369 x 356	1,477
	VEPSW-1472	**72 x 14 ½ x 14**	1829 x 369 x 356	1,518
Shared	VDEPSW-1442	**42 x 14 ½ x 14**	1067 x 369 x 356	1,924
	VDEPSW-1448	**48 x 14 ½ x 14**	1219 x 369 x 356	1,882
	VDEPSW-1454	**54 x 14 ½ x 14**	1372 x 369 x 356	1,981
	VDEPSW-1460	**60 x 14 ½ x 14**	1524 x 369 x 356	2,054
	VDEPSW-1466	**66 x 14 ½ x 14**	1676 x 369 x 356	2,148
	VDEPSW-1472	**72 x 14 ½ x 14**	1829 x 369 x 356	2,220
Height 16" (400 mm)				
Double	VEPSW-1636	**36 x 14 ½ x 15 ¾**	914 x 369 x 400	1,170
	VEPSW-1642	**42 x 14 ½ x 15 ¾**	1067 x 369 x 400	1,206
	VEPSW-1648	**48 x 14 ½ x 15 ¾**	1219 x 369 x 400	1,352
	VEPSW-1654	**54 x 14 ½ x 15 ¾**	1372 x 369 x 400	1,414
	VEPSW-1660	**60 x 14 ½ x 15 ¾**	1524 x 369 x 400	1,451
	VEPSW-1666	**66 x 14 ½ x 15 ¾**	1676 x 369 x 400	1,524
	VEPSW-1672	**72 x 14 ½ x 15 ¾**	1829 x 369 x 400	1,576
Shared	VDEPSW-1642	**42 x 14 ½ x 15 ¾**	1067 x 369 x 400	1,986
	VDEPSW-1648	**48 x 14 ½ x 15 ¾**	1219 x 369 x 400	1,950
	VDEPSW-1654	**54 x 14 ½ x 15 ¾**	1372 x 369 x 400	2,064
	VDEPSW-1660	**60 x 14 ½ x 15 ¾**	1524 x 369 x 400	2,142
	VDEPSW-1666	**66 x 14 ½ x 15 ¾**	1676 x 369 x 400	2,236
	VDEPSW-1672	**72 x 14 ½ x 15 ¾**	1829 x 369 x 400	2,319

Specification notes

- Only one sliding door, without a lock, is installed on double storage units.
- For a shared unit, the sliding doors, without a lock, are installed on either side.
- Non-magnetic whiteboard.
- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors

TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VEPSW- 14 36- TR-K G-ACA

Product code | Height | Width | Bracket color | Color code

Metal hanging pedestals



Hanging box/file

Metal. Goes under a work surface.

Shipped without top.

Standard with lock, black.

Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/file with recessed pull/metal front	VPS1-24-R	15 x 23 x 19	381 x 584 x 483	405
Box/file with full pull/metal front	VPS1-24-F	15 x 23 x 19	381 x 584 x 483	437
Box/file with full pull/laminate front	VPS1-24-L	15 x 23 x 19	381 x 584 x 483	553

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Position the hanging pedestals next to a panel bracket or end support panel.
- Hanging pedestals must be attached under a work surface equal or deeper than pedestal depth.
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPS 1- 24- F, TR-K

Product code | Drawer type | Depth | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

Laminate drawer pull (-L)

***Pedestals with recessed pulls are not available in TR-LE Metallic silver.**

Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPS1-24-L, TR-K, G-ACA

Metal fixed pedestals



Fixed box/box/file



Fixed file/file

Metal. Goes under a work surface.

Shipped without top.

Standard with lock, black.

Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file with recessed pull/metal front	VPF3-24-R	15 x 23 x 27 ½	381 x 584 x 699	509
File/file with recessed pull/metal front	VPF2-24-R	15 x 23 x 27 ½	381 x 584 x 699	452
Box/box/file with full pull/metal front	VPF3-24-F	15 x 23 x 27 ½	381 x 584 x 699	549
File/file with full pull/metal front	VPF2-24-F	15 x 23 x 27 ½	381 x 584 x 699	489
Box/box/file with full pull/laminate front	VPF3-24-L	15 x 23 x 27 ½	381 x 584 x 699	696
File/file with full pull/laminate front	VPF2-24-L	15 x 23 x 27 ½	381 x 584 x 699	622

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Position fixed pedestals next to a panel bracket or end support panel.
- 4 adjustable floor glides provide 1" (25 mm) of height adjustment.
- Fixed pedestals must be attached under a work surface equal or deeper than pedestal depth.
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPF 3- 24- F, TR-K

Product code | Drawer type | Depth | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

Laminate drawer pull (-L)

***Pedestals with recessed pulls are not available in TR-LE Metallic silver.**

Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPF3-24-L, TR-K, G-ACA

3 Metal storage units

Metal mobile pedestals

Mobile box/file

Mobile box/box/file



Mobile file/file

Metal. Fits under a work surface.

Standard with lock, black.

Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file with recessed pull/metal front	VPM3-24-R	15 x 23 x 27 ½	381 x 584 x 699	590
File/file with recessed pull/metal front	VPM2-24-R	15 x 23 x 27 ½	381 x 584 x 699	525
Box/file with recessed pull/metal front	VPM1-24-R	15 x 23 x 21 ½	381 x 584 x 546	466
Box/box/file with full pull/metal front	VPM3-24-F	15 x 23 x 27 ½	381 x 584 x 699	630
File/file with full pull/metal front	VPM2-24-F	15 x 23 x 27 ½	381 x 584 x 699	562
Box/file with full pull/metal front	VPM1-24-F	15 x 23 x 21 ½	381 x 584 x 546	499
Box/box/file with full pull/laminate front	VPM3-24-L	15 x 23 x 27 ½	381 x 584 x 699	777
File/file with full pull/laminate front	VPM2-24-L	15 x 23 x 27 ½	381 x 584 x 699	695
Box/file with full pull/laminate front	VPM1-24-L	15 x 23 x 21 ½	381 x 584 x 546	617

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Casters are black, non-locking: 2 swivel (rear), 2 fixed (front).
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.
- Counterweights are standard on box/file mobile pedestals (VPM1-24-R/F/L) only.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPM 3- 24- F, TR-K

Product code | Drawer type | Depth | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

Laminate drawer pull (-L)

***Pedestals with recessed pulls are not available in TR-LE Metallic silver.**

Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPM3-24-L, TR-K, G-ACA

Pedestal cushion



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Fabric grade	Price
	VPC1-24	15 x 23 x 2	381 x 584 x 51	1	275

Specification notes

- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Includes cushion with double-sided tape.
- For use with a 23" deep x 21 ½" high (584 mm x 546 mm) mobile pedestal (VPM1-24)
- Requires minor field assembly.

Sample order

VPC 1- 24 AE10

Product code | Cushion type | Depth | Upholstery selection

Metal personal storage towers

Right door

Left door

Metal.

With locks, black.

Specify door opening, pull code and color of metal storage tower.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/Box/File with right door, recessed pull	VT3R-5124-R	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,686
Box/Box/File with left door, recessed pull	VT3L-5124-R	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,686
File/File with right door, recessed pull	VT2R-5124-R	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,642
File/File with left door, recessed pull	VT2L-5124-R	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,642
Box/Box/File with right door, recessed pull	VT3R-6324-R	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,813
Box/Box/File with left door, recessed pull	VT3L-6324-R	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,813
File/File with right door, recessed pull	VT2R-6324-R	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,766
File/File with left door, recessed pull	VT2L-6324-R	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,766
Box/Box/File with right door, full pull	VT3R-5124-F	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,772
Box/Box/File with left door, full pull	VT3L-5124-F	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,772
File/File with right door, full pull	VT2R-5124-F	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,724
File/File with left door, full pull	VT2L-5124-F	24 x 23 11/16 x 51 1/2	610 x 584 x 1308	1,724
Box/Box/File with right door, full pull	VT3R-6324-F	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,904
Box/Box/File with left door, full pull	VT3L-6324-F	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,904
File/File with right door, full pull	VT2R-6324-F	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,854
File/File with left door, full pull	VT2L-6324-F	24 x 23 11/16 x 63 1/2	610 x 584 x 1613	1,854

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Storage unit includes one adjustable shelf.
- Shelf adjusts in increments of 2 ½" (64 mm).
- One lock for wardrobe and storage unit door and another for drawers. Field assembly required for locks.
- Wardrobe with 9" W (229 mm) clothes hanger bar.
- File drawer can accommodate legal filing front to back with the use of legal conversion kit (VPLF-KIT, see page 98).
- 4 adjustable floor glides provide 1 ½" (38 mm) of height adjustment.
- Drawers interior is black.
- Shelves and storage unit interior are black.
- Pulls are the same color as the storage cabinet. Recessed pull not available in TR-LE.
- On storage towers with full pulls, wardrobe door is equipped with a pressure-catch closing mechanism.
- Personal storage towers do not line up exactly with panel height.

Trim/metal colors

TR-E	Smoke
TR-G	Grey
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VT3 R- 51 24- F, TR-K

Product code | Door side | Height | Width | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

***Personal storage towers with recessed pulls are not available in TR-LE Metallic silver.**

3 Metal storage units

Metal personal storage towers, open bookcase

Right door

Left door

Metal.

Standard with locks, black.

Specify door opening, pull code and color of metal storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/Box/File open bookcase with right door, recessed pull	VB3R-5124–R	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,407
Box/Box/File open bookcase with left door, recessed pull	VB3L-5124-R	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,407
File/File open bookcase with right door, recessed pull	VB2R-5124-R	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,394
File/File open bookcase with left door, recessed pull	VB2L-5124-R	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,394
Box/Box/File open bookcase with right door, recessed pull	VB3R-6324-R	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,502
Box/Box/File open bookcase with left door, recessed pull	VB3L-6324-R	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,502
File/File open bookcase with right door, recessed pull	VB2R-6324-R	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,577
File/File open bookcase with left door, recessed pull	VB2L-6324-R	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,577
Box/Box/File open bookcase with right door, full pull	VB3R-5124-F	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,476
Box/Box/File open bookcase with left door, full pull	VB3L-5124-F	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,476
File/File open bookcase with right door, full pull	VB2R-5124-F	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,463
File/File open bookcase with left door, full pull	VB2L-5124-F	24 x 23 11/16 x 51 ½	610 x 601 x 1308	1,463
Box/Box/File open bookcase with right door, full pull	VB3R-6324-F	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,578
Box/Box/File open bookcase with left door, full pull	VB3L-6324-F	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,578
File/File open bookcase with right door, full pull	VB2R-6324-F	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,528
File/File open bookcase with left door, full pull	VB2L-6324-F	24 x 23 11/16 x 63 ½	610 x 601 x 1613	1,528

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Storage unit includes one adjustable shelf.
- Shelf adjusts in increments of 2 ½" (64mm).
- Wardrobe and drawers lock independently. Field assembly required for locks.
- Wardrobe with 9" W (229 mm) clothes hanger bar.
- File drawer can accommodate legal filing front to back with the use of legal conversion kit (VPLF-KIT, see page 98).
- 4 adjustable floor glides provide 1 ½" (38 mm) of height adjustment.
- Drawer interior is black.
- Bookcase shelves and wardrobe interiors are color matched to case.
- Pulls are the same color as the storage cabinet. Recessed pulls are not available in TR-LE.
- On storage towers with full pulls, wardrobe door is equipped with a pressure-catch closing mechanism.
- First shelf of open bookcase is 1" (25,4 mm) lower than the work surface height, when installed at 29" (737 mm) height.
- Personal storage towers do not line up exactly with panel height.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VB3 R- 51 24- F, TR-K

Product code | Door side | Height | Width | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

***Personal storage towers with recessed pulls are not available in TR-LE Metallic silver.**

Metal lateral files









Metal. Side-to-side hanging bars are included.

Standard with lock, black.

Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
2-drawer high with recessed pull	VFL2-30-R	30 x 18 x 27 9/16	762 x 457 x 700	737
	VFL2-36-R	36 x 18 x 27 9/16	914 x 457 x 700	795
	VFL2-42-R	42 x 18 x 27 9/16	1067 x 457 x 700	875
3-drawer high with recessed pull	VFL3-30-R	30 x 18 x 39 3/8	762 x 457 x 1000	917
	VFL3-36-R	36 x 18 x 39 3/8	914 x 457 x 1000	990
	VFL3-42-R	42 x 18 x 39 3/8	1067 x 457 x 1000	1,090
4-drawer high with recessed pull	VFL4-30-R	30 x 18 x 51 3/16	762 x 457 x 1300	1,166
	VFL4-36-R	36 x 18 x 51 3/16	914 x 457 x 1300	1,259
	VFL4-42-R	42 x 18 x 51 3/16	1067 x 457 x 1300	1,387
5-drawer high with recessed pull	VFL5-30-R	30 x 18 x 63	762 x 457 x 1600	1,528
	VFL5-36-R	36 x 18 x 63	914 x 457 x 1600	1,651
	VFL5-42-R	42 x 18 x 63	1067 x 457 x 1600	1,815
2-drawer high with full pull	VFL2-30-F	30 x 18 x 27 9/16	762 x 457 x 700	836
	VFL2-36-F	36 x 18 x 27 9/16	914 x 457 x 700	903
	VFL2-42-F	42 x 18 x 27 9/16	1067 x 457 x 700	994
3-drawer high with full pull	VFL3-30-F	30 x 18 x 39 3/8	762 x 457 x 1000	967
	VFL3-36-F	36 x 18 x 39 3/8	914 x 457 x 1000	1,044
	VFL3-42-F	42 x 18 x 39 3/8	1067 x 457 x 1000	1,148
4-drawer high with full pull	VFL4-30-F	30 x 18 x 51 3/16	762 x 457 x 1300	1,229
	VFL4-36-F	36 x 18 x 51 3/16	914 x 457 x 1300	1,328
	VFL4-42-F	42 x 18 x 51 3/16	1067 x 457 x 1300	1,460
5-drawer high with full pull	VFL5-30-F	30 x 18 x 63	762 x 457 x 1600	1,604
	VFL5-36-F	36 x 18 x 63	914 x 457 x 1600	1,733
	VFL5-42-F	42 x 18 x 63	1067 x 457 x 1600	1,906

Specification notes

- **Accessories are not included** (see pages 98 and 99).
- Counterweights are standard in 2-drawer high unit.
- Counterweights are optional in 3-, 4- and 5-drawer high units (see page 99).
- For safety reasons, the positive drawer interlock system allows only one drawer to open at a time.
- Dual side locks latch both drawer ends to prevent drawers from being pried open.
- Five-drawer filing cabinets include a roll-out shelf in top position as well as a posting shelf.
- Drawer interior is black.
- 4 adjustable floor glides provide 1 ½" (38 mm) height adjustment.
- 2-drawer high lateral file will fit under a work surface.
- Laminate lateral file tops available (see page 98).
- Pull option matches case color. Recessed pull not available in TR-LE.
- No field assembly required.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VFL 5- 42- F, TR-K

Product code | Qty of drawers | Width | Type of pull | Trim/metal color

Drawer pulls

Full pull (-F)

Recessed pull (-R)*

***Lateral files with recessed pulls are not available in TR-LE Metallic silver.**

3 Metal storage units

Lateral file tops



Double face adhesive tape is included.

No grommet.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Depth: 18" (457 mm)	VUF-1830	30 x 18 x 1	762 x 457 x 25	190	267
	VUF-1836	36 x 18 x 1	914 x 457 x 25	207	290
	VUF-1842	42 x 18 x 1	1067 x 457 x 25	218	307

Finish options

1 Thermofused laminate
2 High pressure laminate

Sample order

VU F- 18 30- 1 N, G-ACA

Product code | Surface type | Depth | Width | Finish code | No grommet | Color code

Applications

Dimensions



Dividers for overhead storage units and shelves



Package of 8.

Specify color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VSD-KIT	2 ¾ x 12 ⅞ x 4 ¾	70 x 322 x 121	126

Specification notes

- Attach to front and back shelf edge.
- To divide space laterally on panel-mounted storage units, full and low height shelves.

Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSD-KIT, TR-K

Product code | Trim/metal color

Pencil tray for metal box drawers



Black plastic.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPPT-1	1 ¼ x 12 ⅞ x 5 ½	32 x 327 x 140	14

Specification note

- Sits on the sides of a box drawer and slides for drawer access.

Dividers for metal box drawers



Package of 6.

Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPDV-6	1/32 x 12 ½ x 2 ¾	1 x 318 x 70	47

Specification note

- Subdivide a box drawer in 1" (25 mm) increments front to back.

Legal conversion kit for metal pedestals



Plastic compressor and metal inner bar are included.

Black.

Specification	Code	Width (in)	Width (mm)	Price
	VPLF-KIT	12 ½	318	47

Specification note

- Fits on the sides of a pedestal file drawer.

Front-to-back hanging bars for lateral file drawers



Package of 2.

Black metal.

Specification	Code	Width (in)	Width (mm)	Price
	VFHB-2	15 ¾	400	34

Specification notes

- 1 kit per lateral file drawer is needed for front-to-back filing.
- Front-to-back hanging bars may be used with any width file drawer.

Dividers for lateral file drawers



Package of 3.

Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VFDV-3	1/32 x 16 ½ x 7	1 x 419 x 178	34

Specification notes

- Subdivide a lateral file drawer in 1" (25 mm) increments side to side.
- 7" (178 mm) in height.

Compressors for lateral file drawers



One compressor and horizontal track and screws are included.

Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
30" (762 mm) lateral file	VLLC-30	26 ½ x 12 x 7	673 x 300 x 178	51
36" (914 mm) lateral file	VLLC-36	32 ½ x 12 x 7	823 x 300 x 178	57
42" (1067 mm) lateral file	VLLC-42	38 ½ x 12 x 7	975 x 300 x 178	62

Specification note

- Manually operated spring clip release for infinite drawer settings.

Counterweights for lateral files



One counterweight and a bar are included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
30" (762 mm) lateral file	VLCW-30	26 ¼ x ½ x 23 ⅜	667 x 13 x 592	158
36" (914 mm) lateral file	VLCW-36	32 ¼ x ½ x 23 ⅜	819 x 13 x 592	189
42" (1067 mm) lateral file	VLCW-42	38 ¼ x ½ x 23 ⅜	972 x 13 x 592	220

Specification notes

- Can be ordered for 3-, 4- or 5-drawer high lateral files.
- Ship separately for field installation.
- 2- drawer high lateral file ships standard with installed counterweight.

3 Laminate storage units

Wardrobes

Hinges on left



Hinges on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VCL-1850-L	18 x 24 x 50	457 x 610 x 1264	1,492
	VCL-1856-L	18 x 24 x 56	457 x 610 x 1422	1,529
	VCL-1864-L	18 x 24 x 64	457 x 610 x 1620	1,565
Hinges on right	VCR-1850-R	18 x 24 x 50	457 x 610 x 1264	1,492
	VCR-1856-R	18 x 24 x 56	457 x 610 x 1422	1,529
	VCR-1864-R	18 x 24 x 64	457 x 610 x 1620	1,565
Width 24' (610 mm)				
Hinges on left	VCL-2450-L	24 x 24 x 50	610 x 610 x 1264	1,643
	VCL-2456-L	24 x 24 x 56	610 x 610 x 1422	1,680
	VCL-2464-L	24 x 24 x 64	610 x 610 x 1620	1,721
Hinges on right	VCR-2450-R	24 x 24 x 50	610 x 610 x 1264	1,643
	VCR-2456-R	24 x 24 x 56	610 x 610 x 1422	1,680
	VCR-2464-R	24 x 24 x 64	610 x 610 x 1620	1,721

Specification notes

- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.

Handle/lock colors

N	Black
S	Silver

Sample order

VCL- 18 50- L N, G-ACA, G-ACA

- VCL- : Product code
- 18 : Width
- 50 : Height
- L : Hinge opening
- N : Handle/lock color
- G-ACA : Color code
- G-ACA : Face color code

Wardrobes with open bookcase



Hinges on left



Hinges on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VCBE-2450-L	**24 x 24 x 50**	610 x 610 x 1264	1,847
	VCBE-2456-L	**24 x 24 x 56**	610 x 610 x 1422	1,984
	VCBE-2464-L	**24 x 24 x 64**	610 x 610 x 1620	2,078
Hinges on right	VBEC-2450-R	**24 x 24 x 50**	610 x 610 x 1264	1,847
	VBEC-2456-R	**24 x 24 x 56**	610 x 610 x 1422	1,984
	VBEC-2464-R	**24 x 24 x 64**	610 x 610 x 1620	2,078

Specification notes

- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Handle/lock colors	
N	Black
S	Silver

Sample order

VBEC- 24 50- L N, G-ACA, G-ACA

- VBEC- : Product code
- 24 : Width
- 50 : Height
- L : Hinge opening
- N : Handle/lock color
- G-ACA : Color code
- G-ACA : Face color code

Wardrobes with lateral panel attachment bracket



Hinges on left



Hinges on right

VNW mounting hardware included.

Specify color code.

Specify support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VPCLS-1850-L	**18 X 26 X 50**	457 X 661 X 1264	1,836
	VPCLS-1856-L	**18 X 26 X 56**	457 X 661 X 1422	1,877
	VPCLS-1864-L	**18 X 26 X 64**	457 X 661 X 1620	1,924
Hinges on right	VPCRS-1850-R	**18 X 26 X 50**	457 X 661 X 1264	1,836
	VPCRS-1856-R	**18 X 26 X 56**	457 X 661 X 1422	1,877
	VPCRS-1864-R	**18 X 26 X 64**	457 X 661 X 1620	1,924
Width 24' (610 mm)				
Hinges on left	VPCLS-2450-L	**24 X 26 X 50**	610 X 661 X 1264	1,929
	VPCLS-2456-L	**24 X 26 X 56**	610 X 661 X 1422	1,976
	VPCLS-2464-L	**24 X 26 X 64**	610 X 661 X 1620	2,028
Hinges on right	VPCRS-2450-R	**24 X 26 X 50**	610 X 661 X 1264	1,929
	VPCRS-2456-R	**24 X 26 X 56**	610 X 661 X 1422	1,976
	VPCRS-2464-R	**24 X 26 X 64**	610 X 661 X 1620	2,028

Specification notes

- Wardrobe is 26" (661 mm) in depth, equal to the depth of the 24" (610 mm) surface plus the depth of the 2" (51 mm) panel.
- Allow a return panel to be replaced by a storage module.
- Mounting hardware enables a universal (left-right) installation.
- Space between surface and storage unit is 5/16" (8 mm).
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.

Handle/lock colors		Bracket colors	
N	Black	TR-E	Smoke
S	Silver	TR-G	Grey tone
		TR-K	Charcoal
		TR-R	Beige
		TR-LE	Metallic silver

Sample order

VPCLS- 18 50- L N, TR-E, G-ACA, G-ACA

- VPCLS- : Product code
- 18 : Width
- 50 : Height
- L : Hinge opening
- N : Handle/lock color
- TR-E : Bracket color
- G-ACA : Color code
- G-ACA : Face color code

Use



3 Laminate storage units

Wardrobes with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VPCLB-1850-L	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCLB-1856-L	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCLB-1864-L	18 X 24 X 64	457 X 610 X 1620	1,924
Hinges on right	VPCRB-1850-R	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCRB-1856-R	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCRB-1864-R	18 X 24 X 64	457 X 610 X 1620	1,924
Width 24" (610 mm)				
Hinges on left	VPCLB-2450-L	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCLB-2456-L	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCLB-2464-L	24 X 24 X 64	610 X 610 X 1620	2,028
Hinges on right	VPCRB-2450-R	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCRB-2456-R	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCRB-2464-R	24 X 24 X 64	610 X 610 X 1620	2,028

Specification notes

- Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- Assembly by rear allows for the replacement of a return panel.
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.

Handle/lock colors		Bracket colors		Sample order	Use
N	Black	TR-K	Charcoal	VPCLB- 18 50- L N, TR-E , G-ACA, G-ACA	
S	Silver	TR-R	Beige	Product code; Width; Height; Hinge opening; Handle/lock color; Bracket color; Color code; Face color code	
		TR-LE	Metallic silver		

Wardrobes/bookshelves with lateral panel attachment bracket



Hinges on left



Hinges on right

VNW mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBES-2450-L	24 x 26 x 50	610 x 661 x 1264	2,033
	VPCBES-2456-L	24 x 26 x 56	610 x 661 x 1422	2,184
	VPCBES-2464-L	24 x 26 x 64	610 x 661 x 1620	2,288
Hinges on right	VPBECS-2450-R	24 x 26 x 50	610 x 661 x 1264	2,033
	VPBECS-2456-R	24 x 26 x 56	610 x 661 x 1422	2,184
	VPBECS-2464-R	24 x 26 x 64	610 x 661 x 1620	2,288

Specification notes

- Storage module is 26" (661 mm) in depth, equal to depth of 24" (610 mm) surface plus depth of 2" (51 mm) panel.
- Allow a return panel to be replaced by a storage module.
- Mounting hardware enables a universal (left-right) installation.
- Space between surface and storage unit is 5/16" (8 mm).
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Handle/lock colors		Bracket colors		Sample order	Use
N	Black	TR-E	Smoke	VPCBES- 24 50- L N, TR-E, G-ACA, G-ACA	
S	Silver	TR-G	Grey tone	Product code; Width; Height; Hinge opening; Handle/lock color; Bracket color; Color code; Face color code	
		TR-K	Charcoal		
		TR-R	Beige		
		TR-LE	Metallic silver		

Wardrobes/bookshelves with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBEB-2450-L	24 x 24 X 50	610 X 610 X 1264	2,033
	VPCBEB-2456-L	24 x 24 X 56	610 X 610 X 1422	2,184
	VPCBEB-2464-L	24 x 24 X 64	610 X 610 X 1620	2,288
Hinges on right	VPBECB-2450-R	24 x 24 X 50	610 X 610 X 1264	2,033
	VPBECB-2456-R	24 x 24 X 56	610 X 610 X 1422	2,184
	VPBECB-2464-R	24 x 24 X 64	610 X 610 X 1620	2,288

Specification notes

- Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- Back assembly allows for the replacement of a return panel.
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves, 68" H (1721 mm).

Handle/lock colors		Bracket colors		Sample order	Use
N	Black	TR-K	Charcoal	VPCBEB- 24 50- L N, TR-E, G-ACA, G-ACA	
S	Silver	TR-R	Beige		
		TR-LE	Metallic silver		

Product code | Width | Height | Hinge opening | Handle/lock color | Bracket color | Color code | Face color code



Personal storage towers with open bookcase



Open bookcase on left



Open bookcase on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase on left	VPB-2450-L	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-L	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-L	24 x 24 x 64	610 x 610 x 1620	2,116
Open bookcase on right	VPB-2450-R	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-R	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-R	24 x 24 x 64	610 x 610 x 1620	2,116

Specification notes

- Lock and handle are the same color.
- Locks on door and drawers.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in box drawer.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelf on 56" (1422 mm) and 64" (1620 mm) high models.

Handle/lock colors		Sample order
N	Black	VPB- 24 50- R N, G-ACA, G-GAN
S	Silver	

Product code | Width | Height | Open bookcase | Handle/lock color | Color code | Face color code

3 Laminate storage units

Personal storage towers with open bookcase and whiteboard



Open bookcase on left



Open bookcase on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase on left	VPBW-2450-L	**24 x 24 x 50**	610 x 610 x 1264	1,951
	VPBW-2456-L	**24 x 24 x 56**	610 x 610 x 1422	2,061
	VPBW-2464-L	**24 x 24 x 64**	610 x 610 x 1620	2,172
Open bookcase on right	VPBW-2450-R	**24 x 24 x 50**	610 x 610 x 1264	1,951
	VPBW-2456-R	**24 x 24 x 56**	610 x 610 x 1422	2,061
	VPBW-2464-R	**24 x 24 x 64**	610 x 610 x 1620	2,172

Specification notes

- Non-magnetic whiteboard.
- Lock and handle are the same color.
- Locks on door and drawers.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in box drawer.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelf on 56" (1422 mm) and 64" (1620 mm) high models.

Handle/lock colors

N	Black
S	Silver

Sample order

VPBW- 24 50- R N, G-ACA, G-GAN

- VPBW- : Product code
- 24 : Width
- 50 : Height
- R : Open bookcase
- N : Handle/lock color
- G-ACA : Color code
- G-GAN : Face color code

Low storage units



Open bookcase



2 box/2 file drawers



2 pigeonholes/2 file drawers



Box/file drawers on left, open bookcase on right



Open bookcase on left, box/file drawers on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Open bookcase	VBEBE-204720	**47 1/4 x 19 5/16 x 20**	1200 x 488 x 513	1,102	1,213
	VBEBE-205920	**59 1/16 x 19 5/16 x 20**	1500 x 488 x 513	1,191	1,301
	VBEBE-207120	**70 7/8 x 19 5/16 x 20**	1800 x 488 x 513	1,279	1,389
2 box/2 file drawers	VULUL-204720	**47 1/4 x 20 x 20**	1200 x 508 x 513	2,536	2,657
	VULUL-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	2,657	2,778
	VULUL-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	2,778	2,900
2 pigeonholes/2 file drawers	VSLF-204720	**47 1/4 x 20 x 20**	1200 x 508 x 513	2,028	2,150
	VSLF-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	2,138	2,260
	VSLF-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	2,248	2,370
1 box/1 file drawer on left,	VULBE-204720	**47 1/4 x 20 x 20**	1200 x 508 x 513	1,577	1,697
open on right	VULBE-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	1,604	1,725
	VULBE-207120	**70 7/8 x20 x 20**	1800 x 508 x 513	1,682	1,802
1 box/1 file drawer on right,	VBEUL-204720	**47 1/4 x 20 x 20**	1200 x 508 x 513	1,577	1,697
open on left	VBEUL-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	1,604	1,725
	VBEUL-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	1,682	1,802

Specification notes

- Available in thermofused or high pressure laminate.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- The open low storage unit (VBEBE) includes 2 adjustable shelves.
- The combined open low storage units (VULBE and VBEUL) include 1 adjustable shelf.
- Can accommodate 1 or 2 cushions (see page 109).
- Cannot be installed directly beneath a cantilever bracket.

Finish options		Handle/lock colors	
1	Thermofused laminate	N	Black
2	High pressure laminate	S	Silver

Sample order

VBEBE- 20 47 20, 1 N, G-ACA, G-GAN

- VBEBE- : Product code
- 20 : Depth
- 47 : Width
- 20 : Height
- 1 : Finish code
- N : Handle/lock color
- G-ACA : Color code
- G-GAN : Face color code

3 Laminate storage units

Shared low storage units



Shared open bookcase



Shared 2 box/2 file drawers



Shared 2 pigeonholes/
2 file drawers

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Open bookcase	VDBEBE-204720	**47 ¼ x 20 x 20**	1200 x 508 x 513	1,134	1,243
	VDBEBE-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	1,222	1,331
	VDBEBE-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	1,310	1,420
2 box/2 file drawers	VDULUL-204720	**47 ¼ x 20 x 20**	1200 x 508 x 513	2,569	2,688
	VDULUL-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	2,688	2,808
	VDULUL-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	2,808	2,933
2 pigeonholes/2 file drawers	VDSLF-204720	**47 ¼ x 20 x 20**	1200 x 508 x 513	2,059	2,184
	VDSLF-205920	**59 1/16 x 20 x 20**	1500 x 508 x 513	2,168	2,293
	VDSLF-207120	**70 7/8 x 20 x 20**	1800 x 508 x 513	2,278	2,402

Specification notes

- Available in thermofused or high pressure laminate.
- Cannot be installed directly beneath a cantilever bracket.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- The open storage units (VDBEBE) include 2 adjustable shelves.
- Can accommodate 1 or 2 cushions (see page 109).

Finish options

1	Thermofused laminate
2	High pressure laminate

Handle/lock colors

N	Black
S	Silver

Sample order

VDBEBE- 20 47 20, 1 N, G-ACA, G-GAN

- VDBEBE- : Product code
- 20 : Depth
- 47 : Width
- 20 : Height
- 1 : Finish code
- N : Handle/lock color
- G-ACA : Color code
- G-GAN : Face color code

Low storage units with panel attachment brackets



Low open bookcase unit



Low storage unit with 2 box/ 2 file drawers



Low storage unit with 2 pigeonholes/2 file drawers



Low storage unit with box/file drawers on left, open bookcase on right



Low storage unit with open bookcase on left, box/file drawers on right

Mounting hardware included.

Specify panel mounting configuration: rear (-2B) or side (-2S).

Specify support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Open bookcase	VPBEBE-204720	47 1/4 x 19 5/16 x 20	1200 x 488 x 513	1,269	1,394
	VPBEBE-205920	59 1/16 x 19 5/16 x 20	1500 x 488 x 513	1,368	1,498
	VPBEBE-207120	70 7/8 x 19 5/16 x 20	1800 x 488 x 513	1,472	1,596
2 box/2 file drawers	VPULUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,917	3,058
	VPULUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	3,058	3,193
	VPULUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	3,193	3,333
2 pigeonholes/2 file drawers	VPSLF-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,335	2,470
	VPSLF-205920	59 1/16 x 20 x 20	1500 x 508 x 513	2,460	2,600
	VPSLF-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,584	2,725
1 box/1 file drawer on left,	VPULBE-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
open on right	VPULBE-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPULBE-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075
1 box/1 file drawer on right,	VPBEUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
open on left	VPBEUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPBEUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075

Specification notes

- Supports between storage module and panel are reversible, enabling a universal (left-right) installation.
- Available in thermofused or high pressure laminate.
- Cannot be installed directly beneath a cantilever bracket.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- Open storage units (VPBEBE) include 2 adjustable shelves.
- The combined open storage units (VPULBE et VPBEUL) include 1 adjustable shelf.
- Can accommodate 1 or 2 cushions (see page 109).

Finish options

1 Thermofused laminate
2 High pressure laminate

Handle/lock colors

N Black
S Silver

Bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Bracket choice

2B Back support
2S Side support

Sample order

VPBEBE- 20 47 20, -2B 1 N, TR-K G-ACA, G-GAN

Product code | Depth | Width | Height | Choice of mounting | Finish code | Handle/lock color | Bracket color | Color code | Face color code

Use

Back mounting (2B)



Side mounting (2S)



3 Laminate storage units

Fixed low storage units



Open bookcase



Pigeonhole/file drawer

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase	VBEL-202928	**29 7/16 x 19 5/16 x 28**	748 x 488 x 711	783
	VBEL-203528	**35 3/8 x 19 5/16 x 28**	898 x 488 x 711	843
Pigeonhole/file drawer	VSLFL-202928	**29 7/16 x 20 x 28**	748 x 508 x 711	1,400
	VSLFL-203528	**35 3/8 x 20 x 28**	898 x 508 x 711	1,455

Specification notes

- VSLFL storage modules include a lock in the same color as the handle as well as filing bars (left-right), in letter or legal format.
- Open low storage modules (VBEL) include 1 adjustable shelf.
- Fixed storage units must be attached under a work surface equal to or deeper than 20" (508 mm).

Handle/lock colors

N	Black
S	Silver

Sample order

VBEL- 20 29 28, N G-ACA, G-GAN

- Product code
- Depth
- Width
- Height
- Handle/lock color
- Color code
- Face color code

Open bookcases for conference surface support



Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase	VCBEL-182428	**24 X 18 X 28**	607 X 457 X 711	853
	VCBEL-183028	**30 X 18 X 28**	759 X 457 X 711	900
	VCBEL-183628	**36 X 18 X 28**	911 X 457 X 711	1,004

Specification notes

- Include 2 adjustable shelves.
- Must be mounted beneath a conference end surface (VURC) of equivalent width.

Sample order

VCBEL- 18 24 28, G-ACA

- Product code
- Depth
- Width
- Height
- Color code

Extension bookcases



Extension for surfaces or low storage modules



Extension for work surfaces

Flat plates and screws included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
Open bookcase	VBEBEE-204220	**42 X 20 X 20**	1066 X 500 X 513	1,082	1,217
Height 20"	VBEBEE-205020	**50 X 20 X 20**	1269 X 500 X 513	1,134	1,274
	VBEBEE-206220	**62 X 20 X 20**	1574 X 500 X 513	1,357	1,591
Open bookcase	VBEBEE-204229	**42 X 20 X 29**	1066 X 500 X 735	1,212	1,352
Height 29"	VBEBEE-205029	**50 X 20 X 29**	1269 X 500 X 735	1,269	1,420
	VBEBEE-206229	**62 X 20 X 29**	1574 X 500 X 735	1,524	1,763

Specification notes

- Include 2 adjustable shelves.
- Storage modules 20" (508 mm) in height are installed at the junction of two back-to-back low storage units or low surfaces, back to back, with a 2" (51 mm) panel inserted between the two surfaces.
- Storage modules 29" (735 mm) in height are installed at the junction of two back-to-back surfaces, with a 2" (51 mm) panel inserted between the two surfaces.

Finish options

1 Thermofused laminate
2 High pressure laminate

Sample order

VBEBEE- 20 42 20, 1, G-ACA

Product code | Depth | Width | Height | Finish code | Color code

Cushions for low storage units



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Recommended for modules 47" W (1200 mm)	VCU-2023	**23 5/8 x 19 5/16 x 2**	600 x 490 x 50	524
Recommended for modules 59" W (1500 mm)	VCU-2029	**29 1/2 x 19 5/16 x 2**	750 x 490 x 50	540
Recommended for modules 71" W (1800 mm)	VCU-2035	**35 7/16 x 19 5/16 x 2**	900 x 490 x 50	556

Specification notes

- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Velcro fastener included.
- For use on a 20" high (508 mm) low storage unit. See pages 105 to 107.
- Low storage units may accommodate up to 2 cushions.

Sample order

VCU- 20 29, AE10

Product code | Depth | Width | Upholstery selection

3 Laminate storage units

Cushions for extension bookcases



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Recommended for modules 42" W (1066 mm)	VCUE-2042	42 X 20 X 2	1066 X 500 X 50	625
Recommended for modules 50" W (1269 mm)	VCUE-2050	50 X 20 X 2	1269 X 500 X 50	675
Recommended for modules 62" W (1574 mm)	VCUE-2062	62 X 20 X 2	1574 X 500 X 50	815

Specification notes

- The direction of the fabric differs from that on cushions for low storage units. Please take into account when choosing upholstery.
- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade3: 15%.
- Hook-and-loop fastener included.
- For use on a 20" (508 mm) high extension bookcase. (VBEBEE)

Sample order

VCUE- 20 42, AE10

Product code — Depth — Width — Upholstery selection

Use



Accessory rails for panels

Metal. Pre-assembled mounting hardware is included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24P	23 x ¾ x 4	584 x 19 x 100	170
	VLGC-RA30P	29 x ¾ x 4	736 x 19 x 100	201
	VLGC-RA36P	35 x ¾ x 4	889 x 19 x 100	228
	VLGC-RA42P	41 x ¾ x 4	1041 x 19 x 100	254
	VLGC-RA48P	47 x ¾ x 4	1194 x 19 x 100	279
	VLGC-RA54P	53 x ¾ x 4	1346 x 19 x 100	318
	VLGC-RA60P	59 x ¾ x 4	1499 x 19 x 100	345

Specification note

- To be installed on panel side rail trim allowing the install of accessories.

Trim/metal colors	Sample order
TR-K Charcoal **TR-R** Beige **TR-LE** Metallic silver	VLGC- RA24 P TR-R Product code; Panel width; Rail for panel; Trim/metal color

Accessory rails for walls



Metal. Mounting hardware is included and must be field installed.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24M	23 x ¾ x 4	584 x 19 x 100	205
	VLGC-RA30M	29 x ¾ x 4	736 x 19 x 100	213
	VLGC-RA36M	35 x ¾ x 4	889 x 19 x 100	220
	VLGC-RA42M	41 x ¾ x 4	1041 x 19 x 100	228
	VLGC-RA48M	47 x ¾ x 4	1194 x 19 x 100	236
	VLGC-RA54M	53 x ¾ x 4	1346 x 19 x 100	242
	VLGC-RA60M	59 x ¾ x 4	1499 x 19 x 100	252

Specification note

- To be installed on a wall, allowing the install of accessories.

Trim/metal colors	Sample order
TR-K Charcoal **TR-R** Beige **TR-LE** Metallic silver	VLGC- RA24 M TR-R Product code; Panel width; Rail for wall; Trim/metal color

4 Accessories

Markers tray for rails



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTR	4 X 3 X 3 ⅜	100 x 68 x 85	99

Specification notes

- Compatible with all Lacasse accessory rails.
- Trim/metal colors

Trim/metal colors	
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VLGC VPTR TR-R

Product code	Marker tray for rail	Trim/ metal color

Horizontal paper trays



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RPT11	12 x 10 x 2	305 x 251 x 50	115
Legal size	VLGC-RPT14	15 x 10 x 2	375 x 251 x 50	130

Specification note

- Compatible with all Lacasse accessory rails.

Trim/metal colors	
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VLGC- RPT11 TR-R

Product code	Horizontal letter size	Trim/ metal color

Vertical paper tray



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RVPT11	12 x 2 ¾ x 8	300 x 70 x 203	145

Specification note

- Compatible with all Lacasse accessory rails.

Trim/metal colors	
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VLGC- RVPT11 TR-R

Product code	Vertical letter size	Trim/ metal color

Accessory trays



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RAS12	12 x 1 ¼ x 3 ⅞	305 x 30 x 96	102
	VLGC-RAS20	20 x 1 ¼ x 3 ⅞	505 x 30 x 96	123

Specification note

- Compatible with all Lacasse accessory rails.

Trim/metal colors		Sample order
TR-K	Charcoal	VLGC- RAS12 TR-R
TR-R	Beige	Product code; Accessory tray; Trim/metal color
TR-LE	Metallic silver	

Shelves



Mounting hardware included.

Specify support and finish color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price: Thermofused laminate	Price: High pressure laminate
	VSH-0724	**24 x 7 x 1**	610 x 177 x 25	215	232
	VSH-0730	**30 x 7 x 1**	762 x 177 x 25	220	242
	VSH-0736	**36 x 7 x 1**	914 x 177 x 25	226	254

Specification notes

- Mount onto panel side rails.
- Available in thermofused laminate or high pressure laminate.
- Field assembly required.

Finish codes		Trim/metal colors		Sample order
1	Thermofused laminate	**TR-K**	Charcoal	VSH- 07 24- 1, TR-K G-ACA
2	High pressure laminate	**TR-R**	Beige	Product code; Height; Width; Finish code; Bracket color; Color code
		TR-LE	Metallic silver	

4 Accessories

Tackboards



Panel mounting brackets are included.

Specify color code; refer to current Nvision fabric cards.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tackboard height 5" (127 mm)	VTB-0524	24 x 1 x 5	610 x 25 x 127	98
	VTB-0530	30 x 1 x 5	762 x 25 x 127	102
	VTB-0536	36 x 1 x 5	914 x 25 x 127	106
	VTB-0542	42 x 1 x 5	1067 x 25 x 127	110
	VTB-0548	48 x 1 x 5	1219 x 25 x 127	114
	VTB-0554	54 x 1 x 5	1372 x 25 x 127	118
	VTB-0560	60 x 1 x 5	1524 x 25 x 127	121
Tackboard height 16" (406 mm)	VTB-1624	24 x 1 x 16	610 x 25 x 406	124
	VTB-1630	30 x 1 x 16	762 x 25 x 406	129
	VTB-1636	36 x 1 x 16	914 x 25 x 406	133
	VTB-1642	42 x 1 x 16	1067 x 25 x 406	140
	VTB-1648	48 x 1 x 16	1219 x 25 x 406	145
	VTB-1654	54 x 1 x 16	1372 x 25 x 406	150
	VTB-1660	60 x 1 x 16	1524 x 25 x 406	152

Specification notes

- Mount onto panel side rails.
- For wall mount, order the wall track separately (see page 80).

Sample order

VTB- 05 30, 5M-1

Product code | Height | Width | Fabric color

Magnetic whiteboards



White porcelain surface to be used with dry-erase markers. Silver anodized aluminum frame.

Panel mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VMWB-2330	30 x ½ x 23	762 x 13 x 584	322
	VMWB-2336	36 x ½ x 23	914 x 13 x 584	338
	VMWB-2342	42 x ½ x 23	1067 x 13 x 584	421
	VMWB-2348	48 x ½ x 23	1219 x 13 x 584	432
	VMWB-2354	54 x ½ x 23	1372 x 13 x 584	634
	VMWB-2360	60 x ½ x 23	1524 x 13 x 584	645

Specification notes

- No marker tray included.
- Field assembly required.

Sample order

VMWB 23 30

Product code | Height | Width

Magnetic markers tray



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTM	4 x 3 x 3 ⅜	100 x 68 x 85	125

Specification note

- Compatible with magnetic whiteboards. Magnets included.

Trim/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VLGC VPTM TRR

Product code | Magnetic marker tray | Trim/metal color

Articulated dial-tilt keyboard trays





One dial-tilt arm with track, keyboard tray and removable palm rest are included.

Tray in textured black. Black palm rest.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Dial tilt and positive tilt-lock	VAKW-21	21 x 11 x 4	533 x 279 x 102	391
Dial tilt and positive tilt-lock with mouse tray	VAKW-21-M	28 x 11 x 4	711 x 279 x 102	417

Specification notes

- Adjustable 2 ½" (64 mm) above work surface and 6" (155 mm) beneath it; fit all Nvision surfaces.
- Recommended for corner work surface applications.
- Positive-tilt lock allows 15-degree tilt adjustment (-15°/ +0°).
- Rotate 360°.
- 21" (533 mm) track allows keyboard tray to be fully retracted under all work surfaces.
- Include gauges that show tilt and height adjustments.
- Patented dial-tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counterbalancing system.
- For the VAKW-21-M, mouse pad can be installed on right- or left-hand applications.

Articulated retractable arm



Black.

Can accommodate a keyboard and mouse.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-GBAKD26	26 x 10 x ½	650 x 250 x 13	520

Specification notes

- Slides along runners.
- Length of mounting plate: 17" (432 mm).
- Fits underneath surfaces 20" (505 mm) or greater in depth.
- 5 ½" (140 mm) adjustable arm.
- Tray made of 100% post-consumer recycled materials.
- Retracts, swivels and tilts.
- 8 ½" (216 mm) height adjustment.

Keyboard/storage drawer



Mounting hardware and wrist pad are included.

Black plastic.

Non-locking.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VOAK-1	29 ⅝ x 19 ⅞ x 4 ¼	752 x 505 x 108	696

Specification notes

- Mounts separately under a work surface.
- Molded organizer specially designed to store a keyboard, hold pens, CDs, etc.
- Slide travel is 11" (279 mm).
- Tray tilts 0°, -3°, -7°.

4 Accessories

Storage drawer



Mounting hardware and rail are included.

Black plastic.

Non-locking.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VAD-18	18 x 19 x 1 5/8	457 x 483 x 41	67

Specification note

- Mounts under work surface.

Overhead storage tasklights/electronic ballast



Black metal case. Attachment brackets, 6' (1829 mm) power cord and T-8 fluorescent bulb are included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLT-24P	19 1/2 x 4 1/4 x 1 3/8	495 x 108 x 35	119
	VLT-30P	26 x 4 1/4 x 1 3/8	660 x 108 x 35	133
	VLT-42P	37 1/4 x 4 1/4 x 1 3/8	946 x 108 x 35	148
Chicago application	VLT-24PC	19 1/2 x 4 1/4 x 1 3/8	495 x 108 x 35	167
	VLT-30PC	26 x 4 1/4 x 1 3/8	660 x 108 x 35	187
	VLT-42PC	37 1/4 x 4 1/4 x 1 3/8	946 x 108 x 35	207

Specification notes

- Electronic ballast.
- Energy efficient.
- 6' (1829 mm) cord is factory installed on right-hand side.
- For use with 120-volt, 60-hertz electrical systems only.
- Relocating power cord available on VLT-42P and VLT-42PC.
- Chicago application tasklights include a 3-amp plug resettable circuit breaker.

Overhead storage tasklights/LED



Attachment brackets (magnetic or wood screws) are included.

Spécification	Code	W x D x H (in)	W x D x H (mm)	Price
24 LED, 6.6W	VLGC-LED17	16 2/5 x 2 x 3/4	417 x 50 x 18	391
48 LED, 14.8W	VLGC-LED31	30 1/10 x 2 x 3/4	465 x 50 x 18	491
72 LED, 21.8W	VLGC-LED44	43 7/10 x 2 x 3/4	1110 x 50 x 18	904

Specification notes

- Clear anodized aluminum frame.
- Black cord included: 9' (2743 mm) with LED17 model and 12' (3658 mm) with LED31 and LED44 models.
- ETL certified (equivalent to UL/CASA). 89% recyclable (based on weight). Aluminum frame 100% recyclable.
- Integrated power switch and dimmer. Most recent setting automatically saved.
- Auto shut-off after 10 hours.
- 3500K, 84 CRI.

All-purpose hooks



Metal. Package of 8.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPH-8	1/2 x 3 1/16 x 1	13 x 78 x 25	80

Specification note

- Snaps over panel top cap.

Trim/metal colors

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

Sample order

VPH-8 TR-K

VPH-8 = Product code; TR-K = Trim/metal color

Work surface grommets



Plastic black.



Plastic; metallic silver.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Round	VLGC-GR1	2 3/4 Ø x 1	70 Ø x 25	32
Rectangular	VLGC-GS1	1 3/4 x 2 5/32 x 1	45 x 55 x 25	37

Specification note

- Field installation required when additional grommets are needed on an existing work surface.

Horizontal wire channels



Package of 10. Black plastic. Comes in lengths of 15" (381 mm).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VHCM-15	15 x 3 x 3	381 x 76 x 76	66

Specification notes

- Field installation required.
- 2" W x 3" H (51 mm x 76 mm) of space available in wire channel.

Vertical wire channel



Plastic. Comes in lengths of 72" (1829 mm).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VCAV-1	1 x 1 x 72	25 x 25 x 1829	34

Specification notes

- Routes wires vertically by attaching to the panel side rails.
- Field cut to desired length.
- Not available in TR-LE Metallic silver. We recommend using TR-E colored channels instead.

Trim/metal colors		Sample order
TR-E	Smoke	VCAV-1, TR-K
TR-G	Grey tone	
TR-K	Charcoal	
TR-R	Beige	

Product code

Trim/ metal color

4 Accessories

Side rail keyhole concealers



Plastic. Comes in lengths of 58 ¾" (1491 mm).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
1 kit of 25 keyhole concealers	VSRK-KIT25TRR	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRK	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRLE	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	525
1 kit of 100 keyhole concealers	VSRK-KIT100TRR	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRK	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRLE	3/16 x 5/16 x 58 ¾	5 x 8 x 1491	1,866

Specification notes

- Hide side rail keyholes.
- Each rail covers one side of a 64"H (1620 mm) panel.
- Not available in TRG (grey tone) and TRE (smoke).

Trim/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSRK- KIT25 TRR

Product code | Quantity | Trim/ metal color

Locking program

Lock numbers for keyed alike orders will be assigned by the manufacturer.

Lock numbers won't be repeated unless more than 100 lock sets are required per order.

Specification	Code	Application	Price
Master key	VMK-01	To open any lock number.	19
Control key	VCK-01	Tool to change lock plugs.	19
Lock plug (1) and keys (2) – Random	VLCK-KIT-R, LR-BL	Numbers are attributed in random fashion, from 101 through 200.	32
Lock plug (1) and keys (2) – Specific	VLCK-KIT-S, KY-_ _ _	To do key alike, specify quantity required per office stations. Key numbers are determined by the manufacturer only.	32

Sample order

VLCK-KIT- S, KY- 101

Product code | Specific | Key | Specific key #

Modesty panels



Frosted acrylic modesty panels



Thermofused laminate modesty panels

Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 12" (305 mm)	VMODT-1230, SK-1E	30 x ¼ x 12	762 x 6 x 305	337
	VMODT-1236, SK-1E	36 x ¼ x 12	914 x 6 x 305	374
	VMODT-1248, SK-1E	48 x ¼ x 12	1219 x 6 x 305	430
Thermofused laminate				
Screen height: 12" (305 mm)	VMOD-1230	30 x ¼ x 12	762 x 6 x 305	183
	VMOD-1236	36 x ¼ x 12	914 x 6 x 305	204
	VMOD-1248	48 x ¼ x 12	1219 x 6 x 305	220

Specification notes

- Provide a visual barrier beneath a work surface.
- Satin chrome brackets included with frosted acrylic modesty panels.
- Anthracite grey brackets included with thermofused laminate modesty panels.
- Mount beneath a surface with a straight side with a clearance equal to or greater than the width of the modesty panel.
- Field assembly required.

Frosted acrylic sample order

VMODT- 12 36, SK-1E

Product code | Height | Width | Acrylic

Thermofused laminate sample order

VMODT- 12 36, G-ACA

Product code | Height | Width | Color code

Modular modesty panels



Mounting hardware included.

Specify metal color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 24" (610 mm)	VSCT-2424, SK-1E	24 x ¼ x 24	610 x 6 x 610	584
	VSCT-2430, SK-1E	30 x ¼ x 24	762 x 6 x 610	628
	VSCT-2436, SK-1E	36 x ¼ x 24	914 x 6 x 610	673
	VSCT-2442, SK-1E	42 x ¼ x 24	1067 x 6 x 610	717
	VSCT-2448, SK-1E	48 x ¼ x 24	1219 x 6 x 610	760
Screen height: 30" (762 mm)	VSCT-3030, SK-1E	30 x ¼ x 30	762 x 6 x 762	690
	VSCT-3036, SK-1E	36 x ¼ x 30	914 x 6 x 762	733
	VSCT-3042, SK-1E	42 x ¼ x 30	1067 x 6 x 762	777
	VSCT-3048, SK-1E	48 x ¼ x 30	1219 x 6 x 762	822

Specification notes

- Provide a visual barrier above and below a work surface.
- Metal supports included.
- Mount beneath a surface with a straight side with a clearance equal to or greater than the screen width.
- Field assembly required.

Bracket/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic Silver

Sample order

VSCT- 24 30- TR-K, SK-1E

Product code | Width | Height | Bracket color | Acrylic

4 Accessories

Lateral privacy screens



Mounting hardware included.

Specify metal support color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 15" (381 mm)	VSCCT-2315, SK-1E	22 7/16 x 1/4 x 15	570 x 6 x 381	314
	VSCCT-2915, SK-1E	28 7/16 x 1/4 x 15	722 x 6 x 381	342
Screen height: 19" (482 mm)	VSCCT-2319, SK-1E	22 7/16 x 1/4 x 19	570 x 6 x 482	353
	VSCCT-2919, SK-1E	28 7/16 x 1/4 x 19	722 x 6 x 482	374

Specification notes

- Provide a visual barrier between two people sharing the same work surface.
- Stabilizer foot and metal clip included.
- To be installed on a work surface equal to or deeper than 24" (610 mm).
- Field assembly required.

Bracket/metal colors

TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic Silver

Sample order

VSCCT- 23 15- TR-K, SK-1E

Product code | Width | Height | Bracket color | Acrylic

Panel privacy screens



Mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 8" (203 mm)	VSAGX-0824, SK-1E	22 3/8 x 1/4 x 8	569 x 6 x 203	297
	VSAGX-0830, SK-1E	28 3/8 x 1/4 x 8	721 x 6 x 203	331
	VSAGX-0836, SK-1E	34 3/8 x 1/4 x 8	873 x 6 x 203	364
	VSAGX-0842, SK-1E	40 3/8 x 1/4 x 8	1026 x 6 x 203	397
	VSAGX-0848, SK-1E	46 7/16 x 1/4 x 8	1179 x 6 x 203	430
	VSAGX-0854, SK-1E	52 3/8 x 1/4 x 8	1331 x 6 x 203	463
	VSAGX-0860, SK-1E	58 3/8 x 1/4 x 8	1483 x 6 x 203	496
Screen height: 10" (254 mm)	VSAGX-1024, SK-1E	22 3/8 x 1/4 x 10	569 x 6 x 254	314
	VSAGX-1030, SK-1E	28 3/8 x 1/4 x 10	721 x 6 x 254	353
	VSAGX-1036, SK-1E	34 3/8 x 1/4 x 10	873 x 6 x 254	391
	VSAGX-1042, SK-1E	40 3/8 x 1/4 x 10	1026 x 6 x 254	430
	VSAGX-1048, SK-1E	46 7/16 x 1/4 x 10	1179 x 6 x 254	469
	VSAGX-1054, SK-1E	52 3/8 x 1/4 x 10	1331 x 6 x 254	508
	VSAGX-1060, SK-1E	58 3/8 x 1/4 x 10	1483 x 6 x 254	546
Screen height: 14" (355 mm)	VSAGX-1424, SK-1E	22 3/8 x 1/4 x 14	569 x 6 x 356	342
	VSAGX-1430, SK-1E	28 3/8 x 1/4 x 14	721 x 6 x 356	386
	VSAGX-1436, SK-1E	34 3/8 x 1/4 x 14	873 x 6 x 356	430
	VSAGX-1442, SK-1E	40 3/8 x 1/4 x 14	1026 x 6 x 356	474
	VSAGX-1448, SK-1E	46 7/16 x 1/4 x 14	1179 x 6 x 356	518
	VSAGX-1454, SK-1E	52 3/8 x 1/4 x 14	1331 x 6 x 356	563
	VSAGX-1460, SK-1E	58 3/8 x 1/4 x 14	1483 x 6 x 356	606

Specification notes

- Provide a visual barrier above a panel.
- Cables cannot be routed along the top channel of the frame where the screen is attached.
- Satin chrome brackets included.
- Field assembly required.

Sample order

VSAGX- 08 24- SK-1E

Product code | Height | Width | Acrylic

1. Order placement

The seller sells its products according to the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order. Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

The following information is required to process an order:

Customer Information	Product Information
Sold/Ship-to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Trim, fabric and laminate colors
Contact name and phone	
Consignee contact name and phone	
Delivery instructions	
Bid/Quote # and/or Pricing agreement number	
Product total (list/net)	
Preferred delivered date	
(Specific delivery date not guaranteed)	

2. Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on Quick Ship orders.

3. Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. Approved cancellations or partial cancellations requested after more than one business day, from receipt of purchase order, could be assessed a minimum 30% fee. Quick Ship orders may not be cancelled.

4. Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

5. Limited lifetime warranty

Groupe Lacasse LLC warrants its products, from the invoice date, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- **Twenty-five years:** High-performance thermofused laminate.
- **Twenty years:** Drawer slides.
- **Ten years:** Locks, electrical components and electrical accessories.
- **Five years:** Swing lift mechanisms and adjustable surface mechanisms, high-pressure laminate, casters, fabrics, PVC extrusions and accessories.
- **Exclusions:** Light bulbs, ballasts and C.O.M. are not covered by this warranty.

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedies stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. The following Groupe Lacasse LLC warranty applies to products manufactured after March 1, 2016. Specials may be subject to a limited warranty.

6. Prices

All prices listed are suggested retail prices, F.O.B. our factory in Holland, Michigan, USA, within the continental United States. List prices and dealer discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

Specials may be subject to a limited warranty.

6.1 Taxes

The Seller's price lists do not include any sales taxes. The customer is responsible to remit such taxes directly to the Seller. A tax exemption certificate (if applicable) must be on file with the Seller prior to the product shipment; otherwise, sales tax will be due and payable. Prices and taxes are subject to change without notice.

6.2 Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

7. Terms of payment (upon acceptance from our credit department)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

8. Quotations

Quotations are valid for a period of ninety (90) days. It is the dealer's responsibility to make sure the quotation matches their requests. Groupe Lacasse LLC will consider a quotation approved from the dealer if an order is placed for the quoted item.

9. Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. Groupe Lacasse LLC reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. Fabrics standard, Momentum Easy C.O.M. Program and C.O.M.

Description of all fabrics is shown on the back of the actual swatch card. The fabric mills advise that, from time to time, colors may vary with different dye lots. Consequently, Groupe Lacasse LLC cannot accept responsibility for these differences. Acknowledged delivery or ship dates from the Momentum Easy C.O.M. Program or C.O.M. is contingent on supplier's performance and subject to extended lead time.

Special fabric approval:

Special fabric request must be approved for use by Groupe Lacasse/Nvision panels, tackboards, fabric posts and wainscot kits. In order to determine pre-approval and fees, please send your request to **quotation@groupelacasse.com** or contact Customer Service at 1-888-522-2773 for more details about the process, Momentum Easy C.O.M. Program and C.O.M.

11. Packing and shipping

Groupe Lacasse LLC uses 50% recycled corrugated fiberboard for boxes, 100% recycled for protective pads and a polyethylene film for surface protection depending on method of shipment. These costs are included in our price. Certain items are shipped in 2 or 3 boxes.

12. Shipping weights and volumes

Due to our constantly improving packaging methods, shipping weights and volumes are not shown in the price book.

13. Delivery

The scheduled shipping date is specified on our acknowledgment. No shipments have guaranteed delivery time and/or date. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond our control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the customer). Groupe Lacasse LLC will only make on-site deliveries for a full truck load (2,400 cubic feet) and subject to Groupe Lacasse LLC prior agreement only.

14. Routing

All deliveries shall be F.O.B. your designated facility within the continental United States. Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders. Additionally, the Seller has the right to determine the carrier, method of shipment and routing. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect. The Seller will pay the freight charges for normal surface transportation to destinations within the continental United States.

Surcharge

1. **Inside Deliveries:** Delivery is a dock-to-dock service. Inside delivery is not included in our delivered price.
2. **Expedited Transportation:** Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).
3. **Chargeable Parts Orders:** Contact Customer Service for availability. Service parts prices are subject to change without notice or approval. Parts orders are subject to a minimum $15 parts order not including freight charges for normal surface transportation to destinations within the continental United States.

15. Freight claims

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage must be addressed to Groupe Lacasse LLC as follows:

15.1 Concealed damage or loss

Concealed damage or loss becomes apparent only once a product is removed from its packing or packaging. Contents may be damaged as a result of rough handling during shipping, without the packing or packaging showing any external signs of damage. When such damage or loss is noticed, a written request for inspection must be submitted within 7 calendar days of the delivery date, after which a claim must be filed. Mandatory: the request for inspection must be accompanied by corroborative photographs. If you abide by these instructions, we shall fully support your claims. No agreement shall be concluded without the consent of the manufacturer. Delivery and installation fees for a product associated with concealed damage or loss are not covered by Groupe Lacasse Inc..

15.2 Visible damage or loss

All external traces of damage or loss must be noted on the bill of lading duly signed by the carrier's representative at the time of delivery. An omitted or insufficient description of the damage or loss may result in the refusal of a claim for damage or loss. The claim form must be submitted by the carrier.

16. Returns

Absolutely no returns will be accepted on any non-standard products. No return of standard products will be accepted without prior authorization by Groupe Lacasse LLC. Any shipment returned without prior approval will be refused. Returns must be shipped prepaid.

17. Storage

In the event the purchaser requests postponement of shipment beyond the scheduled shipping date after the goods have become work in process, Groupe Lacasse LLC may store the goods at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes, including invoicing and payment.

18. Governing law

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

19. Specials

Some Nvision products are offered as specials.
In order to determine pre-approval request and fees, please send your request to **quotation@groupelacasse.com** or contact customer service at 1-888-522-2773 for more information.

Here is a list of some of the specials we can do:

Panels:

1. Fabric panels can be specified from 30" to 82" (762 mm to 2083 mm) high, in 1" (25 mm) increments. Fabric stackable panels can be specified from 10" to 24" (254 mm to 610 mm) high, in 1" (25 mm) increments. Finish posts can also be specified to match special heights.
2. For glass panels and stackable glass and acrylic panels, custom color can be specified; however, there is some limitation in sizes.
3. Panels and stackable panels can be specified with high pressure laminate door finishes on both sides or with fabric on one side. Laminate finishes are HC-3E (smoke), HC-62 (grey tone), HC-8J (charcoal), HC-34 (beige) and H-WL (sno).
4. Sliding door can be specified at a maximum height of 79" (2006 mm).
5. Floor-to-ceiling barrier combined with Nvision panels are available. Available on a 82" H (2077 mm) panel where there is a maximum ceiling height of 10' (3048 mm) or on a 64" height panel (1620 mm) where there is a maximum ceiling height of 9' (2743 mm). Ceiling solution can only be installed on panel at 90 degrees. Not available in TR-LE. Send your request to **quotation@groupelacasse.com** or contact Customer Service for more information.
6. Wainscot kits can be specified up to 48" (1219 mm) height. Fabric or laminate (panel door in selected HPL finishes only) are available.
7. Fabrics may be given an anti-stain treatment.

Work Surfaces:

1. Groupe Lacasse can do almost any specials regarding work surfaces with limit of 96" (2438 mm) long.

Storage units:

1. Metal overhead storage units special heights, widths and depths can be specified; however, there is some limitation in sizes.
2. Metal shelves units at 9 ¾" (248 mm) height can be specified to fit on a 56" (1422 mm) height panel.
3. Pedestals can be specified with laminate fronts and Lacasse pulls.

Casegoods:

1. Lacasse casegoods can be combined with Nvision. Contact Customer Service for specific information on dimensions.

For any specials, please send your request to **quotation@groupelacasse.com** or contact Customer Service for more information.

20. Programs

A mock-up program is available. For pre-approval, send your request to **projcs@groupelacasse.com** or contact Customer Service at 1-888-522-2773 for more information. A QuickShip program is available on a separate list price. Contact your representative for more information about conditions of sale and lead time, or Groupe Lacasse Customer Service at 1-888-522-2773.

Finishes

Please refer to Nvision color brochure to visualize current surface finishes and colors, trims and metal components. For fabric, refer to Nvision swatch cards. For cushions for low storage units, refer to United Chair swatch cards. Also available on our Web site.

Environmental responsibility

Groupe Lacasse LLC is committed to pursuing sustainable development practices. We are constantly looking for innovative ways to make our products and manufacturing processes more environmentally, socially, and economically sustainable, while maintaining our ability to satisfy consumer demands for superior product quality and value. The following are a few examples of ways in which our products support sustainable development initiatives:

- We design our furniture primarily of particleboard manufactured from 100% recycled post-industrial material.
- We offer a choice of fabrics that are manufactured from 100% recycled polyester. Please refer to Nvision fabric cards.
- A panel's construction permits a change of fabric if the fabric becomes torn or damaged during its useful life.
- It is easy to reuse components of our products when an office area is reorganized or moved:
  - Modular format of furniture makes it easy to rearrange workspaces;
  - Metal-on-metal assemblies make it easy to assemble furniture then disassemble when its useful life is over.
- We have developed a new type of under-shelf lighting that makes it possible to reduce energy consumption by 40% (compared to our previous task light).
- Designs that use translucent materials, which diffuse natural light and provide users with a view, help reduce energy consumption and improve the aesthetic quality of a workspace.
- When possible, we choose local suppliers.
- To reduce landfill waste in the manufacturing of our products, we:
  - Reuse cuttings in smaller products and packaging;
  - Use sawdust for power cogeneration;
  - Sort and recycle PVC plastic, steel, and aluminum.

All of these actions are some examples that contribute to qualifications for LEED® and similar environmental certifications. For more information about products offered by Groupe Lacasse LLC and our environmental actions, we invite you to visit our web site at **www. groupelacasse.com**.

Environmental tools

A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under **"Environment"**. Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

Greenguard certificates

GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on **www.greenguard.org**. Search for Groupe Lacasse in the "Find Products > Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

Further information

For more information on environmental and sustainable procedures in the manufacturing of our products, contact **Communications@groupelacasse.com**.

All Nvision standard products comply with ANSI/BIFMA standards.

All Nvision standard products are UL listed and certified for use in the USA and UL certified for use in Canada.

Groupe Lacasse LLC is certified ISO 9000 and ISO 14000.

GSA Schedule
Contract GS-29F-0105G

Nvision
GROUPE LACASSE INC. # GS-29F-0105G

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

Nvision products are GREENGUARD GOLD certified.

Jade

Groupe Lacasse is proud to offer **Jade**, a web tool that eases the entry and follow-up of all your office furniture orders. With this system, you are able to visualize the final price of all your products, including the discounts, along with the details of any price agreement established with us. Your orders are validated and sent with all required information, guaranteed. Available 24 hours a day, 7 days a week, Jade allows you to consult your orders' status anywhere, anytime. **We are convinced that you will appreciate this convenient, fast and efficient tool from Groupe Lacasse!**

In order to start using **Jade** and benefit from its many advantages, please schedule a web training time by sending us an email at **jade_registration@groupelacasse.com**. For any other question concerning **Jade**, please contact us at **jade@groupelacasse.com**.

* Order status availability can vary for specific brands depending on the region.

Product number	Product description	Page
VAAL-1	Adjustable table post	77
VABT-2	Counter top brackets	75
VACA-L/R	120-degree cantilever brackets for link application	74
VACB-1	Corner bracket	75
VACL/R-1/VACP-2	Standard cantilever brackets	73
VAD-18	Storage drawer	116
VAFB-2	Flat brackets	76
VAKW-21	Articulated dial-tilt keyboard tray	115
VAKW-21-M	Articulated dial-tilt keyboard tray with mouse tray	115
VAPB-2	Panel brackets	74
VATL-1	Table post	76
VB2_-_ _24-_	Metal personal storage towers, open bookcase, File/File, Right or Left door	96
VB3_-_ _24-_	Metal personal storage towers, open bookcase, Box/Box/File, Right or Left door	96
VBEBE-20_ _ _ _	Low storage units, open bookcase	105
VBEBEE-20_ _ _ _	Extension bookcases	109
VBEC-24_ _	Wardrobes with open bookcase (hinges on right)	101
VBEL-20_ _ _ _	Fixed low storage units, open bookcase	108
VBEUL-20_ _ _ _	Low storage units, open bookcase, Box/File	105
VBT-_ _	Wall tracks	80
VCAV-1	Vertical wire channel	117
VCBE-24_ _	Wardrobes with open bookcase (hinges on left)	101
VCBEL-18_ _ _ _	Open bookcases for conference surface support	108
VCK-01	Locking program/control key	118
VCL-_ _ _ _	Wardrobes (hinges on left)	100
VCP-_ _	Full-height cable management poles	55
VCR-_ _ _ _	Wardrobes (hinges on right)	100
VCU-20_ _	Cushions for low storage units	109
VCUE-20_ _	Cushions for extension bookcases	110
VDBEBE-20_ _ _ _	Shared low storage units, open bookcase	106
VDEP-_ _ _ _	Open laminate center-mounted storage units (shared)	88
VDEPS-_ _ _ _	Open laminate center-mounted storage units with sliding door (shared)	91
VDEPSW-_ _ _ _	Open laminate center-mounted storage units with whiteboard back and sliding door (shared)	92
VDEPW-_ _ _ _	Open laminate center-mounted storage units with whiteboard on back (shared)	89
VDSLF-20_ _ _ _	Shared low storage units (pigeonhole/file)	106
VDULUL-20_ _ _ _	Shared low storage units (box/file)	106
VEB-1	Hardwire base feed, 48" length	53
VEB-2	20-amp plug-in base feeds	53

Product number	Product description	Page
VEB-3	15-amp plug-in base feeds	54
VEB-4	Concealed base feeds	53
VEB-5	Hardwire base feeds, 180" length	53
VECT-3	Straight span connector	57
VEKP-_ _	Power conversion kit	56
VEO-16_ _	Open laminate overhead storage units	86
VEOS-16_ _	Open laminate overhead storage units with sliding door	86
VEOSW-16_ _	Open laminate overhead storage units with whiteboard sliding door	87
VEP-_ _ _ _	Open laminate center-mounted storage units (single or double)	88
VEPC-6/VEPC-12	Work surface height powered receptacles with communication outlets	56
VEPP-16_ _	Laminate center-mounted storage units with flipper door (standard hinges)	90
VEPP-16_ _-S	Laminate center-mounted storage units with flipper door (soft-close hinges)	90
VEPS-_ _ _ _	Open laminate center-mounted storage units with sliding door	91
VEPSW-_ _ _ _	Open laminate center-mounted storage units with whiteboard back and sliding door	92
VEPT-2/VEPT-4	Work surface height receptacles, with powered table dome	56
VEPW-_ _ _ _	Open laminate center-mounted storage units with whiteboard on back (single or double)	89
VERC-1/VERD-1	Duplex receptacles, 3-programmable circuits	55
VFDV-3	Dividers for lateral file drawers	99
VFHB-2	Front-to-back hanging bars for lateral file drawers	99
VFL_-_ _-_	Metal lateral files	97
VHCM-15	Horizontal wire channels	117
VLCK-KIT-R, LR-BL	Locking program/random key alike	118
VLCK-KIT-S, KY-_ _ _	Locking program/specific key alike	118
VLCW-_ _	Counterweights for lateral files	99
VLGC-BAR_ _	Work surface reinforcement bars	80
VLGC-GBAKD26	Articulated retractable arm	115
VLGC-GR1/VLGC-GS1	Work surface grommets	117
VLGC-LED_ _	Overhead storage tasklights/LED	116
VLGC-LP_ _	Open frame legs	78
VLGC-LP_ _PL/PR	Panel-mounted open frame legs	78
VLGC-RA_ _ P	Hanging rails for panels	111
VLGC-RA_ _ M	Accessory rails for walls	111
VLGC-RAS_ _	Accessory trays	113
VLGC-RPT_ _	Horizontal paper trays	112
VLGC-RVPT_ _	Vertical paper tray	112
VLGC-SB17	Table post	77

8 Product reference

Product number	Product description	Page
VLGC-QTL1	Table post	77
VLGC-VPTM	Magnetic markers tray	114
VLGC-VPTR	Markers tray for rails	112
VLGC-VTL1	Table post	76
VLLC-_ _	Compressors for lateral file drawers	99
VLT-_ _-P_	Overhead storage tasklights/electronic ballast	116
VMK-01	Locking program/master key	118
VMOD-12_ _	Modesty panels (thermofused laminate)	119
VMODT-12_ _	Modesty panels (frosted acrylic)	119
VMWB-23_ _	Magnetic whiteboards	114
VNGK-_ _ _ _	Wainscot conversion kits for glass panels	42
VNPL-10	Plastic liners	57
VNRC-1	Raceway communication cut-out cover	50
VNRP-_ _	Raceway covers for communication cabling	50
VNT-_ _	Accessories for T-mount	52
VNVA-KIT	Two-way connector covers, 120-degree connection	49
VNVC-KIT	Two-way connector covers, 90-degree connection	49
VNVS-KIT	Three-way connector covers, 180-degree connection	49
VNW-_ _	Wall-mounts	52
VOAK-1	Keyboard/storage drawer	115
VPB-_ _ _ _-L/R	Personal storage towers with open bookcase	103
VPBEBE-20_ _ _ _	Low storage units with panel attachment brackets (open bookcase)	107
VPBECB-24_ _	Wardrobes/bookshelves with back panel attachment brackets (hinges on right)	103
VPBECS-24_ _	Wardrobes/bookshelves with lateral panel attachment bracket (hinges on right)	102
VPBEUL-20_ _ _ _	Low storage units with panel attachment brackets (Open/Box/File)	107
VPBW-_ _ _ _-L/R	Personal storage towers with open bookcase and whiteboard	104
VPC1-24	Pedestal cushion	94
VPCBEB-24_ _	Wardrobes/bookshelves with back panel attachment brackets (hinges on left)	103
VPCBES-24_ _	Wardrobes/bookshelves with lateral panel attchment bracket (hinges on left)	102
VPCLB-_ _ _ _	Wardrobes with back panel attachment brackets (hinges on left)	102
VPCLS-_ _ _ _	Wardrobes with lateral panel attachment bracket (hinges on left)	101
VPCRB-_ _ _ _	Wardrobes with back panel attachment brackets (hinges on right)	102
VPCRS-_ _ _ _	Wardrobes with lateral panel attachment bracket (hinges on right)	101

Product number	Product description	Page
VPDV-6	Dividers for metal box drawers	98
VPF_-24-_	Metal fixed pedestals	93
VPH-8	All-purpose hooks	116
VPLF-KIT	Legal conversion kit for metal pedestals	98
VPM_-24-_	Metal mobile pedestals	94
VPPA-_ _ _ _-N_	Acoustical panels, non-powered	33
VPPA-_ _ _ _-P_	Acoustical panels, powered	34
VPPD-_ _ _ _	Door	37
VPPG-_ _ _ _-N_	Glass panels, non-powered	36
VPPG-_ _ _ _-P_	Glass panels, powered	37
VPPK-_ -3 _	Ported kits	57
VPPT-1	Pencil tray for metal box drawers	98
VPS1-24-_	Metal hanging pedestals	93
VPSA-_ _ _ _	Acoustical stackable panels for acoustical base panels	38
VPSG-_ _ _ _-F	Glass stackable panels for acoustical base panels	39
VPSG-_ _ _ _-G	Glass stackable panels for glass base panels	41
VPSLF-20_ _ _ _	Low storage units with panel attachment brackets (Pigeonhole/File)	107
VPULBE-20_ _ _ _	Low storage units with panel attachment brackets (Box/File)	107
VPULUL-20_ _ _ _	Low storage units with panel attachment brackets (Box/File)	107
VREC-10	Base raceway end cap	51
VSAGX-_ _ _ _	Panel privacy screens	120
VSCCT-_ _ _ _	Lateral privacy screens	120
VSCT-_ _ _ _	Modular modesty panels	119
VSD-KIT	Dividers for overhead storage units and shelves	98
VSDO-_ _ _ _	Sliding doors	38
VSH-07_ _	Shelves	113
VSLF-20_ _ _ _	Low storage units (Pigeonholes/Files)	105
VSLFL-20_ _ _ _	Fixed storage units (Pigeonhole/File)	108
VSM-16_ _	Up-mounted storage cabinets with flipper door (standard hinges)	83
VSM-16_ _-S	Up-mounted storage cabinets with flipper door (soft-close hinges)	84
VSO-16_ _	Overhead storage cabinets with flipper door (standard hinges)	82
VSO-16_ _-S	Overhead storage cabinets with flipper door (soft-close hinges)	83
VSRK-KIT_ _	Side rail keyhole concealers	118
VSS-08_ _	Overhead low height shelves	81
VSS-14_ _	Overhead full height shelves	81

Product number	Product description	Page
VSW_16_ _	Wall-mounted storage cabinets with flipper door (standard hinges)	84
VSW-16_ _-S	Wall-mounted storage cabinets with flipper door (soft-close hinges)	85
VSWB_16_ _-P	Back for wall-mounted storage cabinets	85
VT2_-_ _24-_	Metal personal storage towers File/File, Right or Left door	95
VT3_-_ _24-_	Metal personal storage towers Box/Box/File, Right or Left door	95
VTB-_ _ _ _	Tackboards	114
VTCA-1	Top cap aligner	51
VTCE-1	Top cap end plug	51
VTCP-1	One-way in-line square top cap	47
VTCP-2I	Two-way in-line square top cap	47
VTCP-2C	Two-way corner square top cap	47
VTCP-3	Three-way square top cap	47
VTCP-4	Four-way square top cap	47
VTCP-120-1	One-way 120-degree square top cap	48
VTCP-120-2	Two-way 120-degree square top cap	48
VTCP-120-3	Three-way 120-degree square top cap	48
VTF-_ _ _ _-_ _	Powered top feeds	54
VUA-30_ _-45/54	Asymmetrical work surfaces	62
VUAC-_ _ _ _	Trapezoidal conference work surfaces	64
VUC-_ _ _ _	Corner work surfaces, straight front	67
VUCA-_ _ _ _-_ _	120-degree corner work surfaces, curved front	71
VUCC-_ _ _ _	Corner work surfaces, curved front	68
VUCD-_ _ _ _	Corner work surfaces, dual height	68
VUD-_ _ _ _	D-shape work surfaces	66
VUDE-_ _ _ _-_-_ _-L/R	Extended D-shape work surfaces	66
VUEA-_ _ _ _	Trapezoidal surface extensions	65
VUER-_ _ _ _	Surface extensions with rounded corners	65
VUF-_ _ _ _	Lateral file tops	98
VULA-_ _ _ _	120-degree link work surfaces	71
VULBE-20_ _ _ _	Low storage units (box/file/open)	105
VULUL-20_ _ _ _	Low storage units (box/file)	105
VUP-_ _ _ _-L/R	P-shape work surfaces	67
VUR-_ _ _ _	Rectangular work surfaces	58
VURC	Rectangular conference work surfaces	59
VURE-_ _ _ _	Extended rectangular work surfaces	59
VURR-_ _ _ _-L/R	Rectangular work surfaces, radius end	60
VURT-_ _ _ _-_ _	Rectangular work surfaces, transitional	61
VUSE-_ _	End support panels	79

Product number	Product description	Page
VUSE-11	Mid-support panel	79
VUT-_ _ _ _	Straight counter tops	72
VUTC-_ _ _ _	Corner counter tops	72
VUWE-_ _ _ _-L/R	Extended corner work surfaces, curved front	69
VUWE-_ _ _ _-L/R-K	Extended corner work surfaces, straight front	69
VUWT-_ _ _ _-_ _	Extended transitional corner work surfaces, curved front	70
VUWT-_ _ _ _-L/R-K	Extended transitional corner work surfaces, straight front	70
VVFA-_ _-F2	Fabric two-way finish posts, 120-degree connection (full height application)	45
VVFA-_ _-V1	Fabric two-way finish posts, 120-degree connection (variable height application)	48
VVFC-_ _-F2C	Fabric two-way finish posts, 90-degree connection (full height application)	43
VVFC-_ _-V1	Fabric two-way finish posts, 90-degree connection (variable height application)	46
VVFS-_ _-F3	Fabric three-way finish posts, 180-degree connection (full height application)	44
VVFS-_ _-V_ _ _	Fabric three-way finish posts, 180-degree connection (variable height application)	47
VVPA-_ _-F2	Painted metal two-way finish posts, 120-degree connection (full height application)	45
VVPA-_ _-V1	Painted metal two-way finish posts, 120-degree connection (variable height application)	48
VVPC-_ _-F2C	Painted metal two-way finish posts, 90-degree connection (full height application)	43
VVPC-_ _-V1	Painted metal two-way finish posts, 90-degree connection (variable height application)	46
VVPS-_ _-F3	Metal paint three-way finish posts, 180-degree connection (full height application)	44
VVPS-_ _-V_ _ _	Painted metal three-way finish posts, 180-degree connection (variable height application)	47

8 Fabrics and finishes

NVISION STANDARD FABRIC COLLECTIONS

Dune

MD-1	Ambition
MD-2	Zen
MD-3	Hearty
MD-4	Honest
MD-5	Forgiving
MD-6	Dreamer
MD-7	Peaceful
MD-8	Thoughtful
MD-9	Serene

Frenzied ♻

MF-1	Salsa
MF-2	Waltz
MF-3	Flamenco
MF-4	Meringue
MF-5	Mambo
MF-6	Tango
MF-7	Swing
MF-8	Chacha
MF-9	Rumba

Fusion ♻

61-1	Taupe
61-3	Smoke
61-4	Cornflower
61-5	Pewter
61-6	Tobacco
61-7	Amber
61-8	Maize
61-9	Cornsilk

Galet

54-1	Sky Blue
54-2	Grey
54-3	Alabaster
54-4	Stone
54-5	Charcoal
54-6	Copper
54-7	Moss
54-8	Dune

Point

EE-AA	Peak
EE-AC	Decimal
EE-AD	Nib
EE-AE	Vertex
EE-AF	Focal
EE-AG	Compass

Resonance

MR-1	Echo
MR-2	Lyric
MR-3	Chime
MR-4	Chant
MR-5	Harmony
MR-6	Tone
MR-7	Carillon

Stratus ♻

E6-1	Tornado
E6-2	Daylight
E6-3	Diamond Dusk
E6-4	Fog
E6-5	Mist
E6-6	Blue Halo
E6-7	Rain
E6-8	Hail
E6-9	Night Sky

Twigs ♻

5W-1	Ash
5W-2	Buckeye
5W-3	Hickory
5W-4	Jupiter
5W-5	Linden
5W-6	Polar
5W-7	Sassafras
5W-8	Sycamore

Meander (Momentum)

5L-1	Agate Taupe
5L-2	Nightshadow
5L-3	Overcast
5L-4	Sandshell

Universe (Momentum)

5V-1	Cosmic
5V-2	Creme Brulee
5V-3	Depth
5V-4	Mica
5V-5	Milkyway
5V-6	Seneca
5V-7	Wheat
5V-8	Whitecap

MOMENTUM EASY C.O.M.* COLLECTIONS

Backdrop

B20	Mica
B21	Bone
B22	Khaki
B23	Rain
B24	Mocha
B25	Barley
B26	Bonsai

Cameo

C12	Mist
C13	Parchment
C14	Ivory
C15	Coffee
C16	Almond
C18	Linen
C19	Stone
C20	Metal
C23	Smoke
C24	Fawn
C25	Twig

Pact ♻

P02	Putty
P05	Lime
P06	Dove
P07	Calla
P09	Eureka
P10	Fern
P13	Coastal
P14	Nectar
P15	Toasty
P16	Aloe
P18	Azure
P20	Dragon
P39	Rubine
P40	Patina
P43	Sketch
P45	Roma
P46	Taupe
P47	Harbour
P48	Delft
P49	Tanzanite
P50	Lily
P51	Roast
P52	Midnight

LAMINATE FINISHES

Wood Grains

G-ACA	Mahogany
G-BUC	Bourbon Cherry
G-CAR	Caramello
G-CER	Cherry
G-CCL	Classic Chocolate
G-DCH	Dark Chocolate
G-ERH	Hard Rock Maple
G-FOS	Fossil
G-GGI	Grigio
G-HZN	Hazelnut
G-NTL	Natural Cherry
G-NRM	Natural Mappel
G-RBY	Ruby
G-SLT	Salta
G-TOM	Totem
G-TWT	Tuscany Walnut

Solid Colors

G-CLY	Clay
G-GAN	Anthracite Grey
G-NCN	Crystal Black
G-SNO	Snow
G-WGR	Willow Grey

Patterns

G-GVR	Frost
G-PCM	Parchment

ACCENT COLORS

*Trim/Metal

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
**TR-LE	Metallic silver

*Some exceptions apply. See individual product descriptions for a list of available colors.

**A surcharge applies for this color. Ask Customer Service for details.

DOOR/PANEL (SPECIALS)

High pressure laminate finishes

HC-3E	Smoke
HC-62	Grey tone
HC-8J	Charcoal
HC-34	Beige

PANEL/SLIDING DOOR

Glass/Acrylic Options

SK-1C	Tempered clear glass
SK-1E	Frosted acrylic

- Refer to the Nvision color brochure to visualize the current laminate finish selection. Always request an actual sample before ordering.
- Refer to United Chair swatch cards for metal pedestal cushions.
- Refer to Nvision swatch cards for actual fabric representation.

* Momentum Easy C.O.M. and C.O.M. fabrics are not covered by the Groupe Lacasse Limited Lifetime Warranty and subject to extended lead time. Acknowledged delivery or ship dates for these fabrics are contingent on supplier's performance.

nvision

OFFICE ENVIRONMENT SOLUTIONS

Printed on 10% recycled paper. Printed in Canada – © Groupe Lacasse 2016

GROUPE LACASSE

1 888 522.2773 | www.groupelacasse.com

3878
N143-5
3/16
5M