







Contractor Information

Contractor Name/Address:	Western Shelter Systems P.O. Box 2729, 815 Conger Street, Eugene, Oregon 97402		
Contract Administration:		Primary Contact	Alternate Contact
	Name:	Brice Barrett	Connie Jonas
	Phone:	503-312-3175	541-344-7267
	Fax:	541-284-2820	541-284-2120
	E-mail:	bbarrett@westernshelter.com	cjonas@westernshelter.com
Customer Service/Order Placement:		Primary Contact	Alternate Contact
	Name:	Mike Ottaway	Connie Jonas
	Phone:	513-349-9802	541-344-7267
	Fax:	541-284-2820	541-284-2820
	E-mail:	mottaway@westernshelter.com	cjonas@westernshelter.com
24 Hour Emergency Contact: (No less than one designated individual)		Primary Contact	Alternate Contact
	Name:	Brice Barrett	
	Phone:	503-312-3175	
	Fax:	541-284-2820	
	E-mail:	bbarrett@westernshelter.com	
Contract Pricing:	Discount From List Price: 8.7%		
Contractor's Website:	westernshelter.com		
Federal ID No.:	320394265		
NYS Vendor ID No.:	1100096749		
ORDERING PROCEDURES	<p>1. Contact Western Shelter Systems, at 800-971-7201 or email Sales@westernshelter.com for product availability and a NYS quote.</p> <p>2. A quote (including estimated shipping charges) will be sent with the appropriate NYS contract number and NYS pricing.</p> <p>3. After receipt of quote, issue a purchase order to Western Shelter Systems, referencing the appropriate NYS contract number or provide a NYS Procurement Card for payment.</p>		
Order Placement Address:	PO Box 2729 Eugene, Oregon 97402		
NYS P Card Acceptance:	Yes, up to \$2500.		
Minimum Orders:	Minimum Order: \$100		
Delivery Time:	60 days after receipt of order (ARO) / Urgent requirements 21 days in in stock and confirming telephone call.		
Payment Terms:	<p>1. Payment of Piggyback Contract purchases made by an Authorized User when the State Comptroller is responsible for issuing such payment shall be rendered electronically in accordance with ordinary State procedures and practices.</p> <p>2. Payment of Piggyback Contract purchases made by an Authorized User when the State Comptroller is not responsible for issuing payment shall be billed directly by Contractor on invoices/vouchers, together with complete and accurate supporting documentation as required by the Authorized User and as mandated by the appropriate governing law from the receipt of a proper invoice.</p>		
Shipping Destination:	Freight on Board (FOB) Destination		
Freight:	Prepaid and Included		


	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
2	NEW YORK STATE CONTRACT No. PC66671				
3	Group Number 32705 Tents, Canvas, Duck				
4					
5					
6	WESTERN SHELTERS				
	<p>Western Shelter's most popular shelters include GateKeeper-style Easy-Seal walls and floor panels. These shelters, without some of the GateKeeper-style optional accessories, are now designated with a "WS" prefix on their part numbers. These shelters include the standard components required to make them habitable in most circumstances. These standard components include the aircraft grade aluminum Frame, Roof, Wall Panels and Easy-Seal Floors, Double Doors (one in the WS-20, two in the WS-1935, and four in the WS-2360), Threshold Ramp(s) for the door(s), Roof Vent Cap(s), High-Wind Tie-Down Kits, and Field Bags for all components. Western Shelter walls include large, removable, 3-part Windows (clear, fully screened and with privacy flap).</p> <p>Western Shelters also come pre-packaged as self-supporting GateKeeper shelter systems. These systems include those accessories that most customers tell us they want for re-deployable field operations in a single line-item package. In addition to the Standard Western Shelter components, the package includes a thermal barrier roof panel, an internal electrical wiring harness, all-weather interior lights with Dimmer Sleeves™, workstation desk and shelves, and a Vestibule Connector Kit that enables each Western Shelter to be connected with a weather-tight seal to another Western Shelter without modification. Multiple GateKeeper shelter systems also include electrical distribution kits to service the entire complex. An extensive list of field operation-related equipment is available to complete your GateKeeper complex, including 220V 50Hz electrical products.</p> <p>Optional equipment includes components for add-on 8'x8' entryways, vehicle connector boots, add-on hygiene centers, HVAC air conditioning and heaters, air pressure isolation and filtration, generators, showers, toilet systems, decontamination, storage and transport cases, and mission-specific storage/transport customized trailers and self-powered vehicles, such as kitchens, ablution, laundry, and command centers.</p> <p>Berry-compliant MilSpec products available upon request.</p>				
7	Training by Western Shelter Certified Trainers is encouraged. No charge, in-factory train-the-trainer training is always available. Training on				
8	PART NUMBER		DESCRIPTION	NYS PRICE (w/0.7% Allowance)	UNIT WEIGHT-lbs [†]
9	WS-20	0	Octagon Shelter - rigid-frame, 20'x20'x6' (wall height), 286 sq. ft. usable floor space, roof with roof vent cap system, Easy-Seal Floor and Four Wall Panels, each with a removable 36"x36" fully-screened window with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	\$ 9,682.22	390
					
10	HO20-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
11	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
12	BB20	0	Base Bars - lower aluminum bars	Included	
13	WC6	0	Vent Cap - standard	Included	
14	GK-D46	0	46" double doorways, with double doorway Filler Panel	Included	
15	GK20-LDD-B	0	Vinyl Wall Panel - Left of door	Included	
16	GK20-RDD-A	0	Vinyl Wall Panel - Right of door	Included	
17	GK20-BP-C	0	Vinyl Wall Panel - Back	Included	
18	HO20-RP	0	Vinyl Roof Panel	Included	
19	FL-GK20	0	Vinyl Flooring System	Included	
20	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
21	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
22	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
23	HWTSK-4	0	High-wind tie-down brackets and stakes kit with hammer (4 sets).	Included	
24	WP-EXPAN	0	Expansion wall panels	Included	
25	WS-VRK	0	Vinyl repair kit	Included	
26		0	Storage and transport field bags	Included	
27					

	A	B	C	D	E
	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
1	WS-1935	0	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, roof with two roof vent caps, Easy-Seal Floor and Four Wall Panels, each with two removable 36"x36" fully-screened windows with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	15,512.00	535
28					
29	HS1935-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars	Included	
30	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
31	BB20	0	Base Bars - lower aluminum bars	Included	
32	WC6	0	Vent Cap - standard	Included	
33	GK-D46	0	46" double doorways, with double doorway Filler Panel	Included	
34	GK1935-LDD-2-B	0	Vinyl Wall Panel - Left of door	Included	
35	GK1935-RDD-2-A	0	Vinyl Wall Panel - Right of door	Included	
36	HS1935-RP	0	Vinyl Roof Panel	Included	
37	FL-GK1935	0	Vinyl Flooring System	Included	
38	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
39	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
40	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
41	HWTSK-6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	Included	
42	WP-EXPAN	0	Expansion wall panels	Included	
43	WS-VRK	0	Vinyl repair kit	Included	
44		0	Storage and transport field bags	Included	
45					
46	GATEKEEPER SHELTER SYSTEM PACKAGES				
47	<p>Pre-packaged self-supporting GateKeeper Shelter Systems include those accessories that most customers tell us they want to support all-hazard emergency field operations, plus certain optional accessories, that makes for easier single line-item package purchasing. The Standard Western Shelter components include the aircraft grade aluminum Frame, Roof, Wall Panels and Easy-Seal Floors, Double Doors (one in the WS-20, two in the WS-1935, and four in the WS-2360), Threshold Ramp(s) for the door(s), Roof Vent Cap(s), High-Wind Tie-Down Kits, and Field Bags for all components. Western Shelter walls include large, removable, 3-part Windows (clear, fully screened and with privacy flap).</p> <p>In addition to the Standard Western Shelter components (see above), the GateKeeper System package includes thermal barrier roof panel, interior electrical wiring harnesses, all-weather interior lights with Dimmer Sleeves™, workstation desk and shelves, high wind tie-down kit, and a Vestibule Connector Kit that enables each GateKeeper to be connected with a weather-tight seal to another GateKeeper without modification.</p> <p>Multiple GateKeeper Shelter Systems also include electrical distribution kits to service the entire complex. An extensive list of field operation-related equipment is available to complete your GateKeeper complex, including 220V 50Hz electrical products.</p> <p>Optional equipment includes components for add-on 8'x8' entryways, vehicle connector boots, add-on hygiene centers, HVAC air conditioning and heaters, air pressure isolation and filtration, generators, showers, toilet systems, decontamination, storage and transport cases, and mission-specific storage/transport customized trailers and self-powered vehicles, such as kitchens, ablution, laundry, and command centers.</p> <p>Berry-compliant MilSpec products available upon request.</p> <p>Training by Western Shelter Certified Trainers is available. No charge, in-factory train-the-trainer training is always available. Training on your equipment at your site for your entire team is available on a per day fee basis.</p>				
48	PART NUMBER		DESCRIPTION	GSA PRICE (EACH)	UNIT WEIGHT-lbs [†]
49	GK1-20	0	GATEKEEPER I-20 ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field facility consisting of one 20-foot diameter octagonal shelter, which can be connected to other shelters by a Vestibule Connector to form a larger facility.	\$ 13,952.50	535

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
50	WS-20	0	Octagon Shelter - rigid-frame, 20'x20'x6' (wall height), 286 sq. ft. usable floor space, roof with roof vent cap system, Easy-Seal Floor and Four Wall Panels, each with a removable 36"x36" fully-screened window with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a	Included	
51	HO20MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
52	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
53	BB20	0	Base Bars - lower aluminum bars	Included	
54	WC6	0	Vent Cap - standard	Included	
55	GK-D46	0	46" double doorway	Included	
56	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
57	GK20-LDD-B	0	Vinyl Wall Panel - Left of door	Included	
58	GK20-RDD-A	0	Vinyl Wall Panel - Right of door	Included	
59	GK20-BP-C	0	Vinyl Wall Panel - Back	Included	
60	HO20RP	0	Vinyl Roof Panel	Included	
61	FLGK20	0	Vinyl Flooring System	Included	
62	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
63	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
64	HWTSK-4	0	High-wind tie-down brackets and stakes kit with hammer (4 sets).	Included	
65	WP-EXPAN	0	Expansion wall panels	Included	
66	WS-VRK	0	Vinyl repair kit	Included	
67		0	Storage and transport field bags	Included	
68	GATEKEEPER ACCESSORIES				
69	INHO20RP	0	Roof insulation	Included	
70	WSWRGK20	0	Wiring Harnesses - 110V interior, for GK-20	Included	
71	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
72	DSK-20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case	Included	
73	VCGK201935	0	GateKeeper Vestibule Connector- connects two GateKeeper shelters together. Rigid-frame, 9'x9'x6' (wall height), 81 sq. ft. usable floor space. Fits Models WS20, WS1935. Note: All GateKeeper Shelter Systems include a Vestibule Connector. Order this item as replacement only. Connects to GateKeeper shelters at wall seams and doorways.	Included	
74	AREB20	0	Vestibule Arched Eave Bars	Included	
75	ARB20	0	Vestibule Arched Roof Bar	Included	
76	VSBB20A	0	Vestibule Telescoping Base Bar Assembly	Included	
77	VC-PTCA	0	3-part environmental partition	Included	
78	VCFL	0	Vinyl Flooring System	Included	
79	VCRP	0	Roof and roof insulation panels - integrated	Included	
80	VARIOUS	0	Storage and transport bag	Included	
81					
82	GK1-1935	0	GATEKEEPER I-1935 ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field facility consisting of one 19x35-foot diameter octagonal shelter, which can be connected to other shelters by a Vestibule Connector to form a larger facility.	\$ 20,419.74	793
83	WS-1935	0	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, roof with two roof vent caps, Easy-Seal Floor and Four Wall Panels, each with two removable 36"x36" fully-screened windows with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
84	HS1935-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
85	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
86	BB20	0	Base Bars - lower aluminum bars	Included	
87	WC6	0	Vent Cap - standard	Included	
88	GK-D46	0	46" double doorways	Included	
89	GK1935-LDD-2-B	0	Vinyl Wall Panel - Left of door	Included	
90	GK1935-RDD-2-A	0	Vinyl Wall Panel - Right of door	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
91	HS1935RP	0	Vinyl Roof Panel	Included	
92	FLGK1935	0	Vinyl Flooring System	Included	
93	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
94	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
95	HWTSK-6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	Included	
96	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
97	WP-EXPAN	0	Expansion wall panels	Included	
98	WS-VRK	0	Vinyl repair kit	Included	
99	VARIOUS	0	Storage and transport field bags	Included	
100	GATEKEEPER ACCESSORIES				
101	INHS1935RP	0	Roof insulation	Included	
102	WSWRGK1935	0	Wiring Harnesses - 110V interior, for GK-1935	Included	
103	WST36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
104	DSK-20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide,	Included	
105	VCGK201935	0	GateKeeper Vestibule Connector- connects two GateKeeper shelters together. Rigid-frame, 9'x9'x6' (wall height), 81 sq. ft. usable floor space. Fits Models WS20, WS1935. Note: All GateKeeper Shelter Systems include a Vestibule Connector. Order this item as replacement only. Connects to GateKeeper shelters at wall seams and doorways.	Included	
106	AREB20	0	Vestibule Arched Eave Bars	Included	
107	ARB20	0	Vestibule Arched Roof Bar	Included	
108	VSBB20A	0	Vestibule Telescoping Base Bar Assembly	Included	
109	VCFL	0	Vinyl Flooring System	Included	
110	VC-PTCA	0	3-part environmental partition	Included	
111	VCRP	0	Roof and roof insulation panels - integrated	Included	
112	VARIOUS	0	Storage and transport bag	Included	
113					
114					
115	MULTIPLE SHELTER SYSTEMS				
116	GK-2	0	GATEKEEPER II ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field consisting of one larger shelter and one smaller shelter, which are connected by a Vestibule Connector to form a single facility.	\$ 39,398.94	1504
					
117	WS-20	0	Octagon Shelter - rigid-frame, 20'x20'x6' (wall height), 286 sq. ft. usable floor space, roof with roof vent cap system, Easy-Seal Floor and Four Wall Panels, each with a removable 36"x36" fully-screened window with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
118	HO20-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
119	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
120	BB20	0	Base Bars - lower aluminum bars	Included	
121	WC6	0	Vent Cap - standard	Included	
122	GK-D46	0	46" double doorway	Included	
123	GK20-LDD-B	0	Vinyl Wall Panel - Left of door	Included	
124	GK20-RDD-A	0	Vinyl Wall Panel - Right of door	Included	
125	GK20-BP-C	0	Vinyl Wall Panel - Back	Included	
126	HO20RP	0	Vinyl Roof Panel	Included	
127	FLGK20	0	Vinyl Flooring System	Included	
128	INHO20RP	0	Roof insulation	Included	
129	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
130	WSWRGK20	0	Wiring Harnesses - 110V interior, for GK-20	Included	
131	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
132	DSK20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case	Included	
133	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
134	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
135	HWTSK4	0	High-wind tie-down brackets and stakes kit with hammer (4 sets).	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
136	WP-EXPAN	0	Expansion wall panels	Included	
137	WSVRK	0	Vinyl repair kit	Included	
138	VARIOUS	0	Storage and transport field bags	Included	
139	GKI-1935	0	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, roof with two roof vent caps, Easy-Seal Floor and Four Wall Panels, each with two removable 36"x36" fully-screened windows with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
140	HS1935-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
141	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
142	BB20	0	Base Bars - lower aluminum bars	Included	
143	WC6	0	Vent Cap - standard	Included	
144	GK-D46	0	46" double doorways	Included	
145	GK1935-LDD-2-B	0	Vinyl Wall Panel - Left of door	Included	
146	GK1935-RDD-2-A	0	Vinyl Wall Panel - Right of door	Included	
147	HS1935RP	0	Vinyl Roof Panel	Included	
148	FLGK1935	0	Vinyl Flooring System	Included	
149	INHS1935RP	0	Roof insulation - integrated	Included	
150	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
151	WSWRGK1935	0	Wiring Harnesses - 110V interior, for GK-1935	Included	
152	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
153	DSK20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case	Included	
154	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
155	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
156	HWTSK6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	Included	
157	WS-EXPAN	0	Expansion wall panels	Included	
158	WSVRK	0	Vinyl repair kit	Included	
159	VARIOUS	0	Storage and transport field bags	Included	
160	VCGK201935	0	Vestibule Connector- rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. useable floor space.	Included	
161	AREB20	0	Vestibule Arched Eave Bars	Included	
162	ARB20	0	Vestibule Arched Roof Bar	Included	
163	VSBB20A	0	Vestibule Telescoping Base Bars	Included	
164	VCFL	0	Vinyl Flooring System	Included	
165	VC-PTCA	0	3-part environmental partition	Included	
166	VCRP	0	Roof and roof insulation panels - integrated	Included	
167		0	Storage and transport bag	Included	
168	WS-EDK50	0	Electrical Distribution Kit - 50 Amp	Included	
169	CEP650GU	0	Power Distribution Box - 50 Amp - Six 20-amp 120V GFCI protected outlets, one 20-amp 240V protected outlet, 1-50 amp 240 volt feed-through.	Included	
170	WS-50A504W	0	50' power cables - 240V	Included	
171	WS-20A503W	0	50' extension cords - 110V	Included	
172	WS2060	0	WS-2060 34"x28"x21" Storage Case	Included	
173					
174	GK-3	0	GATEKEEPER III ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field facility consisting of four larger shelters and one smaller shelter, which are connected by Vestibule Connectors to form a single facility. Logistical support equipment to operate and support the facility is included in the package price.	\$ 108,196.00	5219
175	GK-20	0	Octagon Shelter - rigid-frame, 20'x20'x6' (wall height), 286 sq. ft. usable floor space, roof with roof vent cap system, Easy-Seal Floor and Four Wall Panels, each with a removable 36"x36" fully-screened window with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
176	HO20MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	








	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
177	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
178	BB20	0	Base Bars - lower aluminum bars	Included	
179	WC6	0	Vent Cap - standard	Included	
180	GK-D46	0	46" double doorway	Included	
181	GK20-LDD-B	0	Vinyl Wall Panel - Left of door	Included	
182	GK20-RDD-A	0	Vinyl Wall Panel - Right of door	Included	
183	GK20-BP-C	0	Vinyl Wall Panel - Back	Included	
184	HO20RP	0	Vinyl Roof Panel	Included	
185	FLGK20	0	Vinyl Flooring System	Included	
186	INHO20RP	0	Roof insulation	Included	
187	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
188	WSWRGK20	0	Wiring Harnesses - 110V interior, for GK-20	Included	
189	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
190	DSK20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case	Included	
191	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
192	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
193	HWTSK4	0	High-wind tie-down brackets and stakes kit with hammer (4 sets).	Included	
194	WS-EXPAN	0	Expansion wall panels	Included	
195	WSVRK	0	Vinyl repair kit	Included	
196		0	Storage and transport field bags	Included	
197	GK-1935	0	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, roof with two roof vent caps, Easy-Seal Floor and Four Wall Panels, each with two removable 36"x36" fully-screened windows with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
198	HS1935-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)	Included	
199	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
200	BB20	0	Base Bars - lower aluminum bars	Included	
201	WC6	0	Vent Cap - standard	Included	
202	GK-D46	0	46" double doorways	Included	
203	GK1935-LDD-2-B	0	Vinyl Wall Panel - Left of door	Included	
204	GK1935-RDD-2-A	0	Vinyl Wall Panel - Right of door	Included	
205	HS1935RP	0	Vinyl Roof Panel	Included	
206	FLGK1935	0	Vinyl Flooring System	Included	
207	INHS1935RP	0	Roof insulation - integrated	Included	
208	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
209	WSWRGK1935	0	Wiring Harnesses - 110V interior, for GK-1935	Included	
210	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
211	DSK20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case	Included	
212	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
213	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
214	HWTSK6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	Included	
215	WS-EXPAN	0	Expansion wall panels	Included	
216	WS-VRK	0	Vinyl repair kit	Included	
217		0	Storage and transport field bags	Included	
218	VCGK201935	0	Vestibule Connector - rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. useable floor space.	Included	
219	AREB20	0	Vestibule Arched Eave Bars	Included	
220	ARB20	0	Vestibule Arched Roof Bar	Included	
221	VSBB20A	0	Vestibule Telescoping Base Bars	Included	
222	VCFL	0	Vinyl Flooring System	Included	
223	VC-PTCA	0	3-part environmental partition	Included	
224	VC-RP	0	Roof and roof insulation panels - integrated	Included	
225		0	Storage and transport bag	Included	
226	WS-EDK50	0	Electrical Distribution Kit - 50 Amp	Included	
227	CEP650GU	0	Power Distribution Box - 50 Amp - Six 20-amp 120V GFCI protected outlets, one 20-amp 240V protected outlet, 1-50 amp 240 volt feed-through.	Included	
228	WS-50A504W	0	50' power cables - 240V	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
229	WS-20A503W	0	50' extension cords - 110V	Included	
230	WS2060	0	WS-2060 34"x28"x21" Storage Case	Included	
231					
232	GK-MEMS-56	0	GATEKEEPER MEMS-56 Mobile Emergency Medical System is a pre-packaged, portable medical facility configured to fulfill the DoD recommendation for a 50-bed Mobile Emergency Medical System. It consist of nine 19'x35' shelters which are connected to each other by Vestibules to form a single facility. Basic logistical support equipment to operate and support the facility is included in the package price.	\$ 218,233.30	10,263
					
233	GK-1935	0	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, roof with two roof vent caps, Easy-Seal Floor and Four Wall Panels, each with two removable 36"x36" fully-screened windows with interior privacy flap. Includes Field Bags for all components. Can be connected to other shelters without modification by a Vestibule Connector to form a larger facility.	Included	
234	HS1935-MFS	0	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars	Included	
235	EB20	0	Eave Bars - upper aluminum bars with black loop connection strip	Included	
236	BB20	0	Base Bars - lower aluminum bars	Included	
237	WC6	0	Vent Cap - standard	Included	
238	GK-D46	0	46" double doorways	Included	
239	GK1935-LDD-2-B	0	Vinyl Wall Panel - Left of door	Included	
240	GK1935-RDD-2-A	0	Vinyl Wall Panel - Right of door	Included	
241	HS1935RP	0	Vinyl Roof Panel	Included	
242	FLGK1935	0	Vinyl Flooring System	Included	
243	INHS1935RP	0	Roof insulation - integrated	Included	
244	GK-TR46	0	Threshold Ramp - 46", GateKeeper	Included	
245	WSWRGK1935	0	Wiring Harnesses - 110V interior, for GK-1935	Included	
246	WS-T36ADDS	0	Lights - in-line, all-weather with Dimmer Sleeve™	Included	
247	DSK20	0	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide,	Included	
248	AC-12	0	HVAC duct boot - 12" to 16" diameter	Included	
249	AC-12VD	0	HVAC duct boots - 12" to 16" diameter dropdown	Included	
250	HWTSK6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	Included	
251	WS-EXPAN	0	Expansion wall panels	Included	
252	WSVRK	0	Vinyl repair kit	Included	
253	VARIOUS	0	Storage and transport field bags	Included	
254	VEGK201935	0	GateKeeper Vestibule Entryway - Connects to GateKeeper shelter at wall seam and doorway. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Includes walls, floor, insulated roof panel, and required framing. Fits Models GK-20 and GK-1935.	Included	
255	AREB20	0	Vestibule Arched Eave Bar	Included	
256	ARB20	0	Vestibule Arched Roof Bar	Included	
257	VE-HCBBA	0	Entryway 90° Side Base Bars	Included	
258	VE-HCEFA	0	Entryway End-frame	Included	
259	VE-HCBB	0	Entryway End-base bar	Included	
260	EB20	0	Eave bar	Included	
261	FL-GKHC	0	Vinyl Flooring System	Included	
262	VCRP	0	Roof and roof insulation panels - integrated	Included	
263	EV-LOD-WS	0	Entryway Wall Panel - Left of Door, Wall Split	Included	
264	EV-ROD-WS	0	Entryway Wall Panel - Right of Door, Wall Split	Included	
265	EV-LOD-DS	0	Entryway Wall Panel - Left of Door, Door Split	Included	
266	EV-ROD-DS	0	Entryway Wall Panel - Right of Door, Door Split	Included	
267	VC-PTCA	0	3-part environmental partitions	Included	
268	HWTSK-2	0	High-Wind tie-down brackets and stakes with hammer (2 sets)	Included	
269	VARIOUS	0	Storage and transport bag	Included	
270	HCGK201935	0	GateKeeper Hygiene Center - connects to GateKeeper and Western Shelters. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Partitioned into shower, toilet, and changing/sink areas. Stand-alone water handling system. Fits Models 20 and 1935.	Included	
271	WSS1A	0	Single-basin sink	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
272	WSBRTB	0	Toilet-In-A-Box with Brief Relief Kit	Included	
273	WSD	0	Shower System	Included	
274	WS12A	0	Field Water Heater, Propane	Included	
275	HC2ST	0	Vinyl Hanging Shower and Toilet Stall Liner	Included	
276	AREB20	0	Arched Eave Bar	Included	
277	ARB20	0	Arched Ridge Bar	Included	
278	VE-HCBB	0	Vest. Entry/Hygiene Center Base Bar	Included	
279	VE-HCBBA	0	Vest. Entry/Hygiene Center Base Bar Assembly	Included	
280	VE-HCEFA	0	Vest. Entry/Hygiene Center End Frame	Included	
281	EB20	0	Eave Bar for HS1935/HO20	Included	
282	HC-EC	0	Vented End Cover	Included	
283	HC-WP	0	Vinyl Wall Panel- Wall Split	Included	
284	FL-GKHC	0	Vinyl Flooring System	Included	
285	VCRP	0	Roof and roof insulation - integrated	Included	
286		0	Storage and transport field bag	Included	
287	WS2020	0	Storage Case, 94"x18"x21" (for frame and vinyl)	Included	
288	WS2060	0	Storage Case, 34"x28"x21" (for pumps and hoses)	Included	
289	HC-20PC	0	Privacy Curtain	Included	
290	HWTASK2	0	High-Wind tie-down brackets and stakes with hammer (2 sets)	Included	
291	WDKHC	0	Field Water Distribution System for the Hygiene Center	Included	
292	DDP550PCSB	0	Primary distribution pump, 110V, discharge manifold included and 96" (244cm) suction hose included with polyester cases and	Included	
293	TTP500	0	Potable water bladder -150 gal.	Included	
294	TTG500	0	Gray water bladder - 150 gal.	Included	
295		0	Brass strainer/foot valve	Included	
296			Fittings and hoses.	Included	
297	VCGK201935	0	Vestibule Connector - rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. useable floor space. Includes:	Included	
298	AREB20	0	Vestibule Arched Eave Bars	Included	
299	ARB20	0	Vestibule Arched Roof Bar	Included	
300	VSBB20A	0	Vestibule Telescoping Base Bars	Included	
301	VCFL	0	Vinyl Flooring System	Included	
302	VC-PTCA	0	3-part environmental partition	Included	
303	VCRP	0	Roof and roof insulation panels - integrated	Included	
304	VARIOUS	0	Storage and transport bag	Included	
305	WSEDK50	0	Electrical Distribution Kit - 50 Amp	Included	
306	CEP650GU	0	Power Distribution Box - 50 Amp - Six 20-amp 120V GFCI	Included	
307	WS-50A504W	0	50' power cables - 240V	Included	
308	WS-20A503W	0	50' extension cords - 110V	Included	
309	WS-2060	0	WS-2060 34"x28"x21" Storage Case	Included	
310					
311					
312	OPTIONAL SHELTER EQUIPMENT and SERVICES				
313	ROOF IDENTIFICATION				
314	ID-1x1935	0	Digital Roof Identification- One imprint on 1935 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design. The roof identification dimensions are as follows: up to 60" X 100" (152cm x 254cm).	\$ 190.62	8
315	ID-2x1935	0	Digital Roof Identification- Two imprints on 1935 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design. The roof identification dimensions are as follows: Each up to 60" X 100" (152cm x 254cm).	\$ 381.21	16
316	ID-1x20	0	Digital Roof Identification- One imprint on 20 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design. The roof identification dimensions are as follows: up to 40" X 40" (102cm x 102cm).	\$ 122.32	6
317	ID-2x20	0	Digital Roof Identification- Two imprints on 20 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design. The roof identification dimensions are as follows: Each up to 40" X 40" (102cm x 102cm).	\$ 244.65	12

	A	B	C	D	E
	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs†
1					
318	ID-1XDOOR	0	Digital Door Identification- One imprint on one shelter door. If double door, specify Left or Right side. See separate art specification sheet for file type, size, and placement. The roof identification dimensions are as follows: 10" X 10" (25cm x 25cm).	\$ 73.94	4
319	ID-2XDOOR	0	Digital Door Identification- Two imprints on shelter double doors. If two different logos, specify Left and Right door. See separate art specification sheet for file type, size, and placement. The roof identification dimensions are as follows: Each up to 10" X 10" (25cm x 25cm).	\$ 154.29	8
320	ID-Custom	0	Digital Wall Hanging Identification - Custom hanging banner using customer supplier artwork to be quoted on an individual basis. Color imprints on white vinyl panel. Weight of imprinted roof will vary with size of design. The rough wall panel dimensions are as follows: Maximum size up to 48" X 48"(122cm x 122cm), narrower if next to door or window. Finished size is slightly less. Velcro on top edge for mating in between shelter wall/roof seam. Grommet in each corner. See art specification sheet for file type, size, and placement.	\$ 130.63	10
321					
322	HYGIENE CENTER KIT				
323	HCGK201935	0	GateKeeper Hygiene Center - connects to GateKeeper shelter at wall seam and doorway. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Partitioned into shower, toilet, and changing/sink areas. Stand-alone hot/cold water handling system. Does not require wall insulation.	\$ 11,841.22	446
324	WSS1A	0	Single-basin sink	Included	
325	WSBRTB	0	Toilet-In-A-Box with Brief Relief Kit	Included	
326	WS12A	0	Field Water Heater, Propane	Included	
327	HC2ST	0	Vinyl Hanging Shower and Toilet Stall Liner	Included	
328	AREB20	0	Arched Eave Bar	Included	
329	ARB20	0	Arched Ridge Bar	Included	
330	VE-HCBB	0	Vest. Entry/Hygiene Center Base Bar	Included	
331	VE-HCBBA	0	Vest. Entry/Hygiene Center Base Bar Assembly	Included	
332	VE-HCEFA	0	Vest. Entry/Hygiene Center End Frame	Included	
333	EB20	0	Eave Bar for HS1935/HO20	Included	
334	HC-EC	0	Vented End Cover	Included	
335	HC-WP	0	Vinyl Wall Panel- Wall Split	Included	
336	VCRP	0	Roof and Roof Insulation - Integrated	Included	
337	FL-GKHC	0	Flooring system - Easy-Sealing	Included	
338	#N/A	0	Privacy Curtain (not shown in drawing)	Included	
339	ST33	0	3' x 3' Rubber Shower Floor Mats	Included	
340	WSDSC	0	Shower Caddy	Included	
341	WSDDB	0	Dry Bag	Included	
342	HC-20PC	0	Storage and transport field bag	Included	
343	WS2020	0	Storage Case, 94"x18"x21" (for frame and vinyl)	Included	
344	WS2060	0	Storage Case, 34"x28"x21" (for pumps and hoses)	Included	
345	HWTSK2	0	High-Wind Tie-Down Stake Kits (2 sets)	Included	
346	WDKHC	0	Field Water Distribution System	Included	
347	DDP550PCSB	0	Primary distribution pump, 110V, discharge manifold included and 96" (244cm) suction hose included with polyester cases and shower switch boxes.	Included	
348	TTP500	0	Potable water bladder -150 gal.	Included	
349	TTG500	0	Gray water bladder - 150 gal.	Included	
350		0	Brass strainer/foot valve	Included	
351			Fittings and hoses.	Included	
352					
353	VESTIBULE CONNECTOR KITS				
354	VCGK201935	0	GateKeeper Vestibule Connector- connects two GateKeeper shelters together. Rigid-frame, 9'x9'x6' (wall height), 81 sq. ft. usable floor space. Fits Models WS20, WS1935. Note: All GateKeeper Shelter Systems include a Vestibule Connector. Order this item as replacement only. Connects to GateKeeper shelters at wall seams and doorways.	\$ 1,612.18	64
355	AREB20	0	Vestibule Arched Eave Bars	Included	
356	ARB20	0	Vestibule Arched Ridge Bar	Included	
357	VSBB20A	0	Vestibule Base Bar Assemblies	Included	
358	VCFL	0	Vinyl Flooring System	Included	
359	VCRP	0	Roof panel with integrated insulation	Included	



	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
360	VC-PTCA	0	3-part environmental partitions	Included	
361	VARIOUS	0	Storage and transport bag	Included	
362	VCGKISO	0	GateKeeper Vestibule Connector - Isolation Upgrade: Converts standard GateKeeper Vestibule Connector Kit in GateKeeper packages to pressure isolation capability. The isolation upgrade kit adds isolation components to an existing standard GateKeeper Vestibule Connector to enable it to maintain pressure isolation between two connected shelters. Fits Models GK-20 and GK-1935.	\$ 2,609.07	 140
363	WSD46	0	Double door, 46" wide	Included	
364	ISO-EB46	0	Eave Bar for Isolation - 46" Doorway	Included	
365	ISO-BB46	0	Base bar for Isolation Doorway	Included	
366	GK-TR46	0	Double-door threshold ramp - GateKeeper	Included	
367	ISO-LOD	0	Wall Panel, Left of Door, Translucent Isolation	Included	
368	ISO-ROD	0	Wall Panel, Right of Door, Translucent Isolation	Included	
369	ISO-VCFP	0	Filler Panel, Vestibule Connection	Included	
370	DBDB	0	Double Door storage and transport bags	Included	
371		0	Storage and transport bag (ramps and wall panels)	Included	
372	VCWS201935	0	Western Shelter Vestibule Connector- connects two Western Shelters together. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Fits Models HO-20 and HS-1935. Connects to Western Shelter at wall seam and doorway.	\$ 1,505.38	 64
373	AREB20	0	Vestibule Arched Eave Bars	Included	
374	ARB20	0	Vestibule Arched Ridge Bar	Included	
375	VSBB20A	0	Vestibule Base Bar Assemblies	Included	
376	VCFL	0	Vestibule Floor	Included	
377	VCRP	0	Roof panel with integrated insulation	Included	
378	VC-PTCA	0	3-part environmental partitions	Included	
379		0	Storage and transport bag	Included	
380	BCVC-WS201935	0	Western Shelter Berry Compliant Vestibule Connector - connects two Western Shelters together. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Fits Models HO-20 and HS-1935. Connects to Western Shelter at wall seam and doorway. Mil. Spec.	\$ 1,777.41	 78
381	AREB20	0	Vestibule Arched Eave Bars	Included	
382	ARB20	0	Vestibule Arched Ridge Bar	Included	
383	VSBB20A	0	Vestibule Base Bar Assemblies	Included	
384	VCFL	0	Vestibule Floor	Included	
385	VCRP	0	Roof panel with integrated insulation	Included	
386	VC-PTCA	0	3-part environmental partitions	Included	
387		0	Storage and transport bag	Included	
388					
389	VESTIBULE ENTRYWAY KITS				
390	VEGK201935	0	GateKeeper Vestibule Entryway - Connects to GateKeeper shelter at doorway and wall seam. When connected at wall seam, existing door from shelter complex must be used as entryway door. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Kit includes walls, floor, insulated roof panel, and required framing. Fits Models GK-20 and GK-	\$ 2,548.82	 110
391	AREB20	0	Vestibule Arched Eave Bar	Included	
392	ARB20	0	Vestibule Arched Ridge Bar	Included	
393	VE-HCBBA	0	Entryway Base Bar Assembly - 90° Side	Included	
394	VE-HCEFA	0	Entryway End-frame	Included	
395	VE-HCBB	0	Entryway Base bar	Included	
396	EB20	0	Eave Bar for HS1935/HO20	Included	
397	FLGKHC	0	Entryway Floor - Easy-Seal system	Included	
398	VCRP	0	Entryway Roof and roof insulation panels - integrated	Included	
399	EV-LOD-WS	0	Entryway Wall Panel - Left of Door, Wall Split	Included	
400	EV-ROD-WS	0	Entryway Wall Panel - Right of Door, Wall Split	Included	
401	EV-LOD-DS	0	Entryway Wall Panel - Left of Door, Door Split	Included	
402	EV-ROD-DS	0	Entryway Wall Panel - Right of Door, Door Split	Included	
403	VC-PTCA	0	3-part environmental partition	Included	
404	HWTSK-2	0	High-Wind Tie-Down Stake Kits (2 sets)	Included	
405		0	Storage and transport bag	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
406	VEGKCVN	0	GateKeeper Vestibule Entryway Conversion Kit - Converts existing Vestibule Connector to a Vestibule Entryway. Connects to GateKeeper shelter at doorway and wall seam. When connected at wall seam, existing door from shelter complex must be used as entryway door. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Kit includes walls, floor, insulated roof panel, and required framing. Fits Models GK-20 and GK-1935	\$ 1,983.73	110
407	VE-HCBBA	0	Entryway Base Bar Assembly - 90° Side	Included	
408	VE-HCEFA	0	Entryway End-frame	Included	
409	VE-HCBB	0	Entryway Base bar	Included	
410	EB20	0	Eave Bar for HS1935/HO20	Included	
411	HC-FL	0	Vinyl Flooring System	Included	
412	EV-LOD-WS	0	Entryway Wall Panel - Left of Door, Wall Split	Included	
413	EV-ROD-WS	0	Entryway Wall Panel - Right of Door, Wall Split	Included	
414	EV-LOD-DS	0	Entryway Wall Panel - Left of Door, Door Split	Included	
415	EV-ROD-DS	0	Entryway Wall Panel - Right of Door, Door Split	Included	
416	EV-VCAP	0	Ventilating End Cap for Hygiene Center/Entryway	Included	
417		0	Storage and transport bag	Included	
418	VEGKISO	0	GateKeeper Vestibule Entryway - Isolation Upgrade: Converts standard GateKeeper Vestibule Entryway Kit to pressure isolation capability. The isolation upgrade kit adds isolation components to an existing standard GateKeeper Vestibule Entryway to enable it to maintain pressure isolation between the outside environment and a GateKeeper shelter. Fits GateKeeper GK-20 and GK-1935. Isolation upgrade kit includes one double door with isolation door hanger, isolation wall panels, threshold door ramp and	\$ 1,907.96	72
419	WSD46	0	Double door, 46" wide	Included	
420	ISO-EB46	0	Eave Bar for Isolation 46" Doorway	Included	
421	ISO-BB46	0	Base bar for Isolation Doorway	Included	
422	GK-TR46	0	Double-door threshold ramp - GateKeeper	Included	
423	FL-GKHC	0	Entryway Floor - Easy-Seal system	Included	
424	ISO-LOD	0	Wall Panel, Left of Door, Translucent Isolation	Included	
425	ISO-ROD	0	Wall Panel, Right of Door, Translucent Isolation	Included	
426	ISO-EFP	0	Extension Panel, Entryway	Included	
427	DBDB	0	Double Door storage and transport bag	Included	
428		0	Storage and transport bag (ramps and wall panels)	Included	
429	VEWS201935	0	Western Shelter Vestibule Entryway - Connects to Western Shelter at wall seam and doorway. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Includes walls, floor, roof panel, and required framing. Fits Models HO-20	\$ 2,462.09	6
430	AREB20	0	Vestibule Arched Eave Bar	Included	
431	ARB20	0	Vestibule Arched Roof Bar	Included	
432	VE-HCBBA	0	Entryway 90° Side Base Bars	Included	
433	VE-HCEFA	0	Entryway End-frame	Included	
434	VE-HCBB	0	Entryway End-base bar	Included	
435	EB20	0	Eave bar	Included	
436	VCFL	0	Vinyl Flooring System	Included	
437	VCRP	0	Roof and roof insulation panels - integrated	Included	
438	EV-LOD-WS	0	Entryway Wall Panel - Left of Door, Wall Split	Included	
439	EV-ROD-WS	0	Entryway Wall Panel - Right of Door, Wall Split	Included	
440	EV-LOD-DS	0	Entryway Wall Panel - Left of Door, Door Split	Included	
441	EV-ROD-DS	0	Entryway Wall Panel - Right of Door, Door Split	Included	
442	VC-PTCA	0	3-part environmental partitions	Included	
443	HWTSK2	0	Tie-Down Stake Kit - standard	Included	
444		0	Storage and transport bag	Included	
445					
446	ANCHORING KITS				
447	SHL-SSPK	0	Site Preparation Anchoring Kit - For use when deploying shelters on asphalt or concrete in preparation for high winds. Includes enough lag screws to secure up to six shelters. Anchors HWTSK High Wind Tie-Down Stake Kits. Additional lag screws and eye-bolts are available at most major building supply retailers.	\$ 820.70	85
448		0	Wheeled heavy duty plastic case w/storage tray	Included	
449		0	1/2" hammer drill w/ 2- 3/4" masonry bits	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
450		0	Channel Lock Pliers	Included	
451		0	4lb. sledge hammer	Included	
452		0	Caulking gun	Included	
453		0	Wheeled tape measure	Included	
454		0	Marker Twine (1 roll)	Included	
455		0	Caution Tape (1 roll)	Included	
456		0	Double Bolt Anchors (3/8"-16)	Included	
457		0	Turn Eye Bolts (3/8"-16 x 3')	Included	
458		0	Tube Asphalt repair product	Included	
459		0	Tube Concrete repair product	Included	
460		0	Extension Cord 12/3, 50'	Included	
461		0	100' Chalk Line	Included	
462		0	Ear plugs, Max-1	Included	
463		0	Pair Safety Glasses	Included	
464					
465	HIGH-WIND TIE-DOWN KITS AND PARTS				
466	STAKE KITS				
467	HWTASK2	0	High-Wind Tie-Down Stake Kits (2 sets)	\$ 209.24	7
468	HWTASK4	0	High-wind tie-down brackets and stakes kit with hammer (4 sets).	\$ 254.15	18
469	HWTASK6	0	High-wind tie-down brackets and stakes kit with hammer (6 sets).	\$ 319.89	24
470					
471	WATER ANCHORS				
472	HWTWAK2	0	High-Wind Tie-Down Water Anchor Kit (2 sets)	\$ 449.15	12
473	HWTWAK4	0	High-Wind Tie-Down Water Anchor Kit (4 sets)	\$ 890.09	24
474	HWTWAK6	0	High-Wind Tie-Down Water Anchor Kit (6 sets)	\$ 1,330.09	36
475					
476	ANCHOR & TIE-DOWN KIT PARTS				
477	HWSA	0	High-Wind Strap Assembly, reflective webbing with hook clip, 10'	\$ 39.26	1
478	WSTDB	0	High-Wind Tie-Down Bracket	\$ 6.57	1
479	HWTS18	0	Tent Spike, 18"	\$ 18.62	3
480	HWWA50	0	Water Anchor, Bladder, 50 gals., 420 lbs. when full.	\$ 204.86	5
481	HWT5B	0	Vinyl Tent Spike Bag, 25"x8"x8"	\$ 27.39	1
482					
483	HARD FLOORING				
484	GFS-20	0	Hard Roll-out Flooring System - HS/GK20	\$ 2,864.68	286
485	GFS-1935	0	Hard Roll-out Flooring System - HS/GK1935	\$ 5,709.28	534
486	GFS-VRFL	0	Hard Roll-out Flooring System - Vestibule	\$ 555.96	53
487					
488	VINYL FLOORING				
489	FLGK20	0	Vinyl Flooring System - WS/GK20 - GateKeeper - Easy-	\$ 716.64	48
490	FLGK1935	0	Vinyl Flooring System - WS/GK1935 - GateKeeper - Easy-	\$ 1,002.36	90
491	FLHO14	0	Vinyl Flooring System	\$ 566.00	
492	FLHO16	0	Vinyl Flooring System	\$ 566.00	
493	FLHO18	0	Vinyl Flooring System	\$ 607.99	
494	FLHO20	0	Vinyl Flooring System	\$ 729.62	36
495	BCFL-HO20	0	Vinyl Flooring System - Mil-Spec, Berry Compliant	\$ 801.91	40
496	FLHS1527	0	Vinyl Flooring System	\$ 693.80	
497	FL-HS1935	0	Vinyl Flooring System	\$ 876.40	86
498	BCFL-HS1935	0	Vinyl Flooring System - Mil-Spec, Berry Compliant	\$ 990.29	95
499					
500	DOOR OPTIONS				
501	GK-D46	0	Additional GateKeeper 46" wide double door. Includes door storage pockets and door replacement panel.	\$ 1,222.38	42
502	GK-D46BUMP	0	Door, Bump, Double for use inside of shelter installed within the Entryway or Vestibule connection. Not to be used as an exterior door.	\$ 1,343.80	17
503	WSD46	0	Additional 46" wide double door	\$ 1,085.44	36
504					
505	DIVIDER WALLS				
506	BCDWHO20	0	Divider wall - HO20, HS1935 - Mil-Spec, Berry Compliant	\$ 496.89	18
507					
508	THRESHOLD RAMPS				
509	WSTR22	0	Single door threshold ramp - Western Shelter	\$ 130.55	6
510	WSTR46	0	Double door threshold ramp - Western Shelter	\$ 170.71	9

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
511	GK-TR46	0	Double door threshold ramp - GateKeeper	\$ 141.51	10
	BG-TR46	0	Field bag to hold two (2) WS-TR46 or three (3) GK-TR46	\$ 81.25	2
512			Threshold Ramps. Made from wear-resistant Cordura [®] fabric with heavy-duty zipper and carry straps.		
513					
514	WORK STATIONS				
515	DSK20	0	Work Station - HO/GK20, HS/GK1935	\$ 867.25	52
516					
517	MISCELLANEOUS SHELTER FURNISHINGS				
518	SHL-PKK	0	Kitchen Kart, Portable - Prepare light meals with 2-burner stove top, microwave, refrigerator, sink, storage compartments, and over 3,600 sq. in. of countertop workspace. 110V 60Hz. Power-coated aluminum case with casters and brakes. Closed size: 64"L x 30"W x 47"H. 450 lbs. as delivered.	\$ 8,185.06	450
519	GK-BNK	0	Bunk Bed, Western Shelter - 900 lb. (409 kgs) Combined Weight Rating. Sleep two people in floor space for one. 78"L (198 cm) x 32.5"W (82.5 cm). Storage and carrying bag. Storage space 84"L (213.4 cm) x 8"W (20.3 cm) x 8"H (20.3 cm).	\$ 555.96	62
520	CRT-BNK	0	Bunk Bed Storage/Transport Cart - Holds up to 25 bunk beds. With 2-rigid casters, 2-swivel casters, and wheel locks, this powder coated steel cart can provide storage and easy transport of Western Shelter bunk beds.	\$ 1,362.96	
521	SHL-HKBRK	0	Hook Bracket kit for hanging accessories from shelter -12 ea.	\$ 70.29	3
522	CBRHDKART	0	Heavy-duty Kart with cover, locking wheels, powder-coated steel. 94"L x 27"W x 62"H	\$ 2,156.28	248
523					
524	STORAGE AND WORKSPACE ACCESSORIES				
525	AST-35	0	ASSET: Advanced Support/Survival Equipment Table- Low profile, compact and rugged, these uniquely transformable platforms serve many functions. Their ability to interconnect in diverse configurations provides stability and strength, making them perfect parachute tables, raft/escape slide packing platforms, work stations, utility tables, and even stacking shelves. Includes 4 Reversible Foot Pads, 4 Vertical Connection Plugs, and 4 Locking Castor Wheel Assemblies	\$ 1,071.74	55
526	AST-35RT	0	Table Top	\$ 292.13	22.5
527	AST-35SU	0	Asset Table Shelf	\$ 834.39	34.5
528	AST-BG35	0	Table Protective Bag	\$ 85.81	5
529	AST-BGSU	0	Shelf Unit Protective Bag	\$ 82.16	4
530	AST-ASF-QT	0	Anti-Static Formula 1QT	\$ 26.68	2.25
531	AST-ASF-GL	0	Anti-Static Formula 1 Gallon	\$ 52.94	9
532	AST-ASF-5GL	0	Anti-Static Formula 5 Gallons	\$ 206.32	54
533	AST-ASM-35	0	Anti Static Mat 3X5	\$ 188.97	7
534	AST-ASM-40	0	Anti-Static Mat 40'	\$ 1,246.12	60
535	AST-MT36	0	Multi-Purpose Utility Tray MUT 36"	\$ 122.32	3.5
536	AST-MT60	0	Multi-Purpose Utility Tray MUT 60"	\$ 173.45	6
537	AST-RFP	0	Reversible Foot Pad (Replacement Set of 4)	\$ 32.87	1
538	AST-VCP	0	Vertical Connection Plug (Replacement Set of 4)	\$ 42.90	1
539	AST-CWA	0	Castor Wheel Leg Tube Assembly	\$ 120.51	2.75
540	AST-OC	0	Ohm-Stat Cord	\$ 17.35	1
541	AST-OWB	0	Ohm-Stat Wrist Band	\$ 13.70	1
542					
543	PATIENT AND MEDICAL FURNISHINGS				
544	WS-WC400-18	0	Medical Cot, Westcot 18", Mattress, Store-On-Board IV Pole, 400 lb. Rating	\$ 354.20	30
545	WS-WC400-30	0	Medical Cot, Westcot 30", Mattress, Store-On-Board IV Pole, 400 lb. Rating	\$ 513.06	40
546	PPC-GK1935	0	Patient Privacy Curtain System - GK1935. Includes 10-modular divider curtains, up to 10-patient capacity per GK1935.	\$ 2,156.28	10
547	WS-BB700	0	Westcot BPC Bariatric Bed - 700# Capacity	\$ 469.23	0
548	W400-STR	0	Strap, Westcot Beds: Strap is attached to bed at our facility and keeps the head rest secured in the desired position.	\$ 21.00	1

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
549	CRT-424	0	4-Wheeled case cart: Secures 25 military-style Cots and 25 Linen Kits. Includes securing straps and 4 lockable swivel casters.	\$ 915.64	80
550					
551	OPTIONAL CAMP SUPPORT EQUIPMENT				
552	ELECTRICAL POWER, DISTRIBUTION and EQUIPMENT				
553					
554	GENERATOR ACCESSORIES				
555	DCA-GND	0	Generator Grounding Rod Kit – National Electrical Code requires generators to be effectively grounded when in operation. This kit includes a 2-part, 8-foot long copper grounding rod, 25-foot 10-14 grounding wire with terminal, connectors, rod terminal, and 50-inch ABS storage and transport pipe.	\$ 127.81	25
556					
557					
558	ELECTRICAL DISTRIBUTION PANELS				
559	WSEDK50	0	Electrical Distribution Kit - 50 Amp	\$ 2,514.12	176
560	CEP650GU	0	Power Distribution Box for use between Hi-Amp Power Distribution Panel and Internal Shelter Wiring Harness - 50 Amp - Six 20-amp 120V GFCI protected outlets, one 20-amp 240V protected outlet, 1-50 amp 240 volt feed-through	Included	
561	WS-50A504W	0	50' power cables - 240V	Included	
562	WS-20A503W	0	50' extension cords - 110V	Included	
563	WS-2060	0	WS-2060 34"x28"x21" Storage Case	Included	
564	WSPPDP100	0	Portable Power Distribution Panel- Three phase with 4 ea. 50 Amp 125/250volt outlets. Lay-down style panel. Includes 12' Leads (Cam lock x Eyelet) for connecting panel to generator source. For use with 15-36 KW generators. See stand option below.	\$ 2,871.99	52
565	WSPPDP200	0	Portable Power Distribution Panel- Three phase with 6 ea. 50 Amp 125/250volt outlets. Lay-down style panel. Includes 12' Leads (Cam lock x Eyelet) for connecting panel to generator source. For use with 20-36 KW generators. See stand option below.	\$ 3,179.63	52
566	WSPPDP300	0	Portable Power Distribution Panel- Three phase with 8 ea. 50 Amp 125/250volt outlets. Stand-up style panel with window. Includes 12' Leads (Cam lock x Eyelet) for connecting panel to generator source. For use with 36-80 KW generators. See stand option below.	\$ 4,923.27	80
567	WSPPDP400	0	Portable Power Distribution Panel- Three phase with 10 ea. 50 Amp 125/250volt outlets. Stand-up style panel with window. Includes 12' Leads (Cam lock x Eyelet) for connecting panel to generator source. For use with 56-120 KW generators. See stand option below.	\$ 4,923.27	80
568	WSPPDST	0	Portable Power Distribution Stand – not required for DDP100 (self-supporting stand)	\$ 399.84	8
569	CEP650GU	0	Power Distribution Box - 50 amp Spider Box	\$ 1,026.09	28
570					
571	WIRING HARNESSES				
572	WSWRGK20	0	Wiring Harness- GK20 – Includes two sets of 20-amp harnesses, each with three junction boxes. Harnesses can be plugged together in series or separated to create separate GFCI-protected circuits. Each junction box contains two outlets.	\$ 807.93	14
573	WSWRGK1935	0	Wiring Harness- GK1935 - Includes four sets of 20-amp harnesses, each with three junction boxes. Harnesses can be plugged together in series or separated to create separate GFCI-protected circuits. Each junction box contains two outlets.	\$ 1,616.74	28
574	WSWR20	0	Wiring Harness- HO20 – Includes one 20-amp GFCI-protected harness with three junction boxes. Each junction box contains two outlets.	\$ 588.83	10
575	WSWR1935	0	Wiring Harness- HS1935 - Includes one 20-amp GFCI-protected harness with six junction boxes. Each junction box contains two outlets.	\$ 754.99	12

	A	B	C	D	E
	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
1					
576	WSWR14	0	Wiring Harness- HO14 - Includes one 20-amp GFCI-protected harness with three junction boxes. Each junction box contains two outlets.	\$ 582.42	8
577	WSWR16	0	Wiring Harness- HO16 - Includes one 20-amp GFCI-protected harness with three junction boxes. Each junction box contains two outlets.	\$ 582.42	8
578	WSWR18	0	Wiring Harness- HO18 - Includes one 20-amp GFCI-protected harness with three junction boxes. Each junction box contains two outlets.	\$ 582.42	10
579					
580	LIGHTING				
581	WS-T36ADDS	0	All-Weather in-line lamp with Dimmer Sleeve™ and hanger strap - 120V, 36W, 165FC, 32"L	\$ 401.68	6.0
582	WS-T36DS	0	All-Weather stand-alone lamp with Dimmer Sleeve™ and hanger strap - 120V, 36W, 165FC, 32"L	\$ 334.13	6.0
583	WS-T36ADDS240	0	All-Weather in-line lamp with Dimmer Sleeve™ and hanger strap - 240V, 36W, 165FC, 32"L	\$ 445.49	6.0
584	WS-T36ADDS-EMI		All-Weather in-line 120/240v lamp with Dimmer Sleeve. Light is fully EMI Protected. Comply with MIL-PRF-44259.	\$ 493.87	6.0
585	WS-DSHS	0	T36 Light Dimmer Sleeve™ and hanger strap set	\$ 66.64	1.0
586					
587	CLIMATE CONTROL				
588	HVAC				
589	WSXE1200	0	HVAC, Completely self-contained and portable, it provides 3.5 tons of cooling and 40,000 Btu/hr. of heating. It has a supplemental 11,000 Btu/hr. heat strip. UL listed for outdoor use and rated at 230V, single-phase power. 41"x57"x33". Includes Intake Boot, Discharge Boot and Duct Boot Bag. Includes full-frame, wheeled transport cart and vinyl cover. To support supplemental heat strip below 40-degrees ambient requires additional 50 amp circuit. Recommend HVAC Air Plenum option. 20' ducts sold separately. If operating with 10kW and smaller generators, XE1200 HVAC requires optional Hard Start Kit (PN XE-HSK) to minimize	\$ 7,274.90	546
590	WSXE1200ST	0	Stacking HVAC - Completely self-contained and portable, it provides 3.5 tons of cooling and 42,000 Btu/hr. of heating. It has a supplemental 27,000 Btu/hr. heat strip. UL listed for outdoor use and rated at 230V, single-phase power. 41"x57"x33". Includes Intake Boot, Discharge Boot and Duct Boot Bag. Includes full-frame, wheeled transport cart that enables a second HVAC unit to be stored above it to conserve space. To support supplemental heat strip below 40-degrees ambient requires additional 50 amp circuit. Recommend HVAC Air Plenum option. 20' ducts sold separately. If operating with 7kW generators, XE1200 HVAC requires optional Hard Start Kit (PN XE-HSK) to minimize start-up load when operating.	\$ 7,492.17	658
591	XE-HSK	0	XE1200 HVAC Hard Start Kit Option - factory-installed system to minimize start-up load when operating.	\$ 245.58	2
592	XE1200 CVR	0	Cover, Vinyl for XE-1200 HVAC unit	\$ 133.29	5
593	GK-OA2000	0	Air Scrubber - incorporates 99.99% HEPA filtration and UVGI germicidal lights to eliminate sub-micron particulates and microbial contamination. Designed for healthcare environments, it offers quiet operation as the air is exhausted through the HEPA filter. With a small footprint, adjustable air flow and a Watchmen monitoring system. Can be install in series with the HVAC XE-1200 system.	\$ 4,469.56	135
594	HEATER				
595	CL-HT1000K	0	Heater Kit with 110,000 BTU, indirect-fired, tri-fuel heater	\$ 4,935.14	258.0
596	CL-HT1000	0	110,000 BTU indirect fired tri-fuel heater	Included	
597	CL-HTHS25	0	12"x 25' heater duct	Included	
598	CL-AHDB12	0	Duct boot- 12" to 16" diameter	Included	
599	CL-HTHSRT	0	Remote thermostat	Included	
600	SA-FRCMSD	0	Carbon Monoxide/Smoke Detector	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
601	WS2060	0	Storage Case, 34"x28"x21" - Stores ducts , adapters, and	Included	
602					
603	AIR DISTRIBUTION PLENUMS				
604	WS-20AP	0	Air Plenum - HO/GK20 shelter series	\$ 579.70	4
605	WS-20AP-	0	Air Plenum - HO Series with single duct opening	\$ 733.97	6
606	WS-1935AP	0	Air Plenum - HS/GK1935 shelter series	\$ 742.19	6
607	WS-1935AP-	0	Air Plenum - HS Series with single duct opening	\$ 817.05	6
608					
609	SCREEN PANELS				
610	SWP2-HO20	0	A set of two Western Shelter brand screen wall panels for the HO20. Includes two back panels. NOTE: Specify door configuration and panel placement when ordering.	\$ 678.29	22
611	SWP2-HS1935	0	A set of two Western Shelter brand screen wall panels for the HS1935. Includes one Left and One Right. NOTE: Specify door configuration and panel placement when ordering.	\$ 819.78	22
612	SWP2-GK20	0	Two GateKeeper Screen Wall Panels to be used with the GK-20. Includes two back panels	\$ 752.22	26
613	SWP2-GK1935	0	Two GateKeeper Screen Wall Panels to be used with the GK-1935. Includes one Left and One Right.	\$ 909.25	34
614					
615	ELECTRIC VENTILATOR FANS				
616	WS-CF48	0	Ceiling Fan, 120 Volt 48" variable speed, dual direction, includes fan, hanging bracket, and speed control switch. For use in all Western Shelters. Easily installed in vent tube of shelter.	\$ 659.12	17
617	WS-CV	0	Electric ventilator fan, fits all shelters	\$ 195.16	10
618					
619	INSULATION PACKAGES				
620	GateKeeper Sidewall Only Insulation (Roof insulation standard on all GateKeeper systems)				
621	INGK20WP	0	Insulation - GK20, Wall Panels Only	\$ 1,167.60	60
622	INGK1935WP	0	Insulation - GK1935, Wall Panels Only	\$ 1,638.72	76
623	INVE20WP	0	Insulation - Entryway, Wall Panels Only	\$ 342.35	30
624	Complete Western Shelter Insulation Packages (includes four wall panels and one roof panel)				
625	INHO14	0	Insulation package - HO14	\$ 2,390.89	
626	INHO16	0	Insulation package - HO16	\$ 2,390.89	
627	INHO18	0	Insulation package - HO18	\$ 2,989.76	
628	INHO20	0	Insulation package - HO20	\$ 2,989.76	84
629	BCIN-HO20	0	Insulation package - HO20 - Mil-Spec, Berry Compliant	\$ 3,215.24	88
630	INHS1527	0	Insulation package - HS1527	\$ 3,183.28	
631	INHS1935	0	Insulation package - HS1935	\$ 3,780.58	128
632	BCIN-HS1935	0	Insulation package - HS1935 - Mil-Spec, Berry Compliant	\$ 4,158.55	132
633	Western Shelter Roof Only Insulation				
634	INHO14RP	0	Insulation Roof Panel - HO14	\$ 1,010.58	
635	INHO16RP	0	Insulation Roof Panel - HO16	\$ 1,010.58	
636	INHO18RP	0	Insulation Roof Panel - HO18	\$ 1,203.20	
637	INHO20RP	0	Insulation Roof Panel - HO20	\$ 1,203.20	34
638	INHS1527RP	0	Insulation Roof Panel - HS1527	\$ 1,747.29	
639	INHS1935RP	0	Insulation Roof Panel - HS1935	\$ 1,958.78	64
640					
641	HVAC DUCTS AND PANELS				
642	AC-12	0	HVAC duct boot - 12" to 16" diameter	\$ 149.71	1
643	AC-12VD	0	HVAC duct boot- 12" to 16" diameter dropdown	\$ 146.06	2
644	AC-12RD	0	HVAC duct boot- 16" XE-1200 reinforced intake	\$ 324.09	1
645	XE1200-1220	0	Ducting- 12" by 20' ducting designed to attach directly to your shelter and XE-1200 HVAC discharge.	\$ 474.71	8
646	XE1200-1420	0	Ducting- 14" by 20' ducting designed to attach directly to your shelter and XE-1200 HVAC intake.	\$ 556.87	9
647	WAC12	0	12" window duct panel	\$ 84.90	2
648					
649	FIELD SHOWERS AND WATER HANDLING EQUIPMENT				
650	FIELD SHOWERS AND SUPPORT				
651	WSD	0	2-stall shower shelter with zippered doors	\$ 1,860.49	114

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
652	EB83	0	Eave Bars (Long)	Included	
653	EB39	0	Eave Bars (Short)	Included	
654	BB83	0	Base Bars (Long)	Included	
655	BB39	0	Base Bars (Short)	Included	
656	SLA 70	0	Leg Bar Assemblies	Included	
657	WSD-RFA	0	Roof Frame Assembly	Included	
658	DS-ROOF	0	Roof Panel	Included	
659	DS-WALL	0	Wall Panel	Included	
660	DSBERM	0	Shower Berm	Included	
661	DSMANIFOLD	0	Shower Manifold Kit	Included	
662	DSHOSEX10R	0	Hose, ½" x 10' RED	Included	
663	WSDDB	0	Dry Storage Bags	Included	
664	WSDCB	0	Storage/transport bag	Included	
665	WSDK	0	Double shower shelter kit with zippered doors	\$ 2,546.08	159
666	EB83	0	Eave Bars (Long)	Included	
667	EB39	0	Eave Bars (Short)	Included	
668	BB83	0	Base Bars (Long)	Included	
669	BB39	0	Base Bars (Short)	Included	
670	SLA-70	0	Leg Bar Assemblies	Included	
671	WS-DRFA	0	Roof Frame Assembly	Included	
672	DS-ROOF	0	Roof Panel	Included	
673	DS-WALL	0	Wall Panel	Included	
674	DS BERM	0	Shower Berm	Included	
675	DS MANIFOLD	0	Shower Manifold Kit	Included	
676	DS HOSEX10R	0	Hose, ½" x 10' RED	Included	
677	WSD-DB	0	Dry Storage Bags	Included	
678	WSD-CB	0	Storage/transport bag	Included	
679	ST-33	0	Shower Mats	Included	
680	WSD-SC	0	Shower Caddy	Included	
681	DDP550PCSB	0	Sump Pump kit with Switch and Case	Included	
682	BCWS-D	0	2-tall shower shelter, Mil-Spec, Berry Compliant (all components)	\$ 2,112.44	118
683	EB83	0	Eave Bars (Long)	Included	
684	EB39	0	Eave Bars (Short)	Included	
685	BB83	0	Base Bars (Long)	Included	
686	BB39	0	Base Bars (Short)	Included	
687	SLA70	0	Leg Bar Assemblies	Included	
688	WSD-RFA	0	Roof Frame Assembly	Included	
689	DS-ROOF	0	Roof Panel	Included	
690	DS-WALL	0	Wall Panel	Included	
691	DSBERM	0	Shower Berm	Included	
692	DSMANIFOLD	0	Shower Manifold Kit	Included	
693	DSHOSEX10R	0	Hose, ½" x 10' RED	Included	
694	WSDDB	0	Dry Storage Bags	Included	
695	WSDCB	0	Storage/transport bag	Included	
696	DDP550PC	0	Shower Sump Pump Kit with protective case. Includes	\$ 406.24	11
697	DDP550PCSB	0	Shower Sump Pump Kit with protective case and remote switch option. Includes Check-Valve.	\$ 646.27	13
698	DDP550	0	Shower Sump Pump with pickup and hose. Includes Check-	\$ 373.38	7
699	WSDSC	0	Shower Caddy	\$ 74.87	2
700	BCWSDSC	0	Shower caddy, Mil-Spec, Berry Compliant	\$ 83.07	3
701	WSDDB	0	Shower Dry Bag	\$ 52.03	6
702	ST33	0	3' X 3' Elevated Flexible Matting FOR WS-510 (requires three mats)	\$ 73.94	10
703	WSEFM35	0	3' X 5' Elevated Flexible Matting FOR WS-55 AND WS-55-S6 (requires one mat)	\$ 127.80	18
704					
705	FIELD WATER HEATERS				
706	WS-12A	0	Propane fired field water heater, aluminum case	\$ 2,381.54	82
707	WS-12WK	0	Wheel kit for water heater	\$ 63.89	5
708	WSDWHM350	0	Water Dragon I Diesel Water Heater System, on-demand, 12 gpm at 110 psi. Includes 8"x2" solid rubber wheels.	\$ 8,815.88	460
709	WSDWHM650	0	Water Dragon II Diesel Water Heater System, on-demand, 16 gpm at 130 psi. Includes 10"x3" foam-filled, rough-terrain wheels.	\$ 10,046.47	510

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
710	WSTCS	0	Thermostatic Control System- Recommended with purchase of WS-12A propane water heater to more accurately control water temperature.	\$ 811.57	16
711					
712	FIELD SINKS				
713	WSS1A	0	Single-basin sink, aluminum field case, thermostatic heat	\$ 1,385.78	42
714	WSS2A	0	Double-basin sink, aluminum field case	\$ 1,778.33	71
715	WSS3A	0	Triple-basin sink, aluminum field case	\$ 2,033.94	94
716	WS-S1A-PLY	0	Sink, Single Basin Poly with Bracket/strap, Foot Pump, Drain hose and 16 gallon fresh water capacity	\$ 560.52	18
717					
718	WATER DISTRIBUTION				
719	WDKPW	0	Water Distribution Kit - Potable Water Support Kit	\$ 4,370.96	36
720	WDKGW	0	Water Distribution Kit - Gray Water Support Kit	\$ 3,249.92	36
721	WDK10SK	0	Water Distribution Kit - will support up to 4-Head WS-D Shower System and 3-Gang Sink. Non-military. Cased in WS-2060.	\$ 5,471.92	191
722	WDK10SKM	0	Water Distribution Kit - will support up to 4-Head WS-D Shower System and 3-Gang Sink. Military Fittings Kit. Cased in WS-2060.	\$ 5,721.15	195
723	WDK30SK	0	Water Distribution Kit - will support up to 8-Head WS-D Shower System and 3-Gang Sink. Non-military. Cased in WS-2090.	\$ 7,899.33	271
724	WDK30SKM	0	Water Distribution Kit - will support up to 8-Head WS-D Shower System and 3-Gang Sink. Military Fittings Kit. Cased in WS-2090.	\$ 8,148.54	275
725	WS4SWM	0	4-Way Water Distribution Manifold Kit	\$ 369.73	16
726					
727	WATER CONTAINMENT AND STORAGE				
728	TTP150	0	150-gallon potable water containment bladder, standard WSS plumbing.	\$ 723.93	
729	TTP300	0	300-gallon potable water containment bladder, standard WSS plumbing.	\$ 910.16	
730	TTP500	0	500-gallon potable water containment bladder, standard WSS plumbing.	\$ 913.81	39
731	TTP1200	0	1200 Gallon potable water containment bladder.	\$ 1,268.93	100
732	TTP2000	0	2000-gallon Potable water containment bladder.	\$ 1,957.25	112
733	TTG150	0	150-gallon gray water containment bladder, standard WSS plumbing.	\$ 521.26	
734	TTG300	0	300-gallon gray water containment bladder, standard WSS plumbing.	\$ 589.74	
735	TTG500	0	500-gallon gray water containment bladder, standard WSS plumbing.	\$ 624.42	39
736	TTG1200	0	1200 Gallon gray water containment bladder.	\$ 877.29	
737	TTG2000	0	2000-gallon gray water containment bladder.	\$ 1,376.65	112
738	TTP-500NET	0	Lifting Net, 3-ton for 500-gallon bladders (10'x10') with field bag.	\$ 681.93	2
739					
740	WATER PURIFICATION				
741	AC201-2	0	Portable field water purification system kit - Non-salt water filtration system filters or destroys 99.9% of all chemical and microbiological contaminants.	\$ 3,696.60	61
742	AC201-2	0	Purification system in carry case	Included	
743	AC201-SPK	0	Purification system spare parts kit	Included	
744	AC201-SPK	0	Spares Kit, for AC201-2 Water Purifier	\$ 308.55	15
745	UV-201	0	Replacement UV Bulb & Quartz Sleeve	Included	
746	CBC-10	0	Filter, 0.5 Micron Carbon Block	Included	
747	AC801-1	0	Filter, 1.0 Micron Pleated	Included	
748	HL-150	0	Filter, KDF/GAC Heavy Metal	Included	
749	REG-201	0	Regulator, Inlet Pressure with GH Inlet	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
750	ADP25FN15MN	0	Reducer, 2.5FNSTx 1.5MNST Aluminum	Included	
751	ADP15FN75MGH	0	Reducer, 1.5GNST x .75MGH Aluminum	Included	
752	MANUAL/AC201-2	0	Manual, Instruction for AC201-2 Water Purifier	Included	
753	WRNHYDRANT	0	Wrench, Adjustable Hydrant	Included	
754	SPRSBOX	0	Plastic Tool Box	Included	
755	AC201-FSK	0	Filter Spares Kit for AC201-2 Water Purifier - Supports 4 complete water filter change-outs.	\$ 374.29	10
756	CBC-10	0	Filter, 0.5 Micron Carbon Block	Included	
757	AC801-1	0	Filter, 1.0 Micron Pleated	Included	
758	HL-150	0	Filter, KDF/GAC Heavy Metal	Included	
759		0	Cardboard box	Included	
760	WDK - FLK	0	Pre-Filter Kit	\$ 381.58	10
761	HOS 1x6' MCFC	0	1"x6' Suction Hose CPLD 1 " Male Cam x 1" Female cam	Included	
762	HOS 1x6' FCMP	0	1"x6' Suction Hose CPLD 1" Female Cam x 1" Male Pipe with Foot	Included	
763	FLT-CRL5	0	Washable 60 micron sediment Filter	Included	
764					
765	SANITATION KITS, PRODUCTS, and SUPPLIES				
766	As the primary provider for logistics support for the nation's disaster response teams, Western Shelter relies on the Brief Relief™ product to provide in-the-field personal hygiene for team members, patients, and other field operation personnel. GateKeeper Hygiene Center utilizes the Brief Relief disposable pouch systems for its toilet unit. Brief Relief™, a disposable urinal bag for use by men and women, and Disposa-John™, the solid waste version, contain a proprietary blend of polymers and enzymes designed to encapsulate waste and turn it into a semi-solid gel that is EPA legal for disposal in landfills in all 50 U.S. states.				
767	FIELD LAVATORY KITS				
768	WSBRRF	0	Portable Single-Stall Field Relief Station Kit	\$ 3,549.35	347
769	WSRF	0	1-stall field relief privacy tent with rigid frame, collapsible floor and toilet cabinet, relief caddy and one Brief Relief Sample kit.	Included	
770	BR-608	0	Cases of Brief Relief pouches (100 pouches per case)	Included	
771	BR-500	0	Cases of Disposa-John pouches (100 pouches per case)	Included	
772	WSRF12	0	12-pack of replacement containment bags	Included	
773	WS2070	0	WS-2070 - 86"x30"x15" aluminum storage/transport case with recessed latches/handles	Included	
774	WSBRSK	0	Twin Brief Relief Field Sanitation Kit	\$ 2,070.46	118
775		0	Privacy Tents	Included	
776		0	Porta Quick Medium Pack - commode, seat, 10x BR901 Daily Sanitation Kits	Included	
777		0	Cases of Brief Relief pouches (100 pouches per case)	Included	
778		0	Cases of Disposa-John pouches (100 pouches per case)	Included	
779		0	One 30"x26"x21" aluminum storage/transport case with recessed latches/handles	Included	
780	PQ2000	0	Single Brief Relief Field Lavatory Kit	\$ 206.97	38
781		0	Privacy Tent	Included	
782		0	Porta Quick Medium Pack - commode, seat, 10x BR901 Daily Sanitation Kits	Included	
783		0	Anchoring stakes	Included	
784		0	Tie-down ropes	Included	
785		0	Carry case	Included	
786					
787	FIELD RELIEF				
788	WSRF	0	1-stall field relief privacy tent with rigid frame, collapsible floor and toilet cabinet, relief caddy and one Brief Relief Sample kit.	\$ 1,902.48	110
789		0	Aluminum frame	Included	
790		0	Cover Set- Walls & Roof	Included	
791		0	One-piece collapsible floor and toilet cabinet	Included	
792		0	Collection poly-box	Included	
793	WSRFC	0	Relief Station Caddy	Included	
794	WSRF3	0	Sampler kit of liquid and solid waste disposable pouches, collection containment bags with disposable gloves.	Included	
795	BR-500	0	Disposa-John™ Portable Restroom - gas impervious bag and liner for solid waste. Includes toilet paper and antiseptic wipes.	Included	

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
796	BR-608	0	Brief Relief™ liquid waste pouch - includes antiseptic wipe.	Included	
797		0	Pairs of Nitrile Gloves	Included	
798		0	Poly Bag	Included	
799		0	Zip Ties	Included	
800		0	Reorder information sheet	Included	
801					
802	WSBRTB	0	Toilet-In-A-Box with two (2) PQ303 Brief Relief™ Kits (commode, seat, 3x BR901 Daily Sanitation Kits, and relief caddy). For use with existing privacy.	\$ 1,357.48	60
803	WSBRTB100	0	Toilet-In-A-Box with two (2) PQ303 Brief Relief™ Kits (commode, seat, 3x BR901 Daily Sanitation Kits, and relief caddy, plus one case (100 sets) of BR901 Brief Relief Daily Restroom Kit - each kit contains two (2) BR608 (liquid waste) and one (1) BR500 (solid waste) pouches. For use with existing privacy.	\$ 2,264.90	102
804	WSRFC	0	Relief Station Field Caddy keeps a supply of Brief Relief™ pouches clean and organized in your Relief Station.	\$ 94.94	1
805					
806	INDIVIDUAL POUCHES AND SUPPLIES				
807	BR-608	0	Brief Relief™ liquid waste pouch - includes antiseptic wipe. Case of 100.	\$ 163.41	14
808	BR-500	0	Disposa-John™ Portable Restroom - gas impervious bag and liner for solid waste. Includes toilet paper and antiseptic wipes. Case of 100.	\$ 259.26	18
809	BR-901	0	Brief Relief™ Daily Restroom Kit - each kit contains two (2) BR608 and one (1) BR500. Case of 100 kits	\$ 594.29	42
810	WSRF12	0	12-pack of replacement containment bags	\$ 49.29	3
811					
812	COMMODOE KITS				
813	CE510	0	Porta Quick Utility Pack - Commode, Seat, and ten (10) BR500 pouches	\$ 51.13	7
814	PQ303	0	Porta Quick Small Pack - Commode, Seat, and three (3) BR901 kits	\$ 51.13	6
815	PQ310	0	Porta Quick Medium Pack - Commode, Seat, and ten (10) BR901 kits	\$ 91.29	10
816	PQ330	0	Porta Quick Economy Pack - Commode, Seat, and thirty (30) BR901 kits	\$ 203.58	17
817	PQ360	0	Porta Quick Economy Pack - Commode, Seat, and sixty (60) BR901 kits	\$ 396.19	30
818					
819	PRIVACY TENT				
820	PQ500	0	Grey Privacy Tent (no supplies)	\$ 100.42	7
821		0	Privacy Tent	Included	
822		0	Anchoring stakes	Included	
823		0	Tie-down ropes	Included	
824		0	Carry case	Included	
825					
826	STORAGE CASES				
827	Consultation with Western Shelter for packing scheme recommended prior to case selection.				
828	Case inventory labels included in price of case. Customer identification added upon request.				
829	WS2020	0	Storage Case, 94"x18"x21"	\$ 1,007.88	92
830	WS2030TC	0	Storage Case, 94"x34"x21" with Table Leg Kit	\$ 1,293.58	124
831	WS2030LK	0	Retrofit Convertible Table Leg Kit - WS-2030	\$ 243.74	6
832	WS2040	0	Storage Case, 86"x14"x16"	\$ 743.10	58
833	WS2045TC	0	Storage Case, 78"x30"x14" with Table Leg Kit	\$ 1,246.12	94
834	WS2046TC	0	Storage Case, 94"x30"x14", Table Conversion Kit. Each Isolation Vestibule or Entryway system requires one (1) WS-2046TC case.	\$ 1,318.22	100
835	WS2060	0	Storage Case, 34"x28"x21"	\$ 629.93	44
836	WS2070	0	Storage Case, 86"x30"x15" (for use with one Relief Station Kit or Two 2-stall Showers)	\$ 980.45	87
837	WS2075TC	0	Wheeled Storage Case, 94"x34"x48", sized to fit the complete content of one GK1935 Shelter including	\$ 2,925.85	306
838	WS2090	0	Storage Case, 64"x20.5"x22"	\$ 833.48	62

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
839	CRT424	0	4-Wheeled case cart: Secures 25 Cots and 25 Linen Kits. Includes securing straps and 4 lockable swivel	\$ 915.64	80
840	CRT831	0	Cart Kit for WS2046, includes cart with 4 heavy duty swivel casters with locks mounted on a durable powder coated steel cart with 3 ratchet strap for securing load.	\$ 790.57	62
841	CRT832	0	Cart Kit for WS2030, includes cart with 4 heavy duty swivel casters with locks mounted on a durable powder coated steel cart with 3 ratchet strap for securing load.	\$ 790.57	96
842	CRT-20	0	2-Wheeled case cart: Secure most Western Shelter cases to this cart with the provided straps for ready	\$ 1,070.83	45
843					
844	STORAGE AND TRANSPORT TRAILERS				
845	It is the Customer's responsibility to ensure the use of a proper tow vehicle for total GVW quoted.				
846	GK20ST	0	Storage/Transport Trailer, 20' Length , 14K GVW, 2-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 17,679.22	4996
847	GK24ST	0	Storage/Transport Trailer, 24' Length , 14K GVW, 2-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 19,903.05	5580
848	GK28ST	0	Storage/Transport Trailer, 28' Length , 21K GVW, 3-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 22,640.83	6396
849	ACC-TRL	0	ACC Surge Capacity Support Trailer System - Mobile Alternative Care Center (ACC) Support Package is equipped to establish a 50-bed ACC in an existing facility. The combination of Storage/Transport trailer and Support Care equipment make this a unique package.	\$ 30,414.18	6790
850	MOB-MRTS	0	Mobile Response Trailer System - 53' Trailer with Command Center and Storage Area. This line item is for Trailer Only, no shelters. The function of this package is to provide a full functional First Response Mobile Field Hospital, utilizing Gatekeeper shelter kits and specified 53' support trailer system. The trailer can be converted into a multi-functional command center or billeting and storage. <i>The trailer is capable of billeting 24 plus persons utilizing the</i>	\$ 440,930.71	36000
851	Trailers available from 12' to 53', customized to your specifications by Western Shelter Mobility Systems.				
852					
853	Trailer and Vehicle Options				
854	VC-CBTA	0	GateKeeper Vehicle Connector Boot for Trailer/Ambulance – Avoid bad weather while loading/unloading patients from an ambulance and goods from a trailer into your shelter through this enclosed Connector Boot. Fits both GK/HO20 and GK/HS1935 shelters. When used as an ambulance dock, we recommend adding the optional VE-GK-ISO Entryway Isolation Upgrade Double Door Kit to replace the push-through outside	\$ 4,659.07	124
855	MTL-BBACBTA	0	Base Bar Assembly	Included	
856	MTL-BBTECBTA	0	Base Bar Trailer End	Included	
857	MTL-BBCBTA	0	Base Bar, Connector Boot	Included	
858	MTL-EBACBTA	0	Eave Bar Assembly, Connector Boot	Included	
859	MTL-EBCBTA	0	Eave Bar, Connector Boot	Included	
860	MTL-RDBCBA	0	Ridge Bar, Connector Boot	Included	
861	FL-CBTA	0	Flooring System, Connector Boot	Included	
862	VC-RPCBTA	0	Roof Panel with Integrated Insulation, Connector Boot	Included	
863	VC-WPCBTAR	0	Wall Panel, Right of Door	Included	
864	VC-WPCBTAL	0	Wall Panel, Left of Door	Included	
865	VC-PTCA	0	Vestibule Privacy Curtain	Included	
866	HW-CBTA	0	High Wind Tie Down, 4 Piece for Connector Boot	Included	
867	BG-CBTA	0	Bag, for Connector Boot	Included	
868	GK20CCST	0	Optional Trailer Command Center, 8' desk top with center cabinet base and four overhead cabinets. Mounted in nose of trailer.	\$ 2,089.63	244
869	GKSTHVAC	0	Optional Trailer Rooftop HVAC with electrical upgrade to 50 Amps.	\$ 2,176.35	
870	GKSTA20	0	Optional Trailer Roll-Out Awning, to fit 20' trailer	\$ 1,087.26	93
871	GKSTA24	0	Optional Trailer Roll-Out Awning, to fit 24' trailer	\$ 1,383.05	102
872	TRL-FL20	0	Optional Non-skid Spray-on Floor Lining for 20' trailer. Covers floor, 3" of lower wall, and 7' rear door ramp.	\$ 1,071.74	0

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
873	TRL-FL24	0	Optional Non-skid Spray-on Floor Lining for 24' trailer. Covers floor, 3" of lower wall, and 7' rear door ramp.	\$ 1,231.51	0
874	TRL-FL28	0	Optional Non-skid Spray-on Floor Lining for 28' trailer. Covers floor, 3" of lower wall, and 7' rear door ramp.	\$ 1,390.35	0
875	GKSTHS	0	Hanging Shelves for Storage/Transport Trailer. (set of 2)	\$ 485.67	0
876	GKSTSTK	0	Spare Tire Kit. Includes ST235/85R16 F-rated spare tire w/ silver wheel, spare tire carrier w/ cover-tongue mounted, 3-ton floor jack, and lug wrench.	\$ 744.93	0
877	TR-WDSCK	0	Weight Distribution and Sway Control Kit for cargo trailers. Includes dual-cam sway control unit, Trunnion-style 1,700 lb. Tow Beast weight distribution hitch, 14-inch Trunnion Bar weight distributing head assembly, and a 2-5/16" Tow Beast chrome hitch ball.	\$ 794.22	121
878					
879	TRAINING				
880	TRN-IH	0	In-House "Train-the-Trainer" Training - Located at Western Shelter System's manufacturing and indoor training facility in Eugene, Oregon. No charge to customer. Transportation and accommodations are responsibility of the customer. 30-day advance booking required.	NO CHARGE	0
881	TRN-AW	0	AWARENESS LEVEL-This level of training is designed to provide a general basis of familiarity of the Western Shelter System for new recruits or as a refresher course for established teams. This Level will focus on the trainee becoming comfortable with assisting in the deployment of a given shelter system and its accessories. At the end of the course, students will be given a competency evaluation and upon successful completion will receive a Certificate of	\$ 2,683.92	0
882	TRN-OPS	0	OPERATIONAL LEVEL-Upon successful completion of the AWARENESS LEVEL course, Western Shelter Systems offers the OPERATIONAL LEVEL course. This course level will not only review many of the basics lessons of the AWARENESS LEVEL course but will also included logistics and team management. The main objective of the OPERATIONAL LEVEL course is to instill in the trainee the confidence and knowledge to deploy the Western Shelter System with their team in a safe and organized manner.	\$ 2,683.92	0
883	TRN-TECH	0	TECHNICIAN LEVEL-Certain people are naturally going to have an affliction for a particular portion of the Western Shelter System. Knowing this, we have created a course that helps identify which person(s) have the skills and drive to confidently be assigned a particular component of the Western Shelter System. Persons that excel at this level are ideal candidates for our INSTRUCTOR/SPECIALIST	\$ 2,683.92	0
884	TRN-SPEC	0	SPECIALIST LEVEL-Training the Trainer is our common term for this course level. The Western Shelter System's training staff is dedicated to passing on the training knowledge and experience to the select few that achieve this level of training. This course is designed to be an annual course that is strictly focused on the "tricks of the trade" as well as updating the customer on new practices and techniques that Western Shelter Systems have acquired. Persons attending this course have managed many deployments of the Western Shelter System and possess the technical ability to assess and resolve the	\$ 2,683.92	0
885	TRN-H2O	0	Hospital HazMat-DECON is designed to provide introductory training for hospital based decontamination teams. H2O-DECON provides flexibility permitting training to be customized to specific equipment and site features. The components of the H2O-DECON program include: Lectures, Demonstration and Practice: Donning/Doffing PPE, Site selection and set-up, Patient decontamination Small Group Interactive Sessions Decontamination drill	\$ 1,294.49	0

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
886	TRN-HICS	0	Hospital Incident Command System (HICS) training for hospital staff that may function in key management roles during emergencies. The program combines lecture, case studies, and a facilitated tabletop exercise to educate and inform personnel about the value and need of HICS to better manage the incident, personnel and resources during a	\$ 1,797.50	0
887	TRN-BDLS	0	BDLS® is targeted to multiple disciplines including: emergency medical service (EMS) personnel, hazardous materials personnel, public health personnel, and health care providers. By teaching multiple disciplines simultaneously, a commonality of approach and language will develop, improving the care and coordination of response in WMD disaster and public health emergencies.	\$ 2,157.18	0
888	TRN-ADLS	0	ADLS® is an advanced practicum course for the trained BDLS® provider. It is an intensive, 2-day course that allows students to demonstrate competencies in casualty decontamination, specified essential skills, and mass casualty incident information systems/technology applications. Using simulated, all-hazards scenarios and mass causality incidents, ADLS® makes use of four interactive sessions in which participants treat simulated patients in various disaster drills and situations. Training is focused on the development of hands-on skills to allow participants to apply the knowledge learned in BDLS®.	\$ 5,391.59	0
889	TRN-SMAT-II	0	SMAT II training is for hospital based team of medical professionals who may be established to provide patient decontamination, mass medical care, alternate care facilities, and mass drug distribution points.	\$ 2,253.04	0
890	TRN-SMAT-III	0	SMAT III training is for EMS or Fire Department based team that are designed to be the first line of response in support of local agencies in the event of a decontamination event or mass medical care event.	\$ 2,253.04	0
891	TRN-SMAT-II BDLS	0	SMAT II/BDLS training is for hospital based team of medical professionals who may be established to provide patient decontamination, mass medical care, alternate care facilities, and mass drug distribution points. This course combines BDLS® which is targeted to multiple disciplines including: emergency medical service (EMS) personnel, hazardous materials personnel, public health personnel, and health care providers.	\$ 1,667.79	0
892	TRN-SMAT-III BDLS	0	SMAT III/BDLS training is for EMS or Fire Department based team that are designed to be the first line of response in support of local agencies in the event of a decontamination event or mass medical care event. This course combines BDLS® which is targeted to multiple disciplines including: emergency medical service (EMS) personnel, hazardous materials personnel, public health personnel, and health care providers.	\$ 2,660.18	0
893	TRN-FPC	0	SMAT-Force Protection training consists of those providing force protection to prevent or mitigate hostile actions against SMAT members, patients, family members, resources, facilities, and critical information during deployment to austere environments.	\$ 2,157.18	0
894	TRN-ADTRN	0	Additional Trainer is available (on a per day basis) for groups larger than 25 people to be trained in one day	\$ 1,054.41	0
895	TRN-ADTRV.1.0	0	Additional Travel Day Full is charged per trainer for extended travel duration (i.e.. International, remote locations) that require a full additional day.	\$ 766.84	0
896	TRN-ADTRV.5	0	Additional Travel Day Half is charge per trainer for extended travel duration (i.e.. International, remote locations) that require an additional 1/2 day.	\$ 479.28	0

	A	B	C	D	E
1	PART NUMBER		DESCRIPTION	NYS PRICE	UNIT WEIGHT-lbs [†]
897	TRN-BoOCMP	0	Training: Provides Base of Operations Camp Training for Western Shelter Systems Products at a daily rate to include groups of a range of 40-60 Persons. Training services and support equipment are as follows; Main Camp Sheltering and Billeting: All remaining support needs to include Shelters for Billeting, Dining/Rec Shelter, Command area Shelter with small first aid station, Bunk-Beds, all table and chairs. Includes all daily camp support, set-up and tear down and misc support/maintenance needs. Power, Fuel: Approximately 40-60 gallons of Diesel will be used daily, should not exceed. Includes all Generator(s) power, Ultra Silent type with full	\$ 9,950.61	0
898				TOTAL EQUIPMENT COST	TOTAL WEIGHT add pallets
899	FREIGHT FOB EUGENE, OREGON:				
900	TOTAL GSA Schedule ORDER PLUS ANY OPTIONAL EQUIPMENT AND ESTIMATED FREIGHT				
901	NOTES:				
902	<p>1. This is a quotation. Items added or deleted in final specification may result in re-quotation.</p> <p>2. Position in the production schedule is not reserved until acceptance of valid Purchase Order.</p> <p>3. Freight estimates and charges are based on an origination point of Eugene, Oregon 97402 EXW unless otherwise specified.</p> <p>4. Western Shelter Systems (WSS) may be responsible to collect any state/local Sales/Service Tax generated by this transaction. Any taxes assessed will be included on the invoice created by WSS as an additional cost and are not reflected in the quote above. Determination of applicable taxes cannot accurately be estimated until the transaction is processed as tax rates may change after this quotation has been issued</p> <p>5. Prices quoted are effective for 120 days from date of quotation.</p> <p>6. Verbal Purchase Orders will not be accepted.</p> <p>7. Western Shelter Systems warrants all products against defects and workmanship for a period of one year from date of shipment.</p> <p>8. †All weights are approximate.</p>				
903	GSA contract items available under GSA Schedule #GS-07F-8700C.				
904	OM: Items marked wiith OM in the GSA Column are Open Market, and are not available on GSA Schedule GS-07F-8700C				
905	Brief Relief Products in green in the GSA Price Column are sold on GSA Schedule #GS-07F-9852H for American Innotek				
906					
907	Quotation by:				
908	Western Shelter Systems				
909	Tel: 1-800-971-7201 Fax: 1-541-284-2820				
910	Email: wss@WesternShelter.com				