

PC66790
CEIA USA, Ltd.
Effective June 1, 2015

| Contractor Item Number | Item Description | Manufacturer Name | Manufacturer Item Number | Category Number (as per DHS AEL) | Discount Category Option 1 or Option 2 | Unit of Measure | Catalog or List Price | Manufacturer PASS THRU Discount % | HIRE Contract Discount % | HIRE Contract Price |
|------------------------|---|-------------------|--------------------------|----------------------------------|--|-----------------|-----------------------|-----------------------------------|--------------------------|---------------------|
| 39491 | Divesting Table - Longer Version (length = 1200mm) | CEIA | 39491 | 15SC-00-PPSS | 2 | EACH | \$ 850.00 | 0.00% | 30% | \$ 595.00 |
| 46938 | Baseplates for uneven floors and mobile applications | CEIA | 46938 | 15SC-00-PPSS | 2 | EACH | \$ 790.00 | 0.00% | 30% | \$ 553.00 |
| 54253 | Video Kit for panel walk-through metal detectors, Includes the camera with mechanical support to fix the camera to a special crossbar, the special crossbar, the connecting cable, a cable protection cover to be mounted on the crossbar and the connection module necessary to connect the camera to the APSIM3/P module, the APSIM3/P module (not included in the kit) is a required option for the operation of the video camera kit, (This kit is not compatible with the weather resistant kit) | CEIA | 54253 | 15SC-00-PPSS | 2 | EACH | \$ 1,800.00 | 0.00% | 30% | \$ 1,260.00 |
| 55631 | IP65 Weather Protection Upgrade Kit for 720mm panel walk-through metal detectors, for improved protection degree (IP65). This option includes the "Weather Resistant Protection": and the "Anti-Vandalism" kits. | CEIA | 55631 | 15SC-00-PPSS | 2 | EACH | \$ 1,000.00 | 0.00% | 30% | \$ 700.00 |
| 55660 | IP65 Weather Protection Upgrade Kit for 720mm elliptic walk-through metal detectors, for improved protection degree (IP65). This option includes the "Weather Resistant Protection": and the "Anti-Vandalism" kits. | CEIA | 55660 | 15SC-00-PPSS | 2 | EACH | \$ 1,000.00 | 0.00% | 30% | \$ 700.00 |
| 57290 | Metal Detector Transport Case with Wheels | CEIA | 57290 | 15SC-00-PPSS | 2 | EACH | \$ 3,000.00 | 0.00% | 30% | \$ 2,100.00 |
| 1D/2DREADER/P | Mono- and Bi-dimensional Bar code Reader Kit for Profiling System. The kit includes mono- and bi-dimensional bar code readers mounted on the crossbars of the WTMD. These readers are used to acquire/load the metal profile of the inspected people for correctional and loss prevention applications. This item includes the shoe footprint kit. The APSIM3PLUS/P module (not included in the kit) is an additional necessary option for the operation of the 1D/2DREADER/P kit. | CEIA | 10D/2DREADER/P | 15SC-00-PPSS | 2 | EACH | \$ 3,250.00 | 0.00% | 30% | \$ 2,275.00 |
| APSIM2PLUS/E | Advanced Power Supply Module with network Interface for elliptic walk-through metal detectors. Integrated web server and data logger with anti-tamper on/off switch, RS-232, USB, 10/100 base T Ethernet interface, real-time clock, transmits statistical data analysis, 20' internal battery back-up and 12 hour mains disconnection diagnostic alarm | CEIA | APSIM2PLUS/P | 15SC-00-PPSS | 2 | EACH | \$ 800.00 | 0.00% | 30% | \$ 560.00 |
| APSIM2PLUS/P | Advanced Power Supply Module with network Interface for panel walk-through metal detectors. Integrated web server and data logger with anti-tamper on/off switch, RS-232, USB, 10/100 base T Ethernet interface, real-time clock, transmits statistical data analysis, 20' internal battery back-up and 12 hour mains disconnection diagnostic alarm | CEIA | APSIM2PLUS/P | 15SC-00-PPSS | 2 | EACH | \$ 800.00 | 0.00% | 30% | \$ 560.00 |

PC66790
CEIA USA, Ltd.
Effective June 1, 2015

| Contractor Item Number | Item Description | Manufacturer Name | Manufacturer Item Number | Category Number (as per DHS AEL) | Discount Category Option 1 or Option 2 | Unit of Measure | Catalog or List Price | Manufacturer PASS THRU Discount % | HIRE Contract Discount % | HIRE Contract Price |
|------------------------|--|-------------------|--------------------------|----------------------------------|--|-----------------|-----------------------|-----------------------------------|--------------------------|---------------------|
| APSIM3PLUS/E | Advanced Power Supply Module for elliptic walk-through metal detectors, with anti-tamper on/off switch, RS-232, USB, 10/100 base T Ethernet interface, data logger with 60,000 event memory, real-time clock, integrated web-server, transmits statistical data analysis, Wi-Fi connection, IP dynamic configuration (DHCP), 20' internal battery back-up and 12 hour mains disconnection diagnostic alarm | CEIA | APSIM3PLUS/E | 15SC-00-PPSS | 2 | EACH | \$ 1,800.00 | 0.00% | 30% | \$ 1,260.00 |
| APSIM3PLUS/P | Advanced Power Supply Module for panel walk-through metal detectors, with anti-tamper on/off switch, RS-232, USB, 10/100 base T Ethernet interface, data logger with 60,000 event memory, real-time clock, integrated web-server, transmits statistical data analysis, Wi-Fi connection, IP dynamic configuration (DHCP), 20' internal battery back-up and 12 hour mains disconnection diagnostic alarm | CEIA | APSIM3PLUS/P | 15SC-00-PPSS | 2 | EACH | \$ 1,800.00 | 0.00% | 30% | \$ 1,260.00 |
| CLASSIC | Classic Walk-Through Metal Detector, column version, low voltage DC power, very light weight, quick installation, very easy to use, suitable for portable applications | CEIA | CLASSIC | 15SC-00-PPSS | 2 | EACH | \$ 2,950.00 | 0.00% | 30% | \$ 2,065.00 |
| CMD | Compact Metal Detector for Ground Search applications. | CEIA | CMD | 15SC-00-PPSS | 2 | EACH | \$ 4,346.00 | 0.00% | 30% | \$ 3,042.20 |
| EMA-3 | EMA Bottle and Liquid Scanner provides accurate and quick inspection of sealed and unsealed bottles in ~ 5 seconds, analyzes entire volume of the bottle, clear 'OK' or 'Attention' inspection result, compact size and ergonomic design. | CEIA | EMA-3 | 07CD-01-DPIR | 2 | EACH | \$ 32,100.00 | 0.00% | 10% | \$ 28,890.00 |
| EMIS-MAIL | IED detector for Letter & Parcel Inspection. Automatic inspection of parcels and letters up to 18" wide and 3" thick, detects detonators, batteries, triggers circuits and other metal components of parcel bombs without alarming on metal staples, paper-clips and metal binding spirals, confirmation alarm on each package inspected, ergonomic, compact design, operates on mains power supply and with built-in NiMH rechargeable batteries, integrated battery charger, no calibration or periodic maintenance necessary, optional embedded detection of radioactive materials available, specific setting available for prison use (Dept of Justice requirements NIJ-0602.02). | CEIA | EMIS-MAIL | 15SC-00-PPSS | 2 | EACH | \$ 4,200.00 | 0.00% | 30% | \$ 2,940.00 |
| HIPEPLUS/PZ | HI-PE PLUS Walk-Through Metal Detector, panel version, complete with dual-beam photocells transit counter, four multi zones display bars programmable as pacing lights and/or 60 localization zones with left and right indication, Metal-Identity technology, Random Alarm capability, low voltage DC power, Chip-Card programming, One-Touch automatic self installation, Bluetooth and RS-232 communication, anti-tamper on/off switch | CEIA | HIPE/PZPLUS | 15SC-00-PPSS | 2 | EACH | \$ 3,795.00 | 0.00% | 30% | \$ 2,656.50 |

PC66790
CEIA USA, Ltd.
Effective June 1, 2015

| Contractor Item Number | Item Description | Manufacturer Name | Manufacturer Item Number | Category Number (as per DHS AEL) | Discount Category Option 1 or Option 2 | Unit of Measure | Catalog or List Price | Manufacturer PASS THRU Discount % | HIRE Contract Discount % | HIRE Contract Price |
|------------------------|--|-------------------|--------------------------|----------------------------------|--|-----------------|-----------------------|-----------------------------------|--------------------------|---------------------|
| MBSU-2-HD | <u>Mains & Battery Supply Unit</u> - Independent, long life power supply in waterproof stainless steel case, with embedded fast charger: 14 hours typical (10 hours minimum) continuous operation with PMD2 PLUS. The unit is provided complete with special connectors for mobile use, waterproof power supply adapter (transport case not included) | CEIA | MBSU-2-HD | 15SC-00-PPSS | 2 | EACH | \$ 1,300.00 | 0.00% | 30% | \$ 910.00 |
| MSD | <u>MSD - Magneto Static Detector</u> : The equipment is able to detect all devices containing magnetized parts (cell phones, radio transceiver, receivers, etc.) and ferromagnetic metals providing full-height detection. Non obstructive construction realized in one-piece design that allows the equipment to be operational in a very short time and to be carried easily everywhere. Stand-alone operation, equipped with multi-color status indicators (beacon) and long-life embedded rechargeable batteries, designed in robust AISI 304 stainless steel construction and waterproof protection. Bluetooth headset and robust light carrying case are included. | CEIA | MSD | 15SC-00-PPSS | 2 | EACH | \$ 10,285.00 | 0.00% | 30% | \$ 7,199.50 |
| PD140E | <u>Digital Hand Held Metal Detector, PD140E model</u> , NIJ 0602.02 fully compliant, indoor and outdoor use, optical and acoustical signaling (proportional), alarm vibration, complete with wrist lace, paper package | CEIA | PD140E | 15SC-00-PPSS | 2 | EACH | \$ 190.00 | 0.00% | 30% | \$ 133.00 |
| PD140N-SET | <u>Digital Hand Held Metal Detector, PD140N model</u> , NIJ 0602.02 fully compliant, indoor and outdoor use, very long battery life, no battery replacement necessary, fully programmable through USB interface, fully programmable optical and acoustical alarm signaling (continuous or proportional), alarm vibration, complete with docking station (HHDS) and external power supply adapter, 2 rechargeable batteries AA NiMH 1.2V 2500mAH, wrist lace, reference test object, paper package. | CEIA | PD140N-SET | 15SC-00-PPSS | 2 | EACH | \$ 250.00 | 0.00% | 30% | \$ 175.00 |
| PD240C-SET | <u>Digital Hand Held Metal Detector, PD240C model</u> , NIJ 0602.02 fully compliant, indoor and outdoor use, very long battery life, no battery replacement necessary, fully programmable through USB interface, fully programmable optical and acoustical alarm signaling (continuous or proportional), alarm vibration, synchronization with adjacent PD240C up to 80cm of distance, complete with docking station (HHDS) and external power supply adppter, 2 rechargeable batteries AA NiMH 1.2V 2500mAh, wrist lace, reference test object, paper package. | CEIA | PD240C-SET | 15SC-00-PPSS | 2 | EACH | \$ 550.00 | 0.00% | 30% | \$ 385.00 |

PC66790
CEIA USA, Ltd.
Effective June 1, 2015

| Contractor Item Number | Item Description | Manufacturer Name | Manufacturer Item Number | Category Number (as per DHS AEL) | Discount Category Option 1 or Option 2 | Unit of Measure | Catalog or List Price | Manufacturer PASS THRU Discount % | HIRE Contract Discount % | HIRE Contract Price |
|------------------------|---|-------------------|--------------------------|----------------------------------|--|-----------------|-----------------------|-----------------------------------|--------------------------|---------------------|
| PD240-SET | Digital Hand Held Metal Detector, PD240 model, NIJ 0602.02 fully compliant, indoor and outdoor use, very long battery life, no battery replacement necessary, fully programmable through USB interface, fully programmable optical and acoustical alarm signaling (continous or proportional), alarm vibration, 240mm detection width, rejection of floor rebars for inspection at foot level without sensitivity reduction, synchronization with adjacent PD240 up to 20cm of distance, complete with docking station (HHDS) and external power supply adpter, 2 rechargable batteries AA NiMH 1.2V 2500mAh, wrist lace, reference test object, paper package. | CEIA | PD240-SET | 15SC-00-PPSS | 2 | EACH | \$ 330.00 | 0.00% | 30% | \$ 231.00 |
| PD240-SET-0001 | Combined Metal and Radiation Hand Held Detector for simultaneous dual-threat screening, PD240 model, NIJ-0602.02 fully compliant, indoor and outdoor use, very long battery life, no battery replacement necessary, fully programmable through USB interface, fully programmable optical alarm signaling and acoustical alarm signaling (continous or proportional), alarm vibration, 240mm detection width, rejection of floor rebars for inspection at foot level without sensitivity reduction, synchronization with adjacent PD240 up to 20cm of distance, complete with docking station (HHDS) and external power supply adapter, 2 rechargable batteries AA NiMH 1.2mAh, wrist lace, reference test object, paper package | CEIA | PD240-SET-0001 | 15SC-00-PPSS | 2 | EACH | \$ 680.00 | 0.00% | 30% | \$ 476.00 |
| PMD2PLUS/EZ | PMD2 PLUS Walk-Through Metal Detector, elliptic version, complete with four multi zones display bars programmable as pacing lights and/or 60 localization zones with left and right indication, Met-Identity technology, low voltage DC power, Chip-Card programming, One-Touch automatic self installation, Bluetooth and RS-232 communication, anti-tamper on/off switch | CEIA | PMD2PLUS/EZ | 15SC-00-PPSS | 2 | EACH | \$ 5,950.00 | 0.00% | 30% | \$ 4,165.00 |

PC66790
CEIA USA, Ltd.
Effective June 1, 2015

| Contractor Item Number | Item Description | Manufacturer Name | Manufacturer Item Number | Category Number (as per DHS AEL) | Discount Category Option 1 or Option 2 | Unit of Measure | Catalog or List Price | Manufacturer PASS THRU Discount % | HIRE Contract Discount % | HIRE Contract Price |
|------------------------|---|-------------------|--------------------------|----------------------------------|--|-----------------|-----------------------|-----------------------------------|--------------------------|---------------------|
| PMD2PLUS/EZHD | PMD2 PLUS Walk-Through Metal Detector, elliptic mobile heavy duty version, with anti-vandalism and anti-tampering stainless steel control unit case and IP65 protection degree (IEC 529), complete with four multi zones display bars programmable as pacing lights and/or 60 localization zones with left and right indication, Met-Identity technology, low voltage DC power, Chip-Card programming, One-Touch automatic self installation, Bluetooth and infrared communication, anti-tamper on/off switch | CEIA | PMD2PLUS/EZHD | 15SC-00-PPSS | 2 | EACH | \$ 7,680.00 | 0.00% | 30% | \$ 5,376.00 |
| SAMD | <u>Shoe Analyzer Metal Detector</u> , designed to inspect she shoes worn by passengers without requiring removal of the shoes. Provdes automatic detection o fthweapons hidden in the shies with simultaneous discrimination fo the metal components of the shoes. compact and robust with a high degree of structural stability, no influence from metal structures, complete and independent analysis of each shoe to calf height without variations in sensitivity or loss performance. | CEIA | SAMD | 15SC-00-PPSS | 2 | EACH | \$ 15,450.00 | 0.00% | 30% | \$ 10,815.00 |
| SMD600PLUS/PZ | SMD600 PLUS Multi Zone Very High Sensitivity Walk-Through Metal Detector, fully compliant with the NIJ 0601.02 Standard, panel version, complete with dual-beam photocells transit counter, four multi zones display bars programmable as pacing lights and/or 20x2 localization zones, Random Alarm capability, Met-Identity technology, One-Touch automatic self installation, low voltage DC power, Chip-Card programming, Bluetooth and RS-232 communication, anti-tamper on/off switch | CEIA | SMD600PLUS/PZ | 15SC-00-PPSS | 2 | EACH | \$ 6,700.00 | 0.00% | 30% | \$ 4,690.00 |
| SMD600PLUS/PZ | Pre-configured for Prison Applications | CEIA | SMD600PLUS/PZ | 15SC-00-PPSS | 2 | EACH | \$ 7,300.00 | 0.00% | 30% | \$ 5,110.00 |
| SMD601PLUS/PZ | SMD601 PLUS for Prisons Applications, an ultra-high sensitive Walk-Through Metal Detector designed to satisfy the strictest security requirements and to detect all metals commonly used in improvised weapons extending the detection sensitivity to metal threats previously considered undetectable due to their minimal dimensions and metal composition, fully complies with and exceeds the NIJ 0602.02 Standard with prison kit included. | CEIA | SMD601PLUS/PZ | 15SC-00-PPSS | 2 | EACH | \$ 17,400.00 | 0.00% | 30% | \$ 12,180.00 |